


Troubleshooting Guide



MIGRATION HEIGHT-ADJUSTABLE DESKS

HOW THEY WORK

- Each Lifting Column contains an individual motorized lift mechanism.
- The Control Box contains a power transformer. This converts high-voltage AC current from the wall outlet to low-voltage 24v DC current, which powers the Lifting Columns.
- Only the main power cable carries high voltage. All other cables carry low voltage.
- The Control Box contains a computer processor, with embedded software controllers.
- The Control Box controls all aspects of Desk motion, and synchronizes motion of the individual Lifting Columns.
- The Control Box will shut down the entire Desk if a fault is detected. For example, if one Lifting Column is binding or trapped, it will draw significantly more current than the other Lifting Column, and the Control Box will shut down the entire Desk to prevent further damage.
- The Controller is the user interface to the Desk, and directs all Desk movements via the Up-Down buttons and the Preset buttons.
- Preset data is stored in the Control Box, not in the Controller itself.

READ THE ASSEMBLY DIRECTIONS AND USER GUIDE

Many times, problems can be the result of improper assembly. Reference the Assembly Directions document to ensure the Desk is assembled correctly. If so, reference the troubleshooting steps throughout this document.

TROUBLESHOOTING PARTS KIT

Having a spare part that is known to work will quickly lead to accurate identification of faulty components. Without this, it can be little more than guesswork.

Steelcase strongly recommends that every Dealer maintain a small kit of parts for troubleshooting purposes.

This kit of parts should include:

- | | | |
|----------------------------------|-------|--|
| 1. Lifting Column | qty=2 | Service Part No. 24578501SR |
| 2. Control Box | qty=1 | Service Part No. 24579201SR (120v) or 24579202SR (240v) |
| 3. Controller (Digital / Preset) | qty=1 | Service Part No. 24580401SR |
| 4. Power Cable | qty=1 | Service Part No. 004247DSR (US type, NEMA 5-15) (see Service Parts catalog for grounded power cords) |

Always maintain a complete kit of troubleshooting spare parts that are known to work properly, to quickly identify the root-cause of problems and resolve customer issues on the first try.

TROUBLESHOOTING STEPS

Step 1: Check for power at the wall outlet; ensure Desk is properly assembled, and all cables are securely connected. Upon powering up the Desk, the Control Box will click twice to indicate normal operation and verify that connections are properly made. If it clicks only once, or if it clicks 3 or more times, there is a fault in the system.

Step 2: Check all connections of Lifting Column Low-Voltage Cables. Check the connection points on the Control Box: are any of the pins in the connectors damaged or not making contact?
(see Fig. 2 on page 6)

Step 3: Obtain a Control Box, Digital / Preset Controller, and Power Cable that are known to work.

Caution! *If the Lifting Column is assembled to a Desk, first flip the Desk upside-down. This will allow full and free motion of the Lifting Columns, and will prevent any further damage to them.*

- Step 4:** Test Lifting Columns for proper function, and replace any faulty Lifting Columns. To do this, create a bench-testing setup using known good components, for example from your troubleshooting parts kit. Use these known good components to test the Lifting Columns of the suspect Desk as follows:
- Verify the function of the bench-test setup by connecting all the known-good components, including Lifting Columns, synchronize the Lifting Columns (see Common Procedures), and check for proper function.
 - Disconnect power to the Control Box, and connect the Lifting Columns of the suspect Desk to the bench-test setup. If the Lifting Columns of the suspect Desk now operate normally using the bench-test setup, then the Lifting Columns of the suspect Desk are good. Move on to Step 5.
 - If the Lifting Columns of the suspect Desk do not operate normally, observe the error code shown in the display of the Digital / Preset Controller of the bench-test setup. The following error codes may indicate a fault with the Lifting Column, its Low-Voltage Cable, or the cable connector:
 - E12 / E13 / E14: Defect on channel 1 / 2 / 3.
 - E24 / E25 / E26: Overcurrent on motor M1 / M2 / M3
 - E36 / E37 / E38: Plug detection in motor socket M1 / M2 / M3

- D. Using error code E12 as an example...error code E12 may indicate a fault with the Lifting Column plugged into channel 1 of the Control Box. To verify this, first disconnect power to the Control Box, and then swap the Lifting Column low-voltage connectors between channels 1 and 2, so that Lifting Column 1 is now plugged into 2, and 2 is plugged into 1. Re-connect the power.
- E. If the error code now reads E13, indicating a fault on channel 2, then the fault moved with the Lifting Column. Therefore, the problem must reside with the Lifting Column 1, which was moved from channel 1 to 2.
- F. If the error code instead continues to read E12, then both Lifting Columns may be faulty.
- G. For further verification, repeat this process by swapping out the suspect Desk's Lifting Columns with the Lifting Columns from your troubleshooting parts kit, to zero in on which Lifting Column is faulty, if not both. *(If the suspect Desk's Lifting Columns function normally in the bench-test setup, move on to Step 5.)*

*Any faulty Lifting Columns must be replaced.
There are no field-serviceable parts inside the Lifting Column.*

Between each of the following steps, be sure to disconnect the Control Box from the power source for at least 5 seconds to power down the internal processor.

- Step 5:** If there are no error codes to indicate faults with the Lifting Columns or their Low-Voltage Cables or connectors, progressively swap out parts in the bench-test setup as follows:
- A. Swap the known-good Power Cable with the original from the non-functioning Desk. If it stops working, the Power Cable is faulty.
 - B. Using the original Power Cable, swap the known good Controller with the original from the non-functioning Desk. If it stops working, the Controller is faulty.
 - C. Using the original Power Cable and Controller, swap the known good Control Box with the original from the non-functioning Desk. If it stops working, the Control Box is faulty.

***Be sure to go through all of the steps above to fully identify all faulty components.
There could be more than one!***

COMMON PROCEDURES

POWER-SAVING CONTROL BOX:

- The Control Box automatically powers down into 'Standby' mode after 20 seconds of inactivity.
- During 'Standby' mode, the Control Box only consumes 0.1 watt of power.
- With the Control Box in 'Standby' mode, the Desk can lose power without affecting the synchronization of the Lifting Columns. However, a power loss still allows the Control Box to power down and 'Soft Reset.' (see below)

DUTY CYCLE:

- In order to prevent excessive heat buildup and avoid damage to the system, the Control Box limits the Up-Down function of the Desk to a maximum of 1 minute of continuous operation in a 10-minute timeframe (10% duty cycle).
- If the 10% duty cycle is exceeded, the Control Box may still allow limited movement, for example 3 seconds of movement after 10 seconds of rest. If further movement is desired, allow the Desk to cool off before making further adjustments.
- If the Desk does not function at all after long periods of operation, allow the Desk to cool off, until the Control Box has been idle for the entire duty cycle period.
- If the Control Box overheats, the display of the Digital / Preset Controller will read 'HOT.' Simply wait until the Control Box cools off, and 'HOT' is no longer displayed, before attempting further adjustments.

CONTROL BOX SOFT RESET:

- Unplugging the Control Box from the power source, and then plugging it back in, interrupts power to the processor inside the Control Box. This power interruption causes the processor to reset.
- If the Desk experiences unexplained freezing or erratic performance, unplug the Control Box from the power source to cut power to the processor, and reset its routine. Wait a minimum of 5 seconds, and then re-connect the power.
- If this does not restore normal performance, additional troubleshooting steps are required.

CONTROL BOX RE-INITIALIZATION:

- In the event that a 'Soft Reset' does not restore normal operation, a 'Hard Reset' may be required.
- Currently, it is necessary to use a Digital / Preset Controller to perform this operation.
- To reset the Control Box to its factory settings:
 - 1) Press memory positions 1, 2, and the Up button simultaneously for 10 seconds
 - 2) Display shows 'S7'
 - 3) Press and hold the Up button until the display reads 'S0'
 - 4) Press 'S'; the unit is reset to factory settings

SYNCHRONIZING / INITIALIZING LIFTING COLUMNS:

- Operate the Desk all the way down to the lowest position, and release the Down button.
- Press the Down button again, and hold.
- After a few seconds, the Desk will visibly move up and down, settling to its correct 'bottom' position.
- The Lifting Columns are now synchronized via the software in the Control Box.
- Operate the Desk all the way up and down to confirm proper function.

TESTING INDIVIDUAL LIFTING COLUMNS:

- The Control Box is coded to operate only when all Lifting Columns are properly connected. It is not possible to operate Lifting Columns individually for troubleshooting purposes.
- To properly identify faulty Lifting Columns, refer to Step 4 of the Troubleshooting Steps.

*Any faulty Lifting Columns must be replaced.
There are no field-serviceable parts inside the Lifting Column.*

TROUBLESHOOTING: CAUSES AND SOLUTIONS

| PROBLEM | POTENTIAL CAUSE | POTENTIAL SOLUTION |
|---|--|--|
| No power to Desk | No power at wall outlet | Check outlet with another device; check circuit breakers/fuses/wiring. |
| | Power Cable not plugged into wall outlet | Confirm proper cable engagement into wall outlet. |
| | Power Cable not plugged into Control Box | Check that Power Cable is fully seated into Control Box. (see Fig. 1 on page 6) |
| | Faulty Power Cable | Inspect the Power Cable for damage; replace any damaged cables. |
| | Desk wiring not properly assembled | Check that all cables are connected per the Assembly Directions. When first plugged in, the Control Box will click twice to confirm proper connection. |
| Digital Controller does not work or illuminate | No power at wall outlet | See above. |
| | Control Box has wrong firmware | Control Box firmware must be 1.9 or later for Digital/Preset Controller compatibility. (see Fig 4 on page 6) |
| Desk will go neither up nor down | No Power | See above. |
| | Desk is severely overloaded | Maximum weight capacity is 195 lbs (88.6 kg). Overloading the Desk could lead to damage that would not be covered by warranty. ERROR CODE E24/25/26, E48/49 = Over Current <i>Tip: When calculating lifting capacity, subtract the weight of the worksurface</i> |
| | Control Box requires reset | Perform initialization procedure. (see Common Procedures) Lower Desk all the way down, and perform synchronization procedure. (see Common Procedures) |
| | Damaged pins inside multi-pin connectors (Low-Voltage Cable / connector) | Ensure the Desk is in 'Standby' mode. (>20 seconds of inactivity) Unplug each multi-pin connection point and inspect the pins in the Control Box connector. Are they all straight, and making good contact? If not, try using a push-pin to straighten them. (see Fig. 2 on page 6) (Otherwise, replace necessary components with undamaged versions.) |
| | Damaged Lifting Column Low-Voltage Cable | Carefully check the condition of the Low-Voltage Cable of each Lifting Column. (see Fig. 3 on page 6) If any Low-Voltage Cables are damaged, the entire Lifting Column must be replaced. |
| | Faulty Lifting Column | To prevent further damage, the Control Box will shut the whole Desk down if one Lifting Column is faulty. Test Lifting Columns (see step 4 of Troubleshooting Steps), and replace any faulty Lifting Columns. |
| | Faulty Controller (or) faulty Controller receptacle in Control Box | Swap with Controller known to work (and/or) check operation. |
| | Outdated Digital Controller software | Control Box firmware before version 1.9 is not compatible with the Digital/Preset Controller. (see Fig. 4 on page 6) Replace with a new Control Box with firmware 1.9 or later. |
| Faulty Control Box | Swap with Control Box known to work. | |
| Desk goes up, but not down (or vice-versa) | Damaged pins inside multi-pin connectors (Low-Voltage Cable / connector) | Unplug Power Cable from wall. Unplug each multi-pin connection point, and inspect the pins. Are they all straight, and making good contact? If not, try using a push-pin to straighten them. (see Fig. 2 on page 6) (Otherwise, replace necessary components with undamaged versions.) |

TROUBLESHOOTING: CAUSES AND SOLUTIONS

| PROBLEM | POTENTIAL CAUSE | POTENTIAL SOLUTION |
|--|---|---|
| Desk does not go through full range of motion | Re-synchronize Desk | Refer to Lifting Column synchronization procedure. (see <i>Common Procedures</i>) |
| | Faulty Lifting Column | Test Lifting Columns per step 4 of the Troubleshooting Steps, and replace any faulty Lifting Columns. Be sure to test all Lifting Columns! Why? Because another Lifting Column may have the same problem at a different height. |
| Lifting Columns not synchronized (one is higher than the other) | Re-synchronize Desk | Refer to Lifting Column synchronization procedure. (see <i>Common Procedures</i>) |
| | Faulty Lifting Column | Test Lifting Columns per step 4 of the Troubleshooting Steps, and replace any faulty Lifting Columns. Be sure to test all Lifting Columns! Why? Because another Lifting Column may have the same problem at a different height. |
| Desk movement is not smooth; Lifting Columns jerk or hop while raised or lowered | Faulty Lifting Column | Test Lifting Columns per step 4 of the Troubleshooting Steps, and replace any faulty Lifting Columns. Be sure to test all Lifting Columns! Why? Because another Lifting Column may have the same problem at a different height. |
| | Lifting Columns are not parallel with one another, causing them to bind | First ensure that glides are properly adjusted, and the Desk is level. Lift one side of the Desk off the floor and reposition so that both Lifting Columns are parallel to each other. |
| Error Code displayed on Digital Controller | Refer to Error Code listing | Follow instructions on error code listing; is Desk functioning normally anyway? Try initializing the Control Box. (see <i>Common Procedures</i>) |

PROBLEM ILLUSTRATIONS

Fig. 1 - Power Cable not fully seated in Control Box




Fig. 2 - Damaged pins in the low-voltage wiring connectors




Fig. 3 - Frayed/damaged Low-Voltage Cables (damaged Lifting Column wiring harness shown)



Fig. 4 - Firmware version 1.9 or later is compatible with the Digital/Preset Controller.

OBTAINING REPLACEMENT PARTS

Contact your local Steelcase dealer to help identify and order Service Parts. If you need help, call 888.STEELCASE.

MIGRATION DESK ERROR CODES

Error codes are only available with the Digital/Preset Controller.

HOT The display reads HOT.

E00 The display reads E + an error code.

| ERROR CODE | NAME | DESCRIPTION | POTENTIAL CAUSE | SOLUTION/TROUBLESHOOTING |
|------------|-------------------------------------|---|---|--|
| HOT | Overheating | The Control Box incorporates software protection against overheating | Exceeding the Duty Cycle; operation in an extremely hot environment. | Wait until the HOT error message is no longer displayed. May need to wait for entire remaining 18 minutes of 20 minute duty cycle period. |
| E00 | Internal error, Channel 1 | Relay sticks, MOSFET defect | Control box fault, or fault at connectors. | Try soft reset (unplug, wait 5 sec, plug back in); if this does not solve the issue, re-initialize the Control Box. Verify function of Control Box via troubleshooting steps. Replace Control Box if faulty. |
| E01 | Internal error, Channel 2 | Relay sticks, MOSFET defect | | |
| E02 | Internal error, Channel 3 | Relay sticks, MOSFET defect | | |
| E12 | Defect, Channel 1 | Short circuit, impulse timeout | Lifting Column fault, or fault in Low-Voltage Cables, or at connections to Control Box. | Verify low-voltage connections are properly made, and that pins / connectors are not damaged. Test Lifting Columns per troubleshooting steps, and proceed through rest of steps if Lifting Columns are not faulty. |
| E13 | Defect, Channel 2 | Short circuit, impulse timeout | | |
| E14 | Defect, Channel 3 | Short circuit, impulse timeout | | |
| E24 | Overcurrent, Motor M1 | Over current on channel | Desk is overloaded, or Desk has hit an obstruction. | Remove excessive loads, remove any obstructions. The Lifting Columns may need to be re-synchronized. After this, verify proper function. If not functioning properly, proceed through troubleshooting steps. |
| E25 | Overcurrent, Motor M2 | Over current on channel | | |
| E26 | Overcurrent, Motor M3 | Over current on channel | | |
| E48 | Overcurrent, Motor Group 1 | Over current on group | | |
| E49 | Overcurrent, Motor Group 2 | Over current on group | | |
| E60 | Collision Protection | Collision detected | | |
| E62 | Overcurrent, Control Box | Control box over current over all motor groups, or SMPS overload | | |
| E36 | Plug Detection in Motor Socket M1 | Lifting Column not detected on channel | Low-voltage connectors disconnected, or not connected properly; Lifting Column fault. | Check connections for damage / proper attachment. Check Low-Voltage Cables for damage. Proceed through troubleshooting steps. |
| E37 | Plug Detection in Motor Socket M2 | Lifting Column not detected on channel | | |
| E38 | Plug Detection in Motor Socket M3 | Lifting Column not detected on channel | | |
| E61 | Lifting Column Changed | Lifting Column has been changed | | |
| E55 | Synchronization Lost, Motor Group 1 | Synchronization Lost, Motor Group 1 | Lifting Columns have lost synchronization. | Re-synchronize Lifting Columns. |
| E56 | Synchronization Lost, Motor Group 2 | Synchronization Lost, Motor Group 2 | | |
| E67 | High Voltage | Over voltage | Internal fault, or power supply too high. | Verify power at outlet is normal using another device. If power is abnormal, disconnect from source. Try soft reset / initialization of Control Box if power is normal. |
| E70 | Motor Configuration Changed | Motor Configuration Changed | | |
| E71 | Anti-Pinch Configuration Changed | Anti-Pinch Configuration Changed | | |
| E81 | Internal Error | CRC flash CRC EEPROM Data not saved at power off HW initialization FW-driver initialization | Control box fault, or fault at connectors. | Try soft reset (unplug, wait 5 sec, plug back in); if this does not solve the issue, re-initialize the Control Box. Verify function of Control Box via troubleshooting steps. Replace Control Box if faulty. |

Para descargar este documento en español, visite www.steelcase.com/migration/troubleshoot/es

Pour télécharger ce document en français, visitez www.steelcase.com/migration/troubleshoot/fr

要下载中国这个文件, 请访问 www.steelcase.com/migration/troubleshoot/cn

한국어로이 문서를 다운로드하려면, www.steelcase.com/migration/troubleshoot/ko 를 방문

日本語でこの文書をダウンロードするには、www.steelcase.com/migration/troubleshoot/ja を訪問

Steelcase®

Visit Steelcase.com

 facebook.com/Steelcase

 twitter.com/Steelcase

 youtube.com/SteelcaseTV

5/2016 © 2016 Steelcase Inc. All rights reserved. All specifications subject to change without notice.
Trademarks used herein are the property of Steelcase Inc. or of their respective owners.

Part No. 939582003 – Rev. D