

13 Devices

Status History

Add Device

Space	Status ▲	Device	Note	Firmware
● MEX - Studio A	Offline	Receiver		3.0.0-07e2dd7-155
● ORD - Engineering B	Standby	Switcher	🗨	SP106-20x v2.0.8
	Offline	Receiver		3.0.0-07e2dd7-155
● ATL - Team Studio	Incompatible Firmware	Receiver		2.0.3-5617b30-66
● LAX - Small Hub 1	Awake	Switcher		SP106-20x v2.0.8
	In Use	Receiver		3.0.0-07e2dd7-155
● GRR - Studio J	In Use	Receiver		3.0.0-07e2dd7-155
● MUC - Marketing A	In Use	Receiver		3.0.0-07e2dd7-155
● GRR - Design C	Standby	Receiver		3.0.0-07e2dd7-155
● ATL - Conference B	Standby	Receiver		3.0.0-07e2dd7-155
● MAD - Team Studio	Standby	Receiver		3.0.0-07e2dd7-155
● TOR - Executive 1	Standby	Receiver		3.0.0-07e2dd7-155
● PAR - Telepresence 3	Not Networked	Switcher	🗨	SP106-20x v2.0.8

1-11 of 11 spaces

Show Less


IM#: 16-0014147

media:scape Manager
remote management software

Steelcase


Manage. Configure. Anywhere.

Manage your organization's media:scape system anytime, anywhere, with media:scape® Manager web-based software. Monitor the status of media:scape switchers and make configuration changes remotely. View maintenance history and add new devices. media:scape Manager helps IT professionals ensure system performance is optimized and streamlines system support.



REAL-TIME MONITORING


View the dashboard to remotely monitor the status of all media:scape units.



IM#: 16-0014289

REMOTE CONFIGURATION

No need for costly programming or on-site resources. Make any media:scape switcher or VP receiver configuration change from wherever you happen to be.



IM#: 16-0014225

CONFIGURATION HISTORY AT A GLANCE

To help you troubleshoot, media:scape Manager tracks and displays all the configuration changes that have been made to a device over time.

Minimum Requirements

STEELCASE APPLICATION SERVER 3.1

Compatible Hypervisors	VMware vSphere ESXI 6.x Microsoft Hyper-V 2016 Citrix XenServer 6.x or 7.x Oracle VirtualBox 5.x
vCPUs	2
RAM	4 GB
Storage	40 GB
Partially Qualified Domain Name	scs-virtualpuck-registry
Static IP Address	1

MEDIA:SCAPE MANAGER 3.1

Supported Devices	Virtual PUCK v3.0.0 Digital Switcher v2.0.6
Supported Browsers	Chrome v46 Firefox v41 Internet Explorer 11 Edge v20.1 Safari v9.01

VIRTUAL PUCK

Firmware	v3.0.0
Ethernet Connection	1

DIGITAL SWITCHER

Firmware	v2.0.6
Ethernet Connection	1
Active Maintenance Agreement	Yes

Technical Specifications

STEELCASE APPLICATION SERVER 3.1

Virtual Appliance Format	VMware vSphere ESXI: OVA Microsoft Hyper-V: Archived Folder (.zip) Citrix XenServer: Compressed OVA (.tar.gz) Oracle VirtualBox: OVA
Operating System	CentOS Linux v7 x86-64
Hosted Application	media:scape Manager 3.1
Database	PostgreSQL (local)

For additional information, including how to order, contact mas@steelcase.com.



Call 800.333.9939 or visit steelcase.com

