





Eyesite Monitor Arms
applications guide

Eyesite Application Configurations


- Bar-over-bar configurations expand the range of possible applications
- Eyesite® VESAs offered with and without pivot function to increase flexibility
- Available with or without focal adjustment
- All bar-over-bar configurations use a 26" column and include two mounting cable managers




SINGLE MONITOR SUPPORT




DUAL MONITOR SUPPORT




TRIPLE MONITOR SUPPORT



SINGLE LAPTOP SUPPORT




LAPTOP AND MONITOR SUPPORT



DUAL MONITOR AND SINGLE LAPTOP SUPPORT

EXTENDED COLUMN AND BAR-OVER-BAR CONFIGURATIONS



ONE-OVER-ONE MONITOR SUPPORT


Static: FPAS101CC, FPAS101CS, FPAS101FO or FPAS101TM

COMPONENT BUILDS

Static: FPCEESC, (2) FPCHTV

MOUNT OPTIONS

FPCCC, FPCCS, FPCFO, FPCTM or FPCBIVI



TWO-OVER-TWO MONITOR SUPPORT

Static: FPAC2BBSCC, FPAC2BBSFO or FPAC2BBSTM


Dynamic Focal Adjustable: FPAC2BBDCC or FPAC2BBDTM

COMPONENT BUILDS

Static/Dynamic Combo: FPCEESC, (2) FPC2SB or FPC2

MOUNT OPTIONS

Static: FPCCC, FPCCS, FPCFO, FPCTM or FPCBIVI
Dynamic: FPCCC or FPCTM



THREE-OVER-THREE MONITOR SUPPORT

Static: FPAC3BBSCC, FPAC3BBSFO or FPAC3BBSTM


COMPONENT BUILDS

Static: FPCEESC, (2) FPC3

MOUNT OPTIONS

FPCCC, FPCFO or FPCTM

MULTIPLE CONFIGURATIONS




FPCEESC
FPC1 or FPCFTV
FPC2 or FPC2SB

MOUNT OPTIONS
FPCCC or FPCTM


FRAME ONE
Static: FPCEESC, FPCFTV or FPC2SB

MOUNT OPTION
FPCFO




FPCEESC, FPC2, FPC3 or FPC2SB

MOUNT OPTIONS
FPCCC, FPCFO or FPCTM




FPCEESC, FPC3 or FPC2SB

MOUNT OPTIONS
FPCCC or FPCTM




FPCEESC, FPC1, FPCL1

MOUNT OPTIONS
FPCCC, FPCFO or FPCTM




FPCEESC, FPCL
FPC2 or FPC2SB
FPC1 or FPCFTV

MOUNT OPTIONS
FPCCC, FPCFO or FPCTM




FPCEESC, FPC3, FPCFTV

MOUNT OPTIONS
FPCCC, FPCFO or FPCTM




FPCEESC, FPCL
(2) FPC2 or (2) FPC2SB

MOUNT OPTIONS
FPCCC, FPCFO or FPCTM



FPCEESC, FPCL or
FPC2SB, FPC3





MOUNT OPTIONS
FPCCC, FPCFO or FPCTM







FPCEESC, FPCL or
FPC2SB, FPC3

MOUNT OPTIONS
FPCCC, FPCFO or FPCTM

Style Numbers and Standard Assemblies

	STYLE NUMBER	STYLE DESCRIPTION
	FPAC1CC	Single Standard Crank Column C-Clamp Mount
	FPAC1CS	Single Standard Crank Column c:scape Bracket Mount
	FPAC1TM	Single Standard Crank Column Through-Mount
	FPAC1FO	Single Standard Crank Column FrameOne Mount
	FPAEC1CC	Single Extended Crank Column C-Clamp Mount
	FPAEC1CS	Single Extended Crank Column c:scape Bracket Mount
	FPAEC1TM	Single Extended Crank Column Through-Mount
	FPAEC1FO	Single Extended Crank Column FrameOne Mount
	FPAEC1BIVI	Single Extended Crank Column Bivi Mount
	FPAC2CC	Dual Standard Crank Column Yoke Focal Adjustment C-Clamp Mount
	FPAC2CS	Dual Standard Crank Column Yoke Focal Adjustment c:scape Bracket Mount
	FPAC2TM	Dual Standard Crank Column Yoke Focal Adjustment Through-Mount
	FPAC2FO	Dual Standard Crank Column Yoke Focal Adjustment FrameOne Mount
	FPAEC2CC	Dual Extended Crank Column Yoke Focal Adjustment C-Clamp Mount
	FPAEC2CS	Dual Extended Crank Column Yoke Focal Adjustment c:scape Bracket Mount
	FPAEC2TM	Dual Extended Crank Column Yoke Focal Adjustment Through-Mount
	FPAEC2FO	Dual Extended Crank Column Yoke Focal Adjustment FrameOne Mount
	FPAEC2BIVI	Dual Extended Crank Column Yoke Focal Adjustment Bivi Mount
	FPAFC3CC	Triple Standard Crank Column Yoke C-Clamp Mount
	FPAFC3CS	Triple Standard Crank Column Yoke c:scape Bracket Mount
	FPAFC3TM	Triple Standard Crank Column Yoke Through-Mount
	FPAFC3FO	Triple Standard Crank Column Yoke FrameOne Mount
	FPAFEC3CC	Triple Extended Crank Column Yoke C-Clamp Mount
	FPAFEC3CS	Triple Extended Crank Column Yoke c:scape Bracket Mount
	FPAFEC3TM	Triple Extended Crank Column Yoke Through-Mount
	FPAFEC3FO	Triple Extended Crank Column Yoke FrameOne Mount
	FPAS101CC	Static One-Over-One Extended Column C-Clamp
	FPAS101CS	Static One-Over-One Extended Column c:scape Bracket Mount
	FPAS101TM	Static One-Over-One Extended Column Through-Mount
	FPAS101FO	Static One-Over-One Extended Column FrameOne Mount

	STYLE NUMBER	STYLE DESCRIPTION
	FPAC2BBDCC	Static Two-Over-Two Extended Column Yoke Focal Adjustment C-Clamp Mount
	FPAC2BBDTM	Static Two-Over-Two Extended Column Yoke Focal Adjustment Through-Mount
	FPAC2BBSCC	Static Two-Over-Two Extended Column Yoke C-Clamp Mount
	FPAC2BBSTM	Static Two-Over-Two Extended Column Yoke Through-Mount
	FPAC2BBSFO	Static Two-Over-Two Extended Column Yoke FrameOne Mount
	FPAC3BBSCC	Static Three-Over-Three Extended Column Yoke C-Clamp Mount
	FPAC3BBSTM	Static Three-Over-Three Extended Column Yoke Through-Mount
	FPAC3BBSFO	Static Three-Over-Three Extended Column Yoke FrameOne Mount
	FPALC1CC	Single Laptop Support Standard Crank Column C-Clamp Mount
	FPALC1CS	Single Laptop Support Standard Crank Column c:scape Mount
	FPALC1TM	Single Laptop Support Standard Crank Column Through-Mount
	FPALC1FO	Single Laptop Support Standard Crank Column FrameOne Mount
	FPAELC1CC	Single Laptop Support Extended Crank Column C-Clamp Mount
	FPAELC1CS	Single Laptop Support Extended Crank Column c:scape Mount
	FPAELC1TM	Single Laptop Support Extended Crank Column Through-Mount
	FPAELC1FO	Single Laptop Support Extended Crank Column FrameOne Mount
	FPAELC1BIVI	Single Laptop Support Extended Crank Column Bivi Mount
	FPALC2CC	Dual Laptop Support Standard Crank Column C-Clamp Mount
	FPALC2CS	Dual Laptop Support Standard Crank Column c:scape Mount
	FPALC2TM	Dual Laptop Support Standard Crank Column Through-Mount
	FPALC2FO	Dual Laptop Support Standard Crank Column FrameOne Mount
	FPAELC2CC	Dual Laptop Support Extended Crank Column C-Clamp Mount
	FPAELC2CS	Dual Laptop Support Extended Crank Column c:scape Mount
	FPAELC2TM	Dual Laptop Support Extended Crank Column Through-Mount
	FPAELC2FO	Dual Laptop Support Extended Crank Column FrameOne Mount
	FPAELC2BIVI	Dual Laptop Support Extended Crank Column Bivi Mount

General Application and Planning Guidelines

UNIVERSAL RULES

c:scape®	Bar-over-bar applications are not permitted
bivi®	Bar-over-bar applications are not permitted
big table	Bar-over-bar applications are not permitted
Airtouch®	Bar-over-bar applications are not permitted
FrameOne™	Bar-over-bar applications are permitted using only static bars
Series 3, 5 & 7 Ology™ and Migration™	Bar-over-bar permitted on tables with three legs only (not permitted on freestanding tables or tables with casters)

RESTRICTIONS

- Bar-over-bar configuration monitors cannot exceed 15 lbs. each
- Bar-over-bar configurations must utilize 26" column



C-CLAMP MOUNT
Attaches to worksurfaces 1" to 1 5/8" thick.



THROUGH-MOUNT
Fastens to worksurfaces 1" to 2" thick.



C:SCAPE MOUNT
Mounts anywhere along the c:scape beam. Not available for bar-over-bar configurations.



ON-CENTER MOUNTING
Simplifies installation with on-center mounting and quick-connection points.



LAPTOP HOLDER
Accommodates one or two laptops, alone or with monitors.



VESA MOUNT
Slides anywhere on the bar, with or without pivot, to accommodate different-sized monitors.



VESA COVER
Discreetly conceals mount and security feature.




CABLE MANAGEMENT
Secures, organizes and helps protect cables.



HEIGHT ADJUSTMENT
Easily adjusts height with built-in Allen wrench or 5/32" drill bit.



BAR-OVER-BAR MONITOR
Supports multiple monitors of varying sizes and weights.



FOCAL ADJUSTMENT
Adjusts focal depth easily according to personal needs.



ADJUST MONITOR ANGLES
Monitors angle precisely to meet individual preferences.

Steelcase®

Call 800.333.9939 or visit steelcase.com

 facebook.com/steelcase  twitter.com/steelcase  youtube.com/steelcasetv

Item #16-0000190 6/16 ©2016 Steelcase Inc. All rights reserved. All specifications subject to change without notice. Trademarks used herein are the property of Steelcase Inc. or of their respective owners. Printed in U.S.A. FSC certified.