C:Scape Specification Guide

Availability

Electronic price list updated with release 184.H (U.S.) and 148.H (Canada), dated October 16, 2017.

Spec News is available on *village.steelcase.com*. Search Steelcase Marketing Resources (Adstock) and download the current release's Spec News.

Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.

View or download Steelcase Specification Guides at http://www.steelcase.com/en/resources/design/spec-guides/pages/specguides.aspx.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a 1. Products that are scheduled to be culled are indicated with an 1., followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at http://finishlibrary.steelcase.com.

► For a list of all trademarks, refer to the last page of this specification guide.
© 2017 Steelcase Inc.




For Canadian Pricing

Canadian factor can be found at steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- · Add base and options for total list price.

Working with This Specification Guide	
Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4
Overview	6
Horizontal Sight Lines	8
Stability Guidelines	10
Thought Starters	22
c:scape	
Understanding c:scape	35
Specifying c:scape	83
Understanding Power and Data	149
Specifying Power and Data	175
Surface Materials	195
Resources	209

Ten Tips: How to Get the Most Out of This Book



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each Understanding chapter includes a statement of line after the table of contents.



Find cross references by looking for page numbers flagged with an arrow.

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where

- Product Drawing
- Actual Dimensions **Product Details**
- Connections

applicable:

- Wiring and Cabling
- Surface Materials
- **Application Topics**

Product Drawing


shows you what the product looks like and points out important features.

Product Details

gives specific information on the product and how it is used.

Connections

describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities

of the product.

Surface Materials lists what material is used for each part of the product.

Tip 5

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete

- a specification:
- Product Drawing
- Standard IncludesRequired to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number

Product Drawing

shows you what the

product looks like.

Price

Standard Includes

(under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify

(under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Rase Horizontal Frame Packages—Thin Tim for Part Biology **Page 18 - Market Part Biology **Page 1

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify with Customiz Stain

Italic typeface on specifying pages usually identifies wording that you should use in your order.

Tip 7


To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

: Style	
Number	Page
T\$7042BL	131
T\$7042\$	130
T\$7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
T\$7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

c:scape products are supported with informational materials, tools, and software to help you plan, specify, and order an

installation efficiently.

Printed Materials

Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www. steelcase.com web site or at village.steelcase.com

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@ steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications

You can access these digital publications at www. steelcase.com or village. steelcase.com.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For assistance, please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: steelcase.com.

Additional Resources

Overview


c:scape settings are created by planning with five key components: beams, desking, low storage, mid storage, and screens. The same components can be used in the open plan and private office.

The beam is 24"H x 3"D and is available in widths of 4', 5', 6', 7', and 8'. The beam interfaces with the building wiring and distributes power and data to the users providing access points in the base area, the desk, and low storage. The channels on top of the beam allow for tethering of desks, upmounting of mid storage, and mounting of screens. Beams can be connected inline and off-module at 90° to provide a sense of boundary within the space.


Desking is made up of an understructure and a surface (straight, transition, or tapered). Desks can be freestanding, tethered to the beam, or tethered to low storage. Supports are ordered separately. The surface of the desk slides forward to reveal the connect zone in the understructure which accommodates easy access to power, data, and cord management. A non-sliding desk is also available.

Low storage is available in two heights 18" (1 high) and 24" (1½ high). The depth for both is 17". Widths of 30", 36", 42", 48", 60", and 72" are offered. Storage can be open or closed, using drawers or inline sliders, or a combination of both creating multiple configurations.

1½- high storage can be specified with a connect zone, providing easy access to power, data, and cord management.









Screen elements


include a personal/modesty screen, and a centered screen. The personal/modesty screen can be mounted on the desk (above or below), on low storage, and on the beam. The centered screen is shared between two people and can be mounted on the beam, back-to-back desks, and on back-to-back 1½-high low storage with a connect zone.





Note: Tower and high ped storage are also available.

Horizontal Sight Lines



Horizontal Sight Lines and Defining the Lower Mass

One of the visual intentions of the c:scape system is to maintain an open and light aesthetic. A considerable means of achieving this visual is by creating a low, floating mass, and by keeping anything above the line of this mass relatively light.


Sight lines are the imaginary lines that run through the vertical space, creating the horizontal continuity that relates the different components to one another and the system as a whole. There are three significant sight lines in the horizontal visual field of c:scape's aesthetic: The "floating" sight line at 3 inches, the lower mass sight line at 24 inches, and the horizontal stripe at 18 inches.

Desking Sight Lines

The tops of the desking system float a few inches above the 24" lower mass sight line. The standard height of the top of surfaces is $28^{1}/2$ " from the ground. Six inches of height adjustability are built into the legs of the desking structure. The minimum height of the desk tops is 26" from the ground, which is 2" above the beam and low storage. The maximum height of desk tops from the ground is 32".

Above-the-Beam Sight Lines

There are a variety of components above the 24" lower mass sight line that have visual alignment. Mid storage is mounted on stanchions and vertical columns that float openly over the beam and workspaces. Personal and centered screens are mounted on the beam, desks, and storage to provide varying heights of privacy.




Stability Guidelines


Support feet can connect to the beam in 1 foot increments. There is flexibility in where the foot needs to be placed as long as it doesn't exceed the maximum distance from the end of the beam or between support feet.

Take careful note of aisle way applications where foot is exposed to prevent tripping hazard. It is recommended that the beam foot be inset a minimum of 1 foot from the end of the beam. Mid storage, low storage, or a similar object must be within 18" of the exposed foot.

Stabilizing Beams without Mid Storage Mounted Parallel








Beam with T-feet

L-foot and tethered desk

Desks tethered in a symmetrical application.




Beam with a 90° return


Stabilizing Beams with Mid Storage Mounted Parallel



Beam with T-support foot




Beam with two 90° return




Beam with 90° return and L-foot


Beams without Mid Storage Mounted Parallel



A T-foot is required within 3' from the end of the beam run and every 10' max.




When desking is tethered to the beam in a symmetrical application without mid storage mounted parallel, the desks replace the need for a T-foot. A T-foot must be used, if the desk is more than 3' from the end of the beam run and more than 10' apart.




When desk is tethered to the beam in a non-symmetrical application an L-foot is required on opposite side of the beam as the desk and L-foot must be located within 3' from the end of beam and every 10' max.




Desking that is tethered to a beam in a symmetrical application eliminates the need of T-feet.






When a beam without mid storage attached parallel is attached 90° to the spine it replaces the need for a T-foot at that location. A T-foot is recommended to support the end of the fin.

Beams with Mid Storage Mounted Parallel




beam min.


When mid storage is mounted parallel to the beam, and 90 degree beams are specified at the end of the beam run, a minimum of a 4' beam is required, and a T foot is required every 8' max.



When mid storage is mounted parallel to beam and desking is tethered in a non-symmetrical application, a T-foot is required within 3' of the end of the beam and every 8' max.




When mid storage is mounted parallel to the beam and desks are tethered in a symmetrical application, T-feet are required within 3' from end of the beam run and every 10' max.




When a beam is attached at 900 to a spine with parallel mid storage, an L-foot is required on the opposite side of the 900 fin.


Panel to Beam Junctions on Answer




• A 7' run with no panel-hung components does not require a return panel.





• For runs over 7' and up to 12', a 30"W return panel is required.



Desk-to-panel bracket is available as an option on the junctions to tie the end of the panel run into the understructure of the desk, when parallel to the







 Panel runs with panel-mounted storage must be supported by a 24"W min-imum return panel, a c:scape beam, or a Universal 1.5-High lateral file with a storage-to-panel bracket.


Counterweight Rules

Low storage units with file drawers require a counterweight package. Exceptions to this rule are noted here:

Low storage tethered to a beam:



Beam widths must be 6' or larger when one low storage unit that is 48"W or smaller is tethered to beam.



Beam width must be a minimum of 7' when one 60"W unit is tethered to the beam or a minimum of 9' when one 72"W unit is tethered to the beam.




Beams with mid storage mounted parallel: beam length must be equal to or greater than the combined low storage width.




Low storage of equal length tethered to both sides of the beam.


Low storage not tethered to a beam:




Using back-to-back spacers on units with connect zones.



Low storage in a back-to-back application supporting mid storage.



Low storage in a back-to-back application supporting mid storage.



Two desks tethered to one low storage unit.

Desking Supports




A freestanding desk uses two post legs in the back and two L-legs in the front of the desk. Post legs cannot be used to support the front of a freestanding desk.





Desks tethered perpendicular to the 1½-high low storage are supported on the storage side by a pair of desk tether brackets.


Tip: 1½-high low storage must have a connect zone to allow for the tethering of a desk.



Desks tethered perpendicular to the beam are supported on the beam side by a pair of desk tether brackets.









Back-to-back desks tethered perpendicular to 1½-high low storage units that share a leg are supported on the storage side by two pair of desk tether brackets (A). The side away from the beam is supported by two L-legs, one adjustable-height post leg, and one shared support plate (B).

Desking Supports (continued)




When back-to-back desks are tethered perpendicular in the center of 60"W or 72"W 1½-high low storage, two pair of desk tether brackets are used. If backto-back desks are tethered 3" or more off the center, one pair of desk tether brackets plus one desk tether bracket and shared support plate combination are




Back-to-back desks tethered perpendicular to a beam that share a leg are supported on the beam side by one pair of desk tether brackets, one desk tether bracket, and shared support plate combination (A). The side away from the beam is supported by two L-legs, one adjustable-height post leg, and one shared

Tip: When using a shared support plate to share a leg between two desks, an adjustable-height leg must be used.

Tip: Desks can be either flush to each other or create a 1" space between the desks. The 1" space is required between desks for the mounting of centered screens. Back-to-back spacers are required when mounting centered screens.




Adjacent desks tethered parallel to the beam in a benching application can be supported in the front by either an L-leg or a post leg. Desks can share an adjustable-height leg with a shared support plate (A). The desks are supported in the back by the beam with a desk tether bracket and shared support plate combination (B). An additional pair of desk tether brackets are used to support the far ends of the desks, one bracket at each end.




Adjacent desks in a bench application without a beam can share supports. Two back-to-back desks are supported by two L-legs, one adjustable-height post leg, and one shared support plate (A). Adjacent desks can be supported in front by either an adjustable-height post leg or an L-leg with a shared support plate (B). The desks are supported in the back by three shared support plates and an adjustable-height post leg (C).

Desking Supports (continued)




Desks tethered parallel to the beam in a benching application can be supported by 1½-high low storage with a connect zone. The back of the desk is attached to the beam with a desk tether bracket (A). Adjacent desks are supported in the front by a pair of desk tether brackets, a shared support plate, and the back is supported by the beam with a desk tether bracket and shared support plate combination (B). When storage is located at the end of a run, the desk is supported by a pair of tether brackets located in the storage unit and an optional desk tether bracket can connect the back of the desk to the beam (C).



When low storage is used as a support for the desk in a bench application the low storage unit can be:

- flush with the beam, if at the end of the run
- ½" gap between beam and low storage to allow room for a tether bracket on the beam
- $1\frac{1}{2}$ "-9" max in $1\frac{1}{2}$ " increments away from the beam
- low storage can not be used as a front support if it is more than 9" away from the beam



When desk is tethered to low storage in a freestanding application the back edge of the desk can overhang the edge of storage up to $4\frac{1}{2}$ " without any additional desk support. If the desk overhangs the edge of the low storage by more than $4\frac{1}{2}$ " a post leg is required to support the back corner of the desk.

Universal Systems Worksurfaces Tethered to c:scape


Tether bracket kits for use with Universal Worksurfaces have been created. These tether bracket kits must be used when tethering Universal Systems Worksurfaces to c:scape beams and low storage. Universal legs must be used to support the end of the worksurface that is not tethered. See additional application rules below. Universal Worksurfaces stability guidelines must also be followed for reinforcing channels.



18"D Universal Systems Worksurfaces cannot be tethered perpendicular to




18"D Universal Systems Worksurfaces cannot be tethered perpendicular to beams.



Universal Worksurfaces wider than 72"W require a third tether bracket for additional support in the middle or within 6" of the middle. Worksurfaces with a power and data access cutout must have a third tether bracket placed 18"-20" to either side of the middle.

Knife edge worksurfaces wider than 72"W cannot be mounted parallel to the beam.




Universal systems worksurfaces tethered parallel to the beam in a benching application can be supported by 1½-high low storage with a connect zone. The back of the desk is attached to the beam with a desk tether bracket. Adjacent desks are supported in the back with a desk tether bracket and shared support plate combination. A pair of tether brackets mounted in the low storage support the front of the desk on the right. A post leg is required to support the front of the worksurface on the left.

Guidelines for Panel Mount Mid Storage on Privacy Wall/Answer and Montage


General Guidelines (All Applications)


c:scape mid storage can be mounted on Privacy Wall, Answer, and Montage panels.




All mid storage units **must span two panels** to allow an attachment to be made near the center for proper structural support.


Panel runs for mounting mid storage side by side are limited to 12' maximum.





The top surface of all mid storage \boldsymbol{must} be $\boldsymbol{mounted}$ at least 38" from the floor.





Mid storage mounts on-module, but has the ability to mount off-module by 12" total-12" one end or 6" both ends (i.e. a 72"W mid storage on two 30"W panels).


Guidelines for Panel Mount Mid Storage on Privacy Wall/Answer and Montage (continued)

Answer and Privacy Wall Specific Guidelines

Mid storage panel mount solutions are not for use on Kick panels.

Cannot mount c:scape mid storage on a stacked Answer panel.

Up to two mid storage units can be mounted (one above the other) on Answer and Privacy Wall, up to 12' maximum run.



(Mounted side by side, tall and slim mid storage can be aligned to each other across the top surfaces, but cannot be aligned across the bottom surfaces) (mismatch will be 1/4" higher or 3/4" lower).


Montage Specific Guidelines


Standard 65"H Montage frames will accept tall mid storage at the top of the panel without modification.

Special 65"H frames must be ordered for mounting slim mid storage at the top of the panel.

All frame heights, other than 65"H (see above), require special frames for mounting tall or slim mid storage in any position, but must be at least 38" from the floor.

Thought Starters






▶See page 28 for recommended power routing

c:scape Thought Starter 1


	Quantity	Style Number	Description	Option
0	1	CQLS173624	1½-High,17"D x 36"W x 24"H Low Storage	Open Above/Open Below
2	1	CQLS173624	1½-High,17"D x 36"W x 24"H Low Storage	Open Above/Open Below; With Connect Zone
3	2	CQLS173624	1½-High,17"D x 36"W x 24"H Low Storage	Drawer Above/Drawer Below
3b	2	CQLC2	Counterweight package 2 (not shown)	
4	3	CQLG	Low Storage Ganging Bracket	
5	2	CQMS177207W	17"D x 72"W x 7"H Wall-Mount Mid Slim Storage	
6	1	CQDS3072	30"D x 72"W Straight Desk	
7	1	CQDB	Desk Tether Bracket, Pair	
8	1	CQLAP	Adjustable-Height Post Leg	
9	1	CQLAL	Adjustable-Height L-Leg	
10	1	DSLEDR	Rail-Mounted LED Task Light	



See page 29 and 30 for recommended power routing

c:scape Thought Starter 2

	Quantity	Style Number	Description	Option
0	3	CQBM7224	72"D x 24"W Beam	
1 a	2	CQBI	Beam Inline Connector	
2	2	CQBT24	24" Beam Trim-EOR	
3	6	CQLS173624	1 ¹ / ₂ -high,17"D x 36"W x 24"H Low Storage	Open Above/Open Below; With Connect Zone
4	6	CQLS173624	1 ¹ / ₂ -high,17"D x 36"W x 24"H Low Storage	Drawer Above/Drawer Below; With Connect Zone
4 b	6	CQLC2	Counterweight Package, 2 (not shown)	
6	6	CQLG	Low Storage Ganging Bracket	
6	2	CQLAL	Adjustable-Height L-Leg	
7	7	CQDB	Desk Tether Bracket, Pair	
8	6	CQDS3072	30"D x 72"W Straight Desk	
9	4	CQDBP	Desk Tether Bracket and Shared Support Plate	
0	4	CQPS	Shared Support Plate	
0	3	CQSC7219	72"W x 19"H Centered Screen	Glass
P	2	CQSF3612	36"W x 12"H Fixed Personal/Modesty Screen	
B	1	CQSF3619	36"W x 19"H Fixed Personal/Modesty Screen	
1	1	DSS246	6"D x 24"W Shelf	
15	1	DSS2410	10"D x 24"W Shelf	



▶See page 31 for recommended power routing

c:scape Thought Starter 3

Recommended Components


	Quantity	Style Number	Description	Option
0	2	CQBM8424	84"W x 24"H Beam	
1a	1	CQBI	Beam Inline Connector (not shown)	
2	2	CQBT24	24" Beam Trim, EOR	
3	3	CQBFT	T-Foot Support	
4	4	CQSB	Back-to-Back Spacer, Pair	
6	8	CQLS173624	11/2-High,17"D x 36"W x 24"H Low Storage	Drawer Above/Drawer Below; With Connect Zone
6	2	CQMT177815S	Tall,17"D x 78"W x 15"H Shared Mid Storage	Inline Slider
7	2	CQMAL	Mid Storage Support, Parallel Application	
8	1	CQMG	Mid Storage Ganging Bracket	
9	4	CQLAP	Adjustable-Height Post Leg	

▶Thought Starter information, continued on next page

▶Thought Starter information continued from previous page

c:scape Thought Starter 3, continued


	Quantity	Style Number	Description	Option
10	4	CQLAL	Adjustable-Height L-Leg	
•	4	CQDB	Desk Tether Bracket, Pair	
1	2	CQDT302478	30"D x 24"D x 78"W LH Transition Desk	
13	2	CQDT243078	24"D x 30"D x 78"W RH Transition Desk	
4	1	CQSC3619	36"W x 19"H Centered Screen	
15	4	CQSF4212	42"W x 12"H Fixed Personal/Modesty Scree	en
16	2	CQSF3612	36"W x 12"H Fixed Personal/Modesty Scree	en
•	1	DSS363	3"D x 36"W Shelf	
178	1	DSTB	Tool Box (not shown)	
176	1	DSUB	Utility Box (not shown)	
18	1	DSLEDR	Rail Mounted LED Task Light	



▶See page 32 for recommended power routing

c:scape Thought Starter 4


	Quantity	Style Number	Description	Option
0	2	CQBM6024	60"W x 24"H Beam	
1 a	1	CQBI	Beam Inline Connector (not shown)	
2	2	CQBT24	24" Beam Trim, EOR	
3	2	CQBFT	T-Foot Support	
4	4	CQLS173024	11/2-High,17"D x 30"W x 24"H Low Storage	Open Above/Open Below
6	4	CQLS173024	11/2-High,17"D x 30"W x 24"H Low Storage	Drawer Above/Drawer Below
6	1	CQMS247207S	24"D x 72"W x 7"H Shared Mid Slim Storage	
7	1	CQMAL	Mid Storage Support Parallel Application	
8	2	CQDR243060	24"D x 30"D x 60"W RH Tapered Desk	
9	2	CQDR302460	30"D x 24"D x 60"W LH Tapered Desk	
10	2	CQDB	Desk Tether Bracket, Pair	
•	2	CQLAP	Adjustable-Height Post Leg	
12	4	CQLAL	Adjustable-Height L-Leg	
13	2	CQPS	Shared Support Plate	
14	2	CQDBP	Desk Tether Bracket and Shared Support Plate	
15	2	CQSB	Back-to-Back Spacer Pair	
16	2	CQSC4212	42"W x 12"H Centered Screen	




c:scape Thought Starter 5

	Quantity	Style Number	Description	Option
0	2	CQBM9624	96"W x 24"H Beam	
1 a	1	CQBI	Beam Inline Connector (not shown)	
2	2	CQBT24	24" Beam Trim, EOR	
3	2	CQBFT	T-Foot Support	
4	4	CQLS174824L	1½-High,17"D x 48"W x 24"H Left Low Storage	Drawer Above/Drawer Below
6	4	CQLS174824R	1½-High,17"D x 48"W x 24"H Right Low Storage	Drawer Above/Drawer Below
6	4	CQLAP	Adjustable-Height Post Leg	
7	4	CQLAL	Adjustable-Height L-Leg	
8	4	CQDB	Desk Tether Bracket, Pair	
9	2	CQDT302478	30"D x 24"D x 78"W LH Transition Desk	
0	2	CQDT243078	24"D x 30"D x 78"W RH Transition Desk	
0	2	CQMAL	Mid Storage Support, for Parallel Application	
B	2	CQMT177815S	17"D x 78"W x 15"H Tall Shared Mid Storage	Inline Slider
ß	6	CQSF4212	42"W x 12"H Fixed Personal/Modesty Screen	

Thought Starters, continued



Power from junction box in wall with junction box faceplate modular - 90°



Symbol Legend

Electrical Junction Box

Junction Box Faceplate Modular - 90° or Straight/Flush

Hardwire-To-Modular Power Infeed

Modular Harness

H Branching Harness-To-Harness Connector

Modular Powerkit - Storage

Add-On Modular Power Block - Desk


Modular Powerkit - Desk

▶See page 149 for understanding power and data


Power Routing Thought Starter 1

Recommended Components

Quantity	Style Number	Description	Option	Symbol
1	CQVM	Junction Box Faceplate-Modular	90 Degree	
1	CQVH72	72" Modular Harness (Used As Infeed)	3+1	
1	CQVPA	Add-On Modular Power Block-Desk Connect Zone	3+1	티
4	CQVRD	Duplex Receptacle (not shown)	3+1, Line Type	
3	CQVA	Branching Harness-To-Harness Connector	3+1	H
2	CQVPS	Modular Powerkit-Storage Connect Zone	3+1, 36"W Storage Unit	
1	CQVH36	36" Modular Harness	3+1	
1	CQVH48	48" Modular Harness	3+1	
1	CQVH72	72" Modular Harness	3+1	



Symbol Legend




▶See page 149 for understanding power and data

Power Routing Thought Starter 2

Recommended Components

Quantity	Style Number	Description	Option	Symbol
1	CQVI12H	12' Hardwire-To-Modular Power Infeed	2+2	_
3	CQVA	Branching Harness-To-Harness Connector	2+2	Н
6	CQVPD	Modular Powerkit-Desk Connect Zone	2+2	
12	CQVRD	Duplex Receptacle (not shown)	2+2, Line Typ	е
2	CQVH72	72" Modular Harness	2+2	

October 2017




▶See page 149 for understanding power and data

Power Routing Thought Starter 2a (an alternate option to Thought Starter 2)

Recommended Components

Quantity	Style Number	Description	Option	Symbols
1	CQVI12H	12' Hardwire-To-Modular Power Infeed	2+2	—
1	CQVA	Branching Harness-To-Harness Connector	2+2	Н
2	CQVPD	Modular Powerkit-Desk Connect Zone	2+2	
4	CQVPA	Add-On Modular Power Block-Desk Connect Zone	2+2	듸
12	CQVRD	Duplex Receptacle (not shown)	2+2, Line Type	
4	CQVH72	72" Modular Harness	2+2	




▶See page 149 for understanding power and data

Power Routing Thought Starter 3

Recommended Components

Quantity	Style Number	Description	Option	Symbols
1	CQVM	Junction Box Faceplate-Modular	90 Degree	-
1	CQVH72	72" Modular Harness (Used As Infeed)	3+1	
2	CQVA	Branching Harness-To-Harness Connector	3+1	H
4	CQVPD	Modular Powerkit-Desk Connect Zone	3+1	
2	CQVPA	Add-On Modular Power Block-Desk Connect Zone	3+1	4
12	CQVRD	Duplex Receptacle (not shown)	3+1, Line Type	
2	CQVH36	36" Modular Harness	3+1	
1	CQVH144	144" Modular Harness	3+1	





Symbol Legend


Electrical Junction Box Junction Box Faceplate Modular - 90° or Straight/Flush Hardwire-To-Modular Power Infeed Modular Harness Branching Harness-To-Harness Connector Modular Powerkit - Storage Add-On Modular Power Block - Desk □──□ (¬□) Modular Powerkit - Desk

▶See page 149 for understanding power and data

Power Routing Thought Starter 4

Recommended Components

Quantity	Style Number	Description	Option	Symbols
1	CQVM	Junction Box Faceplate-Modular	3SN, Straight/Flush	-
1	CQVH72	72" Modular Harness (Used As Infeed)	3SN	
4	CQVA	Branching Harness-To-Harness Connector	3SN	H
4	CQVPD	Modular Powerkit-Desk Connect Zone	3SN	
4	CQVPS	Modular Powerkit-Storage Connect Zone	3SN, 30"W Storage Unit	
12	CQVRD	Duplex Receptacle (not shown)	3SN, Line Type	
1	CQVH36	36" Modular Harness	3SN	
2	CQVH24	24" Modular Harness	3SN	



Symbol Legend

☐ Electrical Junction Box
☐ Junction Box Faceplate Modular - 90° or Straight/Flush
■ United Table 10 Complete Modular - 90° or Straight/Flush

Hardwire-To-Modular Power Infeed

Modular Harness

ℍ Branching Harness-To-Harness Connector

Modular Powerkit - Storage

□ Add-On Modular Power Block - Desk

□ □ Modular Powerkit - Desk

▶See page 149 for understanding power and data

Power Routing Thought Starter 5

Style Number	Description	Option	Symbols
CQVH96	96" Modular Harness (Used As Infeed)	3+1	
CQVPD	Modular Powerkit-Desk Connect Zone	3+1	
CQVPS	Modular Powerkit-Storage Connect Zone	3+1, 48"W Storage Unit	
CQVRD	Duplex Receptacle (not shown)	3+1, Line Type	
CQVA	Branching Harness-To-Harness Connector	3+1	H
CQVH48	48" Modular Harness	3+1	
	CQVH96 CQVPS CQVRD CQVA	CQVH96 96" Modular Harness (Used As Infeed) CQVPD Modular Powerkit—Desk Connect Zone CQVPS Modular Powerkit—Storage Connect Zone CQVRD Duplex Receptacle (not shown) CQVA Branching Harness-To-Harness Connector	CQVH96 96" Modular Harness (Used As Infeed) 3+1 CQVPD Modular Powerkit—Desk Connect Zone 3+1 CQVPS Modular Powerkit—Storage Connect Zone 3+1, 48"W Storage Unit CQVRD Duplex Receptacle (not shown) 3+1, Line Type CQVA Branching Harness-To-Harness Connector 3+1


Understanding c:scape


																																,
S	ta	ıt	eı	n	е	n	t	0	f	L	.iı	n	е																	;	3	E

Product Details	
Beams	46
Desking	48
Desking - Non-Sliding	52
Shared Tables	
Tapered and D-Shaped	56
Square and Round	58
Mid Storage	60
Low Storage	64
Tower	68
Screens	
Fixed Personal/Modesty Screens	70
Centered Screens	72
Divisio Side Screen	74
Worktools	76
LED Personal Task Lights	78
Victor2	80

Statement of Line

c:scape






Desking



Straight Desk




*All sizes are available in both standard c:scape desks and non-sliding c:scape desks.

Desking, continued



Understanding
► Page 48 and 52
Specifying
► Page 90 and 95

Tapered Desk




^{*}All sizes are available in both standard c:scape desks and non-sliding c:scape desks.



Understanding
► Page 48 and 52
Specifying
► Page 92 and 96

Transition Desk




*All sizes are available in both standard c:scape desks and non-sliding c:scape desks.

Legs


Fixed-Height Legs Specifying ▶ Page 97 Post Leg L-Leg

Height-Adjustable Legs




Statement of Line, continued

Shared Tables




Tapered and D-Shaped




Understanding
► Page 58
Specifying

Specifying
Page 120

Square and Round






Understanding
► Page 58
Specifying
► Page 104

Mid Storage

17"D



Understanding
► Page 60
Specifying
► Page 106


Tall Storage,	I					
30"W	36"W	42"W	48"W	60"W	66"W	72"W

•

•

•

•




Understanding
► Page 60
Specifying
► Page 106

Tall Storage, Shared												
	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W				
17"D	•	•	•	•	•	•	•	•				

78"W

•



Understanding
Page 60
Specifying
Page 106


Tall Storage, Wall Mount
60"W 66"W 72"W

17"D • • •

78"W

Statement of Line, continued


Mid Storage, continued



Understanding
Page 60
Specifying
Page 106

Slim	Storage,	Persor	ıal


	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W	
17"D	•	•	•	•	•	•	•	•	



Understanding
► Page 60
Specifying
► Page 106

Slim Storage, Shared

;	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W				
17"D	•	•	•	•	•	•	•	•				
24"D					•	•	•	•				



Understanding
► Page 60
Specifying
► Page 106


Slim Storage, Wall Mount

	60"W	66"W	72"W	78"W
17"D	•	•	•	•

Mid Storage Support









Parallel

Perpendicular with column

Perpendicular with High Ped

Mirrored Perpendicular with column

Mirrored Perpendicular with High Ped

High Storage



Understanding
► Page 64
Specifying
► Page 114

High Ped

_					
	18"W	33"W			
17"D	•	•			
24"D	•	•			

Low Storage



Understanding ► Page 64 Specifying ► Page 116

Low Storage, 1-High

	30"W	36"W	42"W	48"W	60"W	72"W
Left and Right, 18"H				•		
No Feature, 18"H	•	•	•		•	•




Understanding ➤ Page 64
Specifying
➤ Page 116

Low Storage, 1¹/₂-High

	30"W	36"W	42"W	48"W	60"W	72"W
Left and Right, 24"H				•		
No Feature, 24"H	•	•	•		•	•

Statement of Line, continued

Tower



Understanding
► Page 68
Specifying
► Page 126

Tower

24"W

Left and Right, 48"H

Screens



Understanding
► Page 70
Specifying
► Page 128





Understanding
► Page 72
Specifying
► Page 129

Fixed Personal/Modesty Screens

	30"W	36"W	42"W	48"W	
12"H	•	•	•	•	
19 ¹ / ₂ "H	•	•	•	•	
24"H	•	•	•	•	

Centered Screens

	36"W	42"W	48"W	60"W	72"W	
12"H	•	•	•	•	•	
19 ¹ / ₂ "H	•	•	•	•	•	
24"H	•	•	•	•	•	



Understanding
► Page 74
Specifying
► Page 131


Divisio Side Screen

29¹/₂"D

11⁵/₈"H

Statement of Line

Worktools



3"D Shelf ▶Page 135



6"D Shelf ▶Page 135



10"D Shelf ► Page 135



Display Shelf ▶ Page 135



LED Task Lights ► Page 136



Tool Box ▶Page 136



Pile Box ▶Page 137



Diagonal Box ▶ Page 137



Personal Box ▶ Page 137




Landscape Box ▶Page 138



Utility Box ▶Page 138



Storage Box Set of 3
▶ Page 138



FYI Single Monitor Arm ▶ Page 139




Eyesite Single Display Support

▶Page 139



Eyesite Dual Display Support

►Page 140



Eyesite Fixed Triple Display Support


Page 141



Eyesite Static One-Over-One Display Support
Page 141



Vertical Processor Sling
▶Page 142



Keyboard Assemblies

▶ Page 143

Tip: SOTO stands for State of the Office.

Statement of Line, continued

Personal task lights

offer end users added control and adjustability to place the proper amount of personal lighting to create a holistic worksetting. Ideally suited for rail-mount, desk, or freestanding applications.

LED Lights

Rail-Mounted and Non Rail-Mounted

LED Personal Task Lights





М	0	u	n	t	Ī	n	g

Rail-mounted attaches directly to rail systems in Ology, c:scape, FrameOne, Elective Elements, Impact, turnstone Campfire big table, and SOTO Rail. The non rail-mounted version attaches to most freestanding desks and tables.

Tip: Non rail-mounted LED personal task lights will not work

Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1¹/₄", or with modesty panels or modesty screens closer than 6" from the back edge.

Understanding
► Page 78
Specifying

Specifying ▶ Page 144

 Depth
 6"

 Width
 30"

-**amp** • 120 LEDs

Watts/Lumens 12.6 Watts/ 414 Lumens

Color Temperature 3500K

Description

Intended to be a primary light source, LED personal task light covers the user's active work zone with a smartly-designed array of light. The light is specifically designed to direct light where it is needed. Energy efficient at only 14 watts, LED personal task light is engineered to have a useful life of over 50,000 hours. It attaches directly to the rail systems of Ology, c:scape, FrameOne, Impact, Elective Elements, turnstone Campfire big table, and SOTO Rail. A non-rail mounted version attaches to freestanding desks and tables.

Finish Options

 Fixture and stanchions, paint: 4799 Platinum Metallic, 4231 Arctic White, 4710 Low Gloss Black. Plastic cover Arctic White (6009) only.

Optics

· Polycarbonate matte film

Ballasts

· Energy saving low-voltage power supply

Electronic

Standard on all lights

Average Rated Lamp Life


• 50,000 hrs.

Warranty


· Power supply - 5 years

• Fixture - 12 years

Victor2



Understanding
►Page 80
Specifying
►Page 145



Understanding
▶Page 80
Specifying
▶Page 146

Mobile Unit





Understanding
Page 81
Specifying
Page 148




Understanding
Page 81
Specifying
Page 148


Tray Shelf

Display

Beams




Actual Dimensions		
Depth	3"	
Width	4', 5', 6', 7', or 8'	
Height	24"	




End-of-run trim covers the ends of beam runs. The upper portion is anodized aluminum and the lower portion is painted plastic to match the beam covers. End-of-run trim is ordered separately.

Connections




Inline connector kit connects two beams inline to create longer beam runs. Connector is ordered separately.



90° off-module connector kit connects two beams perpendicular to each other. Connections can be made along the face of the beam rail every 1½". A 3" dead zone is created in the top channel of the spine beam, and a 1.2" dead zone is created on the 90° beam. Consider these dead zones when using the channel for other attachments. Connector is ordered separately.



Floor anchor brackets are available to secure the beam to the floor to prevent movement for power infeed applications as dictated by local codes.



Seismic anchor brackets secure the beam support feet to the floor in seismic zones. Brackets are ordered separately in a package of two, two for each T-support foot. In some applications, using mid storage, additional stanchions may be required. Contact your local code authorities.


Wiring and Cabling

Interface with building floor occurs along the beam run in 12" increments.

Interface with building using a utility pole occurs at the end of beam



Access to power and data can occur in the base. Power and/or data can be placed every 12". Where two beams are connected inline, access zones are 24" apart.



Support feet can be placed every 12" using the same locations as power and data. An additional position is available at the ends of beams.

Tip: Power, data, or support feet cannot occupy the same position simultaneously.

Surface Materials

Upper beam rail

· Anodized aluminum

Lower beam covers

· Painted steel

Glides


· Plastic - Platinum

Support feet

Platinum

End-of-run trimPainted plastic

Application Topics



A transition boot is


required when transitioning power and small quantities of data at a 90° connection. Transition boot is ordered separately.


See Cable Capacities, page 156

Field-cutting of lower cover may be required when transitioning power and larger quantities of data at a 90° connection. Fieldcut transition kit is ordered separately.

► See Cable Capacities, page 156


Desking






Laminate surfaces are available with square or radius corners. The edges are plastic and finish selection is required.

See Surface Materials, page 195.



Veneer surfaces have square corners. The edges are veneer and match the top surface.



Desk connect zone provides access to power and data, along with a place to store and manage cords. The desk surface slides forward to reveal the connect zone. Desktop slides a total of 4" towards the user.



Desk understructure supports the surface and allows for easy attachment of leas, tether brackets. keyboard assemblies, and vertical processor slings.



underside of surface is always located on the righthand side and unlocks the desk surface to allow it to slide forward to reveal the connect zone.

Connections




Desks can be tethered parallel to the beam to create a bench application. Adjacent desks must be flush with each other and at the same height. Legs or 11/2-high low storage with a connect zone can be used to support the front of desks.



When tethered to beam, the edge of desk is flush to the edge of beam.




Legs, ordered separately, attach to the understructure of the desk. Post and L-legs are available as fixed or adjustable



Fixed-height legs place the desk surface at 281/2" high.

Underside of desk to floor equals 247/10" of space.



Adjustable-height legs allow the desk to be adjusted from 26" to 32"H in 1/2" increments.



Glide pads, for use on desk legs, are available for use on non-carpeted floors to help minimize movement. They can also be used on storage glides. Glide pads are ordered separately.



Desk tether brackets are adjustable and attach desks to the beam in both perpendicular and parallel applications. When attached to the beam, and no low storage is placed beneath the desk, range of adjustment on the tether brackets allows the desk to be adjusted from 26" to 32" in 1/2" increments. When attached to low storage, range of adjustment on the tether brackets allows the desk to be adjusted from 28" to 32" in 1/2" increments.



Rail on desk understructure allows for the attachment of personal/ modesty screens, centered screens in back-to-back applications, and worktools. Rail is standard on all desks.




Each end of desk has a 51/4" dead zone which prohibits the attachment of privacy screens and worktools



used.

Shared support plate is used in benching and back-to-back applications to share a leg or tether bracket. Shared support plate is available as a separate style number or with one tether bracket. When a support plate is used to share a leg, an adjustable leg must be

Back-to-back desking applications that are tethered to the beam require the use of the desk tether bracket and shared support plate combination to create the required 1" spacing between desks to mount centered screens. The 1" space cannot be achieved in this application without the use of the shared support plate to share a tether bracket between the two desks.



Back-to-back spacer is used to align desks when placed back to back. The spacer maintains the required 1" spacing between desks to mount centered screens. It can also be used when two 11/2-high low storage units with connect zones are placed backto-back creating the same spacing to mount centered screens.

Tip: To achieve the 1" spacing in back-to-back applications, (to mount centered screens), the use of both shared support plates and back-to-back spacers are required.


See Stability Guidelines, Desking Supports page 15.



Mid storage cannot mount on back-to-back desks.

Wiring and Cabling

Power and data components are ordered separately and can be placed within the desking connect zone for easy user access. Two to six outlets can be specified, and up to four data cables can be routed to the desk.



Wire managers are available to route cords up the post leg to the connect zone or desk surface.

Power can be daisy chained in benching applications.

Data cables can route from one desk to the next.

Surface Materials

Surface

- Laminate
- · Wood veneer

Edge

- Plastic laminate surfaces
- Wood veneer wood veneer surface

Understructure

· 4799 Platinum paint only

Legs

- Paint
- Paint with polished chrome top

Glide

Paint

Tether brackets, support plate, and back-toback spacer

4799 Platinum

Application Topics



Desk height of 28" or higher allows layering of both 1-high and 1½-high low storage under the desk. Desk heights less than 28" allows layering of 1-high low storage units. If desk has modular power entering from beam, storage connect zone door cannot fully open.




Desk height must be at 28½"H to open the connect zone in low storage when supporting two desks parallel to the beam with one low storage unit.




Monitor arms should only be mounted to desks that are either tethered to the beam, the back of another desk, or 1½-high low storage. Large objects should not be mounted to the backside of a freestanding desk.

c:scape

Desking - Non-Sliding





Laminate surfaces are available with square or radius corners. The edges are plastic and finish selection is required. See Surface Materials, page 195.



Desk with cut-out provides access to power and data, along with a place to store and manage cords.



Desk understructure supports the surface and allows for easy attachment of legs, tether brackets. keyboard assemblies, and vertical processor slings.

Connections




Desks can be tethered parallel to the beam to create a bench application. Adjacent desks must be flush with each other and at the same height. Legs or 1½-high low storage with a connect zone can be used to support the front of desks.



When tethered to beam, the edge of desk is flush to the edge of beam.



Legs, ordered separately, attach to the understructure of the desk. Post and L-legs are available as fixed or adjustable.



Fixed-height legs place the desk surface at 281/2"


Underside of desk to floor equals 247/10" of space




Adjustable-height legs allow the desk to be adjusted from 26" to 32"H in 1/2" increments.



Glide pads, for use on desk legs, are available for use on non-carpeted floors to help minimize movement. They can also be used on storage glides. Glide pads are ordered separately.



Desk tether brackets are adjustable and attach desks to the beam in both perpendicular and parallel applications. When attached to the beam, and no low storage is placed beneath the desk, range of adjustment on the tether brackets allows the desk to be adjusted from 26" to 32" in 1/2" increments. When attached to low storage, range of adjustment on the tether brackets allows the desk to be adjusted from 28" to 32" in 1/2" increments.



Rail on desk understructure allows for the attachment of personal/ modesty screens, centered screens in back-to-back applications, and worktools. Rail is standard on all desks.




Each end of desk has a 51/4" dead zone which prohibits the attachment of privacy screens and worktools.



is used in benching and back-to-back applications to share a leg or tether bracket. Shared support plate is available as a separate style number or with one tether bracket. When a support plate is used to share a leg. an adjustable leg must be

Back-to-back desking applications that are tethered to the beam require the use of the desk tether bracket and shared support plate combination to create the required 1" spacing between desks to mount centered screens. The 1" space cannot be achieved in this application without the use of the shared support plate to share a tether bracket between the two desks



Back-to-back spacer is used to align desks when placed back to back. The spacer maintains the required 1" spacing between desks to mount centered screens. It can also be used when two 11/2-high low storage units with connect zones are placed backto-back creating the same spacing to mount centered screens.

Tip: To achieve the 1" spacing in back-to-back applications, (to mount centered screens), the use of both shared support plates and back-to-back spacers are required.


See Stability Guidelines, Desking Supports page 15.



Mid storage cannot mount on back-to-back desks

Wiring and Cabling

Power and data components are ordered separately and can be placed within the desking connect zone on desks with cut-out for easy user access. Two to six outlets can be specified, and up to four data cables can be routed to the desk.



Wire managers are available to route cords up the post leg to the connect zone or desk surface.

Power can be daisy chained in benching applications.

Data cables can route from one desk to the next.



Desk with scallop can accommodate a power strip with rail-mount bracket mounted on the rail. Modular power and power strip for desk connect zone cannot be used with the scallop option.

Surface Materials

Surface

Laminate

Edge

· Plastic - laminate surfaces

Understructure

· 4799 Platinum paint only

Legs

- Paint
- Paint with polished chrome top

Glide

Paint

Tether brackets, support plate, and back-toback spacer

• 4799 Platinum

Application Topics



Desk height of 28" or higher allows layering of both 1-high and 1½-high low storage under the desk. Desk heights less than 28" allows layering of 1-high low storage units. If desk has modular power entering from beam, storage connect zone door cannot fully open.




Desk height must be at 28½"H to open the connect zone in low storage when supporting two desks parallel to the beam with one low storage unit.




Monitor arms should only be mounted to desks that are either tethered to the beam, the back of another desk, or 1½-high low storage. Large objects should not be mounted to the backside of a freestanding desk.

c:scape

Shared Tables – Tapered and D-Shaped






Laminate surface edges are plastic and finish selection is required.
► See Surface Materials, page 195.


Veneer surface edges are veneer and match the top surface.



Supports are specified as options to the shared table. Tables can be tethered with fixed post legs, L-legs, or a column. Tables can also be freestanding with four post legs or two post legs and two L-legs.



When tethered to beam, the edge of desk is flush to the edge of beam.



Fixed-height legs place the desk surface at 28½" high.

Wiring and Cabling



Power and data strip or power only strip is ordered separately. The strip clamps to the back edge of the shared table.

Surface Materials

Surface

- Laminate
- Wood veneer

Edge

- · Plastic laminate surfaces
- Wood veneer wood veneer surfaces

Legs

- Paint
- Paint with polished chrome

Glide

Paint

Tether brackets, leg plates, tether adaptor brackets

4799 Platinum

Application Topics




When shared table is tethered to two low storage units, the storage must be ganged together using the low storage ganging bracket.

Shared Tables – Square and Round


Shared square and round tables are free-standing and support small team, collaborative meeting spaces. Surfaces are 13/16" thick with a wood core.

► Specifying, page 104



Surfaces have a 3 mm edge banding along all sides.

Leg glides have 3/4" of adjustment for uneven floors.



Supports include fixed height L-legs, fixed height post legs, or a column.






Square Round

Actual Dimensions

Diameter 36", 42", or 48"

Thickness 1³/₁₆"




Laminate surface edges are plastic and finish selection is required.
► See Surface Materials, page 195.

Veneer surface edges are veneer and match the top surface.



Supports are specified as options to the shared table. Tables are freestanding with four post legs, four L-legs, or a column.



Fixed-height legs place the table surface at 28½" high.

Wiring and Cabling



Power and data strip or power only strip is ordered separately. The strip clamps to the back edge of the shared table.

Surface Materials

Surface

- · Laminate
- · Wood veneer

Edge

- Plastic laminate surfaces
- Wood veneer wood veneer surfaces


Legs


- Paint
- Paint with polished chrome top

Glide

• Paint

Mid Storage






Two configurations of tall mid storage are available. Personal storage provides storage on one side only. Shared storage is divided down the center, with half storage on one side and half storage on the opposite side.


Personal storage has a center divider




Shared slim storage divider is centered, providing access to half the depth on each side.




Slim storage interior height can accommodate two stacked landscape




High ped is available 17"D or 24"D and must match depth of mid storage. 17"D high peds are open on one side. 24"D high peds have openings on both sides.



High ped shelf can be located in center of high ped with two additional locations, both up and down in 23/4" increments, for a total of five possible shelf locations.



A hinged door (left or right) is available as an option on 17"D high peds. Integral pull is recessed and made of plastic. All doors are locking. Pull is available in four finishes.



Locks are available factory or field installed. Factoryinstalled locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Masterkeyed locks are also available. Field-installed lock cylinders must be specified separately

Tip: When the locking inline slider option is specified, all 60"W-78"W tall personal. shared, or wall-mounted mid storage are available with two locks.

Lock and Keying, page 214



Height from floor to top of tall storage mounted parallel to beam or perpendicular to beam is approximately 48".




Height from floor to top of slim storage mounted parallel to beam or perpendicular to beam is approximately



Column height at shortest level is 33". Column will adjust upward 2" for leveling.



Mid storage is always centered on the beam.




Veneer tops with square edge profiles are available.


Connections



Mid storage attaches to the top of the beam in infinite locations.



Mid storage ganging bracket is recommended to increase rigidity and maintain alignment of joining adjacent units when parallel to the beam. Ganging brackets are not intended for use in wall-mount applications.



Storage can span over two beams. Stanchions are inset 8" from edge of storage unit.



Mid storage can mount on 11/2-high low storage units with connect zones that are back to back. They can be mounted parallel or perpendicular to the low storage. Back-to-back spacer brackets, ordered separately, are required to maintain necessary spacing between storage units.



Mid storage cannot mount on back-to-back desks.



Two high peds can be used to support one mid storage unit - tall or slim.



Mid storage cannot be supported by one high ped and a column.

Surface Materials

Case

Paint

Inline sliders

Paint

Stanchions

· 4799 Platinum

Column

· 4799 Platinum

Pulls

- · 4140 Arctic White Gloss
- · 4144 Black Gloss
- 4799 Platinum

Top


- Paint
- · Wood veneer
- · Customiz stain

Multi-color paint option on storage provides a unique design by allowing several color combinations to be chosen. Paint for case, drawer, slider, and interior can be specified separately

if multi-color paint option is

selected. ► See Multi-Color Paint Applications, page 206


Application Topics





Mirrored mid storage

share a pair of stanchions. Supports for mirrored application include one pair of stanchions and two columns or two high peds.



Wall-mount applica-

tions are available for personal storage. Wall-mount brackets mount on Privacy Wall, Answer, Montage, or V.I.A.

► See Stability Guidelines, page 20, for application rules.




Application Rules for 30"W-48"W mid storage units mounted perpendicular to the beam with a desk mounted parallel:

- 30"W and 36"W mid storage cannot be mounted perpendicular.
- 42"W mid storage can be mounted perpendicular, using a column when a 24"D worksurface is used.
- 48"W mid storage can be mounted perpendicular to a beam, using a column or high ped, with a 24"D worksurface. A column must be used when a 30"D worksurface is mounted parallel to the beam.

ciscape

Low Storage






15"H drawers include one hanging folder bar. It accommodates side-to-side filing of letter and A4 international hanging folders. 15"H drawers do not accommodate side-to-side filing of legal-size hanging folders.



Rails accommodate frontto-back filing of letter, A4 international, and legal size hanging folders. Rail packages accommodate two rows of letter size filing in 30"W and 36"W drawers and three rows of letter size files in 42"W drawers. Rails are available as an option or can be ordered separately.

►Page 124




Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers. Dividers are available as an option or can be ordered separately.

▶ Page 124


Drawer liners for use in 6"H drawers provide a soft landing pad for personal objects and are included with all 6"H drawers.

Safety interlock system allows only one drawer to be opened at a time.




Locks are available factory or field installed. Factoryinstalled locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Masterkeyed locks are also available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page



Veneer tops with square edge profiles are available in place of the standard 1/2"H steel top.



Cushion tops are available in place of the standard ½"H steel top. Specify the low storage with no top, and order the cushion as a separate style number. 12"D cushions are for use with 11/2-high low storage with a connect zone.



60"W and 72"W low storage can accommodate a steel or wood veneer top on one side, and a cushion top on the other side.


Glide pads for storage glides are available for use on non-carpet floors to minimize movement. Glide pads are also used on desk legs and tower glides as needed. Glide pads are ordered separately.



Back-to-back spacer

is used to align 11/2-high storage when placed back to back. Spacer maintains the 1" space which allows screens and other accessories to be mounted. It is also used when desks are placed back to back.

Tip: 11/2-high storage must be specified with connect zone




48"W low storage is subdivided. The 30"W portion is available in all low storage configurations. The 18"W portion is always open. 48"W low storage is offered in left- and righthanded units.



Drawers on low storage will align with drawers on tower.

Connections




Storage-to-beam tether is standard with all low storage and is used whenever the low storage unit is parallel with the beam. Tether bracket connects to the beam in 11/2" increments. It is required when routing modular power from beam to storage connect zone. It also is used for visual alignment from storage to beam and from storage to storage. See counterweight rules.

► Page 14




Storage back is standard with holes in back to accept storage-to-beam tether. A clean back option is available for applications where the back of storage will be visible

Tip: If clean back is specified on unit with a connect zone, the connect zone cannot accept power or data.



1-high low storage will line up with the bottom portion of a 11/2-high low storage unit.



Field installed accessories are available, including drawer accessories and counterweight packages.


Ganging bracket is available for 1-high and 11/2-high storage units in back-to-back applications or for side-to-side alignment. Ganging brackets provides visual alignment only. They do not provide structural stability.



Adjustable tether brackets attach desks to 11/2-high low storage units with a connect zone in perpendicular applications. Range of adjustment is 28" to 32"H.

Wiring & Cabling

Low storage with connect zone can accommodate power and data. A modular powerkit or a power strip can be specified. Data is included with power. When using modular power, storage must be tethered to beam or another storage unit, to meet building code. When using a power strip, the outlet it is plugged into must be accessible to meet building code.



60"W and 72"W storage can accommodate one or two powerkits or power strips. Specify powerkits for use with 60"W or 72"W storage units, as the covers in the powerkits for use with 30"W or 36"W units will not fit properly in the larger size storage units.



A cutout is standard in the back of a 1½-high storage when connect zone is optioned. Opening allows for the routing of power and data. 60"W and 72"W 1½-high storage have two cutouts.

Surface Materials

Low storage, including drawer fronts and inline sliders

Paint

Pulls

- 4140 Arctic White Gloss
- · 4144 Black Gloss
- 4799 Platinum

Drawer bodies, hanging folder bars, rails, and dividers

Black

Drawer front options

Wood veneer

Тор

- Paint
- Wood veneer
- · Customiz stain

Multi-color paint option on storage provides a unique design by allowing several color combinations to be chosen. Paint for case, drawer, slider, and interior can be specified separately if multi-color paint option is selected.

See Multi-Color Paint Applications, page 206

Application Topics



Desk height of 28½" or higher allows layering of both 1-high and 1½-high low storage under the desk. Desk heights less than 28½" allows layering of 1-high low storage units.

Interior Dimensions for Storage

▶ Page 210



Mid storage can mount on two 1½-high low storage units with connect zones that are back to back. They can be mounted parallel or perpendicular to the low storage. Back-to-back spacer brackets are required to maintain necessary spacing, and are ordered separately.

Shipping


Counterweight packages ship separately from case and must be field installed.


c:scape

Tower

Tower provides a place to store coats or bags along with binders, files, and other items. Towers are available left- or right-handed. Tower is 17"D to align with the depth of low storage and is 48"H and 24"W.

► Specifying, page 126





Actual Dimensions			
Depth	17"		
Width	24"		
Height	48"		




Two configurations of tower are available - door hinged left and door hinged right.



Shelf is adjustable Adjustment is 2¹/₄" up or down from center.

Drawer liners for use in 6"H drawers provide a soft landing pad for personal objects and are included with all 6"H drawers.



Veneer tops with square edge profiles are available.




15"H drawers accommodate front-to-back filing of letter-size hanging folders.



Rails accommodate sideto-side filing of letter-size hanging folders. Rail is standard with all file drawers or can be ordered separately. ▶ Page 127

Safety interlock system allows only one drawer to be opened at a time.



Locks are available factory or field installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Masterkeyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 214

Glide pads for tower glides are available for use on non-carpet floors to minimize movement. Glide pads are also used on low storage and desk glides as needed. Glide pads are ordered separately.



Drawers on towers will align with drawers on low storage.

Connections

Ganging bracket is available for towers in back-to-back applications or for side-to-side alignment of another tower or low storage. Ganging bracket provide visual alignment only. They do not provide structural stability.

Surface Materials

Tower

Paint

Pulls

- · 4140 Arctic White Gloss
- 4144 Black Gloss4799 Platinum

Drawer bodies, hanging folder bars, rails, and dividers

Black

Drawer front options

Wood veneer

Top

- Paint
- Wood veneer
- Customiz stain

Multi-color paint option on tower provides a

unique design by allowing several color combinations to be chosen. Paint for case, drawer, door, and interior can be specified separately if multi-color paint option is selected.

See Multi-Color Paint Applications, page 206

Fixed Personal/Modesty Screens


Personal/modesty

screens are tackable and provide variable privacy when and where it is needed. The screens can be used on the beam, on 1½-high low storage with a connect zone, on the back of the desk for visual privacy, or below the desk for modesty. 24"H is not intended for use in modesty position.

Specifying, page 128


Fixed personal/mod-

esty screens are available in three heights, 12", 19½", and 24", and four widths to accommodate varying levels of privacy. Height is measured from the top of the mounting surface to the top of the screen.



12" 401/2" 12" 48" 191/2" 24" 521/2" Personal/modesty

Personal/modesty screens can be mounted on the desk rail. In privacy applications on a 28½"H desk, the 12"H screen has an overall height of 40½" from the floor, a 19½"H screen has an overall height of 48" from the floor, and a 24"H screen has an overall height of 52½" from the floor.




Gap is 1" between personal/ modesty screen and mounting surface.


Actual Dimensions		
Width	30", 36", 42", or 48"	
Height	11", 18½", or 23"	
Overall height	12", 19½", or 24"	
Thickness	3/4"	

Tip: Overall height is measured from top of mounting surface to the top of the screen.

Connections




Each end of the top desk rail has a 51/4" dead zone which prohibits the attachment of personal screens.



placed directly adjacent to each other, a small aligner can be placed


in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



When using 90° beams, a 3" dead zone is created in the top channel of the spine

the top channel of the spine beam, and a 1.2" dead zone is created on the 90° beams. Consider these dead zones when planning with screens.





Screens 60"W and wider have a center bracket. When spanning across multiple storage units, the placement of this bracket, where it needs to

connect, must be considered.

Surface Materials

Infill

Fabric

Brackets

4799 Platinum paint



Fabric without pattern

is recommended when using a COM fabric to provide a consistent visual. Fabric with patterns could result in the above visual.

Application Topics



Screen width needs to allow 4" clearance from front edge of desk to allow desk surface to slide forward.

Centered Screens


Centered screens

provide a boundary element along the beam. They can also be placed between two back-to-back desks or back-to-back 1½-high low storage units with connect zones. Centered screens can not be used below the desk for modesty.

► Specifying, page 129

Centered screens with fabric infill are tackable.

Centered screens are available in three heights, 12", 19½", and 24", and five widths to accommodate varying levels of privacy. Height is measured from the top of the mounting surface to the top of the screen.




Brackets are attached to the screens.

Actual Dimensions		
Width	36", 42", 48", 60", or 72"	
Height	11", 18 ¹ / ₂ ", or 23"	
Overall height	12", 19 ¹ / ₂ ", or 24"	
Thickness	³ /8" or ³ /4"	

Tip: Overall height is measured from top of mounting surface to the top of the screen.

Tip: Custom insert kit can accommodate inserts that are $^{1}\!\!/_{4}$ ", $^{3}\!\!/_{8}$ ", or $^{1}\!\!/_{2}$ " thick.

Product Details



Gap is 1" between centered screen and mounting surface.


Connections





Center screen custom insert kit allows for use of other infill materials such as wood or fusion, maximum height of infill is 181/2". Screens 36"-48"W require the two bracket kit. Screens 60"-72"W require the three bracket kit.


►See page 130




In back-to-back applications a back-to-back spacer must be used to create the 1" space between either two desks or two 11/2-high low storage units with a connect zone.



Each end of the top desk rail has a 51/4" dead zone which prohibits the attachment of centered screens. A screen must be at least 12" narrower than the desk it is mounting to.



When fabric screens are placed directly adjacent to each other, a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



When using 90° beams, a 3" dead zone is created in the top channel of the spine beam, and a 1.2" dead zone is created on the 90° beams. Consider these dead zones when planning with screens.

Surface Materials

Infill

- Fabric
- Glass (available on 12" and 191/2"H only)

Brackets

4799 Platinum paint

Fusion

Contact your Designtex representative or go to www. dtex.com.

front



back



Fabric without a pattern is recommended when using a COM fabric to provide a consistent visual. Fabric with patterns could result in the above visual.

Divisio Side Screen

Divisio side screen is

magnetic and provides a territorial boundary between users. The user-movable functionality allows users to decide when and where they need additional privacy. The screens may be used on any 3/4"- to 11/2"-thick worksurface.

► Specifying, page 131


Magnetic body accommodates magnets for visual display.

21½" of the screen sits on the worksurface. The depth allows the side screen to work on any 24"D or deeper worksurface.

Finger trigger makes it simple for the end user to move the screen to allow for expansion, compression, increased privacy, or collaboration.

Clamp can accommodate 3/4"- to $1^{1}/2$ "-thick worksurfaces.

Product Details



Divisio side screen can be made more permanent by adding two screws through the clamp. For worksurfaces 1" thick or less; c:scape, FrameOne, Ology, Migration, a #10 x ³/₄" countersunk wood screw is recommended. For worksurfaces over 1", a #10 x ⁷/₆" countersunk wood screw is recommended.


Overhang provides greater


peripheral privacy.

Actual Dimensions Depth 29½" (total), 21½" (sits on worksurface) Width 1¼" Height 14¼" (total), 115%"(above worksurface)


ciscape

Worktools







bracket can be connected to the back rail of a desk that is either tethered to the beam, the back of another desk, or 1½-high low storage with a connect zone.




Lift and lock keyboard assembly with c:scape mounting bracket can be connected to the understructure of a desk.





LED Personal Task Lights



Product Details

Personal task light

includes the lamp and power supply with cord set. Railmounted version includes rail brackets. Non railmounted version includes Universal Mounting brackets.




Power supply is an 18 watt 2 prong driver plug with 9' black cord.

Tip: Energy saving mini-LEDs greatly reduce power use.


When specified with Height-Adjustable Series Benching or power and data tray, flexible receptacles are

Connections

recommended.



LED personal task light mounts directly to the rail systems of Ology, c:scape, FrameOne, Elective Elements, Impact, turnstone Campfire big table, and SOTO rail.



Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 11/4", or with modesty panels or modesty screens closer than 6" from the back edge

Wiring & Cabling

Personal task light includes the lamp and power supply with cord set.

Power supply uses a modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

Surface Materials

Housing

 6009 Arctic White plastic only

Fixture and Stanchions

4231 Arctic White

- 4710 Low Gloss Black
- · 4799 Platinum Metallic

Cord

· Black plastic only

Actual Dimensions

Depth 6"
Width 30"


Height 17"

Power Supply Cord (9')

Photometric Data													
	In	itial h			Persontcar Wor	ndles		TL30		LPTL	30NR	l	
0"	15	14	13	12	11	9	6	6	5	4	3	2	2
3"	21	20	18	17	15	13	11	8	6	5	3	3	2
6"	31	31	29	26	23	19	15	12	9	7	5	3	2
9"	51	50	46	42	36	29	23	18	13	9	6	4	3
12"	82	79	73	64	53	43	32	23	16	11	7	5	3
15"	109	105	96	83	68	53	39	27	19	12	8	6	4
18"	105	102	93	81	66	51	37	27	18	12	9	6	4
21"	76	75	69	59	50	39	30	22	16	11	7	5	4
24"	48	47	44	39	33	27	21	16	12	9	6	5	3
27"	29	28	27	24	21	17	14	11	9	7	5	4	3
30"	18	18	17	16	14	12	10	8	7	5	4	3	2
	CL	3"	6"	9"	12"	15"	18"	21"	24"	27"	30"	33"	36"


Worksurface front

Victor2




Actual Dimensions			
	Mobile Unit	Freestanding Unit	
Depth	18"	25"	
Width	36"	48" or 60"	
Height	36"	36"	


Product Details




Mobile and freestanding units are standard with a metal case and top. Front and back of unit are available in wood or laminate.




Acrylic inserts etched with recycling icons are standard on mobile and freestanding units. The verbiage for each icon is in English/Spanish/French on the same insert.



Mobile unit is standard with three openings for inserts and sloped receptacles with built-in bag holding system.




Top on the mobile unit can be used for food service use or tray storage.




Hinged doors on the back are standard on the
mobile unit for easy access
to receptacles.

Four non-locking concealed casters, two swivel and two fixed, are standard on the mobile unit. Unit moves from the front right side. It is not recommended to move from the fixed caster side.


Receptacles in mobile unit can accommodate 12 gallons each. Receptacles in freestanding unit can accommodate 30 gallon size and larger.



Soft-touch integral handle on mobile unit allows for easy movement from one location to another.




Freestanding unit is standard with either four or five openings for inserts on the top of the unit.




Hinged doors on the front are standard on the freestanding unit for easy access to the receptacles.

Leveling glides on freestanding units are fully adjustable to $1\frac{1}{2}$ ".



Tray shelf can only be used with the freestanding unit.


Tray shelf fits most trays up to 20³/₄" x 12".



Freestanding four- or five-slot opening will accommodate two tray shelves.


Tip: A gap of 15" will separate the two tray shelves on a five-opening unit.

Maximum capacity of tray is 20 food trays with maximum size of tray 20" x 20".




Display holds two 8¹/₂" x 11" papers or one 11" x 17" paper.

Tip: Paper will be between two acrylic plates. Paper can easily be replaced without tools.




Display can only be used with the freestanding unit.



Freestanding four- or five-slot opening will

accommodate two displays. Tip: A gap of 18¹/₂" will separate the two displays on a five-opening unit.



One tray shelf and one display can be used on the freestanding unit.

Surface Materials

Top and sides

Paint

Back and front

- Wood
- · Laminate (HPL)
- Customiz stain (option on wood)

Specifying c:scape

Beams		Answer to c:scape Junctions	
Beams	84	Answer to c:scape L Junctions – Thin Trim	132
Beam Accessories	85	Answer to c:scape T Junctions – Thin Trim	133
Desking		Answer to c:scape X Junctions – Thin Trim	134
Straight Desks	88	Worktools	135
Tapered Desks	90	LED Personal Task Lights	144
Transition Desks	92	Victor2	
Straight Desks - Non-Sliding	94	Victor2 Mobile Unit	145
Tapered Desks - Non-Sliding	95	Victor2 Freestanding Units	146
Transition Desks – Non-Sliding	96	Victor2 Tray Shelf and Display	148
Desk Legs	97		
Desking Supports	98		
Desking Accessories	100		
Shared Tables			
Shared Tables - Tapered and D-Shaped	102		
Shared Tables - Square and Round	104		
Collaborative Lounge Table	105		
Mid Storage			
Mid Storage – Tall and Slim	106		
Mid Storage Supports	110		
High Ped	114		
Low Storage Low Storage $-$ 1- and $1\frac{1}{2}$ -High $-$ 30"W, 36"W, 42"W, and 48"W	116		
Low Storage — 1- and $1\frac{1}{2}$ -High – 60"W and 72"W	120		
Cushion Tops	123		
Storage Accessories	124		
Tower	126		
Rails for Tower	127		
Screens			
Fixed Personal/Modesty Screens	128		
Centered Screens	129		
Centered Screen Custom Insert Kits and Aligners	130		
Divisio Side Screen	131		

Beams



Standard Includes Required to Specify

- Need help? Product details, page 46
- Upper rail: anodized aluminum
 Plain steel lower beam covers: paint price group 1
 Plastic glides: 4799 Platinum

- 1 Style number 2 Paint color number for lower beam covers
- 3 Options, if selected (see below)
 ► See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint for lower beam	covers	
Materials	Paint price group 1Paint price group 2	No cost +\$38	Specify paint color number. Specify paint color number.
	 Paint price group 3 	+\$67	Specify paint color number.

Spo	Specification Information				
Dim D	nensions W	н	•Style Number	· U.S. Base Price	
3"	48"	24"	CQBM4824	\$ 781	
3"	60"	24"	CQBM6024	\$ 918	
3"	72"	24"	CQBM7224	\$1042	
3"	84"	24"	CQBM8424	\$1158	
3"	96"	24"	CQBM9624	\$1265	
:			:	•	



Beam Accessories


End-of-Run Trim



	Standard Includes	Required to Specify
Need help? Product details,	Upper: anodized aluminumLower: painted plain plastic	1 Style number 2 Paint color number for lower trim cover
page 47		► See Surface Materials, page 196.

Support Feet

1	Standard Includes	Required to Specify
Need help? Product details, page 47	Support feet: 4799 Platinum	Style number
Specification	on Information	
· Style Number	· U.S. Price	
L-Foot	•	
CQBFL	\$145	
:		
T-Foot		



T-Foot	
CQBFT	\$288
:	



Beam Inline Connector



	Standard Includes	Required to Specify
Need help? Product details, page 47	Inline connector	Style number

Specificati	on Information	
Style Number	·U.S. Price	
CQBI	\$29	

Beam 90° Connector



	Standard Includes	Required to Specify
Need help? Product details, page 47	• 90° connector: 4799 Platinum	Style number
Specification	on Information	
•Style Number	· U.S. Price	
CQBN	\$120	
:	:	

Floor Anchor Brackets



Tip: A pair of brackets is required at each attachment point. Floor anchor bolts are not included.

	Standard Includes	Required to Specify
Need help? Product details, page 47	Brackets: package of two	Style number

Specificat	Specification Information					
• Style Number	·U.S. ·Price					
CQFA	\$46					



Seismic Anchor Brackets



Tip: Two brackets are used per support foot. Anchor bolts are not included.


	Standard Includes	Required to Specify	
Need help? Product details, page 47	Brackets: package of two	Style number	

Specification Information				
Style Number	·U.S. Price			
CQSA	\$49			



Straight Desks

High-Pressure Laminate or Wood Veneer



Standard Includes

Required to Specify

- Desk understructure: 4799 platinum
- High-Pressure Laminate surface with plastic edges:
 3 mm plastic edge on front and side edges
- Style number
 Corner style for laminate top (see below under Required Selections)
- 3 Laminate color number for surface
- 4 Plastic color number for edges on laminate surface
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

Tip: Laminate surfaces are available with square or radius corners. Veneer surfaces have square corners only.

	Required Selections	U.S. Price	Required to Specif	
Laminate	Corner style			
Тор	Square cornersRadius corners	No cost +\$ 54	Specify with square corners. Specify with radius corners.	

	Options	U.S. Price	Required to Specify			
Surface	High-Pressure Laminate surfaces					
Materials	Open Line laminate	+\$ 69 plus cost of laminate	► See Surface Materials Reference Manual.			
	Wood veneer surfaces					
	 Wood veneer surface with wood veneer edges 3 mm edge profile on front edge 	+\$405	Specify with wood veneer and indicate wood color number.			
	 Premium wood 2 veneer surface with wood veneer edge 3 mm edge profile on front edge 	+\$474 es	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.			
	 Premium wood 3 veneer surface with wood veneer edge 3 mm edge profile on front edge 	+\$647 es	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.			
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.			
	Full-fill finish	Specify full-finish number.				
Related	Personal/modesty screen		► Page 128			
Products	 Desk supports 		▶ Page 98			
	 Desk connect zone power and 	▶ Page 176				

Tip: Edge on	wood veneer
surface match	nes the top.

Tip: Supports for freestanding and tethered applications must be specified separately.


Spe	Specification Information					
· Dim · A	ensions B	Style Number	·U.S. Base Price			
24"	60"	CQDS2460	\$ 930			
24"	66"	CQDS2466	\$ 974			
24"	72"	CQDS2472	\$1021			
24"	78"	CQDS2478	\$1071			
24"	84"	CQDS2484	\$1124			
30"	60"	CQDS3060	\$ 986			
30"	66"	CQDS3066	\$1033			
30"	72"	CQDS3072	\$1085			
30"	78"	CQDS3078	\$1141			
30"	84"	CQDS3084	\$1197			
:		•	:			

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

scape

Tapered Desks

High-Pressure Laminate or Wood Veneer




Standard Includes

Required to Specify

- ► Need help? Product details, page 48
- Desk understructure: 4799 platinum
- High-Pressure Laminate surface with plastic edges:
 3 mm plastic edge on front and side edges
- 1 Style number

▶ Page 176

- 2 Corner style for laminate top (see below under Required Selections)
- 3 Laminate color number for surface
- 4 Plastic color number for edges on laminate surface
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.



Tip: Laminate surfaces are available with square or radius corners. Veneer surfaces have square corners only.

Tip: Edge on wood veneer surface matches the top.

Tip: Supports for freestanding and tethered applications must be specified separately.

	Required Selections	U.S. Price	Required to Specify
Laminate Top	Corner style • Square corners • Radius corners	No cost +\$ 54	Specify with square corners. Specify with radius corners.


	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Open Line laminate	e surfaces +\$ 69 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer surfaces • Wood veneer surface with wood veneer edges – 3 mm edge profile on front edge	Specify with wood veneer and indicate wood color number.	
	Premium wood 2 veneer surface with wood veneer edg - 3 mm edge profile on front edge	+\$474 ges	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	Premium wood 3 veneer surface with wood veneer edg 3 mm edge profile on front edge	+\$647 ges	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	 Full-fill finish 	+\$ 69	Specify full-finish number.
Related Products	Personal/modesty screen Desk supports		Page 128 Page 98



90 c:scape Specification Guide


· Desk connect zone power and data

Spe	Specification Information						
·Dim	ensions	;	· Style	·U.S.			
A	В	C	Number	Base			
:				Price			



Right-Hand Tapered Desks

24"	30"	60"	CQDR243060	\$1088
24"	30"	66"	CQDR243066	\$1123
24"	30"	72"	CQDR243072	\$1159
24"	30"	78"	CQDR243078	\$1200
24"	30"	84"	CQDR243084	\$1241



Left-Hand Tapered Desks

30"	24"	60"	CQDR302460	\$1088
30"	24"	66"	CQDR302466	\$1123
30"	24"	72"	CQDR302472	\$1159
30"	24"	78"	CQDR302478	\$1200
30"	24"	84"	CQDR302484	\$1241
				·

Transition Desks

High-Pressure Laminate or Wood Veneer

C B


Standard Includes

Required to Specify

- ► Need help? Product details, page 48
- Desk understructure: 4799 Platinum
- High-Pressure Laminate surface with plastic edges:
 3 mm plastic edge on front and side edges
- 1 Style number

▶ Page 176

- 2 Corner style for laminate top (see below under Required Selections)
- 3 Laminate color number for surface
- 4 Plastic color number for edges on laminate surface
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.



Tip: Laminate surfaces are available with square or radius corners. Veneer surfaces have square corners only.

	Required Selections	U.S. Price	Required to Specify
Laminate	Corner style		
Тор	Square cornersRadius corners	No cost +\$ 54	Specify with square corners. Specify with radius corners.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate s Open Line laminate	urfaces +\$ 69 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer surfaces		
	 Wood veneer surface with wood veneer edges 3 mm edge profile on front edge 	+\$405	Specify with wood veneer and indicate wood color number.
	 Premium wood 2 veneer surface with wood veneer edges 3 mm edge profile on front edge 	+\$474	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	 Premium wood 3 veneer surface with wood veneer edges 3 mm edge profile on front edge 	+\$647	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	Full-fill finish	+\$ 69	Specify full-finish number.
Related	Personal/modesty screen		▶Page 128
Products	Desk supports		Page 98

Tip: Edge on wood veneer surface matches the top.


Tip: Supports for freestanding and tethered applications must be specified separately.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

92 c:scape Specification Guide


· Desk connect zone power and data

Spe	cificat	ion Inf	ormation	
·Dim	ensions		Style	·U.S.
·A	В	C	Number	Base
			:	Price



Right-Hand Transition Desks

24"	30"	60"	CQDT243060	\$1088
24"	30"	66"	CQDT243066	\$1123
24"	30"	72"	CQDT243072	\$1159
24"	30"	78"	CQDT243078	\$1200
24"	30"	84"	CQDT243084	\$1241



Left-Hand Transition Desks

>					
>	30"	24"	60"	CQDT302460	\$1088
	30"	24"	66"	CQDT302466	\$1123
	30"	24"	72"	CQDT302472	\$1159
	30"	24"	78"	CQDT302478	\$1200
	30"	24"	84"	CQDT302484	\$1241

Straight Desks - Non-Sliding

High-Pressure Laminate



Standard Includes

Required to Specify

- Need help?
 Product details,
 Product details,

 Desk understructure: 4799 platinum
 High-Pressure Laminate surface with
 - High-Pressure Laminate surface with plastic edges:
 3 mm plastic edge on front and side edges
 - · Desk liner, if cut-out selected

- 1 Style number
- 2 Corner style for laminate top (see below under Required Selections)
- 3 Laminate color number for surface
- 4 Plastic color number for edges on laminate surface
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

Tip: Laminate surfaces are available with square or radius corners. Veneer surfaces have square corners only.

	Required Selections	U.S. Price	Required to Specify
Laminate	Corner style		
Тор	Square cornersRadius corners	No cost +\$54	Specify with square corners. Specify with radius corners.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamin	ate surfaces	
Materials	Open Line laminate	+\$69 plus cost of laminate	See Surface Materials Reference Manual.
Top Options	Cut-out	No cost	Specify with cut-out.
	 Scallop 	No cost	Specify with scallop.
Related	Personal/modesty screen		▶ Page 128
Products	Desk supports		▶Page 98
	Desk connect zone power	r and data	▶ Page 176

Tip: Scallop option supports a power strip mounted on the rail only (FMVPDS and FMVPS). Modular powerkits, power strips, and data housing cannot be used.

Tip: Supports for freestanding and tethered applications must be specified separately.

Spe	cification	Information		
Dim A	ensions B	•Style Number	· U.S. Base Price	
24"	60"	CQDS2460N	\$735	
24"	66"	CQDS2466N	\$769	
24"	72"	CQDS2472N	\$808	
24"	78"	CQDS2478N	\$847	
24"	84"	CQDS2484N	\$889	
30"	60"	CQDS3060N	\$801	
30"	66"	CQDS3066N	\$838	
30"	72"	CQDS3072N	\$882	
30"	78"	CQDS3078N	\$926	
30"	84"	CQDS3084N	\$971	
		:	:	



Tapered Desks - Non-Sliding

High-Pressure Laminate

Standard Includes Required to Specify ► Need help? • Desk understructure: 4799 platinum 1 Style number 2 Corner style for laminate top (see below Product details, · High-Pressure Laminate surface with plastic edges: page 52 3 mm plastic edge on front and side edges under Required Selections) Desk liner, if cut-out selected 3 Laminate color number for surface 4 Plastic color number for edges on laminate surface 5 Options, if selected (see below) ► See Surface Materials, page 196.

Tip: Laminate surfaces are available with square or radius corners. Veneer surfaces have square corners only.


	Required Selections	U.S. Price	Required to Specify
Laminate Top	• Square corners • Radius corners	No cost +\$54	Specify with square corners. Specify with radius corners.

Options	U.S. Price	Required to Specify
High-Pressure Lamin	ate surfaces	_
Open Line laminate	+\$69 plus cost of laminate	See Surface Materials Reference Manual.
Cut-out	No cost	Specify with cut-out.
 Scallop 	No cost	Specify with scallop.
Personal/modesty screen		▶ Page 128
Desk supports		▶Page 98
 Desk connect zone power 	r and data	▶ Page 176
	High-Pressure Lamin Open Line laminate Cut-out Scallop Personal/modesty screen Desk supports	High-Pressure Laminate surfaces Open Line laminate +\$69 plus cost of laminate Cut-out No cost Scallop No cost Personal/modesty screen

Tip: Scallop option supports a power strip mounted on the rail only (FMVPDS and FMVPS). Modular powerkits, power strips, and data housing cannot be used.


Tip: Supports for freestanding and tethered applications must be specified separately.

Spe	cificat	ion Inf	ormation	
·Dim	ensions		· Style	·U.S.
Α	В	C	Number	Base
			:	Price



Right-Hand Tapered Desks

24"	30"	60"	CQDR243060N	\$ 883
24"	30"	66"	CQDR243066N	\$ 911
24"	30"	72"	CQDR243072N	\$ 942
24"	30"	78"	CQDR243078N	\$ 974
24"	30"	84"	CQDR243084N	\$1008



Left-Hand Tapered Desks

		-		
30"	24"	60"	CQDR302460N	\$ 883
30"	24"	66"	CQDR302466N	\$ 911
30"	24"	72"	CQDR302472N	\$ 942
30"	24"	78"	CQDR302478N	\$ 974
30"	24"	84"	CQDR302484N	\$1008

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Transition Desks - Non-Sliding

High-Pressure Laminate

Standard Includes Required to Specify • Desk understructure: 4799 Platinum 1 Style number ► Need help? · High-Pressure Laminate surface with plastic edges: 2 Corner style for laminate top (see below Product details, page 52 3 mm plastic edge on front and side edges under Required Selections) · Desk liner, if cut-out selected 3 Laminate color number for surface 4 Plastic color number for edges on laminate surface 5 Options, if selected (see below) ► See Surface Materials, page 196.

Tip: Laminate surfaces are available with square or radius corners. Veneer surfaces have square corners only.


	Required Selections	U.S. Price	Required to Specify
Laminate Top	Corner style • Square corners • Radius corners	No cost +\$54	Specify with square corners. Specify with radius corners.
	- nadius comers	- φυ -	Specify with radius corners.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamin	ate surfaces	
Materials	Open Line laminate	+\$69 plus cost of laminate	See Surface Materials Reference Manual.
Top Options	Cut-out	No cost	Specify with cut-out.
	 Scallop 	No cost	Specify with scallop.
Related	Personal/modesty screen		▶ Page 128
Products	Desk supports		▶ Page 98
	 Desk connect zone power 	and data	▶ Page 176

Tip: Scallop option supports a power strip mounted on the rail only (FMVPDS and FMVPS). Modular powerkits, power strips, and data housing cannot be used.


Tip: Supports for freestanding and tethered applications must be specified separately.

Spe	Specification Information			
Dimensions		;	·Style	·U.S.
A	В	C	Number	Base
				Price
			•	



Right-Hand Transition Desks

24"	30"	60"	CQDT243060N	\$ 883
24"	30"	66"	CQDT243066N	\$ 911
24"	30"	72"	CQDT243072N	\$ 942
24"	30"	78"	CQDT243078N	\$ 974
24"	30"	84"	CQDT243084N	\$1008
			•	·



Left-Hand Transition Desks

,				
30"	24"	60"	CQDT302460N	\$ 883
30"	24"	66"	CQDT302466N	\$ 911
30"	24"	72"	CQDT302472N	\$ 942
30"	24"	78"	CQDT302478N	\$ 974
30"	24"	84"	CQDT302484N	\$1008

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Desk Legs

Tip: When using a shared support plate to share a leg between two desks, an adjustable leg must be used.

Tip: Dimensions listed are nominal and include the thickness of a c:scape desk.

Standard Includes

Required to Specify

► Need help? Product details, page 49

Specification Information

- Desk leg: paintGlide: painted to match leg
- · Attachment hardware

- 1 Style number
- 2 Paint color number for legs:
- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum
- 3 Options, if selected (see below)
- ► See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface Materials	 Painted leg with Polished Chrome top (adjustable) 	+\$57 per leg	Specify with painted leg with chrome top and indicate paint color number.
Related	Straight desk		▶ Page 88
Products	 Tapered desk 		▶ Page 90
	 Transition desk 		▶Page 92
	 Tether brackets 		▶ Page 98
	 Wire managers 		▶ Page 100
	Glide pads		▶ Page 100

· Dimensions · U.S. **Planning Height** Number Base **Price Fixed Post Leg** 281/2" **CQLFP** \$108 **Fixed L-Leg** 281/2" **CQLFL** \$147

201 201 201 201 20
26" - 32" CQLAP \$137

Height-Adjustable L-Leg		
26" - 32"	CQLAL	\$177
:	:	









Desking Supports

Desk Tether Brackets



Tip: Use desk tether brackets to attach desk to the beam in both perpendicular and parallel applications. They can also be used to attach desks to 11/2-high low storage with a connect zone. Range of adjustment is 26"H to 32"H in 1/2" increments.

	Standard Includes	Required to Specify
► Need help? Product details, page 49	Pair of desk tether brackets: 4799 Platinum Attachment hardware	Style number

Specification Information		
Style Number	·U.S. Price	
CQDB	\$133	
:	:	

Desk Tether Bracket and Shared Support Plate



Tip: Use when sharing a tether bracket between two desks.

	Standard Includes	Required to Specify
► Need help?	Desk tether bracket: 4799 Platinum	Style number
Product details	Shared support plate: 4799 Platinum	

page 49

· Attachment hardware

Specification	Information	
•Style Number	·U.S. Price	
CQDBP	\$125	

Desk Tether Brackets for use with Universal Worksurfaces



Tip: Use desk tether brackets for use with Universal worksurfaces to attach Universal worksurfaces to the c:scape beam in both perpendicular and parallel applications. Tether brackets can also be used to attach Universal worksurfaces to c:scape 11/2-high low storage with a connect zone.

	Standard Includes	Required to Specify
Need help? Product details, page 49	 Pair of desk tether brackets: 4799 Platinum 11/4" wood screws 	Style number

Specification	Information	
Style Number	·U.S. Price	
CQDBU	\$145	
•	:	

Desk Tether Brackets and Shared Support Plate for use with Universal Worksurfaces



Tip: Use desk tether bracket and shared support plate for use with Universal worksurfaces when sharing a tether bracket between two Universal worksurfaces tethered to a c:scape beam.

	Standard Includes	Required to Specify
Need help? Product details, page 49	 Desk tether bracket: 4799 Platinum Shared support plate: 4799 Platinum 1½" wood screws 	Style number

Specificat	on Information	
•Style Number	· U.S. Price	
CQDBPU	\$137	

Shared Support Plate

page 49



Tip: When using a shared support plate to share a leg between two desks, an adjustable leg must be used.

Tip: The shared support plate can attach desks flush to each other or 1" apart. The 1" space is required to mount centered screen in back-to-back applications.

	Standard Includes	Required to Specify
► Need help?	Support plate: 4799 Platinum	Style number
Product details,	 Attachment hardware 	

Specificat	ion Information		
•Style Number	·U.S. Price		
CQPS	\$58		

Back-to-Back Spacers



Tip: For use on back-toback desks to maintain the required 1" space between the rails when mounting centered screens. Spacers are also used on 1½-high low storage.

	Standard Includes	Required to Specify
Need help? Product details,	 Pair of back-to-back spacers: 4799 Platinum Attachment hardware 	Style number

Specification Information	
·Style ·U.S. Number Price	
Number Price	
:	
CQSB \$43	

Desking Accessories

Wire Managers



Tip: Two wire managers are recommended on a post leg to route cords or cables from the floor to the connect zone or surface.

	Standard Includes	Required to Specify
Need help? Product details, page 50	Package of 20 wire managers: black	Style number

Number Price	n Information	n	
	· U.S. Price		
CQVW \$68	\$68		

Glide Pads



Tip: Glide pads can be used on desk legs or storage glides to minimize movement.

	Standard Includes	Required to Specify
Need help? Product details, page 49	Glide pads: package of 20	Style number

Specification Information				
Style Number	· U.S. Price			
CQGP	\$39			



c:scape

Shared Tables — Tapered and D-Shaped High-Pressure Laminate or Wood Veneer



Standard Includes Required to Specify

►Need help? Product details, page 56

Products

- · High-Pressure Laminate surface with plastic edges: 3 mm plastic edge
- Support

Options

- Legs, if selected: paint
- Column, if selected: 4799 Platinum
- 1 Style number
- 2 Supports (see Required Selections)
- 3 Paint color number for legs, if selected
- 4140 Arctic White Gloss
- 4144 Black Gloss 4799 Platinum
- 4 Laminate color number for surface
- 5 Plastic color number for edges on laminate surface 6 Options, if selected (see below)

Required to Specify

See Surface Materials, page 196.

	Required Selections	U.S. Price	Required to Specify
Supports	Tethered supports		
	Fixed post legs	+\$ 469	Specify with post legs.
	 Fixed L-legs 	+\$ 585	Specify with L-legs.
	• Column	+\$ 585	Specify with column.
	Freestanding supports		
	Fixed post legs	+\$ 468	Specify with post legs.
	 Two fixed post legs and two fixed L-legs 	+\$ 584	Specify with two post legs and two L-legs.

U.S. Price

Surface Materials	High-Pressure Laminate Open Line laminate	+\$ 69 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer surfaces • Wood veneer surface with wood veneer edges – 3 mm edge profile	Specify with wood veneer and indicate wood color number.	
	Premium wood 2 veneer surface with wood veneer edg – 3 mm edge profile	+\$ 899 ges	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	 Premium wood 3 veneer surface with wood veneer edge 3 mm edge profile Customiz stain 	+\$1141 ges	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
		No cost	Specify with Customiz stain. See Surface Materials Reference Manua
	 Full-fill finish 	+\$ 95	Specify full-finish number.
Related	Power strips		▶Page 186


Tip: Edge on wood veneer surface matches the top.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

103

c/	^	В





60"

66"

N.A.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

CQTD6066

\$1310

Shared Tables — Square and Round High-Pressure Laminate or Wood Veneer



Standard Includes Required to Specify

►Need help? Product details, page 58

- High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front and side edges
- Support
- Legs, if selected: paint
- Column, if selected: 4799 Platinum
- 1 Style number
- 2 Supports (see Required Selections)
- 3 Paint color number for legs, if selected
- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum

▶ Page 186

- 4 Laminate color number for surface
- 5 Plastic color number for edges on laminate surface 6 Options, if selected (see below)
- ► See Surface Materials, page 196.

	Required Selections	U.S. Price	Required to Specify
Supports	Fixed post legsFixed L-legsColumn	+\$468 +\$700 +\$502	Specify with post legs. Specify with L-legs. Specify with column.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	surfaces	
Materials	Open Line laminate	+\$ 69 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer surfaces		
	 Wood veneer surface with wood veneer edges 3 mm edge profile on front edge 	+\$535	Specify with wood veneer and indicate wood color number.
	Premium wood 2 veneer surface with wood veneer edg - 3 mm edge profile on front edge	+\$605 ges	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	Premium wood 3 veneer surface with wood veneer edg - 3 mm edge profile on front edge	+\$778 ges	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	Full-fill finish	+\$ 69	Specify full-finish number.

Tip: Edge on wood veneer surface matches the top.

Products	
Specification Information	

· Power strips

Style

Related

· Dimensions







D/Dia.	w	Number	Base Price	
Square		·	<u> </u>	
36"	36"	CQTS36	\$645	
42"	42"	CQTS42	\$652	
48"	48"	CQTS48	\$759	
Round		:	· ·	
36"		CQTR36	\$645	
42"		CQTR42	\$652	
48"		CQTR48	\$759	
:		:		

·U.S.

Collaborative Lounge Table



Tip: Base of table resembles the base of the i2i chair.

Standard Includes

Required to Specify

- High-Pressure Laminate surface with 3 mm plastic edge profile
- Base: Polished Aluminum


- 1 Style number 2 Laminate color number for surface
- 3 Plastic color number for edge on laminate surface, if selected
- 4 Options, if selected (see below)
 ► See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate su	ırface	
Materials	Open Line laminate	+\$ 69 plus cost of laminat	See Surface Materials Reference Manual. te
	Wood veneer surface	•	
	 Wood veneer surface with matching 3 mm edge profile 	+\$405	Specify with wood veneer and indicate wood color number.
	 Premium wood 2 veneer surface with matching 3 mm edge profile 	+\$433	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	 Premium wood 3 veneer surface with matching 3 mm edge profile 	+\$499	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	Full-fill finish	+\$ 28	Specify full-fill finish number.

Spe	Specification Information				
· Dime Dia.	ensions Height	• Style Number	· U.S. Base Price		
32"	16"	CQCT1632	\$1318		



Mid Storage — Tall and Slim



Standard Includes

Required to Specify

- ► Need help? Product details, page 60
- Tall or slim storage case: paint price group 1
- ½" top: paint to match case

Options

Mid storage supports

· Mid storage ganging bracket

- · Integral pull on inline slider, if selected
- Lock, keyed random, if inline slider selected: finish to default based on pull finish
- 1 Style number
- 2 Paint color number for storage case
- 3 Color number for pulls, if inline slider selected:
- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum

▶ Page 110

▶ Page 113

- 4 Mounting brackets, if wall-mounted storage selected
- 5 Options, if selected (see below)

Required to Specify

► See Surface Materials, page 196.

Surface	Paint		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 59	Specify paint color number.
	 Paint price group 3 	+\$152	Specify paint color number.
	Multi-color paint finishes		
	 Multiple paint colors on 	+\$152	Specify paint color number.
	case, interior, or inline slider		See Multi-Color Paint Applications, page 206.
Tops	Wood veneer top		
-	Wood veneer top	+\$624	Specify with wood veneer top and indicate wood color number.
	 Premium wood 2 on wood veneer top 	+\$671	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	 Premium wood 3 on wood veneer top 	+\$788	Specify with wood 2 linish number. Specify with wood 3 and indicate Premium wood 3 finish number.
	 Customiz stain on wood veneer top 	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
Inline Slider	Inline slider on tall mid storage	+\$702	Specify with inline slider.
Mounting	Drywall brackets	No cost	Specify with drywall brackets.
Brackets	Privacy Wall/Answer brackets	No cost	Specify with Privacy Wall/Answer brackets.
	 Montage brackets 	No cost	Specify with Montage brackets.
	 V.I.A. brackets 	No cost	Specify with V.I.A. brackets.
Lock and	Locking inline slider	+\$126	Specify with lock.
Keying	 Factory- and field-installed keyl 	ing	▶ Page 214

U.S. Price

Tip: Specify multi-color paint finish option to get the interior or inline slider a different paint finish than the case.

Tip: Inline slider is available on 60"W—78"W tall mid storage.

Tip: When the locking inline slider option is specified, all 60"W-78"W tall personal, shared, or wall-mounted mid storage are available with two locks.

Tip: Mounting brackets are available on wall-mounted mid storage style numbers only. Mounting brackets will be painted to match case.

Related


Products

Tip: Supports, ordered separately, must be specified for parallel, perpendicular, and mirrored applications.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.


Tip: Wall-mounted storage includes tie strap for use when units are placed adjacent to each other.

Specification Information					
· Dim	ensions W	н	• Style Number	·U.S. Base	
:	••	••		Price	
:			•	:	




Personal Tall Storage

			3	
17"	30"	15"	CQMT173015P	\$ 420
17"	36"	15"	CQMT173615P	\$ 514
17"	42"	15"	CQMT174215P	\$ 607
17"	48"	15"	CQMT174815P	\$ 700
17"	60"	15"	CQMT176015P	\$ 887
17"	66"	15"	CQMT176615P	\$ 980
17"	72"	15"	CQMT177215P	\$1073
17"	78"	15"	CQMT177815P	\$1167
:			:	•




Shared Tall Storage

17"	30"	15"	CQMT173015S	\$ 420
17"	36"	15"	CQMT173615S	\$ 514
17"	42"	15"	CQMT174215S	\$ 607
17"	48"	15"	CQMT174815S	\$ 700
17"	60"	15"	CQMT176015S	\$ 887
17"	66"	15"	CQMT176615S	\$ 980
17"	72"	15"	CQMT177215S	\$1073
17"	78"	15"	CQMT177815S	\$1167
-				· ·



Wall-Mounted Tall Storage

17"	60"	15"	CQMT176015W	\$1028
17"	66"	15"	CQMT176615W	\$1121
17"	72"	15"	CQMT177215W	\$1214
17"	78"	15"	CQMT177815W	\$1308



Personal Slim Storage

17"	30"	71/2"	CQMS173007P	\$ 420
17"	36"	71/2"	CQMS173607P	\$ 514
17"	42"	71/2"	CQMS174207P	\$ 607
17"	48"	71/2"	CQMS174807P	\$ 700
17"	60"	71/2"	CQMS176007P	\$ 887
17"	66"	71/2"	CQMS176607P	\$ 980
17"	72"	71/2"	CQMS177207P	\$1073
17"	78"	71/2"	CQMS177807P	\$1167
			•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

[▶] Specification Information, continued on next page


▶ Specification Information, continued from previous page

Spe	Specification Information				
· Dim	ensions		·Style	·U.S.	
D	W	н	Number	Base	
			:	Price	
			:	:	




Shared Slim Storage - 17"D

17"	30"	71/2"	CQMS173007S	\$ 420
17"	36"	71/2"	CQMS173607S	\$ 514
17"	42"	71/2"	CQMS174207S	\$ 607
17"	48"	71/2"	CQMS174807S	\$ 700
17"	60"	71/2"	CQMS176007S	\$ 887
17"	66"	71/2"	CQMS176607S	\$ 980
17"	72"	71/2"	CQMS177207S	\$1073
17"	78"	71/2"	CQMS177807S	\$1167
:			:	



Shared Slim Storage – 24"D

)	24"	60"	71/2"	CQMS246007S	\$ 887
	24"	66"	71/2"	CQMS246607S	\$ 980
	24"	72"	71/2"	CQMS247207S	\$1073
	24"	78"	71/2"	CQMS247807S	\$1167




Wall-Mounted Slim Storage

17"	60"	71/2"	CQMS176007W	\$1028
17"	66"	71/2"	CQMS176607W	\$1121
17"	72"	71/2"	CQMS177207W	\$1214
17"	78"	71/2"	CQMS177807W	\$1308
				·

scape

Mid Storage Supports

Perpendicular Application Kit



	Standard Includes	Required to Specify
Need help? Product details, page 61	 Pair of L-stanchions and one column, if selected: 4799 Platinum Pair of L-stanchions and one high ped, if selected: paint price group 1 Leveling glides, if high ped selected Integral pull on units with hinged door Lock, keyed random: finish to default based on pull finish 	 1 Style number 2 Column or high ped 3 Paint color number for high ped, if selected 4 Color number for pulls, if door on high ped selected: 4140 Arctic White Gloss 4144 Black Gloss 4799 Platinum See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint for high ped		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 59	Specify paint color number.
	 Paint price group 3 	+\$152	Specify paint color number.
	Multi-color paint finishe	es	
	 Multiple paint colors 	+\$152	Specify paint color number.
	on case, interior, or fronts		► See Surface Materials, page 196.
Configurations for 17"D High	Case configuration: Open		
Ped	• Open case Closed	+\$544	Specify with open case.
	Hinged door left	+\$811	Specify with door left and select finish color number.
	Hinged door right	+\$811	Specify with door right and select finish color number.
Configurations for 24"D High	Case configuration: Open		
Ped	Open case	+\$590	Specify with open case.
Wood Veneer	Standard veneer	+\$260	Specify with wood veneer door front.
Door Front	Customiz stain on wood veneer door	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	Premium wood group 2	+\$288	Specify with wood veneer and with Premium wood 2 door front and indicate Premium wood 2 color number.
	Premium wood group 3	+\$354	Specify with wood veneer and with Premium wood 3 door front and indicate Premium wood 3 color number.
Keying	Factory-installed keying		▶Page 214
Specification	Information		
Style Number	·U.S. Base Price		

*
For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

CQMAP

\$445

Parallel Application Kit



	Standard Includes	Required to Specify
Need help? Product details, page 61	Pair of T-stanchions: 4799 Platinum	Style number

Specificati	ion Information	
Style Number	·U.S. Price	
CQMAL	\$187	



Mirrored Application Kit



Need help? Product details,

page 61

Standard Includes

Pair of T-stanchions and two columns, if selected: 4799 Platinum

- Pair of T-stanchions and two high peds, if selected: paint price group 1
- Leveling glides, if high ped selected
- · Integral pull on units with hinged door
- · Lock, keyed random: finish to default based on pull finish

Required to Specify

- 1 Style number
- 2 Column or high ped
- 3 Paint color number for high ped, if selected
- 4 Color number for pulls, if door on high ped selected:
 - 4140 Arctic White Gloss
 - 4144 Black Gloss
 - 4799 Platinum
- See Surface Materials, page 196.



	Options	U.S. Price	Required to Specify	
Surface	Paint for high ped			
Materials	Paint price group 1	No cost	Specify paint color number.	
	Paint price group 2	+\$ 59	Specify paint color number.	
	Paint price group 3	+\$ 152	Specify paint color number.	
	Multi-color paint finish	es		
	 Multiple paint colors 	+\$ 152	Specify paint color number.	
	on case, interior, or fronts		► See Surface Materials, page 196.	
Configurations for 17"D High	Case configuration: Open			
Ped	Open case Closed	+\$1088	Specify with open case.	
	Hinged door left	+\$1622	Specify with door left and select finish color number.	
	 Hinged door right 	+\$1622	Specify with door right and select finish color number.	
	 One hinged door left and one hinged door right 	+\$1622	Specify with one door left and one door right and select finish color number.	
Configurations for 24"D High	Case configuration: Open			
Ped	Open case	+\$1180	Specify with open case.	

▶Options, continued on next page



▶Options, continued from previous page


	Options	U.S. Price	Required to Specify
Wood Veneer	Standard veneer	+\$260	Specify with wood veneer door front.
Door Front	 Customiz stain on 	No cost	Specify with Customiz stain.
	wood veneer door		See Surface Materials Reference
			Manual.
	 Premium wood group 2 	+\$288	Specify with wood veneer and with
			Premium wood 2 door front and
			indicate Premium wood 2 color numbe
	 Premium wood group 3 	+\$354	Specify with wood veneer and with
	3 - 1	*	Premium wood 3 door front and
			indicate Premium wood 3 color number.
Column	• Column	No cost	Specify with column.
Keying	Factory- and field-installed	keying	▶ Page 214

11112111	 ormation

\$702

·Style	·U.S.
Number	Base
	Price
:	:

CQMAM





Mid Storage Ganging Bracket



Tip: Ganging brackets are not intended for use in wallmount applications.

Standard Includes		Required to Specify	
► Need help?	Ganging bracket: 4799 Platinum	Style number	
Donalis et elektrile	A 44 m m la man m m 4 la m m m la m m m m		

Product details, page 61


Attachment hardware

Specificat	Specification Information		
·Style	·U.S.		
Number	Price		
CQMG	\$56		

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

High Ped



► Need help?

page 61

Product details,

Tip: High ped is intended to support mid storage only.

Tip: Specify multi-color paint finish option to get the interior or fronts a different paint finish than the case.

See Multi-Color Paint

Applications, page 206.

Standard Includes

- High ped case: paint price group 1Four adjustable leveling glides: 4799 Platinum
- · Integral pull on units with door
- · Central lock, keyed random: finish to default based on pull finish

Required to Specify

- 1 Style number
- 2 Case configuration
- 3 Paint color number for case
- 4 Color number for pulls, if door selected: 4140 Arctic White Gloss 4144 Black Gloss 4799 Platinum
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 59	Specify paint color number.
	 Paint price group 3 	+\$152	Specify paint color number.
	Multi-color paint finishe	es	
	 Multiple paint colors 	+\$152	Specify paint color number.
	on case, interior, or fronts		► See Surface Materials, page 196.
Configurations	Case configuration:		
for 17"D	Open		
	Open case	No cost	Specify with open case.
	Closed		
	Door left	No cost	Specify with door left and select finish
			color number.
	Door right	No cost	Specify with door right and select finish color number.
 Configurations	Case configuration:		
for 24"D	Open		
.0	Open above / open below	No cost	Specify with open case.
Wood Veneer	Standard veneer	+\$260	Specify with wood veneer door front.
Door Fronts	 Customiz stain on 	No cost	Specify with Customiz stain.
	wood veneer door		See Surface Materials Reference Manual.
	 Premium wood group 2 	+\$288	Specify with wood veneer and with
			Premium wood 2 drawer fronts and
			indicate Premium wood 2 color number.
	 Premium wood group 3 	+\$354	Specify with wood veneer and with
			Premium wood 3 drawer fronts and
			indicate Premium wood 3 color number.
Lock and Kevino	• Factory- and field-installed k	revina	▶ Page 214

Spe	Specification Information									
Dim D	ensions W	н	• Style Number	· U.S. Base Price						
17"	18"	33"	CQHP171833	\$820						
24"	18"	33"	CQHP241833	\$868						

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

c:scape

Low Storage — 1- and $1\frac{1}{2}$ -High – 30"W, 36"W, 42"W, and 48"W



Tip: Specify multi-color paint finish option to get the interior or fronts a different paint finish than the case.

See Multi-Color Paint Applications, page 206. Tip: Multi-color paint option cannot be combined with wood veneer drawer fronts

option.

► Need help? page 64

Standard Includes

Required to Specify

- Product details,
- · Low storage case without connect zone: paint price group 1
- ½" top: paint to match case
- Four adjustable leveling glides: 4799 Platinum
 Pair of storage-to-beam tether brackets
- · Drawer liner on units with 6" drawer
- · Integral pull on units with drawer or inline slider
- · One hanging folder bar per file drawer
- Central lock, keyed random: finish to default based on pull finish
- 1 Style number
- 2 Case configuration
- 3 Paint color number for case
- 4 Color number for pulls, if drawer or inline slider selected:
 - 4140 Arctic White Gloss
 - 4144 Black Gloss
 - 4799 Platinum
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

	Options	U.S. Pr	ice	Required to Sp	ecify
Surface Materials	Paint for 1-high and 1½- Paint price group 1 Paint price group 2 Paint price group 3	high storag No cost +\$ 59 +\$152	je	Specify paint color nur Specify paint color nur Specify paint color nur	mber.
	Multi-color paint finishes • Multiple paint colors on case, interior, or fronts	+\$152		Specify paint color nu See Surface Materials	
Configurations for 1 High	Case configuration: Open				
	Open case	No cost		Specify with open cas	e.
	Closed				
	Drawer	+\$274		Specify with drawer a	nd select finish
	Inline slider	+\$274		color number. Specify with inline slid color number.	der and select finish
Configurations for 1½-High	Case configuration: Open				
	 Open above/open below Combination 	No cost		Specify with open abo	ove/open below.
	Open above/drawer below	+\$274		Specify with open abo and select finish color pull finish.	
	Open above/inline slider below	+\$274		Specify with open about below and select finish pull finish.	
	Drawer above/open below	+\$240		Specify with drawer a and select finish color pull finish.	
	Closed				
	Drawer above/drawer below	+\$470		Specify with drawer at and select finish color pull finish.	
	Drawer above/inline slider below	+\$470		Specify with drawer a below and select finish pull finish.	
Open above/	Open above/ Open abo		Drawer above/	Drawer above/	Drawer above/
open below	drawer below inline slide	er below o	open below	drawer below	inline slider below

▶Options, continue on next page



Required to Specify

Specify with wood veneer top and indicate wood color number.

Specify with wood veneer and with

Premium wood 2 and indicate Premium

► See Surface Materials Reference Manual.

Specify with wood veneer and with

Premium wood 2 drawer fronts and indicate Premium wood 2 color number.

Specify with wood veneer and with Premium wood 2 drawer fronts and \indicate Premium wood 2 color number. Specify with wood veneer and with

Premium wood 2 drawer fronts and indicate Premium wood 2 color number.

Specify with wood veneer and with Premium wood 3 drawer fronts and indicate Premium wood 3 color number.

Specify with wood veneer and with Premium wood 3 drawer fronts and indicate Premium wood 3 color number.

Specify with wood veneer and with

Specify with no top.

▶Options, continued from previous page

Tops

Options

· For use with a cushion top

· Premium wood 2 on wood

Wood veneer top Wood veneer top

No top

veneer top

Tip: Cushion top is ordered separately.

► See page 123

		Premium wood 3 on wood veneer top	+\$788	wood 2 finish number. Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
		 Customiz stain on wood veneer top 	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	Wood Veneer	Standard veneer		
	Drawer Fronts	 Box drawer only 	+\$ 74	Specify with wood veneer door front.
		File drawer only	+\$260	Specify with wood veneer door front.
Tip: When selecting drawer above/drawer below config-		 Drawer above/drawer below configuration 	+\$338	Specify with wood veneer door fronts.
ıration, wood veneer drawer		 Customiz stain on 	No cost	Specify with Customiz stain.

wood veneer drawer

Box drawer only

· File drawer only

· Drawer above/drawer

below configuration

· Box drawer only

· File drawer only

· Drawer above/drawer

Premium wood group 2

Premium wood group 3

Tip ab uration, wood veneer drawer front finishes must be the same.

Tip: Connect zone is available on 1½-high storage

Tip: Clean back option is used when back of storage unit will be visible.

	below configuration	·	Premium wood 3 drawer fronts and indicate Premium wood 3 color number.	
Drawer Interiors	Rails	+\$ 34	Specify with rails.	
	 Divider package 	+\$ 26	Specify with divider package.	
Connect Zone	Connect zone	+\$288	Specify with connect zone.	
Counterweights	Package 1 (30" and 48"W units)	+\$179	Specify with counterweights.	
	Package 2 (36" and 42"W units)	+\$240	Specify with counterweights.	
Clean Back	Clean back	No cost	Specify with clean back.	
Storage-to-Beam Tether Brackets	torage-to-Beam · Omit brackets -\$ 1		Specify with standard back without tether brackets.	
Keying	Factory- and field-installed	d keying	▶ Page 214	
Related	Counterweight packages		▶Page 124	
Products	 Worktools 		▶ Page 135	
	Storage-to-beam tether by		▶ Page 125	
	 Storage connect zone por 	wer and data	▶Page 179	
	 Cushion top 		▶ Page 123	

U.S. Price

-\$ 60

+\$624

+\$671

+\$102

+\$288

+\$366

+\$168

+\$354

+\$434



only.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

▶Specification Information, on next page

▶Options, on previous page

		 Counterweight 	·Style	·U.S.
) W	н	Package	Number	Base
		:	:	Price
		•	:	Price



1-High Low Storage

17"	30"	18"	Package 1	CQLS173018	\$ 636
17"	36"	18"	Package 2	CQLS173618	\$ 754
17"	42"	18"	Package 2	CQLS174218	\$ 870



1-High Low Storage with Opening on Left

17"	48"	18"	Package 1	CQLS174818L	\$ 956
17	40	10	i ackage i	OQLS174010L	ψ 330



1-High Low Storage with Opening on Right

17"	48"	18"	Package 1	CQLS174818R	\$ 956



1½-High Low Storage

17"	30"	24"	Package 1	CQLS173024	\$ 727
17"	36"	24"	Package 2	CQLS173624	\$ 861
17"	42"	24"	Package 2	CQLS174224	\$ 994



1½-High Low Storage with Opening on Left

17"	48"	24"	Package 1	CQLS174824L	\$1201



$1\frac{1}{2}$ -High Low Storage with Opening on Right

17"	48"	24"	Package 1	CQLS174824R	\$1201
			•		



Low Storage — 1- and 1½-High – 30"W, 36"W, 42"W, and 48"W

::scape

Low Storage — 1- and $1\frac{1}{2}$ -High – 60"W and 72"W



Tip: Specify multi-color paint finish option to get the interior or fronts a different paint finish than the case. See Multi-Color Paint Applications, page 206.

Tip: Multi-color paint option cannot be combined with wood veneer drawer fronts option.

Tip: When selecting no top option, two 30"W cushion tops can be used with a 60"W low storage unit or two 36"W cushion tops can be used with a 72"W low storage unit. Cushion top is ordered separately.

► See page 123.

Standard Includes

► Need help? Product details, page 64

- · Low storage case without connect zone: paint price group 1
- 1/2" top: paint to match case
- Five adjustable leveling glides: 4799 Platinum
- Pair of storage-to-beam tether brackets
- · Drawer liner on units with 6" drawer
- · Integral pull on units with drawer
- · One hanging folder bar per file drawer
- · Central lock, keyed random: finish to default based on pull finish

Required to Specify

- 1 Style number
- 2 Case configuration
- 3 Paint color number for case
- 4 Color number for pulls, if drawer or inline slider selected:
- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint for 1-high and 11/	2-high storage	
Materials	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 59	Specify paint color number.
	Paint price group 3	+\$152	Specify paint color number.
	Multi-color paint finishe		
	 Multiple paint colors 	+\$152	Specify paint color number.
	on case, interior, or fronts		See Surface Materials, page 196.
Configurations	Case configuration		
for 1-High	Open left / drawer right	No cost	Specify with open left/drawer right and select finish color number and pull finish.
	Drawer left / open right	No cost	Specify with drawer left/open right and
	Brawer lett / open right	140 0031	select finish color number and pull finish
	Drawer left / drawer right	+\$268	Specify with drawer left/drawer right and
	Drawor lott, drawor right	14200	select finish color number and pull finish.
Configurations	Case configuration		
for 11/2-High	 Open left / drawer right 	No cost	Specify with open left/drawer right and
			select finish color number and pull finish.
	 Drawer left / open right 	No cost	Specify with drawer left/open right and
			select finish color number and pull finish.
	 Drawer left / drawer right 	+\$460	Specify with drawer left/drawer right and
			select finish color number and pull finish.
и и л		и и	
Open left/		ver left/	
drawer right	open right draw	ver right	
Tops	No top/Painted top		
	 No top (for use with 	-\$120	Specify with no top.

For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. See page 1 for details. No top (for use with

Wood veneer top

a cushion top) · Painted top left/no top right

-\$ 60 • Painted top right/no top left -\$ 60

Specify with no top.

Specify with painted top left/no top right. Specify with painted top right/no top left.

See Surface Materials Reference Manual.

· Wood veneer top +\$624 Specify with wood veneer top and indicate wood color number. · Wood veneer top left/ +\$431 Specify with wood veneer top left/no top no top right right and indicate wood color number. · Wood veneer top right / +\$431 Specify with wood veneer top right/no top no top left left and indicate wood color number. · Premium wood 2 on wood +\$671 Specify with wood veneer and with Premium wood 2 and indicate veneer top Premium wood 2 finish number. · Premium wood 3 on wood +\$788 Specify with wood veneer and with veneer top Premium wood 3 and indicate Premium wood 3 finish number. · Customiz stain on wood Specify with Customiz stain. No cost

veneer top ▶Options, continue on next page

▶Options, continued from previous page

Tip: When selecting drawer left/drawer right configuration, wood veneer drawer front finishes must be the same.

	Options	U.S. Price	Required to Specify
Wood Veneer	Standard veneer		
Drawer Fronts	 1-H drawer/open 	+\$260	Specify with wood veneer drawer front.
	1-H drawer/drawer	+\$520	Specify with wood veneer drawer front.
	 1½-H drawer/open 	+\$338	Specify with wood veneer drawer front.
	• 1½-H drawer/drawer	+\$676	Specify with wood veneer drawer front.
	Customiz stain on wood	No cost	Specify with Customiz stain.
	veneer drawer		See Surface Materials Reference Manua
	Premium wood group 2		
	• 1-H drawer/open	+\$288	Specify with wood veneer and with
	•		Premium wood 2 drawer front and
			indicate Premium wood 2 color number.
	 1-H drawer/drawer 	+\$548	Specify with wood veneer and with
		•	Premium wood 2 drawer front and
			indicate Premium wood 2 color number.
	• 1½-H drawer/open	+\$366	Specify with wood veneer and with
	1 /2-11 drawer/open	Τ ψ500	Premium wood 2 drawer front and
			indicate Premium wood 2 color number.
	• 1½-H drawer/drawer	, ¢704	
	• 1 /2-H drawer/drawer	+\$704	Specify with wood veneer and with
			Premium wood 2 drawer front and
			indicate Premium wood 2 color number.
	Premium wood group 3		
	 1-H drawer/open 	+\$354	Specify with wood veneer and with
			Premium wood 3 drawer front and
			indicate Premium wood 3 color number.
	 1-H drawer/drawer 	+\$614	Specify with wood veneer and with
			Premium wood 3 drawer front and
			indicate Premium wood 3 color number.
	 1½-H drawer/open 	+\$432	Specify with wood veneer and with
			Premium wood 3 drawer front and
			indicate Premium wood 3 color number.
	 1½-H drawer/drawer 	+\$770	Specify with wood veneer and with
		•	Premium wood 3 drawer front and
			indicate Premium wood 3 color number.
Drawer Interiors	• Rails	+\$ 34	Specify with rails.
	Divider package	+\$ 26	Specify with divider package.
Connect Zone	Connect zone	+\$576	Specify with connect zone.
Counterweights	Package 1 for drawer/open,	+\$179	Specify with counterweights.
	60" units	.000	On with any day of the
	Package 1 for drawer/drawer,	+\$358	Specify with counterweights.
	60" units	· ¢040	Chaoibe with acceptance in hts
	Package 2 for drawer/open,	+\$240	Specify with counterweights.
	72" units	. 0.400	0
	 Package 2 for drawer/drawer, 72" units 	+\$480	Specify with counterweights.
Clean Back	Clean back	No cost	Specify with clean back.
<u> </u>	O with the section to	Ф. 10	Occasion in the standard bank in the standard
Storage-to-Beam Tether Brackets	Omit brackets	- \$ 13	Specify with standard back without tether brackets.
Keying	Factory- and field-installed key	ing	▶ Page 214
Related	Counterweight packages		▶ Page 124
Products	Worktools		Page 135
	Storage-to-beam tether bracket	te	Page 125
	Storage connect zone power a		Page 179
	0 1	iiu uala	S .
	Cushion top		Page 123

Tip: Connect zone is available on 1½-High storage only.

Tip: Clean back option is used when back of storage unit will be visible.

▶ Specification Information, on next page



▶Options, on previous page

Spe	ecificati	on Info	ormation			
Dim D	ensions W	н	· Counterweight · Package	Style Number	·U.S. ·Base	
			:	:	Price	
			:	:	:	



;	g0	o to tug	•		
17"	60"	18"	Package 1	CQLS176018	\$1361
17"	72"	18"	Package 2	CQLS177218	\$1573
:			:	:	:

11/2-High Low Storage 17" 60" 24" Package 1 CQLS176024 \$1696 17" 72" 24" Package 2 CQLS177224 \$1935





Cushion Tops For 1- and 1½-High Low Storage



Standard Includes Required to Specify

- ► Need help? Product details, page 65
- Cushion top: fabric · Attachment hardware
 - 1 Style number

 - 2 Fabric color number 3 Options, if selected (see below)
 - See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	Fabric price group 2	+\$ 10	Specify fabric color number.
	Fabric price group 3	+\$ 40	Specify fabric color number.
	Fabric price group 4	+\$ 49	Specify fabric color number.
	 Fabric price group 5 	+\$ 62	Specify fabric color number.
	Fabric price group 6	+\$ 87	Specify fabric color number.
	Fabric price group 7	+\$106	Specify fabric color number.
	Fabric price group 8	+\$153	Specify fabric color number.
	Fabric price group 9	+\$196	Specify fabric color number.
	Fabric price group 10	+\$238	Specify fabric color number.
	Elmosoft leather price group	+\$610	Specify Elmosoft leather color number.
	Leather price group	+\$705	Specify leather color number.
	 Customer's Own Material (COM)/ Customer's Own Leather (COL) 	+\$ 16	See Surface Materials Reference Manual.
Related	• Low Storage – 1- and 11/2-High		▶Page 116

Products

Specificati Dimensions D W	Н	• Style • Number	·U.S. ·Base			
		·	Price			
Cushion To	ps	·				

Tip: 12"D cushion tops are for use with a connect zone.

Tip: 30"W cushion tops can be used with 60"W low storage unit. 36"W cushion tops can be used with 72"W low storage unit.

		•		
12"	30"	11/2"	CQCU1230	\$488
12"	36"	11/2"	CQCU1236	\$574
12"	42"	11/2"	CQCU1242	\$660
12"	48"	11/2"	CQCU1248	\$759
17"	30"	11/2"	CQCU1730	\$488
17"	36"	11/2"	CQCU1736	\$574
17"	42"	11/2"	CQCU1742	\$660
17"	48"	11/2"	CQCU1748	\$759
:			:	



Storage Accessories

Rails

For Use with File Drawers



	Standard Includes	Required to Specify
Need help? Product details, page 65	Package of two rails: black	Style number

· Width · Style · U.S. Number Price		tion Information		
	/idth			
: : : : : : : : : : : : : : : : : : :	11	CQLR	\$33	

Divider Package

For Use with File Drawers



	Standard Includes	Required to Specify		
Need help? Product details,	Carton of three dividers: black	Style number		

Counterweight Package



Tip: Package 1 is for use with 30"W, 48"W, and 60"W low storage. Package 2 is for use with 36"W, 42"W, and 72"W low storage.

Tip: 60"W and 72"W low storage with a drawer/ drawer configuration requires two counterweight packages.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Standard Includes	Required to Specify

- Need help?
 Product details, page 65
 Counterweight: black
 Attachment hardware
 - interweight: black Style number

Number Price Package 1 CQLC1 \$179	Specificati	on Information			
Package 1 CQLC1 \$179	Package Number				
Package 2 CQLC2 \$240	Package 1	CQLC1	\$179		
· · · · · · · · · · · · · · · · · · ·	Package 2	CQLC2	\$240		

Low Storage Ganging Bracket

page 66



Tip: For use with 1- and 1½-high low storage for visual alignment.

Standard Includes		Required to Specify	
► Need help?	 Two piece ganging bracket: black 	Style number	
Product details	Attachment hardware		

Specification Information				
Style Number	·U.S. Price			
CQLG	\$19			

Back-to-Back Spacers



Tip: For use with 1½-high low storage with connect zone to maintain required 1" gap when mounting center screens or mid storage.

	Standard Includes	Required to Spec
Need help? Product details, page 65	 Pair of back-to-back spacers: 4799 Platinum Attachment hardware 	Style number

Specification Information				
Style Number	·U.S. Price			
CQSB	\$43 ·			

Low Storage-to-Beam Tether Brackets





	Standard Includes	Required to Specify
Need help? Product details, page 65	Pair of brackets: blackAttachment hardware	Style number

Specification Information				
•Style Number	· U.S. Price			
CQLT	\$14			



Tower

Tip: Specify multi-color paint finish option to get the interior a different paint

finish than the case.

	Standard Includes	Required to Specify
Need help? Product details, page 68	 Tower case: paint price group 1 ½" top: paint to match case Integral pull on door and drawers: paint Four adjustable leveling glides: 4799 Platinum One rail per file drawer Drawer liner Lock for drawers and lock for door, keyed random: finish to default based on pull finish 	1 Style number 2 Paint color number for case 3 Color number for pulls: 4140 Arctic White Gloss 4144 Black Gloss 4799 Platinum 4 Options, if selected (see below) See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 59	Specify paint color number.
	 Paint price group 3 	+\$152	Specify paint color number.
	Multi-color paint finishes	S	
	 Multiple paint colors on case, interior, or fronts 	+\$152	Specify paint color number.See Multi-Color Paint Applications, page 206.
Tops	Wood veneer top		
•	Wood veneer top	+\$431	Specify with wood veneer top and indicate wood color number.
	Premium wood 2 on wood veneer top	+\$459	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	Premium wood 3 on wood veneer top	+\$525	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.
	Customiz stain on wood veneer top	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
Wood Veneer Door and	Door and drawers	+\$412	Specify with wood veneer door and drawer fronts.
Drawer Fronts	 Customiz stain on 	No cost	Specify with Customiz stain.
	wood veneer fronts		See Surface Materials Reference Manual.
	Premium wood 2 on wood veneer fronts	+\$440	Specify with wood veneer and with Premium wood 2 and indicate Premium wood 2 finish number.
	Premium wood 3 on wood veneer fronts	+\$506	Specify with wood veneer and with Premium wood 3 and indicate Premium wood 3 finish number.

Spe	Specification Information				
Dimensions D W H		•Style Number	· U.S. · Base · Price		
Tow	Tower - Right				

▶ Page 214

▶ Page 127

Tower - Left

24"

Keying

Related Products

101101 2010					
17"	24"	48"	CQTW172448L	\$2757	
				· ·	

CQTW172448R \$2757

· Factory- and field-installed keying

· Rails

48"

Rails for Towers



	Standard Includes	Required to Specify
Need help? Product details, page 69	Package of two rails: black only	Style number



Fixed Personal/Modesty Screens

Standard Includes Required to Specify


- ► Need help? Product details, page 70
- Personal/modesty screens: fabric price group 1
- Brackets: 4799 Platinum

- 1 Style number
- 2 Fabric color number for screen
- 3 Options, if selected (see below)
 ► See Surface Materials, page 196.

	Options	U.	S. Price	•	Required to Specify
Surface	Fabric	12"H	19 ¹ / ₂ "H	24"H	
Materials	 Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Customer's Own Material (COM) 	No cost +\$25 +\$66 +\$85 +\$16	No cost +\$ 34 +\$ 89 +\$114 +\$ 16	No cost +\$ 40 +\$114 +\$139 +\$ 16	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. See Surface Materials Reference Manual.

Tip: When using COM fab-
ric, it is recommended that
non-patterned fabric be
used to provide a consistent
visual between adjacent
screens, and from one side
to the other.

,	
	ل



42"

48"

CQSF4219

CQSF4819

\$311

Tip: 24"H screens are not intended for use in the modesty position.

Specifica	ation Information	1
Width	• Style Number	·U.S. Base Price
12"H Scre	ens	
30"	CQSF3012	\$166
36"	CQSF3612	\$194
42"	CQSF4212	\$219
48"	CQSF4812	\$247
19½"H S	creens	•
30"	CQSF3019	\$256
36"	CQSF3619	\$284

24"H Screens				
30"	CQSF3024	\$345		
36"	CQSF3624	\$374		
42"	CQSF4224	\$400		
48"	CQSF4824	\$427		
	:	:		



Centered Screens

► Need help?

page 72

·Width

72"

Product details,

Specification Information

Style

CQSC7219


Tip: Centered screens can be attached to the beam, back-to-back desks, or back-to-back 11/2-high low storage with a connect zone. In back-to-back applications, a back-to-back spacer must be used to create a 1" space between the rails.


Tip: Screens mounted to back-to-back desks must be at least 12" narrower than


Tip: When using COM fabric, it is recommended that non-patterned fabric be used to provide a consistent visual between adjacent screens.

Tip: Screens 36"W to 48"W come with two brackets and screens 60"W and 72"W come with three brackets.

Tip: To obtain total price for frosted glass screen, add both glass upcharge and frosted glass upcharge to base price.







Standard Includes

·U.S.

• Screen: fabric price group 1

Brackets: 4799 Platinum

Required to Specify

- 1 Style number
- 2 Fabric color number for screen, if selected
- 3 Options, if selected (see below)
- See Surface Materials, page 196.

	Options	U.	S. Price	•	Required to Specify
Surface	Fabric	12"H	19 ¹ / ₂ "H	24"H	
Materials	 Fabric price group 1 	No cost	No cost	No cost	Specify fabric color number.
	Fabric price group 2	+\$25	+\$ 34	+\$ 40	Specify fabric color number.
	Fabric price group 3	+\$66	+\$ 89	+\$114	Specify fabric color number.
	Fabric price group 4	+\$85	+\$114	+\$139	Specify fabric color number.
	 Customer's Own Material (COM) 	+\$16	+\$ 16	+\$ 16	See Surface Materials Reference Manual.
	Glass (12"H and 19 ¹ / ₂	"H)			
	• Glass	See belo	W		Specify with glass.
	- Clear glass 3/8"	No cost			Specify with 6570 Crystal glass.
	- Frosted glass	See belo	w		Specify with 6530 Frosted glass.
Related	Back-to-back spacers				▶ Page 125
Products	 Center screen custom inse 	ert kit			▶ Page 130

Options

	Number	Base Price	(Add \$ to Base Price)	Frosted Glass (Add \$ to Base Price and Glass Upcharge)	
12"H Screens	3				
36"	CQSC3612	\$309	+\$ 54	+\$ 79	
42"	CQSC4212	\$327	+\$ 82	+\$ 89	
48"	CQSC4812	\$343	+\$ 99	+\$ 98	
60"	CQSC6012	\$381	+\$153	+\$124	
72"	CQSC7212	\$417	+\$207	+\$148	
19½"H Scree	ens	•	`		
36"	CQSC3619	\$434	+\$ 82	+\$206	
42"	CQSC4219	\$452	+\$ 99	+\$237	
48"	CQSC4819	\$472	+\$125	+\$292	
60"	CQSC6019	\$506	+\$179	+\$295	

24"H Screens					
36"	CQSC3624	\$560	N.A.	N.A.	
42"	CQSC4224	\$580	N.A.	N.A.	
48"	CQSC4824	\$597	N.A.	N.A.	
60"	CQSC6024	\$632	N.A.	N.A.	
72"	CQSC7224	\$668	N.A.	N.A.	
:	:	:	:	•	

+\$234

+\$320

c:scape Specification Guide 129

\$542

Centered Screen Custom Insert Kits and Aligners

Centered Screen Custom Insert Kits

Standard Includes

Required to Specify

Style number

► Need help? Product details, page 73

- · Brackets: 4799 Platinum • Plastic adapter for 1/4" screen
- Plastic adapter for 3/8" screen
- Plastic adapter for ½" screen
- · Plastic adapter for fabric infill screen
- Attachment hardware

		orma	

Style	∙U.S.
Number	Price
•	



CQSK2 \$117

Three Brackets

CQSK3 \$135







Tip: CQSK2 is for use on screens up to 48"W. CQSK3 is for use with screens wider than 48"W.

Tip: To order a fusion screen, contact your Designtex representative.

Tip: These kits are available to accommodate additional materials for the centered screen. Infills can be 181/2"H or less. For actual dimensions of centered screens, see page 72.

Tip: Custom insert kit can accommodate inserts that are $\frac{1}{4}$ ", $\frac{3}{8}$ ", or $\frac{1}{2}$ " thick.

Aligners



Tip: Aligners are for use with fabric screens only.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Standard Includes

Required to Specify

· Aligner, package of 10: translucent plastic

Style number

Specification Information

Style · U.S. Number **Price**

CQAS

► Need help? Product details, page 73

\$23

Divisio Side Screen



Tip: The Divisio side screen can be used on any 3/4"- to 1¹/₂"-thick worksurface.

Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.

Tip: The Divisio side screen weighs approximately 141/2 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The Divisio side screen is intended for use on the front of a worksurface.

Tip: The Divisio side screen does not work on knife edge profiles.

Standard Includes Required to Specify · Screen: fabric price group A 1 Style number

► Need help? Product details, page 74

- Top cap and clamp: 4799 Platinum paint
- 2 Fabric color number
- ► See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Fabric		
Materials	 Fabric price group A Fabric price group 1 Fabric price group 2 Customer's Own Material (COM) 	No cost No cost +\$14 +\$16	 Specify fabric color number. Specify fabric color number. Specify fabric color number. See Surface Materials Reference Manual.

Specification Information					
Dimen D	sions H	• Style Number	· U.S. Base Price		
29 ¹ /2"	115⁄8"	DV\$\$2912	\$333		




Answer to c:scape L Junctions—Thin Trim


Specification Information


	Standard Includes	Required to Specify
Need help? Product details, page 13	 Junction Inside corner light seal Trim and junction cap: paint price group 1 Aligner 	 1 Style number 2 Paint color number for trim and junction cap 3 Options, if selected (see below) See Surface Materials, page 196.


	Options	U.S. Price	Required to Specify
Surface	Trim		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$11	Specify paint color number.
	 Paint price group 3 	+\$23	Specify paint color number.
Bracket	Desk-to-panel bracket	+\$36	Specify with desk-to-panel bracket.

Corresponding Panel Height		• Style Number	· U.S. Base Price		
		:			
Righ	t-Hand Ju	ınctions			
24"	30"	TS723TCLJCQ	\$411		
24"	42"	TS724TCLJCQ	\$411		
24"	48"	TS728TCLJCQ	\$411		
24"	54"	TS725TCLJCQ	\$411		










Answer to c:scape T Junctions—Thin Trim

Standard Includes Required to Specify Need help? - Junction 1 Style number Product details, page 13 - Inside corner light seals 2 Paint color number for trim and junction cap: paint price group 1 - Trim and junction cap: paint price group 1 cap - Aligners 3 Options, if selected (see below) - See Surface Materials, page 196.


	Options	U.S. Price	Required to Specify
Surface	Trim		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$11	Specify paint color number.
	 Paint price group 3 	+\$23	Specify paint color number.
Bracket	Desk-to-panel bracket	+\$36	Specify with desk-to-panel bracket

Specification Information Corresponding Style U.S. Panel Number Base Height Price



For Two Panels and One Beam


30"	24"	30"	TS7323TCTJCQ	\$481
42"	24"	42"	TS7424TCTJCQ	\$481
48"	24"	48"	TS7828TCTJCQ	\$481
54"	24"	54"	TS7525TCTJCQ	\$481



For	For Two Beams and One Panel							
24"	30"	24"	TS7232TCTJCQ	\$481				
24"	42"	24"	TS7242TCTJCQ	\$481				
24"	48"	24"	TS7282TCTJCQ	\$481				
24"	54"	24"	TS7252TCTJCQ	\$481				



Answer to c:scape X Junctions—Thin Trim



Standard Includes

Required to Specify

- ► Need help? Product details, page 13
- Junction · Inside corner light seals
- Trim and junction cap: paint price group 1
- Aligners

- 1 Style number
- 2 Paint color number for trim and junction
- 3 Options, if selected (see below)
- See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Trim		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$11	Specify paint color number.
	 Paint price group 3 	+\$23	Specify paint color number.
Bracket	Desk-to-panel bracket	+\$36	Specify with desk-to-panel bracket.

Corresponding Panel Height		9	· Style Number	U.S. Base Price		
A	В	С	D	•	:	
24"	30"	24"	30"	TS72323TCXJCQ	\$481	
24"	42"	24"	42"	TS72424TCXJCQ	\$481	
24"	48"	24"	48"	TS72828TCXJCQ	\$481	
24"	54"	24"	54"	TS72525TCXJCQ	\$481	
:				:	:	

Worktools

SOTO Shelves

Tip: All SOTO shelves allow ▶ Need help? for 27/8" or 6" between worksurface and bottom of shelf.

Standard Includes

Required to Specify

Shelf: paint


See Steelcase Worktools Specification Guide for product details.

• Stanchions: 4799 Platinum

1 Style number 2 Paint color number for shelf:


4231 Arctic White 4799 Platinum

Spec	cificatio	on Inforn	nation			
Dime	ensions W	н	· Weigh	t ·Style Number	· U.S. Price	
36"W	/ Standa	ard Shel	f	<u> </u>	<u>.</u>	
31/2"	36"	69/10"	3.9 lb	DSSA363	\$148	



36"W High Shelf

31/2"	36"	10"	4.2 10	D55A363H	\$150



24"W Standard Shelves

63/4"	24"	69/10"	4.9 lb	DSSA246	\$153
101/4"	24"	69/10"	6.4 lb	DSSA2410	\$163



24"W High Shelves

	63/4"	24"	24" 10"	5.3 lb	DSSA246H	\$158
10 ¹ / ₄ " 24" 10" 6.7 lb DSSA2410H \$168	101/4"	24"	" 24" 10"	6.7 lb	DSSA2410H	\$168



14"W Standard Shelves

31/2"	14"	6%10"	2.2 lb	DSSA143	\$141
63/4"	14"	69/10"	3.6 lb	DSSA146	\$148
101/4"	14"	69/10"	4.4 lb	DSSA1410	\$158



14"W High Shelves

31/2"	14"	10"	2.5 lb	DSSA143H	\$148
63/4"	14"	10"	3.9 lb	DSSA146H	\$153
101/4"	14"	10"	4.7 lb	DSSA1410H	\$163
:			:	:	:



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

SOTO LED Task Lights

Tip: Rail-mounted bracket of SOTO LED task light may occupy the same space as a SOTO 31/2", 63/4", and 101/4" shelf extending over the shelf itself.

|--|

- ► Need help? · Task light and mounting: paint • 4-watt LED 3500K See Steelcase
 - Worktools Specifica- 9' low voltage modular cord: black plastic only

tion Guide for product details.

Required to Specify 1 Style number 2 Paint color number for light:

4231 Arctic White 4710 Low Gloss Black 4799 Platinum

•

Tip: Rail-mounted SOTO LEDs will fit in front of c:scape privacy screens.

Dimer	sions		·Weigh	t ·Style	·U.S.
D	W	Н		Number	Price
				•	•
D-:I I		.1	•		•
Rail-I	/lounte	d	•	•	·
Rail-I	/lounte	d	•		•
Rail-I	Nounte	14 ¹ / ₄ "	0.6 lb	DSLEDR	\$302



Frees	tandin	9					
123/4"	41/4"	143/4"	2.2 lb	DSLEDF	\$329		
:			:	:			

SOTO Tool Box



Tip: Tool box contains removable semi-opaque insert to separate pens from sticky notes.

St	-1:	1	21	1131	\sim 1	
			EI I		v	

· Tool box: 6009 Arctic White plastic

Style number

Required to Specify

Specification	Information
opeomeation	IIII O I III a ci o i

► Need help?

See Steelcase Worktools Specification Guide for product

Dimensions			·Weight	·Style	·U.S.
D	W	н		Number	Price
01/ 11	31/4"	31/2"		DCTD	
3½"	31/4"	31/2"	0.3 lb	DSTB	\$34

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

SOTO Pile Box



Standard Includes Required to Specify

Need help?
• Pile box: 6009 Arctic White plastic See Steelcase
Worktools Specification Guide for product details.

details.

Style number

Specification Information								
Dime	ensions W	н	• Weight	•Style Number	·U.S. Price			
9 ⁷ /8"	121/4"	2"	0.7 lb	DSSPB	\$39			
			:	:	:			

SOTO Diagonal File Box



	Standard Includes	Required to Specify		
Need help? See Steelcase Worktools Specification Guide for product		Style number		

Specification Information								
Dime D	nsions W	н	·Weight	• Style • Number	· U.S. Price			
121/4"	4"	97/8"	0.5 lb	DSDFB	\$39			

SOTO Personal Box



		Standard Includes	Required to Specify
•	Need help?	Personal box: 6009 Arctic White plastic	Style number
	See Steelcase		
	Worktools Specifica-		
	tion Guide for product		
	details.		

Specification Information							
Dim	ensions W	н	·Weight	· Style Number	· U.S. Price		
			· :	:	:		
9"	9"	2"	0.3 lb	DSPB	\$34		



SOTO Landscape Letter Box



Standard Includes Required to Specify

► Need help?

• Landscape letter box: 6009 Arctic White plastic See Steelcase

Worktools Specification Guide for product details.

Style number

Dimensions Weight Style U. D W H Number Pri	
•	
97/s" 13 ³ / ₄ " 2" 0.8 lb DSLLB \$3	<u> </u>

SOTO Utility Box



Standard Includes Required to Specify

Need help?
See Steelcase
Worktools Specification Guide for product details.

Utility box: 6009 Arctic White plastic 8009 Arctic White plastic 9009 Arctic 9009

Style number

Spe	Specification Information							
Dime	ensions W	н	• Weight	·Style · Number	·U.S. Price			
			:	:	:			
3 ⁷ /8"	9"	11/4"	0.3 lb	DSUB	\$34			

SOTO Storage Boxes, Set of Three



Tip: The storage box set fits inside the personal box.

Tip: The box dimensions are:
• Open rectangle box with or without divider $2^{1/8}$ "D x $4^{1/4}$ "W x $2^{3/8}$ "H

• Long rectangle box with lid $2^{1}/8$ "D x $8^{5}/8$ "W x $2^{3}/8$ "H

Standard Includes

Required to Specify

► Need help? See Steelcase Worktools Specification Guide for product details.

• Set of three storage boxes: semi-opaque boxes with white cover

Style number

Specification Information


Style Number	· Weight	· U.S. Price
DSSB	0.4 lb	\$39
	:	:



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

FYI Monitor Arm with c:scape Mounting Brackets



Tip: FYI flat panel arm support is for use with monitors 5 to 20 lb.

► Need help?
See Steelcase
Worktools Specifica-
tion Guide for
product details.

Standard Includes

- ·Monitor arm: paint
- •75 mm/100 mm VESA plate
- Mounting bracket

Required to Specify


- 1 Style number
- 2 Paint color number for monitor arm:
- 4231 Arctic White
- 4710 Low Gloss Black
- 4799 Platinum

Spe	cificat	ion Inf	ormation			
Dim D	ensions W	н	· Weight	•Style Number	U.S. Price	
Sing	le Arm			· ·		
9"	14"	15"	15 lb	DFPASINGLECS	\$436	
9" :	14"	15"	15 lb :	DFPASINGLECS	\$436	

Eyesite Single Display Support with c:scape Mounting Brackets

Tip: Eyesite single display support is for use with monitors up to 20 lb.

Tip: Monitor cables that connect to the rear of the monitor near the VESA plate will not fit properly on the Eyesite monitor arm.



- See Steelcase Worktools Specification Guide for product details.
- Standard Includes
 •Monitor arm: 4799 Platinum
- •Mounting bracket: 4799 Platinum

Required to Specify

Style number

Specification Information							
·Dim	ensions	;	·Weight	Style	·U.S.		
D	W	н	:	Number	Price		
:			:	:	:		





c:scape Bracket Mount with 12"H Standard Crank Adjustment Column

65/8"	115/8"	15½"	11 lb	FPAC1CS	\$426

c:scape Bracket Mount with 18"H Extended Crank Adjustment Column

65/8"	115/8"	19 ⁷ / ₈ "	12 lb	FPAEC1CS	\$481



Eyesite Dual Display Support with c:scape Mounting Brackets

Tip: Monitor cables that connect to the rear of the monitor near the VESA plate will not fit properly on the Eyesite monitor arm.

Need help?	,
See Steelcase	•
Worktools Specifica-	
tion Guide for	

product details.

Standard Includes

•Monitor arm: 4799 Platinum •Mounting bracket: 4799 Platinum

Required to Specify

1 Style number

2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Bracket	 Without pivot 	No cost	Specify without pivot.
	 With pivot 	+\$18	Specify with pivot.

Spe	ecificat	tion In	formation		
·Dim	ensions	;	·Weight	·Style	·U.S.
D	W	н	:	Number	Base
			:	:	Price
				•	•



c:scape Bracket Mount with 12"H Standard Crank Adjustment Column with Dual Yoke and Focal Adjustment

81/2"	31"	15½"	16 lb	FPAC2CS	\$710	_



c:scape Bracket Mount with 18"H Extended Crank Adjustment Column with Dual Yoke and Focal Adjustment

81/2"	31"	20"	17 lb	FPAEC2CS	\$765


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Eyesite Triple Display Support with c:scape Mounting Brackets

Standard Includes Required to Specify ► Need help? · Monitor arm: 4799 Platinum 1 Style number See Steelcase · Mounting bracket: 4799 Platinum 2 Options, if selected (see below) Worktools Specification Guide for product details.


	Options	U.S. Price	Required to Specify
Bracket	Without pivotWith pivot	No cost +\$27	Specify without pivot. Specify with pivot.

Spe	cificat	tion In	formation		
Dim	ensions	;	·Weight	Style	·U.S.
D	W	н		Number	Base
			:	:	Price
:					:



c:scape Bracket Mount with 12"H Standard Crank Adjustment Column with **Triple Yoke and without Focal Adjustment**

77/8"	54 ¹ / ₂ "	15 ¹ / ₂ "	14 lb	FPAFC3CS	\$765



c:scape Bracket Mount with 18"H Standard Crank Adjustment Column with **Triple Yoke and without Focal Adjustment**

77/8"	54 ¹ / ₂ "	20"	15 lb	FPAFEC3CS	\$820

Eyesite Static One-Over-One Display Support with c:scape Mounting Brackets



Tip: Eyesite static one-overone display support is for use with two monitors up to 30" and 25 lb each.

	Standard Includes	Required to Specify
► Need help?	26"H extended static column: 4799 Platinum	Style number

Mounting bracket: 4799 Platinum

See Steelcase Worktools Specification Guide for product details.

Specification Information

D W H Number Price	·Dimensions		· Weight	· Style	·U.S.	
	D	w	н	:	Number	Price
	53/4"	41/8"	313/4"	11 lb	FPAS101CS	\$475

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Tip: Monitor cables that connect to the rear of the monitor near the VESA plate will not fit properly on the Eyesite extended static column.

Tip: Eyesite extended static column should only be mounted to c:scape desks that are tethered to either the beam, another desk, or 11/2-High low storage with a connect zone.

Fixed Mount Vertical Processor Sling



Tip: CPU must be at least 10"D and 3½"W for fixed vertical processor slings.

Tip: Fixed vertical processor sling supports CPUs with perimeters of 53" and 50 lb.

Tip: Fixed vertical processor sling requires 12" clearance under the worksurface.

Tip: Fixed vertical processor sling is mounted in a fixed position.

	Standard Includes	Required to Specify
► Need help? See Steelcase Worktools Specifica- tion Guide for produce details.		Style number

Related Products

· c:scape Keyboard Assembly

Spec	cificat	ion In	formation		
Dime	nsions W	• Style H Number		·U.S. Price	
103/4"	33/4"	6"	CPRSLFO	\$125	

▶ Page 143



Stella Standard Keyboard Assemblies with FrameOne/c:scape Platform

Need help?
See Steelcase
Worktools Specifica-
tion Guide for
product details

Standard Includes

•Mechanism and track: 0835 Black 1 Style number

Keyboard platform: 7207 Charcoal only
Mouse surface: 9" diameter same-plane, swivel mouse surface

Palm rest

2 Palm rest type, if green gel palm rest is selected (see below under Required Selections)

Required to Specify

Tip: FrameOne/c:scape platforms are standard with Stella assemblies and cut-out platform and can be used with furniture and systems with limited space for track adjustment. Check clearance to determine appropriate track length.

	Required Selections	U.S. Price	Required to Specify
Palm Rest Type	Non-antimicrobial	No cost	Specify with non-antimicrobial.
	 Antimicrobial 	No cost	Specify with antimicrobial.

Specification Information

Dimensions			· Style	·U.S.
D	W	н	Number	Price

Left-Hand with Green Gel Palm Rest and 11"L Track For Use With 24"D Worksurface

9"	19"	3"	SS11FCMLGG	\$45



Tip: When used with a 24"D worksurface, FrameOne/ c:scape platform with 11"L track will protrude 4" from front edge of worksurface when stored.

Right-Hand with Green Gel Palm Rest and 11"L Track For Use With 24"D Worksurface

9" 19" 3" **SS11FCMRGG** \$45



Tip: When used with a 30"D worksurface, FrameOne/c:scape platform with 17"L track stores completely under worksurface.

Left-Hand with Green Gel Palm Rest and 17"L Track For Use With 30"D Worksurface

9"	19"	3"	SS17FCMLGG	\$45

Right-Hand with Green Gel Palm Rest and 17"L Track For Use With 30"D Worksurface

9"	19"	3"	SS17FCMRGG	\$451

LED Personal Task Lights

Standard Includes

Required to Specify

- ► Need help? Product details, page 78
- · Housing: 6009 Arctic White plastic only
- · Fixture and stanchions: paint
- · Power supply (9') Soft touch switch
- Ultra energy efficient LED light source
- Polycarbonate matte film diffuser
- · Continuous dimming

- 1 Style number
- 2 Paint color number for fixture and stanchions:
- 4231 Arctic White
- 4710 Low Gloss Black
- 4799 Platinum Metallic

Related Products

- c:scape deskFrameOne bench
- · SOTO rail
- Impact
- · Technology zone integral rail
- · Worksurfaces and freestanding desks
- · Campfire Big Table

- Page 88
- ▶ See Benching Specification Guide.
- ► See Steelcase Worktools Specification Guide.
- See Wood Casegoods and Tables Specification Guide.
- See Elective Elements Specification
- See Answer Specification Guide.
- See turnstone Specification Guide.

Specification Information

·Dimensions		·Lamp	· Style	·U.S.	
D	W	н	Wattage	Number	Price
:			•	•	•

Rail-Mounted LED Personal Task Light

6"	0011	4 70	4.4		0005
6	30"	17"	14 watts	LPTL30	\$605

Non Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	LPTL30NR	\$605




Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 11/4", or with modesty panels or modesty screens closer than 6" from the back



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Victor2 Mobile Unit



Product details, page 80

► Need help?

Standard Includes

· Mobile unit:

- Front and back: wood
- Sides and top: paint
- Finished back hinged doors
- Three slot opening with sloped receptacles and built in bag holding system
- · Acrylic inserts etched with recycling icons and wording
- Three 100% recycled plastic rigid recycling bins 12 gallon capacity each
- · Four non-locking black casters: two swivel/two fixed

Required to Specify

- 1 Style number
- 2 Wood color number for front and back
- 3 Paint color number for sides and top (case)
- 4 Three acrylic inserts (see below under Required Selections)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

Required Selections

Acrylic Inserts (Pick three)



Surface

Materials















Tip: Receptacle contains features to accommodate oversized bags.

Spanish, and French.

Tip: Acrylic inserts lift out without tools for ease of cleaning and changeability. Tip: Verbiage on each insert contains English,

Tip: Soft-touch integral handle allows easy movement from one location to another.

Options U.S. Price Wood Front and Back

- Premium Wood 2
- Premium Wood 3
- · Customiz stain
- +\$ 69 +\$240 No cost

Specify Premium wood 2 finish number. Specify Premium wood 3 finish number.

Required to Specify

Specify with Customiz stain. See Surface Materials Reference Manual.

Laminate Front and Back

- Laminate
- · Open Line Laminate
- -\$328 -\$259

No cost

- plus cost of laminate
- Specify laminate color number.
- See Surface Materials Reference Manual.

Paint on Case

- · Paint price group 1
- · Paint price group 2 Paint price group 3
- +\$ 75 +\$128
- Specify paint color number. Specify paint color number.
- Specify paint color number.

Specification Information


·Dim	ensions	5	·Style	·U.S.
D	W	н	Number	Base
			:	Price


Mobile Unit - 3 Openings

	"			****
18"	36"	36"	AWRM183636	\$3825



Victor2 Freestanding Units





Tip: Tray shelf and dis are ordered separately

Tip: Acrylic inserts lift out without tools for ease of cleaning and changeability.

Tip: Verbiage on each insert contains English, Spanish, and French.

Standard Includes

- · Freestanding unit:
 - Front and back: wood
 - Side and top: paint Finished back
 - · Four or five top slot openings with receptacles
 - · Acrylic inserts etched with recycling icons and
 - · Four or five recycling bins (capacity of 23 gallon each receptacle) – fits 30 gallon size bags and larger
 - · Leveling glides: black only

Required to Specify

- 1 Style number
- 2 Wood color number for front and back
- 3 Paint color number for sides and top (case)
- 4 Four or five acrylic inserts (see below under Required Selections)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 196.

Required Selections

Acrylic Inserts (Pick four or five)



► Need help?

page 80

Product details,















splay	
y.	Surface
	Materials

Wood Front and Back

- Premium Wood 2

Options

 Premium Wood 3 · Customiz stain

U.S. Price Prices at right

Prices at right No cost

Required to Specify

Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with Customiz stain.

See Surface Materials Reference Manual.

Laminate Front and Back

- Laminate - Four opening
- Five opening
- Open Line Laminate
- Five opening

-\$546 -\$765

- Four opening -\$477
 - plus cost of laminate -\$696 plus cost of laminate

- Specify laminate color number. Specify laminate color number.
- See Surface Materials Reference Manual.
- See Surface Materials Reference Manual.

Paint on Case

- · Paint price group 1 Paint price group 2
- Paint price group 3

No cost +\$ 75 +\$128

Specify paint color number. Specify paint color number.
Specify paint color number.


Related **Products**

- Tray Shelf
- Display

- ►Page 148
- ▶ Page 148


For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Sp	ecific	ation	Information		
·Dimensions		ons	· Style	·U.S.	· Options
D	W	н	Number	Base	· (Add \$ to
:			:	Price	Base Price)
:			:		Premium Wood Wood front and back
:			:		. WYOOG HOIR AND DACK
:			•		Wood 2 Wood 3



Freestanding Unit - 4 Openings

25	48"	36"	AWRF254836	\$5465	+\$124	+\$435



Freestanding Unit - 5 Openings

25"	60"	36"	AWRF256036	\$6887	+\$157	+\$547



Victor2 Tray Shelf and Display

Tray Shelf



Tip: Tray shelf fits most trays up to $20^3/4$ " x 12".

Tip: Tray shelf cannot be used with the mobile unit.

Tip: Two tray shelves can be used on the freestanding 4 or 5 slot opening. A 15" gap will separate the two tray shelves if used on the freestanding 5 unit.

Tip: Maximum tray storage is 20 food trays.

	Standard Includes	Required to Specify
► Need help? Product details, page 80	Tray shelf: paint	1 Style number2 Paint color number for tray3 Options, if selected (see below)▶ See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$11	Specify paint color number.
	 Paint price group 3 	+\$23	Specify paint color number.
Related	Freestanding units		▶ Page 146
Related Products	 Freestanding units 		► Page 146

Display



Tip: Display holds two $8^1/2$ " x 11" papers or one 11" x 17".

Tip: Display cannot be used with the mobile unit.

Tip: Two displays can be used on the freestanding 4 or 5 slot opening. A gap of 18¹/2" will separate the two displays if used on the Freestanding 5 unit.

Tip: Paper is placed between the two acrylic plates.

	Standard Includes	Required to Specify
Need help? Product details, page 80	Display Attachment brackets: paint	1 Style number 2 Paint color number for bracket 3 Options, if selected (see below) ▶ See Surface Materials, page 196.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$11	Specify paint color number.
	 Paint price group 3 	+\$23	Specify paint color number.
Related	Freestanding units		▶ Page 146
Products			

Specification Information Dimensions DWH Number Base Price 13/16" 203/4" 151/2" AWDR \$382



ver and Data

Understanding Power and Data


																									/							
S	ta	t	eı	m	e	n	t	C	f	L	.iı	n	е																	1	5	0

Product Details	
Wiring Schematics	154
How to Calculate Power Needs	155
Cable Capacities	156
Desking Power and Data	
Desk Tethered to Beam	160
Freestanding Desk	162
Storage Power and Data	164
Base Power and Data	166
Modular Harnesses and Branching Harness-to-Harne Connectors	ss
Distributing Power Through the Beam	168
Power Harness Routing Through 90° Beams	170
Add-On Modular Power Blocks and Harnesses	171
Building Interface	172

Statement of Line

c:scape Power and Data

Desking Power and Data



Modular Powerkit

Understanding

►Page 160

Specifying


▶Page 176



Power Strip Understanding

Page 161 Specifying

▶Page 176



Chicago/Hardwire Kit

Understanding

Page 161

Specifying

▶Page 177



Add-On Modular

Power Block

Understanding ▶ Page 161

Specifying

▶ Page 177



Add-On Chicago/ **Hardwire Junction Kit**

Understanding

▶ Page 161

Specifying

▶ Page 178



Data Housing and Cover

Understanding

▶ Page 161

Specifying

▶ Page 178



Cable Cover -

Page 161
Specifying


▶ Page 178



Beam to Desk

Understanding

Storage Power and Data




Modular Powerkit

Understanding

▶Page 164

Specifying ▶Page 179




Power Strip

Understanding

▶ Page 165 Specifying

►Page 180



Chicago/Hardwire Kit


Understanding

▶ Page 165

Specifying

Page 181

Base Power and Data



Modular Powerkit

Understanding
► Page 166

- Specifying
- Page 182



Chicago/Hardwire

Powerkit Understanding

- Page 166 Specifying
- Page 182



Data Housing

Understanding ▶ Page 166

- Specifying
- ▶Page 182


Receptacles



Duplex Receptacle

Understanding

- ▶ Page 161 Specifying
- ►Page 183



Flexible Receptacle

Understanding

- ▶ Page 161 Specifying
- Page 184



USB Receptacle

Understanding

- Page 161 Specifying
- ►Page 185

Power Strips



Power and Data Strip with Cord

Understanding

- ▶ Page 161
- Specifying
- Page 186



Power Strip with Cord

Understanding

- ▶ Page 161
- Specifying
- ►Page 186

Modular Harnesses



Modular Harness -Standard Lengths

Understanding

Page 168 Specifying

▶Page 187



Branching Harnessto-Harness Connector

Understanding

► Page 168

Specifying Page 188



Modular Harness Additional Lengths (for daisy chaining or for use with infeeds)

Understanding

▶ Page 168

Specifying

►Page 188

Power Infeeds




Hardwire-to-Modular **Power Infeed**

Understanding

► Page 172

Specifying

▶Page 189




Modular-to-Modular **Power Infeed**

Understanding

▶ Page 172

Specifying

Page 189



New York



Straight/ Flush




Junction Box Faceplate - Modular

Understanding

▶ Page 172

Specifying ►Page 191



Utility Pole

Understanding

▶ Page 172

Specifying ► Page 191

Power Infeed Understanding Page 172 Specifying ►Page 190




Transition Kits




Transition Kit for Field Cutting Understanding
Page 47


Specifying
Page 192



L-Boot Understanding ▶ Page 47 Specifying ▶ Page 192



T-Boot Understanding
► Page 47
Specifying ▶Page 192



X-Boot Understanding
► Page 47
Specifying ▶Page 192

Filler Package and Wire Manager



Filler Package Specifying
Page 193



Wire Manager Specifying ▶ Page 193

Wiring Schematics

Details for the Electrician

c:scape offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan.

Tip: All the components in an electrical system must use the same wiring schematic. The components are keyed and color coded to make it impossible to connect mismatched parts.

Black = Four-circuit, 3+1

Brown = Four-circuit, 2+2


Rust = Three-circuit, separate neutrals (3SN)

Shared neutrals = 10 gauge


Non-shared neutrals = 12 gauge

Hot wires = 12 gauge

Four-Circuit, 3+1




Circuit Panel 2



In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

Single 3-Phase Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Four-Circuit, 2+2


Circuit Panel 1 PHASE PHASE PHASE A B C Circuit 1 Hot Circuit 2 Hot NEUTRAL GROUND GROUND Ground

Circuit Panel 2




In the four-circuit 2+2 schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and supported by their own shared neutral and ground.

Single 3-Phase



On a single 3-phase circuit panel, all four circuits are distributed as shown.

Split-Phase Circuit Panel




On a split-phase circuit panel, all four circuits are distributed as shown.

Three-Circuit, Separate Neutrals


Circuit Panel 1 PHASE PHASE PHASE Circuit 1 Hot Circuit 2 Hot NEUTRAL Circuit 2 Neutral GROUND Ground

Circuit Panel 2



In the three-circuit, separate neutral schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.


Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, three circuits are distributed as shown.

Split-Phase

Circuit Panel



On a split-phase circuit panel, three circuits are distributed as shown.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) or 80 amps (20 amps times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate power	consumption	for	common
devices			

• Device	• Wattage	• Amperage	• Voltage	of Devices
:		:	:	Supported on Single
				· 20 Amp
:		:	:	Circuit*
<u>:</u>		:	:	:
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/ Copier (high)	1900	17.3	110	1
Large Printer/ Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2


Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

Cable Capacities




	Outside Diameter of		Outside Diameter of		
End view of a Beam	Cable = .22	23	Cable = .31	Cable = .310	
	Maximum Capacity	40% Fill Rate	Maximum Capacity	40% Fill Rate	
O Upper opening of beam vertical post	130	71	58	37	
① Lower opening of beam vertical post (intended for power routing although cables can be routed at this location)	90	49	42	25	
O Lower cover clip (lay-in per side)	32	16	12	6	
Transition Boot - 90 degree application	56	29	24	14	
Field cut cover application					
3 or more inches away from vertical post					
Upper opening—right, left or any combination	130	70	58	36	
Lower opening—right, left or any combination	90	48	42	25	
Field cut cover application					
1½" inches away from vertical post (left/right) and transitioning away from vertical post					
Upper opening	130	70	58	36	
Lower opening	90	48	42	25	
Field cut cover application					
$1^1\!/\!_2{}^{\!$					
Upper opening	92	48	36	22	
Lower opening	58	31	28	17	
① Utility pole into beam vertical post					
Upper opening	130	71	58	37	
Lower opening	90	49	42	25	
Base entry of cables across a foot (per side)	32	16	18	11	
Base powerkit - passing across	24	12	10	6	


Tip: When routing cables through any combination mentioned above, the capacity is equal to the smallest number.




Vertical Post Positioning Table




4 foot beam — Outer posts positioned 9" from each beam end.




5 foot beam — Outer posts positioned 9" from each beam end. Center posts positioned either 27" or 33" from beam end.



 $\bf 6$ foot beam — Outer posts positioned 9" from each beam end. Center posts positioned either 33" or 39" from beam end.





7 foot beam — Outer posts positioned 9" from each beam end. Center posts positioned 33" from each beam end.



 $\bf 8\ foot\ beam$ — Outer posts positioned 9" from beam end. Center posts positioned 33" from each beam end.


Cable Capacities, continued





① Utility pole and beam

0 Base entry of cables across a foot (per side)



O Passing across base powerkit

Tip: Power harnesses reduce 5E cable capacity by approximately 10 cables. When using 6A cables, capacity is reduced by approximately 6 cables. The numbers may vary according to installation practices and the type of cables used.

Tip: It is recommended that power is installed prior to cables. When large numbers of cables are to be installed in any application, power must be installed first.

Tip: Test and verify cable capacities for your individual situation. We recommend that testing be conducted using your specific cable as well as the furniture configuration you are considering. Cable capacities in this table are based on non-plenum-rated cables. Figures are approximations. Actual capacities may vary slightly depending on which manufacturer produced the cable and the specific field conditions.

Power and Data

Desking Power and Data


Desk Tethered to Beam

Desks include a sliding surface or a cut-out option which opens to a connect zone in the understructure. Power and data are routed to the connect zone for easy user access and cord management.

► Specifying, page 176

Modular powerkits

are available for use in the connect zone when desks are tethered to the beam. The power is routed out of the beam reveal and through the end of the desk located closest to the beam. The power block accommodates two receptacles which are ordered separately.



Additional power block

can be added in the connect zone by ordering an additional harness and power block. Receptacles are ordered separately.

See Add-On Modular Power Blocks and Harnesses, page 171, for harness lengths which are dependent on desk width.

Product Details

Power strips are available for use in the connect zone on a sliding top or a non-sliding cut-out top of both tethered desks and freestanding desks. Receptacles are prewired within the power strip. A duplex/duplex version or a flexible/flexible version is available. If wall outlet is not available, base power is required for plugging the power strip into an outlet. and must be accessible to meet building code.

Modular power can be routed to desks that are tethered to 1½-high low storage and desks that are connected back to back. Consulting with a building inspector is recommended to ensure these applications are acceptable. Modular power cannot be used in non-sliding desks with a scallop.

Hardwire powerkits

are available for cities where code requires. Kits include junction box and a non-PVC hardwire harness with 8 wires. A cover is included for beam interface.


Daisy chaining of

power can occur when desks are tethered to the beam in a parallel application. A modular desk powerkit is used for the first desk that is being powered and then additional add-on power blocks and harnesses are ordered for each adiacent desk. See Add-On Modular Power Blocks and Harnesses, page 69, for harness lengths which are dependent on desk width. Four data cables can enter the first desk. These cables can be routed to four desks (one cable each) or two desks with two cables each. Data housing is ordered separately



Duplex receptacles

are available in 15- and 20-amps, isolated or system ground, with multiple line options. The same duplex receptacle can be used in the desk, 1½-high low storage with connect zone, and the base area. Receptacles are ordered separately.



Modular flexible recep-

tacles are available in 15-amp, isolated or system ground, with multiple line options. Flexible receptacles offer easy access to three outlets. The same flexible receptacle can be used in the desk and 1½-high low storage with connect zones. Not intended for use in the base area. Receptacles are ordered separately. Check for availability.




USB receptacles are available in three wiring


schematics with multiple line options. USB receptacles offer easy access to two charging ports. Each port provides 1 amperage of output. USB receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible. The same USB receptacle can be used in the desk and 1½-high low storage with connect zones and the base area. Receptacles are ordered separately.

Wiring and Cabling

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.




Desk power accommodates two to four receptacles.



Data in the desk

accommodates both modular furniture and NEMA size faceplates. Desk data housing is ordered separately.



Cable cover can be used to transition data cables from beam to desk.



Modular power and

data cannot be used in a non-sliding desk with a scallop. Power strips with rail mount attachment brackets can be mounted on the desk rail for easy access to power and data above the worksurface.

Filler packages are available to fill unused power or data openings. They are offered in packages of 20.

Wire manager attaches to post legs and manages cords and cables.

Connect zone in desk

has openings in bottom to allow for patch cord entry and exit.

Access to data is positioned at edge of desk located closest to the beam.

Access to power is positioned 21" from edge of desk.

Non-PVC electrical components are the standard offering with the option to order PVC components. For those trying to gain the LEED Innovation and Design credit, non-PVC

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

should be selected

Local electrical codes

vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Surface Materials

Power block

Black

Data housing

Black

Receptacles


• Black

Power/data cover

• 4799 Platinum

Desking Power and Data

Freestanding Desk



Wiring and Cabling

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched

Wire manager attaches to post legs, and manages cords and cables.

Connect zone has openings in bottom to allow for patch cord entry and exit.

Access to power is positioned 21" from edge of desk.

Modular power can be used with a freestanding desk as long as the desk is anchored.

Filler packages are available to fill unused power or data openings. They are offered in packages of 20.

Non-PVC electrical components are the standard offering with the option to order PVC components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.


storage with either connect zone or mounted on the

shared table. Power and

data or power only are

available.

Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.



Two power strips are available—power only and power and data. Power strips can be mounted on the desk or low storage with connect zone rail or on the shared table. Cord length is 8'. Available PVC only.

Surface Materials

Power block

Black

Receptacles

• Black

Cord

• Black


Storage Power and Data

11/2-high low storage

units are available with a connect zone. Power and data can be routed to the connect zone for easy user access and cord management.

► Specifying, page 179

Modular powerkits are available for use in the connect zone when storage is parallel and tethered to the beam. Power and data are routed through an opening in the back of the storage and into the connect zone. Powerkits are ordered separately and include data housing.



Product Details




Modular powerkit

includes a power block with harness, data housing, and a cover. The power block accepts one receptacle. The data housing accepts both modular furniture and NEMA faceplates. A filler is included.



Duplex receptacles

are available in 15- and 20-amps, isolated or system ground, with multiple line options. The same duplex receptacle can be used in the desk, 1½-high low storage, and the base area. Receptacles are ordered separately.




Modular flexible recep-

tacles are available in 15-amp, isolated or system ground, with multiple line options. Flexible receptacles offer easy access to three outlets. The same flexible receptacle can be used in the desk and 1½-high low storage with connect zones. Not intended for use in the base area. Receptacles are ordered separately. Check for availability.



USB receptacles are

available in three wiring schematics with multiple line options. USB receptacles offer easy access to two charging ports. Each port provides 1 amperage of output. USB receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible. The same USB receptacle can be used in the desk and 11/2-high low storage with connect zones and the base area. Receptacles are ordered separately.




Power strips are available for use in the connect zone of 1½-high low storage. Base power is required for plugging the power strip into an outlet and must be accessible to meet building code. Duplex or flexible receptacles are prewired into the power strip. Cord


Hardwire power is also available for cities where code requires.

length is 6'.

Storage units are offered in 30", 36", 42", and 48" widths and require a center cover when ordering power-kits for the connect zone. Cover width is optioned when ordering the kit.



Power and data can be placed on either end of the storage unit, opposite each other.



60"W and 72"W stor-

age can accommodate one or two powerkits or power strips. Specify powerkits for use with 60"W or 72"W storage units, as the covers in the powerkits for use with 30"W or 36"W units will not fit properly in the larger size storage units.

Connect zone on low storage units can be used to attach worktools. Power and data access is still available.

Wiring and Cabling

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect

Non-PVC electrical components are the standard offering with the option to order PVC components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.

mismatched parts.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Surface Materials

Power block

Black

Data housing

Black


Receptacles

Black


Cord

Black


Base Power and Data



Product Details



Base powerkits include the power block with housing and an integral harness-to-harness connector for branching up to desking or storage, or to continue on to the next base power or harness-to-harness connector. Power block accommodates back-to-back power. Receptacles are ordered separately.



Access to power and

data can occur in the base. Power and/or data can be placed every 1 foot. Where two beams are connected inline, access zones are 24" apart.



Support feet can be placed every 12" using the same locations as power and data. An additional position is available at the ends of the beam.

Tip: Power, data, or support feet cannot occupy the same position simultaneously.

Filler packages are available to fill unused power or data openings. They are offered in packages of 20.



Modular flexible receptacles are not intended for use in the base area. Check for availability.

Hardwire power is also available for cities where code requires.

Wiring and Cabling

Three wiring schematics are available—3+1, 2+2, and three circuits with

separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.

Non-PVC electrical components are the standard offering with the option to order PVC components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Surface Materials

Base power housing

Black

Data housing

Black

Receptacles

Black

Modular Harnesses and Branching Harness-to-Harness Connectors

Distributing Power Through the Beam




connectors are used to distribute power through the beam. Harness-to-harness connectors are also used to branch power to connect zones in the desk and storage.


► Specifying, page 187

Harness-to-harness connectors can be placed on any 1 foot increment within the beam to simplify planning.

Branching harness-to-harness connectors have four places where modular harnesses can connect. However, they can only power two connect zones, except at the end of a run where they can power three connect zones.


Modular harnesses are used to distribute power to the base area and connect zones. Harness-to-harness connectors are used to connect harnesses and branch power to connect zones.





When a desk is placed on a 1 foot increment on the beam, place harness-to-harness connectors 1 foot from back edge or end of desk on either side.


Desk




4' 5'

3' Harness-to-Harness Connector

Desks can be located in 11/2" increments along the beam, so when desk is not on a 1 foot increment, place the harness-to-harness connector at the further 1 foot beam increment from the back edge or end of the desk on either side.



When storage is placed with its centerline on a 1 foot increment on the beam, place the harness-to-harness connector 1 foot from centerline of the storage unit. Centerline planning is used regardless of storage width to simplify planning and manage connect zone harnesses.



Storage can be located in 11/2" increments along the beam, so when storage unit centerline is not on a 1 foot increment, place the harness-to-harness connector at the further 1 foot beam increment from the centerline of the storage unit. Centerline planning is used regardless of storage width to simplify planning and manage connect zone harnesses.

The beam can accommodate two power systems for example, general power and uninterruptible power supply. If this applies to a design, plan each independently using the rules above. When using two power systems, one can be located in a connect zone and the other in the base area.

Wiring and Cabling

Base power has an integral harness-to-harness connector and can be located on every 1 foot within the beam. If using the base power harness-to-harness connector to power connect zones, follow the rules as noted.


Modular power can be brought to tethered desks, 1½-high low storage with connect zone, and the base area. Powerkits are ordered separately.

Three wiring schematics are available - 3+1. 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Non-PVC electrical components are the standard offering with the option to order PVC components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.




Modular Harnesses and Branching Harness-to-Harness Connectors

Power Harness Routing Through 90° Beams

In order to calculate the required modular harness length when routing power from one beam to another beam that is attached at 90° , use the logic shown in the following examples:



Power Post Beam Harness to harness connector



Field Cut Transition Kit

Condition 1

The 90° beam is to be located on a 1 foot increment and not on a post.

Use the same length harness as you would as if the harness-to-harness connectors were in the same beam.


Harness length = 36" + 24" = 60"

Condition 2


The 90° beam is to be located off of a 1 foot increment and not on a post.

Use the next longer standard harness length (from those listed on page 194) than you would as if the harness-to-harness connectors were in the same beam.

Harness length = 42" + 24" = 66"Use a 72" harness.



Transition Boot




Condition 3

The 90°beam is to be located on a 1 foot increment and not on a post.

Use the harness that is 1 foot longer than you would as if the harness-to-harness connectors were in the same beam.

Harness length = 36" + 24" + 12" = 72"



Condition 4

The 90° beam is to be located off of a 1 foot increment and not on a post.

Add 12" for the boot and use the next longer standard harness length (from those listed on page 194) as you would as if the harness-to-harness connectors were in the same beam.

Harness length = 42" + 24" + 12" = 78"Use an 84" harness.

Add-On Modular Power Blocks and Harnesses

Add-on modular power blocks and harnesses

can be used in three applications:

- To daisy chain power within a benching application
- To add additional power to a desk
- Directly with a power infeed, particularly when a beam is not being used


Tip: Access to power is positioned 21" from edge of desk.

1. Benching application - first position-to-first position 60" W 60" W 60" harness 66" W 66" W 66" harness 72" W 72" W 72" harness 78" W 78" W 78" harness 84" W 84" W 84" harness


Legend

- = Modular Powerkit
- = Add-On Modular Power Block
- Harness-to Harness
 Connector






Benching application - second position-to-first position



2. Within a desk



3. For use with power infeed



Building Interface


Building power and

data can interface with the beam from the floor, wall/column, or ceiling. Both modular and hardwire infeeds are available.



Hardwire-to-modular power infeed is available

in 12 and 24 foot lengths. The hardwired end is connected by an electrician to a junction box wherever it is located in the building. The harness is routed into the beam and connected to a harness-to-harness connector (or base power) which is located on a 1 foot increment within the beam. Non-PVC is standard. PVC version can be optioned




Modular-to-modular

power infeed is available in 12 and 24 foot lengths. A straight/flush modular junction box faceplate cover is standard and is wired to a 411/16" square junction box located in the building. The harness is then routed into the beam and connected to a harness-to-harness connector (or base power) which is located on a 1 foot increment within the beam. A 90° junction box faceplate can be optioned and is recommended for use at a wall or column. The straight/ flush is generally used in the ceiling and floor. Non-PVC is standard. PVC version can be optioned.



Modular junction box faceplate can be ordered separately and used with any modular harness length when 12 and 24 foot lengths are not appropriate. Straight/ flush and 90° faceplates are available. Non-PVC is standard. PVC version can be optioned.

Utility pole reaches a maximum ceiling height of 10 foot. Pole is 3"D x 6"W.



New York power infeeds are available. Non-PVC is standard. PVC version can be optioned. Hardwire-to-modular infeeds can also be used.

Hardwired/Chicago power infeeds are supplied by the electrician.

San Francisco requires metallic power-in conduit. which is standard product in c:scape. When infeed is coming from floor or wall, liquid tight metallic conduct may be required.

Base power infeeds are not available.

Wiring and Cabling

Three wiring schemat-


ics are available -3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.

Non-PVC electrical components are the standard offering with the option to order PVC components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.


All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Local electrical codes


vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.




Utility poles are available and must be placed at beam end of runs. Power infeed is ordered separately




When building interface is located in a wall or column, the use of a modular-to-modular infeed is recommended rather than hardwire to modular. It is also recommended that 90° faceplate be ordered separately and the appropriate modular harness length be used to reach from the modular faceplate to the first harness-to-harness connector or base power. which are located on 1 foot increments within the beam.



When building interface is located under the floor, either a hardwire-to-modular or a modular-to-modular infeed can be used. If using modular-to-modular infeed, typically the straight/ flush faceplate works best and can be ordered separately along with the appropriate harness length needed to reach from the modular faceplate to the first harness-to-harness connector or base power, which are located in 1 foot increments within the beam. Entry into the beam can occur anywhere along the beam and directly under it. To stay within the footprint of the beam, the floor entry hole must be at least 21/4", but less than 3" in diameter.



Concrete floor




Specifying Power and Data

Desk Connect Zone	176
Storage Connect Zone	179
Base Power and Data	182
Receptacles	183
Power Strips	186
Modular Harnesses and Branching Harness-to-Harness Connectors	175
Power Infeeds	189
Transition Kits	192
Filler Package and Wire Manager	193

Desk Connect Zone

Modular Powerkit-Desk Connect Zone



Tip: Receptacles are ordered separately.

	Standard Includes	Required to Specify
Need help? Product details, page 161	Non-PVC power block: blackFaceplates: blackNon-PVC modular harness	1 Style number 2 Power schematic 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC power block and modular harness	-\$10	Specify with PVC.

Specificati	on Information	
Style Number	· U.S. Base Price	
CQVPD	\$278	

Power Strip-Desk Connect Zone




Standard Includes		Required to Specify	
Need help? Product details,	Power strip with two duplex receptacles: blackNon-PVC 6' cord: black	1 Style number 2 Options, if selected (see below)	

	Options	U.S. Price	Required to Specify
Receptacles	Two flexible receptacles	+\$50	Specify with flexible receptacles.
PVC	PVC cord	-\$10	Specify with PVC.

Specification Information			
• Style Number	· U.S. Base Price		
CQVSD	\$223 :		



Chicago/Hardwire Kit-Desk Connect Zone



	Standard Includes	Required to Specify
► Need help?	Junction box: black	1 Style number
Product details,	Faceplates: black	2 Options, if selected (see below)
page 160	 Non-PVC hardwire harness with 8 wires 	

	Options	U.S. Price	nequired to specify		
PVC	 PVC hardwire harness 	- \$10	Specify with PVC.		
Specification Information					

Specification Information			
Style Number	· U.S. Base Price		
CQVCD	\$232		

Add-On Modular Power Block-Desk Connect Zone



	Standard Includes	Required to Specify	
► Need help?	 Non-PVC power block: black 	1 Style number	
Product details,	Faceplates: black	2 Power schematic	
page 160	·	3 Options, if selected (see below)	

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC power block	- \$10	Specify with PVC.

Specification Information			
• Style Number	·U.S. Base Price		
CQVPA	\$88		



Add-On Chicago/Hardwire Junction Kit-Desk Connect Zone



	Standard Includes	Required to Specify
Need help? Product details, page 160	Junction box: black Faceplates: black	Style number

Specification Information				
Style Number	·U.S. Price			
CQVCA	\$92			

Data Housing and Cover-Desk Connect Zone



Tip: Housing accepts both modular furniture and Nema size faceplates.

	Standard Includes	Required to Specify
Need help? Product details, page 160	Data housing: blackCover: 4799 PlatinumClips: black	Style number
Specification	n Information	

Specification Information		
Style Number	·U.S. Price	
CQVDD	\$72	

Cable Cover-Beam to Desk



	Standard Includes	Required to Specify
Need help? Product details, page 160	Cover: 4799 Platinum	Style number
Specification	Information	

Specification Information Style · U.S.		
Style Number	Price	
CQVCVR	\$16	



Storage Connect Zone

Modular Powerkit-Storage Connect Zone

► Need help?

page 165

Product details,



Tip: Receptacles are ordered separately.

Tip: Storage width determines powerkit cover length.

Tip: 30"W and 36"W powerkits cannot be used in 60"W and 72"W storage units.

Standard Includes

Non-PVC power block: black

- Faceplates: black
- Non-PVC modular harness
- · Data housing with filler: black
- · Cover: black

Required to Specify

- 1 Style number
- 2 Power schematic
- 3 Storage width
- 4 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC power block and modular harness	- \$ 10	Specify with PVC.
Storage Width	• 30"W	No cost	Specify with 30"W storage unit application.
•	• 36"W	No cost	Specify with 36"W storage unit application.
	• 42"W	No cost	Specify with 42"W storage unit application.
	• 48"W	No cost	Specify with 48"W storage unit application.
	• 60"W – 1 powerkit	No cost	Specify with 60"W – 1 powerkit storage unit application.
	• 60"W – 2 powerkits	+\$335	Specify with 60"W – 2 powerkits storage unit application.
	 72"W – 1 powerkit 	No cost	Specify with 72"W – 1 powerkit storage unit application.
	• 72"W – 2 powerkits	+\$335	Specify with 72"W – 2 powerkits storage unit application.


Specification Information Style U.S. Number Base Price CQVPS \$335



Power Strip-Storage Connect Zone

Need help? Product details,

page 165



Tip: Storage width determines powerkit cover length.

Tip: 30"W and 36"W powerkits cannot be used in 60"W and 72"W storage units.

Standard Includes

Power strip with one duplex receptacle: black

Non-PVC cord 6': black

• Data housing with filler: black

· Cover: black

Required to Specify

- 1 Style number
- 2 Storage width
- 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Receptacle	One flexible receptacle	+\$ 25	Specify with flexible receptacle.
PVC	• PVC cord	- \$ 10	Specify with PVC.
Storage Width	• 30"W	No cost	Specify with 30"W storage unit application.
	• 36"W	No cost	Specify with 36"W storage unit application.
	• 42"W	No cost	Specify with 42"W storage unit application.
	• 48"W	No cost	Specify with 48"W storage unit application.
	• 60"W – 1 powerkit	No cost	Specify with 60"W – 1 powerkit storage unit application.
	• 60"W – 2 powerkits	+\$280	Specify with 60"W – 2 powerkits storage unit application.
	• 72"W – 1 powerkit	No cost	Specify with 72"W – 1 powerkit storage unit application.
	• 72"W – 2 powerkits	+\$280	Specify with 72"W – 2 powerkits storage unit application.


Specification Information		
Style Number	· U.S. Base Price	
covss	\$280 :	

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Chicago/Hardwire Kit-Storage Connect Zone

Product details,

page 165



Tip: Storage width determines powerkit cover length.

Tip: 30"W and 36"W powerkits cannot be used in 60"W and 72"W storage units.

Standard Includes Need help? • Junction box: black

Junction box: blackFaceplate: black

Data housing: blackCover: black

Required to Specify

- 1 Style number
- 2 Storage width 3 Options, if selected (see below)


	Options	U.S. Price	Required to Specify
Storage Width	•30"W •36"W	No cost No cost	Specify with 30"W storage unit application. Specify with 36"W storage unit application.
	•42"W •48"W	No cost No cost	Specify with 42"W storage unit application. Specify with 48"W storage unit application.
	•60"W – 1 powerkit	No cost	Specify with 60"W – 1 powerkit storage unit application.
	•60"W – 2 powerkits	+\$130	Specify with 60"W – 2 powerkits storage unit application.
	•72"W – 1 powerkit	No cost	Specify with 72"W – 1 powerkit storage unit application.
	•72"W – 2 powerkits	+\$130	Specify with 72"W – 2 powerkits storage unit application.

Specificati	on Information		
Style Number	· U.S. Base Price		
CQVCS	\$130		



Base Power and Data

Modular Powerkit-Base Zone



Tip: Receptacles are ordered separately.

	Standard Includes	Required to Specify
Need help? Product details, page 166	Non-PVC power block: black Faceplates: black Integral harness-to-harness connector	1 Style number 2 Power schematic 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC power block	- \$10	Specify with PVC.

Specification Information		
Style Number	·U.S. Base Price	
CQVPB	\$156	

Chicago/Hardwire Kit-Base Zone



Junction box: black Faceplates: black	Style number
n Information	
· U.S. Price	
\$92	
	• Faceplates: black n Information • U.S. • Price

Required to Specify

Standard Includes

Data Housing-Base Zone



Tip: Housing accepts modular furniture size faceplates.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

	Standard Includes	Required to Specify
Need help? Product details,	Data housing: black	Style number

Specification Information
Style U.S.

Style Number	· U.S. Price	
:	:	
CQVDB	\$40	

page 166

Receptacles

Duplex Receptacle



Tip: For designation of controlled receptacles, order permanent ink stamp with controlled icon; service part (1063909001SR). It includes a pair of stamps, one white and one black. Appropriate receptacles can be stamped at the job site during installation.


	Standard Includes	Required to Specify
Need help? Product details, page 161	15-amp, system ground duplex receptacle: black	1 Style number 2 Power schematic and line type 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1		
Schematics	-Line 1	No cost	Specify with 3+1, line 1.
and Line	-Line 2	No cost	Specify with 3+1, line 2.
Options	–Line 3	No cost	Specify with 3+1, line 3.
	-Line 4	No cost	Specify with 3+1, line 4.
	• 2+2		
	-Line 1	No cost	Specify with 2+2, line 1.
	-Line 2	No cost	Specify with 2+2, line 2.
	–Line 3	No cost	Specify with 2+2, line 3.
	-Line 4	No cost	Specify with 2+2, line 4.
	• 3SN		
	-Line 1	No cost	Specify with 3SN, line 1.
	-Line 2	No cost	Specify with 3SN, line 2.
	-Line 3	No cost	Specify with 3SN, line 3.
Amperage	• 20-amp	+\$23	Specify with 20-amp.
Ground Type	Isolated	+\$12	Specify with isolated ground.

Specification Information			
Style Number	·U.S. Base Price		
CQVRD	\$33 :		



Flexible Receptacle



Tip: For designation of controlled receptacles, order permanent ink stamp with controlled icon; service part (1063909001SR). It includes a pair of stamps, one white and one black. Appropriate receptacles can be stamped at the job site during installation.

Standard Includes		Required to Specify	
Need help?	 Non-PVC, 15-amp, system ground flexible 	1 Style number	
Product details,	receptacle: black	2 Power schematic and line type	
page 161		3 Options, if selected (see below)	

	Options	U.S. Price	Required to Specify
Power	• 3+1		
Schematics	-Line 1	No cost	Specify with 3+1, line 1.
and Line	–Line 2	No cost	Specify with 3+1, line 2.
Options	–Line 3	No cost	Specify with 3+1, line 3.
_	–Line 4	No cost	Specify with 3+1, line 4.
	• 2+2		
	–Line 1	No cost	Specify with 2+2, line 1.
	–Line 2	No cost	Specify with 2+2, line 2.
	–Line 3	No cost	Specify with 2+2, line 3.
	–Line 4	No cost	Specify with 2+2, line 4.
	• 3SN		
	–Line 1	No cost	Specify with 3SN, line 1.
	–Line 2	No cost	Specify with 3SN, line 2.
	-Line 3	No cost	Specify with 3SN, line 3.
Ground Type	Isolated	+\$12	Specify with isolated ground.

Style U.S. Number Base Price COVRF \$91	Specification	on Information
· · ·	•	Base



USB Receptacle



Standard Includes	Required to Specify
USB receptacle: black	1 Style number
	2 Power schematic and line type
	3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1		
Schematics	-Line 1	No cost	Specify with 3+1, line 1.
and Line	–Line 2	No cost	Specify with 3+1, line 2.
Options	–Line 3	No cost	Specify with 3+1, line 3.
	-Line 4	No cost	Specify with 3+1, line 4.
	• 2+2		
	-Line 1	No cost	Specify with 2+2, line 1.
	-Line 2	No cost	Specify with 2+2, line 2.
	–Line 3	No cost	Specify with 2+2, line 3.
	-Line 4	No cost	Specify with 2+2, line 4.
	• 3SN		
	-Line 1	No cost	Specify with 3SN, line 1.
	-Line 2	No cost	Specify with 3SN, line 2.
	–Line 3	No cost	Specify with 3SN, line 3.



Power Strips

Tip: Shared table attachment bracket is for use with c:scape shared tables only. Rail attachment bracket mounts on the desk rail or the rail on low storage with a connect zone.


► Need help?

Product details, page 161

Required to Specify
Style number Attachment bracket (see Required Selections)

	Required Selections	U.S. Price	Required to Specify
Attachment Bracket	 Shared table attachment bracket 	No cost	Specify with shared table attachment bracket.
	 Rail attachment bracket 	No cost	Specify with rail attachment bracket.

Style Number	· U.S. Price	
Power and	Data Strip with Cord	
i owei allu	outu ottip iiitii ootu	



Power Strip with Cord

CQVSP	\$222
•	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Modular Harnesses and Branching Harness-to-

Modular Harnesses and Branching Harness-to-Harness Connectors

Modular Harness — Standard Lengths



► Need help? Product details, page 168

Standard Includes	Required to Specify
 Non-PVC modular harness 	1 Style number
	2 Power schematic
	3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC modular harness	- \$10	Specify with PVC.

Tip: These harness lengths
are typically used for power
distribution within the beam
in 1' increments. Note: 24",
36", 60", and 72" harnesses
can also be used for daisy
chaining.

Length	·Style	·U.S.
	Number	Base
	:	Price
	:	:
2"	CQVH12	\$115
24"	CQVH24	\$115
86"	CQVH36	\$115
18"	CQVH48	\$127
60"	CQVH60	\$146
72"	CQVH72	\$159
34"	CQVH84	\$170
96"	CQVH96	\$194
08"	CQVH108	\$194
20"	CQVH120	\$228
44"	CQVH144	\$259



Branching Harness-to-Harness Connector



	Standard Includes	Required to Specify
Need help? Product details, page 168	Connector	Style number Power schematic Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2 • 3SN	No cost No cost	Specify with 2+2. Specify with 3SN.

Specification Information			
Style Number	·U.S. Price		
<u>:</u>	<u>:</u>		
CQVA	\$29		
:			

Modular Harness — Additional Lengths



Tip: These harnesses can be used for daisy chaining power within a desk, from one desk to another in a benching application, or with a modular junction box faceplate when shorter infeed harnesses are required.

	Standard Includes	Required to Specify
Need help? Product details, page 168	Non-PVC modular harness	1 Style number 2 Power schematic 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC modular harness	- \$10	Specify with PVC.
Related	Add-on Power Blocks		▶Page 177
Products	 Harnesses 		▶Page 175

Specific	Specification Information			
Length	• Style Number	·U.S. Base Price		
18"	CQVH18	\$115		
30"	CQVH30	\$115		
42"	CQVH42	\$115		
66"	CQVH66	\$146		
78"	CQVH78	\$159		
90"	CQVH90	\$181		
102"	CQVH102	\$194		
114"	CQVH114	\$228		
:	:	:		



Power Infeeds

Hardwire-to-Modular Power Infeed



► Need help? Product details, page 172

Standard Includes · Non-PVC infeed harness


Required to Specify

- 1 Style number
- 2 Power schematic
- 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC infeed harness	- \$10	Specify with PVC.

Style Number	· U.S. Base	
CQVI12H	Price : \$237	
CQVI24H	\$340	

Modular-to-Modular Power Infeed



► Need help? Product details, page 172

· Non-PVC infeed harness

Standard Includes


- Straight/flush junction box faceplate
- **Required to Specify**
- 1 Style number 2 Power schematic
- 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power Schematics	• 3+1 • 2+2 • 3SN	No cost No cost No cost	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .
Faceplate	• 90° junction box faceplate	+\$38	Specify with 90° faceplate.
PVC	PVC infeed harness	- \$10	Specify with PVC.

Style Number	· U.S. Base Price	
CQVI12M	\$321	
CQVI24M	\$431	



New York Power Infeed



	Standard Includes	Required to Specify
Need help?	 Non-PVC infeed harness 	1 Style number
Product details	 lunction boy 	2 Power schematic

Product details, page 172

Junction box

Standard Includes

2 Power schematic

3 Options, if selected (see below)

Required to Specify

	Options	U.S. Price	Required to Specify
Power	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	PVC infeed harness	- \$10	Specify with PVC.

Specification Information				
Style Number	· U.S. Base Price			
CQVIN	\$194 :			

San Francisco Power Infeeds



Need help? Product detail: page 172	•	ght metallic conduit	Style number
Specific	ation Inform	ation	
· Length	• Style Number	·U.S. Price	
4-Circuit,	3+1		
12'	GFUFFH12X	\$318 :	
4-Circuit,	2+2		
12'	GFUFFH12Y	\$318	
3-Circuit,	Separate Ne	utrals	
12'	GFUFFH12Z	\$318	



Junction Box Faceplate-Modular




90°

Tip: 90° is an option.

	Standard Includes	Required to Specify
► Need help? Product details, page 172	Non-PVC straight/flush junction box faceplate	1 Style number 2 Power schematic 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power Schematics	• 3+1 • 2+2 • 3SN	No cost No cost No cost	Specify with 3+1. Specify with 2+2. Specify with 3SN.
Faceplate	• 90° junction box faceplate	+\$38	Specify with 90° faceplate.
PVC	PVC junction box faceplate	- \$10	Specify with PVC.

Utility Pole



Tip: Infeed is ordered separately.

Tip: Utility pole reaches a maximum ceiling height of 10'. Pole is 3"D x 6"W.

Standard Includes		Required to Specify		
► Need help?	Pole: anodized aluminum	Style number		

Product details, page 172

Product details, Mounting brackets

Price

·Style	·U.S.
Specificati	on Information

CQVU \$732

Number

*
7

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

Transition Kits

Transition Kit for Field Cutting




	Standard Includes	Required to Specify
	Clips and brackets Grommet	Style number
Specificati	ion Information	
Specificati Style Number	ion Information • U.S. • Price	


Transition Boots

	Standard Includes	Required to Specify
Need help? Product details, page 157	Plastic covers: black	Style number





T-Boot				
COVET	¢22			



X-Boot	
CQVBX	\$97
:	:

Filler Package and Wire Manager

Filler Package



► Need help? Product details, page 162

Standard Includes • Package of 20 fillers: black **Required to Specify** Style number

Specification Information

Price

Tip: Filler package fills	• Style • Number	· U.S. Pric
unused receptacle and		•
data openings.	CQVF	\$35

Wire Managers



	Standard Includes	Required to Specify
Need help? Product details, page 162	Wire managers: package of 20	Style number

Specification Information					
Style Number	· U.S. Price				
CQVW	\$68				



Surface Materials

Surface Materials	196
	201
Panel Fabric and Seating Upholstery Matrix	
Paint Color Availability Matrix	202
Laminate Matrix	203
Recommended Surface Edge Finishes	204
Grain Directions	205
Multi-Color Paint Applications	206

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to

assist you in the specification process—the Surface Materials Binders

The global surface materials palette is a

core collection of finishes that is available across multiple geographies (Americas/EMEA - Europe. Middle East, and Africa/ APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/ surface-materials.

Surface Materials

Binders include:

- · Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces. vertical surface fabrics, and seating upholstery

Paint

See Surface Materials Reference Manual for a listing of available paints for Victor2.

G = Established

Steelcase Surfaces

Tip: All products may not be available in all colors listed

- See page 202 for an overview of the paint colors available on each component Applies to:
- c:scape beam covers
- c:scape storage

Price Group 1

Smooth Paint 4242 Milk

Textured Paint

7207 Black 7225 Sand

7236 Fog **G** Slate 3 7237

Fieldstone 7238 7239 Midnight

Arctic White 7243 Seagull

7278 Dark Bronze 7360 Merle

Price Group 2

Smooth Metallic Paint

4728 Nickel Metallic 4743 Mineral Metallic

Pearl Metallic 4744 Champagne Metallic 4750 Steel Metallic 3 4752

Gold Dust Metallic @

Sterling Metallic 4798 Platinum Metallic 4799 4803 Near Black Metallic

Textured Metallic Paint

7245 Carbon Metallic 7246 Midnight Metallic

Applies to:

c:scape pulls and legs 4799 Platinum Metallic Tip: Also see Metal/ Accessory Paints.

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors that are available without the PerfectMatch registration fee. Refer to the Surface Materials Reference Manual for more information about this program.

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program.

Metal/Accessory Paints

Steelcase Surfaces

 c:scape beams 8043 Clear Anodized Aluminum

Applies to:

 c:scape legs and pulls 4140 Arctic White Gloss 4144 Black Gloss

c:scape painted legs with Polished Chrome top 9201 Polished Chrome

Laminate

► See Surface Materials Reference Manual for a listing of available laminates for Victor2.

Applies to:

· c:scape desks

c:scape collaborative lounge tables

Steelcase Surfaces

High-Pressure Laminate

Fiber Laminate

Vanadium Fiber Rhyme Fiber 6 2851

Tungsten Fiber 2852

2854 Vellum Fiber Novell Fiber

Granite Fiber 2860 Coconut Fiber 2861

2862 Stucco Fiber

Micro Laminate

2920 Marl Micro 2921 Gypsum Micro Clay Micro Shadow Micro 6

Patina Laminate

2870 Blonde Bronze Patina Blackened Bronze Patina 2873 Instant Iron Patina

Solid Laminate

Cream G 2722 Arctic White 2730 2746 Black Warm White 6 2759 Mist **9** 2811 2883 Seagull

Dune 2HMG Merle

Milk

2884

2885

Speckle Laminate Coffee Speckle 2820 Woodrose Speckle 6 2822 Driftwood Speckle 2823

2824 Smoke Speckle 2825 Vanadium Speckle

Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials. veneers and laminates of the same name are not an exact match but do coordinate with each other

Woodgrain Laminate

Clear Cherry 2406 Clear Maple 2409 2410 Graphite Walnut Natural Cherry 2412 2422 Medium Cherry 2511 Winter on Maple Clear Walnut 2538 Warm Oak **3** 2539 2592 Blonde on Maple Natural Walnut 2714 Medium Mahogany 2772 on Walnut 2HAK Clear Oak 2HAN Ash Noce 2HAT Acacia 2HAW Ash Wenge Bisque Noce 2HBN 2HBW Bisque Wenge 2HCN Clay Noce

turnstone Laminate Collection

Clay Wenge

Storm Noce

Storm Wenge

2HCW

2HSN

2HSW

A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy. Please see the turnstone section of village. steelcase.com for swatching information.

Virginia Walnut 2535 2536 Blackwood 2612 Marbled Maple 2614 Chocolate Walnut 2615 Marbled Cherry

Select Surfaces

High-Pressure Laminate

Textured Woodgrain Laminate

2TH2 Fawn Cypress 2TH3 Weathered Char Saddle Oak 2TH4 2TH5 Veranda Teak 2TH6 Persian Cherry 2TH7 Walnut Heights

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$69 U.S. per worksurface or top, plus the cost of the laminate.

When processing orders for Open Line

laminate on c:scape, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

Visit www.steelcase.com

For additional informa-

tion. refer to the Surface Materials Reference Manual.

Wood

Applies to:

- · c:scape desks, storage tops, and drawer fronts
- · c:scape collaborative

lounge tables

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneer

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

See Surface Materials Reference Manual for a listing of available veneers for Victor2.

Tip: Flat-cut veneer will be applied vertically on c:scape low storage. Quarter-cut and rift-cut will be applied horizontally.

Flat-cut open-pore finish choices

3062 FC/OP Graphite Walnut

3402 FC/OP Clear Cherry (Aged)

3412 FC/OP Natural Cherry **3**422 FC/OP Medium Cherry

3522 FC/OP Clear Maple*

3572 FC/OP Amber on Maple **3**

3592 FC/OP Blonde on Maple

3702 FC/OP Clear Walnut

3712 FC/OP Natural Walnut

3722 FC/OP Dark Mahogany on Walnut

3752 FC/OP Medium Walnut 3762 FC/OP Dark Walnut

3772 FC/OP Medium Mahogany on Walnut

Quarter-cut open-pore finish choices

3042 QC/OP Ash*

3222 QC/OP Clear Maple*

3272 QC/OP Amber on Maple 6

3292 QC/OP Blonde on Maple

3302 QC/OP Clear Walnut

3312 QC/OP Natural Walnut

3322 QC/OP Dark Mahogany on Walnut

3352 QC/OP Medium Walnut

3362 QC/OP Dark Walnut 3372 QC/OP Medium Mahogany on Walnut

3382 QC/OP Graphite Walnut

Rift-cut open-pore finish choices

3602 RC/OP Desert Oak 3612 RC/OP Warm Oak **3**

3692 RC/OP Espresso Oak

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood desks or top only.

Flat-cut full-fill finish choices

3064 FC/FF Graphite Walnut

3404 FC/FF Clear Cherry (Aged)

3414 FC/FF Natural Cherry 6

3424 FC/FF Medium Cherry 3524 FC/FF Clear Maple*

3544 FC/FF Blonde on Maple

3574 FC/FF Amber on Maple **1**

3704 FC/FF Clear Walnut

3714 FC/FF Natural Walnut

3724 FC/FF Dark Mahogany on Walnut

3754 FC/FF Medium Walnut

3764 FC/FF Dark Walnut 3774 FC/FF Medium Mahogany on Walnut

Quarter-cut full-fill finish choices

3224 QC/FF Clear Maple*

3274 QC/FF Amber on Maple **3**294 QC/FF Blonde on Maple

3304 QC/FF Clear Walnut

3314 QC/FF Natural Walnut

3324 QC/FF Dark Mahogany on Walnut

3354 QC/FF Medium Walnut

3364 QC/FF Dark Walnut

3374 QC/FF Medium Mahogany on Walnut

3384 QC/FF Graphite Walnut

Rift-cut full-fill finish choices

3604 RC/FF Desert Oak

3614 RC/FF Warm Oak 6

3694 RC/FF Espresso Oak

*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042, form number 05-0001370 for 3222 and 3224.

Premium Veneer

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat

Quarter-cut open-pore finish choices Wood Group 2

3032 QC/OP Dark Thin Line Bamboo 3052 QC/OP Ribbon Sapele

Wood Group 3

3832 QC/OP Figured Anegre 3842 QC/OP Figured Makore

Tip: Full-fill finish is not available on Premium veneers as a standard. To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000758 for 3832, and form number 09-0000759 for 3842.

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosing because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Flat-cut open-pore finish choices

3JDX FC/OP Oak Composite 3JFX FC/OP Maple Composite

3JHX FC/OP Cherry Composite 3JJX FC/OP Walnut Composite

Established

Quarter-cut open-pore finish choices

3F8X QC/OP European Walnut Composite QC/OP Gold Teak Composite 3GAX QC/OP Rosewood Composite 3GGX QC/OP Zebrano Composite 3HGX QC/OP Oak Composite 3HVX QC/OP Walnut Composite 3JEX QC/OP Maple Composite

3JGX QC/OP Cherry Composite

3ZNX QC/OP Night Cerused Oak Composite

Natural Veneer

Natural veneer is available in the Select Surfaces offering. Natural veneer may have extended leadtimes. Place your order as you normally would for any other finish, calling out the appropriate finish code. Natural veneers are Graded-In as Wood Group 1 pricing.

The following finishes are available through the natural veneer offering:

Flat-cut open-pore finish choices

35A2 FC/OP Blanch Maple 37A2 FC/OP Thunder Walnut

Quarter-cut open-pore finish choices

32A2 QC/OP Blanch Maple 33A2 QC/OP Thunder Walnut

Rift-cut open-pore finish choices

36A2 RC/OP Volcanic Oak

Planked Veneer

Planked veneer is available in the Select Surfaces offering. Planked veneer may have extended leadtimes. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the planked veneer offering:

Wood Group 1

3P61 OP Planked Oak 3P71 OP Planked Walnut

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all products lines that offer wood

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color.) The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

G = Established

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reac-. tivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information Custom veneers are also available and must be guoted by Steelcase special group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Material Reference Manual.

Tip: When Customiz stain is specified, the veneer will be applied vertically.

Plastic

Steelcase Surfaces

Applies to:

c:scape desks c:scape shared tables

6000 Black

6001 Coffee

6009 Arctic White 6034 Natural Cherry

6036 Medium Cherry 6037 Winter on Maple

6038 Blonde on Maple

6041 Natural Walnut

6045 Medium Mahogany

on Walnut **G** 6052 Milk

6053 Seagull

6213 Acacia

6219 Clear Oak

6231 Graphite Walnut

6234 Clear Cherry 6237 Clear Maple

6242 Virginia Walnut

6243 Blackwood

6245 Clear Walnut

6246 Warm Oak G 6249 Platinum Solid

6271 Plywood

6527 Merle

6612 Grey V2 G

6615 Grey V5 6619 Ice **3**

6631 Cream

6635 Dawn G 6636 Mist

6654 Sand

6655 Warm White

6676 Marbled Maple 6677 Chocolate Walnut

6678 Marbled Cherry

6694 Slate

6695 Midnight

6697 Fog 6698 Fieldstone

6703 Ash Wenge

6704 Storm Wenge

6705 Bisque Wenge

6706 Clay Wenge

6707 Ash Noce

6708 Bisque Noce

6709 Clay Noce

6710 Storm Noce

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Select Surfaces

6T03 Weathered Char

6T06 Persian Cherry 6T07 Walnut Heights

Glass

Steelcase Surfaces

Applies to:

 c:scape centered screens 6530 Frosted

Panel Fabric

6570 Crystal

See Surface Materials Reference Manual for a listing of available fabrics for Divisio side screen.

Steelcase Surfaces

Applies to:

· c:scape screens

Price Group 1

Abacus 🛭

P122 Entasis

P123 Portico

P124 Opus P125 Cusp

P126 Artifact

P129 Atlas

Alloy

P527 Bubbly

P528 Tern P529 Shore

P530 Asti

P531 Silver

P532 Oxide

P533 Element P534 Construct

P535 Currency

P536 Iron

Price Group 2

Latch

P600 Seashell P601 Clam

P602 Eggshell

P603 Zen

P604 Cool Gray P605 Armor

P606 Sentinel

P607 Rye

Billow P608 P609 Nimbus

Regatta 0

5335 Warm Brown V1 5338 Tan V1

6T04 Saddle Oak

6T05 Veranda Teak

Select Surfaces

For information on products within Select

Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surfacematerials under the Select Surfaces section

Seating Upholstery

► See Surface Materials Reference Manual for a listing of available fabrics for Divisio side screen.

Steelcase Surfaces

Applies to:

· c:scape screens

Price Group 1

Buzz2

5F01 Camel G 5F03 Tomato 5F04 Red **G** 5F05 Burgundy

5F06 Sky **G** 5F07 Blue

5F08 Navv 5F10 Grape **G** 5F11 Eggplant 3

5F15 Stone 5F16 Grey

5F17 Black 5G50 Dunegrass

5G51 Sable 5G52 Barley

5G53 Sunrise

5G54 Carrot 5G55 Pumpkin

5G56 Timber 5G57 Rouge

5G58 Chocolate 5G59 Meadow

5G60 lvv 5G61 Cyan

5G62 Atlantic 5G63 Crocus

5G64 Alpine 5G65 Tornado

Established

Price Group 2

Chainmail

5550 Cotton 5551 Space Silver Dollar 5552 5553 Volcano Orange Crush 5554

5555 Tricvcle 5556 Geranium 5557 Banana 5558 Margarita 5559 Lagoon

Cogent: Connect

5S15 Coconut 5S16 Turmeric 5S17 Tangerine 5S18 Scarlet 5S19 Concord 5S20 Maya Blue

5S21 Blue Jay 5S23 Wasabi 5S24 Nickel 5S25 Graphite

5S26 Licorice 5S27 Malt 5S28 Root Beer 5S93 Blueprint 5S94 Lizard

5S95 Sailor 5S96 Quicksilver 5S97 Nugget

5S98 Canary 5S99 Lipstick 5SD0 Royal Blue

New Black

5J09 New Black: James Tip: For New Black upholstery, c:scape screens are only available in 5J09 New Black: James.

Price Group 3

Billiard Multi-Use by

Designtex 5H10 Bone 5H11 Poppy 5H12 Tangelo 5H13 Citron 5H14 Avocado 5H15 Hunter 5H16 Indigo 5H17 Mallard 5H18 Teak 5H19 Cumulus 5H20 Pewter 5H21 Gunmetal

5H22 Ink

Steelcase Surfaces

Applies to:

c:scape cushion tops

Price Group 1

Buzz2

Camel **G** 5F01 5F03 Tomato 5F04 Red **3** 5F05 Burgundy 5F06 Sky **G** 5F07 Blue 5F08 Navy Grape 😉 5F10 5F11 Eggplant **G** 5F15 Stone 5F16 Grey 5F17 Black 5G50 Dunegrass 5G51 Sable 5G52 Barley 5G53 Sunrise 5G54

Carrot 5G55 Pumpkin 5G56 Timber 5G57 Rouge 5G58 Chocolate

5G59 Meadow 5G60 lvy 5G61 Cvan

Atlantic 5G62 5G63 Crocus

5G64 Alpine 5G65 Tornado

Jacks 5B61 Taupe **G** 5B63 Camel **3**

Pewter **G** 5B64 Midnight **3** 5B70

Link

5A20 Burgundy 5A23 Green 5A24 Blue 5A25 Navy 5A26 Purple 5A27 Black 5A28 Ocean

5A30 Chamois **New Black**

5J10 New Black: Bruce New Black: Henry Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Playground

5F28 Claret 3 5F29 Chile 3 Amber **G** 5F30 Nut **3** 5F31 Blade G 5F32 5F33 Stone **3** Sky 🖪 5F34

Navy **G** 5F35 5F36 Huckleberry 6 5F37 Charcoal 6

Price Group 2

Chainmail

5550 Cotton 5551 Space Silver Dollar 5552 5553 Volcano 5554 Orange Crush 5555 Tricvcle 5556 Geranium 5557 Banana 5558 Margarita 5559 Lagoon

Cogent: Connect

5S15 Coconut 5S16 Turmeric 5S17 Tangerine 5S18 Scarlet 5S19 Concord 5S20 Maya Blue 5S21 Blue Jav 5S23 Wasabi 5S24 Nickel 5S25 Graphite 5S26 Licorice 5S27 Malt 5S28 Root Beer 5S93 Blueprint 5S94 Lizard 5S95 Sailor 5S96 Quicksilver Nugget 5S97 5S98 Canary 5S99 Linstick 5SD0 Royal Blue

Cogent: Trails

5529 Bronzite 5S85 Agate 5S86 Lapis 5S87 Malachite 5S88 Quartz 5S90 Tiger Eye 5S91 Travertine 5S92 Topaz

New Black

5J08 New Black: Jack 5J09 New Black: James 5J12 New Black: Harley Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Nitelights

Hazelnut 5F58 5F61 Earth 5F62 Shore 5F63 Moss 5F65 Regal Blue 5F66 Stone 5F67 Moon

Seating Vinyl @

5801 Topaz 5805 Foggy Night 5809 Black 5810 Forest Navv 5812 5813 Currant 5814 Leaf 5815 Seaside 5817 Pebble 5818 Spice 5819 Thistle 5820 Coffee

Spyder

5822 Iris

5B01 Foggy Night 6 5B04 Peri G

Stand In 5621 Sleet 5622 Lunar Cyclone 5623 5624 Eclipse 5625 Powder 5626 Chardonnay 5627 Graham

5628 Sediment 5629 Allspice 5630 Apple 5631 Lava

5632 Cayenne 5633 Plantain 5634 Parsley

5635 Scallion 5636 Atlantis 5740 Burlap

5741 Porter 5742 Tusk 5743 Puttv 5744 Blueberry

5745 Chartreuse 5746 Mango Sedona 5747

5748 Juniper 5749 Peanut

Price Group 3

Billiard Multi-Use by Designtex 5H10 Bone

5H11 Poppy 5H12 Tangelo 5H13 Citron 5H14 Avocado 5H15 Hunter Indigo 5H16

5H17 Mallard 5H18 Teak 5H19 Cumulus 5H20 Pewter

5H21 Gunmetal 5H22 Ink

-	— C2C
5W40	
	Pepper
	Pearl Grey
	Crimson
5W44	Ink
5W45	Night Blue
5W46	Petrol
5W47	Greige
5W48	Sepia
5W49	Umber
5W50	Java
5W51	Camellia Red
5W52	Emerald
5W53	Snow Pea
5W54	Olive
5W55	Light Blue
5W56	Maroon
5W57	Black Raspberry
5W58	Spruce
5W59	Apple Green
5W60	Deep Blue
5W61	Chili Pepper
5W62	Daffodil
Impe	rma
TM01	Toffee

TM05 Auburn TM06 Cumin TM07 Marble TM08 Cliff TM09 Tarragon TM10 Pesto TM11 Wave TM12 Niagara TM13 Tuscan TM14 Peppercorn

TM02 Pigeon

TM03 Fossil

TM04 Poppyseed

Redeem TM50 Brick TM51 Yolk TM52 Cinnamon TM53 Daisy TM54 Pine TM55 Water TM56 Dill TM57 Lavender TM58 Mallard TM59 Caramel TM60 Greyhound TM61 Mocha TM62 Iceberg TM63 Chestnut TM64 Granite TM65 Cashmere

TM66 Barnwood

Retrieve TM30 Kelly TM31 Lake TM32 Gala TM33 Papaya TM34 Dandelion TM35 Curry TM36 Lilac TM37 Submarine TM38 Driftwood TM39 Bistro TM40 Quarry TM41 Mohair TM42 Shadow TM43 Seal TM44 Chalk Texel TM20 Angora TM21 Grist TM22 Galaxy TM23 Terracotta TM24 Nude TM25 Field TM26 Haze

Price Group 5

Bo Pe	еер
5G66	Pita
5G67	Bone
5G68	Safari
5G69	Brown Sugar
5G70	Chocolate Chip
5G71	Candlelight
5G72	Honey Mustard
5G73	Marmalade
5G74	Picnic
5G75	Pinot
5G76	Bloom
5G77	Grapevine
5G78	Firefly
5G79	Artichoke

5G80 Serpent

5G83 Nautical

Carolina

5G82 Blue Bonnet

5G81

5G84 Gravel 5G85 Sharkskin 5G86 Kohl **Remix** RE01 Rust RE02 Pumpkin RE03 Pebble RE04 Dark Chocolate RE05 Beige RE06 Linen Beige RE07 Hazelnut RE08 Concrete Grey RE09 Sky Blue RE10 Blue Jean RE11 Ivy Green

RE12 Primavera Yellow

RE13 Night Blue

Price	e Group 6
Brisa	
BR01	Black Onyx
BR04	Truffle
BR06	Ash
BR07	Sage
BR08	Celery
BR09	Sterling Blue
BR10	Night Navy
BR11	Cambridge Blue
BR12	Abyss
BR13	Canyon
BR14	Pompeian Red
BR15	
BR16	Cinnabar
BR17	Aztec
BR18	New Sand
BR19	
BR20	White
BR21	Moccasin
BR22	
BR23	Prairie

Price Group 7

Steel	cut Trio
TR01	Mist Grey
TR02	Stone Grey
TR03	Cassonade Beige
TR04	Nutmeg Beige
TR06	Licorice Black
TR07	Mustard Yellow
TR08	Red Currant
TR11	Ice Blue
TR14	Blue Jay Mix
TR15	Brown Frost

Leather Price Group

	Steel	case Leather
	L107	Black
	L207	Mahogany
	L220	Soapstone
	L221	Rocky
•		-

Elmosoft Leather

_	:		osott Leatno e Group
	:		
	:	Elmo	soft Leather
	:	L110	Maritime Blue
	:	L111	Midnight Blue
	•	L112	Ebony
	:	L113	Gunmetal
	:	L114	Mica
	:	L115	Dove Grey
		L116	Plum Pleasure
	:	L122	Truffle
	:	L128	Red Birch
	:	L132	Violet
	:	L133	Espresso
	:	L134	Ruby
	:	L135	Scarlet
	:	L138	Bourbon
	:	L139	Cinder
	:	L140	Garnet
	:	L143	Pecan
		L144	Chamois
	:	L146	Russet
	•		_ ` ` ` ` ` ` `

L147

L750

L751

L752

L753

L754

I 755

L756

L757

L758

L759

L760

L761

L762

L763

L764

L765

L766

L767

L768

I 769

L770

L771

L772

L773

L774 Oil

L775

White L151 L709 Sugar L711 Parchment L712 Buff L716 Khaki L717 Cameo L721 Rock L722 Desert L723 Storm L725 Teal L727 Egyptian Blue L728 Bright Blue L730 Hunter L736 Lemon Sunshine L737 1738 Drama L740 Dazzle I 743 Forest Green L744 Turtle L745 Grass L746 Envy L747 Cigar Light Chocolate L748 Beaver L749

Bluffstone

Sienna

Dough

Acorn

Quinoa

Dark Sand

Mustard

Bengal

Canvas

Periwinkle

Macadamia

True Blue

Blush

Tropical

Mauve

Cadet

Chalice

Coyote

Storm Blue

Powder Blue

Powder Mint

Timberwolf

Oxblood

Peanut Butter

Amber Orange

Saddle

Select Surfaces For information

on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase. com/surface-materials under

Custom Surfaces

the Select Surfaces section.

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

For additional information regarding **Customer's Own** Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Panel Fabric and Seating Upholstery Matrix

Legend		
• = Not available		
■ = Available		
3 = Established		
		c:scape Cushion Tops
	s	L
	een	hi
	Scre	Sus
	ec ;	ec (
	c:scape Screens	Sca
	0:8	0:5
Panel Fabric		
Abacus Price Group 1	П	•
Alloy Price Group 1		٠
Latch Price Group 2		•
Regatta Price Group 2		•
Seating Upholstery		
Billiard Multi-Use by Designtex Price Group 3		
Bo Peep Price Group 5	•	
Brisa Price Group 6	•	Ī
Buzz2 Price Group 1		ī
Chainmail Price Group 2	Ħ	Ħ
Cogent:Connect Price Group 2		
Cogent: Trails Price Group 2		H
	<u> </u>	H
Elmosoft Leather Elmosoft Leather Group	i i	
Gaja — C2C Price Group 3	•	Н
Imperma Price Group 3	٠	ш
Jacks Price Group 1	•	Ц
Leather Leather Price Group	ŀ	_
Link Price Group 1	•	
New Black: Bruce Price Group 1	•	
New Black: Harley Price Group 2	•	
New Black: Henry Price Group 1	•	
New Black: Jack Price Group 2	•	
New Black: James Price Group 2		
Nitelights Price Group 2	•	
Playground Price Group 1	•	
Redeem Price Group 3	•	
Remix Price Group 5	•	
Retrieve Price Group 3	•	
Seating Vinyl Price Group 2	•	
Spyder Price Group 2	•	
Stand In Price Group 2	•	
Steelcut Trio Price Group 7	•	
Texel Price Group 3	•	
·		

Tip: Alloy P525 Polar and P526 Skim are light in color. As a result, some lighting conditions can reveal a "picture framing" effect around the edge of the screen. Steelcase recommends ordering a test screen in these two finishes, for approval by the customer, before purchasing large quantities.

Paint Color Availability Matrix

Legend • = Not available ≡ = Available 3 = Established	Paint Price Group 1 (Smooth)	4242 Milk	Paint Price Group 1 (Textured)	7207 Black	7225 Sand	7236 Fog @	7237 Slate (7238 Fieldstone	7239 Midnight	7241 Arctic White	7243 Seagull	7278 Dark Bronze	7360 Merle	Paint Price Group 2 (Metallic)	4728 Nickel Metallic	4743 Mineral Metallic	4744 Pearl Metallic	4750 Champagne Metallic	4752 Steel Metallic 🖲	4788 Gold Dust Metallic 🖲	4798 Sterling Metallic	4799 Platinum Metallic	4803 Near Black Metallic	7245 Carbon Metallic	7246 Midnight Metallic	Paint Price Group 2 (Smooth)	0835 Black 🖲	Accessory Paints	4140 Arctic White Gloss	4144 Black Gloss
Beams																										_	H			
Beam covers																					П								•	•
Desks																														
Legs		•		•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•		•	•		٠			
Tether brackets, shared support plate, back-to-back spacer, and understructure																		•												
Low Storage																											Т			
Case, drawer front, inline sliders, and top		•		•	•		•		•	•	•					П			•		•	•	•	-			•			•
Pulls		٠		Ŀ		•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•		•	•		Ŀ			
Mid Storage																														
Case, drawer front, inline sliders, and top		•			•	•		•	•		•		•								•	•	•	•			Ŀ		•	•
Stanchions and columns		٠		·	•	•	•	•	•	•	•	٠	•		•	٠	•	٠	•	•	•	•	•	٠	•		·		٠	٠
Pulls		٠		•	•	٠	•	٠	٠	٠	٠	٠	•		٠	٠	٠	٠	٠	٠	٠	٠		٠	٠		·			
Tower																														
Case, drawer front, door front, and top		•			•	•			•		•		•						•		•	•	-	•			•		•	•
Pulls		٠		·	٠	٠	٠	٠	٠	٠	٠	٠	•		٠	٠	٠	٠	٠	٠	٠	٠		٠	•		Ŀ			
High Ped																														L
Case, door front, and top																											•		•	•
Pulls		•			•		•		•	•	•	•	•		•	•	•	•	•	•		•		•	•					

Laminate Matrix

High Days and Lawring		
igh-Pressure Laminate		
-egend		
Not available		
■ = Available□ = Available with exceptions	<u>e</u>	es
3 = Established	c:scape Collaborative Lounge Table	Tables
	ge	l be
	l no	Shared.
	e Lo	ş
	ative	and
	00 E	Desking
	lat	ski
	ŏ	ă
	ape	scape
	333	SC
		Ö
High-Pressure Laminates (HPL)	
Fiber Laminates		
2850 Vanadium Fiber		
2851 Rhyme Fiber (3	•	•
2852 Tungsten Fiber		
2854 Vellum Fiber	•	-
2859 Novell Fiber		
2860 Granite Fiber		
2861 Coconut Fiber		
2862 Stucco Fiber	10	
Micro Laminates		
2920 Marl Micro		
		Ħ
2921 Gypsum Micro		
2922 Clay Micro		
2923 Shadow Micro		
Patina Laminates		
2870 Blonde Bronze Patina		
2871 Blackened Bronze Patina		
2873 Instant Iron Patina		
Solid Laminates		
2722 Cream ⑤		
2730 Arctic White		
2746 Black		Ē
2759 Warm White (3)		H
•	-	
2811 Mist 📵		
2883 Seagull	_	
2884 Milk		
2885 Dune		
2HMG Merle		
Speckle Laminates		
2820 Coffee Speckle		
2822 Woodrose Speckle (3		
· · ·		i
2823 Driftwood Speckle		
2824 Smoke Speckle	-	-
2825 Vanadium Speckle		

Recommended Surface Edge Finishes

Recommended Edge Colors for c:scape Desks—High-Pressure Laminate

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Lami	Laminate Color Recommended Edge Color							
Fiber	Laminate							
2850	Vanadium Fiber	6654	Sand					
2851	Rhyme Fiber 9	6631	Cream					
2852	Tungsten Fiber	6636	Mist					
2854	Vellum Fiber	6655	Warm White					
2859	Novell Fiber	6001	Coffee					
2860	Granite Fiber	6000	Black					
2861	Coconut Fiber	6654	Sand					
2862	Stucco Fiber	6053	Seagull					
Micro	Laminate							
2920	Marl Micro	6053	Seagull					
2921	Gypsum Micro	6654	Sand					
2922	Clay Micro	6654	Sand					
2923	Shadow Micro G	6249	Platinum Solid					
Patin	a Laminate							
2870	Blonde Bronze Patina	6654	Sand					
2871	Blackened Bronze Patina	6615	Grey V5					
2873	Instant Iron Patina	6615	Grey V5					
Solid	Laminate							
2722	Cream G	6631	Cream					
2730	Arctic White	6009	Arctic White					
2746	Black	6000	Black					
2759	Warm White G	6655	Warm White					
2811	Mist G	6636	Mist					
2883	Seagull	6053	Seagull					
2884	Milk	6052	Milk					
2885	Dune	6654	Sand					
2HMG	Merle	6527	Merle					
Spec	kle Laminate							
2820	Coffee Speckle	6631	Cream					
2822	Woodrose Speckle 3	6635	Dawn G					
2823	Driftwood Speckle	6631	Cream					
2824	Smoke Speckle	6636	Mist					
2825	Vanadium Speckle	6619	Ice 3					

Laminate Color	Recommended Edge Color					
Textured Woodgrain Laminate-	-Selec	t Surfaces				
: 2TH2 Fawn Cypress	6654	Sand				
2TH3 Weathered Char	6615	Grey V5				
2TH4 Saddle Oak	6001	Coffee				
: 2TH5 Veranda Teak	6612	Grey V2 				
2TH6 Persian Cherry	6001	Coffee				
2TH7 Walnut Heights	6001	Coffee				
. Woodgrain Laminate						
2406 Clear Cherry	6234	Clear Cherry				
2409 Clear Maple	6237	Clear Maple				
2410 Graphite Walnut	6231	Graphite Walnut				
: 2412 Natural Cherry	6034	Natural Cherry				
2422 Medium Cherry	6036	Medium Cherry				
2511 Winter on Maple	6037	Winter on Maple				
2538 Clear Walnut	6245	Clear Walnut				
2539 Warm Oak 9	6246	Warm Oak 3				
2592 Blonde on Maple	6038	Blonde on Maple				
2714 Natural Walnut	6041	Natural Walnut				
2772 Medium Mahogany	6045	Medium Mahogany				
on Walnut G		on Walnut 9				
2HAK Clear Oak	6219	Clear Oak				
2HAN Ash Noce	6707	Ash Noce				
2HAT Acacia	6213	Acacia				
2HAW Ash Wenge	6703	Ash Wenge				
2HBN Bisque Noce	6708	Bisque Noce				
2HBW Bisque Wenge	6705	Bisque Wenge				
2HCN Clay Noce	6709	Clay Noce				
2HCW Clay Wenge	6706	Clay Wenge				
2HSN Storm Noce	6710	Storm Noce				
2HSW Storm Wenge	6704	Storm Wenge				
turnstone Laminate Collection	*					
2535 Virginia Walnut	6242	Virginia Walnut				
2536 Blackwood	6243	Blackwood				

^{*} A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy.

6676

6677

6678

Marbled Maple

Marbled Cherry

Chocolate Walnut

3 = Established

204 c:scape Specification Guide

2612 Marbled Maple

2614 Chocolate Walnut

2615 Marbled Cherry

Grain DirectionsGrain Directions

Wood Veneer Grain Directions

The appearance of wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on surfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.

c:scape Desking—Wood Veneer








Straight Transition Tapered

Veneer is standard with the grain directions shown.

c:scape Low Storage, Tower, and High Ped—Wood Veneer




Veneer is standard with the grain directions shown.


*When Customiz stain is selected, the veneer will be applied vertically.


Multi-Color Paint Applications


Storage


1-High














* Applies to 48"W, 60"W, and 72"W units.

Interior of 15" opening behind the inline slider will match finish selected for "B"


1¹/₂-High











Interior of 15" opening














Interior of 15" opening behind the inline slider will match finish selected for "B"







*Applies to 48"W, 60"W, and 72"W units.


Interior of 15" opening behind the inline slider will match finish selected for "B"


Legend


B - Interior

- A = Case (Basic)
 B = Interior (Inner)
- C = Drawer
- D = Inline Slider
- E = Drawer 1
- F = Drawer 2
- G = Door


Mid Storage








Tower



High Ped





Legend

- A = Case (Basic)
 B = Interior (Inner)
 C = Drawer
 D = Inline Slider
 E = Drawer 1

- F = Drawer 2 G = Door

Resources


nterior Dimensions	210
Lock and Keying	214
Style Number Index	216

Interior Dimensions

Storage

Low Storage							
1 ¹ / ₂ -High	Size	Inside	Dimens	ions			
		Top O _l	pening w	vithout Connect Zone	Top O	pening v	vith Connect Zone
		D	W	н	D	W	н
Тор	30"W	141/4"	28"	4 ³ / ₄ "	10 ³ / ₁₆ "	28"	43/4"
_ Main	36"W	141/4"	34"	43/4"	103/16"	34"	43/4"
	42"W	141/4"	40"	43/4"	103/16"	40"	43/4"
1-High							
		Main C	pening				
/ /		D	W	н			
Main	30"W	14 ¹ / ₄ "	28"	13 ¹ / ₂ "			
S	36"W	14 ¹ /4"	34"	13 ¹ /2"			
	42"W	141/4"	40"	13½"			
1½-High with Cubby	Size	Inside	Dimens	ions			
		Top (N	lain) Ope	ening without Connect Zone	Top (N	lain) Op	ening with Connect Zone
		D	w	н	D	w	н
Top (main)	48"W	141/4"	28"	43/4"	103/16"	28"	43/4"
Top (cubby)		Top (C	ubby) O	pening without Connect Zone	Top (C	ubby) O	pening with Connect Zone
Main		D	W	н	D	W	н
Cubby	48"W	141/4"	17"	43/4"	103/16"	17"	43/4"
1-High with Cubby							
		Main C	pening		Cubby	Opening	g
		D	w	н	D	w	н
Main	48"W	141/4"	28"	131/2"	141/4"	17"	131/2"
Cubby							

Tower



Inside Dimensions Coat/Closet Space W н 435/16" 143/5" 73/8"

Box Drawer Interior W н 13⁷/₁₆" 12"

Shelf Opening D W

141/4" 1311/16" $23^5\!\!/_{16}\text{"}$ - without shelf $11^5\!\!/_{16}$ " - with shelf in center position

н

File Drawer Interior W н 41/2" 137/16" 12" 12¹/₂"

High Ped



Inside Dimensions Size D w 17"D 141/4" 16" $27\%_{10}$ - without shelf 24"D 103/4" 16" $27^9\!/_{10}"$ - without shelf (each side)


Mid Storage Personal Slim

Storage
W

Size	Inside Dimensions							
OILC	D	W	Н					
60"W	141/4"	281/2"	6 ¹ / ₄ '					
66"W	14 ¹ / ₄ "	311/2"	6 ¹ / ₄ '					
72"W	141/4"	341/2"	61/41					
78"\//	1/11/4"	371/6"	61/4					


Shared Slim Storage

Size	Inside Dimensions							
	D	W	н					
60"W	103/4"	58"	61/4					
66"W	103/4"	64"	61/4					
72"W	103/4"	70"	61/4					
78"W	103/4"	76"	61/4					



Size	Inside Dimensions						
	D	W	н				
60"W	141/4"	281/2"	1311/16				
66"W	141/4"	311/2"	1311/16				
72"W	141/4"	341/2"	1311/16"				
78"W	141/4"	371/2"	1311/16"				

Box Drawer



Size	Inside Dimensions						
	D	W					
30"W drawer	91/4"	261/2"					
36"W drawer	91/4"	321/2"					
42"W drawer	91/4"	387/16"					


Inside Height Clearance 41/4"

File Drawer						
	Size	Inside D	Dimensions W	Inside Height Clearance	Letter-Size Storage	Legal-Size Storage
	30"W drawer	13½"	26 ¹ / ₂ "	12 ⁵ /8"		
	36"W drawer	13½"	32½"			
	42"W drawer	13½"	38 ⁷ / ₁₆ "			

Lock and Keying

All locking products

are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options. Exceptions: Individual locking drawers are available only with field-installed locks.



Locks consist of a factoryor field-installed lock cylinder and a factory-installed lock face ring. Two types of locks are available—the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.


Tip: Random keying can mean that different furniture

units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

►See below.

Key Random

FR305
FR421
FR305



Required to Specify

Master key random

+\$24

Specify with master key random.

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Tip: For products with optional lock colors, make sure to specify the color for both the lock and lock face ring.

Front-removable lock

cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order. **Lock cylinders** will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key Random

FR305
FR421
FR305
or
XF1011
XF
Master
Key

Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.

▶See example at right.

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Example of a typical lock cylinder specification is shown below:

10 LOCK9201FR FR320 5 LOCK9201FR FR350

5 LOCK9201FR FR350 15 LOCK9201XF XF1100

30 Total

1 877102003SR standard lock tool

1 877102002SR master lock tool

Key Specific

FR350
FR350
or

XF1020
XF1020
XF1020
XF6
XF1020
XF1020
XF6
XF1020

Key Consecutive

—── FR350

FR351
FR352
or
XF1020
XF1021
Master
Key

Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Tip: You can change lock cylinders in the field by

using the appropriate lock

Standard Includes	Required to Specify
-------------------	---------------------

- · Lock cylinder, keyed random: 9201 Polished
- Chrome or 9250 Ember Chrome 2 Options, if selected (see below)
- Two keys

1	Style	number	

Options	U.S. Price	Required to Specify	
Key specific	No cost	Select key number from FR305–FR454.	
Key consecutive	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.	
Master key random	+\$24 each	Specify master key random.	
Master key +\$24 Specify key number from XF1001–XF1150. specific each		Specify key number from XF1001–XF1150.	
Master key consecutive	+\$24 each	Specify master key consecutive and select beginning key number from XF1001–XF1150.	

Specification Information			
·Color	·Style	·U.S.	
	Number	Base	
:	:	Price	

FR Series (Standard Keying System) – Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost
:	1	

Standard Lock Tool

877102003SR	\$24

XF Series (Master Keying System) - Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.
:	:	

Master Lock Tool

doto: 2001 1001					
	877102002SR	\$24			
•	•	•			

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Style Number Index

Style Number	Page	Description	: Style : Number	Page	Description
877102002 S R	215	Master Lock Tool	CQDS2466N	94	Straight Desk–Non-Sliding
77102003SR	215	Standard Lock Tool	CQDS2472	88	Straight Desk
WDR	148	Victor2 Display	CQDS2472N	94	Straight Desk-Non-Sliding
WRF254836	147	Victor2 Freestanding Unit	CQDS2478	88	Straight Desk
WRF256036	147	Victor2 Freestanding Unit	CQDS2478N	94	Straight Desk-Non-Sliding
WRM183636	145	Victor2 Mobile Unit	CQDS2484	88	Straight Desk
WTS	148	Victor2 Tray Shelf	CQDS2484N	94	Straight Desk-Non-Sliding
CPRSLFO	142	Vert Processor Sling, Fixed	CQDS3060	88	Straight Desk
CQAS	130	Aligner	CQDS3060N	94	Straight Desk-Non-Sliding
CQBFL	85	Support Feet	CQDS3066	88	Straight Desk
CQBFT	85	Support Feet	CQDS3066N	94	Straight Desk-Non-Sliding
CQBI	86	Beam Inline Connector	CQDS3072	88	Straight Desk
CQBM4824	84	Beam	CQDS3072N	94	Straight Desk–Non-Sliding
CQBM6024	84	Beam	CQDS3078	88	Straight Desk
CQBM7224	84	Beam	CQDS3078N	94	Straight Desk-Non-Sliding
CQBM8424	84	Beam	CQDS3084	88	Straight Desk
CQBM9624	84	Beam	CQDS3084N	94	Straight Desk–Non-Sliding
CQBN	86	Beam 90 Degree Connector	CQDT243060	93	Right-Hand Transition Desk
CQBT24	85	End-of-Run Trim	CQDT243060N	96	Transition Desks–Non-Sliding
CQCT1632	105	Collaborative Lounge Table	CQDT243066	93	Right-Hand Transition Desk
CQCU1230	123	Cushion Top	CQDT243066N	96	Transition Desks-Non-Sliding
CQCU1236	123	Cushion Top	CQDT243072	93	Right-Hand Transition Desk
CQCU1242	123	Cushion Top	CQDT243072N	96	Transition Desks–Non-Sliding
QCU1248	123	Cushion Top	CQDT243078	93	Right-Hand Transition Desk
QCU1730	123	Cushion Top	CQDT243078N	96	Transition Desks–Non-Sliding
QCU1736	123	Cushion Top	CQDT243078N	93	Right-Hand Transition Desk
		•	•		
CQCU1742	123	Cushion Top	CQDT243084N	96	Transition Desks–Non-Sliding
CQCU1748	123	Cushion Top	CQDT302460	93	Left-Hand Transition Desk
CQDB	98	Desk Tether Bracket	CQDT302460N	96	Transition Desks–Non-Sliding
CQDBP	98	Desking Supports	CQDT302466	93	Left-Hand Transition Desk
CQDBPU	99	Desk Tether Brokts and Shared Supp Plate	CQDT302466N	96	Transition Desks–Non-Sliding
CQDBU	98	Desk Tether Brckts	CQDT302472	93	Left-Hand Transition Desk
CQDR243060	91	Right-Hand Tapered Desk	CQDT302472N	96	Transition Desks–Non-Sliding
CQDR243060N	95	Tapered Desk–Non-Sliding	CQDT302478	93	Left-Hand Transition Desk
CQDR243066	91	Right-Hand Tapered Desk	CQDT302478N	96	Transition Desks–Non-Sliding
CQDR243066N	95	Tapered Desk–Non-Sliding	CQDT302484	93	Left-Hand Transition Desk
CQDR243072	91	Right-Hand Tapered Desk	CQDT302484N	96	Transition Desks–Non-Sliding
CQDR243072N	95	Tapered Desk–Non-Sliding	CQFA	86	Floor Anchor Bracket
CQDR243078	91	Right-Hand Tapered Desk	CQGP	100	Glide Pads
CQDR243078N	95	Tapered Desk–Non-Sliding	CQHP171833	114	High Ped
CQDR243084	91	Right-Hand Tapered Desk	CQHP241833	114	High Ped
CQDR243084N	95	Tapered Desk–Non-Sliding	CQLAL	97	Adjustable-Height L-Leg
CQDR302460	91	Left-Hand Tapered Desk	CQLAP	97	Adjustable-Height Post Leg
QDR302460N	95	Tapered Desk–Non-Sliding	CQLC1	124	Counterweight Package
CQDR302466	91	Left-Hand Tapered Desk	CQLC2	124	Counterweight Package
QDR302466N	95	Tapered Desk–Non-Sliding	CQLD	124	Divider Package
QDR302472	91	Left-Hand Tapered Desk	CQLFL	97	Fixed L-Leg
QDR302472N	95	Tapered Desk–Non-Sliding	CQLFP	97	Fixed Post Leg
QDR302478	91	Left-Hand Tapered Desk	CQLG	125	Low Storage Ganging Bracket
QDR302478N	95	Tapered Desk-Non-Sliding	CQLR	124	Rail
CQDR302484	91	Left-Hand Tapered Desk	CQLS173018	118	1-High Low Storage
CQDR302484N	95	Tapered Desk-Non-Sliding	CQLS173024	118	1½-High Low Storage
CQDS2460	88	Straight Desk	CQLS173618	118	1-High Low Storage
CQDS2460N	94	Straight Desk-Non-Sliding	CQLS173624	118	11/2-High Low Storage
CQDS2466	88	Straight Desk	CQLS174218	118	1-High Low Storage

Style Number	Page	Description	: Style : Number 	Page	Description
CQLS174224	118	1½-High Low Storage	CQMT177815P	107	Personal Tall Storage
CQLS174818L	118	1-High Low Storage, Left	CQMT177815S	107	Shared Tall Storage
QLS174818R	118	1-High Low Storage, Right	: CQMT177815W	107	Wall Mounted Tall Storage
QLS174824L	118	11/2-High Low Storage, Left	CQPS	99	Shared Support Plate
QLS174824R	118	1½-High Low Storage, Right	CQSA	87	Seismic Anchor Brackets
QLS176018	122	1-High Low Storage	CQSB	99, 125	Back-to-Back Spacer
QLS176024	122	1½-High Low Storage	CQSC3612	129	Centered Screen
QLS177218	122	1-High Low Storage	CQSC3619	129	Centered Screen
CQLS177224	122	1 ¹ / ₂ -High Low Storage	CQSC3624	129	24"H Centered Screen
QLT	125	Storage-to-Beam Tether Brackets	CQSC4212	129	Centered Screen
QMAL	111	Parallel Application Kit	CQSC4219	129	Centered Screen
СОМАМ	113	Mirrored Application Kit	CQSC4224	129	24"H Centered Screen
QMAP	110	Perpendicular Application	CQSC4812	129	Centered Screen
QMG	113	Mid Storage Ganging Bracket	CQSC4819	129	Centered Screen
QMS173007P	107	Personal Slim Storage	CQSC4824	129	24"H Centered Screen
QMS173007S	108	Shared Slim Storage	CQSC6012	129	Centered Screen
QMS173607P		· ·	CQSC6012	129	Centered Screen
CQMS173607P	107 108	Personal Slim Storage Shared Slim Storage	: CQSC6019	129	24"H Centered Screen
CQMS174207P		_			
	107	Personal Slim Storage	: CQSC7212	129	Centered Screen
CQMS174207S	108	Shared Slim Storage	CQSC7219	129	Centered Screen
CQMS174807P	107	Personal Slim Storage	CQSC7224	129	24"H Centered Screen
QMS174807S	108	Shared Slim Storage	CQSF3012	128	12"H Fixed Personal/Modesty Screen
QMS176007P	107	Personal Slim Storage	CQSF3019	128	19"H Fixed Personal/Modesty Screen
QMS176007S	108	Shared Slim Storage	CQSF3024	128	24"H Fixed Personal/Modesty Screen
QMS176007W	108	Wall Mounted Slim Storage	CQSF3612	128	12"H Fixed Personal/Modesty Screen
QMS176607P	107	Personal Slim Storage	CQSF3619	128	19"H Fixed Personal/Modesty Screen
QMS176607S	108	Shared Slim Storage	CQSF3624	128	24"H Fixed Personal/Modesty Screen
QMS176607W	108	Wall Mounted Slim Storage	CQSF4212	128	12"H Fixed Personal/Modesty Screen
QMS177207P	107	Personal Slim Storage	: CQSF4219	128	19"H Fixed Personal/Modesty Screen
QMS177207S	108	Shared Slim Storage	CQSF4224	128	24"H Fixed Personal/Modesty Screen
QMS177207W	108	Wall Mounted Slim Storage	: CQSF4812	128	12"H Fixed Personal/Modesty Screen
QMS177807P	107	Personal Slim Storage	CQSF4819	128	19"H Fixed Personal/Modesty Screen
QMS177807S	108	Shared Slim Storage	: CQSF4824	128	24"H Fixed Personal/Modesty Screen
QMS177807W	108	Wall Mounted Slim Storage	CQSK2	130	Centered Screen Custom Insert Kit
QMS246007S	108	Shared Slim Storage	: CQSK3	130	Centered Screen Custom Insert Kit
QMS246607S	108	Shared Slim Storage	CQTD4850	103	Shared Table - D-Shaped
QMS247207S	108	Shared Slim Storage	CQTD6066	103	Shared Table - D-Shaped
QMS247807S	108	Shared Slim Storage	CQTR36	104	Shared Table—Round
QMT173015P	107	Personal Tall Storage	CQTR42	104	Shared Table—Round
CQMT173015S	107	Shared Tall Storage	CQTR48	104	Shared Table—Round
QMT173615P	107	Personal Tall Storage	CQTS36	104	Shared Table—Square
QMT173615S	107	Shared Tall Storage	CQTS42	104	Shared Table—Square
QMT174215P	107	Personal Tall Storage	CQTS48	104	Shared Table—Square
QMT174215S	107	Shared Tall Storage	CQTT423048	103	Shared Table—Tapered
QMT174815P	107	Personal Tall Storage	CQTT423054	103	Shared Table—Tapered
QMT174815S	107	Shared Tall Storage	CQTT423260	103	Shared Table—Tapered
QMT1740159	107	Personal Tall Storage	CQTT423266	103	Shared Table—Tapered
QMT176015P	107	Shared Tall Storage	CQTT423200	103	Shared Table—Tapered
QMT176015W	107	Wall Mounted Tall Storage	CQTT423472	103	Shared Table—Tapered
-		· ·			•
QMT176615P	107	Personal Tall Storage	: CQTT483654	103	Shared Table — Tapered
CQMT176615S	107	Shared Tall Storage	: CQTT483660	103	Shared Table — Tapered
CQMT176615W	107	Wall Mounted Tall Storage	CQTT483666	103	Shared Table—Tapered
QMT177215P	107	Personal Tall Storage	CQTT483672	103	Shared Table—Tapered
QMT177215S	107	Shared Tall Storage	CQTT603648	103	Shared Table—Tapered
QMT177215W	107	Wall Mounted Tall Storage	; CQTT603660	103	Shared Table—Tapered

Style Number	Page	Description	Style Number	Page	Description
CQTT603672	103	Shared Table—Tapered	DSDFB	137	SOTO Diag File Box
CQTW172448L	126	Tower, Left	DSLEDF	136	SOTO LED Task Lgt., Freestanding
CQTW172448R	126	Tower, Right	DSLEDR	136	SOTO LED Task Lgt., Rail-Mount
CQVA	188	Hrness-to-Hrness Conn	DSLLB	138	SOTO Landscape Letter Box
CQVBL	192	Transition Boots	DSPB	137	SOTO Personal Box
CQVBT	192	Transition Boots	DSSA1410	135	SOTO Shelf
CQVBX	192	Transition Boots	DSSA1410H	135	SOTO Shelf
CQVCA	178	Junction Kit–Desk Connect Zone	DSSA143	135	SOTO Shelf
CQVCB	182	Chicago/Hardwire Kit–Base Zone	DSSA143H	135	SOTO Shelf
CQVCD	177	Chicago/Hardwire Kit	DSSA146	135	SOTO Shelf
CQVCS	181	Storage Connect Zone	DSSA146H	135	SOTO Shelf
CQVCVR	178	Cable Cover–Beam to Desk	DSSA2410	135	SOTO Shelf
CQVDB	182	Base Power and Data	DSSA2410H	135	SOTO Shelf
CQVDD	178	Desk Connect Zone	DSSA246	135	SOTO Shelf
CQVF	193	Filler Package	DSSA246H	135	SOTO Shelf
CQVH102	188	Additional Modular Harness Lengths	DSSA363	135	SOTO Shelf
CQVH108	187	Standard Modular Harness Lengths	DSSA363H	135	SOTO Shelf
CQVH114	188	Additional Modular Harness Lengths	DSSB	138	SOTO Stg Box Shelf Set of 3
CQVH12	187	Standard Modular Harness Lengths	DSSPB	137	SOTO Pile Box
CQVH120	187	Standard Modular Harness Lengths	DSTB	136	SOTO Tool Box
CQVH144	187	Standard Modular Harness Lengths	DSUB	138	SOTO Utility Box
CQVH18	188	Modular Harness	DVSS2912	131	Divisio Side Screen
CQVH24	187	Modular Harness	FPAC1CS	139	Eyesite Sgl Display Support, Std Crank Adj
CQVH30	188	Modular Harness	FPAC2CS	140	Eyesite Dual Display Support, Std Crank Adj
CQVH36	187	Modular Harness	FPAEC1CS	139	Eyesite Sgl Display Support, Ext Crank Adj
CQVH42	188	Modular Harness	FPAEC2CS	140	Eyesite Dual Display Support, Ext Crank Adj
CQVH48	187	Modular Harness	FPAFC3CS	141	Eyesite Triple Display Support, Std Crank Adj
CQVH60	187	Modular Harness	FPAFEC3CS	141	Eyesite Triple Display Support, Ext Crank Adj
CQVH66	188	Modular Harness	FPAS101CS	141	Eyesite Static One-Over-One Disp Support
CQVH72	187	Modular Harness	GFUFFH12X	190	Floor Power Infeed Floor Power Infeed
CQVH78 CQVH84	188 187	Modular Harness Modular Harness	GFUFFH12Y GFUFFH12Z	190 190	Floor Power Infeed
CQVH94	188	Modular Harness	LOCK9201FR	215	
CQVH96	187	Modular Harness	LOCK92017F	215	Lock Cylinder Lock Cylinder
CQVI12H	189	Power Infeeds	LOCK9250FR	215	Lock Cylinder
CQVI12M	189	Power Infeeds	LOCK9250XF	215	Lock Cylinder
CQVI24H	189	Power Infeed	LPTL30	144	LED Personal Task Light
CQVI24II	189	Power Infeed	LPTL30NR	144	LED Personal Task Light
CQVIN	190	New York Power Infeed	RXADRL15	127	Rails
CQVK	192	Transition Kit	SS11FCMLGG	143	Stella Std KB Assy, FO/c:scape Pltfrm
CQVM	191	Junc. Box Fceplt Mod	: SS11FCMRGG	143	Stella Std KB Assy, FO/c:scape Pltfrm
CQVPA	177	Add-On Modular Power Block	SS17FCMLGG	143	Stella Std KB Assy, FO/c:scape Pltfrm
CQVPB	182	Modular Powerkit-Base Zone	SS17FCMRGG	143	Stella Std KB Assy, FO/c:scape Pltfrm
CQVPD	176	Modular Powerkit–Desk Connect Zone	TS72323TCXJCQ		Answer to c:scape X Junction-Thin Trim
CQVPS	179	Modular Powerkit-Storage Connect Zone	TS7232TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
CQVRD	183	Duplex Receptacle	TS723TCLJCQ	132	Answer to c:scape L Junction-Thin Trim
CQVRF	184	Flexible Receptacle	TS72424TCXJCQ	134	Answer to c:scape X Junction-Thin Trim
CQVRUSB	185	USB Receptacle	TS7242TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
CQVSD	176	Power Strip–Desk Connect Zone	TS724TCLJCQ	132	Answer to c:scape L Junction-Thin Trim
CQVSP	186	Power Strip with Cord	TS72525TCXJCQ		Answer to c:scape X Junction-Thin Trim
CQVSPD	186	Power and Data Strip with Cord	TS7252TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
covss	180	Power Strip-Storage Connect Zone	TS725TCLJCQ	132	Answer to c:scape L Junction-Thin Trim
CQVU	191	Utility Pole	TS72828TCXJCQ	134	Answer to c:scape X Junction-Thin Trim
CQVW 1	00, 193	Wire Manager	TS7282TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
DFPASINGLECS	139	FYI c:scape Mounting Brkt	TS728TCLJCQ	132	Answer to c:scape L Junction-Thin Trim

Style Number	Page	Description
TS7323TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
TS732TCLJCQ	132	Answer to c:scape L Junction-Thin Trim
TS7424TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
TS742TCLJCQ	132	Answer to c:scape L Junction-Thin Trim
TS7525TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
TS752TCLJCQ	132	Answer to c:scape L Junction-Thin Trim
TS7828TCTJCQ	133	Answer to c:scape T Junction-Thin Trim
TS782TCLJCQ	132	Answer to c:scape L Junction-Thin Trim

Trademark List

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap. Let's B. LiveBack. Max-Stacker. media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, PolyVision, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000 Siento Sieste Sine Softcare Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Liahtolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products Avera, Senzo, Versal, and Wilkhahn FS.

- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, e3, e3 ceramicsteel, e3 environmental ceramicsteel, Echo, Edge, Elsna, Empath, Empress, Enea, eno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, LessThanFive, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Stationkits, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Uno, V.I.A., Verb, Verge, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- [™] The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of MBDC, Charlottesville, VA: Cradle to Cradle and C2C.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- ™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.