Height-Adjustable Desks Specification Guide

Working With This Specification Guide

Availability

Electronic price list updated with release 190.A (U.S.) and 151.A (Canada), dated April 15, 2019.

Spec News is available on *village.steelcase.com*. Search Steelcase Marketing Resources (Adstock) and download the current release's Spec News.

Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.

View or download Steelcase Specification Guides at https://www.steelcase.com/resources/documents?tax-[doctype]=spec-guide.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a \blacksquare . Products that are scheduled to be culled are indicated with an \blacksquare , followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at http://finishlibrary.steelcase.com.

► For a list of all trademarks, refer to the last page of this specification guide.

© 2019 Steelcase Inc.

Ten Tips: How to Get the Most Out of This Book Additional Resources	2 4
Statement of Line	6
Vorkstation Design Guidelines and Requirements	23
low to Calculate Power Needs	24
Basics of Ergonomic Seating	25

Workstation Design Guidelines and Requirements	23
How to Calculate Power Needs	24
Basics of Ergonomic Seating	25
Basics of Standing and Monitor Arm Positioning	26
Worksurface Shape Overview	27
Worksurface Edge Options	28
Height-Adjustable Desks Comparison Chart	30
Worktools Compatibility Charts	33
Ology	39
Migration	119
Migration SE	127
Series 5	137
Walkstation and Kybun Footpad	147
Airtouch	153
Series 3	167
Screens, Cableways, and Cable and Power Management	177

Surface Materials	20
Resources	21




For Canadian Pricing

Canadian factor can be found at steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:


- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- · Add base and options for total list price.

Ten Tips:

How to Get the Most Out of This Book



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each Understanding chapter includes a statement of line after the table of contents.

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- · Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- · Application Topics



Find cross references by looking for page numbers flagged with an arrow.

Product Drawing


shows you what the product looks like and points out important features.

Product Details

gives specific information on the product and how it is used.

Connections

describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions

of the product.

Wiring and Cabling

details the power and cable-management and cable routing capabilities of the product.

Surface Materials

lists what material is used for each part of the product.

Tip 5

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- Style Number

Product Drawing

shows you what the

product looks like.

• Price

Standard Includes

(under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Page Horizontal Frame Packages—This Trim Fey H

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify with Customiz Stain

Italic typeface on specifying pages usually identifies wording that you should use in your order.


Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
T\$7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Product brochures and planning tools can

be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources website at village.steelcase.com.

This specification guide

contains multiple Steelcase and turnstone product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.

Additional storage products can be found in the *Storage Specification Guide*.

Refer to the *turnstone*Furniture Specification Guide
for the Understanding turnstone information.

Printed Materials

Quick Ship Guide

This handbook describes all Steelcase, turnstone, and Coalesse products that are available for Rapid2 (ships in 2 days), Rapid5 (ships in 5-7 days), or Coalesse Rapid10 (ships in 10 days).

Surface Materials Reference Manual

This publication provides:

- An explanation of the surface materials
- "Available on" matrices
 Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools - Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project-Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications

You can access these digital publications at www.steelcase.com or village.steelcase.com.

Planning Ideas

Planning ideas are available to help inspire, envision, and plan great solutions. 2D and 3D Auto-CAD drawings, Sketch-Up files, and SmartTools drawings are available on the Planning Ideas site: www.steelcase.com/ planningideas.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product

assistance, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any postshipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

Related Products

Steelcase worktools


include a full line of ergonomically designed products that enhances and improves the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting.

For additional information, refer to Steelcase Worktools Specification Guide.

Additional Resources


Statement of Line

Ology Height-Adjustable Desks




Understanding
► Page 40
Specifying
► Page 72

Rectangular Desks



Tip: Widths are parametric to 1/16" from 34"W-78"W.




Understanding
► Page 40
Specifying
► Page 76

Tapered Desks*



*Left-hand units shown. Right-hand units available. Tip: Widths are parametric to ½16" from 58"W—78"W.

Ology Height-Adjustable Desks, continued




Understanding Page 40 Specifying ► Page 78

90° Equal Corner Desks

Tip: Widths are parametric to 1/16" from 52"W-78"W.

Tip: 64"W, 70"W, and 76"W 90° equal worksurfaces ship in two pieces.



Understanding Page 40 Specifying


▶ Page 78

90° Extended Corner Desks*

	40"W	46"W	52"W	58"W	64"W	70"W	76"W	
23"D or 24"D	•	•	•	•	•	•	•	
29"D or 30"D	•	•	•	•	•	•	•	

*Left-hand units shown. Right-hand units available.


Tip: Widths are parametric to 1/16" from 40"W-78"W.



Understanding ► Page 40 Specifying


► Page 78

120° Equal Corner Desks



Tip: Widths are parametric to 1/16" from 34"W-66"W.


Ology Height-Adjustable Desks, continued



Understanding
► Page 40
Specifying
► Page 90

Rectangular Bases									
	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W	
23"D or 24"D	•	•	•	•	•	•	•	•	
29"D or 30"D	•	•	•	•	•	•	•	•	
35"D or 36"D	•	•	•	•	•	•	•	•	


Tip: Widths are parametric to 1/16" from 34"W-78"W.



Understanding
Page 40
Specifying
Page 90

Tapered Bases*								
	58"W	64"W	70"W	76"W				
23"D/29"D or	•	•	•	•				
24"D/30"D								

*Left-hand units shown. Right-hand units available. Tip: Widths are parametric to ½16" from 58"W—78"W.




Understanding
► Page 40
Specifying
► Page 90

90° Equal Corner Bases									
52"W	58"W	64"W	70"W	76"W					
•	•	•	•	•					
•	•	•	•	•					
	52"W	52"W 58"W	52"W 58"W 64"W	52"W 58"W 64"W 70"W					

Tip: Widths are parametric to $^{1}/_{16}$ " from 52"W-78"W.


Ology Height-Adjustable Desks, continued



90° Extended Corner Bases*									
	40"W	46"W	52"W	58"W	64"W	70"W	76"W		
23"D or 24"D	•	•	•	•	•	•	•		
29"D or 30"D	•	•	•	•	•	•	•		

^{*}Left-hand units shown. Right-hand units available.

Tip: Widths are parametric to 1/16" from 40"W-78"W.




120° Equal Corner Bases							
	34"W	40"W	46"W	52"W	58"W	64"W	
23"D or 24"D	•	•	•	•	•	•	

Tip: Widths are parametric to 1/16" from 34"W-66"W.

Modesty Panels and Fixed Personal/Modesty Screens



Understanding Page 64 Specifying Page 100



Tip: Widths are parametric to 1/16" from 34"W-78"W.




Understanding Page 65 Specifying Page 101

Fixed Personal/Modesty Screens							
	30"W	36"W	42"W	48"W			
12"H	•	•	•	•			
19½"H	•	•	•	•			
24"H	•	•	•	•			


Tip: 19¹/₂"H and 24"H are for privacy use only.

Ology Cable and Power Management



Cable Riser-Leg Connection Understanding

▶ Page 42Specifying▶ Page 102



Cable Riser-Fence Connection

Understanding
► Page 42
Specifying
► Page 102




Cable Basket


Understanding
► Page 42
Specifying
► Page 102



Cable Brackets

Understanding
► Page 42
Specifying
► Page 102





Flush steel open front

Proud steel open front



Universal Steel One-High Open Laterals for Ology Application

	30"W	36"W	42"W
16"H	•	•	•

Drawings show Ology right application.

Units are also available with Ology left application.



Understanding
Page 66
Specifying
Page 106




Understanding
► Page 66
Specifying
► Page 107

Universal Shrouds

Universal Filler

Ology Cable and Power Management, continued




Understanding ► Page 68

Specifying ►Page 108

Universal Laminate Enhanced One-High and 1.5-High Storage for Ology Application

30"W	36"W	42"W	
15 ¹¹ /32"H •	•	•	

Tip: Units have removable back to allow access to Ology leg and can be specified with open or finished back.



Understanding Page 68
Specifying Page 109

Understanding ►Page 68 Specifying ►Page 110


Universal Laminate Enhanced Top for Ology Application

	30"W	36"W	42"W
1 ³ / ₁₆ "H	•	•	•

Tip: Right-handed application shown. Left-handed application is also available.

Universal Laminate Enhanced One-High Storage Filler Panel

51/8"W 145/8"H



Understanding ► Page 70 Specifying ► Page 112


Universal Common Tops for Ology Application

			PO 101 01	- 37 PP-	
60"W	66"W	72"W	78"W	84"W	90"W
•	•	•	•	•	•

Drawings show Ology right application.

Units are also available with Ology left application.

Elective Elements Height-Adjustable Storage



Understanding
► Page 70
Specifying
► Page 114

Elective Elements One-High Open Plinth Base Pedestals for Ology Application

	24"W	30"W	36"W	42"W
171/4"D	•	•	•	•

Tip: Ology right application shown. Units are also available with Ology left application.




Understanding
► Page 70
Specifying
► Page 116

Elective Elements Common Tops for Ology Application


					0, 11							
	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W
18"D	•	•	•	•	•	•	•	•	•	•	•	•
	96"W	102"W	108"W	114"W	120"W							
18"D	•	•	•	•	•							

Tip: Ology right application shown. Units are also available with Ology left application.

Migration Height-Adjustable Desks




Understanding
Page 120
Specifying
Page 124



Understanding
► Page 120
Specifying
► Page 125

Rectangular Desks



Rectangular Bases


nootangalai ba	303					
	46"W	52"W	58"W	64"W	70"W	
23"D, 29"D, or 35"D	•	•	•	•	•	

Migration SE Height-Adjustable Desks



Understanding Page 128
Specifying
▶Page 132

Rectangular Desks





Understanding

Page 128
Specifying
Page 134

Rectangular Bases

	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	•	•	•	•	•	•
29"D or 30"D	•	•	•	•	•	•
35"D or 36"D	•	•	•	•	•	•

Statement of Line, continued

Migration Cable and Power Management




Cable Riser-Leg Connection Understanding

Understandin

▶ Page 121

Specifying

▶ Page 126



Cable Riser-Fence Connection

Understanding
► Page 121
Specifying
► Page 126



Cable Brackets

Understanding
► Page 121
Specifying
► Page 126


Series 5 Height-Adjustable Worksurfaces






Understanding
►Page 138
Specifying
►Page 142

Rectangular Worksurfaces






Understanding
▶Page 138
Specifying
▶Page 142

90° Corner Worksurfaces







Series 5 Height-Adjustable Worksurfaces, continued




Understanding Page 138
Specifying
▶Page 142

90° Equal Worksurfaces









Understanding ▶Page 138 Specifying
Page 146

Rectangular Bases	•
--------------------------	---


	46"W-52"W	58"W	64"W-76"W
23"D	•	•	•
29"D	•	•	•

90° Equal Bases

	52"W	58"W	64"W-76"W	
23"-29"D	•	•	•	

Statement of Line, continued

Walkstation



Walks	tation and	Sit-to-Wa	lkstation			
	38"W	66"W	78"W			
30"D	•					
32"D		•	•			



Understanding
►Page 150
Specifying
►Page 152

Kybun Footpad

Airtouch Height-Adjustable Worksurfaces

Universal Tables






Understanding ▶Page 154 Specifying Page 160




Understanding ▶Page 154 Specifying ▶ Page 160

Rectangular Worksurfaces




Rectangular Bi-Level Worksurfaces






Understanding ▶Page 154 Specifying Page 160



Understanding ▶Page 154 Specifying ▶ Page 160

90° Corner Worksurfaces



90° Corner Bi-Level Worksurfaces





Understanding ▶Page 154 Specifying
Page 160

120° Equal Worksurfaces

Statement of Line, continued

Airtouch Height-Adjustable Worksurfaces

For Use with Universal Systems




Understanding
►Page 154
Specifying
►Page 164





Understanding
▶Page 154
Specifying
▶Page 164

Rectangular Worksurfaces




Rectangular Bi-Level Worksurfaces






Understanding
Page 154
Specifying
Page 164



Understanding
►Page 154
Specifying
►Page 164

90° Corner Worksurfaces



90° Corner Bi-Level Worksurfaces






Understanding
Page 154
Specifying
Page 164

120° Equal Worksurfaces

Series 3 Height-Adjustable Worksurfaces



Understanding ▶Page 168 Specifying ▶ Page 172

Rectangular Worksurfaces


	46"	52"	58"	64"	70"	76"
23"D [
	46"	52"	58"	64"	70"	76"
29"D						





Understanding ▶Page 168 Specifying
Page 172


90° Equal Worksurfaces







Understanding ▶Page 168 Specifying Page 176



Understanding ▶Page 168 Specifying ▶ Page 176

Rectangular Bases

	46"W-52"W	58"W	64"W-76"W
23"D	•	•	•
29"D	•	•	•

90° Equal Bases

	52"W	58"W	64"W-76"W	
23"–29"D	•	•	•	

Statement of Line, continued

Screens and Cableways



Understanding
► Page 178
Specifying
► Page 192

Universal Privacy/Modesty Screens

	Height Above Worksurface	42"W	48"W	54"W	60"W	66"W
Privacy Mount Height*		•	•	•	•	•
Privacy/Modest	ty 13"H	•	•	•	•	•

Tip: Overall screen height is 257/10"H.

*Privacy mount height measures 48" from the floor to the top of the screen and privacy/modesty mount height measures 42" from the floor to the top of the screen.

Tip: Available in parametric sizes ranging from 42"W to 66"W in 1/16" increments.




Understanding
► Page 180
Specifying
► Page 193

Universal Privacy Screens

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 ¹ /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•
19 ¹ /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•

Tip: Available in parametric sizes ranging from 24"W to 96"W and $13\frac{1}{2}$ "H to $19\frac{1}{2}$ "H in $\frac{1}{16}$ " increments.



Understanding
► Page 181
Specifying
► Page 196

Sarto Privacy/Modesty Screens

	42"W	48"W	54"W	60"W	66"W
24"H	•	•	•	•	•

Screens and Cableways, continued



Understanding
► Page 182
Specifying
► Page 197

Sarto Privacy Screens													
	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 ¹ /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•
19 ¹ / ₂ "H	•	•	•	•	•	•	•	•	•	•	•	•	•



Understanding Page 186
Specifying ▶ Page 198



Understanding Page 186
Specifying
▶Page 198

Acrylic Privacy Screens											
	22"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W			
22"H	•	•	•	•	•	•	•	•			

Acrylic Modesty Screens										
	22"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W		
14"H	•	•	•	•	•	•	•	•		



Understanding
▶Page 188 Specifying
Page 200

Gabi	Gableways												
	25"W	31"W	37"W	43"W	49"W	55"W	61"W						
8"H	•	•	•	•	•	•	•						

Cable and Power Management



Vertical Cable Carrier

Understanding

- ► Page 189
- Specifying Page 201



6"D Wire Manager

Understanding

- ▶Page 189
- Specifying
- Page 201



13/4"D Wire Manager


Understanding

- ▶ Page 189
- Specifying
- ►Page 202



Power/Data with C-clamp

- Understanding
- ▶ Page 189 Specifying
- Page 201



Power and Data Strips with Cord and Rail **Attachment Brackets**

Understanding

- ▶ Page 189
- Specifying
- Page 203



Power and Data Strips with Worksurface Attachment Bracket

Understanding

- ►Page 189
- Specifying
- Page 201



USB Two-Outlet Powerstrip with **Clamp Mount**

Understanding

- ▶ Page 189
- Specifying
- ▶Page 201



USB Two-Outlet Powerstrip with Rail Mount

Understanding

- Page 201





USB Three-Outlet Powerstrip with **Clamp Mount**

Understanding

- ►Page 189
- Specifying Page 201



USB Three-Outlet Powerstrip with

Rail Mount Understanding

- ▶Page 189
- Specifying
- Page 201


Workstation Design Guidelines and Requirements

Workstation Design Guidelines and Requirements

Overview

Designed for movement with dynamic seating, adjustable worktools and height-adjustable desks are important for today's office workers. To determine the best height-adjustable solution, consider these four criteria:

- Adjustability Needed: What is the height range requirement? (seated or sit-to-stand)
- Worksurface Size Needed:
 What does the physical
 space look like? (worksurface configuration)
- Equipment/Tools Used: What type of computer equipment and other worktools are being used on the worksurface? (load capacity)
- 4. Use: What is the heightadjustable desk being used for (individual or shared, touchdown space or full workstation, sit-tostand or seated)?





Risk of Serious Injury. If not used as intended, moving worksurfaces can pinch or injure people, or damage property. Always follow theses Instructions:

- Keep height-adjustment range free from obstructions above and below the worksurface.
- 2. Plan for a minimum 1" gap against a panel or wall.
- 3. Plan for a minimum 1" gap to adjacent furniture.

Tips

Obstructions

Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of height-adjustable desks.

Weight

The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

Width

Specify a minimum 1" gap to adjacent furniture. This eliminates any pinch points between a height-adjustable desk and a fixed object.

Depth


When placing a height-adjustable desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This eliminates pinch points and adds clearances for cable access.

Managing Technology

Design workstations with computer equipment in mind so that the height-adjustment range of the height-adjustable desk is not impeded because of cables. Consider the addition of a cable riser, cable basket, or cableway to help harness these wires and cables.

Power

Plan easy and unobstructed access to electrical outlets for computer equipment and height-adjustable desks (when applicable).





Risk of serious injury

Bases-only warranty limitations and potential for injury: The use of worksurfaces that do not comply with the Steelcase defined criteria and limitations could cause personal injury or property damage due to pinch points, instability, or other problems, and voids all Steelcase Warranties, expressed or implied.

The use of worksurfaces that do not comply with Steelcase criteria voids any Steelcase claims of compliance with ANSI/BIFMA, UL, LEED, or other applicable requirements. The use of non-Steelcase worksurfaces on Steelcase adjustable-height bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. Steelcase is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-Steelcase worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a Steelcase worksurface as intended.

Worksurface Criteria and Limitations

The use of non-Steelcase worksurfaces is not recommended. Any use of a non-Steelcase worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.

Tips

Height-adjustable bases include fasteners intended for use with Steelcase worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:

- Medium-density or higher particleboard or fiberboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater (Ology, Migration, and Migration SE)
- Thickness of 13/16" or greater (Series 3 and 5 bases)
- · Fasteners located a minimum distance of 1" from any edge

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) or 80 amps (20 amps times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate	power	consump	tion 1	for	common
devices					


aevices				
• Device	• Wattage	• Amperage	• Voltage	• Number • of Devices • Supported
				on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/ Copier (high)	1900	17.3	110	1
Large Printer/ Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

Basics of Ergonomic Seating




Basics of Standing and Monitor Arm Positioning





Top of the monitor should be positioned at or slightly below eye level.



Monitor should be 20" to 30" from the eyes or approximately an arm's length away.

Worksurface Shape Overview

Extensive worksurface shape and size offering allows designers to meet a

allows designers to meet a variety of planning applications and footprints.



Rectangular

Ology Migration Migration SE Series 5 Airtouch Series 3



Rectangular Bi-Level

Airtouch



Tapered

Ology



90° Corner

Series 5 Airtouch



90° Corner Bi-Level


90° Extended

Airtouch




90° Equal

Ology Series 5 Series 3



90° Exten Ology



120° Equal Ology Airtouch

90° Equal *Ology
Series 5
Series 3


*Worksurfaces equal to and wider than 601/16"x 601/16" ship in two pieces.


Ology

Worksurface Edge Options

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in four shapes, depending on which height-adjustable desk or worksurface is specified.





Knife Urethane edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

See Surface Materials in this book for specific PVCfree availability, page 208. Tip: Universal Tables (rounded corners) have a continuous 3 mm edge.

Edge profile finishes are specified separately from laminate color.

P-edge profile rises slightly above the laminate surface and curves into a 3/8" radius. Back and side edges are flat.

Tip: P-edge profile available on Airtouch heightadjustable worksurfaces only.

Tip: Universal tables (rounded corners) have a continuous P-edge profile.



P-edge profile worksurface depths are 3/8" deeper than 3 mm edge profile worksurfaces. Both edge profiles provide a flush interface with universal pedestals.

PVC-free, knife edge with 3 mm edge profile


are proprietary blend for solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

Tip: Knife edge available on Series 3 and Series 5 height-adjustable worksurfaces only.

Urethane edge profiles

are specifiable in black or felt.


Tip: Urethane edge profiles available on Series 3, Series 5, and height-adjustable worksurfaces.



Universal tables (rounded corners) have rounded corners on all four

rounded corners on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture

Tip: Ology, when optioned with rounded corners and with integrated rail, will have 2" radius corners on the two front (user's) corners and 90° corners on the rear two corners.



Universal systems (square corners), knife edge, urethane edge, and wood veneer worksurfaces have 90° corner on all four sides with a front user's edge.


Wood Veneer Worksurfaces




Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

Tip: Wood veneer worksurfaces are available on Airtouch through specials.

Universal Tables (rounded corners) Edge Profiles



Universal Systems (square corners), Knife, Urethane, and Wood Edge Profiles



120° Equal

90° Extended


Height-Adjustable Desks Comparison Chart

Height-adjustable desks

transform to meet the needs of someone 5' to 6'4" tall. Adjustables offer six selections; Ology, Migration, Migration SE, Series 5, Airtouch, and Series 3.

The chart below will help you determine which product line best meets your needs.

Ology



Enhanced sit-to-stand height-adjustability

A push button delivers electric adjustability at $1^{1}/\!\!2^{\text{u}}$ per second. Includes three controller options:

- Simple touch
- Active touch
- 4 Pre-sets

Weight capacity of 314 pounds (2-leg) or 471 pounds (3-leg). Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

► See page 46 for worksurface weights.

Migration



Sit-to-stand height-adjustability

A push button delivers electric adjustability up to 12/3" per second. Includes two controller options:


- · up/down
- 4 Pre-sets

Weight capacity of 220 pounds. Tip: When calculating lifting capacity, subtract the weight of the worksurface.

See page 123 for worksurface weights.

Adjustables Comparison Chart Ology Migration Sit-to-Stand Sit-to-Stand Extended height: 223/5" - 487/10" Range of Adjustment 223/5"-487/10 Basic height: 273/10" - 462/5" **Type of Adjustment** Electric Electric **Distributed Weight** 314 lb (2-leg) 220 lb Capacity 471 lb (3-leg) **Worksurface Weight** See page 46 for worksurface weights See page 123 for worksurface **Worksurface Thickness** Up/Down, Digital Pre-set Controller Simple touch, Active touch, 4 Pre-sets **Integrated Rail** Yes No **Integrated Soft Edge** Yes No **Integrated Power Access Door** Motor Enclosed Enclosed **Decibel Rating** < 55 dBA < 55 dBA Volts 120v AC 120v AC **Input Amps** 2-leg: 2.5A/ 3-leg: 3.75A 4A 2-leg: 300W/ 3-leg:450W 480W Watts **Standby Power** 0.1W 0.1W **Frequency and Phase** 60 Hz Single Phase 60 Hz Single Phase **Adjustablilty Speed** 11/2" per second 12/3" per second **Stretcher or Understructure** Fixed Telescoping Design **Base Only Availability** ANSI/BIFMA (29"D Knee depth Meet or Exceed Meet or Exceed requirement for worksurface)

Migration SE



Sit-to-stand height-adjustabilityA push button delivers electric adjustability up to 13/10" per second. Includes two controller options:

- up/down
- 4 Pre-sets

Weight capacity of 220 pounds.

Tip: When calculating lifting capacity, subtract the weight of the

▶See page 131 for worksurface weights.

Migration SE Sit-to-Stand
Extended height: 22%"—487/10" Basic height: 283/10"—469/10"
Electric
220 lb
See page 131 for worksurface weights
1"
Up/Down, Digital Pre-set
No
No
No
Enclosed
< 55 dBA
120v AC
4A
480W
0.2W
60 Hz Single Phase
13/10" per second
Telescoping
Yes
Meet or Exceed




Sit-to-stand height-adjustability

A simple push button delivers electric adjustability at 17/10" per second. Weight capacity of 195 pounds. Tip: When calculating capacity, subtract the weight of the worksurface.

See page 141 for worksurface weights.

Airtouch



Collaborative height-adjustability Weight capacity of

150 pounds. Tip: When calculating lifting capacity, subtract the weight of the worksurface.

See page 157 for worksurface weights.

Series 3



Seated heightadjustability

Crank handle adjusts height at the rate of four turns per inch (2-leg) or six turns per inch (3-leg). Weight capacity of 205 pounds. Tip: When calculating

Tip: When calculating lifting capacity, subtract the weight of the worksurface.

See page 171 for worksurface weights.

*Small configurations only.

** 29"D knee depth requirement for worksurface

	Series 5	Airtouch	Series 3
	Sit-to-Stand	Sit-to-Stand	Seated
Range of Adjustment	251/2"—52"	26"—43"	22"—34"
With Bi-Level Worksurfaces	21"—58"	21"—49"	17½"—40"
Type of Adjustment	Electric	Counterforce Mechanism	Crank
Distributed Weight Capacity	195 lb	150 lb	205 lb
Worksurface Weight	See page 141 for worksurface weights	See page 157 for worksurface weights	See page 171 for worksurface weights
Worksurface Thickness	13/16"	13/16"	13/16"
Controller	Up/down	Paddle	Front-mounted handle Top-mounted handle*
Integrated Rail	No	No	No
Integrated Soft Edge	No	No	No
Integrated Power Access Door	No	No	No
Motor	Exposed	N.A.	N.A.
Decible Rating	<50 dBA	N.A.	N.A.
Volts	120v AC	N.A.	N.A.
Input Amps	3.0A	N.A.	N.A.
Watts	360W	N.A.	N.A.
Standby Power	<0.21W	N.A.	N.A.
Frequency and Phase	60 Hz, Single Phase	N.A.	N.A.
Adjustablilty Speed	17/10" per second	User speed (1 second)	4 to 6 turns/1"
Stretcher or Under- structure Design	Telescoping	N.A.	Telescoping
Base Only Availability	Yes	No	Yes
ANSI/BIFMA **	Meet or Exceed	Meet or Exceed	Meet or Exceed

Worktools Compatibility Charts

To determine worksurface compatibility with acrylic privacy/modesty screens, cableway, SOTO rail, and SlatRail worktools for each configuration and shape, see compatibility chart below.

Tip: The Ology integrated rail option does not apply to these rules because the rail matches the worksurface width.


Tip: Slatwall stanchions are not applicable because they allow Slatwall to overhang mounting area.

Tip: SlatRail stanchions do not work with the same size screen, SOTO rail, or cableway combination (e.g. 48"W SlatRail will not work with 49"W cableway and 52"W screens) because of clamp location. Specify the SlatRail one size smaller or larger when using in combination (if applicable).

See page 178

Tip: For worksurfaces with top-mount handles, the handle sweeps in a circle with a 10" diameter which may interfere with mounting worktools.

Ology Desks



Rectangular and Tapered

Acrylic Privacy/Modesty/SOTO Rail

		28"W	34"W	40"W	46"W	52"W	58"W	64"W	
	34"W								
Worksurfaces	40"W								
	46"W								
	52"W								
	58"W								
	64"W								
	70"W								
	76"W								
		25"W	31"W	37"W	43"W	49"W	55"W	61"W	
Cableway									

Side A width

Siatraii											
24"W	30"W	36"W	42"W	48"W	60"W						

Sla+Dail



Side A width

Side A width

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail									
28"W	34"W	40"W	46"W	52"W	58"W	64"W			

Side A width


				Jiat	naii			
S		24"W	30"W	36"W	42"W	48"W	60"W	
ည္ဆ	52"W							
Ŧ	58"W							
Worksurfaces	64"W							
	70"W							
3	76"W							

SlatRail

Side B width

SlatRail									
24"W	30"W	36"W	42"W	48"W	60"W				

Ology Desks, continued



90° Extended

Side A width

Acrylic Privacy/Modesty/SOTO Rail

				Cabl	way			
		25"W	31"W	37"W	43"W	49"W	55"W	61"W
3	76"W							
5	70"W							
S	64"W							
Ë	58"W							
Worksurrace	46"W							
S	40"W							
		28"W	34"W	40"W	46"W	52"W	58"W	64"W

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

Side A width


SlatRail

		24"W	30"W	36"W	42"W	48"W	60"W	
Worksurfaces	40"W							
	46"W							
	58"W							
	64"W							
	70"W							
3	76"W							

Side **B** width

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W



120° Equal

Side A width

Acrylic Privacy/Modesty/SOTO Rail

		28"W	34"W	40"W	46"W	52"W	58"W	64"W
S	34"W							
Sce	40"W							
Worksurfaces	46"W							
	52"W							
	58"W							
3	64"W							
		25"W	31"W	37"W	43"W	49"W	55"W	

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

28"W	34"W	40"W	46"W	52"W	58"W	64"W

Side A width

SlatRail

Cableway


		24"W	30"W	36"W	42"W	48"W	60"W	
S	34"W							
Š	40"W							
Ĭ	46"W							
Worksurfaces	52"W							
0	58"W							
3	64"W							

Side **B** width

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W	

Migration and Migration SE Desks



Rectangular

Side A width


Acrylic	Privacy	/Modesty	v/SOTO	Rail

	28"W	34"W	40"W	46"W	52"W	58"W	64"W			
46"W	•	•	•							
52"W	•	•	•	•						
58"W	•	•	•	•	•					
64"W	•	•	•	•	•	•				
70"W	•	•	•	•	•	•	•			
	25"W	31"W	37"W	43"W	49"W	55"W				
Cableway										

Side A width

SlatRail										
24"W	30"W	36"W	42"W	48"W	60"W					
•	•	•								
•	•	•	•							
•	•	•	•	•						
•	•	•	•	•	•					
•	•	•	•	•	•					

Series 3 and 5 Worksurfaces



Rectangular

Side A width

Acrylic	Priva	icy/M	odest	y/ SO 1	O Ra	il
28"W	34"W	40"W	46"W	52"W	58"W	64"W

			•					
Ses	52"W 58"W 64"W 70"W	•	•	•	•			
ırfa	58"W	•	•	•	•	•		
rkst	64"W	•	•	•	•	•	•	
Wo	70"W	•	•	•	•	•	•	•
				•				
		OFINAL	0411147	0711147	4011147	4011147	EEWA/	CHIIM

Cableway

Side ${\bf A}$ width

SlatRail											
24"W	30"W	36"W	42"W	48"W	60"W						
•	•	•									
•	•	•	•								
•	•	•	•	•							
•											
•	•	•	•	•	•						
•											


Series 3

• = Series 3

Legend

▲ = Series 5

Series 3 and 5 Worksurfaces, continued



90° Corner

Side A width

Acrylic Privacy/Modesty/SOTO Rail

S		28"W	34"W	40"W	46"W	52"W	58"W	64"W
urfaces	40"W	•	•					
Ä	46"W							
rks		25"W	31"W	37"W	43"W	49"W	55"W	61"W
Works				Cable	eway			

Side B width

Acrylic Privacy/Modesty/SOTO Rail

28"W	34"W	40"W	46"W	52"W	58"W	64"W
•						
•	•	•				


Side A width


S		24"W	30"W	36"W	42"W	48"W	60"W	
ac	40"W		•					
7	46"W	•	•	•				
rks								
Worksurfaces								

Side **B** width

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W	
•	•					
•	•	•				





90° Equal

Side A width

Acrylic Privacy/Modesty/SOTO Rail

		28"W	34"W	40"W	46"W	52"W	58"W	64"W
	52"W							
Ces	58"W 64"W	•	•	•	•			
Ē	64"W	•	•	•	•	•		
RSU	70"W	•	•	•	•	•	•	
Worksu	76"W	•	•	•	•	•	•	•
>		25"W	31"W	37"W	43"W	49"W	55"W	61"W

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

28"W	34"W	40"W	46"W	52"W	58"W	64"W
			•	•		
•		•	•	•	•	
•		•	•	•	•	
•	•	•	•	•	•	•

Cableway

Side A width

SlatRail

40		24"W	30"W	36"W	42"W	48"W	60"W	
Ces	52"W	•	•					
rfaces	58"W	•	•	•	•			
(Su	64"W	•	•	•	•	•		
5	64"W 70"W 76"W	•	•	•	•	•		
\$	76"W	•	•	•	•	•	•	

Side ${\bf B}$ width

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W	
•						
	•	•	•	•		
•	•	•	•	•		
•	•	•	•	•	•	
	•	•	•	•	•	

Legend

= Series 3▲ = Series 5

Airtouch Worksurfaces



Tip: Cableways are not recommended for use with Airtouch 221/4"D rectangular worksurfaces.

Rectangular and Rectangular Bi-level

Side A width

Side A width

	A	crylic	Priva	су/М	odest	y/S01	'O Ra	il
		28"W	34"W	40"W	46"W	52"W	58"W	64"W
rfaces	40"W	•	•					
Ţ,	46"W	•	•	•				
(Su	58"W	•	•	•	•	•		
/orksu		25"W	31"W	37"W	43"W	49"W	55"W	61"W

SlatRail 24"W 30"W 36"W 42"W 48"W 60"W

Acrylic Privacy/Modesty/SOTO Rail 28"W 34"W 40"W 46"W 52"W 58"W 64"W



90° Corner and 90° Corner Bi-Level

Cableway

Side A width

Side **B** width

	A	ryiic	Priva	ICY/IVI	baesi	y/30 i	U na	
S		28"W	34"W	40"W	46"W	52"W	58"W	64"W
Worksurfaces	39 ¹ /4"W	•	•					
Ĭ	45 ¹ /4"W	•	•	•				
rks		25"W	31"W	37"W	43"W	49"W	55"W	61"W
Š				Cable	eway			

Side A width

Side **B** width

				Slat	Rail			
S		24"W	30"W	36"W	42"W	48"W	60"W	
faces	391/4"W	•	•	•				
ksurt	45 ¹ /4"W	•	•	•	•			

SlatRail 24"W 30"W 36"W 42"W 48"W 60"W



120° Equal

Side A width

A width	Side
Acrylic Privacy/Modesty/SOTO Rail	A

<u>K</u> S				Cable	wav			
Ĭ		25"W	31"W	37"W	43"W	49"W	55"W	61"W
urface	34"W	•						
S)		28"W	34"W	40"W	46"W	52"W	58"W	64"W

Side B width

crylic Privacy/Modesty/SOTO Rail 28"W 34"W 40"W 46"W 52"W 58"W 64"W

Side A width

	:	Side B width
SlatRail		

es		24"W	30"W	36"W	42"W	48"W	60"W	
fac	34"W	•	•					
Ī.								

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W	
•	•					

Legend


• = Series 3

▲ = Series 5

Ology

Understanding
Height-Adjustable Desks
Ology Corner Desks and Bases Size Restrictions
Options Availability Chart
Height-Adjustable Desks Ology Corner Desks and Bases Size Restrictions Options Availability Chart Modesty Panels Fixed Personal/Modesty Screens Universal Steel One-High Open Laterals Universal Laminate Enhanced One-High and 1.5-High Storage Elective Elements One-High Open Plinth Base Pedestals and Common Tops Petifying Rectangular Desks Tapered Desks Corner Desks Height-Adjustable Bases Ology Modesty Panels Fixed Personal/Modesty Screens Ology Cable and Power Management Active Touch Controller Kit Universal Steel One-High Open Laterals Shrouds Filler Universal Laminate Enhanced One-High and 1.5-High Storage Top Filler Panel Common Tops Elective Elements One-High Open Plinth Base Pedestals
Fixed Personal/Modesty Screens
Universal Steel One-High Open Laterals
Universal Laminate Enhanced One-High and 1.5-High Storage
9 1
Specifying
Rectangular Desks
Tapered Desks
Corner Desks
Height-Adjustable Bases
Ology Modesty Panels
Fixed Personal/Modesty Screens
Ology Cable and Power Management
Active Touch Controller Kit
Universal Steel One-High Open Laterals
Shrouds
Filler
Universal Laminate Enhanced One-High and 1.5-High Storage
•
Filler Panel
Common Tops
Elective Elements One-High Open Plinth Base Pedestals
Common Tops


Ology Height-Adjustable Desks



Product Details

High-Pressure Laminate Desks


Front (user's) edge profile is available in 3 mm edge profile.




PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

See Surface Materials in this book for specific PVCfree availability, page 208.


Edge profile finishes are specified separately from laminate color.



Square corners, available as an option, have 90° corners on all four sides with a front user's edge.



Radius corners, available as an option, have 11/4" radius on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.




When radius corners are specified in applications with integrated rail, the front corners of the desk will be radius and the back corners will be square.


Wood Veneer Desks

Front (user's) edge profile is wood veneer with a square (3 mm) radius.

Side and back edges are flat. Wood edge color matches finish specified for desk. Corner style for wood veneer desks are square corners.



Extended ology desks adjust 22%"H to 487/10"H in any increment. Basic height-adjustable base adjusts from 273%0"H–46%"H in any increment.




Simple touch controller is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.

Tip: Available with an antimicrobial option.




Active touch controller includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders. Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.



4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. The collaboration button can be programmed to raise the desk to an average standing height for shoulder to shoulder/dyadic collaboration. Digital display will show the height of the desk when adjusting and at rest before it enters sleep mode.

Obstruction sensing technology is standard with all Ology desks. The worksurface will backtrack when it makes contact with an object.




Desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.




Integrated rail, available as an option, allows for the mounting of personal/modesty screens, monitor arms, lights, power strips, and other worktools.




The overall dimension of the worksurface is 23"D, 29"D, or 35"D. If full depth worksurfaces are desired, add 1" to each depth.



Integrated rail is optional and must be specified on initial order. It cannot be added after install. Worksurface depth is shortened by 1¾" to accommodate the integrated rail so the overall footprint remains the same.




Cord drop is standard when rail is specified and power door or grommets are not optioned to allow for cords to drop below the surface. Corner desks will have a cord drop on opposite side when power door or grommets are specified on a single side.



Desk overhang for CPU holder or layering of low storage and pedestals is available as an option on rectangular desks. The overhang is 9" and available on 64"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.



Soft edge, available as an option, is polyurthane and is offered with Bactiblock antimicrobial protection. Soft edge is available on rectangular and tapered desks that are 58"W or wider without overhang. With a left or right overhang, soft edge is available on 70"W and 76"W only. Soft edge cannot be used on desks that have overhang on left and right.




Soft edge can be positioned left or right on desks that are 64"W or wider for use with integrated storage. Tip: Soft edge is shifted 3" on 64"W, 6" on 70"W, and 9" on 76"W, without overhang.




Worksurface overhang

can be positioned left or right on desks that are 70" wide or wider for use with integrated storage.



90° desks, 60¹/16" x 60¹/16" and wider, are manufactured in two pieces due to laminate sheet size. Flush mounted desk bracing is provided. The desk split is located on the left side if an equal corner is specified. The split is located on the longest side if an extended corner is specified.



90° desks can be specified 23", 24", 29", or 30" depth. Right- and left-hand depths are not required to match.

Wiring and Cabling


Low surge electric motor with quiet operation adjusts at 1½" per second. Motor is 110V and includes a 10⁴/₅' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Ology desks are listed by FTI

Tip: Ology base only is ETL recognized because alternative worksurfaces do not create an ETL listed product.
▶See page 23

Controllers must be located next to the control box. The control box can be placed on either the right or left side of the desk and is field-installed.




Power and data access door and tray with USB

is available as an option. The door is 16½"W and centered on the surface, providing user access to power, data, and USB, as well as cord management. Corner desks can support the access door on either side of the desk or on both sides and will have a cord drop on opposite side when an integrated rail is specified.




Power strip, located in tray, includes three outlets and easy access to two USB charging ports. Each port provides two amperage of output. USB receptacles conveniently charge a wide range of electronic devices, though not all devices are USB compatible. Cord length is 10'. Data can be terminated and accessed in the tray, and it is positioned to the right. Both modular furniture and NEMA faceplates can be used. Chicago and California have special requirements. Desks shipping to Illinois and California with the power access door option have a powerstrip with overcurrent protection.



Power and data access door and tray can be positioned left or right on


positioned left or right on desks that are 64"W or wider for use with integrated storage.

Tip: Power and data access door and tray is shifted 3" on 64"W, 6" on 70"W, and 9" on 76"W, without overhang.




Grommets, available as an option, help manage cable/cords going from the top of desk to the underside. Grommet inside dimensions are 3¹/₄"W X 3⁹/₄"D.





Grommets come in pairs. 90° and 120° corners offer pairs of grommets on the left side, right side, or both sides.


Tip: When grommet is optioned, power and data access door cannot be applied on the same side of the worksurface.




Cable riser supports cable management vertically between the floor and the underside of the desk. It is available in 6527 Merle and is specified separately.

Specifying, page 102





Cable riser, with leg connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Cable basket and cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 102

Cable baskets are available on rectangular, tapered, and 90° corner desks 46½6"W or larger, and 120° corner desks 40½6"W or larger.



Cable baskets inside dimensions are 6"D x 17³/₄"W x 4¹/₄"H and the overall width is 18"W with a height of 4³/₄"H.



Inside dimensions of cable brackets are 6"D x 21/4"W x 1/18"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
 ▶ See Surface Materials
- See Surface Materials Reference Manual.

3 mm edge profile

Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-Fill Finish (option)

Square 3 mm edge profile

Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic7207 Black
- 7241 Arctic White
- 7360 Merle

Soft edge and grommet • 6527 Merle

Power and Data Access Door and Trav

Door• Paint

Anodized Aluminum

Door bezel


• 6527 Merle

Application Topics


Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks. ► See page 23



Modesty panels, available in laminate and wood veneer, attach to the understructure of the desk. It is parametric in width from 1/16". Width of modesty panel can be equal to or less than the width of the desk. Tip: Full-width modesty panels cannot be used on desks with integrated rail. To use with the integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and tapered) or 7" (90°) and inset from the edge of the worksurface.




When using modesty panels with integrated storage, modesty panels must be specified 20" smaller than the width of the desk.



Modesty panels may be inset a maximum of 31/2" from the back of the worksurface to allow for c-clamping.

Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.




In order to inset,

modesty panels must be specified a minimum of 12" smaller (rectangular and tapered) or 7" smaller (90°) than the width of the desk understructure. Utilize the mounting plates and screws to attach the modesty panel to the underside of the worksurface instead of to the cantilevers.


Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.




Fixed privacy/modesty screens mount on the integrated rail above for privacy and below for modesty. Tip: 191/2"H and 24"H are for privacy use only.




When using fixed screens in the modesty position, the desk must be at least 10" wider than the width of the screen.



When mounting Universal privacy/ modesty screens with **One-High integrated** storage, desks must be 64"W and wider.



When using fixed screens in the modesty position with One-High integrated storage, the desk must be at least 24" wider than the width of the screen.



Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.



On extended height desks, any storage higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 237/10" will impede the height range of the desk. Tip: Do not place storage underneath controller.




When the power access door is optioned on extended height desks any storage taller than 161/2"H will impede the height range of the desk. On basic height desks, any storage taller than 211/5"H will impede the height range of the desk. Tip: Do not place storage underneath controller.




When optioning the integrated rail, without the power access door, flat panel monitor arms may be c-clamped or attached with a c:scape bracket; except for CF series or Evesite. Tip: The cable basket can-

not be used in the same


location.






When optioning both the integrated rail and power access door, flat panel monitor arms cannot be c-clamped 51/2" on either side of the power door.

When optioning the integrated rail and using a cable basket, there will not be enough room to C-clamp behind the basket





When optioning the power access door only, flat panel monitor arms cannot be c-clamped behind the power door (except for Eyesite) or 5½" to either side.

Eyesite monitor arms can be c-clamped behind the power door if the "c-clamp mount for use with power access door" option is included when ordering Ology bracket (FPCOL). Steelcase Worktools Specification Guide




When optioning both the integrated rail and power access door,

the Eyesite monitor arm and the "rail mount bracket" option should be included when ordering Ology bracket (FPCOL).

Steelcase Worktools
Specification Guide
Tip: FYI monitor arms with
c:scape brackets may not be
attached behind the power
door, and have to mount to
either side.


Tip: CF series monitor arms cannot be rail mounted.

Tip: The cable basket cannot be used in the same location.



When attaching SOTO worktools, lighting, c:scape screens, or flat panel monitor arms to the integrated rail,

there is a 5½" mounting free zone on each end of the rail.



When installing SlatRail with a power door only, do not c-clamp the stanchions 5½" on either side of the power door.



holders, specify the overhang option. Tip: CPU holders that require less than 12"D

Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.

All assemblies meet or exceed ANSI/BIFMA standards



Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.



Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety

requirements.

Installation

Desks ship with pre-drilled holes for mounting bases.

Two-piece tops ship with flush mounted desk bracing.

 $\textbf{Height-adjustable base} \ \text{requires attachment to the worksurface}.$

Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds


(3-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each

Worksurface Weight

Worksurface LD RD · Worksurface Weight Shape



				23"D	24"D	
Rectangular	34"	23" or 24"	23" or 24"	20 lb	21 lb	
	40"	23" or 24"	23" or 24"	24 lb	25 lb	
	46"	23" or 24"	23" or 24"	27 lb	29 lb	
	52"	23" or 24"	23" or 24"	31 lb	32 lb	
	58"	23" or 24"	23" or 24"	35 lb	36 lb	
	64"	23" or 24"	23" or 24"	39 lb	40 lb	
	70"	23" or 24"	23" or 24"	42 lb	43 lb	
	76"	23" or 24"	23" or 24"	46 lb	47 lb	
				29"D	30"D	
	34"	29" or 30"	29" or 30"	26 lb	27 lb	
	40"	29" or 30"	29" or 30"	30 lb	31 lb	
	46"	29" or 30"	29" or 30"	34 lb	36 lb	
	52"	29" or 30"	29" or 30"	39 lb	41 lb	
	58"	29" or 30"	29" or 30"	43 lb	45 lb	
	64"	29" or 30"	29" or 30"	48 lb	50 lb	
	70"	29" or 30"	29" or 30"	52 lb	54 lb	
	76"	29" or 30"	29" or 30"	56 lb	59 lb	
				35"D	36"D	
	34"	35" or 36"	35" or 36"	31 lb	32 lb	
	40"	35" or 36"	35" or 36"	36 lb	37 lb	
	46"	35" or 36"	35" or 36"	42 lb	43 lb	
	52"	35" or 36"	35" or 36"	47 lb	48 lb	
	58"	35" or 36"	35" or 36"	52 lb	54 lb	
	64"	35" or 36"	35" or 36"	58 lb	60 lb	
	70"	35" or 36"	35" or 36"	63 lb	65 lb	
	76"	35" or 36"	35" or 36"	69 lb	71 lb	

	Options			·Accessory	
· Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight	· Modesty Panel Weight*	
•		:	:	:	

16.9 lb	5.1 lb	N.A.	N.A.	15.2 lb	
18.6 lb	5.8 lb	6.9 lb	N.A.	17.6 lb	
20.3 lb	6.6 lb	6.9 lb	N.A.	20.0 lb	
22.0 lb	7.3 lb	6.9 lb	N.A.	22.4 lb	
23.7 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
25.4 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
27.1 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
28.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	
17.9 lb	5.1 lb	N.A.	N.A.	15.2 lb	
19.6 lb	5.8 lb	6.9 lb	N.A.	17.6 lb	
21.3 lb	6.6 lb	6.9 lb	N.A.	20.0 lb	
23.0 lb	7.3 lb	6.9 lb	N.A.	22.4 lb	
24.7 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
26.4 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
28.1 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
29.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	
18.9 lb	5.1 lb	N.A.	N.A.	15.2 lb	
20.6 lb	5.8 lb	6.9 lb	N.A.	17.6 lb	
22.3 lb	6.6 lb	6.9 lb	N.A.	20.0 lb	
24.0 lb	7.3 lb	6.9 lb	N.A.	22.4 lb	
25.7 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
27.4 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
29.1 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
30.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	
:	:	:	:	:	

^{*}For detailed modesty panel information, see page 64


Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.


Worksurface Weight, co	ntinued
------------------------	---------

∶ Worksurface ∶ Shape	w	LD	RD	Worksurface	Weight
. • • • • • • • • • • • • • • • • • • •				23"D/29"D	24"D/30"D



Tapered	58"	29" or 30"	23" or 24"	39 lb	40 lb
	64"	29" or 30"	23" or 24"	43 lb	45 lb
	70"	29" or 30"	23" or 24"	47 lb	49 lb
	76"	29" or 30"	23" or 24"	51 lb	53 lb
	58"	23" or 24"	29" or 30"	39 lb	40 lb
	64"	23" or 24"	29" or 30"	43 lb	45 lb
	70"	23" or 24"	29" or 30"	47 lb	49 lb
	76"	23" or 24"	29" or 30"	51 lb	53 lb

Worksurface LW LD RW RD Worksurface Weight Shape 23"D 24"D



:	90° Equal	52"	23" or 24"	52"	23" or 24"	58.2 lb	59.2 lb
:		58"	23" or 24"	58"	23" or 24"	66.6 lb	67.6 lb
:		64"	23" or 24"	64"	23" or 24"	75.0 lb	77.0 lb
:		70"	23" or 24"	70"	23" or 24"	83.4 lb	85.4 lb
:		76"	23" or 24"	76"	23" or 24"	91.8 lb	94.8 lb

	Options			·Accessory	
· Understructure Weight	·Integrated Rail	Power and Data Access Door	Soft Edge Weight	• Modesty Panel Weight*	
:	: Weight	· Weight	: :	: :	

24.2 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
25.9 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
27.6 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
29.4 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	
24.2 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
25.9 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
27.6 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
29.4 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	

•	On	ti	on	S
	-			

· Understructure	·Integrated	Power and Data Access Door	· Soft Edge
· Weight	Rail		· Weight
:	Weight	Weight	

29.2 lb	15.8 lb	N.A.	N.A.	
31.5 lb	17.3 lb	6.9 lb each	N.A.	
33.9 lb	18.7 lb	6.9 lb each	N.A.	
36.2 lb	20.2 lb	6.9 lb each	N.A.	
38.5 lb	21.7 lb	6.9 lb each	N.A.	

^{*}For detailed modesty panel information, see page 64

Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg).


Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface LW LD RW RD Worksurface Weight
Shape

23"D/23"D 24"D/24"D



90° Extended	40"	23" or 24"	52"	23" or 24"	49.8 lb	50.8 lb	
	40"	23" or 24"	58"	23" or 24"	54.1 lb	55.1 lb	
	40"	23" or 24"	64"	23" or 24"	58.2 lb	59.2 lb	
	40"	23" or 24"	70"	23" or 24"	62.4 lb	63.4 lb	
	40"	23" or 24"	76"	23" or 24"	66.6 lb	67.6 lb	
	46"	23" or 24"	52"	23" or 24"	54.0 lb	55.0 lb	
	46"	23" or 24"	58"	23" or 24"	58.2 lb	59.2 lb	
	46"	23" or 24"	64"	23" or 24"	62.4 lb	64.4 lb	
	46"	23" or 24"	70"	23" or 24"	66.6 lb	68.6 lb	
	46"	23" or 24"	76"	23" or 24"	70.8 lb	72.8 lb	
	52"	23" or 24"	40"	23" or 24"	49.8 lb	50.8 lb	
	52"	23" or 24"	46"	23" or 24"	54.0 lb	55.0 lb	
	52"	23" or 24"	58"	23" or 24"	62.4 lb	63.4 lb	
	52"	23" or 24"	64"	23" or 24"	66.6 lb	67.6 lb	
	52"	23" or 24"	70"	23" or 24"	70.8 lb	72.8 lb	
	52"	23" or 24"	76"	23" or 24"	75.0 lb	77.0 lb	
	58"	23" or 24"	40"	23" or 24"	54.1 lb	55.1 lb	
	58"	23" or 24"	46"	23" or 24"	58.2 lb	59.2 lb	
	58"	23" or 24"	52"	23" or 24"	62.4 lb	63.4 lb	
	58"	23" or 24"	64"	23" or 24"	70.8 lb	72.8 lb	
	58"	23" or 24"	70"	23" or 24"	75.0 lb	77.0 lb	
	58"	23" or 24"	76"	23" or 24"	79.2 lb	81.2 lb	
	64"	23" or 24"	40"	23" or 24"	58.2 lb	59.2 lb	
	64"	23" or 24"	46"	23" or 24"	62.4 lb	64.4 lb	
	64"	23" or 24"	52"	23" or 24"	66.6 lb	67.6 lb	
	64"	23" or 24"	58"	23" or 24"	70.8 lb	72.8 lb	
	64"	23" or 24"	70"	23" or 24"	79.2 lb	82.2 lb	
	64"	23" or 24"	76"	23" or 24"	83.4 lb	86.4 lb	

	Options		
· Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight
•	: :		

29.8 lb	18.8 lb	6.9 lb	N.A.	
31.0 lb	19.9 lb	6.9 lb	N.A.	
32.2 lb	20.9 lb	6.9 lb	N.A.	
33.3 lb	21.9 lb	6.9 lb	N.A.	
34.5 lb	23.0 lb	6.9 lb	N.A.	
31.0 lb	19.9 lb	6.9 lb	N.A.	
32.2 lb	20.9 lb	6.9 lb	N.A.	
33.3 lb	21.9 lb	6.9 lb	N.A.	
34.5 lb	23.0 lb	6.9 lb	N.A.	
35.7 lb	24.0 lb	6.9 lb	N.A.	
29.8 lb	18.8 lb	6.9 lb	N.A.	
31.0 lb	19.9 lb	6.9 lb	N.A.	
33.3 lb	21.9 lb	6.9 lb	N.A.	
34.5 lb	23.0 lb	6.9 lb	N.A.	
35.7 lb	24.0 lb	6.9 lb	N.A.	
36.9 lb	25.1 lb	6.9 lb	N.A.	
31.0 lb	19.9 lb	6.9 lb	N.A.	
32.2 lb	20.9 lb	6.9 lb	N.A.	
33.3 lb	21.9 lb	6.9 lb	N.A.	
35.7 lb	24.0 lb	6.9 lb	N.A.	
36.9 lb	25.1 lb	6.9 lb	N.A.	
38.1 lb	26.1 lb	6.9 lb	N.A.	
32.2 lb	20.9 lb	6.9 lb	N.A.	
33.3 lb	21.9 lb	6.9 lb	N.A.	
34.5 lb	23.0 lb	6.9 lb	N.A.	
35.7 lb	24.0 lb	6.9 lb	N.A.	
38.0 lb	26.1 lb	6.9 lb	N.A.	
39.2 lb	27.1 lb	6.9 lb	N.A.	


Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	· Worksurface Weight
iape					23"D 24"D



•							
90° Extended, continued	70"	23" or 24"	40"	23" or 24"	62.4 lb	63.4 lb	
	70"	23" or 24"	46"	23" or 24"	66.6 lb	68.6 lb	
•	70"	23" or 24"	52"	23" or 24"	70.8 lb	72.8 lb	
	70"	23" or 24"	58"	23" or 24"	75.0 lb	77.0 lb	
· ·	70"	23" or 24"	64"	23" or 24"	79.2 lb	82.2 lb	
:	70"	23" or 24"	76"	23" or 24"	87.6 lb	90.6 lb	
•	76"	23" or 24"	40"	23" or 24"	66.6 lb	67.6 lb	
•	76"	23" or 24"	46"	23" or 24"	70.8 lb	72.8 lb	
	76"	23" or 24"	52"	23" or 24"	75.0 lb	77.0 lb	
· :	76"	23" or 24"	58"	23" or 24"	79.2 lb	81.2 lb	
•	76"	23" or 24"	64"	23" or 24"	83.4 lb	86.4 lb	
· ·	76"	23" or 24"	70"	23" or 24"	87.6 lb	90.6 lb	

	·Options		
· Unde Weigl	cture · Integrated Rail Weight	Power and Data Access Door Weight	·Soft Edge Weight


				:
33.3 lb	21.9 lb	6.9 lb	N.A.	:
34.5 lb	23.0 lb	6.9 lb	N.A.	:
35.7 lb	24.0 lb	6.9 lb	N.A.	:
36.9 lb	25.1 lb	6.9 lb	N.A.	:
38.0 lb	26.1 lb	6.9 lb	N.A.	:
40.4 lb	28.2 lb	6.9 lb	N.A.	:
34.5 lb	23.0 lb	6.9 lb	N.A.	:
35.7 lb	24.0 lb	6.9 lb	N.A.	:
36.9 lb	25.1 lb	6.9 lb	N.A.	:
38.1 lb	26.1 lb	6.9 lb	N.A.	:
39.2 lb	27.1 lb	6.9 lb	N.A.	:
40.4 lb	28.2 lb	6.9 lb	N.A.	:

Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

:	Worksurface Weigh	t, contin	ued				
	Worksurface Shape	LW	RW	·Worksurface Weight LD and RD	· Worksurface Weight LD and RD	Worksurface Weight LD and RD	
:				23"D/29"D	23"D/30"D	24"D/29"D	
:	CON DW						



90° Extended	46"	40"	48.8 lb	49.3 lb	49.3 lb	
	46"	52"	59.3 lb	60.2 lb	59.9 lb	
	46"	58"	64.6 lb	65.7 lb	65.2 lb	
	46"	64"	69.9 lb	71.2 lb	70.4 lb	
	46"	70"	75.2 lb	76.6 lb	75.7 lb	
	46"	76"	80.5 lb	82.1 lb	81.0 lb	
	46"	78"	82.3 lb	83.9 lb	82.8 lb	
	52"	40"	53.0 lb	53.5 lb	53.7 lb	
	52"	46"	58.3 lb	59.0 lb	59.0 lb	
	52"	58"	68.8 lb	69.9 lb	69.5 lb	
	52"	64"	74.1 lb	75.4 lb	74.8 lb	
	52"	70"	79.4 lb	80.8 lb	80.1 lb	
	52"	76"	84.7 lb	86.3 lb	85.4 lb	
	52"	78"	86.5 lb	88.1 lb	87.2 lb	
	58"	40"	57.2 lb	57.7 lb	58.0 lb	
	58"	46"	62.4 lb	63.1 lb	63.3 lb	
	58"	52"	67.7 lb	68.6 lb	68.6 lb	
	58"	64"	78.3 lb	79.6 lb	79.2 lb	
	58"	70"	83.6 lb	85.0 lb	84.5 lb	
	58"	76"	88.9 lb	90.5 lb	89.8 lb	
	58"	78"	90.7 lb	92.3 lb	91.5 lb	
	64"	40"	61.4 lb	61.9 lb	62.4 lb	
	64"	46"	66.6 lb	67.3 lb	67.7 lb	
	64"	52"	71.9 lb	72.8 lb	73.0 lb	
	64"	58"	77.2 lb	78.3 lb	78.3 lb	
	64"	70"	87.8 lb	89.2 lb	88.9 lb	
	64"	76"	93.1 lb	94.7 lb	94.2 lb	
	64"	78"	94.9 lb	96.5 lb	95.9 lb	

· Worksurface Weight LD and RD	· Worksurface Weight · LD and RD	· Worksurface Weight LD and RD	· Worksurface Weight LD and RD
24"D/30"D	29"D/29"D	29"D/30"D	30"D/30"D
:	:	:	•


				•
49.8 lb	N.A.	N.A.	N.A.	:
60.7 lb	62.4 lb	63.1 lb	63.6 lb	:
66.2 lb	67.7 lb	68.6 lb	69.1 lb	:
71.7 lb	73.0 lb	74.1 lb	74.6 lb	:
77.1 lb	78.3 lb	79.6 lb	80.0 lb	:
82.6 lb	83.6 lb	85.0 lb	85.5 lb	:
84.4 lb	85.4 lb	86.9 lb	87.3 lb	:
54.1 lb	N.A.	N.A.	N.A.	:
59.6 lb	62.4 lb	63.0 lb	63.6 lb	:
70.6 lb	73.0 lb	73.9 lb	74.6 lb	:
76.0 lb	78.3 lb	79.4 lb	80.0 lb	:
81.5 lb	83.6 lb	84.9 lb	85.5 lb	:
87.0 lb	88.9 lb	90.3 lb	91.0 lb	:
88.8 lb	90.7 lb	92.1 lb	92.8 lb	:
58.5 lb	N.A.	N.A.	N.A.	:
64.0 lb	67.7 lb	68.3 lb	69.1 lb	:
69.5 lb	73.0 lb	73.7 lb	74.6 lb	:
80.4 lb	83.6 lb	84.7 lb	85.5 lb	:
85.9 lb	88.9 lb	90.1 lb	91.0 lb	:
91.4 lb	94.2 lb	95.6 lb	96.5 lb	:
93.2 lb	95.9 lb	97.4 lb	98.3 lb	:
62.9 lb	N.A.	N.A.	N.A.	:
68.4 lb	73.0 lb	73.5 lb	74.6 lb	:
73.8 lb	78.3 lb	79.0 lb	80.0 lb	:
79.3 lb	83.6 lb	84.5 lb	85.5 lb	:
90.3 lb	94.2 lb	95.4 lb	96.5 lb	:
95.7 lb	99.5 lb	100.9 lb	101.9 lb	:
97.6 lb	101.2 lb	102.7 lb	103.8 lb	:

Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

:	Worksurface Weigh	t, continu	ed				
:	Worksurface Shape	LW	RW	Worksurface Weight LD and RD	· Worksurface Weight LD and RD	· Worksurface Weight LD and RD	
:				23"D/29"D	23"D/30"D	24"D/29"D	



90° Extended	70"	40"	65.5 lb	66.1 lb	66.8 lb	,
	70"	46"	70.8 lb	71.5 lb	72.1 lb	
	70"	52"	76".1 lb	77.0 lb	77.4 lb	
	70"	58"	81.4 lb	82.5 lb	82.7 lb	
	70"	64"	86.7 lb	88.0 lb	88.0 lb	
	70"	76"	97.3 lb	98.9 lb	98.5 lb	
	70"	78"	99.0 lb	100.7 lb	100.3 lb	
	76"	40"	69.7 lb	70.3 lb	71.2 lb	
	76"	46"	75.0 lb	75.7 lb	76.5 lb	
	76"	52"	80.3 lb	81.2 lb	81.8 lb	
	76"	58"	85.6 lb	86.7 lb	87.0 lb	
	76"	64"	90.9 lb	92.1 lb	92.3 lb	
	76"	70"	96.2 lb	97.6 lb	97.6 lb	
	76"	78"	103.2 lb	104.9 lb	104.7 lb	
	78"	40"	71.1 lb	71.7 lb	72.6 lb	
	78"	46"	76.4 lb	77.1 lb	77.9 lb	
	78"	52"	81.7 lb	82.6 lb	83.2 lb	
	78"	58"	87.0 lb	88.1 lb	88.5 lb	
	78"	64"	92.3 lb	93.5 lb	93.8 lb	
	78"	70"	97.6 lb	99.0 lb	99.1 lb	
	78"	76"	102.9 lb	104.5 lb	104.4 lb	

· Worksurface Weight LD and RD	· Worksurface Weight · LD and RD	· Worksurface Weight LD and RD	· Worksurface Weight LD and RD
24"D/30"D	29"D/29"D	29"D/30"D	30"D/30"D
:	:	:	•

				•
67.3 lb	N.A.	N.A.	N.A.	:
72.8 lb	78.3 lb	78.8 lb	80.0 lb	:
78.2 lb	83.6 lb	84.3 lb	85.5 lb	:
83.7 lb	88.9 lb	89.8 lb	91.0 lb	:
89.2 lb	94.2 lb	95.2 lb	96.5 lb	:
100.1 lb	104.8 lb	106.2 lb	107.4 lb	:
101.9 lb	106.5 lb	108.0 lb	109.2 lb	:
71.7 lb	N.A.	N.A.	N.A.	:
77.1 lb	83.6 lb	84.1 lb	85.5 lb	:
82.6 lb	88.9 lb	89.6 lb	91.0 lb	:
88.1 lb	94.2 lb	95.1 lb	96.5 lb	:
93.5 lb	99.5 lb	100.5 lb	101.9 lb	:
99.0 lb	104.8 lb	106.0 lb	107.4 lb	:
106.3 lb	111.8 lb	113.3 lb	114.7 lb	:
73.1 lb	N.A.	N.A.	N.A.	:
78.6 lb	85.4 lb	85.9 lb	87.3 lb	:
84.1 lb	90.7 lb	91.4 lb	92.8 lb	:
89.5 lb	95.9 lb	96.8 lb	98.3 lb	:
95.0 lb	101.2 lb	102.3 lb	103.8 lb	:
100.5 lb	106.5 lb	107.8 lb	109.2 lb	:
106.0 lb	111.8 lb	113.2 lb	114.7 lb	:

Steelcase April 2019

Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface W	eight, continu	ıed					
Worksurface	LW	LD	RW	RD	·Worksurfa	ace Weight	
Shape					23"D	24"D	
LW	\RD						
: 120° Equal	34"	23" or 24"	34"	23" or 24"	38.7 lb	39.7 lb	
:	40"	23" or 24"	40"	23" or 24"	47.1 lb	48.1 lb	
:	46"	23" or 24"	46"	23" or 24"	55.5 lb	56.5 lb	
:	52"	23" or 24"	52"	23" or 24"	63.9 lb	65.9 lb	
:	58"	23" or 24"	58"	23" or 24"	72.3 lb	74.3 lb	
	64"	23" or 24"	64"	23" or 24"	80.7 lb	82.7 lb	

	Understructure	Integrated	Power and Data	·Soft Edge
: '	Weight	Rail	Access Door	Weight
		Weight	Weight	•
:		•	•	
			•	•

					:
lb	11.5 lb	N.A.	N.A.		:
lb	13.0 lb	N.A.	N.A.		:
lb	14.5 lb	N.A.	N.A.		:
lb	15.9 lb	6.9 lb	N.A.		:
lb	17.4 lb	6.9 lb	N.A.		:
lb	18.9 lb	6.9 lb	N.A.		:

Ology Corner Desks and Bases Size Restrictions

•Style	• Desks Specified as	·Base Price	• Desks Specified as	· Base Price
90° Corner Des	ks — Extended Height (Differ	ent Depth Opp	osite Ends 23"/24" Right/Left a	nd 29"/30" Left/Right)
High-Pressure La	minate Desks			
OLELLC	40LW × 23DL × 52WR × 29DR	N.A.	$40LW \times 29DL \times 52WR \times 23DR$	\$2773
	$40LW \times 24DL \times 52WR \times 29DR$	N.A.	$40LW \times 29DL \times 52WR \times 24DR$	\$2773
	$40LW \times 23DL \times 52WR \times 30DR$	N.A.	$40LW \times 30DL \times 52WR \times 23DR$	\$2773
	40LW × 24DL × 52WR × 30DR	N.A.	$40LW \times 30DL \times 52WR \times 24DR$	\$2773
	52LW × 29DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 29DR	\$2773
	$52LW \times 29DL \times 40WR \times 24DR$	N.A.	$52LW \times 24DL \times 40WR \times 29DR$	\$2773
	52LW × 30DL × 40WR × 23DR	N.A.	$52LW \times 23DL \times 40WR \times 30DR$	\$2773
	52LW × 30DL × 40WR × 24DR	N.A.	$52LW \times 24DL \times 40WR \times 30DR$	\$2773
•	:	:	:	:
Wood Veneer Des	ks			
OLELLC	40LW × 23DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 23DR	\$3721
	40LW × 24DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 24DR	\$3721
	40LW × 23DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 23DR	\$3721
	40LW × 24DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 24DR	\$3721
	52LW × 29DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 29DR	\$3721
	52LW × 29DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 29DR	\$3721
	52LW × 30DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 30DR	\$3721
	52LW × 30DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 30DR	\$3721
	:	:	:	:
90° Corner Des	ks — Basic Height (Different	Depth Opposit	e Ends 23"/24" Right/Left and 2	29"/30" Left/Right)
High-Pressure La	minate Desks			
OLSLLC	40LW × 23DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 23DR	\$2552
	40LW × 24DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 24DR	\$2552
	40LW × 23DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 23DR	\$2552
	40LW × 24DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 24DR	\$2552
	52LW × 29DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 29DR	\$2552
	52LW × 29DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 29DR	\$2552
	52LW × 30DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 30DR	\$2552
	52LW × 30DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 30DR	\$2552
	:	:	:	:
Wood Veneer Des	ks			
OLSLLC	40LW × 23DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 23DR	\$3503
	40LW × 24DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 24DR	\$3503
	40LW × 23DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 23DR	\$3503
	40LW × 24DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 24DR	\$3503
	52LW × 29DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 29DR	\$3503
	52LW × 29DL × 40WR × 23DR 52LW × 29DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 29DR	*
	OFFAA Y SADE Y HAAAU X SHDU		52LW × 24DL × 40WR × 29DR 52LW × 23DL ×40WR × 30DR	\$3503 \$3503
	201 M > 30DI > 40MD > 22DD			
	52LW × 30DL × 40WR × 23DR	N.A.		*
	52LW × 30DL × 40WR × 23DR 52LW × 30DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 30DR	\$3503

• Style	Desks Specified as	· Base · Price	Desks Specified as	· Base Price
90° Corner Ba	se — Extended Height (Differe	ent Depth Oppo	osite Ends 23"/24" Right/Left a	nd 29"/30" Left/Right)
OLELLCB	40LW × 23DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 23DR	\$2663
	40LW × 24DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 24DR	\$2663
	40LW × 23DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 23DR	\$2663
	40LW × 24DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 24DR	\$2663
	52LW × 29DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 29DR	\$2663
	52LW × 29DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 29DR	\$2663
	52LW × 30DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 30DR	\$2663
	52LW × 30DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 30DR	\$2663
:	:	:	:	:
90° Corner Ba	se — Basic Height (Different D	epth Opposite	Ends 23"/24" Right/Left and 29	"/30" Left/Right)
OLSLLCB	40LW × 23DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 23DR	\$2450
	40LW × 24DL × 52WR × 29DR	N.A.	40LW × 29DL × 52WR × 24DR	\$2450
	40LW × 23DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 23DR	\$2450
	40LW × 24DL × 52WR × 30DR	N.A.	40LW × 30DL × 52WR × 24DR	\$2450
	52LW × 29DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 29DR	\$2450
	52LW × 29DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 29DR	\$2450
	52LW × 30DL × 40WR × 23DR	N.A.	52LW × 23DL × 40WR × 30DR	\$2450
	52LW × 30DL × 40WR × 24DR	N.A.	52LW × 24DL × 40WR × 30DR	\$2450
•	:	:	:	1

Tip: Desks that are 23"D or 24"D right and 29"D or 30"D left cannot be specified between 40"W-42"W left width and 481/16"W-52"W right.

Tip: Desks that are 23"D or 24"D left and 29"D or 30"D right cannot be specified between 481/16"W-52"W left width and 40"W-42"W right.



Options Availability Chart





M~										
	Rectangular									
	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W		
Grommet										
Integrated Rail										
Overhang						Left or Right	Left or Right Left and Right	Left or Right Left and Right		
Overhang + Soft Edge							Left or Right			
Power Door						Left, Right, or Center	Left, Right, or Center	Left, Right, or Center		
Soft Edge						Left, Right, or Center	Left, Right, or Center	Left, Right, or Center		

		Тар	ered	
	58"W	64"W	70"W	76"W
Grommet				
Integrated Rail				
Power Door		Left, Right or Center	Left, Right or Center	Left, Right or Center
Soft Edge		Left, Right or Center	Left, Right or Center	Left, Right or Center

Tip: When integrated storage is present, power door and soft edge can be positioned left or right on desks that are 64"W or wider. Position must shift away from the storage.

Tip: Overhang can be positioned left or right on desks that are 70" wide or wider when used with integrated storage.





		90°						
	40"W	46"W	52"W	58"W	64"W	70"W	76"W	
Grommet								
Integrated Rail								
Overhang								
Power Door								
Soft Edge								

Tip: Integrated storage can be used on 90° Ology desks that are 70" wide or wider.




•		120°					
	34"W	40"W	46"W	52"W	58"W	64"W	
Grommet							
Integrated Rail							
Power Door							
Soft Edge							


Tip: Integrated storage can be used on 120° Ology desks that are 52" wide or wider.

Ology Modesty Panels

Modesty panels provide modesty when needed. Modesty panels, available in laminate and veneer, connect to the desk frame. ► Specifying, page 100



Product Details



Gap is 1/2" between underside of the worksurface and top of modesty panel. Tip: C-clamp mounting is not allowed when attaching modesty panels.

Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified, however, laminate specification is only allowed up to 60" wide.

Surface Materials

High-Pressure Laminate Panel

- · Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

3 mm edge profile

Plastic

Wood veneer panel

- · Wood veneer (standard)
- · Customiz stain (option) Full-Fill Finish (option)

Square 3 mm edge profile

Wood veneer to match panel

Bracket

7360 Merle

Application Topics

Modesty panels are parametric in width from 34"W to 78"W in 1/16" increments. Modesty panel can be equal to the width of the desk or shorter.

When used with integrated storage, modesty panel must be a minimum of 20" shorter than


worksurface width to allow for pinch point clearances.

Modesty panels are undersized 21/2" to account for desks with radius corners.



Full width modesty

panels cannot be used on desks with integrated rail. Tip: To use with the integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and tapered) or 7" (90°) and inset from the edge of the worksurface.



Modesty panels may be inset a maximum of 31/2" from the back of the worksurface to allow for c-clamping.

Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.



In order to inset, modesty panels must be specified a minimum of 12" smaller (rectangular and tapered) or 7" smaller (90°) than the width of the desk understructure. Utilize the mounting plates and screws to attach the modesty panel to the underside of the worksurface instead of to the cantilevers. Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.

Actual Dimensions

	Modular Modesty Panels
Width	31½", 37½", 43½", 49½", 54½", 61½", 67½", or 73½"
Height	143/8"
Overall height	147/8"
Thickness	3/4"

Tip: Overall height is measured from bottom of mounting surface to the bottom of the screen.

Tip: Parametric modesty panel widths can be specified from 34"-78"W in 1/16" increments.

Fixed Personal/Modesty Screens

Personal screens are tackable and provide variable privacy when and where it is needed. The screens can be used on the Ology integrated rail and the SOTO rail.


► Specifying, page 101

Fixed personal screens

are available in three heights; 12", 19½", and 24" - and four widths to accommodate varying levels of privacy. Height is measured from the top of the mounting surface to the top of the screen.

Brackets are attached to

the screen.



Actual Dimensions


	Fixed Personal/Modesty Screens
Width	30", 36", 42", or 48"
Height	11", 18½", or 23"
Overall height	12", 19 ¹ / ₂ ", or 24"
Thickness	3/4"

Tip: Overall height is measured from top of mounting surface to the top of the screen.


Product Details



Personal screens can be mounted on the rail. The overall height from the floor will vary depending on the height of the adjustable worksurface.



When attaching c:scape screens to the integrated rail, there is a 5½" mounting free zone on each end of the rail.



Gap is 1" between personal screen and rail.

Surface Materials

Infill

Fabric

Brackets

· 4799 Platinum paint



Fabric without pattern

is recommended when using a COM fabric to provide a consistent visual. Fabric with patterns could result in the above visual.

Application Topics



19½"H and 24"H personal screens cannot be used in the modesty position on Ology desks.



When attaching fixed personal/modesty screens to the Ology integrated rail, there is a 51/4" mounting free zone on each end of the rail.



When using fixed screens in the modesty position, the desk must be at least 10" larger than the width of the screen.

When used with One-High integrated storage, fixed modesty screens must be a minimum of 24" shorter than worksurface width to allow for pinch point clearances.


Universal Steel One-High Open Laterals

For Ology Application

Universal Steel One-High open lateral for Ology application

seamlessly integrates the Ology desk leg into universal storage. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

Specifying, pages 104,




Actual Dimensions	
Depth with flush steel open front	18"
Depth with proud steel open front	18 ⁷ / ₈ "
Width	30", 36", and 42"
Height	16"

Product Details

Base



Universal 3" Base



Laminate and wood veneer tops with square edge profile are available. Tops are 13/16"H.



Removable interior

cover provides access to power outlets that can be located in the panel behind storage unit.

Case Widths and Ology Foot Dimensions

30"W Ology base units can house Ology legs of 24" or 30" in length. 36"W and 42"W units can house Ology legs of 24", 30", or 36" in length.

Integrated leg options apply to One-High units only and are meant for use with Ology extended height-adjustable desks only.

Surface Materials

Lateral case

Paint

Laminate top

- Laminate
- Open Line laminate (option)

Edges

• Plastic

Wood veneer top

- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

Universal shroud and Universal filler


Paint

Application Topics

Storage




Application: Ology left




Application: Ology right


Application is determined by which leg of the Ology desk is located inside the storage.



Universal shroud is used to finish off the back of the storage when application is used as stand-alone unit.



Universal filler is used in end-of-run applications where end of storage unit will be visible.



No top option on lateral file is available for use with a Universal common top shared with an adjacent lateral.

Common tops for Ology application can be used with two units side-by-side when one storage unit is required for Ology leg integration.


Universal common top for Ology applica-

tion, ordered separately, is available in laminate or veneer. Cut-out for Ology leg is available on the left side or the right side of the Universal common top. Ology desk cannot be placed in the middle of the Universal common top.




Common tops for Ology application are available when ganging Ology base units to other Universal Laminate low storage of the same height. Select proud option tops to ensure alignment with other base units with drawer or door fronts.


▶ See page 70 for common



To help avoid pinch points, the Universal steel One-High low storage for Ology application extends 1" past the back of the Ology worksurface.




When specifying One-High storage that matches the worksurface depth, only One-High storage should be placed adjacent to the desk.



Pinch point clearances


are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

Desk



Ology modesty panel or fixed personal/


modesty screens must be undersized and justified to the outside when used with One-High storage unit. When used with One-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.



Soft edge and power and data access door can be positioned left or right on Ology desks that are 64"W or wider for use with One-High integrated storage.



Worksurface overhang can be positioned left or right on desks that are 70" wide or wider.



Ology 90° corners that are 70" wide and wider can be used with One-High storage unit.




Ology 120° corners that are 52" wide and wider can be used with One-High storage unit.

Universal Laminate Enhanced One-High and 1.5-High Storage

For Ology Application

Universal laminate enhanced One-High and 1.5-High lowstorage units are available with options to accommodate Ology leg integration. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration. Tip: Using Universal laminate storage with Universal steel storage is not recommended.

►Specifying, page 108



Wire manager keeps wires tidy and functionally flexes vertically.

Grommet provides a clean area where the desk leg integrates.


Units come without tops. Universal laminate enhanced tops for Ology application are ordered separately.

Leveling glides adjust up to 11/4" for installation on uneven floors.


Product Details




Ology bases have a removeable interior back panel to allow access to the Ology base.



Open back



Ology base units offer an option of open back or a finished back for use in applications where back of unit is exposed.




Universal laminate units for Ology leg application always come without tops. Tops must be ordered separately. ► See page 108 for 30"W, 36"W, and 42"W tops.

Universal laminate


tops that begin with "RE" for Ology application have proud front detail and are flush to the back edge of storage.

► See page 108


Actual Dimensions				
	One-High	1.5-High		
Depth	18 ¹ / ₈ "	185⁄8"		
Width	30", 36", and 42"	30", 36", and 42"		
Height	15 ¹¹ / ₃₂ "	21 ¹¹ / ₃₂ "		



One-High storage can be used with Ology extended range desks or basic range desks.



1.5-High storage can only be used with Ology basic range desks.



One-High and 1.5-High storage for Ology application have a removeable interior back panel to allow access to the Ology base.

When using Ology base units ganged to other One-High units, omit top on non-Ology units and use proud option for worksurface, ordered

Case Widths and Ology Foot **Dimensions**

separately.

30"W Ology base units can house Ology legs of 24" or 30" in length. 36"W and 42"W units can house Ology legs of 24", 30", or 36" in


Surface Materials

Case


Laminate

Application Topics

Storage




Application: Ology left



Application: Ology right

Application is determined by which leg of the Ology desk is located inside the storage.



Universal laminate enhanced storage tops are 1"H. 13/16"H tops will

ensure proper alignment in Answer beam applications.

Universal tops for Ology application feature cutout for Ology leg and are used on individual storage units.


Common tops for Ology application can be used with two units side-by-side when one storage unit is required for Ology leg integration.



Common tops for Ology application are available when ganging Ology base units to other Universal Laminate low storage of the same height. Select proud option tops to ensure alignment with other base units with drawer or door fronts. ► See page 70 for common

Base units are nonhanded. Handedness is identified in the specification of the tops, which are ordered separately.

Finished back should be specified when in stand alone application, for example, on an aisle.




When Ology base unit is used in a ganged application with other One-High storage units, specify the additional One-High storage unit with no top and specify a Universal common top with Ology grommet.


See page 112 for Universal common tops.

Universal common top for Ology application,


ordered separately, is available in laminate or veneer. Location of the Ology port is determined by application orientation. If right leg is integrated into storage, it is a right application. Ology desk cannot be placed in the middle of the Universal common top.



To help avoid pinch points, the Universal laminate One-High low storage for Ology application extends 1" past the back of the Ology worksurface



When specifying One-**High storage that** matches the worksurface depth, only One-High storage should be placed adjacent to the desk




Pinch point clearances

are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth



or fixed personal/ modesty screens must

be undersized and justified to the outside when used with One-High storage unit. When used with One-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.



Soft edge and power and data access door

can be positioned left or right on Ology desks that are 64"W or wider for use with One-High integrated storage.




can be positioned left or

right on desks that are 70" wide or wider.



Ology 90° corners that are 70" wide and wider can be used with One-High storage unit.



Ology 120° corners


that are 52" wide and wider can be used with One-High storage unit.

Elective Elements One-High Open Plinth Base Pedestals and Common Tops

For Ology Application

One-High open plinth base pedestal and common top for Ology application seamlessly integrate the Ology desk into Elective Elements. They provide a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

Specifying, pages 114 and



Actual Dimensions

Elements height adjustable

desk.

One-High Open Plinth Base Pedestal

Depth	171⁄4"	
Width	24", 30", 36", and 42"	
Height	15½"	

Common Top

Depth	18"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96", 102", 108", 114", and 120"
Height	N.A.

Product Details

Pedestal Base



3" Base



Removable interior

cover provides access to power outlets that can be located in the panel behind storage unit.

Base widths and Ology foot:

- 24"W Ology base units can house Ology legs 24" in length.
- 30"W Ology base units can house Ology legs of 24" or 30" in length.
- 36"W and 42"W units can house Ology legs of 24", 30", or 36" in length.

Surface Materials

Pedestal case

- Veneer
- Laminate

Laminate top on pedestal and common top

- Laminate
- Open Line laminate (option)

Edges on pedestal and common top


- Wood veneer
- Plastic

Wood veneer top on pedestal and common top


- Wood veneer open pore finishes
- Full-fill (option) is available on wood veneer tops only.

Application Topics






Application: Ology left




Application: Ology right

Application is determined by which leg of the Ology base is located inside the pedestal.


Common tops for Ology application can be used with two units side-by-side when one storage unit is required for Ology leg integration.




Common top for Ology application, ordered separately, is available in laminate or veneer. Cut-out for Ology leg is available on the left side or the right side of the common top. Ology desk cannot be placed in the middle of the common top.




Common tops for Ology application are available when ganging Ology base units to other Elective Elements pedestals of the same height.



To help avoid pinch points, the pedestal for Ology application extends 1" past the back of the common top.



When specifying One-High storage that matches the worksurface depth, only One-High storage should be placed adjacent to the desk.




Pinch point clearances are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.



Modesty panel or fixed personal/modesty screens must be undersized and justified to the outside of the common top when used with pedestal.

When used with One-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.




Soft edge and power and data access door can be positioned left or right on Ology desks that are 64"W or wider for use with One-High integrated storage.



Worksurface overhang can be positioned left or right on desks that are 70" wide or wider.



Ology 90° corners that are 70" wide and wider can be used with One-High storage unit.



Ology 120° corners that are 52" wide and wider can be used with One-High storage unit.

Ology Height-Adjustable Rectangular Desks

High-Pressure Laminate or Wood Veneer

► Need help?

page 40

Product details,



Tip: On extended height desks, any storage higher than 19", or 161/2" if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 237/10", or 211/5" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks

See Steelcase Worktools Specification Guide.

Tip: Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

See page 46 for worksurface weights.

Tip: Antimicrobial can be specifed only when specifying simple touch controller and/or soft edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: 9" overhang is available on desks 64"W and larger. Overhang on both sides is available on 70"W and larger.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer
- · Electric height-adjustable sit-to-stand base: paint
- · Modular widths: 34"-76"
- 1/2" adjustable glides
- Power cord: 104/5
- · Attachment hardware

Required to Specify

- 1 Style number
- 2 Desk depth
- 3 Desk width
- 4 High-Pressure Laminate or wood color for worksurface
- 5 Plastic color number for profile edge on laminate worksurface, if selected
- 6 Desk corner style, if laminate desk selected (see below under Required Selections)
- 7 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle
- 8 Controller (see below under Required Selections)
- Integrated rail (see below under Required Selections)
- 10 Antimicrobial or non-antimicrobial surface, if simple touch controller selected (see below under Required Selections)
- 11 Options, if selected (see below)
- See Surface Materials, page 208

	Required Selections	U.S. Price	Required to Specify
Desk Corner Style (Laminate Desks Only)	Square corners Radius corners	No cost +\$ 67	Specify with square corners. Specify with radius corners.
Controller	Simple touch controller Active touch controller 4 Pre-set controller	No cost +\$108 +\$125	Specify with simple touch controller. Specify with active touch controller. Specify with 4 pre-set controller.
Integrated Rail	Without integrated rail With integrated rail	No cost +\$327	Specify without integrated rail. Specify with integrated rail.
Antimicrobial Surface	Non-antimicrobial surface Antimicrobial surface	No cost No cost	Specify with non-antimicrobial surface. Specify with antimicrobial surface.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate desks		
Materials	Laminate price group 2Open Line laminate	See information at left +\$ 74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual
	Wood veneer desks		
	 Wood group 2 	+\$ 74	Specify wood color number.
	 Wood group 3 	+\$260	Specify wood color number.
	 Customiz stain 	No cost	Specify with customiz stain.
			See Surface Materials Reference Manual
	 Full-fill finish on wood group 1 	+\$ 74	Specify full-fill finish number.
	Base		
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 30	Specify paint color number.
			► See Surface Materials, page 208.
Desk Type	Parametric width desk	No cost	Specify with parametric desk type.
Overhang	Desk overhang on left	+\$ 60	Specify with desk overhang left.
	Desk overhang on right	+\$ 60	Specify with desk overhang right.
	 Desk overhang left and right 	+\$120	Specify with desk overhang left and right.

▶Options, continued on next page

▶Options, continued from previous page

Tip: Soft edge is available on desks 58"W and larger. If overhang left or overhang right is selected, soft edge is available on desks 70"W or 76"W. Soft edge cannot be specified on desks that have overhang on both sides.

Tip: Power and data access door is available on desks 40"W or greater.


Tip: Power access door and soft edge can be positioned left or right on desks that are 64"W or wider for use with One-High integrated storage.

Tip: Rectangular desks accommodate either power and data access door or grommet, but not both.

	Options	U.S. Price	Required to Specify
Soft Edge	With soft edge	+\$238	Specify with soft edge.
Power and Data Access Door, Tray and USB	Power and data access door, tray and USB: paint group 1 or 2	+\$858	Specify with power and data access door and select paint color number.
may and 03b	 Power and data access door, tray and USB: anodized aluminum 	+\$868	Specify with power and data access door and select anodized aluminum.
Power and Data	Centered	No cost	Specify with centered position.
Access Door	• Left	No cost	Specify with left position.
and Soft Edge Position	• Right	No cost	Specify with right position.
Grommet	Grommet	+\$ 44	Specify with grommet.
Glides	1" adjustable glides	+\$ 32	Specify with 1" glides.
Related	Modesty panels		▶Page 100
Products	 Fixed personal/modesty screen 	ns	▶Page 101
	· Cable and power management	t	▶ Page 102

Specification Information

Dimensions



·Style

U.S. Base Prices

Number	· D	· Desk Type	•								
	:	Modular	: 34"W	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W	
	:	Parametric	:34"W	: 36 ¹ / ₁₆ "W	: 42 ¹ / ₁₆ "W	: 48 ¹ / ₁₆ "W	: 54 ¹ / ₁₆ "W	: 60 ¹ / ₁₆ "W	; 66 ¹ / ₁₆ "W	: 72 ¹ / ₁₆ "W	
:	:	:	:-36"W	:-42"W	:-48"W	:-54"W	-60"W	:-66"W	:-72"W	:-78"W	
:	:	:	:	:	:	:	:	:	:	:	
High-Pr	High-Proceure Laminate Necks — Extended Height										

High-Pressure Laminate Desks — Extended Height

OLELRQ	23" or 24"	\$1752	\$1808	\$1863	\$1922	\$1981	\$2046	\$2108	\$2173
	29" or 30"	\$1972	\$2033	\$2097	\$2163	\$2230	\$2299	\$2371	\$2445
	35" or 36"	\$2192	\$2260	\$2331	\$2403	\$2480	\$2553	\$2634	\$2719

Wood Veneer Desks — Extended Height

			-						
OLELRQ	23" or 24"	\$2329	\$2395	\$2457	\$2526	\$2595	\$2670	\$2740	\$2818
	29" or 30"	\$2573	\$2645	\$2717	\$2792	\$2868	\$2949	\$3028	\$3113
	35" or 36"	\$2816	\$2894	\$2977	\$3058	\$3141	\$3228	\$3315	\$3411

▶ Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information



U.S. Base Prices

			U.S. Dase	Prices						
• Style Number	• Dimensions • D	· Desk Type	34"W	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
	:	Parametric	: 34"W : -36"W	: 36 ¹ / ₁₆ "W : -42"W	: 42 ¹ / ₁₆ "W : –48"W	: 48 ¹ / ₁₆ "W : –54"W	: 54 ¹ / ₁₆ "W : -60"W	: 60½16"W : –66"W	: 66 ¹ / ₁₆ "W : –72"W	: 72 ¹ / ₁₆ "W : –78"W
ligh-Pro	essure Lami	nate Desks	— Bas	ic Height	•		·	•	•	•
OLSLRQ	23" or 24"		\$1612	\$1662	\$1713	\$1768	\$1822	\$1882	\$1940	\$1999
	29" or 30"		\$1814	\$1871	\$1928	\$1991	\$2052	\$2115	\$2182	\$2250
	35" or 36"	:	\$2018	\$2079	\$2144 :	\$2211	\$2282	\$2349	\$2424	\$2500
Wood V	eneer Desks	— Basic I	leight							
OLSLRQ	23" or 24"		\$2189	\$2249	\$2307	\$2372	\$2436	\$2506	\$2572	\$2644
	29" or 30"		\$2415	\$2483	\$2548	\$2620	\$2690	\$2765	\$2839	\$2918
	35" or 36"		\$2642	\$2713	\$2790	\$2866	\$2943	\$3024	\$3105	\$3192
	:	•		•	:	:	:	:	:	:




Ology Height-Adjustable Tapered Desks

► Need help?

page 40

Product details,

High-Pressure Laminate or Wood Veneer



Tip: On extended height desks, any storage higher than 19", or 16½" if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 237/10", or 21½" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

► See Steelcase Worktools Specification Guide

Tip: Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

See page 46 for worksurface weights.

Tip: Antimicrobial can be specifed only when specifying simple touch controller and/or soft edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Soft edge is available on desks 58"W and larger.

Tip: Power access door and soft edge can be positioned left or right on desks that are 64"W or wider for use with One-High integrated storage.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer
- · Electric height-adjustable sit-to-stand base: paint
- Modular widths: 58"-76"
- 1/2" adjustable glides
- Power cord: 10⁴/₅'
- · Attachment hardware

- **Required to Specify**
- Style number
 Desk depth
- 3 Desk width
 - Desk width
- 4 High-Pressure Laminate or wood color for worksurface
- 5 Plastic color number for profile edge on laminate worksurface, if selected
- 6 Desk corner style, if laminate desk selected (see below under Required Selections)
- 7 Paint color number for base 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle
- 8 Controller (see below under Required Selections)
- Integrated rail (see below under Required Selections)
- 10 Antimicrobial or non-antimicrobial surface, if simple touch controller selected (see below under Required Selections)
- 11 Options, if selected (see below)
- See Surface Materials, page 208

	Required Selections	U.S. Price	Required to Specify
Desk Corner Style (Laminate Desks Only)	Square corners Radius corners	No cost +\$ 67	Specify with square corners. Specify with radius corners.
Controller	Simple touch controller Active touch controller 4 Pre-set controller	No cost +\$108 +\$125	Specify with simple touch controller. Specify with active touch controller. Specify with 4 pre-set controller.
Integrated Rail	Without integrated rail With integrated rail	No cost +\$327	Specify without integrated rail. Specify with integrated rail.
Antimicrobial Surface	Non-antimicrobial surface Antimicrobial surface	No cost No cost	Specify with non-antimicrobial surface. Specify with antimicrobial surface.
	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate of Laminate price group 2 Open Line laminate	desks See information at left +\$ 74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.
	Wood veneer desks Wood group 2 Wood group 3 Customiz stain	+\$ 74 +\$260 No cost	Specify wood color number. Specify wood color number. Specify with customiz stain. See Surface Materials Reference Manual
	• Full-fill finish on wood group 1	+\$ 74	Specify full-fill finish number.

No cost

+\$ 30

No cost

+\$238

+\$858

+\$868

▶Options, continued on next page

Desk Type

Soft Edge

Power and Data

Access Door.

Tray and USB

Base

· Paint price group 1

· Paint price group 2

· With soft edge

trav and USB:

tray and USB:

paint group 1 or 2

anodized aluminum

· Parametric width desk

· Power and data access door,

· Power and data access door,

Specify with power and data access door

Specify with power and data access door

Specify paint color number.

Specify paint color number.

See Surface Materials, page 208.

Specify with soft edge.

Specify with parametric desk type.

and select paint color number.


and select anodized aluminum.

▶Options, continued from previous page


Tip: Tapered desks accommodate either power and data access door or grommet, but not both.

	Options	U.S. Price	Required to Specify
Power and Data	Centered	No cost	Specify with centered position.
Access Door	• Left	No cost	Specify with left position.
and Soft Edge Position	• Right	No cost	Specify with right position.
Grommet	Grommet	+\$44	Specify with grommet.
Glides	1" adjustable glides	+\$32	Specify with 1" glides.
Related	Modesty panels		▶ Page 100
Products	 Fixed personal/modesty s 	creens	▶ Page 101
	· Cable and power manage	ment	▶ Page 102

Specific	Specification Information										
Style	Dimen	sions		U.S. Base Prices							
Number	LD	RD	· Desk Type								
:		:	Modular	: 58"W	: 64"W	: 70"W	: 76"W				
:	:	:	Parametric	58 ¹ / ₁₆ "W-60"W	: 60 ¹ / ₁₆ "W-66"W	: 66 ¹ / ₁₆ "W-72"W	: 72 ¹ / ₁₆ "W–78"W				
				•	:		:				




High-Pre	High-Pressure Laminate Desks — Extended Height									
OLELRT	23" or 24"	29" or 30"	\$2230	\$2299	\$2371	\$2445				
	29" or 30"	23" or 24"	\$2230	\$2299	\$2371	\$2445				
Wood Ve	eneer Desk	s — Extended	Height	•	·					
OLELRT	23" or 24"	29" or 30"	\$2868	\$2949	\$3028	\$3113				
	29" or 30"	23" or 24"	\$2868	\$2949	\$3028	\$3113				



High-Pressure Laminate Desks — Basic Height								
OLSLRT	23" or 24"	29" or 30"	\$2052	\$2115	\$2182	\$2250		
	29" or 30"	23" or 24"	\$2052 :	\$2115 :	\$2182 :	\$2250 :		
Wood Ve	eneer Desk	s — Basic Heig	ıht					
OLSLRT	23" or 24"	29" or 30"	\$2690	\$2765	\$2839	\$2918		
	29" or 30"	23" or 24"	\$2690	\$2765	\$2839	\$2918		

Ology Height-Adjustable Corner Desks

High-Pressure Laminate or Wood Veneer



Tip: On extended height desks, any storage higher than 19", or 16½" if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 237/10", or 21½" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure and options selected.

See page 46 for worksurface weights.

Tip: Antimicrobial can be specifed only when specifying simple touch controller.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer
- · Electric height-adjustable sit-to-stand base: paint
- · Modular widths:
- 90° equal corner: 52"-76"
- 90° extended corner: 40"-76"
- 120° equal corner: 34"-64"
- ½" adjustable glides
 Power cord: 10½'
- Attachment hardware

Required to Specify

- 1 Style number
- 2 Desk depth
- 3 Desk width
- 4 High-Pressure Laminate or wood color for worksurface
- 5 Plastic color number for profile edge on laminate worksurface, if selected
- 6 Desk corner style, if laminate desk selected (see below under Required Selections)
- 7 Paint color number for base 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle
- 8 Controller (see below under Required Selections)
- 9 Integrated rail (see below under Required Selections)
- 10 Antimicrobial or non-antimicrobial surface, if simple touch controller selected (see below under Required Selections)
- 11 Options, if selected (see below)
- See Surface Materials, page 208

	Required Selections	U.S. Price	Required to Specify
Desk Corner Style (Laminate Desks Only)	Square cornersRadius corners	No cost +\$ 67	Specify with square corners. Specify with radius corners.
Controller	Simple touch controller Active touch controller 4 Pre-set controller	No cost +\$108 +\$125	Specify with simple touch controller. Specify with active touch controller. Specify with 4 pre-set controller.
Integrated Rail	Without integrated rail With integrated rail	No cost +\$654	Specify without integrated rail. Specify with integrated rail.
Antimicrobial Surface	Non-antimicrobial surface Antimicrobial surface	No cost No cost	Specify with non-antimicrobial surface. Specify with antimicrobial surface.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate	desks	_				
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.				
	 Open Line laminate 	+\$ 74	See Surface Materials Reference Manual.				
		plus cost of laminate					
	Wood veneer desks						
	 Wood group 2 	+\$ 71	Specify wood color number.				
	 Wood group 3 	+\$260	Specify wood color number.				
	 Customiz stain 	No cost	Specify with customiz stain.				
			See Surface Materials Reference Manual.				
	 Full-fill finish on wood group 1 	+\$ 74	Specify full-fill finish number.				
	Base						
	 Paint price group 1 	No cost	Specify paint color number.				
	 Paint price group 2 	+\$ 45	Specify paint color number.				
			See Surface Materials, page 208.				
Desk Type	Modular width desk	No cost	Specify with modular desk type.				
	 Parametric width desk 	No cost	Specify with parametric desk type.				

▶Options, continued on next page

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

▶Options, continued from previous page


Tip: Power and data access door and gromment cannot be located on the same side of the desk.

Tip: Power and data access door is available on desks 58"W or greater.

Tip: When selecting power and data access door or grommet on one side, a cord drop will be standard on opposite side if integrated rail is present.

	Options	U.S. Price	Required to Specify
Power and Data Access Door, Tray and USB	Power and data access door on left or right: paint group 1 or 2	+\$ 858	Specify with power and data access door on left or right and select paint color number.
	Power and data access door on left or right: anodized aluminum	+\$ 868	Specify with power and data access door on left or right and select anodized aluminum.
	Power and data access door on left and right: paint group 1 or 2	+\$1716	Specify with power and data access door on left and right and select paint color number.
	 Power and data access door on left and right: anodized aluminum 	+\$1736	Specify with power and data access door on left and right and select anodized aluminum.
Grommet	Grommet on left- or right-hand side.	+\$ 44	Specify with grommet and select left- or right-hand sides.
	 Grommet on left- and right-hand side. 	+\$ 88	Specify with grommet and select left- and right-hand sides.
Glides	1" adjustable glides	+\$ 48	Specify with 1" glides.
Related	Modesty panels		▶Page 100
Products	Fixed personal/modesty screetCable and power management		▶ Page 101 ▶ Page 102

Specific	cation Info	rmation									
Style	Dimension	s			· U.S. Ba	ase Prices					
Number	D			ModularRight Width	: : 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
•		 Modular 	 Parametric 	Parametric							
:	:	Left Width	Left Width	Right Width	: 40"W-	· 421/16"W—	· 481/16"W-	54 ¹ / ₁₆ "W—	: 601/16"W-	66 ¹ / ₁₆ "W-	: 721/16"W-
		:	:		42"W	48"W	54"W	60"W	:66"W	72"W	:78"W
:	:	:	:	:	:	:	:	:	:	:	:



90° Corner Desks — Extended Height (Same Depth Both Ends 23"/24")


High-Pres	sure Lamina	te Desks								
OLELLC	23" or 24"	40"W	40"W-42"W	N.A.	N.A.	\$2697	\$2784	\$2871	\$2960	\$3051
	23" or 24"	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$2784	\$2871	\$2960	\$3051	\$3148
	23" or 24"	52"W	48 ¹ / ₁₆ "W–54"W	\$2697	\$2784	\$2871	\$2960	\$3051	\$3148	\$3247
	23" or 24"	58"W	54 ¹ / ₁₆ "W-60"W	\$2784	\$2871	\$2960	\$3051	\$3148	\$3247	\$3349
	23" or 24"	64"W	60 ¹ / ₁₆ "W-66"W	\$2871	\$2960	\$3051	\$3148	\$3247	\$3349	\$3455
	23" or 24"	70"W	66 ¹ / ₁₆ "W-72"W	\$2960	\$3051	\$3148	\$3247	\$3349	\$3455	\$3566
	23" or 24"	76"W	72 ¹ / ₁₆ "W-78"W	\$3051	\$3148	\$3247	\$3349	\$3455	\$3566	\$3672
•				•						

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to \(^{1}\seta_{16}\)'' from 52"W-78"W.

Tip: 90° desks, $60^{1}/_{16}$ "W x $60^{1}/_{16}$ "W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Specific	ation Informati	on									
·Style	·Dimensions				· U.S. Ba	se Prices					
Number	; D			 Modular 	:						
:				: Right Width	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	 Modular 	 Parametric 	Parametric							
:	:	: Left Width	: Left Width	: Right Width	: 40"W—	42 ¹ / ₁₆ "W—	: 48 ¹ / ₁₆ "W—	54 ¹ / ₁₆ "W—	60 ¹ / ₁₆ "W—	66 ¹ / ₁₆ "W—	: 721/16"W-
:	:	:	:	:	: 42"W	: 48"W	: 54"W	: 60"W	: 66"W	: 72"W	: 78"W
:	:	:	:	:	:	:	:	:	:	:	:



90° Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Press	ure Lamin	ate Desks	;								
OLELLC	23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	See page 60	\$2867	\$2962	\$3056	\$3149
	23" or 24" R/L	29" or 30" L/R	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$2867	\$2962	\$3056	\$3149	\$3249
	23" or 24" R/L	29" or 30" L/R	52"W	48 ¹ / ₁₆ "W–54"W	►See page 60	\$2867	\$2962	\$3056	\$3149	\$3249	\$3351
	23" or 24" R/L	29" or 30" L/R	58"W	54 ¹ / ₁₆ "W-60"W	\$2867	\$2962	\$3056	\$3149	\$3249	\$3351	\$3454
	23" or 24" R/L	29" or 30" L/R	64"W	60 ¹ / ₁₆ "W–66"W	\$2962	\$3056	\$3149	\$3249	\$3351	\$3454	\$3561
	23" or 24" R/L	29" or 30" L/R	70"W	66 ¹ / ₁₆ "W-72"W	\$3056	\$3149	\$3249	\$3351	\$3454	\$3561	\$3673
	23" or 24" R/L	29" or 30" L/R	76"W	72 ¹ / ₁₆ "W–78"W	\$3149	\$3249	\$3351	\$3454	\$3561	\$3673	\$3780


Tip: At least one side must be 52"W or greater.



Tip: Equal corner widths are parametric to 1/16" from 52"W-78"W.


Tip: 90° desks, $60^{1}/_{16}$ "W x $60^{1}/_{16}$ "W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Specific	cation Info	mation									
Style	Dimensions	•			·U.S. B	ase Prices					
Number	D			ModularRight Width	40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	• Modular	 Parametric 	Parametric							
		Left Width	Left Width	Right Width	: 40"W-	· 421/16"W-	: 48 ¹ / ₁₆ "W—	54 ¹ / ₁₆ "W—	: 601/16"W—	: 66 ¹ / ₁₆ "W—	: 721/16"W-
:		:	:	:	: 42"W	48"W	54"W	60"W	66"W	72"W	78"W
•	:	:	:			:	:	:	:	:	



90° Corner Desks — Extended Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks												
OLELLC	29" or 30"	40"W	40"W-42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.		
	29" or 30"	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$2950	\$3051	\$3151	\$3247	\$3349		
	29" or 30"	52"W	48 ¹ / ₁₆ "W-54"W	N.A.	\$2950	\$3051	\$3151	\$3247	\$3349	\$3455		
	29" or 30"	58"W	54 ¹ / ₁₆ "W-60"W	N.A.	\$3051	\$3151	\$3247	\$3349	\$3455	\$3560		
	29" or 30"	64"W	60 ¹ / ₁₆ "W-66"W	N.A.	\$3151	\$3247	\$3349	\$3455	\$3560	\$3668		
	29" or 30"	70"W	66 ¹ / ₁₆ "W-72"W	N.A.	\$3247	\$3349	\$3455	\$3560	\$3668	\$3781		
	29" or 30"	76"W	72 ¹ / ₁₆ "W-78"W	N.A.	\$3349	\$3455	\$3560	\$3668	\$3781	\$3889		
	:	:	: :	:	:	:	:	:	:	:		



90° Corner Desks — Extended Height (Same Depth Both Ends 23"/24")


23" or 24"									
	40"W	40"W-42"W	N.A.	N.A.	\$3645	\$3746	\$3847	\$3949	\$4058
23" or 24"	46"W	42 ¹ / ₁₆ "W–48"W	N.A.	N.A.	\$3746	\$3847	\$3949	\$4058	\$4169
23" or 24"	52"W	48 ¹ / ₁₆ "W–54"W	\$3645	\$3746	\$3847	\$3936	\$4058	\$4169	\$4282
23" or 24"	58"W	54 ¹ / ₁₆ "W-60"W	\$3746	\$3847	\$3936	\$4058	\$4169	\$4282	\$4400
23" or 24"	64"W	60 ¹ / ₁₆ "W–66"W	\$3847	\$3949	\$4058	\$4169	\$4282	\$4400	\$4520
23" or 24"	70"W	66 ¹ / ₁₆ "W-72"W	\$3949	\$4058	\$4169	\$4282	\$4400	\$4510	\$4643
23" or 24"	76"W	72 ¹ / ₁₆ "W-78"W	\$4058	\$4169	\$4282	\$4400	\$4520	\$4643	\$4773
	23" or 24" 23" or 24" 23" or 24" 23" or 24"	23" or 24" 52"W 23" or 24" 58"W 23" or 24" 64"W 23" or 24" 70"W	23" or 24" 52"W 48½6"W–54"W 23" or 24" 58"W 54½6"W–60"W 23" or 24" 64"W 60½6"W–66"W 23" or 24" 70"W 66⅓6"W–72"W	23" or 24" 52"W 48½6"W–54"W \$3645 23" or 24" 58"W 54½6"W–60"W \$3746 23" or 24" 64"W 60½6"W–66"W \$3847 23" or 24" 70"W 66½6"W–72"W \$3949	23" or 24" 52"W 48½6"W-54"W \$3645 \$3746 23" or 24" 58"W 54½6"W-60"W \$3746 \$3847 23" or 24" 64"W 60½6"W-66"W \$3847 \$3949 23" or 24" 70"W 66½6"W-72"W \$3949 \$4058	23" or 24" 52"W 48½6"W-54"W \$3645 \$3746 \$3847 23" or 24" 58"W 54½6"W-60"W \$3746 \$3847 \$3936 23" or 24" 64"W 60½6"W-66"W \$3847 \$3949 \$4058 23" or 24" 70"W 66½6"W-72"W \$3949 \$4058 \$4169	23" or 24" 52"W 48½6"W–54"W \$3645 \$3746 \$3847 \$3936 23" or 24" 58"W 54½6"W–60"W \$3746 \$3847 \$3936 \$4058 23" or 24" 64"W 60½6"W–66"W \$3847 \$3949 \$4058 \$4169 23" or 24" 70"W 66½6"W–72"W \$3949 \$4058 \$4169 \$4282	23" or 24" 52"W 48½6"W–54"W \$3645 \$3746 \$3847 \$3936 \$4058 23" or 24" 58"W 54½6"W–60"W \$3746 \$3847 \$3936 \$4058 \$4169 23" or 24" 64"W 60½6"W–66"W \$3847 \$3949 \$4058 \$4169 \$4282 23" or 24" 70"W 66½6"W–72"W \$3949 \$4058 \$4169 \$4282	23" or 24" 52"W 48½6"W-54"W \$3645 \$3746 \$3847 \$3936 \$4058 \$4169 23" or 24" 58"W 54½6"W-60"W \$3746 \$3847 \$3936 \$4058 \$4169 \$4282 23" or 24" 64"W 60½6"W-66"W \$3847 \$3949 \$4058 \$4169 \$4282 \$4400 23" or 24" 70"W 66½6"W-72"W \$3949 \$4058 \$4169 \$4282 \$4400 \$4510

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to \(^1/_{16}\)" from 52"W-78"W.

Tip: 90° desks, $60^{1}/16''W$ x $60^{1}/16''W$ and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Specific	ation Informati	on									
·Style	·Dimensions				·U.S. Ba	se Prices					
Number	D			 Modular 	:						
				Right Width	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	• Modular	 Parametric 	Parametric							
:		Left Width	Left Width	Right Width	: 40"W-	: 42 ¹ / ₁₆ "W—	: 48 ¹ / ₁₆ "W—	: 54 ¹ / ₁₆ "W—	: 60 ¹ / ₁₆ "W—	66 ¹ / ₁₆ "W-	: 721/16"W-
:	:	:	:	:	42"W	48"W	: 54"W	: 60"W	66"W	: 72"W	78"W
1	:	:	:	:	:	:	:	:	:	:	:



90° Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Wood Ven	eer Desks										
OLELLC	23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	►See page 60	\$3829	\$3938	\$4045	\$4156
	23" or 24" R/L	29" or 30" L/R	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$3829	\$3938	\$4045	\$4156	\$4269
	23" or 24" R/L	29" or 30" L/R	52"W	48 ¹ / ₁₆ "W–54"W	►See page 60	\$3829	\$3938	\$4045	\$4156	\$4269	\$4386
	23" or 24" R/L	29" or 30" L/R	58"W	54 ¹ / ₁₆ "W-60"W	\$3829	\$3938	\$4045	\$4156	\$4269	\$4386	\$4505
	23" or 24" R/L	29" or 30" L/R	64"W	60 ¹ / ₁₆ "W–66"W	\$3938	\$4045	\$4156	\$4269	\$4386	\$4505	\$4627
	23" or 24" R/L	29" or 30" L/R	70"W	66 ¹ / ₁₆ "W-72"W	\$4045	\$4156	\$4269	\$4386	\$4505	\$4627	\$4751
	23" or 24" R/L	29" or 30" L/R	76"W	72 ¹ / ₁₆ "W-78"W	\$4156	\$4269	\$4386	\$4505	\$4627	\$4751	\$4881


Tip: At least one side must be 52"W or greater.



Tip: Equal corner widths are parametric to 1/16" from 52"W-78"W.


Tip: 90° desks, $60^{1}/_{16}$ "W x $60^{1}/_{16}$ "W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Specific	cation Info	rmation									
Style	Dimensions	5			·U.S. Ba	ase Prices					
Number	: D			ModularRight Width	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	; 76"W
:	:	• Modular	 Parametric 	Parametric							
		Left Width	Left Width	Right Width	: 40"W-	· 421/16"W-	· 481/16"W—	: 54 ¹ / ₁₆ "W—	: 601/16"W—	: 661/16"W-	: 721/16"W-
				:	: 42"W	48"W	54"W	60"W	66"W	72"W	78"W
:	:	:	:	:	:	:	:	:	:	:	:



90° Corner Desks — Extended Height (Same Depth Both Ends 29"/30")

Wood Ver	neer Desks									
OLELLC	29" or 30"	40"W	40"W-42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$3912	\$4027	\$4139	\$4254	\$4370
	29" or 30"	52"W	48 ¹ / ₁₆ "W–54"W	N.A.	\$3912	\$4027	\$4139	\$4254	\$4370	\$4490
	29" or 30"	58"W	54 ¹ / ₁₆ "W-60"W	N.A.	\$4027	\$4139	\$4254	\$4370	\$4490	\$4611
	29" or 30"	64"W	60 ¹ / ₁₆ "W-66"W	N.A.	\$4139	\$4254	\$4370	\$4490	\$4611	\$4733
	29" or 30"	70"W	66 ¹ / ₁₆ "W-72"W	N.A.	\$4254	\$4370	\$4490	\$4611	\$4733	\$4859
	29" or 30"	76"W	72 ¹ / ₁₆ "W-78"W	N.A.	\$4370	\$4490	\$4611	\$4733	\$4859	\$4990
:	:	:	: :	:	:	:	:	:	:	:



90° Corner Desks — Basic Height (Same Depth Both Ends 23"/24")


High-Pres	sure Lamina	te Desks								
OLSLLC	23" or 24"	40"W	40"W-42"W	N.A.	N.A.	\$2480	\$2562	\$2643	\$2724	\$2807
	23" or 24"	46"W	42 ¹ / ₁₆ "W–48"W	N.A.	N.A.	\$2562	\$2643	\$2724	\$2807	\$2896
	23" or 24"	52"W	48 ¹ / ₁₆ "W–54"W	\$2480	\$2562	\$2643	\$2724	\$2807	\$2896	\$2987
	23" or 24"	58"W	54 ¹ / ₁₆ "W-60"W	\$2562	\$2643	\$2724	\$2807	\$2896	\$2987	\$3080
	23" or 24"	64"W	60½16"W–66"W	\$2643	\$2724	\$2807	\$2896	\$2987	\$3080	\$3178
	23" or 24"	70"W	66½16"W-72"W	\$2724	\$2807	\$2896	\$2987	\$3080	\$3178	\$3280
	23" or 24"	76"W	72½16"W-78"W	\$2807	\$2896	\$2987	\$3080	\$3178	\$3280	\$3378

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W-78"W.

Tip: 90° desks, 60¹/₁6"W x 60¹/₁6"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Style	 Dimensions 				· U.S. Ba	se Prices					
Number	; D			ModularRight Width	: : 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	• Modular	• Parametric	Parametric							
:	:	: Left Width	: Left Width	: Right Width	: 40"W—					: 66 ¹ / ₁₆ "W—	
	:	:	:	:	: 42"W	: 48"W	: 54"W	: 60"W	: 66"W	:72"W	: 78"W
:	:	:	:	:	:	:	:	:	:	:	



90° Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	►See page 60	\$2637	\$2725	\$2811	\$2897
23" or 24" R/L	29" or 30" L/R	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$2637	\$2725	\$2811	\$2897	\$2989
23" or 24" R/L	29" or 30" L/R	52"W	48 ¹ / ₁₆ "W–54"W	See page 60	\$2637	\$2725	\$2811	\$2897	\$2989	\$3083
23" or 24" R/L	29" or 30" L/R	58"W	54 ¹ / ₁₆ "W-60"W	\$2637	\$2725	\$2811	\$2897	\$2989	\$3083	\$3178
23" or 24" R/L	29" or 30" L/R	64"W	60 ¹ / ₁₆ "W-66"W	\$2725	\$2811	\$2897	\$2989	\$3083	\$3178	\$3276
23" or 24" R/L	29" or 30" L/R	70"W	66 ¹ / ₁₆ "W-72"W	\$2811	\$2897	\$2989	\$3083	\$3178	\$3276	\$3376
23" or 24" R/L	29" or 30" L/R	76"W	72 ¹ / ₁₆ "W–78"W	\$2897	\$2989	\$3083	\$3178	\$3276	\$3376	\$3478
	23" or 24" R/L 23" or	23" or 29" or 24" R/L 30" L/R	23" or 29" or 46"W 24" R/L 30" L/R 23" or 29" or 52"W 24" R/L 30" L/R 23" or 29" or 58"W 24" R/L 30" L/R 23" or 29" or 64"W 24" R/L 30" L/R 23" or 29" or 70"W 24" R/L 30" L/R	23" or 29" or 46"W 42¹/16"W-48"W 24" R/L 30" L/R 23" or 29" or 52"W 48¹/16"W-54"W 24" R/L 30" L/R 23" or 29" or 58"W 54¹/16"W-60"W 24" R/L 30" L/R 23" or 29" or 64"W 60¹/16"W-66"W 24" R/L 30" L/R 23" or 29" or 70"W 66¹/16"W-72"W 24" R/L 30" L/R 23" or 29" or 76"W 72¹/16"W-78"W	23" or 29" or 46"W 42¹/₁6"W−48"W N.A. 23" or 29" or 52"W 48¹/₁6"W−54"W ▶See 24" R/L 30" L/R page 60 23" or 29" or 58"W 54¹/₁6"W−60"W \$2637 24" R/L 30" L/R 23" or 29" or 64"W 60¹/₁6"W−66"W \$2725 24" R/L 30" L/R 23" or 29" or 70"W 66¹/₁6"W−72"W \$2811 24" R/L 30" L/R 23" or 29" or 76"W 72¹/₁6"W−78"W \$2897	23" or 29" or 46"W 42¹¹/16"W-48"W N.A. N.A. 23" or 29" or 52"W 48¹¹/16"W-54"W See \$2637 24" R/L 30" L/R 23" or 29" or 58"W 54¹¹/16"W-60"W \$2637 \$2725 24" R/L 30" L/R 23" or 29" or 64"W 60¹¹/16"W-66"W \$2725 \$2811 24" R/L 30" L/R 23" or 29" or 70"W 66¹¹/16"W-72"W \$2811 \$2897 24" R/L 30" L/R 23" or 29" or 76"W 72¹¹/16"W-78"W \$2897 \$2989	23" or 29" or 46"W 421/16"W-48"W N.A. N.A. \$2637 24" R/L 30" L/R 23" or 29" or 52"W 481/16"W-54"W See 52637 \$2725 24" R/L 30" L/R 23" or 29" or 58"W 541/16"W-60"W \$2637 \$2725 \$2811 24" R/L 30" L/R 23" or 29" or 64"W 601/16"W-66"W \$2725 \$2811 \$2897 24" R/L 30" L/R 23" or 29" or 70"W 661/16"W-72"W \$2811 \$2897 \$2989 24" R/L 30" L/R 23" or 29" or 76"W 721/16"W-78"W \$2897 \$2989 \$3083	23" or 29" or 46"W 42¹/₁6"W−48"W N.A. N.A. \$2637 \$2725 24" R/L 30" L/R 23" or 29" or 52"W 48¹/₁6"W−54"W ▶See \$2637 \$2725 \$2811 24" R/L 30" L/R 23" or 29" or 58"W 54¹/₁6"W−60"W \$2637 \$2725 \$2811 \$2897 24" R/L 30" L/R 23" or 29" or 64"W 60¹/₁6"W−66"W \$2725 \$2811 \$2897 \$2989 24" R/L 30" L/R 23" or 29" or 70"W 66¹/₁6"W−72"W \$2811 \$2897 \$2989 \$3083 24" R/L 30" L/R 23" or 29" or 76"W 72¹/₁6"W−78"W \$2897 \$2989 \$3083 \$3178	23" or 29" or 46"W 42 ¹ / ₁₆ "W-48"W N.A. N.A. \$2637 \$2725 \$2811 23" or 29" or 52"W 48 ¹ / ₁₆ "W-54"W See page 60 \$2637 \$2725 \$2811 \$2897 23" or 29" or 58"W 54 ¹ / ₁₆ "W-60"W \$2637 \$2725 \$2811 \$2897 \$2989 24" R/L 30" L/R \$2725 \$2811 \$2897 \$2989 \$3083 \$3178 \$3276 \$2811 \$2897 \$2989 \$3083 \$3178 \$3276	23" or 29" or 46"W 42¹/₁6"W−48"W N.A. N.A. \$2637 \$2725 \$2811 \$2897 23" or 29" or 52"W 48¹/₁6"W−54"W See page 60 \$2637 \$2725 \$2811 \$2897 \$2989 23" or 29" or 58"W 54¹/₁6"W−60"W \$2637 \$2725 \$2811 \$2897 \$2989 \$3083 24" R/L 30" L/R \$29" or 29" or 29" or 64"W 60¹/₁6"W−66"W \$2725 \$2811 \$2897 \$2989 \$3083 \$3178 23" or 29" or 70"W 66¹/₁6"W−72"W \$2811 \$2897 \$2989 \$3083 \$3178 \$3276 23" or 29" or 76"W 72¹/₁6"W−78"W \$2897 \$2989 \$3083 \$3178 \$3276 \$3376


Tip: At least one side must be 52"W or greater.



Tip: Equal corner widths are parametric to \(^1/_{16}\)" from 52\"W-78\"W.


Tip: 90° desks, $60^{1}/16''W \times 60^{1}/16''W$ and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Specific	cation Info	rmation									
Style	Dimensions	5			·U.S. Ba	ase Prices					
Number	: D			ModularRight Width	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	; 76"W
:	:	• Modular	 Parametric 	Parametric							
		Left Width	Left Width	Right Width	: 40"W-	· 421/16"W-	· 481/16"W—	: 54 ¹ / ₁₆ "W—	: 601/16"W—	: 661/16"W-	: 721/16"W-
				:	: 42"W	48"W	54"W	60"W	66"W	72"W	78"W
:	:	:	:	:	:	:	:	:	:	:	:



90° Corner Desks — Basic Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks OLSLLC 29" or 30" 40"W 40"W-42"W N.A. N.A. N.A. N.A. N.A. N.A. N.A. $42^{1}/_{16}$ "W-48"W 29" or 30" 46"W N.A. N.A. \$2714 \$2807 \$2898 \$2987 \$3080 29" or 30" 52"W 48¹/₁₆"W-54"W N.A. \$2714 \$2807 \$2898 \$2987 \$3080 \$3178 29" or 30" $54^{1}/_{16}$ "W-60"W 58"W N.A. \$2807 \$2898 \$2987 \$3080 \$3178 \$3275 29" or 30" 64"W 60¹/₁₆"W-66"W N.A. \$2898 \$2987 \$3080 \$3178 \$3275 \$3375 29" or 30" 70"W 66¹/₁₆"W-72"W \$2987 \$3080 \$3178 \$3275 \$3375 \$3479 N.A. 29" or 30" 76"W 72¹/₁₆"W-78"W N.A. \$3080 \$3178 \$3275 \$3375 \$3479 \$3578



90° Corner Desks — Basic Height (Same Depth Both Ends 23"/24")


Wood Ver	neer Desks									
OLSLLC	23" or 24"	40"W	40"W-42"W	N.A.	N.A.	\$3428	\$3524	\$3619	\$3713	\$3814
	23" or 24"	46"W	42 ¹ / ₁₆ "W–48"W	N.A.	N.A.	\$3524	\$3619	\$3713	\$3814	\$3917
	23" or 24"	52"W	48½16"W-54"W	\$3428	\$3524	\$3619	\$3700	\$3814	\$3917	\$4022
	23" or 24"	58"W	54½16"W-60"W	\$3524	\$3619	\$3700	\$3814	\$3917	\$4022	\$4131
	23" or 24"	64"W	60½16"W–66"W	\$3619	\$3713	\$3814	\$3917	\$4022	\$4131	\$4243
	23" or 24"	70"W	66½16"W-72"W	\$3713	\$3814	\$3917	\$4022	\$4131	\$4243	\$4356
	23" or 24"	76"W	72 ¹ / ₁₆ "W-78"W	\$3814	\$3917	\$4022	\$4131	\$4243	\$4356	\$4479

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W-78"W.

Tip: 90° desks, 60½6"W x 60½6"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Style	 Dimensions 				· U.S. Ba	se Prices					
Number	; D			ModularRight Width	: : 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	• Modular	• Parametric	Parametric							
:	:	: Left Width	: Left Width	: Right Width	: 40"W—					: 66 ¹ / ₁₆ "W—	
	:	:	:	:	: 42"W	: 48"W	: 54"W	: 60"W	: 66"W	:72"W	: 78"W
:	:	:	:	:	:	:	:	:	:	:	



90° Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

eer Desks										
23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	►See page 60	\$3600	\$3701	\$3800	\$3904
23" or 24" R/L	29" or 30" L/R	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$3600	\$3701	\$3800	\$3904	\$4010
23" or 24" R/L	29" or 30" L/R	52"W	48 ¹ / ₁₆ "W–54"W	►See page 60	\$3600	\$3701	\$3800	\$3904	\$4010	\$4118
23" or 24" R/L	29" or 30" L/R	58"W	54 ¹ / ₁₆ "W-60"W	\$3600	\$3701	\$3800	\$3904	\$4010	\$4118	\$4229
23" or 24" R/L	29" or 30" L/R	64"W	60 ¹ / ₁₆ "W–66"W	\$3701	\$3800	\$3904	\$4010	\$4118	\$4229	\$4342
23" or 24" R/L	29" or 30" L/R	70"W	66 ¹ / ₁₆ "W-72"W	\$3800	\$3904	\$4010	\$4118	\$4229	\$4342	\$4457
23" or 24" R/L	29" or 30" L/R	76"W	72 ¹ / ₁₆ "W–78"W	\$3904	\$4010	\$4118	\$4229	\$4342	\$4457	\$4579
	23" or 24" R/L 23" or 24" R/L 23" or 24" R/L 23" or 24" R/L 23" or 24" R/L 23" or	23" or 29" or 24" R/L 30" L/R	23" or 29" or 40"W 24" R/L 30" L/R 23" or 29" or 46"W 24" R/L 30" L/R 23" or 29" or 52"W 24" R/L 30" L/R 23" or 29" or 58"W 24" R/L 30" L/R 23" or 29" or 64"W 24" R/L 30" L/R 23" or 29" or 70"W 24" R/L 30" L/R 23" or 29" or 70"W 24" R/L 30" L/R	23" or 29" or 40"W 40"W-42"W 24" R/L 30" L/R 23" or 29" or 46"W 421/16"W-48"W 24" R/L 30" L/R 23" or 29" or 52"W 481/16"W-54"W 24" R/L 30" L/R 23" or 29" or 58"W 541/16"W-60"W 24" R/L 30" L/R 23" or 29" or 64"W 601/16"W-66"W 24" R/L 30" L/R 23" or 29" or 70"W 661/16"W-72"W 24" R/L 30" L/R 23" or 29" or 70"W 661/16"W-72"W 24" R/L 30" L/R	23" or 29" or 40"W 40"W-42"W N.A. 24" R/L 30" L/R 23" or 29" or 46"W 42¹/₁6"W-48"W N.A. 24" R/L 30" L/R 23" or 29" or 52"W 48¹/₁6"W-54"W ▶ See 24" R/L 30" L/R 23" or 29" or 58"W 54¹/₁6"W-60"W \$3600 24" R/L 30" L/R 23" or 29" or 64"W 60¹/₁6"W-66"W \$3701 24" R/L 30" L/R 23" or 29" or 70"W 66¹/₁6"W-72"W \$3800 24" R/L 30" L/R 23" or 29" or 76"W 72¹/₁6"W-78"W \$3904	23" or 29" or 40"W 40"W-42"W N.A. N.A. 24" R/L 30" L/R 23" or 29" or 46"W 42¹/₁6"W-48"W N.A. N.A. 24" R/L 30" L/R 23" or 29" or 52"W 48¹/₁6"W-54"W See \$3600 24" R/L 30" L/R 23" or 29" or 58"W 54¹/₁6"W-60"W \$3600 \$3701 24" R/L 30" L/R 23" or 29" or 64"W 60¹/₁6"W-66"W \$3701 \$3800 24" R/L 30" L/R 23" or 29" or 70"W 66¹/₁6"W-72"W \$3800 \$3904 24" R/L 30" L/R 23" or 29" or 76"W 72¹/₁6"W-78"W \$3904 \$4010	23" or 29" or 40"W 40"W-42"W N.A. N.A. See page 60 23" or 29" or 46"W 42¹/16"W-48"W N.A. N.A. \$3600 24" R/L 30" L/R 23" or 29" or 52"W 48¹/16"W-54"W See \$3600 \$3701 24" R/L 30" L/R 23" or 29" or 58"W 54¹/16"W-60"W \$3600 \$3701 \$3800 24" R/L 30" L/R 23" or 29" or 64"W 60¹/16"W-66"W \$3701 \$3800 \$3904 24" R/L 30" L/R 23" or 29" or 70"W 66¹/16"W-72"W \$3800 \$3904 \$4010 24" R/L 30" L/R 23" or 29" or 76"W 72¹/16"W-78"W \$3904 \$4010 \$4118	23" or 29" or 40"W 40"W−42"W N.A. N.A. See \$3600 page 60 23" or 29" or 46"W 42¹/₁6"W−48"W N.A. N.A. \$3600 \$3701 24" R/L 30" L/R 23" or 29" or 52"W 48¹/₁6"W−54"W See \$3600 \$3701 \$3800 24" R/L 30" L/R 23" or 29" or 58"W 54¹/₁6"W−60"W \$3600 \$3701 \$3800 \$3904 24" R/L 30" L/R 23" or 29" or 64"W 60¹/₁6"W−66"W \$3701 \$3800 \$3904 \$4010 24" R/L 30" L/R 23" or 29" or 70"W 66¹/₁6"W−72"W \$3800 \$3904 \$4010 \$4118 23" or 29" or 76"W 72¹/₁6"W−78"W \$3904 \$4010 \$4118	23" or 29" or 40"W 40"W-42"W N.A. N.A. See \$3600 \$3701 24" R/L 30" L/R N.A. 29" or 46"W 42¹/₁6"W-48"W N.A. N.A. \$3600 \$3701 \$3800 24" R/L 30" L/R N.A. See \$3600 \$3701 \$3800 24" R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 24" R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 24" R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 24" R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 24" R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 24" R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3701 \$3800 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$4118 \$4229 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$4118 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$4118 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$4118 \$41 R/L 30" L/R See \$3600 \$3904 \$4010 \$41 R/L 30" L/R See \$3600 \$4000 \$41 R/L 30" L/	23" or 29" or 46"W 40"W−42"W N.A. N.A. See \$3600 \$3701 \$3800 24" R/L 30" L/R 23" or 29" or 46"W 42¹/₁6"W−48"W N.A. N.A. \$3600 \$3701 \$3800 \$3904 24" R/L 30" L/R 23" or 29" or 52"W 48¹/₁6"W−54"W See \$3600 \$3701 \$3800 \$3904 \$4010 24" R/L 30" L/R 23" or 29" or 58"W 54¹/₁6"W−60"W \$3600 \$3701 \$3800 \$3904 \$4010 \$4118 24" R/L 30" L/R 23" or 29" or 64"W 60¹/₁6"W−66"W \$3701 \$3800 \$3904 \$4010 \$4118 \$4229 24" R/L 30" L/R 23" or 29" or 70"W 66¹/₁6"W−72"W \$3800 \$3904 \$4010 \$4118 \$4229 24" R/L 30" L/R 23" or 29" or 76"W 72¹/₁6"W−78"W \$3904 \$4010 \$4118 \$4229 \$4342 24" R/L 30" L/R


Tip: At least one side must be 52"W or greater.



Tip: Equal corner widths are parametric to \(^1/_{16}\)" from 52\"W-78\"W.

Tip: 90° desks, $60^{1}/16''W \times 60^{1}/16''W$ and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

W · 70"W · 76									Style
VV 10 VV 10	′ ; 64"W	: 52"W : 58"V	: 46"W	40"W	ModularRight Width			D	Number
					Parametric	Parametric	 Modular 	•	•
/ ₁₆ "W- : 66 ¹ / ₁₆ "W- : 72	•				: Right Width	lth : Left Width	Left Width	:	· ·
W : 72"W : 78	′ ; 66"W	: 54"W : 60"V	: 48"W	: 42"W	:	:	:		
		54"W 60"V		: 40 W— : 42"W	: Hight Width	ilin Eleit Width	: Leit width	:	•



90° Corner Desks — Basic Height (Same Depth Both Ends 29"/30")

Wood Vei	neer Desks									
OLSLLC	29" or 30"	40"W	40"W-42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$3676	\$3783	\$3887	\$3994	\$4101
	29" or 30"	52"W	48 ¹ / ₁₆ "W–54"W	N.A.	\$3676	\$3783	\$3887	\$3994	\$4101	\$4213
	29" or 30"	58"W	54 ¹ / ₁₆ "W-60"W	N.A.	\$3783	\$3887	\$3994	\$4101	\$4213	\$4326
	29" or 30"	64"W	60 ¹ / ₁₆ "W–66"W	N.A.	\$3887	\$3994	\$4101	\$4213	\$4326	\$4440
	29" or 30"	70"W	66 ¹ / ₁₆ "W-72"W	N.A.	\$3994	\$4101	\$4213	\$4326	\$4440	\$4555
	29" or 30"	76"W	72 ¹ / ₁₆ "W–78"W	N.A.	\$4101	\$4213	\$4326	\$4440	\$4555	\$4679


Tip: At least one side must be 52"W or greater.



Tip: Equal corner widths are parametric to $^{1}/_{16}$ " from 52"W-78"W.

Tip: 90° desks, $60^{1}/_{16}$ "W x $60^{1}/_{16}$ "W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

Specific	cation Info	rmation								
·Style	Dimensions	i			·U.S. Bas	e Prices				
Number	D			ModularRight Width	34"W	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W
:	:	• Modular Left Width	• Parametric • Left Width	Parametric Right Width	: 34"W— : 36"W	: 36 ¹ / ₁₆ "W— : 42"W	: 42 ¹ / ₁₆ "W— : 48"W	: 48 ¹ / ₁₆ "W— : 54"W	54 ¹ / ₁₆ "W—	: 60 ¹ / ₁₆ "W—
		:	:	:	:	:	:	:	:	:



120° Corner Desks — Extended Height

High-Pres	sure Lamina	ite Desks							
OLELWC	23" or 24"	34"W	34"W-36"W	\$2480	\$2652	\$2824	\$2824	\$2824	\$2912
	23" or 24"	40"W	36½6"W-42"W	\$2652	\$2652	\$2824	\$2912	\$2912	\$3004
	23" or 24"	46"W	42 ¹ / ₁₆ "W-48"W	\$2824	\$2824	\$2824	\$3004	\$3004	\$3099
	23" or 24"	52"W	48 ¹ / ₁₆ "W–54"W	\$2824	\$2912	\$3004	\$3004	\$3196	\$3196
	23" or 24"	58"W	54½16"W-60"W	\$2824	\$2912	\$3004	\$3196	\$3196	\$3293
	23" or 24"	64"W	60 ¹ / ₁₆ "W–66"W	\$2912	\$3004	\$3099	\$3196	\$3293	\$3392
Wood Ver	neer Desks	•		•	•	-	•	•	
OLELWC	23" or 24"	34"W	34"W-36"W	\$3236	\$3637	\$3833	\$3833	\$3833	\$3934
	23" or 24"	40"W	36½16"W-42"W	\$3637	\$3637	\$3833	\$3934	\$3934	\$4041
	23" or 24"	46"W	42½16"W-48"W	\$3833	\$3833	\$3833	\$4041	\$4041	\$4153
	23" or 24"	52"W	48 ¹ / ₁₆ "W-54"W	\$3833	\$3934	\$4041	\$4041	\$4252	\$4252
	23" or 24"	58"W	54 ¹ / ₁₆ "W-60"W	\$3833	\$3934	\$4041	\$4252	\$4252	\$4362
	23" or 24"	64"W	60½16"W-66"W	\$3934	\$4041	\$4153	\$4252	\$4362	\$4476

[▶] Specification Information, continued on next page



Specifi	cation Info	rmation								
·Style	· Dimensions	;			·U.S. Bas	se Prices				
Number	D			ModularRight Width	34"W	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W
:	:	• Modular	 Parametric 	Parametric	: 34"W—	: 36 ¹ / ₁₆ "W—	42 ¹ / ₁₆ "W-	: 48 ¹ / ₁₆ "W—	54 ¹ / ₁₆ "W—	: 60 ¹ / ₁₆ "W—
:	:	Left Width	Left Width	Right Width	: 36"W	42"W	: 48"W	: 54"W	: 60"W	: 66"W
:					:	:	:		:	




120° Corner Desks — Basic Height

High-Pres	sure Lamina	ate Desks							
OLSLWC	23" or 24"	34"W	34"W-36"W	\$2281	\$2440	\$2598	\$2598	\$2598	\$2678
	23" or 24"	40"W	36 ¹ / ₁₆ "W-42"W	\$2440	\$2440	\$2598	\$2678	\$2678	\$2764
	23" or 24"	46"W	42 ¹ / ₁₆ "W-48"W	\$2598	\$2598	\$2598	\$2764	\$2764	\$2851
	23" or 24"	52"W	48 ¹ / ₁₆ "W–54"W	\$2598	\$2678	\$2764	\$2764	\$2941	\$2941
	23" or 24"	58"W	54 ¹ / ₁₆ "W-60"W	\$2598	\$2678	\$2764	\$2941	\$2941	\$3030
	23" or 24"	64"W	60 ¹ / ₁₆ "W–66"W	\$2678	\$2764	\$2851	\$2941	\$3030	\$3122
Wood Ver	neer Desks	•	· · ·	•	•	•	•	•	•
OLSLWC	23" or 24"	34"W	34"W-36"W	\$3037	\$3425	\$3607	\$3607	\$3607	\$3700
	23" or 24"	40"W	36 ¹ / ₁₆ "W-42"W	\$3425	\$3425	\$3607	\$3700	\$3700	\$3801
	23" or 24"	46"W	42 ¹ / ₁₆ "W-48"W	\$3607	\$3607	\$3607	\$3801	\$3801	\$3905
	23" or 24"	52"W	48 ¹ / ₁₆ "W-54"W	\$3607	\$3700	\$3801	\$3801	\$3997	\$3997
	23" or 24"	58"W	54 ¹ / ₁₆ "W-60"W	\$3607	\$3700	\$3801	\$3997	\$3997	\$4099
	23" or 24"	64"W	60 ¹ / ₁₆ "W-66"W	\$3700	\$3801	\$3905	\$3997	\$4099	\$4206
		:	: :	:	:	:	:	:	:



Ology Height-Adjustable Bases



Tip: Any storage higher than 19" will impede lowest height range of worksurface. On basic height desks, any storage higher than 23⁷/10" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

►See Steelcase Worktools Specification Guide.

Tip: Base supports a maximum distributed weight capacity of 314 pounds (2-leg) and 471 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface and understructure.

See page 46 for understructure weights.

Tip: Antimicrobial can be specifed only when specifying simple touch controller.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: 9" overhang is available on desks 64"W and larger. Overhang on both sides is available on 70"W and 76"W only.

Tip: Overhang is available on rectangular bases only.

AWARNING

Read base only warranty limitations.

►See page 23 for Workstation Design Guidelines and Requirements.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Standard Includes

► Need help? Product details, page 40

· Electric height-adjustable sit-to-stand base: paint

- · Modular width:
- Rectangular base: 34"-76" - Tapered base: 58"-76"
- 90° equal corner base: 52"-76"
- 90° extended corner base: 40"-76"
- 120° equal corner base: 34"–64"
- ½" adjustable glides Power cord: 10⁴/₅¹
- · Attachment hardware

- **Required to Specify**
- 1 Style number 2 Desk depth
- 3 Desk width
- 4 Paint color number for base:
 - 4799 Platinum Metallic
 - 7207 Black
- 7241 Arctic White
- 7360 Merle
- 5 Controller (see below under Required Selections)
- 6 Antimicrobial or non-antimicrobial surface, if simple touch controller selected (see below under Required Selections)
- 7 Options, if selected (see below)
- ► See Surface Materials, page 208.

	Required Selections	U.S. Price	Required to Specify
Controller	Simple touch controllerActive touch controller4 pre-set controller	No cost +\$108 +\$125	Specify with simple touch controller. Specify with active touch controller. Specify with 4 pre-set controller.
Antimicrobial Surface	Non-antimicrobial surface Antimicrobial surface	No cost No cost	Specify with non-antimicrobial surface. Specify with antimicrobial surface.


	Options	U.S. Price	Required to Specify
Surface	Bases		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price goup 2 for rectangular and tapered bases 	+\$ 30	Specify paint color number.
	Paint price group 2 for corner bases	+\$ 45	Specify paint color number.
	24000		See Surface Materials, page 208.
Desk Type	Parametric width desk	No cost	Specify with parametric desk type.
Overhang	Desk overhang on left	+\$ 60	Specify with desk overhang left.
_	 Desk overhang on right 	+\$ 60	Specify with desk overhang right.
	 Desk overhang left and right 	+\$120	Specify with desk overhang left and right.
Glides	1" adjustable glides	+\$ 16 per glide	Specify with 1" glides.

Specification Information											
• Style Number	Dimension D	·Desk Type	· U.S. Bas	· U.S. Base Prices							
:	:	: : Modular	: : 34"W	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W	
:	:	Parametric	34"W -36"W	: 36 ¹ / ₁₆ "W : –42"W	: 42 ¹ / ₁₆ "W : –48"W	: 48 ¹ /16"W : –54"W	: 54 ¹ / ₁₆ "W : -60"W	: 60 ¹ / ₁₆ "W : -66"W	: 66 ¹ /16"W : –72"W	: 72 ¹ / ₁₆ "W : –78"W	
:	:	:	:	:	:		:	:	:	:	



Rectangular Bases — Extended Height

OLELRQB	23" or 24"	\$1648	\$1702	\$1760	\$1818	\$1875	\$1941	\$2005	\$2068
	29" or 30"	\$1864	\$1925	\$1989	\$2055	\$2077	\$2113	\$2133	\$2147
	35" or 36"	\$2055	\$2074	\$2096	\$2106	\$2126	\$2156	\$2166	\$2170
:	: :	:	:	:	:	:	:	:	:




Rectangular Bases — Basic Height

 23" or 24" 29" or 30"		\$1515 \$1566		\$1619	\$1673	\$1726	\$1786	\$1844	\$1903
		\$1715	\$1771	\$1829	\$1890	\$1910	\$1944	\$1963	\$1975
35" or 36"		\$1890	\$1908	\$1929	\$1938	\$1956	\$1983	\$1992	\$1996
:	:	:	:	:	:	:	:	:	:




Specific	Specification Information												
·Style	· Dimensions	• Desk	·U.S. Bas	e Prices									
Number	LD RD	Type	:										
	:	Modular	58"W	: 64"W	: 70"W	: 76"W							
:	:	Parametric	: 58 ¹ / ₁₆ "W–6	60"W : 60 ¹ / ₁₆ "W–6	6"W : 66 ¹ / ₁₆ "W–7	2"W : 72 ¹ / ₁₆ "W-78"W							



Tapered Bases — Extended Height

OLELRTB	23" or 24"	29" or 30"	\$2077	\$2113	\$2133	\$2147	
	29" or 30"	23" or 24"	\$2077	\$2113	\$2133	\$2147	
	•	•	•		•		




Tapered Bases — Basic Height

OLSLRTB	23" or 24"	29" or 30"	\$1910	\$1944	\$1963	\$1975
	29" or 30"	23" or 24"	\$1910	\$1944	\$1963	\$1975
•		•	•			•



Specif	Specification Information												
·Style	Dimension	ons			·U.S. B	ase Prices	•						
Numbe	Number D				: : 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W		
:	:	• Modular : Left Width	ParametricLeft Width	: Parametric : Right Width		: 42 ¹ / ₁₆ "W– : 48"W	: 48 ¹ / ₁₆ "W– : 54"W	: 54 ¹ / ₁₆ "W– : 60"W	: 60 ¹ / ₁₆ "W– : 66"W	: 66 ¹ / ₁₆ "W– : 72"W	: 72 ¹ / ₁₆ "W : 78"W		
:	:			:	:	:	:	:		:	:		




90° Corner Bases — Extended Height (Same Depth Both Ends 23"/24")

OLELLCB	23" or 24"	40"W	40"W-42"W	N.A.	N.A.	\$2549	\$2590	\$2632	\$2673	\$2715
	23" or 24"	46"W	42 ¹ / ₁₆ "W—48"W	N.A.	N.A.	\$2590	\$2632	\$2673	\$2715	\$2757
	23" or 24"	52"W	48 ¹ / ₁₆ "W—54"W	\$2549	\$2590	\$2632	\$2673	\$2715	\$2757	\$2798
	23" or 24"	58"W	54 ¹ / ₁₆ "W—60"W	\$2590	\$2632	\$2673	\$2715	\$2757	\$2798	\$2840
	23" or 24"	64"W	60 ¹ / ₁₆ "W—66"W	\$2632	\$2673	\$2715	\$2757	\$2798	\$2840	\$2881
	23" or 24"	70"W	66 ¹ / ₁₆ "W—72"W	\$2673	\$2715	\$2757	\$2798	\$2840	\$2881	\$2923
	23" or 24"	76"W	72 ¹ / ₁₆ "W—76"W	\$2715	\$2757	\$2798	\$2840	\$2881	\$2923	\$2967
:		:	: :	:	:	:	:	:		

Tip: At least one side must be 52"W or greater.



Specific	Specification Information											
·Style	Dimensions				· U.S. Ba	se Prices						
Number	D			 Modular 	:							
				Right Width	: 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W	
	:	• Modular	 Parametric 	Parametric								
:	:	Left Width	Left Width	Right Width	40"W-	42 ¹ / ₁₆ "W—	: 48 ¹ / ₁₆ "W—	54 ¹ / ₁₆ "W—	60 ¹ / ₁₆ "W—	66 ¹ / ₁₆ "W—	: 72 ¹ / ₁₆ "W—	
		:	-		42"W	48"W	54"W	60"W	66"W	72"W	78"W	
		:	-			:		-				




90° Corner Base — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	►See page 60	\$2705	\$2747	\$2788	\$2830
23" or 24" R/L	29" or 30" L/R	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$2705	\$2747	\$2788	\$2830	\$2871
23" or 24" R/L	29" or 30" L/R	52"W	48 ¹ / ₁₆ "W–54"W	See page 60	\$2705	\$2747	\$2788	\$2830	\$2871	\$2913
23" or 24" R/L	29" or 30" L/R	58"W	54 ¹ / ₁₆ "W-60"W	\$2705	\$2747	\$2788	\$2830	\$2871	\$2913	\$2955
23" or 24" R/L	29" or 30" L/R	64"W	60 ¹ / ₁₆ "W–66"W	\$2747	\$2788	\$2830	\$2871	\$2913	\$2955	\$2996
23" or 24" R/L	29" or 30" L/R	70"W	66 ¹ / ₁₆ "W-72"W	\$2788	\$2830	\$2871	\$2913	\$2955	\$2996	\$3038
23" or 24" R/L	29" or 30" L/R	76"W	72 ¹ / ₁₆ "W-78"W	\$2830	\$2871	\$2913	\$2955	\$2996	\$3038	\$3082

Tip: At least one side must be 52"W or greater.




Specification Information											
·Style	·Dimension	ons			·U.S. B	ase Prices	;				
Number	D			• Modular · Right Width	: : 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	• Modular : Left Width	• Parametric : Left Width	: Parametric : Right Width		: 42 ¹ / ₁₆ "W– : 48"W	: 48 ¹ / ₁₆ "W– : 54"W	: 54 ¹ / ₁₆ "W– : 60"W	: 60 ¹ / ₁₆ "W– : 66"W	: 66 ¹ / ₁₆ "W– : 72"W	: 72 ¹ / ₁₆ "W- : 78"W
:	:	:		:	:	•		:	:	:	•



90° Corner Bases — Extended Height (Same Depth Both Ends 29"/30")

OLELLCB	29" or 30"	40"W	40"W-42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 ¹ / ₁₆ "W—48"W	N.A.	N.A.	\$2819	\$2861	\$2903	\$2944	\$2986
	29" or 30"	52"W	48 ¹ / ₁₆ "W—54"W	N.A.	\$2819	\$2861	\$2903	\$2944	\$2986	\$3027
	29" or 30"	58"W	54 ¹ / ₁₆ "W—60"W	N.A.	\$2861	\$2903	\$2944	\$2986	\$3027	\$3069
	29" or 30"	64"W	60 ¹ / ₁₆ "W—66"W	N.A.	\$2903	\$2944	\$2986	\$3027	\$3069	\$3111
	29" or 30"	70"W	66 ¹ / ₁₆ "W—72"W	N.A.	\$2944	\$2986	\$3027	\$3069	\$3111	\$3152
	29" or 30"	76"W	72 ¹ / ₁₆ "W—78"W	N.A.	\$2986	\$3027	\$3069	\$3111	\$3152	\$3196
:			: :	:	:			:	:	:




90° Corner Bases — Basic Height (Same Depth Both Ends 23"/24")

OLSLLCB	23" or 24"	40"W	40"W-42"W	N.A.	N.A.	\$2345	\$2383	\$2421	\$2460	\$2498
	23" or 24"	46"W	42 ¹ / ₁₆ "W—48"W	N.A.	N.A.	\$2383	\$2421	\$2460	\$2498	\$2536
	23" or 24"	52"W	48 ¹ / ₁₆ "W—54"W	\$2345	\$2383	\$2421	\$2460	\$2498	\$2536	\$2574
	23" or 24"	58"W	54 ¹ / ₁₆ "W—60"W	\$2383	\$2421	\$2460	\$2498	\$2536	\$2574	\$2613
	23" or 24"	64"W	60 ¹ / ₁₆ "W—66"W	\$2421	\$2460	\$2498	\$2536	\$2574	\$2613	\$2651
	23" or 24"	70"W	66 ¹ / ₁₆ "W—72"W	\$2460	\$2498	\$2536	\$2574	\$2613	\$2651	\$2689
	23" or 24"	76"W	72 ¹ / ₁₆ "W—78"W	\$2498	\$2536	\$2574	\$2613	\$2651	\$2689	\$2730
:		:	: :	:	:	:	:	:	:	:

Tip: At least one side must be 52"W or greater.



Specific	ation Informati	on									
Style	Dimensions				·U.S. Ba	se Prices					
Number	D			 Modular Right Width 	: · 40"W	· 46"W	· 52"W	· 58"W	· 64"W	· 70"W	· 76"W
	:	• Modular	• Parametric	Parametric	•	•	•	•	•		•
:		: Left Width	: Left Width	: Right Width	: 40"W-	: 421/16"W-	: 481/16"W-	: 54½16"W—	: 60 ¹ / ₁₆ "W—	: 661/16"W-	: 721/16"W-
:	:	:	:	:	: 42"W	: 48"W	: 54"W	: 60"W	: 66"W	: 72"W	: 78"W
:	:	:	•	:	:	:	:	:	:	:	:




90° Corner Base — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

			_	-			_				
OLSLLCB	23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	►See page 60	\$2489	\$2526	\$2565	\$2603
	23" or 24" R/L	29" or 30" L/R	46"W	42 ¹ / ₁₆ "W-48"W	N.A.	N.A.	\$2489	\$2526	\$2565	\$2603	\$2642
	23" or 24" R/L	29" or 30" L/R	52"W	48 ¹ / ₁₆ "W-54"W	►See page 60	\$2489	\$2526	\$2565	\$2603	\$2642	\$2680
	23" or 24" R/L	29" or 30" L/R	58"W	54 ¹ / ₁₆ "W-60"W	\$2489	\$2526	\$2565	\$2603	\$2642	\$2680	\$2718
	23" or 24" R/L	29" or 30" L/R	64"W	60 ¹ / ₁₆ "W-66"W	\$2526	\$2565	\$2603	\$2642	\$2680	\$2718	\$2756
	23" or 24" R/L	29" or 30" L/R	70"W	66 ¹ / ₁₆ "W-72"W	\$2565	\$2603	\$2642	\$2680	\$2718	\$2756	\$2794
	23" or 24" R/L	29" or 30" L/R	76"W	72 ¹ / ₁₆ "W-78"W	\$2603	\$2642	\$2680	\$2718	\$2756	\$2794	\$2835
:	:		:	: :	:	:	:	:	:	:	:

Tip: At least one side must be 52"W or greater.



Specif	ication Ir	nformation									
·Style	Dimension	ons			·U.S. B	ase Prices	•				
Numbe	r D			ModularRight Width	: : 40"W	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
:	:	• Modular : Left Width	ParametricLeft Width	: Parametric : Right Width		: 42 ¹ / ₁₆ "W– : 48"W	: 48 ¹ / ₁₆ "W– : 54"W	: 54 ¹ / ₁₆ "W– : 60"W	: 60 ¹ / ₁₆ "W– : 66"W	: 66 ¹ / ₁₆ "W– : 72"W	: 72 ¹ / ₁₆ "W : 78"W
:	:			:	:	:	:	:		:	:



90° Corner Base — Basic Height (Same Depth Both Ends 29"/30")


OLSLLCB	29" or 30"	40"W	40"W-42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 ¹ / ₁₆ "W—48"W	N.A.	N.A.	\$2594	\$2632	\$2670	\$2708	\$2747
	29" or 30"	52"W	48 ¹ / ₁₆ "W—54"W	N.A.	\$2594	\$2632	\$2670	\$2708	\$2747	\$2785
	29" or 30"	58"W	54 ¹ / ₁₆ "W—60"W	N.A.	\$2632	\$2670	\$2708	\$2747	\$2785	\$2824
	29" or 30"	64"W	60 ¹ / ₁₆ "W—66"W	N.A.	\$2670	\$2708	\$2747	\$2785	\$2824	\$2861
	29" or 30"	70"W	66 ¹ / ₁₆ "W—72"W	N.A.	\$2708	\$2747	\$2785	\$2824	\$2861	\$2900
	29" or 30"	78"W	72 ¹ / ₁₆ "W—78"W	N.A.	\$2747	\$2785	\$2824	\$2861	\$2900	\$2940
:	:		: :	:	:	:		:	:	

Tip: At least one side must be 52"W or greater.



[▶] Specification Information, continued on next page


Specific	ation Informati	ion								
•Style Number	· Dimensions D				· U.S. Ba	ase Prices	5			
	:			• Modular	:					
	:			Right Width	· 34"W	· 40"W	· 46"W	· 52"W	· 58"W	· 64"W
:	:	 Modular 	 Parametric 	Parametric	· 34"W	· 36 ¹ / ₁₆ "W	· 421/16"W	· 48 ¹ / ₁₆ "W	· 54 ¹ / ₁₆ "W	· 60 ¹ / ₁₆ "W
:		· Left Width	Left Width	· Right Width	36"W	-42"W	· -48"W	· -54"W	-60"W	66"W
:	•	:	:	:	•	:	:	:	:	:



120° Corner Bases — Extended Height

OLELWCB 23" or 24"

34"W	34"W-36"W	\$2493	\$2493	\$2493	\$2493	\$2573	\$2613
40"W	36 ¹ / ₁₆ "W—42"W	\$2493	\$2493	\$2493	\$2613	\$2613	\$2653
46"W	42 ¹ / ₁₆ "W—48"W	\$2493	\$2493	\$2653	\$2653	\$2653	\$2693
52"W	48 ¹ / ₁₆ "W—54"W	\$2493	\$2613	\$2653	\$2653	\$2653	\$2693
58"W	54 ¹ / ₁₆ "W—60"W	\$2573	\$2613	\$2653	\$2653	\$2653	\$2733
64"W	60 ¹ / ₁₆ "W—66"W	\$2613	\$2653	\$2693	\$2693	\$2733	\$2773
	: :	:	:	:	:	:	:



120° Corner Bases — Basic Height

OLSLWCB 23" or 24"

34"W	34"W-36"W	\$2286	\$2286	\$2286	\$2286	\$2360	\$2397
40"W	36 ¹ / ₁₆ "W—42"W	\$2286	\$2286	\$2286	\$2397	\$2397	\$2434
46"W	42 ¹ / ₁₆ "W—48"W	\$2286	\$2286	\$2434	\$2434	\$2434	\$2471
52"W	48 ¹ / ₁₆ "W—54"W	\$2286	\$2397	\$2434	\$2434	\$2434	\$2471
58"W	54 ¹ / ₁₆ "W—60"W	\$2360	\$2397	\$2434	\$2434	\$2434	\$2508
64"W	60 ¹ / ₁₆ "W—66"W	\$2397	\$2434	\$2471	\$2471	\$2508	\$2545
		•					



Ology Modesty Panels

High-Pressure Laminate or Wood Veneer



► Need help? Product details, page 64

Standard Includes

Required to Specify

- Panel: High-Pressure Laminate price group 1 or wood group 1 veneer
 • Modular widths: 34"-76"
- · Attachment hardware

- 1 Style number
- 2 Panel type (see below under Required Selections)
- 3 Panel width
- 4 High-Pressure Laminate or wood color for panel
- 5 Options, if selected (see below)
- ► See Surface Materials, page 208.

Tip: Modesty panel can match the width of the desk or be shorter than desk.

Tip: Modesty panels cannot be used on desks with integrated rail. To use with the integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and tapered) or 7" (90°) and inset from the edge of the worksurface.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Modular modesty panels are undersized 21/2" to account for desks with radius corners.

Tip: Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified, however, laminate specification is only allowed up to 60" wide.

	Required Selections	U.S. Price	Required to Specify
Panel Type	Modular width panel	No cost	Specify with modular panel type.
	 Parametric width panel 	No cost	Specify with parametric panel type.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Laminate price group 2 Open Line laminate	See information at left +\$ 74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.
	• Wood yeneer • Wood group 2 • Wood group 3 • Customiz stain	+\$ 74 +\$260 No cost	Specify wood color number. Specify wood color number. Specify with customiz stain. See Surface Materials Reference Manual.
	Full-fill finish on wood group 1 Grain direction Horizontal grain direction Vertical grain direction	No cost No cost	Specify full-fill finish number. Specify with horizontal grain direction. Specify with vertical grain direction.

Specific	cation Info	ormation							
Style	· Panel	·U.S. Bas	e Prices						
Number	Туре	:							
	Modular	34"W	: 40"W	: 46"W	: 52"W	:58"W	: 64"W	: 70"W	: 76"W
	Parametric	: 34"W : –36"W	: 36 ¹ / ₁₆ "W : –42"W	42 ¹ / ₁₆ "W -48"W	: 48 ¹ / ₁₆ "W : –54"W	: 54 ¹ / ₁₆ "W 60"W	: 60 ¹ / ₁₆ "W : –66"W	: 66 ¹ / ₁₆ "W : –72"W	: 72 ¹ / ₁₆ "W : –78"W
	Weight	15.2 lb	17.6 lb	20.0 lb	22.4 lb	24.8 lb	27.3 lb	29.7 lb	32.1 lb
High-Pro	essure Lar	ninate							
OLMP		\$211	\$212	\$215	\$218	\$222	\$229	\$234	\$241
CLIVIP		φ <u></u> ΖΙΙ :	φ212 :	φ213 :	φ <u>2</u> 10	φ222 :	Ψ Ζ Ζ3 :	φ2 04 :	φ241 :
Wood Vo	eneer								
OLMP		\$262	\$267	\$272	\$275	\$279	\$287	\$294	\$303
		:		:	:	:	:	•	•

Fixed Personal/Modesty Screens

► Need help?

page 65

Product details,

24"H Caraona


Tip: When using COM fabric, it is recommended that non-patterned fabric be used to provide a consistent visual between adjacent screens, and from one side to the other.

Tip: $19^{1}/_{2}$ "H and 24"H are for personal only.

Tip:19¹/₂"H and 24"H screens are not intended for use in the modesty position.

Tip: For Ology desks 52"W and smaller, when using fixed screens in the modesty position, the screen must be sized 10" smaller than the width of the desk.





Tip: When attaching c:scape screens to the Ology integrated rail, there is a 5¹/₄" mounting free zone on each end of the rail.

*
For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Standard Includes

• Personal/modesty screens: fabric price group 1

Brackets: 4799 Platinum

(COM)

Required to Specify

- 1 Style number
- 2 Fabric color number for screen
- 3 Options, if selected (see below)
- ► See Surface Materials, page 208.

	Options	U.S. P	rice		Required to Specify
Surface	Fabric	12"H	19 ¹ / ₂ "H	24"H	
Materials	 Fabric price group 1 	No cost	No cost	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$27	+\$ 36	+\$ 42	Specify fabric color number.
	 Fabric price group 3 	+\$69	+\$ 94	+\$119	Specify fabric color number.
	 Fabric price group 4 	+\$90	+\$119	+\$146	Specify fabric color number.
	 Customer's Own Material 	+\$16	+\$ 16	+\$ 16	► See Surface Materials Reference Manual.


Specific	ation Inforr	nation			
Width	•Weight	• Style Number	·U.S. Base Price		
12"H Scr	eens				
30"	3.4 lb	CQSF3012	\$182		
36"	3.9 lb	CQSF3612	\$212		
42"	4.3 lb	CQSF4212	\$239		
48"	4.7 lb	CQSF4812	\$269		
19 ¹ /2"H S	creens				
30"	4.2 lb	CQSF3019	\$280		
36"	4.7 lb	CQSF3619	\$310		

30"	4.2 lb	CQSF3019	\$280
36"	4.7 lb	CQSF3619	\$310
42"	5.5 lb	CQSF4219	\$340
48"	6.5 lb	CQSF4819	\$368
:	:	•	•

24 п эц	reens			
30"	4.9 lb	CQSF3024	\$376	
36"	5.5 lb	CQSF3624	\$409	
42"	6.1 lb	CQSF4224	\$437	
48"	7.4 lb	CQSF4824	\$466	

Ology Cable and Power Management

Cable Riser



Fence connection



Standard Includes Required to Specify

- ► Need help? Product details, page 40
- · Cable riser with fence connection: 7360 Merle paint
- · Attachment hardware
- 1 Style number
- 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Connection	FenceLeg	No cost +\$110	Specify with fence connection. Specify with leg connection.

Specification Information

·Style	·U.S.
Number	Base Price
· ·	Frice
OLCR	\$76

Cable Basket



Tip: Cable baskets are compatible with rectangular, tapered, or 90° corner desks 461/6"W or larger and 120° corner desks 401/16"W or larger.

Standard Includes

· Cable basket: 6527 Merle plastic

Required to Specify

Style number

Style Weight U.S. Number Price	Specificat	ion Informati	ion	
CLCB 1.0 lb \$60		·Weight		
	OLCB	1.0 lb	\$60	

Cable Brackets



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

► Need help? Product details, page 40

► Need help?

Product details, page 40

· Cable brackets, quantity of four: 6527 Merle plastic

Standard Includes


Required to Specify

Style number

Specificat	tion Informati	ion	
•Style Number	• Weight	· U.S. Price	
:	:	:	
OLCBK4	0.5 lb	\$37	

Active Touch Controller Kit

For Ology Desks



Tip: Active touch controller kit can upgrade any exisitng Ology desk or base as a replacement to the up/down or 4-preset programmable controller.

Tip: Tapered and rectangle Ology desks require the standard 2-leg application; corner Ology desks require 3-leg application.

Standard Includes

Required to Specify

- 1 Style number 2 Options, if selected (see below) · Active touch controller · 2-leg application

	Options	U.S. Price	Required to Specify
Leg Application	• 3-leg	+\$143	Specify with 3-leg.

Specification Information

Style Number	·U.S.	
Number	Base	
	Price	
:	<u>:</u>	
OLATKT	\$342	




Universal Steel One-High Open Laterals

► Need help? Product details,

page 66

Related Products

For Ology Application



Drawings show right-hand application, left hand is also available.

Standard Includes

- · Lateral case: paint price group 1
 - 13/16"H top: laminate price group 1, if selected Edge: plastic
 - 13/16"H top: wood group 1, if selected
- Four adjustable leveling glides
- Grommet
- · Wire manager

Options

· Universal common tops

· Universal shrouds

Universal filler

· Ganging hardware

Required to Specify

- 1 Style number
- 2 Paint color number for lateral case
- 3 Width (see below under Required Selections)
- 4 Laminate color number for top, if laminate top selected
- 5 Plastic color number for edge, if laminate top selected
- 6 Wood color number for top, if wood top selected
- 7 Front style (see below under Required Selections)
- 8 Application (see below under Required Selections)
- 9 Options, if selected (see below)

Required to Specify

▶ Page 112

Page 106

▶Page 107

► See Surface Materials, page 208.

	Required Selections	U.S. Price	Required to Specify
Width	• 30"W • 36"W	Prices at right Prices at right	Specify with 30" width. Specify with 36" width.
	• 42"W	Prices at right	Specify with 42" width.
Front Style	Flush steel front Proud steel front	Prices at right Prices at right	Specify with flush steel front. Specify with proud steel front.
Application	Right hand Left hand	No cost No cost	Specify with right-hand application. Specify with left-hand application.

U.S. Price


Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 80 +\$138	Specify paint color number. Specify paint color number. Specify paint color number.
Tops	No top • For use beneath a Universal common top	-\$104	Specify with no top.
	Laminate top Laminate price group 2 Open Line laminate	See information at left +\$ 74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.
	Wood veneer top		
	Wood group 1	+\$437	Specify with wood veneer top and indicate wood color number.
	Wood group 2	+\$467	Specify with wood veneer top and indicate wood color number.
	• Wood group 3	+\$538	Specify with wood veneer top and indicate wood color number.
	Customiz stain	No cost	Specify with customiz stain. See Surface Materials Reference Manual.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.



• Style Number	· Dimensions · D		w H	·U.S. Ba	ase Prices	
	Flush Steel Front	Proud Steel Front			Flush Steel Front	Proud Steel Front
RSCHAD	18"	187/8"	30"	16"	\$1064	\$1125
	18"	187/8"	36"	16"	\$1174	\$1249
	18"	18 ⁷ / ₈ "	42"	16"	\$1281	\$1364



Universal Shrouds

For Use with Universal Steel One-High Open Laterals, Ology Application



	Standard Includes	Required to Specify
Need help? Product details, page 66	Shroud: paint price group 1 Attachment hardware	 1 Style number 2 Width (see below under Required Selections) 3 Paint color number for shroud 4 Options, if selected (see below) See Surface Materials, page 208.

Tip: Universal shroud width must match width of the universal Steel One-High open lateral for Ology application.

• 36"W • 42"W	No cost No cost	Specify with 30" width. Specify with 36" width. Specify with 42" width.	
Options	U.S. Price	Required to Specify	

Required Selections U.S. Price Required to Specify

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$32 +\$52	Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	Universal Steel One-High files for Ology application		▶ Page 104

Specification Information					
Dimensions D H	• Style Number	·U.S. Base Price			
6" 16"	RPXSHAD	\$81			
	•	:			



Universal Filler

For Use with Universal Steel One-High Open Laterals, Ology Application



	Standard In	cludes	Required to Specify	
Need help? Product details page 66	Filler: paint Attachment hard	ware	1 Style number2 Paint color number for filler▶ See Surface Materials, page 208.	
	Related Pro	ducts		
	 Universal Steel C for Ology applica 	ne-High open lateral files tion	►Page 104	
	0,			
Specificat	tion Information			
Specificat Dimensions D H		·U.S. Price		
Dimensions	Style	•		



Universal Laminate Enhanced One-High and 1.5-High Storage

 Grommet · Wire manager

For Ology Application

► Need help?

page 68





Tip: Universal laminate enhanced Ology storage always comes without tops. Specify top separately. ►See page 109.

Tip: The case on One-High and 1.5-High open units 181/8"D. When top for Ology is added, the top matches the depth of units with drawers and doors.

Tip: Universal laminate enhanced One-High storage is for the extended height or basic height application and the universal laminate enhanced 1.5-High storage is for the basic height application only.

Standard Includes Required to Specify · Case: laminate 1 Style number 2 Width (see below under Required Product details, No top · Open back Selections) Shelf (for 1.5-High units) 3 Laminate color number for case Four adjustable glides 4 Options, if selected (see below)

See Surface Materials, page 208.

	Required Selections	U.S. Price	Required to Specify
Width	• 30"W	Price below	Specify with 30"W.
	• 36"W	Price below	Specify with 36"W.
	• 42"W	Price below	Specify with 42"W.


	Options	U.S. Price	Required to Specify
Back	OpenFinished, One-HighFinished, 1.5-High	No cost +\$120 +\$125	Specify with open back. Specify with finished back. Specify with finished back.
Related Products	Universal laminate enhance tops for Ology applicationCommon tops for Ology a		► Page 109 ► Page 112

Specification Information						
Style	• Counterweight Package	Dimensions		·U.S. Base Prices		
Number		D	н	:		
				: 30"W	: 36"W	: 42"W
•	:	:		:	:	:
One-High						
RELS1815QHAD	Not required	18 ¹ /8"	15 ¹¹ / ₃₂ "	\$908	\$1107	\$1211
: 	:	:		:	:	:
1.5-High						
RELS1821QQHAD	Not required	18½"	2211/32"	\$945	\$1154	\$1349
	:	:		:	:	:



Universal Laminate Enhanced Top

For Ology Application



Standard Includes Required to Specify

- ► Need help? Product details, page 68
- 13/16"H top: laminate price group 1 Edge: plastic
- Proud front

- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Laminate color number for top
- 4 Plastic color number for edge 5 Application (see below under Required Selections)
- ► See Surface Materials, page 208.

Tip: Universal laminate tops are always 187/8"D.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Required Selection	ns U.S. Price	Required to Specify
Width	• 30"W • 36"W • 42"W	Price below Price below Price below	Specify <i>with 30"W.</i> Specify <i>with 36"W.</i> Specify <i>with 42"W.</i>
Application	Right hand Left hand	No cost No cost	Specify with right-hand application. Specify with left-hand application.

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate top • Laminate price group 2 • Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.
Related Products	 Universal One-High open la Universal shrouds	teral files for Ology application	▶ Page 104 ▶ Page 106

Specification Information					
Style	Dimer		·U.S. B	· U.S. Base Prices	
Number	D	н	30"W	:36"W	: 42"W
RETCTHADP	187/8"	13/16"	\$231	\$252	\$273
		1710	. Ψ201		. Ψ213



Universal Laminate Enhanced One-High Storage Filler Panel



Tip: Universal laminate enhanced storage filler panels are used for units of same height with finished backs only; not for use with recessed or open back units.

	Standard Includes	Required to Specify
Need help? Product details, page 68	Filler: laminate Attachment hardware	1 Style number 2 Laminate color number for filler ▶ See <i>Surface Materials</i> , page 208.

Specification Information					
Dime	ensions W	н	•Style Number	· U.S. Price	
1"	51/8"	145%"	REPXF15	\$60	



Universal Common Tops

For Use with Universal Steel One-High Open Laterals, Ology Application



Drawing shows right-hand application, left hand is also available.

Standard Includes Required to Specify • 13/16"H top: laminate price group 1, if selected 1 Style number

- ► Need help? Product details, - Edge: plastic page 70
 - 13/16"H top: wood group 1, if selected
- 2 Width (see below under Required Selections)
- 4 Laminate color number for top, if laminate top selected
- 5 Plastic color number for edge, if laminate top selected
- 6 Wood color number on top, if wood top selected
- 7 Front style (see below under Required Selections)
- 8 Application (see below under Required Selections)
- 9 Options, if selected (see below)
- ► See Surface Materials, page 208.


	Required Selections	U.S. Price	Required to Specify
Width	• 60"W	Prices at right	Specify with 60" width.
	• 66"W	Prices at right	Specify with 66" width.
	• 72"W	Prices at right	Specify with 72" width.
	• 78"W	Prices at right	Specify with 78" width.
	• 84"W	Prices at right	Specify with 84" width.
	• 90"W	Prices at right	Specify with 90" width.
	• 96"W	Prices at right	Specify with 96" width.
	• 108"W	Prices at right	Specify with 108" width.
Front Style	Flush front	No cost	Specify with flush front.
_	 Proud front 	No cost	Specify with proud front.
Application	Right hand	No cost	Specify with right-hand application.
	Left hand	No cost	Specify with left-hand application.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

For wood group 2, wood group 3, and laminate price group 2 pricing please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate top Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.
	Wood veneer top		
	Wood group 2	See information at left	Specify with wood veneer top and indicate wood color number.
	Wood group 3	See information at left	Specify with wood veneer top and indicate wood color number.
	Customiz stain	No cost	Specify with customiz stain. See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices at right	Specify with full-fill finish and select wood color number. See Surface Materials Reference Manual.
			See Surface Materials Neterence Maridal.
Related Products	 Universal Steel One-High of for Ology application 	pen lateral files	▶Page 104
	 Universal shrouds 		▶Page 106
	 Universal filler 		▶Page 107








Tip: Can not order veneer on 108"W Universal common top.



Elective Elements One-High Open Plinth Base Pedestals

For Ology Application



Standard Includes

Required to Specify

- ► Need help? Product details, page 70
- Case with back panel: wood group 1 veneer or laminate price group 1
- Grommet
- · Removable interior cover
- Wire manager
- · Leveling glides

- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Wood or laminate color number for case
- 4 Application (see below under Required Selections)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 208.

Tip: Leveling glides adjust up to 3/4".

Tip: Drawings show righthand application, left hand is also available.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Required Select	tions U.S. Price	Required to Specify	
Width	24"W30"W36"W42"W	Price below Price below Price below Price below	Specify with 24"W. Specify with 30"W. Specify with 36"W. Specify with 42"W.	
Application	Right hand Left hand	No cost No cost	Specify with right-hand application. Specify with left-hand application.	

	Options	U.S. Price	Required to Specify
Surface	Case		
Materials	Laminate price group 1Laminate price group 2Open Line laminate	-\$155 See information at left -\$131 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
	Wood group 2 Wood group 3 Full-fill finish on wood group 1 Customiz stain	+\$ 46 +\$162 No cost No cost	Specify wood color number. Specify wood color number. Specify wood veneer color number. Specify with Customiz stain.
Grain Direction	No grain direction Vertical Horizontal	No cost No cost No cost	Specify with no grain direction. Specify with vertical grain direction. Specify with horizontal grain direction.
Related Products	 Elective Elements common tops for Ology application Ology height-adjustable bases 		▶ Page 116 ▶ Page 90

Specific	Specification Information							
Style Number	• Dime	ensions H	w	·U.S. Base Price	• Option (Add \$ to Base Price) Omit Back Panel			
E6PDHAD	171/4"	15 ¹ / ₂ "	24"	\$1584	-\$130			
	171/4"	15½"	30"	\$1689	-\$148			
	171/4"	15 ¹ / ₂ "	36"	\$1794	-\$166			
	171/4"	15½"	42"	\$1904 ·	-\$185 ·			



Elective Elements Common Tops

► Need help?

page 70

Product details,

For Ology Application



Tip: Drawings show righthand application, left hand is also available.

Standard Includes

- · Tops: wood group 1 veneer or laminate price group 1
- · Wood tops with wood edge:
- -3 mm wood square profile on user side
- -0.5 mm veneer on other sides Laminate tops with plastic edge:
- -3 mm plastic edge on user's side
- -1 mm plastic edge on other sides, plastic default to match user's side
- · Laminate tops with wood edge:
- -Solid wood edge on user's side
- -1 mm plastic edge on other sides, plastic default to match worksurface

Required to Specify

- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Wood or laminate color number
- 4 Wood edge color number for all sides on wood worksurfaces, if selected
- 5 Plastic edge color number for all sides on laminate worksurfaces, if selected
- 6 Tops profile (see below under Required Selections)
- 7 Application (see below under Required Selections)
- 8 Options, if selected (see below)
- See Surface Materials, page 208.

	Required Select	ions U.S. Price	Required to Specify	
Width	• 24"W	Prices at right	Specify with 24"W.	
	• 30"W	Prices at right	Specify with 30"W.	
	• 36"W	Prices at right	Specify with 36"W.	
	• 42"W	Prices at right	Specify with 42"W.	
	• 48"W	Prices at right	Specify with 48"W.	
	• 54"W	Prices at right	Specify with 54"W.	
	• 60"W	Prices at right	Specify with 60"W.	
	• 66"W	Prices at right	Specify with 66"W.	
	• 72"W	Prices at right	Specify with 72"W.	
	• 78"W	Prices at right	Specify with 78"W.	
	• 84"W	Prices at right	Specify with 84"W.	
	• 90"W	Prices at right	Specify with 90"W.	
	• 96"W	Prices at right	Specify with 96"W.	
	• 102"W	Prices at right	Specify with 102"W.	
	• 108"W	Prices at right	Specify with 108"W.	
	• 114"W	Prices at right	Specify with 114"W.	
	• 120"W	Prices at right	Specify with 120"W.	

Wood Common Top Edge Profile	Laminate C Edge Profil	•	
Wood	Plastic	Wood	Prices at right
Square	Square	Square	
Profile	Profile	Profile	

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage. **Application**

 Left-hand application Right-hand application No cost No cost Specify with Ology left-hand application. Specify with Ology right-hand application.

	Options	U.S. Price	Required to Specify	
Surface	Wood veneer tops			
Materials	Wood group 2	Prices below	Specify wood color number.	
	Wood group 3	Prices below	Specify wood color number.	
	Full-fill finish on wood group 1	Prices below	Specify wood veneer color number.	
	Customiz stain	No cost	Specify with Customiz stain.	
	Laminate tops			
	 Laminate price group 1 	Prices below	Specify laminate color number.	
	 Laminate price group 2 	See information at left	Specify laminate color number.	
	Open Line laminate	Prices below	See Surface Materials Reference Manual	
	•	plus cost of laminate		
	 Wood group 2 	Prices below	Specify wood color number.	
	Wood group 3	Prices below	Specify wood color number.	
Grain	Veneer tops			
Direction	 Long grain 	No cost	Specify with long grain.	
	Short grain	No cost	Specify with short grain.	
	Laminate tops			
	 No grain direction 	No cost	Specify with no grain direction.	
	 Long grain 	No cost	Specify with long grain.	
	 Short grain (on 60"W) 	No cost	Specify with short grain.	
Related Products	Elective Elements One-High oper plinth base pedestals for Ology and the second se		▶Page 114	
1 1044013	Ology modesty panels	αρριισατιστί	Page 100	

Ology modesty panelsFixed personal/modesty screensOlogy height-adjustable bases

➤ Page 100
➤ Page 101
➤ Page 90

	/\
A	

For laminate price group 2 pricing, please refer to the electronic cata-

Tip: Short grain on laminate tops is only available on 60"W.


log or SmartTools.

Style Number	Dim	ensions	·U.S. Bas	e Prices		• Options	Base Price)		
	D	w	Wood Laminate Group 1		. (Add \$ 10	base i neej			
			Wood Square Edge	3 mm Plastic Square Edge	Wood Square Edge	Wood Wood Group 2	Wood Group 3	Full-Fill Finish on Wood Group 1	Open Line Laminate
E6WSHAD	18"	24"	\$ 505	\$ 194	\$ 447	+\$ 30	+\$101	+\$ 31	-\$237
	18"	30"	\$ 536	\$ 225	\$ 478	+\$ 30	+\$101	+\$ 31	-\$237
	18"	36"	\$ 550	\$ 239	\$ 492	+\$ 50	+\$176	+\$ 50	-\$237
	18"	42"	\$ 608	\$ 258	\$ 550	+\$ 50	+\$176	+\$ 50	-\$276
	18"	48"	\$ 657	\$ 307	\$ 599	+\$ 50	+\$176	+\$ 50	-\$276
	18"	54"	\$ 680	\$ 330	\$ 622	+\$ 50	+\$176	+\$ 50	-\$276
	18"	60"	\$ 743	\$ 353	\$ 682	+\$ 74	+\$260	+\$ 74	-\$316
	18"	66"	\$ 787	\$ 397	\$ 726	+\$ 74	+\$260	+\$ 74	-\$316
	18"	72"	\$ 843	\$ 453	\$ 782	+\$ 74	+\$260	+\$ 74	-\$316
	18"	78"	\$ 887	\$ 497	\$ 826	+\$ 74	+\$260	+\$ 74	-\$316
	18"	84"	\$1077	\$ 687	\$1016	+\$ 74	+\$260	+\$ 74	-\$316
	18"	90"	\$1257	\$ 867	\$1196	+\$ 74	+\$260	+\$ 74	-\$316
	18"	96"	\$1446	\$1056	\$1385	+\$ 74	+\$260	+\$ 74	-\$316
	18"	102"	\$1663	\$1234	\$1601	+\$103	+\$360	+\$103	-\$355
	18"	108"	\$1912	\$1483	\$1850	+\$103	+\$360	+\$103	-\$355
	18"	114"	\$2199	\$1770	\$2137	+\$103	+\$360	+\$103	-\$355
	18"	120"	\$2528	\$2099	\$2466	+\$103	+\$360	+\$103	-\$355
:	:		:	:	:	:	:	•	:

Migration

Und	erstanding	
	Height-Adjustable Desks	120
Spe	cifying	
	Height-Adjustable Desks	124
	Height-Adjustable Bases	125
	Migration Cable and Power Management	126


Migration Height-Adjustable Desks



Product Details

High-Pressure Laminate Desks


Front (user's) edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

See Surface Materials in this book for specific PVCfree availability, page 208.

Edge profile finishes are specified separately from laminate color.




Square corners are standard and have 90° corners on all four sides.


Wood Veneer Desks

Front (user's) edge profile is wood veneer with a square (3 mm) radius.


Side and back edges are flat. Wood edge color matches finish specified for desk




Migration desks adjust 22%"H to 487/10"H in any increment.



Up/down controller is available as an option and easily adjusts height of desk, at a rate of 1%" per second, by simply pushing the up and down arrows.



4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. When activated, the digital display will show the height of desk.



Desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.

Wiring and Cabling


Electric motor with whisper quiet opera-


tion adjusts at 1%" per second. Motor is 24V DC and includes a 9' power cord. Motor also has 0.1W standby power.

Migration desks are listed by FTI

Tip: Migration base only is ETL recognized because alternative worksurfaces do not create an ETL listed product.

See page 23






Controller can be mounted on either the left- or righthand side of the top and is field-installed

Power and data strips


are field-installed on either a SOTO rail or worksurface. Specify appropriate attachment bracket depending on application.

▶See page 189 for Cable and Power Management.




Cable riser supports cable management vertically between the floor and the underside of the desk. It is available in 6527 Merle and is specified separately.

►Specifying, page 126



Cable riser-leg connections inside dimensions are 1"D x 1"W to accommo-

date a variety of cord sizes. Overall depth is 2".



Cable riser-fence connections inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




Cable brackets, ordered separately, support horizontal cable management below the worksurface

► Specifying, page 126



Inside dimensions of cable brackets are 35/8"D x 13/8"W x 13/16"H.



Cable management includes two cable clips and two ties to help manage desk cables.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- See Surface Materials
- Reference Manual. Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

3 mm edge profile

Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square 3 mm edge profile

Wood veneer to match desk

Height-adjustable base

4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle

Application Topics


Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Cableways mount to desks to help manage cables at desk height for a clean aesthetic and can be used in combination with screens.



SOTO rail and SlatRail mount to desks to support worktools, freeing up desk space.

See Steelcase Worktools Specification Guide.



Universal boundary

screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

Due to design, the base has a dead zone
between 461/16" and 5115/16"
limiting worksurface sizes.



Any storage higher than 20" will impede height range of desk. Tip: Do not place storage underneath controller.

Desk overhang for CPU holder or layering of low storage and pedestals is allowed on Migration desks 58"W or larger. 58"W desks allow a maximum 13½"W overhang due to the width and design of the telescopic base. The maximum overhang on desks 64"W and larger is 17"W.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety requirements.



Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.

Installation

Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 220 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface.

: Base supports a maximum distributed weight capacity of 220 pounds.
: Tip: When calculating lifting capacity, subtract the weight of the worksurface.


Desk Weight				
	W	LD	RD	Worksurface Weight
W	•			
Rectangular-23"D	46"	23"	23"	30 lb
	52"	23"	23"	34 lb
	58"	23"	23"	38 lb
	64"	23"	23"	42 lb
	70"	23"	23"	46 lb
Rectangular—29"D	46"	29"	29"	38 lb
	52"	29"	29"	43 lb
	58"	29"	29"	48 lb
	64"	29"	29"	53 lb
	70"	29"	29"	58 lb
Rectangular-35"D	46"	35"	35"	46 lb
	52"	35"	35"	52 lb
	58"	35"	35"	58 lb
	64"	35"	35"	64 lb
	70"	35"	35"	70 lb

Migration Height-Adjustable Desks

► Need help?

page 120

Product details,



Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm application are permitted for use with 2-leg height-adjustable desks.

See Steelcase Worktools Specification Guide.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Base supports a maximum distributed weight capacity of 220 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

See page 123 for worksurface weights.

Standard Includes Required to Specify · Worksurface: High-Pressure Laminate price group 1 1 Style number with 3 mm 2 Desk depth plastic edge or wood group 1 veneer 3 Desk width · Electric height-adjustable sit-to-stand base: paint 4 High-Pressure Laminate or wood color for Square corners worksurface · Depth: 23", 29", or 35" • Width: 46", 52", 58", 64", or 70" selected · Power cord: 9'

½" adjustable glidesAttachment hardware

· 4 pre-set controller

5 Plastic color number for profile edge, if selected
6 Paint color number for base:
4799 Platinum Metallic
7207 Black
7241 Arctic White
7360 Merle
7 Controller (see below under Required Selections below)

8 Options, if selected (see below)

See Surface Materials, page 208

Specify with 4 pre-set controller.

	Required Selections	U.S. Price	Required to Specify
Controller	Lin/down controller	No cost	Specify with un/down controller

+\$125

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate top Laminate price group 2 Open Line laminate	See information at left +\$ 74 plus cost of laminate	Specify laminate color number. ▶ See Surface Materials Reference Manual.
	Wood veneer desks Wood group 2 Wood group 3 Customiz stain Full-fill finish on wood group 1	+\$ 74 +\$260 No cost +\$ 74	Specify wood color number. Specify wood color number. Specify with customiz stain. See Surface Materials Reference Manual Specify full-fill finish number.
	Base Paint price group 1 Paint price group 2	No cost +\$ 30	Specify paint color number. Specify paint color number. See Surface Materials, page 208
Related Products	Privacy/modesty screens Cable and power management	i	▶ Page 192 ▶ Page 126

		U.S. Base Prices				
Style Number	• Dimensions Depth	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W
High-Press	ure Laminate De	sks				
MIGRELRQ	23"	\$1361	\$1400	\$1441	\$1486	\$1537
	29"	\$1531	\$1577	\$1627	\$1676	\$1732
	35"	\$1699	\$1754	\$1812	\$1867	\$1926
Wood Vene	er Desks					
MIGRELRQ	23"	\$1925	\$1972	\$2020	\$2076	\$2135
	29"	\$2118	\$2173	\$2231	\$2291	\$2354
	35"	\$2308	\$2374	\$2441	\$2507	\$2572



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

Canadian price factor.


See page 1 for details.

Migration Height-Adjustable Bases

► Need help?

page 120

Product details,



Tip: Attachment hardware is intended for desks 1" to 13/16" thick.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm application are permitted for use with 2-leg height-adjustable

►See Steelcase Worktools Specification Guide.

Tip: Base supports a maximum distributed weight capacity of 220 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: The base does not accommodate worksurface widths between 461/6" and 51¹⁵/16".



Read base only warranty limitations.

►See page 23 for Workstation Design Guidelines and Requirements.

Standard Includes

- · Electric height-adjustable sit-to-stand base: paint
- Depth: 23", 29", or 35"
 Width: 46", 52", 58", 64", or 70"
- Power cord: 9'
- 1/2" adjustable glides
- Attachment hardware

Required to Specify

- 1 Style number
- 2 Depth
- 3 Paint color number for base: 4799 Platinum Metallic 7241 Arctic White 7207 Black
- 7360 Merle 4 Controller (see below under Required
- Selections below) 5 Options, if selected (see below)

Required Selections	U.S. Price	Required to Specify
Up/down controller4 pre-set controller	No cost +\$125	Specify with up/down controller. Specify with 4 pre-set controller.

	Options	U.S. Price	Required to Specify
Surface	Base		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 30	Specify paint color number.
			► See Surface Materials, page 208
Related	Privacy/modesty screens		▶ Page 192
Products	 Cable and power manage 	ement	▶Page 126

Specification	on Information		
		· U.S. Base Price	
· Style · Number	• Dimensions Depth	46"W—70"W	
MIGRELRQB	23"	\$1298	
	29" or 35"	\$1423	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Migration Cable and Power Management

Cable Riser



Fence connection



Standard Includes

Required to Specify

- Need help? Product details, page 121
- · Cable riser with fence connection: 7360 Merle paint
- Attachment hardware
- 1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Connection	• Fence	No cost	Specify with fence connection.
	• Leg	+\$110	Specify with leg connection.

Specification Information			
• Style Number	· U.S. Base Price		
MIGCR	\$76 :		

Cable Brackets



	Standard Includes	Required to Specify
Need help?	Cable brackets, quantity of four: 6527 Merle plastic	Style number


Product details, page 120



Migration SE

Understanding	
Height-Adjustable Desks	128
Specifying	
Height-Adjustable Desks	132
Height-Adjustable Bases	134
Migration SE Cable and Power Management	135


Migration SE Height-Adjustable Desks



Product Details

High-Pressure Laminate Desks


Front (user's) edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

See Surface Materials in this book for specific PVCfree availability, page 208.

Edge profile finishes are specified separately from laminate color.




Square corners are standard and have 90° corners on all four sides.


Wood Veneer Desks

Front (user's) edge profile is wood veneer with a square (3 mm) radius.


Side and back edges are flat. Wood edge color matches finish specified for desk



Mitered-edge foot is available as an option. This style of foot offers a mitered front and back edge flush to the floor. The glide adjustments on this foot are ½".




Squared-edge foot is available as an option. This style of foot offers a squared front and back edge flush to the floor. The glide adjustments on this foot are ½".



Migration SE extended height adjustable desk adjusts from 22%"—487/10" in any increment. The basic height adjustable desk adjusts from 283/10"—469/10" in any increment.




Up/down controller is available as an option and easily adjusts height of desk, at a rate of 13/10" per second, by simply pushing the up and down arrows.



4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. When activated, the digital display will show the height of desk.

Obstruction sensing technology is standard with all Migration SE desks. The worksurface will backtrack when it makes contact with an object.



Desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.


Wiring and Cabling


Electric motor with whisper quiet operation adjusts at 1%10" per second. Motor is 24V DC and includes a 9' power cord. Motor also has 0.2W standby power.

Migration SE desks are listed by ETL.

Tip: Migration SE base only is ETL recognized because alternative worksurfaces do not create an ETL listed product.

See page 23







Controller can be mounted on either the left- or righthand side of the top and is field-installed.

Power and data strips are field-installed on either a SOTO rail or worksurface. Specify appropriate attachment bracket depending on application.

► See page 189 for *Cable* and *Power Management*.





Cable riser-fence connections inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. The fence connection can go to the leg or the fence. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

Specifying, page 126



Inside dimensions of cable brackets are 35%"D x 13%"W x 13/16"H.



Cable management includes two cable clips and two ties to help manage desk cables.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- See Surface Materials
- Reference Manual.

 Open Line laminate

(option)
A program including nonSteelcase laminates which are suitable for use on
Steelcase products.

See Surface Materials Reference Manual.

3 mm edge profile

Plastic

Wood Veneer Desk

- · Wood veneer (standard)
- · Customiz stain (option)
- · Full-fill finish (option)

Square 3 mm edge profile

 Wood veneer to match desk

Height-adjustable base

4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Cableways mount to desks to help manage cables at desk height for a clean aesthetic and can be used in combination with screens



SOTO rail and SlatRail mount to desks to support worktools, freeing up desk

See Steelcase Worktools Specification Guide.



Universal boundary

screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.



On extended height

desks, any storage higher than 21" will impede height range of desk. On basic height desks, any storage higher than 26" will impede the height range of the desk.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies

are not allowed on heightadjustable desks. They do not meet minimum safety requirements.



Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.

Installation

Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 220 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface.

: Base supports a maximum distributed weight capacity of 220 pounds. : *Tip: When calculating lifting capacity, subtract the weight of the worksurface.*

Tip. When calculating litting ca	paony, odbli	act the troight of th	o morrisariaco	•
Desk Weight				
	W	LD	RD	Worksurface Weight
W				
Rectangular — 23" or 24"D	46"	23" or 24"	23" or 24"	30 lb
	52"	23" or 24"	23" or 24"	34 lb
	58"	23" or 24"	23" or 24"	38 lb
	64"	23" or 24"	23" or 24"	42 lb
	70"	23" or 24""	23" or 24"	46 lb
	76"	23" or 24"	23" or 24"	51.8 lb
Rectangular-29" or 30"D	46"	29" or 30"	29" or 30"	38 lb
	52"	29" or 30"	29" or 30"	43 lb
	58"	29" or 30"	29" or 30"	48 lb
	64"	29" or 30"	29" or 30"	53 lb
	70"	29" or 30"	29" or 30"	58 lb
	76"	29" or 30"	29" or 30"	62.6 lb
Rectangular — 35" or 36"D	46"	35" or 36"	35" or 36"	46 lb
	52"	35" or 36"	35" or 36"	52 lb
	58"	35" or 36"	35" or 36"	58 lb
	64"	35" or 36"	35" or 36"	64 lb
	70"	35" or 36"	35" or 36"	70 lb
	76"	35" or 36"	35" or 36"	75.5 lb

Migration SE Height-Adjustable Desks

► Need help?

page 128

Product details,

Migration SE basic height-adjustable desk will be available Summer 2019.



Standard Includes

Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge

- · Electric height-adjustable sit-to-stand base: paint
- · Square corners
- Depth: 23", 24", 29", 30", 35", or 36"
 Width: 46", 52", 58", 64", 70", or 76"
- · Power cord: 9'
- 1/2" adjustable glides
- · Attachment hardware

Required to Specify

- Style number
 Desk type (see below under Required Selections)
- 3 Controller (see below under Required Selections)
- 4 Foot (see below under Required Selections)
- 5 Desk depth
- 6 Desk width
- 7 High-Pressure Laminate or wood color for worksurface
- 8 Plastic color number for profile edge, if selected
- 9 Paint color number for base:4799 Platinum Metallic7207 Black

7241 Arctic White 7360 Merle

- 10 Options, if selected (see below)
- ► See Surface Materials, page 208

	Required Selections	U.S. Price	Required to Specify
Desk Type	Parametric width deskModular width desk	No cost No cost	Specify with parametric desk type. Specify with modular desk type.
Controller	Up/down controller 4 pre-set controller	No cost +\$ 52	Specify with up/down controller. Specify with 4 pre-set controller.
Foot	Squared-edge foot Mitered-edge foot	No cost +\$ 75	Specify with squared-edge foot. Specify with mitered-edge foot.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm application are permitted for use with 2-leg height-adjustable desks.

See Steelcase Worktools Specification Guide.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Base supports a maximum distributed weight capacity of 220 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

See page 131 for worksurface weights.

	Options	U.S. Price	Required to Specify
Surface	Laminate top		
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	Open Line laminate	+\$ 74	► See Surface Materials Reference Manual
	Wood veneer desks		
	 Wood group 2 	+\$ 74	Specify wood color number.
	Wood group 3	+\$260	Specify wood color number.
	Customiz stain	No cost	Specify with customiz stain.
			► See Surface Materials Reference Manual
	 Full-fill finish on wood group 1 	+\$ 74	Specify full-fill finish number.
	Base		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 29	Specify paint color number.
			► See Surface Materials, page 208
Related	Privacy/modesty screens		▶Page 192
Products	 Cable and power management 		▶Page 126



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.


Migration SE basic height-adjustable desk will be available Summer 2019.

Specifica	ation Inform	ation						
			U.S. B	ase Pric	es			
Style Number	• Dimensions Depth	• Desk Type • Modular	: 46"W	: 52"W	: 58"W	: 64"W	: 70"W	: 76"W
: :	:	Parametric	: N.A. :	:46"W :-52"W	: 52½6"W : -58"W	: 58½6"W : -64"W	: 64½16"W : -70"W	: 70½6"W : -76"W
High-Pres	ssure Lamina	ite Desks—	-Basic	Height				
MGSLTRQ	23" or 24"		\$1215	\$1239	\$1264	\$1295	\$1327	\$1360
	29" or 30"		\$1240	\$1265	\$1290	\$1322	\$1355	\$1388
	35" or 36"		\$1266	\$1291	\$1317	\$1355	\$1388	\$1423
Wood Gro	up 1 Desks-	–Basic Hei	ght					
MGSLTRQ	23" or 24"		\$1779	\$1811	\$1843	\$1885	\$1925	\$1968
	29" or 30"		\$1827	\$1861	\$1894	\$1937	\$1977	\$2017
	35" or 36"		\$1875	\$1911	\$1946	\$1995	\$2034	\$2079
High-Pres	sure Lamina	ite Desks—	-Extend	ded Hei	ight		·	
MGELTRQ	23" or 24"		\$1330	\$1356	\$1383	\$1418	\$1453	\$1489
	29" or 30"		\$1358	\$1384	\$1412	\$1447	\$1483	\$1519
	35" or 36"		\$1386	\$1413	\$1441	\$1483	\$1519	\$1558
Wood Gro	up 1 Desks-	-Extended	Height	t				
MGELTRQ	23" or 24"		\$1894	\$1928	\$1962	\$2008	\$2051	\$2097
	29"or 30"		\$1945	\$1980	\$2016	\$2062	\$2105	\$2148
	35" or 36"		\$1995	\$2033	\$2070	\$2123	\$2165	\$2214



Migration SE Height-Adjustable Bases

Migration SE basic height-adjustable desk will be available Summer 2019.



Tip: Attachment hardware is intended for desks 1" to 13/16" thick.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm application are permitted for use with 2-leg height-adjustable desks.

See Steelcase Worktools Specification Guide.

Tip: Base supports a maximum distributed weight capacity of 220 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Worksurface for use on this base needs to be 2" wider than the base.

▲WARNING

Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.

Standard Includes

Required to Specify

► Need help? Product details, page 128

- · Electric height-adjustable sit-to-stand base: paint
- Depth: 23", 24", 29", 30", 35", or 36"
- Power cord: 9'
- ½" adjustable glides
- Attachment hardware

- 1 Style number
- 2 Depth
- 3 Paint color number for base: 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle
- 4 Controller (see below under Required Selections)
- 5 Foot (see below under Required Selections)
- 6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Controller	 Up/down controller 4 pre-set controller	No cost +\$52	Specify with up/down controller. Specify with 4 pre-set controller.
Foot	Squared-edge foot Mitered-edge foot	No cost +\$75	Specify with squared-edge foot. Specify with mitered-edge foot.

	Options	U.S. Price	Required to Specify
Surface Materials	Base Paint price group 1 Paint price group 2	No cost +\$29	Specify paint color number. Specify paint color number. See <i>Surface Materials</i> , page 208
Related Products	Privacy/modesty screens Cable and power management		▶ Page 192 ▶ Page 126

Specification Information

· Style	 Dimensions 	·U.S.	
Number	Depth	Base	
:	:	Price	

Rectangular Base - Basic Height

nectangulai base – basic neight						
MGSLTRQB	24"	\$ 951				
	29" or 30"	\$ 951				
	35" or 36"	\$ 951				

Rectangular Base – Extended Height

MGELTRQB	24"	\$1052
	29" or 30"	\$1052
	35" or 36"	\$1052



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Migration SE Cable and Power Management

Cable Riser



Fence connection



Standard Includes

Required to Specify

- ► Need help? Product details, page 70
- · Cable riser with fence connection: 7360 Merle paint
- · Attachment hardware
- 1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Connection	Fence	No cost	Specify with fence connection.
	• Leg	+\$110	Specify with leg connection.

Specificat	tion Information
Style Number	· U.S. Base Price
MIGCR	\$76

Cable Brackets



	Standard Includes	Required to Specify
Need help? Product details, page 70	Cable brackets, quantity of four: 6527 Merle plastic	Style number


Specificat	ion Informat	ion
Style Number	·Weight	· U.S. Price
MIGCBK4	0.5 lb	\$37



Series 5

Understanding	
Height-Adjustable Worksurfaces	138
Specifying	
Height-Adjustable Worksurfaces	142
Height-Adjustable Bases	146


Series 5 Height-Adjustable Worksurfaces



Product Details

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in three shapes. Universal tables have a continuous edge profile available in three shapes.





Urethane edge profile


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

Tip: Universal Tables have a continuous 3 mm edge.


Edge profile finishes are specified separately from laminate color.

PVC-free, knife edge with 3 mm edge profile are proprietary blend for solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. Tip: Knife edge available on Series 3 and Series 5 height-adjustable worksurfaces only.

Urethane edge profiles are specifiable in black or felt.



Universal tables have 2" radius corners on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.



Universal systems, knife edge, urethane edge, and wood veneer worksurfaces have 90° corners on all four sides with a front user's edge.

Wood Veneer Worksurfaces




Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

Tip: Wood veneer worksurfaces are available on Series 3 and Series 5 heightadjustable worksurfaces only.



Series 5 worksurfaces adjust 25½"H to 52"H in any increment.

Worksurface sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.



Feet of base extend 1" past worksurface edge to eliminate pinch points and add clearance for cable access.





Worksurface overhang for pedestal storage

varies by shape and size of worksurface. Worksurface widths over 58" allow for single or dual overhang.

Telescoping stretchers

collapse to accommodate worksurface overhang, if allowed. Pre-drilled holes are provided for both overhang (15") and non-overhang (1¼") instances; therefore, base placement is determined during assembly.





Larger 90° equal worksurfaces are manufactured in two pieces due to laminate sheet size. Flush-mounted worksurface bracing is provided. Smallest section of the worksurface must not overhang lifting column.

Wiring and Cabling

Low surge electric motor with whisper quiet operation adjusts at 1%,0" per second. Motor is 110V and includes a 9' power cord. Motor also has 0.21W standby power.

Series 5 desks are listed by UL.


Tip: Series 5 base only is UL recognized because alternative worksurfaces do not create an UL listed product.
▶See page 23

Push button up/down controller must be located near the master motor. The master motor can be placed on either the right- or left-hand side of the table. For all bi-level tables, the controller must be mounted on the user's right-hand side.

Primary and secondary motors are mounted between the lifting columns.



Trough is provided to manage excess base controller wires.



Drive shaft cover is provided to conceal drive shaft.

Surface Materials

High-Pressure Laminate Worksurface

- · Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
 Reference Manual.

3 mm or knife edge profile

Plastic

Urethane edge profile

- 6000 Black
- 6278 Felt

Wood Veneer Worksurface

- Wood veneer (standard)
- · Customiz stain (option)
- Full-Fill Finish (option)

Square 3 mm edge profile


 Wood veneer to match worksurface

Height-adjustable base

- 0835 Black
- 4799 Platinum

Application Topics

Moving tables can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable worksurfaces.




Screens mount to worksurfaces in privacy or below the worksurface for modesty.

See Worktools
Compatibility Charts, page 33, for help determining appropriate screen widths

for each Series 5 worksur-

face size.



Screens are not permitted on 23"D rectangular worksurfaces, as they do not pass minimum safety requirements which could result in the desk tipping over.

Cableways mount to worksurfaces to help manage cables at worksurface height for a clean aesthetic and can be used in combination with screens.

See Worktools

Compatibility Charts, page 33, for help determining appropriate cableway widths for each Series 5 worksurface size.

SOTO rail and SlatRail

mount to worksurfaces to support worktools, freeing up worksurface space.

See Worktools
Compatibility Charts, page
33, for help determining
appropriate SOTO rail and
SlatRail widths for each
Series 5 worksurface size.



Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.



27"H pedestal

Any storage higher than 20" will impede the height range of the worksurface.

Tip: If placed outside the lifting column (as shown), any storage higher than 24" will impede the height range of the worksurface.

All assemblies meet or exceed ANSI/BIFMA standards.



Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.



Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety requirements.

Installation

Worksurfaces ship with pre-drilled holes for mounting bases.


Two-piece tops ship with flush mounted worksurface bracing.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 195 pounds. Tip: When calculating lifting capacity, subtract the weight of the worksurface.

W	RD
-	⊌





Worksurface Shape	W	LD		RD	Style Number	Worksurface Weight
Rectangular – 23"D	46"	23"		23"	A5RQ462323	36.1 lb
nootangalai 20 2	52"	23"		23"	A5RQ522323	40.5 lb
	58"	23"		23"	A5RQ582323	45.9 lb
	64"	23"		23"	A5RQ642323	50.3 lb
	70"	23"		23"	A5RQ702323	54.7 lb
	76"	23"		23"	A5RQ762323	59.0 lb
Rectangular – 29"D	46"	29"		29"	A5RQ462929	45.9 lb
· ·	52"	29"		29"	A5RQ522929	51.4 lb
	58"	29"		29"	A5RQ582929	56.9 lb
	64"	29"		29"	A5RQ642929	63.4 lb
	70"	29"		29"	A5RQ702929	68.9 lb
	76"	29"		29"	A5RQ762929	74.4 lb
90° Corner	40"	23"	40"	23"	A5LQ40234023	49.2 lb
	46"	23"	46"	23"	A5LQ46234623	54.7 lb
90° Equal – 23"D	52"	23"	52"	23"	A5LQ52235223	65.6 lb
90 Equal – 23 D	58"	23"	58"	23"	A5LQ55235823	74.4 lb
	64"	23"	64"	23"	A5LQ64236423	88.6 lb
	70"	23"	70"	23"	A5LQ64236423 A5LQ70237023	97.3 lb
	76"	23"	76"	23"	A5LQ70237023 A5LQ76237623	106.1 lb
90° Equal – 29"D	52"	29"	52"	29"	A5LQ52295229	76.5 lb
50 Lquai – 29 D	52 58"	29" 29"	52 58"	29"	A5LQ52295229 A5LQ58295829	87.5 lb
	50	23	50	25	AJEQJ023J029	07.0 10

Series 5 Height-Adjustable Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Series 5 heightadjustable base requires assembly and attachment to the worksurface.

Tip: Worksurface ships with pre-drilled holes for mounting bases.

Tip: Maximum distributed weight capacity is 195 pounds per table. When calculating lifting capacity, subtract the weight of the worksurface.

See page 141, for worksurfaces weights.

Tip: Any storage higher than 20" will impede the lowest height range of worksurface. If the overhang is installed, 24" high storage can be

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable worksurfaces.

Tip: Worksurface overhang for pedestal storage varies by shape and size.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: For help determining privacy/modesty screen, cableway, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 33.

Tip: For all edge profiles, add a suffix to the style number. (For example, A5RQ342323 becomes A5RQ342323V for wood with square edge profile.)

Standard Includes

Need help? Product details, page 138

- High-Pressure Laminate price group 1 or wood group 1 veneer
- · High-Pressure Laminate worksurface edges:
- -Universal Tables: plastic 3 mm edge profile on all sides
 -Universal Systems or knife edge worksurfaces: plastic 3 mm edge profile on front edge with matching 1 mm plastic on sides and back
- -Urethane profile worksurfaces: urethane on front edge with matching plastic 3 mm edge profile on sides and back
- · Wood worksurface edges:
 - Wood veneer square 3 mm radius on front edge with 1 mm matching veneer flat profile on side and back edges
- · Worksurface corners:
- -Radius corners on Universal Tables, if selected
- -90° corners on Universal Systems, knife edge, urethane, and wood worksurface profiles, if selected
- · Electric height-adjustable sit-to-stand base: paint
- · Push button up/down controller
- · Telescoping stretchers
- 5/8" adjustable glides
- · Wire manager
- · Drive shaft cover
- · Power cord: 9'
- · Attachment hardware

Required to Specify

- 1 Style number with appropriate edge profile suffix:
- **U** Universal Tables
- Y Universal Systems
- K Knife edge
- S Urethane profileV Wood veneer
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic or urethane color number for profile edge on laminate worksurface, if selected
- 4 Paint color for base: 0835 Black 4799 Platinum
- 5 Options, if selected (see below)
- ▶ See Surface Materials, page 208.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate	worksurfaces					
Materials	Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.				
	Wood veneer worksurfac	es					
	 Wood group 2 	See information at left	Specify wood color number.				
	Wood group 3	See information at left	Specify wood color number.				
	 Customiz stain 	No cost	Specify with Customiz stain.				
	Full-fill finish on wood group 1	Prices at right	See Surface Materials Reference Manual. Specify full-fill finish number.				
Glides	1" adjustable glides	+\$33 ₹34/20	Specify with 1" glides.				
Related Products	Slatwall, SlatRail, and Freestar	nding Worktools	See Steelcase Worktools Specification Guide.				
	SOTO rail/shelves and worktoo	ols	See Steelcase Worktools Specification Guide.				
	Flat panel arms		See Steelcase Worktools Specification Guide.				
	 Privacy/modesty screens and of 	cableways	▶ Pages 192 and 200				
	 Cable and power management 	t	▶ Page 201				



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

⊠4/20 = Last order entry April 19, 2020

Specification Information U.S. Base Prices Dimensions ·Style ·Universal ·Knife ·Urethane ·Wood Option Universal **Profile** W LD RD Number **Tables Systems Edge Group 1** (Add \$ to Base Price) Full-Fill Finish on Wood Group 1 Suffix U Suffix Y Suffix K Suffix S Suffix V

Rectangular Worksurfaces



23"D								
46"	23"	23"	A5RQ462323	\$2136 34/20	\$2066 \(\mathbb{\matha\mathba\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$2281 10/19	\$2570 10/19 \$2713 4/20	+\$50
52"	23"	23"	A5RQ522323	\$2202 34/20	\$2130 \(\frac{\mathbb{X}}{4/20}\)	\$2351 10/19	\$2643 \(\frac{10}{19}\) \$2789 \(\frac{14}{20}\)	+\$50
58"	23"	23"	A5RQ582323	\$2269 34/20	\$2193 \(\frac{\mathbb{X}}{4/20}\)	\$2418 10/19	\$2714 \(\mathbb{\math	+\$50
64"	23"	23"	A5RQ642323	\$2338 🔀 4/20	\$2265 \(\mathbb{\matha\mathba{\mathba\mathba\mathba{\mathbb{\mathba\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$2489 10/19	\$2791 \(\mathbb{\text{10/19}}\) \$2945 \(\mathbb{\text{34/20}}\)	+\$74
70"	23"	23"	A5RQ702323	\$2407 34/20	\$2332 \(\frac{1}{20}\)	\$2563 10/19	\$2868 10/19 \$3023 4/20	+\$74
76"	23"	23"	A5RQ762323	\$2482 34/20	\$2404 34/20	\$2640 🔀10/19	\$2951 10/19 \$3106 4/20	+\$74



29"I	D							
46"	29"	29"	A5RQ462929	\$2395	\$2320	\$2546 10/19	\$2847 10/19 \$2996	+\$50
52"	29"	29"	A5RQ522929	\$2469	\$2391	\$2620 10/19	\$2924 10/19 \$3080	+\$74
58"	29"	29"	A5RQ582929	\$2542	\$2467	\$2698 10/19	\$3008 10/19 \$3161	+\$74
64"	29"	29"	A5RQ642929	\$2620	\$2542	\$2778 10/19	\$3092 10/19 \$3250	+\$74
70"	29"	29"	A5RQ702929	\$2699	\$2619	\$2858 10/19	\$3176 10/19 \$3336	+\$74
76"	29"	29"	A5RQ762929	\$2782	\$2701	\$2945 🛂 10/19	\$3267 10/19 \$3428	+\$74

Tip: For all edge profiles, add a suffix to the style number. (For example, A5RQ462323 becomes A5RQ462323V for wood with square edge profile.)

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable

▶ Specification Information, continued on next page

■10/19 = Last order entry
October 20, 2019
■4/20 = Last order entry
April 19, 2020

▶ Specification Information, continued from previous page


Specification Information U.S. Base Prices Dimensions ·Style Universal ·Universal · Knife Urethane Wood Option LW LD RW RD Number **Tables Profile** (Add \$ to Base Price) Systems Edge Group 1 Full-Fill Finish on Wood Group 1 Suffix U Suffix Y Suffix K Suffix S Suffix V

90° Corner Worksurfaces




40"	23"	40"	23"	A5LQ40234023	\$2351 \(\mathbb{X}_4/20\)	\$2241 34/20	\$2565 🔀 10/19	\$2993 🔀 10/19	\$3205 \(\)34/20	+\$ 50
46"	23"	46"	23"	A5LQ46234623	\$2426 34/20	\$2314 \(\mathbb{\text{34/20}}\)	\$2642 10/19	\$3077 10/19	\$3294 \(\frac{1}{20}\)	+\$ 74

90° Equal Worksurfaces



23"D											
52"	23"	52"	23"	A5LQ52235223	\$3298 🔀 4/20 \$3182 🔀 4/20 \$3536 🔀 10/19 \$4009 🔀 10/19 \$4245 🔀 4/20 +\$ 74						
58"	23"	58"	23"	A5LQ58235823	\$3501 🔀 4/20 \$3377 🔀 4/20 \$3744 🔀 10/19 \$4233 🔀 10/19 \$4476 🔀 4/20 +\$ 74						
64"	23"	64"	23"	A5LQ64236423	\$3716 🔀 4/20 \$3591 🔀 4/20 \$3969 🔀 10/19 \$4470 🔀 10/19 \$4721 🔀 4/20 +\$103						
70"	23"	70"	23"	A5LQ70237023	\$3946 🔀 4/20 \$3818 🔀 4/20 \$4203 🔀 10/19 \$4721 🔀 10/19 \$4979 🔀 4/20 +\$103						
76"	23"	76"	23"	A5LQ76237623	\$4188 🛂/20 \$4054 🛂/20 \$4455 🛂 10/19 \$4987 🛂 10/19 \$5255 🛂 4/20 +\$134						



Tip: 64"W, 70"W, and 76"W 90° equal worksurfaces ship in two pieces.

29"D												
29"	52"	29"	A5LQ52295229	\$3501 34/20	\$3377 34/20	\$3744 10/19	\$4233 10/19 \$4476 4/20	+\$ 74				
29"	58"	29"	A5LQ58295829	\$3716 34/20	\$3591 34/20	\$3969 10/19	\$4470 10/19 \$4721 4/20	+\$103				
29"	64"	29"	A5LQ64296429	\$3946 \(\mathbb{\mathbb{M}4/20}\)	\$3818 🔀 4/20	\$4203 🛂 10/19	\$4721 10/19 \$4979 4/20	+\$103				
	29" 29"	29" 52" 29" 58"	29" 52" 29" 29" 58" 29"	29" 52" 29" A5LQ52295229 29" 58" 29" A5LQ58295829	29" 52" 29" A5LQ52295229 \$3501 🔀4/20 29" 58" 29" A5LQ58295829 \$3716 🔀4/20	29" 52" 29" A5LQ52295229 \$3501 34/20 \$3377 34/20 29" 58" 29" A5LQ58295829 \$3716 34/20 \$3591 34/20	29" 52" 29" A5LQ52295229 \$3501 X4/20 \$3377 X4/20 \$3744 X10/19 29" 58" 29" A5LQ58295829 \$3716 X4/20 \$3591 X4/20 \$3969 X10/19	29" 52" 29" A5LQ52295229 \$3501 24/20 \$3377 24/20 \$3744 210/19 \$4233 210/19 \$4476 24/20 29" 58" 29" A5LQ58295829 \$3716 24/20 \$3591 24/20 \$3969 210/19 \$4470 210/19 \$4721 24/20				

Tip: For all edge profiles, add a suffix to the style number. (For example, A5RQ462323 becomes A5RQ462323V for wood with square edge profile.) Tip: Base only for 90° corner worksurfaces is not available.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable worksurfaces.

₹10/19 = Last order entry October 20, 2019 **₹34/20** = Last order entry April 19, 2020

Series 5 Height-Adjustable Bases

Tip: Maximum distributed weight capacity is 195 pounds per table. When calculating lifting capacity, subtract the weight of the worksurface.

See page 141, for worksurfaces weights.

Tip: Any storage higher than 20" will impede the lowest height range of worksurface. If the overhang is installed, 24" high storage can be used.

Tip: Attachment hardware is intended for worksurfaces 13/16" thick only.


Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable worksurfaces.

Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.







Tip: Right-hand sizes listed; applicable for left-hand worksurfaces.

	Standard Includes	Required to Specify
Need help? Product details, page 138	 Electric height-adjustable sit-to-stand base: paint Push button up/down controller Telescoping stretchers ⁵/₆" adjustable glides 	1 Style number 2 Paint color number for base: 0835 Black 4799 Platinum
	Power cord: 9' Attachment hardware	3 Handedness of 90° base, if selected 4 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Glides	1" adjustable glides	+\$33	Specify with 1" glides.
Handedness (For use with 90	Right-hand, 90° extended bases	No cost	Specify with right-hand configuration
worksurfaces)	 Left-hand, 90° extended bases 	No cost	Specify with left-hand configuration.

Specification	Information		
Worksurface	· Style	·U.S.	
Dimensions	Number	Base	
W D	:	Price	
•	•	•	

Rectangular Bases

Specification Information

23"D			
46"–52"	23"	A5RQ46TO5223B ₩4/20	\$1976
58"	23"	A5RQ5823B ₩4/20	\$2101
64"-76"	23"	A5RQ64TO7623B ₩4/20	\$2211
29"D			
46"–52"	29"	A5RQ46TO5229B	\$2237
58"	29"	A5RQ5829B	\$2270
64"–76"	29"	A5RQ64TO7629B	\$2287
		•	•


· Worksurface Dimensions		· Style · Number	∙ U.S. ∃Base	Base		
LW	LD	RW	RD	:	Price	
90° I	Equal B	ases				
52"	23"–29"	52"	23"-29"	A5LQ52X52B ₹34/20	\$2935	
58"	23"–29"	58"	23"–29"	A5LQ58X58B ₩4/20	\$2944	
64"-76	8" 23"–29"	64"-76"	' 23"–29"	A5LQ64TO76B ₩4/20	\$2961	

Walkstation and Kybun Footp*a*

Walkstation and Kybun Footpad

Understanding	
Walkstation	148
Kybun Footpad	150
Specifying	
Walkstation	151
Kybun Footpad	152

Walkstation



Product Details



Walkstation is standard with indicators on belt to show movement and belt edge.




Walkstation is standard with metal treadmill receiver plate between feet to insure stability and keep treadmill and worksurface aligned. *Tip: Walkstation does not incline.*

Maximum weight capacity distributed is 295 pounds.


Tip: When calculating lifting capacity, subtract the weight of the worksurface.



Walkstation has an adjustability range of 241/4"H to 52"H.



Digital display console allows user to monitor speed, calories, time, and distance.




Digital key pad console allows user to start, stop, adjust speed, and adjust worksurface height.



Magnetic safety clip should always be attached to user when walkstation is in use.


Belt must be in the off position before user steps on to treadmill.

Connections




Walkstation may be used with privacy/modesty screens and cableways.

Pages 192 and 200



Walkstation may be used with Slatwall or SlatRail to accommodate adjustable monitor arm and worktools.



When using a laptop computer with walk-station, plugging in a separate keyboard, mouse, and flat panel display is recommended to provide full control over screen and keyboard positioning and to eliminate vibrations.

Wiring and Cabling

Wire management trough is provided to manage excess controller wires.

Nine foot power cord is standard.

Surface Materials

Worksurface, back edge, and side edges • Laminate

- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
 Reference Manual.

Urethane front edge

- 6000 Black
- 6278 Felt


Treadmill

· 7270 Silverstone

Base

- 0835 Black
- 4799 Platinum

Application Topics



Walkstation may be used in a variety or applications: meeting spaces, individual spaces, and shared spaces.

Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety requirements.



Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

Installation

Allow three feet from the outside edge of the treadmill base on both sides and rear. The only exception is if unit is pushed up against a plain, unobstructed wall on one side.

An FYI flat panel monitor arm is recommended mounted to the worksurface.

A wireless keyboard without a palm rest and wireless mouse is recommended.

A telephone headset is recommended.

Kybun Footpad

Kybun Footpad



▶ Specifying, page 152

Product Details

Kybun footpad is

designed to enable healthy postures and movements for user.

Kybun footpad is

designed to be used with flat soled shoes. Not recommended for use with high or sharp heeled footwear.

Kybun footpad is for use on non-skid surfaces.

Surface Materials

Burgundy

Care and Maintenance

Footpad cover can be washed in warm water (104°F) with similar colors.

Do not use steam, hot water, petroleum based solvents, or spot remover on footpad or footpad cover.

Disinfectant spray and odor blocker may be used up to twice a week to avoid germs and odors on footpad.

Store footpad flat.

Actual Dimensions

Depth	18"
Width	18"
Height	21/2"
Weight	3.5 lb

Walkstation

	Standard Includes	Required to Specify
Need help? Product details, page 148	Worksurface: High-Pressure Laminate price group 1 Worksurface front user's edge: urethane Back and side edges: matching laminate Base: paint Treadmill: 7270 Silverstone High-torque motor Digital display and keypad console Magnetic safety clip Glides	 1 Style number 2 High-Pressure Laminate color for worksurface 3 Urethane edge color number: 6000 Black 6278 Felt 4 Paint color number for base 5 Options, if selected (see below) See Surface Materials, page 208.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminat	te worksurfaces	
Materials	Laminate price group 2Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.

Specification Information

Overall Worksurface Weight Style U.S.
Footprint Dimensions Number Base
W D W D Price



66	67"	66	32"	330 ID	A/IG660606H	\$/6//



66" 67" 66" 32" 330 lb **A7TR663232H** \$7677



38"	67"	38"	30"	330 lb	A7TR383030H	\$7677




Sit-to-Walkstation							
78"	67"	78"	29"	330 lb	A7TR782929H	\$7977	



See page 1 for details.

Kybun Footpad




	Standard Includes	Required to Specify
Need help? Product details, page 150	Footpad: burgundy	Style number



Airtouch

Jnderstanding	
Height-Adjustable Worksurfaces	154
Height-Adjustable Worksurfaces	
Universal Tables	160
Universal Systems	164

Airtouch Height-Adjustable Worksurfaces





Leveling glides adjust 1" to install unit on uneven floors.

Product Details

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in two shapes. Universal tables have a continuous edge profile available in two shapes.






PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

Tip: Universal Tables have a continuous 3 mm edge.


Edge profile finishes are specified separately from laminate color.

P-edge profile rises slightly above the laminate surface and curves into a 3/s" radius. Back and side edges are flat. Tip: P-edge profile available on Airtouch height-adjustable worksurfaces only.


Tip: Universal tables have a continuous P-edge profile.



P-edge profile worksurface depths are 3/8" deeper than 3 mm edge profile worksurfaces. Both edge profiles provide a flush interface with universal pedestals.




Universal tables have 2" radius corners on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.




Universal Systems have 90° corners on all four sides with a front user's edge.

Airtouch heightadjustable tables are available in straight and corner shapes.




Airtouch worksurfaces adjust 26"H to 43"H in any increment.




Bi-level worksurfaces are two pieces—a large

monitor surface with a smaller keyboard surface attached. You can adjust the height of the monitor surface from 26"H to 43"H, and the keyboard surface moves along with it.




Keyboard worksurface on bi-level worksur-

faces is supported by a dual arm spring mechanism that allows it to adjust to positions up to 6" higher or 5" lower than the monitor worksurface.



Keyboard surface tilts with a range of 25°.



must separate backs of a table and panels to accommodate cables and prevent pinching. A 1" gap separates sides and adjacent furniture. There is also a 1½" space between the keyboard and monitor surfaces on units with two surfaces.



Worksurface overhang for pedestal storage varies by shape and size of worksurface.

Surface Materials

High-Pressure Laminate Tables

- · Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

3 mm or P-edge

Plastic

Height-adjustable base

- 4799 Platinum
- · 7207 Black


Height-adjustable column

4799 Platinum paint

Application Topics

Moving tables can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable worksurfaces.

Airtouch is designed to support up to 150 pounds including the worksurface. An adjustable feature on the column allows the amount of lift assist to be set for various cargo loads.




The gauge located near the top of the col-

umn shows the amount of lift assist in use. The amount of lift assist can be dialed up for heavier loads and dialed down for lighter loads. If the unit is not moving smoothly, the lift assist mechanism needs to be adjusted. For example, if the top raises too fast, dial the lift assist down. If the top is difficult to raise, dial the lift assist up.

Typical worktool weights are:

Laptop 5–8 lb Small flat screen 10–16 lb Monitor arm 10–14 lb Desk lamp 5–10 lb Keyboard 2–3 lb Inch of paper 2½ lb Desk phone 3–5 lb

Worksurface travels at the speed designated by the user. Users can adjust the table from seated to standing in one natural motion (approximately 1 second).



Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.



Screens mount to worksurfaces in privacy or below the worksurface for modesty.

See Worktools
Compatibility Charts, page 33, for help determining appropriate screen widths for each Airtouch worksurface size.

Cableways mount to 28¹/4"D worksurfaces only to help manage cables at worksurface height for a clean aesthetic and can be used in combination with screens.
▶ See Worktools
Compatibility Charts, page 33, for help determining appropriate cableway widths for each Airtouch worksurface size.

SOTO rail and SlatRail

mount to worksurfaces to support worktools, freeing up worksurface space. See Worktools Compatibility Charts, page 33, for help determining appropriate SOTO rail and SlatRail widths for each Airtouch worksurface size.



Any storage higher than 24¹/₂" will impede the lower height range of worksurface. Tip: Do not place storage underneath paddle.

Worksurface weight plates may be necessary to order if there is not enough weight on the worksurface. Applications using the smallest width worksurface without additional worktools (i.e. touchdown spaces) will require these counterweights (946900053SR).

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety requirements.

Installation

Worksurfaces ship with pre-drilled holes for mounting bases.


Airtouch column requires attachment to the base and worksurface.

Base supports a maximum distributed weight capacity of 150 pounds. Tip: When calculating lifting capacity, subtract the weight of the worksurface.

90° Corner Bi-Level

Worksurface	w	LD	RD	Style	Worksurface	
Worksuriace Shape	W	LD	Kυ	Number	Weight	
Universal Tables						
Rectangular – 221/4"D	40"	221/4"	221/4"	BAPSS2442	30.6 lb	
	46"	221/4"	221/4"	BAPSS2448	35.0 lb	
	58"	221/4"	221/4"	BAPSS2460	44.8 lb	
Rectangular – 281/4"D	40"	281/4"	281/4"	BAPSS3042	38.3 lb	
	46"	281/4"	281/4"	BAPSS3048	44.8 lb	
	58"	281/4"	281/4"	BAPSS3060	55.8 lb	
Rectangular Bi-level	40"	341/4"	341/4"	BAPDS3642	62.3 lb	
	46"	34 ¹ / ₄ "	34 ¹ / ₄ "	BAPDS3648	70.0 lb	


Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight	
90° Corner	391/4"	221/4"	391/4"	221/4"	BAPSC2442	45.9 lb	
	45 ¹ / ₄ "	221/4"	451/4"	221/4"	BAPSC2448	59.0 lb	






59.0 lb

72.2 lb




391/4" 221/4" 391/4" 221/4" BAPDC2442


451/4" 221/4" 451/4" 221/4" BAPDC2448



Worksurface W	/eigl	nt				
Worksurface Shape	W	LD	RD	Style Number	Worksurface Weight	
For use with Unive	ersal	Systems				
Rectangular – 221/4"D	40"	221/4"	221/4"	UAPSS2442	30.6 lb	
	46"	221/4"	221/4"	UAPSS2448	35.0 lb	
	58"	221/4"	221/4"	UAPSS2460	44.8 lb	
Rectangular – 28 ¹ / ₄ "D		28 ¹ / ₄ "	281/4"	UAPSS3042	38.3 lb	
	46"	281/4"	281/4"	UAPSS3048	44.8 lb	
	58"	281/4"	281/4"	UAPSS3060	55.8 lb	
Rectangular Bi-level	40"	341/4"	341/4"	UAPDS3642	62.3 lb	
	46"	341/4"	341/4"	UAPDS3648	70.0 lb	



Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight
90° Corner	391/4"	16 ¹ / ₄ "	391/4"	16 ¹ / ₄ "	UAPSC1842	30.6 lb
	391/4"	221/4"	391/4"	221/4"	UAPSC2442	45.9 lb
	45 ¹ / ₄ "	221/4"	45 ¹ / ₄ "	221/4"	UAPSC2448	59.0 lb
90° Corner Bi-Level	391/4"	221/4"	391/4"	221/4"	UAPDC2442	59.0 lb
30 GOITICI DI LEVEI	451/4"	221/4"	451/4"	221/4"	UAPDC2448	72.2 lb
	4574	2274	45 74	2274	UAPDC2446	72.2 10
120° Equal	34"	221/4"	34"	221/4"	UAPB2436	55.8 lb





Airtouch Height-Adjustable Worksurfaces

High-Pressure Laminate Universal Tables



Tip: Airtouch heightadjustable base requires assembly and attachment to the worksurface.

Tip: Worksurfaces ship with pre-drilled holes for mounting bases.

Tip: Any storage higher than $24^{1}/z^{"}$ will impede the lower height range of the worksurface. Do not place storage underneath paddle.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: An adjustment feature on the column allows the unit to function property with any load up to 150 pounds, including the worksurface.

Tip: Counterweights may be necessary to order if there is not enough load on the worksurface. Order service part (946900053SR).

Tip: For help determining privacy/modesty screen, cableway, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 33.

Tip: Knife edge, urethane profile, and wood veneer worksurface options are available through specials.

Tip: Paint surface options apply to base only. Paint surface option does not apply to column.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with single column height-adjustable tables.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Standard Includes

Need help? Product details, page 154

- High-Pressure Laminate price group 1
- High-Pressure Laminate worksurface edge: plastic
 3 mm edge or P-edge profile on all sides
- · Worksurface corners: radius
- Height-adjustable column mechanism: 4799 Platinum
- · Height-adjustable mechanism base: paint
- Dual-arm spring assist mechanism for bi-level worksurface, if selected
- · Attachment hardware

Required to Specify

- 1 Style number with appropriate edge profile suffix:
- P Laminate with plastic P-edge
- ► See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for profile edge on laminate worksurface
- 4 Paint color number for base: 4799 Platinum Metallic 7207 Black
- 5 Options, if selected (see below)
- ► See Surface Materials, page 208.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Laminate price group 2Open Line laminate	No cost +\$42 See information below +\$74 plus cost of laminate	Specify paint color number. Specify paint color number. Specify laminate color number. See Surface Materials Reference Manual.
Related Products	Slatwall, SlatRail, and Frees	standing Worktools	See Steelcase Worktools Specification Guide.
	SOTO rail/shelves and work	ctools	See Steelcase Worktools Specification Guide.
	Flat panel arms		See Steelcase Worktools Specification Guide.
	Privacy/modesty screens arCable and power managem		▶ Pages 192 and 200▶ Page 201

Tip: To specify 3 mm edge profile, no suffix is required. For P-edge profile, add suffix P to the style number (for example, BAPSS2442P).

Tip: Monitor arms with C-clamp brackets should not be specified with P-edge worksurfaces.

Arrough

Tip: To specify 3 mm edge profile, no suffix is required. For P-edge profile, add suffix P to the style number (for example, BAPSS2442P).

Tip: Eyesite and cableways should not be specified with 22¹/₄"D rectangular worksurfaces.







Specification	n Inform	ation			
· Dimensions		·Style	U.S. Base Prices High-Pressure Laminate Plastic Plastic		
W LD R		Number	3 mm Edge	P-Edge	
		•	:		
		:			
•			No Suffix	Suffix P	

Rec	tangu	lar Table	es						
22 ¹ / ₄ "D									
40"	221/4"	221/4"	BAPSS2442	\$2553	\$2612				
46"	221/4"	221/4"	BAPSS2448	\$2591	\$2650				
58"	221/4"	221/4"	BAPSS2460	\$2671	\$2742				
28 ¹ / ₂	ı"D								
40"	281/4"	281/4"	BAPSS3042	\$2658	\$2717				
46"	281/4"	281/4"	BAPSS3048	\$2699	\$2758				
58"	281/4"	281/4"	BAPSS3060	\$2782	\$2853				
<u>. </u>			•	•	·				

Rectangular Bi-Level Tables 40" 34½" 34½" \$3579 \$3688 46" 34½" 34½" BAPD\$3648 \$3614 \$3723

▶ Specification Information, continued on next page

Tip: 58" privacy/modesty screens should not be specified with 221/4"D rectangular worksurfaces.

Tip: Base supports a maximum distributed weight capacity of 150 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

See page 157 worksurface weights.




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


▶ Specification Information, continued from previous page

Tip: To specify 3 mm edge profile, no suffix is required. For P-edge profile, add suffix P to the style number (for example, BAPSS2442P).

		U.S. Base	Prices
		High-Press	sure Laminate
Dimensions	· Style	· Plastic	· Plastic
LW LD RW RD	Number	3 mm	P-Edge
	:	Edge	:
	:	No Suffix	Suffix P



90° Corner Tables									
391/4"	221/4"	391/4"	221/4"	BAPSC2442	\$2796	\$2934			
451/4"	221/4"	45 ¹ / ₄ "	221/4"	BAPSC2448	\$2842	\$2980			



90° Corner Bi-Level Tables									
391/4"	221/4"	391/4"	221/4"	BAPDC2442	\$3664	\$3883			
45 ¹ / ₄ "	221/4"	45 ¹ / ₄ "	221/4"	BAPDC2448	\$3710	\$3929			
:				:	:				



120°	° Equal	Table	e			
34"	221/4"	34"	221/4"	BAPB2436	\$3155	\$3293
:				:	:	:

Airtouch Height-Adjustable Worksurfaces

High-Pressure Laminate Universal Systems



Tip: Airtouch heightadjustable base requires assembly and attachment to the worksurface.

Tip: Worksurfaces ship with pre-drilled holes for mounting bases.

Tip: An adjustment feature on the column allows the unit to function property with any load up to 150 pounds, including the worksurface.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Any storage higher than 24½" will impede the lower height range of the worksurface. Do not place storage underneath paddle.

Tip: Counterweights may be necessary to order if there is not enough load on the worksurface. Order service part (946900053SR).

Tip: For help determining privacy/modesty screen, cableway, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 33.

Tip: Knife edge, urethane profile, and wood veneer worksurface options are available through specials.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with single column height-adjustable tables.

Tip: Paint surface options apply to base only. Paint surface option does not apply to column.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Standard Includes

► Need help? Product details, page 154

- High-Pressure Laminate price group 1
- High-Pressure Laminate worksurface edge: plastic 3 mm edge or P-edge profile on front edge of worksurface with matching 1 mm plastic on sides and back
- Worksurface corners: 90°
- Height-adjustable column mechanism: 4799 Platinum
- · Height-adjustable mechanism base: paint
- Dual-arm spring assist mechanism for bi-level worksurfaces, if selected
- · Attachment hardware

Required to Specify

- 1 Style number with appropriate edge profile suffix:
- P Laminate with plastic P-edge
- See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for profile edge on laminate worksurface
- 4 Paint color number for base: 4799 Platinum Metallic 7207 Black
- 5 Options, if selected (see below)
- ► See Surface Materials, page 208.

	Options	U.S. Price	Required to Specify
Surface Materials	 Paint price group 1 Paint price group 2 Laminate price group 2 Open Line laminate plus cost of laminate 	No cost +\$42 See information below +\$74	Specify paint color number. Specify paint color number. Specify laminate color number. See Surface Materials Reference Manual
Related Products	Slatwall, SlatRail, and Frees	standing Worktools	See Steelcase Worktools Specification Guide.
	SOTO rail/shelves and work	ktools	See Steelcase Worktools Specification Guide.
	Flat panel arms		See Steelcase Worktools Specification Guide.
	Privacy/modesty screens atCable and power managem		▶ Pages 192 and 200 ▶ Page 201

Tip: To specify 3 mm edge profile, no suffix is required. For P-edge profile, add suffix P to the style number (for example, UAPSS2442P). Tip: To specify 3 mm edge profile, no suffix is required. For P-edge profile, add suffix **P** to the style number (for example, UAPSS2442P).

Tip: Eyesite and cableways should not be specified with 22¹/₄"D rectangular worksurfaces.

Tip: 58" privacy/modesty screens should not be specified with 221/4"D rectangular worksurfaces.







Tip: Base supports a maximum distributed weight capacity of 150 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

See page 157 worksurface weights.

Specifica	tion Info	ormation		
• Dimensions	s RD	• Style • Number	Plastic 3 mm	rices ire Laminate Plastic P-Edge
			Edge No Suffix	Suffix P

Rectangular Worksurfaces

281/4"

58"

281/4"

221/4	ı"D					
40"	221/4"	221/4"	UAPSS2442	\$2500	\$2559	
46"	221/4"	221/4"	UAPSS2448	\$2536	\$2595	
58"	221/4"	221/4"	UAPSS2460	\$2603	\$2674	
281/4	ı"D					
40"	281/4"	281/4"	UAPSS3042	\$2591	\$2650	
46"	281/4"	281/4"	UAPSS3048	\$2630	\$2689	

\$2780

\$2709

Rectangular Bi-Level Worksurfaces

40"	341/4"	341/4"	UAPDS3642	\$3525	\$3584	
46"	341/4"	341/4"	UAPDS3648	\$3557	\$3616	

▶ Specification Information, continued on next page

UAPSS3060





For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

▶ Specification Information, continued from previous page

Spe	cificati	ion Inf	ormatio	on	, , ,	
• Dime	ensions LD	RW	RD	• Style Number	U.S. Base High-Press Plastic 3 mm Edge	Prices sure Laminate Plastic P-Edge
				:	No Suffix	Suffix P
90° (Corner	Work	surface	es		
39½"	161/4"	391/4"	16 ¹ / ₄ "	UAPSC1842	\$2680	\$2818
39 ¹ /4"	221/4"	391/4"	221/4"	UAPSC2442	\$2698	\$2836
45 ¹ /4"	221/4"	45 ¹ / ₄ "	221/4"	UAPSC2448	\$2739	\$2877
90° (Corner	Bi-Le	vel Wor	ksurfaces	·	
39½"	221/4"	391/4"	221/4"	UAPDC2442	\$3566	\$3704
45½"	221/4"	451/4"	221/4"	UAPDC2448	\$3607	\$3745
:				:	:	
120°	Equal	Work	surface)		
 34"	221/4"	34"	221/4"	UAPB2436	\$3049	\$3187







Series 3


Jnderstanding	
Height-Adjustable Worksurfaces	168
Specifying	
Height-Adjustable Worksurfaces	172
Height-Adjustable Bases	176

Series 3 Height-Adjustable Worksurfaces



support computer-intensive users in single occupant environments. They allow users to quickly and effortlessly adjust their worksurface for an optimized seated position


► Specifying, page 172



Product Details

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in three shapes. Universal tables have a continuous edge profile available in three shapes.



3 mm Knife edge profile edge profile



Urethane edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

Tip: Universal Tables have a continuous 3 mm edge.


Edge profile finishes are specified separately

from laminate color.


PVC-free, knife edge with 3 mm edge **profile** are proprietary blend for solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

Tip: Knife edge available on Series 3 and Series 5 height-adjustable worksurfaces only.

Urethane edge profiles are specifiable in black or



Universal tables have 2" radius corners on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.



Universal systems, knife edge, urethane edge, and wood veneer worksurfaces have 90° corners on all four sides with a front user's edge.


Wood Veneer Worksurfaces



Front (user's) edge pro-

file is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

Tip: Wood veneer worksurfaces are available on Series 3 and Series 5 height-adjustable worksurfaces only.




Series 3 worksurfaces adjust 22"H to 34"H in any increment

Worksurface sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.

Crank handle is located front-mount and is not specifiable

►See specifying pages for availability.



Front-mount handle is fixed and stored in place.


Feet of base extend 1" past worksurface edge to eliminate pinch points and add clearance for cable access


Worksurface overhang for pedestal storage

varies by shape and size of worksurface. Worksurface widths over 58" allow for single or dual overhang.

Telescoping stretchers

collapse to accommodate worksurface overhang, if allowed. Pre-drilled holes are provided for both overhang (15") and non-overhang (11/4") instances; therefore, base placement is determined during assembly.





Larger 90° equal worksurfaces are manufactured in two pieces due to laminate sheet size. Flush-mounted worksurface bracing is provided. Smallest section of the worksurface must not overhang lifting column.

Surface Materials

High-Pressure Laminate Worksurface

- · Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

3 mm or knife edge profile

Plastic

Urethane edge profile

- 6000 Black
- 6278 Felt

Wood Veneer Worksurface

- Wood veneer (standard)
- Customiz stain (option)
- Full-Fill Finish (option)

Square 3 mm edge profile


Wood veneer to match worksurface

Height-adjustable base

- 0835 Black
- 4799 Platinum


Application Topics

Moving tables can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable worksurfaces.



Universal boundary

screens are not permitted on height-adjustable desks. as they do not pass minimum safety requirements which could result in the desk tipping over.



Screens mount to worksurfaces in privacy or below the worksurface for modesty. ▶ See Worktools
Compatibility Charts, page 33, for help determining appropriate screen widths for each Series 3 worksurface size.

Cableways mount to worksurfaces to help manage cables at worksurface height for a clean aesthetic and can be used in combination with screens.

► See Worktools

Compatibility Charts, page
33 for help determining

Compatibility Charts, page 33, for help determining appropriate cableway widths for each Series 3 worksurface size.

SOTO rail and SlatRail mount to worksurfaces to

support worktools, freeing up worksurface space.
▶See Worktools
Compatibility Charts, page 33, for help determining appropriate SOTO Rail and SlatRail widths for each Series 3 worksurface size.




Any storage higher than 201/2" will impede height range of worksurface. Tip: Do not place storage underneath handle.

All assemblies meet or exceed ANSI/BIFMA standards.

AWARNING

Read base only warranty limitations.
See page 23 for Workstation Design Guidelines and

Requirements.



Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety requirements.

Installation

Worksurfaces ship with pre-drilled holes for mounting bases.


Two-piece tops ship with flush mounted worksurface bracing.


Height-adjustable base requires attachment to the worksurface.

: Base supports a maximum distributed weight capacity of 205 pounds. : *Tip: When calculating lifting capacity, subtract the weight of the worksurface.*

W LD	RD
W	RD

Worksurface Weight										
Worksurface Shape	W	LD	RD	Style Number	Worksurface Weight					
Rectangular – 23"D	46"	23"	23"	A3RQ462323	36.1 lb					
	52"	23"	23"	A3RQ522323	40.5 lb					
	58"	23"	23"	A3RQ582323	45.9 lb					
	64"	23"	23"	A3RQ642323	50.3 lb					
	70"	23"	23"	A3RQ702323	54.7 lb					
	76"	23"	23"	A3RQ762323	59.0 lb					
Rectangular – 29"D	46"	29"	29"	A3RQ462929	45.9 lb					
	52"	29"	29"	A3RQ522929	51.4 lb					
	58"	29"	29"	A3RQ582929	56.9 lb					
	64"	29"	29"	A3RQ642929	63.4 lb					
	70"	29"	29"	A3RQ702929	68.9 lb					
	76"	29"	29"	A3RQ762929	74.4 lb					






Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight	
90° Equal – 23"D	52"	23"	52"	23"	A3LQ52235223	65.6 lb	
	58"	23"	58"	23"	A3LQ55235823	74.4 lb	
	64"	23"	64"	23"	A3LQ64236423	88.6 lb	
	70"	23"	70"	23"	A3LQ70237023	97.3 lb	
	76"	23"	76"	23"	A3LQ76237623	106.1 lb	
90° Equal – 29"D	52"	29"	52"	29"	A3LQ52295229	76.5 lb	
	58"	29"	58"	29"	A3LQ58295829	87.5 lb	
	64"	29"	64"	29"	A3LQ64296429	107.2 lb	

Series 3 Height-Adjustable Worksurfaces №10/19

High-Pressure Laminate or Wood Veneer



Tip: Series 3 heightadjustable base requires assembly and attachment to worksurface.

Tip: Worksurface ships with pre-drilled holes for mounting bases.

Tip: Maximum distributed weight capacity is 205 pounds per table. When calculating lifting capacity, subtract the weight of the worksurface.

►See page 171 for worksurface weights.

Tip: Any storage higher than 201/2"H will impede the lowest height range of worksurface. Do not place storage underneath handle.

Tip: Worksurface overhang for pedestal storage varies by shape and size.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: For help determining privacy/modesty screen, cableway, SOTO rail, and SlatRail width compatibility. See Worktools Compatibility Charts, page 33.

Tip: For all edge profiles, add a suffix to the style number. (For example, A3RQ342323 becomes A3RQ342323V for wood with square edge profile.)

Standard Includes

► Need help? · High-Pressure Laminate price group 1 or wood group 1 Product details, veneer page 168

- High-Pressure Laminate worksurface edges:
- -Universal Tables: plastic 3 mm edge profile on all sides -Universal Systems or knife edge worksurfaces: plastic 3 mm edge profile on front edge with matching 1 mm plastic on sides and back
- -Urethane profile worksurfaces: urethane on front edge with matching plastic 3 mm edge profile on sides and
- · Wood worksurface edges:
- -Wood veneer square 3 mm radius on front edge with 1 mm matching veneer flat profile on side and back edges
- · Worksurface corners:
 - -Radius corners on Universal Tables, if selected
- -90° corners on Universal Systems, knife edge, urethane, and wood worksurface profiles, if selected
- · Height-adjustable base with crank handle: paint
- · Telescoping stretchers
- 5/8" adjustable glides
- · Attachment hardware

· Flat panel arms

· Privacy/modesty screens and cableways

· Cable and power management

Required to Specify

- 1 Style number with appropriate edge profile suffix:
- Universal Tables
- Universal Systems
- K Knife edge
- S Urethane profile
- V Wood veneer
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic or urethane color number for profile edge on laminate worksurface, if
- 4 Paint color for base: 0835 Black 4799 Platinum

Guide.

Guide.

▶ Page 201

▶ Pages 192 and 200

See Steelcase Worktools Specification


- 5 Options, if selected (see below)
- ▶ See Surface Materials, page 208.

	Options	U.S. Price	Required to Specify	
Surface	High-Pressure Laminate	worksurfaces		
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.	
	 Open Line laminate 	+\$74	► See Surface Materials Reference Manual.	
		plus cost of laminate		
	Wood veneer worksurfac	es		
	 Wood group 2 	See information at left	Specify wood color number.	
	Wood group 3	See information at left	Specify wood color number.	
	 Customiz stain 	No cost	Specify with Customiz stain.	
			See Surface Materials Reference Manual.	
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.	
Glides	1" adjustable glides	+\$33	Specify with 1" glides.	
Related Products	Slatwall, SlatRail, and freestand	ding worktools	See Steelcase Worktools Specification Guide.	
	 SOTO rail/shelves and worktoo 	ols	See Steelcase Worktools Specification	




Specification I	Information						
·Dimensions	· Style	U.S. Base Universal	Prices Universal	·Knife	· Urethane	·Wood	·Option
W LD RD	Number	Tables	Systems	Edge	Profile	Group 1	(Add \$ to Base Price)
	:	:			:	· · ·	Full-Fill Finish on Wood Group 1
· · · · · · · · · · · · · · · · · · ·	· :	Suffix U	Suffix Y	Suffix K	Suffix S	Suffix V	•

Rectangular Worksurfaces



23"I)				
46"	23"	23"	A3RQ462323	\$1540 10/19 \$1467 10/19 \$1683 10/19	\$1972 10/19 \$2117 10/19 +\$50
52"	23"	23"	A3RQ522323	\$1584 10/19 \$1511 10/19 \$1730 10/19	\$2025 10/19 \$2172 10/19 +\$50
58"	23"	23"	A3RQ582323	\$1635 10/19 \$1560 10/19 \$1782 10/19	\$2080 10/19 \$2229 10/19 +\$50
64"	23"	23"	A3RQ642323	\$1683 10/19 \$1607 10/19 \$1834 10/19	\$2136 10/19 \$2287 10/19 +\$74
70"	23"	23"	A3RQ702323	\$1731 10/19 \$1655 10/19 \$1887 10/19	\$2192 10/19 \$2348 10/19 +\$74
76"	23"	23"	A3RQ762323	\$1786 10/19 \$1709 10/19 \$1941 10/19	\$2256 10/19 \$2407 10/19 +\$74



29"	D					
46"	29"	29"	A3RQ462929	\$1797 10/19 \$1722 10/19 \$1947 10/19	\$2245 10/19 \$2398 10/19	+\$50
52"	29"	29"	A3RQ522929	\$1852 10/19 \$1776 10/19 \$2003 10/19	\$2309 10/19 \$2461 10/19	+\$74
58"	29"	29"	A3RQ582929	\$1907 10/19 \$1830 10/19 \$2062 10/19	\$2372 10/19 \$2526 10/19	+\$74
64"	29"	29"	A3RQ642929	\$1966 10/19 \$1887 10/19 \$2122 10/19	\$2436 10/19 \$2593 10/19	+\$74
70"	29"	29"	A3RQ702929	\$2025 10/19 \$1944 10/19 \$2185 10/19	\$2502 10/19 \$2661 10/19	+\$74
76"	29"	29"	A3RQ762929	\$2088 10/19 \$2004 10/19 \$2245 10/19	\$2571 10/19 \$2733 10/19	+\$74


Tip: For all edge profiles, add a suffix to the style number. (For example, A5RQ462323 becomes A5RQ462323V for wood with square edge profile.) Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable tables.

▶ Specification Information, continued on next page


▶ Specification Information, continued from previous page

Specification Information U.S. Base Prices Dimensions ·Style ·Universal Universal · Knife Urethane Wood Option LW LD RW RD Number **Tables Profile** (Add \$ to Base Price) Systems Edge Group 1 Full-Fill Finish on Wood Group 1 Suffix U Suffix Y Suffix K Suffix S Suffix V

90° Equal Worksurfaces



23"	D				
52"	23"	52"	23"	A3LQ52235223	\$2583 10/19 \$2467 10/19\$2819 10/19 \$3293 10/19 \$3529 10/19 +\$ 74
58"	23"	58"	23"	A3LQ58235823	\$2744 10/19 \$2620 110/19\$2987 110/19 \$3473 110/19 \$3716 110/19 +\$ 74
64"	23"	64"	23"	A3LQ64236423	\$2912 10/19 \$2786 10/19\$3163 10/19 \$3666 10/19 \$3916 10/19 +\$103
70"	23"	70"	23"	A3LQ70237023	\$3091 10/19 \$2960 110/19\$3349 110/19 \$3869 110/19 \$4125 110/19 +\$103
76"	23"	76"	23"	A3LQ76237623	\$3280 110/19 \$3147 110/19\$3545 110/19 \$4080 110/19 \$4347 110/19 +\$134



Tip: 64"W, 70"W, and 76"W 90° equal worksurfaces ship in two pieces.

29"I	29"D					
52"	29"	52"	29"	A3LQ52295229	\$2744 10/19 \$2620 10/19 \$2987 10/19 \$3473 10/19 \$3716 10/19 +\$ 74	
58"	29"	58"	29"	A3LQ58295829	\$2912 10/19 \$2786 10/19 \$3163 10/19 \$3666 10/19 \$3916 10/19 +\$103	
64"	29"	64"	29"	A3LQ64296429	\$3091 10/19 \$2960 10/19\$3349 10/19 \$3869 10/19 \$4125 10/19 +\$103	

Tip: For all edge profiles, add a suffix to the style number. (For example, A5RQ462323 becomes A5RQ462323V for wood with square edge profile.)

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable worksurfaces.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

Series 3 Height-Adjustable Bases №10/19

►Need help?

page 168

Product details,

Tip: Maximum distributed weight capacity is 205 pounds per table. When calculating lifting capacity, subtract the weight of the worksurface.

See page 171 for worksurface weights.

Tip: Any storage higher than 20½" will impede lowest height range of worksurface. Do not place storage underneath handle.

Tip: Attachment hardware is intended for worksurfaces 13/16" thick only.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable tables.


A WARNING	
------------------	--

Read base only warranty limitations.

See page 23 for Workstation Design Guidelines and Requirements.







Tip: Right-hand sizes listed; applicable for left-hand worksurfaces.

	Standard Includes	Required to Specify
	Height-adjustable base with crank: paint	1 Style number
5,	Front crank handle	2 Paint color number for base:
	Telescoping stretchers Telescoping stretchers	0835 Black
	 5/8" adjustable glides Attachment hardware 	4799 Platinum 3 Handedness of 90° base, if selected
	- Attachment hardware	4 Options, if selected (see below)

► See Surface Materials, page 208.

	Options	U.S. Price	Required to Specify
Glides	1" adjustable glides	+\$33	Specify with 1" glides.
Handedness (For use with 90°	Right-hand, 90° extended bases	No cost	Specify with right-hand configuration.
worksurfaces)	 Left-hand, 90° extended bases 	No cost	Specify with left-hand configuration.

Specification Information						
· Style	·U.S.					
Number	Base					
	Price					
· ·	Price					
	Style	·Style ·U.S. Number Base				

Rectangular Bases

23"D			
46"–52"	23"	A3RQ46TO5223B 10/19	\$1428
58"	23"	A3RQ5823B 10/19	\$1440
64"-76"	23"	A3RQ64TO7623B 10/19	\$1457
29"D			
46"–52"	29"	A3RQ46TO5229B 10/19	\$1439
58"	29"	A3RQ5829B 10/19	\$1456
64"–76"	29"	A3RQ64TO7629B №10/19	\$1468

Specification Information						
Worksurface	Style	·U.S.				
Dimensions	Number	Base				
LW LD RW RD	:	Price				
:	:	:				

90° Equal Bases

52"	23"–29"	52"	23"–29"	A3LQ52X52B	10/19	\$2240
58"	23"–29"	58"	23"-29"	A3LQ58X58B	10/19	\$2245
64"-76	3" 23"–29"	64"-76"	23"–29"	A3LQ64T076B	10/19	\$2269

creens, Cable and ower Management

Screens, Cableways, and Cable and Power Management

Understanding	
Unversal Privacy/Modesty Screens	178
Universal Privacy Screens and Aligners	180
Sarto Privacy/Modesty Screens	181
Sarto Privacy Screens	182
Universal and Sarto Screens Specific Guidelines	184
Acrylic Screens	186
Cableways	188
Cable and Power Management	189
Specifying	
Universal Privacy/Modesty Screens	192
Universal Privacy Screens and Aligners	193
Sarto Privacy/Modesty Screens	196
Sarto Privacy Screens	197
Acrylic Screens	198
Cableways	200
Cable and Power Management	201

Universal Privacy/Modesty Screens

Universal privacy/modesty screen provides a boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Migration SE, Airtouch, Series 5 worksurfaces, Elective Elements, Universal tables, and Universal panel


mount worksurfaces. ►Specifying, page 192

Universal privacy/ modesty screens are available in one height,


available in one height, 25%0, with two mount location options to provide either privacy or privacy/modesty.

Universal privacy/ modesty screens cannot be used on surfaces that have intergrated rails or an additive SOTO rail.

Universal privacy/ modesty screen is pin tackable.



Product Details



The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

The screen may be used on 3/4"-11/2" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

Surface Materials

Screen

- Fabric
- See Surface Materials, page 208.

Edge (upper segment)

7360 Merle


Edge (lower segment)

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

Brackets

7360 Merle

Application Topics




Universal privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 33/4" in from each side of the screen

Tip: When specifying grommets on Ology, verify the position of the screen in CET SmartTools Planning.

Screen height attachment locations are

determined when specifying privacy (top of screen will be at 48") or privacy/modesty (top of screen will be at 42"). The location cannot be changed in the field.



Privacy configuration


provides 191/s" of screen above the worksurface and 51/2" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 48"H Answer panel.

Actual Dimensions


Width	42", 48", 54", 60", or 66"	
Height	25 ⁷ / ₁₀ "	
Weight	9.79 lb, 10.315 lb, 10.84 lb, 11.365 lb, 11.89 lb	

Thickness 3/4"

Tip: Universal screens can also be specified parametrically in width in $^{1}/_{16}$ " increments.



Screen can be mounted with a 11/8" cord drop or flush with no cord drop.



Privacy/modesty configuration provides 13" of screen above the worksurface and 11⁷/10" of screen below the worksurace. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.

Both the privacy and privacy/modesty configurations allow the height-adjustable desks to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

Privacy/modesty screens must never be wider than the surface to which they are attached. Tip: It is recommended that CET SmartTools Planning aid be used to ensure proper application of screen to worksurface or tables.

Universal privacy/modesty screens cannot be used with 58"W Ology desks with leg integrated into storage. The smallest screen width is 42" which would collide with the storage. Must use a minimum 64"W desk when using storage and Universal privacy/modesty screens.


When used with One-High integrated storage, Universal privacy/ modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

Universal Privacy Screens and Aligners

Universal privacy

screens provide a boundary and privacy element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Migration SE, Elective Elements, panel supported Universal worksurfaces, and TS Series worksurfaces.

► Specifying, page 193



Actual Dimensions 121/2" or 181/2" Height Overall Height 131/2" or 191/2" Width 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.


Tip: 131/2"H screen aligns with a 42" datum from the floor. 191/2" screen aligns with a 48" datum from the floor.

Tip: Universal screens can also be specified parametrically in width and height in 1/16" increments.

Product Details



Universal privacy screens are tackable and available in 131/2"H and $19^{1}/_{2}$ "H, and have widths from 24"W to 96"W.




The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

The screen may be used on 3/4"-11/2" thick worksurface.


The width of the screen

can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



When fabric screens are placed directly adjacent to each other,

a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



Brackets are included with screens. Two brackets are used on all screens.

Universal privacy screen slides onto brackets.

Surface Materials

Screen

- Fabric
- ► See Surface Materials, page 208.

Edge (upper segment)

7360 Merle

Edge (lower segment)

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

Brackets

- 7241 Textured Arctic White
- 7360 Textured Merle
- · 4799 Platinum

Sarto Privacy/Modesty Screens


Sarto privacy/ modesty screen pro-

vides a light scale boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 worksurfaces, Elective Elements, universal tables, and universal panel-mount worksurfaces.

►Specifying, page 196

Sarto privacy/modesty

screens are available in one height, 24", and in one mounting configuration to provide privacy and modesty.



Actual Dimensions

Width	42", 48", 54", 60", or 66"
Height	24"
Weight	4.86 lb, 5.48 lb, 6.10 lb, 6.97 lb, 7.59 lb
Thickness	9/16"

Product Details

The screen may be used on $\frac{3}{4}$ "-1 $\frac{1}{2}$ " thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports

Surface Materials


Screen

 Fabric
 See Surface Materials, page 208.

Brackets

7360 Merle


Application Topics




Sarto privacy/

modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3%" in from each side of the screen.

Screen height is 24" overall. When mounted, the top of the screen will be at



Screen can be mounted with a 1½" cord drop or flush with no cord drop.



Privacy/modesty configuration provides 13½" of screen above the worksurface and 9½" of screen below the worksurface on a 1" thick worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.

When mounted, the screen allows a height-adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

Sarto privacy/modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1 Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2—Tables with cabby leg or double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

Privacy/modesty

screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

Privacy/modesty


screens must never be wider than the surface to which they are attached. Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.

Sarto Privacy Screens

Sarto privacy screens

provide a light scale boundary and privacy element for height-adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5, Elective Elements, universal worksurfaces, and TS Series worksurfaces.

► Specifying, page 197



Actual Dimensions

Screen Height	12½" or 18½"
Overall Height	13½" or 19½"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.

Tip: $13^{1/2}$ "H screen aligns with a 42" datum from the floor. 191/2"H screen aligns with a 48" datum from the floor.

Product Details




Sarto privacy screens

are tackable. They are available in two heights, 131/2"H and 191/2"H, and have widths ranging from 24"W to 96"W.

The screen may be used on $\frac{3}{4}$ "-1 $\frac{1}{2}$ " thick worksurfaces.

The width of the screen

can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



Brackets and hard

stops are included with screens. Screens up to 54"W use two brackets, while screens 60"W and larger utilize three brackets. The third bracket is centered on the width of the screen.

Sarto privacy screen

slides onto brackets.

Surface Materials

Screen

Fabric

See Surface Materials, page 208.


Brackets and hard stops

7360 Merle

Universal and Sarto Screens Specific Guidelines

Migration and Migration SE Specific Guidelines

Rectangular 29"D and 35"D




All guidelines assume the screen is centered on the desk.

The screen can be placed on the back edge of a Migration desk utilizing either the 11/8" cord drop or no cord drop placement without creating interference. Screens are sized to be a minimum of 4" smaller than worksurfaces. They can be placed anywhere along the back edge of a desk but cannot extend past the desk edge.

Ology Specific Guidelines

Rectangular 23"D, 29"D, and 35"D




Tapered 23"D and 29"D Desk Width

58" 64" 70" 76" 42" 48" 54" 60" 66"

The screen can be placed on the back edge of an Ology without an integrated rail desk utilizing either the $1\frac{1}{6}$ " cord drop or no cord drop placement. Screens are sized to be a minimum of 4" smaller than worksurfaces. Optional cable trays and grommets on Ology may cause some interference with screen mounting brackets.


Ology Specific Guidelines, continued

90° Corner 23"D



120° Corner 23"D

Desk Width



All guidelines assume the screen is centered on the desk.

When using the universal or sarto privacy/modesty screen on Ology with 11/8" cable drop, there are no limits on the horizontal placement of the cable tray beneath the desk.

The universal or sarto privacy/modesty screen can be used with the Ology modesty panel without causing interference.

The universal or sarto privacy/modesty screen can be used on either back edge of a 90° or 120° corner desk configuration.

Ology desks using an integrated storage leg may only mount the universal privacy/modesty screen in the privacy position and cannot use sarto screens due to interference.

The universal or sarto privacy/modesty screen does not mount to an Ology rail or into the Ology cantilevers.

If using overhangs, the leg must be at least 31/2" in from its standard position to avoid interference with the screen bracket.

Legend

No interference


Interference or cannot be used

Cannot specify a grommet

Series 5 Specific Guidelines


Rectangular 23"D and 29"D

Worksurface Width



90° Corner 23"D and 29"D

Worksurface Width



Universal or sarto privacy/modesty screens can be placed on the back edge of a Series 5 worksurface utilizing either the 11/8" cord drop or no cord drop placement without creating interference. The screen must match the width of the worksurface or be narrower than the width of the worksurface.


When using the universal or sarto privacy modesty screen on a 29"D Series 5 worksurface, there are no limits on the horizontal placement of the screen on the desk.

When using the universal or sarto privacy modesty screen on a 23"D Series 5 worksurface, the screen cannot be smaller on the right-hand side next to the power supply.

Airtouch Specific Guidelines


Rectangular 22¹/₄"D and 28¹/₄"D

Worksurface Width




Rectangular Bi-Level 341/4"D

Worksurface Width



90° 22¹/₄"D and 90° Bi-Level 22¹/₄"D

Worksurface Width



120° 221/4"D

Worksurface Width



Universal or sarto privacy/modesty screen weight should be considered, along with other items to be used on Airtouch, so as not to exceed weight limit.

Universal or sarto privacy/modesty screens can be placed on the back edge of an Airtouch worksurface, utilizing either the 1¹/₆" cord drop or no cord drop placement without creating interference. The screen must be narrower than the width of the worksurface. Screen cannot exceed the width of table.

Legend

No interference

Interference or cannot be used

Cannot specify a grommet

Acrylic Screens


Acrylic Privacy Screens



► Specifying, page 198

Tip: Screen may need to be shorter than worksurface width. To determine screen/cableway and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 33.

Product Details



Privacy screen provides lightweight space division above worksurface.


Gap between worksurface and screen/cableway is 1" to allow for cable feed through.

Privacy screen top is a fixed height 19" above worksurface.

Privacy screen can be used in combination with modesty screen and cableways.

Privacy screen ships with Universal clamps for field installation.

Application Topics



SlatRail stanchions mount on the outside of the screen or cableway

SlatRail stanchions will not work with the screen or cableway

SlatRail stanchions mount on the inside of the screen or cableway

Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens and cableway.

Surface Materials

Screen

· 6544 Frost only

Universal clamp

- 0835 Black
- · 4799 Platinum

Actual Dimensions

Depth	1/4"
Width	22", 28", 34", 40", 46", 52", 58", and 64"
Height	22"


Acrylic Modesty Screens



► Specifying, page 198

Tip: Screen may need to be shorter than worksurface width. To determine screen/cableway and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 33.

Product Details



Modesty screen provides below worksurface modesty.

Gap between worksurface and screen/cableway is 1" to allow for cable feed through.


Modesty screen top is a fixed height ½" above and 12½" below worksurface.

Modesty screen can be used in combination with privacy screen and cableways.

Modesty screen ships with Universal clamps for field installation.

When used with One-High integrated storage, acrylic modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

Application Topics



SlatRail stanchions mount on the outside of the screen or cableway

SlatRail stanchions will not work with the screen or cableway

SlatRail stanchions mount on the inside of the screen or cableway

Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens and cableway.

Surface Materials

Screen

· 6544 Frost only

Universal clamp

- 0835 Black
- · 4799 Platinum

Depth	1/4"
Width	22", 28", 34", 40", 46", 52", 58", and 64"
Height	14"

Cableways



► Specifying, page 200

Tip: Cableways may need to be shorter than worksurface width. To determine screen/ cableway and heightadjustable worksurface compatibility, see Worktools Compatibility Charts, page 33.

Product Details



Cableway allows user to manage cables and power at worksurface height for a clean aesthetic.


Cableway is a fixed height 1/4" above the worksurface.

Cableway with Universal clamp can be

used in combination with privacy and modesty screens. ►See page 200

Gap between worksurface and cableway is 1" to allow for cables to feed through.


Cableway is 3" shorter than screen width to accommodate Universal clamp.



Universal clamp, if selected, is for use with worksurfaces 1" to 2" thick.

Universal clamp, if selected, uses a 2" footprint above and below worksurface.

Universal clamp, if selected, is standard with rubber feet to ensure a tight fit without marring worksurface.



Horizontal brackets, if selected, screw into underside

Horizontal brackets, if selected, require 2" of clearance below worksurface.

Application Topics

SlatRail Width 24" 36" 42" 48" 22' Cableway/Screen Width 25"/28" 31"/34" 37"/40" 43"/46" 49"/52" 55"/58" 61"/64"

SlatRail stanchions mount on the outside of the screen or cableway

SlatRail stanchions will not work with the screen or cableway

> SlatRail stanchions mount on the inside of the screen or cableway

Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens and cableway.

Surface Materials

Cableway, Universal clamp, and horizontal bracket

- 0835 Black
- · 4799 Platinum

Actual Dimensions

Depth	21/2"
Width	25", 31", 37", 43", 49", 55", or 61"
Height	8"
Weight	4.7 lb-15.15 lb

See specifying page 200 for exact weight.

Cable and Power Management

Vertical Cable Carrier

Product Details

Vertical cable carrier

has a 52" flexible spine with two management channels to manage cords from below worksurface to the floor.

Vertical cable carrier

bracket attaches to the underside of the worksurface and weighted base sits

Surface Materials

Vertical cable carrier

6688 Steel

Actual Dimensions

Width	21/2"	
Height	52"	
Weight	1 lb	

6"D Wire Managers

► Specifying, page 201



► Specifying, page 201

Product Details

Wire manager is flexible to manage cords underneath the worksurface.

PVC-free ABX material

is resistant to fatigue and recyclable

Surface Materials

Wire manager

- 6000 Black
- 6249 Platinum

Actual Dimensions

Depth	6"
Width	30", 36", 42", 48", 54", and 60"
Height	1 lb

13/4"D Wire Managers



► Specifying, page 202

Product Details

Wire manager is flexible to manage cords underneath the worksurface.

PVC-free polypropylene material is resistant to fatigue and recyclable.

Surface Materials

Wire manager

6000 Black

Actual Dimensions

Depth	13/4"
Width	6", 12", 18", 23 ¹ / ₄ ", 30", 35", 42", and 48"
Height	13/4"

Power/Data with C-clamp



Tip: Power/data is not flush to the back of the worksurface. It extends 11/4" off back of worksurface.

► Specifying, page 202

Product Details

Power/data is standard with two outlets, two voice/ data ports and 6' power

Power/data clamps on worksurfaces 1" to 2" thick.

Power/data includes a voice/data adapter kit to accept couplers and jacks when required.

Power/data is U.L. and c.U.L. listed.

Surface Materials


Power/data

6544 Frost

· Black plastic only

Depth	31/2"
Width	81/2"
Height	21/2"

Power and Data Strips with Cord and Rail Attachment Brackets



► Specifying, page 203

Product Details

Power strip have a 8' cord and are ordered separately.

Power and data strip provides additional electrical

and voice and data receptacles.

Power and data strip are field-installed on either a SOTO rail or worksurface. Specify appropriate attachment bracket depending on application. **Power strips** can be mounted on the SOTO rail. Cord length is 8'. Available PVC only.

Surface Materials

Power and Data Strip

 8043 Clear Anodized Aluminum cover with black faceplate.

Attachment brackets

· 4799 Platinum paint only

|--|

Depth	21/4"
Width	101/4"
Height	3"

Power and Data Strips with Cord with Worksurface Attachment Bracket



► Specifying, page 203

Product Details

Power and data strip worksurace bracket attaches to worksurfaces ⁵⁵/₆₄" to 15%" thick. Available with an 8' long cord with

Surface Materials

Power and Data Strip

 8043 Clear Anodized Aluminum cover with black faceplate.

Attachment brackets

· 4799 Platinum paint only

Actual Dimensions

Depth	21/4"
Width	63/8"
Height	8"

USB Two-Outlet Powerstrip with Clamp Mount



► Specifying, page 204

Product Details

USB Two-Outlet powerstrip with clamp mount is standard with two USB ports, two power outlets, and

USB Two-Outlet powerstrip clamps onto worksurfaces ½" to 1½" thick.

Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Surface Materials

Bracket

- · 4140 Arctic White
- 4799 Platinum Metallic
- 7360 Merle

Housing

- · 6009 Arctic White
- 6527 Merle

Cord

White

Actual Dimensions

Depth	31/5"
Width	51/2"
Height	14/5"

USB Two-Outlet Powerstrip with Rail Mount



Product Details

USB two-outlet powerstrip with rail mount is standard with two USB ports, two power outlets, and a 9' cord.

Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Surface Materials

Bracket

• 4799 Platinum Metallic

Housing

- 6009 Arctic White
- 6527 Merle

Cord

White

Depth	31/5"
Width	51/2"
Height	14/5"

USB Three-Outlet Powerstrip with Clamp Mount



Specifying, page 205
Tip: Data opening accommodates RJ45, HDMI, and VGA faceplates. All three faceplates ship with powerstrip. A filler is also included if termination of data is not required

Tip: L-com data jacks must be used and are purchased separately through L-com.

Product Details

USB Three-Outlet powerstrip with clamp mount is standard with two USB ports, three power outlets, one data port with filler and a 9' cord.

USB Three-Outlet powerstrip clamps onto worksurfaces ½" to 1½" thick.

Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Surface Materials

Bracket

- · 4140 Arctic White
- · 4799 Platinum Metallic
- 7360 Merle

Housing

- · 6009 Arctic White
- 6527 Merle

Cord

· White

Actual Dimensions

Depth	31/5"
Width	8"
Height	14/5"

USB Three-Outlet Powerstrip with Rail Mount



Specifying, page 205
Tip: Data opening accommodates RJ45, HDMI, and VGA faceplates. All three faceplates ship with powerstrip. A filler is also included if termination of data is not required.

Tip: L-com data jacks must be used and are purchased separately through L-com.

Product Details

USB three-outlet powerstrip with rail mount is standard with two USB ports, three power outlets, one data port with filler, and a 9' cord.

Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Surface Materials

Bracket4799 Platinum Metallic

Housing


- 6009 Arctic White
- 6527 Merle

Cord

White

Depth	31/5"
Width	8"
Height	14/5"

Universal Privacy/Modesty Screens



Tip: Universal privacy/ modesty screens can be attached to 3/4"-11/2" thick worksurface, including height adjustable worksurfaces, universal worksurfaces, and Elective Elements worksurfaces.

Tip: The screens weigh between 9.79 lb and 11.89 lb. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The universal privacy/ modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1¹/₈" cord drop or no cord drop. See understanding pages for product specific application guidelines.

Standard Includes

Required to Specify

- ► Need help? Product details, page 178
- Screen: privacy or privacy/modesty: fabric price group 1
- · Brackets: 7360 Merle
- Edge: PET

- 1 Style number
- 2 Screen size type (see below under Required Sections)
- 3 Width (see below under Required Selections)
- 4 Mount location (see below under Required Selections)
- 5 Fabric color number for screen
- 6 Edge color:
- P630 Medium Heather Grey PET P631 Dark Heather Grey PET
- 7 Options, if selected (see below)
- See Surface Materials, page 208.

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	 Modular Parametric	No cost +\$ 31	Specify with modular. Specify with parametric.
Width	Modular Parametric • 42"W • 42"W • 48"W • 42½16"W-48"W • 54"W • 48½16"W-54"W • 60"W • 54½16"W-60"W • 66"W • 60½16"W-66"W	Prices below Prices below Prices below Prices below Prices below	Specify width. Specify width. Specify width. Specify width. Specify width. Specify width.
Mount Location	 Privacy (19½" above the worksurface, 5½" below the worksurface) Privacy/modesty (13" above the worksurface, 11½0" below the worksurface, 11½00" 	No cost	Specify with privacy application. Specify with privacy/modesty application.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 1	No cost	Specify fabric color number.
Materials	Fabric price group 2	+\$ 41	Specify fabric color number.
	Fabric price group 3	+\$116	Specify fabric color number.
	Fabric price group 4	+\$147	Specify fabric color number.
	Fabric price group 5	+\$177	Specify fabric color number.
	Fabric price group 6	+\$208	Specify fabric color number.
	 Fabric price group 7 	+\$239	Specify fabric color number.
	Fabric price group 8	+\$269	Specify fabric color number.
	Fabric price group 9	+\$300	Specify fabric color number.
	Fabric price group 10	+\$330	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 16	See Surface Materials Reference Manual.

Specification Information						
• Style Number	Screen Type Modular Width	ype · U.S. Base Prices 42"W 48"W 54"W 60"W				
•	Parametric Width	42"W	. 10	- 10	54 ¹ / ₁₆ "W-	60 ¹ / ₁₆ "W–
UFPM		\$484	\$516	\$548	\$580	\$614



Universal Privacy Screens and Aligners

► Need help?

page 180

Product details,

Universal Privacy Screens



Standard Includes

- Screen: fabric price group 1 • Brackets: paint price group 1
- Edge: PET

Required to Specify

- 1 Style number
- 2 Screen size type (see below under Required Sections)
- 3 Width (see below under Required Selections)
- 4 Height (see below under Required Selections)
- 5 Fabric color number for screen
- 6 Bracket finish color number
- 7 Edge color:
- P630 Medium Heather Grey PET P631 Dark Heather Grey PET
- 8 Options, if selected (see below)
- ► See Surface Materials, page 208.

	Requir	ed Selections	U.S. Price	Required to Specify
Screen	 Modular 	No cost		Specify with modular.
Size Type	 Parametri 	c +\$ 31		Specify with parametric.
Width	Modular	Parametric		
	• 24"W	• 24"W	Prices at right	Specify width.
	• 30"W	 24¹/₁₆"W–30"W 	Prices at right	Specify width.
	• 36"W	• 30 ¹ / ₁₆ "W–36"W	Prices at right	Specify width.
	 42"W 	 36½ "W–42"W 	Prices at right	Specify width.
	• 48"W	• 42½16"W-48"W	Prices at right	Specify width.
	• 54"W	• 48 ¹ / ₁₆ "W-54"W	Prices at right	Specify width.
	• 60"W	• 54 ¹ / ₁₆ "W–60"W	Prices at right	Specify width.
	• 66"W	• 60½16"W-66"W	Prices at right	Specify width.
	• 72"W	• 66½ "W-72"W	Prices at right	Specify width.
	• 78"W	• 72½1/16"W-78"W	Prices at right	Specify width.
	• 84"W	• 78 ¹ / ₁₆ "W–84"W	Prices at right	Specify width.
	• 90"W	• 84 ¹ / ₁₆ "W–90"W	Prices at right	Specify width.
	• 96"W	• 90½16"W-96"W	Prices at right	Specify width.
Height	Modular	Parametric		
	• 13½"H	• 13½"H	Prices at right	Specify height.
	• 19 ¹ / ₃ "H	• 139/"H_101/."H	Prices at right	Specify height

Tip: 131/2"H screen will align at a 42" datum. 191/2"H screen will align at a 48" datum

	• 19½"H • 13½"H–19½"H	Prices at right	Specify height.
	Options	U.S. Price	Required to Specify
Surface Materials	Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 9 Fabric price group 9 Customer's Own Material (COM)	No cost +\$ 36 +\$ 94 +\$119 +\$145 +\$170 +\$196 +\$221 +\$247 +\$272 +\$ 16	Specify fabric color number. Specify fabric solor number.
	Bracket Paint price group 1 Paint price group 2	No cost +\$ 11	Specify paint color number. Specify paint color number.
Related	Aligners		► See below

▶Specification Information, on next page





▶Options, on previous page

Style Number	· Height	Screen Type Modular Width	• U.S. Bas • 24"W	e Prices :30"W	: 36"W	: 42"W :	: 48"W	: 54"W	: 60"W
	:	Parametric Width	24"W	24 ¹ / ₁₆ "W-	30 ¹ / ₁₆ "W-	36 ¹ / ₁₆ "W-	42 ¹ / ₁₆ "W-	48½ ₁₆ "W– 54"W	54 ¹ / ₁₆ "W-
UFPS	131/2"		\$316	\$340	\$362	\$386	\$409	\$433	\$457
	139/16"-1	91/2"	\$362	\$399	\$436	\$472	\$510	\$546	\$582

▶ Specification Information, continued from above

Style Number	. •	Screen Type Modular Width			· 78"W	: 84"W	90"W	: 96"W
Parame Width	Parametric Width			72½16"W– 78"W	78½16"W-	84 ¹ / ₁₆ "W-	90 ¹ / ₁₆ "W–	
UFPS	131/2"		\$479	\$503	\$526	\$549	\$572	\$595
	13%16"-1	91/2"	\$619	\$655	\$691	\$726	\$761	\$797



Aligners

Shadisasa

Tip: Aligners are for use with fabric screens only.

	Standard Includes	Required to Specify		
Need help? Product details, page 180	Aligner, package of 10: translucent plastic	Style number		
Specification	on Information			
Style Number	· U.S. Price			
UFAL	\$27			




Sarto Privacy/Modesty Screens

► Need help?

page 181

Product details,



Tip: Sarto privacy/modesty screens can be attached to 3/4"-11/2" thick worksurface, including Ology, Migration, Series 5 worksurfaces, Elective Elements, universal tables, and universal panelmount worksurfaces.

Tip: The screens weigh between 4.86 and 7.59 lb. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The sarto privacy/ modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 11/8" cord drop or no cord drop. See understanding pages for product specific application guidelines.

Standard IncludesRequired to Specify• 24"H screen: fabric price group 11 Style number• Brackets: 7360 Merle2 Width (see below under Required Selections)

3 Fabric color number for screen
4 Options, if selected (see below)
► See Surface Materials, page 208.

	Required Selections	U.S. Price	Required to Specify
Width	• 42"W	Price below	Specify with 42"W.
	• 48"W	Price below	Specify with 48"W.
	• 54"W	Price below	Specify with 54"W.
	• 60"W	Price below	Specify with 60"W.
	• 66"W	Price below	Specify with 66"W.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 2	+\$ 41	Specify fabric color number.
Materials	Fabric price group 3	+\$116	Specify fabric color number.
	 Fabric price group 4 	+\$147	Specify fabric color number.
	 Fabric price group 5 	+\$177	Specify fabric color number.
	 Fabric price group 6 	+\$208	Specify fabric color number.
	 Fabric price group 7 	+\$239	Specify fabric color number.
	 Fabric price group 8 	+\$269	Specify fabric color number.
	 Fabric price group 9 	+\$300	Specify fabric color number.
	Fabric price group 10	+\$330	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 16	See Surface Materials Reference Manual.



Sarto Privacy Screens



Standard Includes

Required to Specify

- ► Need help? Scree
 Product details,
 page 182
- Screen: fabric price group 1Brackets and hard stops: 7360 Merle
- 1 Style number 2 Width (see below under Required
- Selections)
 3 Height (see below under Required Selections)
- 4 Fabric color number for screen
- 5 Options, if selected (see below)
- ►See Surface Materials, page 208.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices below	Specify with 24"W.
	• 30"W	Prices below	Specify with 30"W.
	• 36"W	Prices below	Specify with 36"W.
	• 42"W	Prices below	Specify with 42"W.
	• 48"W	Prices below	Specify with 48"W.
	• 54"W	Prices below	Specify with 54"W.
	• 60"W	Prices below	Specify with 60"W.
	• 66"W	Prices below	Specify with 66"W.
	• 72"W	Prices below	Specify with 72"W.
	• 78"W	Prices below	Specify with 78"W.
	• 84"W	Prices below	Specify with 84"W.
	• 90"W	Prices below	Specify with 90"W.
	• 96"W	Prices below	Specify with 96"W.
Height	• 13½"H	Prices below	Specify with 13½"H.
-	• 19½"H	Prices below	Specify with 191/2"H.

Tip: 13½"H screen will align at a 42" datum. 19½"H screen will align at a 48" datum.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 2	+\$ 36	Specify fabric color number.
Materials	Fabric price group 3	+\$ 94	Specify fabric color number.
	Fabric price group 4	+\$119	Specify fabric color number.
	Fabric price group 5	+\$145	Specify fabric color number.
	Fabric price group 6	+\$170	Specify fabric color number.
	Fabric price group 7	+\$196	Specify fabric color number.
	Fabric price group 8	+\$221	Specify fabric color number.
	Fabric price group 9	+\$247	Specify fabric color number.
	 Fabric price group 10 	+\$272	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 16	See Surface Materials Reference Manual.

Style	·Height	·U.S. E	Base Pri	ces										
Number		24"W	: 30"W	: 36"W	: 42"W	: 48"W	: 54"W	: 60"W	: 66"W	: 72"W	: 78"W	: 84"W	: 90" W	: 96"W
PSPS	131/2"	\$234	\$251	\$269	\$286	\$304	\$322	\$339	\$357	\$374	\$405	\$422	\$440	\$458
	19½"	\$268	\$295	\$322	\$350	\$377	\$404	\$431	\$458	\$486	\$531	\$558	\$586	\$613



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Acrylic Screens

Tip: Screen may need to be shorter than worksurface width. To determine screen/cableway and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 33.

Tip: 58"W and 64"W screens are not recommended for use with 221/4"D rectangular Airtouch worksurfaces.



Tip: 58"W and 64"W screens ship with three Universal clamps. All other screen widths ship with two Universal clamps.







►Need help?

Standard Includes

Screen: 6544 Frost onlyUniversal clamps: paint

Required to Specify

1 Style number

2 Paint color number for Universal clamp: 0835 Black 4799 Platinum

Specifi	cation Infor	mation		
Screen Width	·Cableway ·Width	·Weight	• Style • Number	· U.S. Price
•	:	:	:	:
Privacy	Screens Or	ıly		
22"	N.A.	5.67 lb	AP22	\$359
28"	N.A.	5.77 lb	AP28	\$377
34"	N.A.	6.17 lb	AP34	\$397
40"	N.A.	6.57 lb	AP40	\$416
46"	N.A.	6.77 lb	AP46	\$438
52"	N.A.	6.97 lb	AP52	\$458
58"	N.A.	7.27 lb	AP58	\$512
64"	N.A.	7.77 lb	AP64	\$532 :
Privacy	Screens wi	th Cablewa	ay	
28"	25"	9.46 lb	ACP28	\$453
34"	31"	10.81 lb	ACP34	\$491
40"	37"	12.15 lb	ACP40	\$530
46"	43"	13.3 lb	ACP46	\$569
52"	49"	14.44 lb	ACP52	\$609
58"	55"	15.68 lb	ACP58	\$684
64"	61"	17.13 lb	ACP64	\$724
Modest	y Screens O	nly	•	·
22"	N.A.	4.27 lb	AM22	\$326
28"	N.A.	4.57 lb	AM28	\$348
34"	N.A.	4.87 lb	AM34	\$367
40"	N.A.	5.17 lb	AM40	\$385

▶ Specification Information, continued on next page

5.52 lb

5.77 lb

5.97 lb

6.27 lb

46"

52"

58"

64"

N.A.

N.A.

N.A.

N.A.

AM46

AM52

AM58

AM64

\$406

\$426

\$479

\$496

▶ Specification Information, continued from previous page

Specifi	cation Infor	mation			
Screen Width	· Cableway Width	• Weight	• Style • Number	·U.S. Price	
Modest	y Screens w	ith Cablev	vay		
28"	25"	8.26 lb	ACM28	\$ 426	
34"	31"	9.51 lb	ACM34	\$ 464	
40"	37"	10.75 lb	ACM40	\$ 504	
46"	43"	12.05 lb	ACM46	\$ 545	
52"	49"	13.24 lb	ACM52	\$ 581	
58"	55"	14.38 lb	ACM58	\$ 654	
64"	61"	15.63 lb	ACM64	\$ 694	
Modest	y and Priva	cy Screens	· }		
22"	N.A.	8.07 lb	AMP22	\$ 584	
28"	N.A.	8.57 lb	AMP28	\$ 625	
34"	N.A.	9.27 lb	AMP34	\$ 662	
40"	N.A.	9.97 lb	AMP40	\$ 703	
46"	N.A.	10.52 lb	AMP46	\$ 743	
52"	N.A.	10.97 lb	AMP52	\$ 784	

Modesty and Privacy Screens with Cableway

11.47 lb

12.27 lb

AMP58

AMP64

28"	25"	12.26 lb	ACMP28	\$ 703
34"	31"	13.9 lb	ACMP34	\$ 762
40"	37"	15.55 lb	ACMP40	\$ 823
46"	43"	17.05 lb	ACMP46	\$ 883
52"	49"	18.44 lb	ACMP52	\$ 943
58"	55"	19.88 lb	ACMP58	\$1036
64"	61"	21.63 lb	ACMP64	\$1094
:	:	:	:	:

\$ 856

\$ 896



58"

64"

N.A.

N.A.

Cableways

	Standard Includes	Required to Specify
Nood bolp?	• Cabloway: point	1 Ctulo numbor

Need help? Product details, page 188

61"

8"

10.91 lb

AC61

21/2"

- Cableway: pain
- Universal clamp, if selected: paint to match cableway
- Horizontal mounting bracket, if selected: paint to match cableway
- 1 Style number
- 2 Paint color number for cableway: 0835 Black 4799 Platinum

Spe	cificat	tion In	formation			
· Dim	ensions W	Н	•Weight	•Style Number	·U.S. Price	
With	Horiz	ontal	Mounting B	racket		
21/2"	25"	8"	7.45 lb	AHORZ25	\$ 81	
21/2"	31"	8"	8.40 lb	AHORZ31	\$103	
21/2"	37"	8"	9.35 lb	AHORZ37	\$124	-
21/2"	43"	8"	10.30 lb	AHORZ43	\$142	
21/2"	49"	8"	11.25 lb	AHORZ49	\$166	
21/2"	55"	8"	14.20 lb	AHORZ55	\$198	
21/2"	61"	8"	15.15 lb	AHORZ61	\$217 :	
With	Unive	ersal C	Clamp			
21/2"	25"	8"	4.70 lb	AC25	\$173	
21/2"	31"	8"	5.65 lb	AC31	\$191	
21/2"	37"	8"	6.60 lb	AC37	\$212	
21/2"	43"	8"	7.55 lb	AC43	\$230	
21/2"	49"	8"	8.50 lb	AC49	\$250	
21/2"	55"	8"	9.95 lb	AC55	\$302	

\$319





Tip: Cableway with Universal clamp can be used in combination with privacy and modesty screens.

►See page 178

Tip: Cableways may need to be shorter than worksurface width. To determine screen/ cableway and heightadjustable worksurface compatibility, see Worktools Compatibility Charts, page 33.

Tip: Cableways are not recommended for use with 22¹/₄"D rectangular Airtouch worksurfaces.

Tip: Cableways with Universal clamp are 3" shorter than privacy and modesty screen widths.

Tip: 55"W and 61"W cableways ship with three Universal clamps or horizontal brackets. All other cableway widths ship with two Universal clamps or horizontal brackets.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

Cable and Power Management

Vertical Cable Carrier

Annual Company of the Company of the

Tip: Vertical cable carrier is recommended for use with height-adjustable worksurfaces.

Tip: Vertical cable carrier affixes under the worksurface and has a weighted base to hold it in place.

	Standard Includes	Required to Specify	
► Need help?	Cable carrier: 6688 Steel	Style number	
Product dotails	Attachment hardware		

Product details, Attachment hardware page 189

6"D Wire Managers



Tip: Wire manager attaches to a clip that is affixed to the underside of a worksurface.

page 189

	Standard Includes	Required to Specify	
►Need help?	Wire manager: 6000 Black or 6249 Platinum	Style number	
Product details	Attachment hardware		

Spe	Specification Information								
Dim D	ensions W	Н	•Weight	• Style • Number	· U.S. Price				
6"	30"	2"	0.13 lb	AWMXL30	\$ 75				
6"	36"	2"	0.24 lb	AWMXL36	\$ 86				
6"	42"	2"	0.34 lb	AWMXL42	\$ 98				
6"	48"	2"	0.44 lb	AWMXL48	\$108				
6"	54"	2"	0.56 lb	AWMXL54	\$121				
6"	60"	2"	0.65 lb	AWMXL60	\$133				
			•						



page 189

1¾"D Wire Managers



	Standard Includes	Required to Specify
Need help? Product details.	Wire manager: 6000 Black Attachment hardware	Style number

Spe	Specification Information							
· Dime	ensions W	н	• Weight H	Style Number	·U.S. Price			
:			:	:	:			
11/4"	6"	13⁄4"	0.13 lb	AWM06	\$27			
11/4"	12"	13/4"	0.24 lb	AWM12	\$34			
11/4"	18"	13/4"	0.34 lb	AWM18	\$40			
11/4"	23"	13/4"	0.44 lb	AWM23	\$45			
11/4"	30"	13/4"	0.56 lb	АWM30	\$51			
11/4"	35"	13/4"	0.65 lb	AWM35	\$57			
11/4"	42	13/4"	0.77 lb	AWM42	\$63			
11/4"	48	13/4"	0.88 lb	AWM48	\$71			

Tip: Actual width of AWM23 is $23^{1/4}$ ".

Power/	Nata	with	C-clamn



Tip: Power/data extends 1¹/₄" off the back of the worksurface.

Tip: Power/data does not fit between worksurface and screens/cableway.

	Standard Includes	Required to Specify
Need help? Product details, page 189	Power/data: 6544 Frost 6' cord: black plastic only	Style number

Specification Information								
Dimensions D W H		·Weight ·Style Number		· U.S. Price				
<u>:</u>			•	:	:			
31/2"	81/2"	21/2"	1.5 lb	AP2D2CC	\$184			
•			•	•	•			



Power and Data Strips with Cord and Rail Attachment Brackets

	Standard Includes	Required to Specify
Need help? Product details, page 189	 Power strip with 8' PVC cord Attachment bracket: 4799 Platinum 	Style number


Specification Information					
Style	·U.S.				
Number	Price				

Power and Data Strip with Cord and Rail Attachment Bracket

FMVPDS \$263

Power Strip with Cord and Rail Attachment Bracket

FMVPS \$239



Power and Data Strips with Cord with Worksurface Attachment Bracket



Standard Includes ► Need help? • Power and data strip with cord: 8043 Clear Anodized Product details, Aluminum cover with black faceplate page 189 · Worksurface attachment bracket: 4799 Platinum

Style number

Required to Specify

·U.S.

Spe	cifica	tion lı	Information	
Dim	ensions	;	·Style	
D	w	н	Number	

D	W	н	Number	Price
21/4"	101/4"	3"	BPDSWSPL	\$276

Products on this page are Benching products. They are here to simplify your planning. They are ordered through the **Benching electronic** catalog (SFM).

Multiply U.S. Price by the Canadian price factor.



USB Two-Outlet Powerstrip with Clamp Mount

► Need help?

page 189

Product details,



Tip: Clamp accommodates worksurface thicknesses 1/2" - 11/2".

Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Standard Includes

- · Clamp mount bracket: paint
- Housing with two USB ports and two power outlets: plastic
- 9' cord

Required to Specify

1 Style number

6527 Merle

- 2 Paint color number for bracket:
- 4140 Arctic White
- 4799 Platinum Metallic 7360 Merle
- 3 Plastic color number for housing: 6009 Arctic White

Specification Information					
Dimensions D W H	•Weight	• Style • Number	·U.S. Price		
/5" 5 ¹ / ₂ " 1 ⁴ / ₅ "	4.175 lb	DSPSDUOC	\$313		

USB Two-Outlet Powerstrip with Rail Mount

► Need help?

page 189

Product details,



Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Standard Includes

- Rail mount bracket: 4799 Platinum Metallic
- Housing with two USB ports and two power outlets: plastic
- 9' cord

Required to Specify

- 1 Style number 2 Plastic color number for housing:
- 6009 Arctic White 6527 Merle

ш.	S IO O O II	fication	INTORN	MATION
	-101-101	1102-141011		11.4 14 14 14 14 1

Dimensions		·Weight	·Style	·U.S.	
D	W	н	:	Number	Price
31/5"	51/2"	14/5"	4.175 lb	DSPSDUOR	\$323

USB Three-Outlet Powerstrip with Clamp Mount

► Need help?

page 189

Product details,



Tip: Clamp accommodates worksurface thicknesses 1/2" - 11/2".

Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Tip: Data opening accommodates RJ45, HDMI, and VGA faceplates. All three faceplates ship with powerstrip. A filler is also included if termination of data is not required.

Tip: L-com data jacks must be used and are purchased separately through L-com.

Standard Includes

· Clamp mount bracket: paint

- Housing with two USB ports, one data port with filler, and three power outlets: plastic
- 9' cord

Required to Specify

- 1 Style number
- 2 Paint color number for bracket:
- 4140 Arctic White
- 4799 Platinum Metallic
- 7360 Merle 3 Plastic color number for housing:
- 6009 Arctic White 6527 Merle

Spe	cifica	tion Inf	ormation		
Dime D	ensions W	Н	• Weight	• Style Number	·U.S. Price
1/5"	8"	14/5"	5.043 lb	DSPSTRIOC	\$371

USB Three-Outlet Powerstrip with Rail Mount

▶ Need help?

page 189

Product details,



Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Tip: Data opening accommodates RJ45, HDMI, and VGA faceplates. All three faceplates ship with powerstrip. A filler is also included if termination of data is not required.

Tip: L-com data jacks must be used and are purchased separately through L-com.

Standard Includes

- Rail mount bracket: 4799 Platinum Metallic
 Housing with two USB ports, one data port with filler, and
- three power outlets: plastic
- 9' cord

Required to Specify

- 1 Style number 2 Plastic color number for housing: 6009 Arctic White
- 6527 Merle

Specification Information

Dimensions		· Weight	· Style	·U.S.		
D	W	н	:	Number	Price	
			:	:	:	
31/5"	8"	14/5"	5.043 lb	DSPSTRIOR	\$384	

Surface Materials

Surface Materials	208
Directional Laminate Grain Directions	214
Wood Veneer Grain Directions	215

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification

tools are available to assist you in the specification process-the Surface Materials

The global surface materials palette is a

core collection of finishes that is available across multiple geographies (Americas/EMEA - Europe, Middle East, and Africa/ APAC - Asia Pacific) and on global product lines. where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/ surface-materials.

Surface Materials

Binders include:

- Surface Materials Reference Manual
- · A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Steelcase Surfaces

Applies to:

- · USB powerstrip with clamp mount brackets
- 4140 Arctic White 4799 Platinum Metallic 7360 Merle

Applies to:

- · USB powerstrip with rail mount brackets
- 4799 Platinum Metallic

G = Established

Applies to:

- Ology bases
- Migration bases
- Migration SE bases

Price Group 1

Textured Paint

7207 Black 7241 Arctic White 7360 Merle

Price Group 2

Smooth Metallic Paint

4799 Platinum Metallic

Applies to:

Ology power and data access trays

Price Group 1

Textured Paint

7207 Black 7241 Arctic White 7360 Merle

Price Group 2

Smooth Metallic Paint

4799 Platinum Metallic

Metal and **Accessory Paint**

8043 Clear Anodized Aluminum

Applies to:

- Series 3 and 5 heightadjustable bases
- Walkstation
- Cableway
- Clamps for Privacy/ Modesty Screens

Price Group 1

0835 Black **3**

Price Group 2

4799 Platinum

Applies to:

Airtouch height-adjustable

Price Group 1

7207 Black

Price Group 2

4799 Platinum

Tip: Airtouch lifting column is available in 4799 Platinum only.

Applies to:

- Universal Steel One-High open lateral for Ology
- Universal shrouds for Ology
- Universal filler for Ology

Price Group 1

Smooth Paint 4242 Milk

Textured Paint

7207 Black 7225 Sand

Fog **3** 7236 7237 Slate @

Fieldstone 7238 7239 Midnight

Arctic White 7241 7243 Seagull

Dark Bronze 7278 7360 Merle

Price Group 2

Smooth Metallic Paint

Nickel Metallic 4743 Mineral Metallic

Pearl Metallic 4744 4750 Champagne Metallic Steel Metallic @ 4752

Gold Dust Metallic **G** 4788 4798 Sterling Metallic

Platinum Metallic 4803 Near Black Metallic

Textured Metallic Paint

Carbon Metallic 7246 Midnight Metallic

Applies to:

Universal privacy screens

Price Group 1

Textured Paint

7241 Arctic White 7360 Merle

Price Group 2

Smooth Metallic Paint

4799 Platinum Metallic

Applies to:

- Universal privacy/modesty screen brackets
- Sarto privacy/modesty screen brackets
- Sarto privacy screen brackets and hard stops

Price Group 1

Textured Paint

7360 Merle

Laminate

Tip: All products may not be available in all colors listed

Steelcase Surfaces

High-Pressure Laminate

Price Group 1

Applies to:

- Ology desks
- Ology modesty panels
- Migration desks
- Migration SE desks
- Series 3 and 5 heightadjustable worksurfaces
- Walkstation and Sitto-Stand Walkstation worksurfaces
- Airtouch worksurfaces
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Universal Steel One-High storage for Ology
- Universal tops and fillers for Ology

Fiber Laminate

2850 Vanadium Fiber 2851 Rhyme Fiber **G** 2852 Tungsten Fiber Vellum Fiber 2854 Novell Fiber 2859

2860 Granite Fiber 2861 Coconut Fiber 2862 Stucco Fiber

Micro Laminate

2920 Marl Micro 2921 Gypsum Micro Clay Micro

2923 Shadow Micro 6

Patina Laminate 2870 Blonde Bronze Patina

Blackened Bronze Patina 2873 Instant Iron Patina

Solid Laminate

2722 Cream **G** Arctic White 2746 Black 2759 Warm White G

2811 Mist **G** 2883 Seagull 2884 Milk

2885 Dune 2HMG Merle

Speckle Laminate

Coffee Speckle 6 2822 Woodrose Speckle 6 2823 Driftwood Speckle 2824 Smoke Speckle

2825 Vanadium Speckle Tip: Some wood veneer finishes and woodgrain laminates share the same name Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain Laminate

2406 Clear Cherry Clear Maple 2409 2410 Graphite Walnut 2412 Natural Cherry 2422 Medium Cherry 2511 Winter on Maple 2535 Virginia Walnut 2536 Blackwood Clear Walnut 2538 2539 Warm Oak 6 2592 Blonde on Maple Marbled Maple 2612 2614 Chocolate Walnut 2615 Marbled Cherry V2 2714 Natural Walnut

2772 Medium Mahogany on Walnut 🖪 2HAK Clear Oak 2HAN Ash Noce 2HAT Acacia Ash Wenge 2HAW 2HBN Bisque Noce Bisque Wenge 2HBW 2HCN Clay Noce Clay Wenge 2HCW 2HSN Storm Noce

2HSW

Tip: Woodgrain Laminates and the turnstone Laminate Collection are not available as matched sets. The grain patterns will not align. These are not recommended for fully segmented skin applications.

Storm Wenge

turnstone Laminate Collection

A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy. Please see the turnstone section of *village.steelcase.com* for swatching information.

2535 Virginia Walnut 2536 Blackwood 2612 Marbled Maple 2614 Chocolate Walnut 2615 Marbled Cherry

Select Surfaces

High-Pressure Laminate

Price Group 2

Textured Woodgrain Laminate

2TH2 Fawn Cypress 2TH3 Weathered Char 2TH4 Saddle Oak 2TH5 Veranda Teak 2TH6 Persian Cherry 2TH7 Walnut Heights

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$74 U.S. per unit, plus the cost of the laminate.

When processing orders for Open Line laminate on Ology desks, Universal One-High tops for use on Ology, and common tops for use on Ology, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

Visit www.steelcase.com

For additional information, refer to the Steelcase Surface Materials Reference Manual.

Wood

Applies to:

- Ology desks
- Ology modesty panels
- Migration desks
- · Migration SE desks
- · Series 3 and 5 height-adjustable worksurfaces
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

Established

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- · Do not store products in trailers
- Store products in areas hat simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneer

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Flat-cut open-pore finish choices

Wood Group 1

3062 FC/OP Graphite Walnut 3402 FC/OP Clear Cherry (Aged) 3412 FC/OP Natural Cherry **⑤** 3422 FC/OP Medium Cherry

3592 FC/OP Blonde on Maple 3702 FC/OP Clear Walnut

3702 FC/OP Clear Walnut 3712 FC/OP Natural Walnut

3722 FC/OP Dark Mahogany on Walnut 3752 FC/OP Medium Walnut

3762 FC/OP Dark Walnut

3772 FC/OP Medium Mahogany on Walnut

Quarter-cut open-pore finish choices

Wood Group 1

3042 QC/OP Ash* 3222 QC/OP Clear Maple*

3272 QC/OP Amber on Maple 3

3292 QC/OP Blonde on Maple 3302 QC/OP Clear Walnut

3312 QC/OP Natural Walnut3322 QC/OP Dark Mahogany on Walnut

3352 QC/OP Medium Walnut3362 QC/OP Dark Walnut

3372 QC/OP Medium Mahogany on Walnut

382 QC/OP Graphite Walnut

Rift-cut open-pore finish choices

Wood Group 1

3602 RC/OP Desert Oak 3612 RC/OP Warm Oak **3** 3692 RC/OP Espresso Oak **Full-fill finish** is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

Flat-cut full-fill finish choices

Wood Group 1

3064 FC/FF Graphite Walnut 3404 FC/FF Clear Cherry (Aged)

3414 FC/FF Natural Cherry **3**424 FC/FF Medium Cherry **3**524 FC/FF Clear Maple*

3544 FC/FF Blonde on Maple 3574 FC/FF Amber on Maple **9**

3704 FC/FF Clear Walnut 3714 FC/FF Natural Walnut

3724 FC/FF Dark Mahogany on Walnut

3754 FC/FF Medium Walnut 3764 FC/FF Dark Walnut

3774 FC/FF Medium Mahogany on Walnut

Quarter-cut full-fill finish choices

Wood Group 1

3224 QC/FF Clear Maple*
3274 QC/FF Amber on Maple 3
3294 QC/FF Blonde on Maple
3304 QC/FF Clear Walnut
3314 QC/FF Natural Walnut

3324 QC/FF Dark Mahogany on Walnut

3354 QC/FF Medium Walnut
3364 QC/FF Dark Walnut

3374 QC/FF Medium Mahogany on Walnut

3384 QC/FF Graphite Walnut

Rift-cut full-fill finish choices

Wood Group 1

3604 RC/FF Desert Oak 3614 RC/FF Warm Oak **3** 3694 RC/FF Espresso Oak

*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042,05-0001370 for 3222 and 3224.

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Quarter-cut open-pore finish choices

Wood Group 2

3032 QC/OP Dark Thin Line Bamboo 3052 QC/OP Ribbon Sapele

Wood Group 3

3832 QC/OP Figured Anegre 3842 QC/OP Figured Makore

To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000758 for 3832, and form number 09-0000759 for 3842.

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Maerials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Flat-cut open-pore finish choices

Wood Group 1

3JDX FC/OP Oak Composite 3JFX FC/OP Maple Composite 3JHX FC/OP Cherry Composite 3JJX FC/OP Walnut Composite

Established

Quarter-cut open-pore finish choices

Wood Group 1

3F8X QC/OP European Walnut Composite
3GAX QC/OP Gold Teak Composite
3GFX QC/OP Rosewood Composite
3GGX QC/OP Zebrano Composite
3HGX QC/OP Oak Composite
3HVX QC/OP Walnut Composite
3JEX QC/OP Maple Composite
3JGX QC/OP Cherry Composite
3ZNX QC/OP Night Cerused Oak Composite

Natural Veneer

Natural veneer is available in the Select Surfaces offering. Natural veneer may have extended lead-times. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the natural veneer offering:

Flat-cut open-pore finish choices

Wood Group 1

3342 FC/OP Black Walnut35A2 FC/OP Blanch Maple37A2 FC/OP Thunder Walnut

Wood Group 3

3082 FC/OP Washed Walnut

Flat-cut full-fill finish choices

Wood Group 1

3734 FC/FF Black Walnut

Wood Group 3

3084 FC/FF Washed Walnut

Quarter-cut open-pore finish choices

Wood Group 1

32A2 QC/OP Blanch Maple33A2 QC/OP Thunder Walnut3392 QC/OP Black Walnut

Quarter-cut full-fill finish choices

Wood Group 1

3394 QC/FF Black Walnut

Rift-cut open-pore finish choices

Wood Group 1

36A2 RC/OP Volcanic Oak

Planked Veneer

Planked veneer is available in the Select Surfaces offering. Planked veneer may have extended lead-times. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the planked veneer offering:

Wood Group 1

3P41 OP Planked Cherry 3P51 OP Planked Maple 3P61 OP Planked Oak 3P71 OP Planked Walnut

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

Plastic

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Applies to:

- · 3 mm edge profile on Ology desks and modesty
- · 3 mm edge profile on Migration desks
- 3 mm edge profile on Migration SE desks
- · Series 3 and 5 Universal and knife edges
- · Airtouch worksurfaces
- 1 mm sqare edge profile on Universal One-High open lateral laminate tops for Ology
- · Universal common tops for Ology
- · Universal tops for Ology
- 6000 Black
- 6001 Coffee
- 6009 Arctic White
- 6034 Natural Cherry
- 6036 Medium Cherry
- 6037 Winter on Maple 6038 Blonde on Maple
- 6041 Natural Walnut
- 6045 Medium Mahogany on Walnut 6
- 6052 Milk
- 6053 Seagull
- 6213 Acacia
- 6219 Clear Oak
- 6231 Graphite Walnut
- 6234 Clear Cherry
- 6237 Clear Maple
- 6242 Virginia Walnut
- 6243 Blackwood
- 6245 Clear Walnut
- 6246 Warm Oak G
- 6249 Platinum Solid 6271 Plywood
- 6527 Merle
- 6615 Grey V5
- 6619 Ice **G**
- 6631 Cream
- 6635 Dawn **3**
- 6636 Mist
- 6654 Sand
- 6655 Warm White
- 6676 Marbled Maple
- 6677 Chocolate Walnut
- 6678 Marbled Cherry
- 6694 Slate
- 6695 Midnight 6697 Fog
- 6698 Fieldstone
- 6703 Ash Wenge 6704 Storm Wenge
- 6705 Bisque Wenge
- 6706 Clay Wenge
- 6707 Ash Noce
- 6708 Bisque Noce
- 6709 Clay Noce
- 6710 Storm Noce

Applies to:

- · USB powerstrip housing
- 6009 Arctic White
- 6527 Merle
- Established

Applies to:

- Series 3 and 5 urethane edges
- · Walkstation and Sit-to-Stand Walkstation
- 6000 Black 6278 Felt

Acrylic

Applies to:

 Modesty and privacy screens 6544A Acrylic Frost

Upholstery

Applies to:

Universal screens

Tip: Designtex: Gamut and Designtex: Crossweave are also available on Universal screens. Designtex: Gamut and Designtex: Crossweave are part of the Graded-In program. See Surface Materials Reference Manual for more information on the Graded-In program.

Steelcase Surfaces

Price Group 1

Abacus @

- P122 Entasis
- P123 Portico
- P124 Opus P125 Cusp
- P126 Artifact
- P129 Atlas

Buzz2

- 5F03 Tomato
- 5F04 Red **3**
- 5F05 Burgundy
- 5F06 Sky **G** 5F07 Blue
- 5F08 Navy
- 5F10 Grape 6
- 5F11 Eggplant **G**
- 5F15 Stone
- 5F16 Grey
- 5F17 Black
- 5G50 Dunegrass 5G51 Sable
- 5G52 Barley
- 5G53 Sunrise
- 5G54 Carrot
- 5G55 Pumpkin
- 5G56 Timber
- 5G57 Rouge
- 5G58 Chocolate
- 5G59 Meadow 5G60 lvy
- 5G61 Cyan
- 5G62 Atlantic
- 5G63 Crocus
- 5G64 Alpine
- 5G65 Tornado

Price Group 2

Code

- 5FA1 Fossil
- 5FA2 Gabbro
- 5FA3 Reed
- 5FA4 Bluff 5FA5 Sea Salt
- 5FA6 Cannon
- 5FA7 Tussah
- 5FA8 Mica
- 5FA9 Ecru 5FB1 Bamboo

Cogent: Connect

- 5S15 Coconut
- 5S16 Turmeric/Honey
- 5S17 Tangerine
- 5S18 Scarlet
- 5S19 Concord 5S21 Blue Jay
- 5S23 Wasabi
- 5S24 Nickel
- 5S25 Graphite
- 5S27 Malt
- 5S28 Root Beer
- 5S93 Blueprint 5S94 Lizard/Jungle
- 5S95 Sailor
- 5S96 Quicksilver
- 5S98 Canary
- 5S99 Lipstick/Merlot
- 5SD0 Royal Blue 5SD1 Aubergine
- 5SD2 Peacock
- 5SD3 Lagoon
- 5SD4 Saffron

Latch

- P601 Clam
- P602 Eggshell P603 Zen
- P604 Cool Gray
- P605 Armor
- P606 Sentinel
- P607 Rye
- P608 Billow P609 Nimbus

Price Group 3

Billiard Multi-Use by Designtex

- 5H10 Bone 5H11 Poppy
- 5H12 Tangelo
- 5H13 Citron
- 5H14 Avocado
- 5H15 Hunter 5H16 Indigo
- 5H17 Mallard
- 5H18 Teak
- 5H19 Cumulus 5H20 Pewter
- 5H21 Gunmetal 5H22 Ink

Applies to:

· Sarto screens

Price Group A

Sprite

Price Group 1

Abacus
Alloy
Boccie
Buzz2
Charm
Era
Lapel
Link
Optic
Pianista
Playground
Rhythm
Tinsel

Price Group 2

Bariolage
Bouquet
Cogent: Connect
Flip: Orbit
Flip: TexHex
Fresco
Latch
Milano

Applies to:

- Universal screens
- · Sarto screens

Select Surfaces

For information on products within Select Surfaces,

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

For additional information regarding Customer's Own Material,

including accent paints, Signature plastics, and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Laminate and Edge Finishes

Applies to:

- Ology desks
- Ology modesty panels
- Migration desks
- Migration SE desks
- · Series 3 and 5 worksurfaces with Universal and knife edges
- Airtouch
- · Universal One-High open lateral tops for Ology
- Universal common tops for Ology

• Univ	ersai common tops i	or Olo	gy		
Lami	nate Color		ommended n Edge Color		ommended ge Color
Fiber	Laminate				
2850	Vanadium Fiber	6654	Sand	6697	Fog
2851	Rhyme Fiber G	6631	Cream	6654	Sand
2852		6636	Mist	6654	Sand
	Vellum Fiber		Warm White	6697	
2859	Novell Fiber		Coffee	6697	
2860			Black		Black
2861			Sand		Sand
2862	Stucco Fiber	6053	Seagull	6053	Seagull
Micro	Laminate				
2920	Marl Micro		Seagull		Seagull
2921	Gypsum Micro		Sand		Sand
2922	,		Sand		Sand
2923	Shadow Micro 3	6249	Platinum Solid	6249	Platinum Solid
Patin	a Laminate				
2870		6654	Sand	6654	Sand
0074	Patina	6615	Cross VE	6000	Dlook
2871	Blackened Bronze Patina	0015	Grey V5	0000	Black
2873	Instant Iron Patina	6615	Grey V5	6000	Black
Solid	Laminate				
	Cream G	6631	Cream	6654	Sand
	Arctic White		Arctic White		Arctic White
2746	Black	6000	Black	6000	Black
2759	Warm White 6	6655	Warm White	6654	Sand
2811	Mist 3	6636		6697	
2883	5		Seagull		Seagull
2884		6052		6052	
2885	Dune		Sand		Sand
2HMG	Merle	6527	Merle	6527	Merle
	kle Laminate				
	Coffee Speckle 3				Sand
2822		6635	Dawn G	6000	Black
	Speckle G		_		
	Driftwood Speckle				Black
2824	Smoke Speckle Vanadium Speckle	6636	_	6654 6697	Sand
2025	vanadium Speckie	0019	ice G	0097	rog
	ured Woodgrain I				
	Fawn Cypress		Fawn Cypress		Sand
	Weathered Char Saddle Oak		Weathered Char Saddle Oak	0015	Grey V5
	Veranda Teak		Veranda Teak	- 6612	— Grey V2 ⑤
			Persian Cherry	_	—
2TH7	Persian Cherry Walnut Heights		Walnut Heights	_	_
	roigino	0.07	uu loigillo		

Laminate and Edge Finishes, continued						
Lan	ninate and Ed	ge Fi	inishes, cont	inue	d	
Lami	nate Color		ommended	Recommended		
		3 mr	n Edge Color	P-Ea	ge Color	
	lgrain Laminate					
2406	Clear Cherry		Clear Cherry		Black	
2409	Clear Maple		Clear Maple		Sand	
2410	Graphite Walnut		Graphite Walnut		Black	
2412	Natural Cherry		Natural Cherry		Black	
2422	Medium Cherry		Medium Cherry		Black	
2511	Winter on Maple		Winter on Maple		Sand	
2538	Clear Walnut		Clear Walnut		Black	
2539	Warm Oak 3		Warm Oak 3		Warm Oak G	
2592	Blonde on Maple		Blonde on Maple		Sand	
2714	Natural Walnut		Natural Walnut		Black	
2772	Medium	6045	Medium	6000	Black	
	Mahogany on Walnut 3		Mahogany on Walnut G			
2HVK	Clear Oak	6210	Clear Oak	6654	Sand	
	Ash Noce		Ash Noce		Sand	
	Acacia		Acacia		Warm White Solid	
	Ash Wenge		Ash Wenge		Sand	
	Bisque Noce		Bisque Noce		Cream	
	Bisque Wenge		Bisque Wenge	6631		
	Clay Noce		Clay Noce		Grey V2 (3	
	Clay Wenge		Clay Wenge		Grey V2 3	
	Storm Noce		Storm Noce		Grey V5	
2HSW	Storm Wenge	6704	Storm Wenge		Grev V5	
	oto Trongo	0.0.	oto rrongo	00.0	choy 10	
turne	tone Laminate C	'allac	tion*			
2535	Virginia Walnut		2 Virginia Walnut	60	000 Black	
2536	Blackwood		3 Blackwood		000 Black	
2612	Marbled Maple		6 Marbled Maple		000 Black	
2614	Chocolate Walnut		7 Chocolate Waln		000 Black	
2615	Marbled Cherry		8 Marbled Cherry		000 Black	

*A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy.

Tip: Woodgrain Laminates and the turnstone Laminate Collection are not available as matched sets. The grain patterns will not align.

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$74 U.S. per unit, plus the cost of the laminate.

When processing orders for Open Line laminate on height-adjustable desks, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:


Visit www.steelcase.com

For additional information, refer to the *Steelcase Surface Materials Reference Manual.*

Directional Laminate Grain Directions

Directional laminates


are standard with the grain directions shown.




Wood Veneer Grain Directions

The appearance of wood veneer may

change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.











90° Equal Ology Series 5 Series 3

90° Extended Ology

120° Equal Ology

Modesty Panel Ology

esources

Resources

Style Number Index

218

Style Number Index

Style Number	Page		yle ımber	Page	Description
A3LQ52235223	174	Series 3 Hgt-Adj Wksf, 90° 23"D Equal . A5	RQ64T07629B	146	Series 5 Base, 29"D Rectangular
A3LQ52295229	174	Series 3 Hgt-Adj Wksf, 90° 29"D Equal	RQ702323	143	Series 5 Hgt-Adj Wksf, 23"D Rectangular
A3LQ52X52B	176	Series 3 Base, 90° Equal : A5	RQ702929	143	Series 5 Hgt-Adj Wksf, 29"D Rectangular
A3LQ58235823	174	Series 3 Hgt-Adj Wksf, 90° 23"D Equal . A5	RQ762323	143	Series 5 Hgt-Adj Wksf, 23"D Rectangular
A3LQ58295829	174	Series 3 Hgt-Adj Wksf, 90° 29"D Equal . A5	RQ762929	143	Series 5 Hgt-Adj Wksf, 29"D Rectangular
A3LQ58X58B	176	,	TG660606H	151	FitWork: Walkstation
A3LQ64236423	174		TR383030H	151	FitWork: Walkstation
A3LQ64296429	174		TR663232H	151	FitWork: Walkstation
A3LQ64TO76B	176		TR782929H	151	FitWork: Sit-to-Walkstation
A3LQ70237023	174		25	200	Cableway w/Universal Clamp
A3LQ76237623	174		31	200	Cableway w/Universal Clamp
A3RQ462323	173		37	200	Cableway w/Universal Clamp
A3RQ462929	173		43	200	Cableway w/Universal Clamp
A3RQ46TO5223B		•	49	200	Cableway w/Universal Clamp
A3RQ46T05229B			555	200	Cableway w/Universal Clamp
A3RQ522323	173	• • • • • • • • • • • • • • • • • • • •	61	200	Cableway w/Universal Clamp
A3RQ522929	173		M28	199	28" Modesty Screen w/Cableway
A3RQ582323	173		M34	199	34" Modesty Screen w/Cableway
A3RQ5823B	176		M40	199	40" Modesty Screen w/Cableway
A3RQ582929	173		M46	199	46" Modesty Screen w/Cableway
A3RQ5829B	176		M52	199	52" Modesty Screen w/Cableway
A3RQ642323	173	• • • • • • • • • • • • • • • • • • • •	M58	199	58" Modesty Screen w/Cableway
A3RQ642929	173		CM64	199	64" Modesty Screen w/Cableway
A3RQ64T07623B			MP28	199	28" Modesty and Privacy Screen w/Cableway
A3RQ64T07629B			MP34	199	34" Modesty and Privacy Screen w/Cableway
A3RQ702323	173	• • • • • • • • • • • • • • • • • • • •	MP40	199	40" Modesty and Privacy Screen w/Cableway
A3RQ702929	173		MP46	199	46" Modesty and Privacy Screen w/Cableway
A3RQ762323	173	• • • • • • • • • • • • • • • • • • • •	MP52	199	52" Modesty and Privacy Screen w/Cableway
A3RQ762929	173		MP58	199	58" Modesty and Privacy Screen w/Cableway
A5LQ40234023	144		MP64	199	64" Modesty and Privacy Screen w/Cableway
A5LQ46234623	144		P28	198	28" Privacy Screen w/Cableway
A5LQ52235223	144		P34	198	34" Privacy Screen w/Cableway
A5LQ52295229	144		P40	198	40" Privacy Screen w/Cableway
A5LQ52X52B	146		P46	198	46" Privacy Screen w/Cableway
A5LQ58235823	144		P52	198	52" Privacy Screen w/Cableway
A5LQ58295829	144		P58	198	58" Privacy Screen w/Cableway
A5LQ58X58B	146		P64	198	64" Privacy Screen w/Cableway
A5LQ64236423	144		ICC	201	Vertical Cable Carrier
A5LQ64296429	144		IORZ25	200	Cableway w/Horizontal Mounting Brkt
A5LQ64T076B	146	•	IORZ31	200	Cableway w/Horizontal Mounting Brkt
A5LQ70237023	144		IORZ37	200	Cableway w/Horizontal Mounting Brkt
A5LQ76237623	144		IORZ43	200	Cableway w/Horizontal Mounting Brkt
A5RQ462323	143		IORZ49	200	Cableway w/Horizontal Mounting Brkt
A5RQ462929	143		IORZ55	200	Cableway w/Horizontal Mounting Brkt
A5RQ46T05223B			IORZ61	200	Cableway w/Horizontal Mounting Brkt
A5RQ46TO5229B			122 128	198	22" Modesty Screen
A5RQ522323	143		128 134	198 198	28" Modesty Screen
A5RQ522929	143		134 140		34" Modesty Screen
A5RQ582323	143		140 146	198	40" Modesty Screen 46" Modesty Screen
A5RQ5823B	146		146 152	198	•
A5RQ582929	143		152 158	198	52" Modesty Screen
A5RQ5829B	146		158 164	198	58" Modesty Screen
A5RQ642323	143		164 1022	198	64" Modesty Screen
A5RQ642929	143		MP22	199	22" Modesty and Privacy Screen
A5RQ64TO7623B	146	Series 5 Base, 23"D Rectangular	MP28	199	28" Modesty and Privacy Screen

Style Number	Page	Description	Style Number	Page	Description
AMP34	199	34" Modesty and Privacy Screen	DSPSDUOC	204	USB Duo Powerstrip w/Clamp Mount
AMP40	199	40" Modesty and Privacy Screen	DSPSDUOR	204	USB Two-Outlet Powerstrip w/Rail Mount
AMP46	199	46" Modesty and Privacy Screen	DSPSTRIOC	205	USB Triple Powerstrip w/Clamp Mount
AMP52	199	52" Modesty and Privacy Screen	DSPSTRIOR	205	USB Three-Outlet Powerstrip w/Rail Mount
AMP58	199	58" Modesty and Privacy Screen	E6PDHAD	114	PInth Bs Ped Ology Ap
AMP64	199	64" Modesty and Privacy Screen	E6WSHAD	117	Ology Open Pedestal
AP22	198	22" Privacy Screen	FMVPDS	203	Power Strip
AP28	198	28" Privacy Screen	FMVPS	203	Power Strip
AP2D2CC	202	Power/Data w/C-clamp	FWKB18	152	FitWork: Kybun Footpad
AP34	198	34" Privacy Screen	MGELTRQ	133	Migration SE,Desk-Rect, Ext hght
AP40	198	40" Privacy Screen	MGELTRQB	134	Migration SE,Base-Rect, Ext hght
AP46	198	46" Privacy Screen	MGSLTRQ	133	Migration SE,Desk-Rect, Basic hght
AP52	198	52" Privacy Screen	MGSLTRQB	134	Migration SE,Base-Rect, Basic hght
AP58	198	58" Privacy Screen	MIGCBK4	126, 135	Migration,Cable Bracket
AP64	198	64" Privacy Screen	MIGCR	126, 135	Migration, Cable Riser
AWM06	202	6" Wire Manager	MIGRELRQ	124	Migration, Hgt-Adj Desk, Rec
AWM12	202	12" Wire Manager	MIGRELRQB	125	Migration, Hgt-Adj Base, Rec
AWM18	202	18" Wire Manager	OLATKT	103	Active Touch Kit
AWM23	202	23" Wire Manager	OLCB	102	Ology, Cable Basket
AWM30	202	30" Wire Manager	OLCBK4	102	Ology, Cable Bracket
AWM35	202	35" Wire Manager	OLCR	102	Ology,Cable Riser
AWM42	202	42" Wire Manager	OLELLC	79-83	Ology, Hgt-Adj Desk, 90° Corner
AWM48	202	48" Wire Manager	OLELLCB	93-95	Ology, Hgt-Adj Bases, 90° Corner
AWMXL30	201	6"D Wire Manager	OLELRQ	73	Ology, Hgt-Adj Desk, Rectangular
AWMXL36	201	6"D Wire Manager	OLELROB	91	Ology, Hgt-Adj Desk, Rectangular
AWMXL42	201	6"D Wire Manager	OLELRT	77	Ology, Hgt-Adj Desk, Tapered
AWMXL48	201	6"D Wire Manager	OLELRTB	92	Ology, Hgt-Adj Base, Tapered
AWMXL54	201	6"D Wire Manager	OLELWO	88	Ology, Hgt-Adj Desk, 120° Corner
AWMXL60	201	6"D Wire Manager	OLELWCB	98	Ology, Hgt-Adj Base, 120° Corner
BAPB2436 BAPDC2442	162 162	Airtouch Hgt-Adj Wksf, 120° Equal	OLSLLC	100 83-87	Ology, Modesty Panels
BAPDC2442	162	Airtouch Hgt-Adj Wksf, 90° Corner Bi-Level Airtouch Hgt-Adj Wksf, 90° Corner Bi-Level	OLSLLCB	95-97	Ology, Hgt-Adj Desk, 90° Corner Ology, Hgt-Adj Bases, 90° Corner
BAPDS3642	161	Airtouch Hgt-Adj Wksf, Rectangular Bi-Level	OLSLRQ	74	Ology, Hgt-Adj Dases, 90 Comer Ology, Hgt-Adj Desk, Rectangular
BAPDS3648	161	Airtouch Hgt-Adj Wksf, Rectangular Bi-Level	OLSLRQB	91	Ology, Hgt-Adj Bases, Rectangular
BAPSC2442	162	Airtouch Hgt-Adj Wksf, 90° Corner	OLSLRT	77	Ology, Hgt-Adj Desk, Tapered
BAPSC2448	162	Airtouch Hgt-Adj Wksf, 90° Corner	OLSLRTB	92	Ology, Hgt-Adj Bases, Tapered
BAPSS2442	161	Airtouch Hgt-Adj Wksf, 22½"D Rectangular	OLSLWC	89	Ology, Hgt-Adj Desk, 120° Corner
BAPSS2448	161	Airtouch Hgt-Adj Wksf, 221/4"D Rectangular	OLSLWCB	98	Ology, Hgt-Adj Bases, 120° Corner
BAPSS2460	161	Airtouch Hgt-Adj Wksf, 22½"D Rectangular	PSPM	196	Sarto Privacy/Modesty Screen
BAPSS3042	161	Airtouch Hgt-Adj Wksf, 28½"D Rectangular	PSPS	197	Sarto Privacy Screen
BAPSS3048	161	Airtouch Hgt-Adj Wksf, 28½"D Rectangular	RATCTHAD	113	Common Top
BAPSS3060	161	Airtouch Hgt-Adj Wksf, 281/4"D Rectangular	RELS1815QHA		Univ Lam Enhcd One-High Storage
BPDSWSPL	203	Power and Data Strip	RELS1821QQH		Univ Lam Enhcd 1.5-High Storage
CQSF3012	101	12"H Fixed Personal/Modesty Screen	REPXF15	110	Univ Lam Enhcd One-High Filler Panel
CQSF3019	101	19"H Fixed Personal/Modesty Screen	RETCTHADP	109	Universal Laminate Enhanced Top
CQSF3024	101	24"H Fixed Personal/Modesty Screen	RPXFHAD	107	Filler
CQSF3612	101	12"H Fixed Personal/Modesty Screen	RPXSHAD	106	Shroud
CQSF3619	101	19"H Fixed Personal/Modesty Screen	RSCHAD	105	Univ One-High Open Lat
CQSF3624	101	24"H Fixed Personal/Modesty Screen	UAPB2436	166	Airtouch Hgt-Adj Wksf, 120° Equal
CQSF4212	101	12"H Fixed Personal/Modesty Screen	UAPDC2442	166	Airtouch Hgt-Adj Wksf, 90° Corner Bi-Level
CQSF4219	101	19"H Fixed Personal/Modesty Screen	UAPDC2448	166	Airtouch Hgt-Adj Wksf, 90° Corner Bi-Level
CQSF4224	101	24"H Fixed Personal/Modesty Screen	UAPDS3642	165	Airtouch Hgt-Adj Wksf, Rectangular Bi-Level
CQSF4812	101	12"H Fixed Personal/Modesty Screen	UAPDS3648	165	Airtouch Hgt-Adj Wksf, Rectangular Bi-Level
CQSF4819	101	19"H Fixed Personal/Modesty Screen	UAPSC1842	166	Airtouch Hgt-Adj Wksf, 90° Corner
		24"H Fixed Personal/Modesty Screen	UAPSC2442	166	Airtouch Hgt-Adj Wksf, 90° Corner

Style Number	Page	Description
UAPSC2448	166	Airtouch Hgt-Adj Wksf, 90° Corner
UAPSS2442	165	Airtouch Hgt-Adj Wksf, 221/4"D Rectangular
UAPSS2448	165	Airtouch Hgt-Adj Wksf, 221/4"D Rectangular
UAPSS2460	165	Airtouch Hgt-Adj Wksf, 221/4"D Rectangular
UAPSS3042	165	Airtouch Hgt-Adj Wksf, 281/4"D Rectangular
UAPSS3048	165	Airtouch Hgt-Adj Wksf, 281/4"D Rectangular
UAPSS3060	165	Airtouch Hgt-Adj Wksf, 281/4"D Rectangular
UFAL	195	Aligners
UFPM	192	Uni Prv/ Mod Screen
UFPS	194	Uni Prv Screen

Trademark List

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Liahtolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA:
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- The following is a registered trademark of Security People, Inc.: Digilock.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, Echo, Edge, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, LessThanFive, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf,
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

Woodruff, Workspring, and X-tenz.

- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following trademark is used under license from Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, Sistema, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- The following are trademarks of PolyVision: a3, e3, Motif, and PolyVision.

Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.