# **Answer Freestanding Specification Guide**

# Availability

**Electronic price list updated** with release 190.B (U.S.) and 151.B (Canada), dated June 17, 2019.

Spec News is available on *village.steelcase.com*. Search Steelcase Marketing Resources (Adstock) and download the current release's Spec News.

Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.

View or download Steelcase Specification Guides at https://www.steelcase.com/resources/documents?tax-[doctype]=spec-guide.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a  $\blacksquare$ . Products that are scheduled to be culled are indicated with an  $\blacksquare$ , followed by the last order entry date.

# **Surface Materials**

The surface materials team has announced the launch of the Finish Library, found at http://finishlibrary.steelcase.com.

► For a list of all trademarks, refer to the last page of this specification guide.
© 2019 Steelcase Inc.

This specification guide contains multiple Steelcase and turnstone product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.



# For Canadian Pricing

Canadian factor can be found at steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- Add base and options for total list price.

Working	With	This	<b>Specification</b>	Guide
			-poomounom	

Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4

# **Understanding**

Universal Systems Worksurfaces	
Answer Freestanding Desks and Components	41
Universal Tables	79
Worksurface Screens	95
Counterweights	119
Universal Steel Storage Products	129
Wiring and Cabling	163
Lighting	183


# **Specifying**

Universal Systems Worksurfaces	20:
Answer Freestanding Desks and Components	25
Universal Tables	28
Worksurface Screens	30
Universal Steel Storage Products	31
Storage Tops, Shelves, and Accessories	37
Wiring and Cabling	38
Lighting	39

Surface Materials	411
Resources	427


# **Ten Tips:**

# How to Get the Most Out of This Book



**Watch** the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in

# Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

# Tip 4

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- · Application Topics



**Find cross references** by looking for page numbers flagged with an arrow.

# **Product Drawing**


shows you what the product looks like and points out important features.

# **Product Details**

gives specific information on the product and how it is used.

### Connections

describes how the product is assembled or how it attaches to another product.



# **Actual Dimensions** table lists the dimensions of the product.

# Wiring and Cabling details the power and

details the power and cable-management and cable routing capabilities of the product.

# **Surface Materials** lists what material is

lists what material is used for each part of the product.

### Tip 5

Refer to the specifying pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number

**Product Drawing** 

shows you what the

product looks like.

Price

# **Standard Includes**

(under the red or dark grey band) provides a list of what comes standard with the product.

**Required to Specify** 

(under the red or dark grey

band) itemizes the informa-

tion that you must provide to

order the standard product

and the preferred sequence

for specification.

# Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

# | Part |

# **Options**

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

# **Related Products**

provide specification information for products that are directly related.

### Tip 6

### Required to Specify

Specify with Customiz Stain

**Italic typeface** on specifying pages usually identifies wording that you should use in your order.


# Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

**Watch for tips** throughout the text that give you explanations and helpful instructions.

# Tip 8



**Learn what you cannot do** by looking for drawings crossed out with an "X."

# Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

# Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

# **Additional Resources**

### **Answer Freestanding**

is supported with an array of informational materials, tools, and software to help you plan an installation efficiently.

# **Product brochures** and planning tools

can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources web site at village.steelcase.com.

# This specification

guide contains multiple Steelcase and turnstone product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.

Additional storage products can be found in the *Storage Specification Guide*.

Refer to the *turnstone*Furniture Specification Guide
for the Understanding turnstone information.

# **Printed Materials**

# Answer Freestanding Product Brochure

This resource is your single source for everything you need to sell Answer Freestanding. It contains photography showcasing a range of aesthetic and planning options. A complete statement of line, which highlights worksurfaces and storage options, also is included.

Form number 11-0002374

**Storage Specification Guide** contains storage that attaches to Answer Freestanding.

### **Quick Ship Guide**

This handbook describes all Steelcase, turnstone, and Coalesse products that are available for Rapid2 (ships in 2 days), Rapid5 (ships in 5-7 days), or Coalesse Rapid10 (ships in 10 days).

### Surface Materials Reference Manual

- This publication provides:An explanation of the surface materials
- · "Available on" matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
   Surface material care and
- Surface material care and cleaning instructions

# **Computer Tools**

### **Electronic Catalog**

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools - Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project-Symbols libraries, as well as 20-20 CAP Studio.

### Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

## **Digital Publications**

You can access these digital publications at www. steelcase.com or village. steelcase.com.

### Answer Freestanding Product Training

Basic training for Answer Freestanding and many other Steelcase products is available as part of the Building Product Muscle curriculum on the Steelcase University Web site at village.steelcase.com.

The Answer BPM webbased module is an interactive course filled with pictures, product detail, and practice exercises designed to build knowledge of Answer's positioning, statement of line, features and benefits, competitive products, application, and sales presentation. It also provides printable job aids of all content covered in the course to serve as ongoing performance support for Steelcase and dealer salespeople. The Answer BPM is course SAL140.

Planning ideas are available to help inspire, envision, and plan great solutions. 2D and 3D Auto-CAD drawings, Sketch-Up files, and SmartTools drawings are available on the Planning Ideas site: www.steelcase.com/planningideas.

# Support

### **Steelcase Capabilities**

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

# For ordering or product assistance, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to

lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1 616 247 2500

# **Related Products**

### Steelcase worktools

include a full line of ergonomically designed products that enhances and improves the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting.

For additional information, refer to Steelcase Worktools Specification Guide or contact Steelcase at 1.888.STEELCASE (1.888.783.3522) or email lineone@steelcase.com.

# Height-Adjustable

Desks include a full line of crank, counterbalance, and electric height-adjustable desks which promote well-being in the office.

▶ For additional information

For additional information, refer to Height-Adjustable Desks Specification Guide or call 1.888.STEELCASE or send an email to lineone@steelcase.com.

# Jniversal Systems Vorksurfaces

# **Understanding Universal Systems Worksurfaces**

Vorksurface Positioning	20
reestanding Worksurface Supports Integration Matrix	21
Iniversal Systems Worksurfaces	22
Iniversal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray	26
Iniversal Systems Worksurfaces with Power Access Door	30
rameOne Legs and Supports for Universal Worksurfaces	32
nfills for FrameOne Legs for Universal Worksurfaces	35
egs and Columns for Universal Systems Worksurfaces	36
reestanding Guidelines for Systems Worksurfaces	
vith Legs	38

# **Statement of Line**


**All worksurface sizes and shapes** are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in High-Pressure Laminate with P-edge or in wood veneer with square edge. See Specifying pages for details.

Worksurface dimensions shown apply to both wood veneer and High-Pressure Laminate versions of each worksurface.



Understanding
► Page 22
Specifying
► Page 204

# **Straight Worksurfaces**



Tip: Worksurfaces greater than 30"D can only be used in free-standing applications.

Tip: For P-edge worksurfaces, add 3/8" to 183/8", 231/2", and 291/2" depths shown above.


Tip: Modular dimensions displayed, parametric dimensions available in depths from 18" to 36" and widths from 18" to 120" in 1/16" increments both depth and width.




Understanding
Page 22
Specifying
Page 204


# Straight Worksurfaces, continued


# With Full Depth



Tip: Modular dimensions displayed, parametric dimensions available in depths from 18" to 120" in ½6" increments both depth and width.










Understanding
► Page 22
Specifying
► Page 218

# Straight 120° Worksurfaces

# With 1/2" Cord Drop




\*Right-hand units shown. Left-hand units available.

# Statement of Line, continued




Understanding
► Page 22
Specifying
► Page 220

# **Transition Worksurfaces\***




# With Full Depth




# **Tapered Worksurfaces\***

# With 1/2" Cord Drop




# With Full Depth






Understanding
► Page 22
Specifying
► Page 224

# **Taper-Flat Worksurfaces\***



<sup>\*</sup>Left-hand units shown. Right-hand units available.






Understanding
► Page 22
Specifying
► Page 225


# Single-Tapered Worksurfaces\*

# With 1/2" Cord Drop



\*Left-hand units shown. Right-hand units available.

# With Full Depth



Statement of Line, continued







Understanding
► Page 22
Specifying
► Page 226

# **Corner, Flat-Front Worksurfaces**

# Corner, Flat-Front Worksurfaces With 1/2" Cord Drop




# Dual Corner, Flat-Front Worksurfaces With 1/2" Cord Drop




# Corner, Flat-Front Worksurfaces with Full Depth



# **Dual Corner, Flat-Front Worksurfaces with Full Depth**






Understanding
► Page 22
Specifying
► Page 228

# **Corner, Straight-Front Worksurfaces**

# Corner, Straight-Front Worksurfaces With 1/2" Cord Drop



Tip: For P-edge worksurfaces, add 3/8" to 183/8", 231/2", and 291/2" depths shown above.


Statement of Line, continued



Understanding
► Page 22
Specifying
► Page 229


# **Corner, Curved-Front Worksurfaces**

# With 1/2" Cord Drop



Tip: For P-edge worksurfaces, add 3%" to 183%", 231/2", and 291/2" depths shown above.

# With Full Depth






Understanding
► Page 22
Specifying
► Page 230

# **Extended Corner, Straight-Front Worksurfaces\***

# Extended Corner, Straight-Front Worksurfaces With 1/2" Cord Drop



\*Left-hand units shown. Right-hand units available.


Tip: For P-edge worksurfaces, add 3/8" to 231/2" and 291/2" depths shown at left. Statement of Line, continued



Understanding
► Page 22
Specifying
► Page 232

# **Extended Corner, Curved-Front Worksurfaces\***

# With 1/2" Cord Drop



\*Left-hand units shown.
Right-hand units available.


Tip: For P-edge worksurfaces, add 3/8" to 231/2" and 291/2" depths shown at left.



Understanding
► Page 22
Specifying
► Page 232

# **Extended Corner, Curved-Front Worksurfaces\***

# With Full Depth



\*Left-hand units shown.
Right-hand units are also available.


Statement of Line, continued



Understanding
► Page 22
Specifying
► Page 220

# Corner, 120° Worksurfaces

# Corner, 120° Worksurfaces With 1/2" Cord Drop



Tip: For P-edge worksurfaces, add 3/8" to 231/2" and 291/2" depths shown above.




Understanding
► Page 22
Specifying
► Page 235

# **Spanner Worksurfaces**

# For Use With 1/2" Cord Drop Worksurfaces

# For Use With Full Depth Worksurfaces








Applications

Tip: For P-edge worksurfaces, add 3/8" to depth and 3/4" to width shown above.



Understanding ► Page 22 Specifying ► Page 236

# **Bullet Peninsula Worksurfaces**




Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with 1/2" cord drop, or with full-depth worksurfaces.



Understanding
► Page 22
Specifying
► Page 237


# **Angled Peninsula Worksurfaces**

# With 1/2" Cord Drop









# With Full Depth








Statement of Line, continued



Understanding
► Page 22
Specifying
► Page 238

# Jetty Worksurfaces\*


# With 1/2" Cord Drop



\*Left-hand units shown. Right-hand units available.

Tip: For P-edge worksurfaces, add 3/8" to 231/2" and 291/2" depths shown at left.


# With Full Depth



# Understanding ► Page 22 Specifying ► Page 240

# **Bubble Jetty Worksurfaces\***

# With 1/2" Cord Drop



Tip: For P-edge worksurfaces, add 3/8" to 231/2" depth shown above.


\*Left-hand units shown. Right-hand units available.



Understanding
► Page 22
Specifying
► Page 242

# **Visitor Worksurfaces\***


# With 1/2" Cord Drop



<sup>\*</sup>Left-hand units shown. Right-hand units available.

Tip: For P-edge worksurfaces, add 3/8" to 231/2" and 291/2" depths shown above. Tip: 24"W and 30"W visitor worksurfaces are not available with cable scallops.

# With Full Depth



# **Worksurface Positioning**

### **Universal Worksurfaces**

Universal Worksurfaces is a comprehensive solution of worksurfaces, supports, and privacy screens designed to deliver flexibility, mobility, and options to create inspiring spaces that support the different ways people work. A beautiful, light-scale aesthetic which gives designers new solutions across a broad spectrum of applications including the following: traditional panel-mounted systems, freestanding light-scale desking, panel wrapped desking, private office, conference, and teaming. Consists of Universal Systems Worksurfaces, Answer Freestanding Desks and Universal Tables.

### **Universal Systems Worksurfaces**

Main worksurface solution for the four primary space division products: Answer, Montage, and Kick. Worksurfaces can be panel-mounted or freestanding.

- Extensive shape and size offering allows designers to meet a variety of planning applications.
- Worksurfaces feature a choice of curvilinear or straight-front shapes.
- User front edge available in choice of 3 mm edge or ergonomic P-edge.
- Available with 1/2" cord drop in the back of the worksurface providing the most efficient routing of cords and an uncluttered desktop.
- Also available full depth, providing an uninterrupted working surface and allows L-configuration planning.
- Standard scallops allow large cord heads to easily pass below the desktop. Scallops can be eliminated for freestanding applications.
- Available with full offering of Steelcase High-Pressure Laminates or veneers; specifiable 3 mm edge or P-edge colors.
- Worksurfaces can be supported with center support panels, end panels, pedestals, legs, or desk supports.
- Straight worksurface available to specify parametrically from 18"D to 36"D and from 18"W to 120"W in <sup>1</sup>/<sub>16</sub>" increments.

## **Answer Freestanding Desks**

Main desk solution for use with the four primary space division products: Answer, Montage, and Kick. Desks are built up from Universal components ordered separately and assembled onsite.

- Flexible product offering allows a wide range of desk applications for private offices, reception areas, and open plan settings.
- Non-handed desk components are easy to assemble and easy to reconfigure.
- Compatible with a wide range of worksurface products, including Universal Systems Worksurfaces, and many others.
- Wide range of storage available, including universal pedestals, lateral files, and hutches.
- Full-height and half-height modesty panels available for desks and peninsulas.
- Visually compatible with Universal tables, towers, and other products.

### **Universal Tables**

Versatile freestanding tables appropriate for teaming and conferencing environments or for individual work areas. Tables can be fixed or mobile for increased flexibility or ease of reconfiguration. They can also be tethered to Post and Beam in non-traditional applications.

- High-Pressure Laminate tables are available with a 3 mm edge or P-edge. Wood veneer tables are available with a square (3 mm) edge.
- User edge on all sides of the tables and rounded corners allow a user to work on anyside.
- Wide range of sizes and shapes available, from small personal tables to large conference tables.
- Available with full offering of Steelcase High-Pressure Laminates or veneers; specifiable 3 mm edge or P-edge colors.
- T and X bases, post legs, C-leg, elliptical legs, adjustable-height legs, and cabby legs give designers many functional and aesthetic options.

### **Elective Elements Worksurfaces**

(See Elective Elements Specification Guide.) Main worksurface solution for three primary space division products: Answer and Montage. Worksurfaces can be panel-mounted or built up into casegood solutions appropriate for private office solutions when combined with storage, end panels, and modesty panels.

- Extensive shape and size offering allows designers to meet a variety of planning applications.
- Worksurfaces feature a choice of curvilinear or straight-front shapes.
- Desk, bridge, return, peninsula, and desk return worksurfaces are also available for freestanding casegood applications in addition to the typical systems worksurface shapes.
- User-front edge is available in a choice of 3 mm plastic edges, wood edge profiles on laminate worksurfaces (square 5 mm, bullnose), or wood edge profiles on wood worksurfaces (3 mm square, bullnose, waterfall, or knife).
- · Worksurfaces are depths 24" or 30".
- Scallops are optional, as well as round or square grommets, depending on power and cable management needs. Grommets are available, depending on the worksurface shape, typically in left, center, and right locations.
- Grommets must be used for worksurface cable or cord management to route cords below the desk top.
- Scallops are used for task light cord management only.
- Available with full offering of Steelcase laminates or veneers. Also available with Customiz stain or open line laminates.
- Worksurfaces can be supported with Elective Elements supports (center support panels, end panels, under-worksurface storage, or freestanding legs) as well as Universal cantilevers and side support brackets.
- Height adjustability is achievable by using the height-adjustable storage and/or legs. Range of maintenance adjustability is 29"H–32"H in ½" increments.

# orksurfaces

# Freestanding Worksurface Supports Integration Matrix

This matrix shows recommended freestanding supports for specific worksurfaces.

Refer to the appropriate Solutions Specification Guide (Answer, Montage, or Post and Beam) for detailed information.

	Universal Systems Worksurfaces—with 1/2" Cord Drop	Universal Systems Worksurfaces—Full Depth	Universal Tables
Answer Freestanding desk supports ▶Page 272	•	•	
Post legs and double post C-legs without alignment tab ▶Page 254	•	•	
Post legs and double post C-legs with alignment tab ▶Page 301			•
Cabby legs with alignment tab ▶Page 298			•
Adjustable-height legs ▶Page 299	•	•	•
Elliptical legs with alignment tab ▶Page 300			•

# Legend

● = Recommended solution

# **Universal Systems Worksurfaces**


Systems worksurfaceswith 1/2" Cord Drop are available in three depths. 183/8"D worksurfaces match the depth of Universal proud front storage components. 231/2"D and 291/2"D worksurfaces match the depth of return panels, end panels, and Universal proud front storage components.

▶ Specifying Systems Worksurfaces, page 204

Systems worksurfaces-Full Depth are available in three depths. 187/8"D worksurfaces match the depth of Universal proud front storage components. 24"D and 30"D Worksurfaces match the depth of return panels, end panels, and Universal proud front storage components.

Systems straight worksurfaces with 1/2" cord drop and full depth are available in a variety of widths and depths in modular and parametric dimensions

Straight\*



# core with a High-Pressure Laminate or wood veneer surface and is 13/16" thick. **Edge Profiles** Straight, 120° Tapered Transition Taper-Flat Single-Tapered Corner, Flat-Front Dual Corner, Corner. Corner. Straight-Front Flat-Front Curved-Front Extended Corner, Extended Corner, Bullet Peninsula Corner, 120° Spanner Straight-Front Curved-Front

Edge profile is applied to front (user's) edge only.

Jetty

Tip: Straight worksurface width is available parametric from 18"W-120"W in 1/16" increments. Tip: Straight worksurface depth can be specified parametric from 18"D-36"D in 1/16" increments.

**Bubble Jetty** 

# **Product Details**

**High-Pressure Laminate Worksurfaces** 

Front (user's) edge profile is available in three shapes.





3 mm edge profile



edge profile

Knife edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

► See surface material listing in this book for specific PVCfree availability.

P-edge profile rises slightly above the laminate surface and curves into a 3/8" radius which optimizes ergonomic benefit for the user. Back and side edges are flat.

Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables.

**Edge profile finishes** are specified separately from laminate color.

**Wood Veneer** Worksurfaces



Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

Angled Peninsula

Visitor




# P-edge profile worksurface depths are 3/8" deeper than 3 mm edge profile worksurfaces. Both edge profiles provide a flush interface with universal pedestals.


Straight worksurfaces are available to specify parametrically. The parametric dimensions available are from 18" to 36" deep and from 18" to 120" wide in 1/16" increments both depth and

Parametric straight worksurfaces are available in laminate with a 3 mm plastic edge, P-edge, knife edge, or soft edge options and wood veneer with square edge or soft edge options.


Parametric straight worksurfaces have the option to specify a scallop. grommet cutouts, power and data access door and tray cutout, or power access door.




**Dual-worksurfaces** are two pieces - a large monitor surface with a smaller keyboard surface attached. A dual-arm spring mechanism provides superior stability when compared to the singlearm spring mechanism used in worksurfaces with an adjustable keyboard shelf.




**Keyboard surface on** dual worksurface can be adjusted to positions up to 6" higher or 5" lower than the monitor worksurface.



Keyboard surface tilts with a range of 25°.



A 1" gap separates the sides of the keyboard surface and adjacent worksurfaces. There is also a 11/2" space between the keyboard and monitor surfaces.






# 3 mm edge bullet peninsula, jetty, and bubble jetty worksurfaces

can be supported two ways: With two cantilevers using wall mount channels and a column

With two cantilevers using wall mount channels and two post leas




3 mm edge visitor worksurfaces must be supported by two cantilevers using wall mount channels.

In P-edge profile worksurface applications, a side support bracket, a cantilever, and a leg must be used for support. A center support panel should not be used because the unfinished top edge of the support panel would be exposed.

# **Connections**

Worksurfaces can be used freestanding


Supports are ordered separately and installed in the field.



# For Answer Freestanding desk applications you can use:

- End supports
- · Peninsula supports
- Corner support
- Columns and legs
- Closed loop or open loop
- Modesty panels Pedestals
- Lateral files and storage cabinets
- Page 60

Tip: Peninsula support is not compatible with P-edge bullet peninsula, jetty, or bubble jetty worksurfaces. Legs or other alternate supports are recommended.



# tions you can use:

- Closed loop Open loop
- Intermediate support
- Post legs
- Double post leg
- Double post C-leg
- Support plate
- See page 36 for Legs and Columns for Universal Systems Worksurfaces. Tip: Pedestal can also be used in leg-based freestanding installations.



# Intermediate supports replace the need for other types of worksurface support when used with 1-High or 1.5-High Universal storage.



Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TS7WKSPT reinforcing channel is used. Reinforcing channel must be specified separately.

▶ Page 248

# Universal Systems Worksurfaces, continued


### Knife edge worksur-

faces require reinforcement channels for spans greater than 48". Use TS7WKSPT39 for 54"W worksurfaces, TS7WKSPT for 60"W and 66"W worksurfaces, and TS7WKSPT72 for 72" worksurfaces.

## Heavy load worksur-


faces spanning greater than 60", or all worksurface spans wider than 72" require additional support of a cantilever, pedestal, intermediate support, or leg.

# Wiring & Cabling




# Worksurface depth is

1/2" less than nominal and allows cords and cables to pass over at any point. Cable scallops provide space for plugs to pass over the back edge of the worksurface.



Cable scallop allows cord plugs to easily pass below the worksurface. Worksurface wire managers are available to convert cable scallops into grommets in freestanding applications. Wire managers are included with wood veneer worksurfaces. Wire managers for use with laminate worksurface must be ordered separately.



## **Corner worksurfaces**

have scallops located 12½" from the rear corner of the worksurface to the center of the scallop. Taper-flat worksurfaces have a single scallop located 18½" from the larger end. Scallops are centered on the rear edge of all other worksurfaces that include them.

**Cable scallop** can be omitted for freestanding applications where plugs do not need to pass over the back edge of the worksurface.

# Cable management

devices are available to help manage conventional and fiber-optic cables beneath the worksurface.

See Wiring and Cabling, page 163.

# Parametric straight

worksurfaces have two grommet cutout options. The 2" round grommet cutout option fits the AWAG2 grommet which is specified separately.

►See page 391

# The 3" round grommet cutout option fits the

TSAEGROM grommet which is specified separately.


See page 392

# The grommet cutout option is not available on


**option** is not available on a worksurface when the power access door option is selected.

# Grommet cutouts in parametric straight worksurfaces can be

worksurfaces can be specified in the center, the left, or the right sides of the worksurface. Grommet cutouts are available in the below configurations.



**FrameOne post legs** will interfere with the left or right grommet cutouts on parametric Universal straight worksurfaces.



Grommet cutouts in parametric straight worksurfaces are located 35/6" from the back edge of the worksurface to the back edge of the grommet cutout. Left and right grommet cutouts are located 61/2" from the edge of the worksurface to the outside edge of the grommet cutout.

Grommet Location on Worksurface	Minimum Worksurface Widths
Center, Right, or Left	All widths
Right and Left	At least 25"W
Right and Center	At least 34"W
Left and Center	At least 34"W
Center, Right, and Left	At least 34"W

# **Surface Materials**

# **High-Pressure Laminate Worksurfaces**

- Laminate
- See Surface Materials Reference Manual
- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ► See Surface Materials Reference Manual

# Front (user's) edge(s)

Plastic

# **Back and side edges**

 Plastic color default to match user's edge

# **Wood Veneer Worksurfaces**

- · Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

# Square (3 mm) edge profile


 Wood veneer to match worksurface

# Front (user's) edge(s)


· Wood edge band

# **Application Topics**

# P-Edge Profile Application Rules




P-edge profiles will produce a valley when installed perpendicular to adjacent worksurfaces. The additional 3/8" depth of P-edge profiles causes an interference fit in on-module panel-mounted applications. For L-configurations using two worksurfaces, the 3 mm edge profile is recomended.




P-edge profile worksurface depth prevents modesty panels from fitting properly in return or bridge Answer Freestanding desk applications. Modesty panels cannot be used when a return or bridge worksurface is attached to the front edge of a P-edge worksurface. The 3 mm edge profile is recommended for return or bridge applications.

Answer Freestanding peninsula support is not compatible with P-edge bullet peninsula, jetty or bubble jetty worksurfaces. Legs or other alternate supports are recommended.



Full-depth worksurfaces provide an uninterrupted working surface and are designed to allow traditional corner or L-configuration planning. Plan using worksurfaces actual dimensions when panel-wrapping worksurfaces because worksurface depths and widths vary by type. Straight and transition worksurfaces are full-width to correspond directly with panel width. Corner, extended corner, 120° corner, bullet peninsula, jetty, and visitor worksurfaces are 1/2" less than panel width to allow for a consistent . 1/2" cable-management gap when used in combination with straight worksurfaces.



**Screens** mount to worksurfaces in privacy position or below the worksurface for modesty.

► See Screens, page 312.



Systems Worksurface as a top for storage that matches the worksurface width. Universal Systems Worksurfaces are slightly undersized and will not fit over full-width storage. Use field-installed storage tops for this type of application. See Storage Specification Guide.

Do not use a Universal

# **Shipping**

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

# Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

**Soft edge** provides a comfortable user experience reducing strain on wrists and forearms.

▶Specifying page 212

# Power and data access door and tray provides desk top access and management of cords.

► Specifying page 244


# Soft edge and power and data access door and tray cutout are

available in modular and parametric straight worksurfaces, both 1/2" cord drop and full depth.

**Cutout** is optional; power and data access door and tray is ordered separately. 24"W cutout is centered near the back of the worksurface.

**Edge** is soft to the touch and flexes to conform to the arm.

Power and data access door and tray is available with cord or with modular or hardwire connection for freestanding applications.



**Soft edge** is 36" wide centered on the worksurface; balance of front edge is 3 mm radius. Back and side edges are flat.

Soft edge and power and data access door and tray are available on straight and taper Universal Systems Worksurfaces with ½" cord drop and full depth.

**Tray** includes six simplex receptacles and cutout for data access.

Soft I	Edge, Powe	r and [	Data Ac	cess D	oor and	d Tray	Worksu	ırface /	Availab	ility				
	Modular	48"W	54"W	60"W	65"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
	Parametric	48"W- 53 <sup>15</sup> /16"W	54"W- 59 <sup>15</sup> / <sub>16</sub> "W	60"W- 64 <sup>15</sup> /16"W	65"W- 71 <sup>15</sup> ⁄16"W	72"W- 77 <sup>15</sup> / <sub>16</sub> "W	78"W- ' 83 <sup>15</sup> ⁄16"W	84"W- 89 <sup>15</sup> / <sub>16</sub> "W	90"W- / 95 <sup>15</sup> ⁄16"W	96"W- 101 <sup>15</sup> /16"W"	102"W - 107 <sup>15</sup> /16"W	108"W- 113 <sup>15</sup> /16"W	114"W- 119 <sup>15</sup> /16"W	120"W
Modula: Straight	Parametric s Straights													
24", 30",	24"-36"D*	•	•	•	•	•	•	•	•	•	•	•	•	•

Modular Tapered	48"W	60"W	72"W
29½"D or 30"D to	•	•	•

• Only soft edge, only power & data access door & tray, or both \*Tip: Subract 1/2" for worksurfaces with cord drop.

Dimensions					
	Soft edge	<b>Cutout for Door</b>	Tray (below worksurface)		
Width	36"	24"	271/8"		
Depth	3"	45/8"	6"		
Thickness	1/2" at front	N.A.	N.A.		
Height	N.A.	N.A.	43/4"		

and 36"D\*

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

# **Product Details**

Soft edge profile is polyurethane and is available with Bactiblock™ antimicrobial protection.

# **High-Pressure Laminate Worksurfaces**

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

3 mm front edge is specifiable. Back and side edges match 3 mm front edge.

# Edge profile finish for 3 mm front edge is specified separately from

laminate color.

### Wood Veneer Worksurfaces

Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.




Scallops are omitted on worksurface when cutout for power and data access door and tray option is selected.

# **Power and data access** door and tray cutouts

are 35/16" from the back edge of the worksurface and always centered on the width of the worksurface.

Power and data access door and tray cutouts are available on worksurfaces 24"D through 36"D.



Inner tray provides under the surface power and data connections and access and cord management.

Outer tray provides cover and management for cord, and/or data cables.

Power and data access door and tray flips toward the user.




Modular, cord and plug, or hardwire options are available

Corded version includes 10' cord with plug.

# Three wiring schemat-

ics are available in the modular version - 3+1, 2+2, and 3 separate neutrals (3SN). Each has a single circuit. 3+1 and 2+2 have the option for line 1, 2, 3, or 4 with either a system or isolated ground. 3SN has the option for line 1, 2, or 3 with either a system or isolated ground.




Data cutout in trav can accommodate either a single gang or a modular furniture communication faceplate. Tray includes adapter to accommodate modular faceplate.

Filler packages are available to fill unused data cutouts. Order separately in packages of 20.


**Cord and plug version** has an integrated overload circuit breaker.

Non-PVC versions are available for each power solution.

# **Connections**



Fixed storage can be used with worksurfaces with soft edge but must not encroach the 36" width of the edge.




Worksurfaces connected perpendicular should not encroach the 36" width of the soft edge.


### Soft edge worksur-

faces are available with the same support options and follow the same application rules as other Universal Systems worksurfaces. See page 22 for Universal Systems Worksurfaces


Understanding. Exception: 48"W worksurface with soft edge used with the FrameOne post leg has some limitations.



In an end-of-run condition, the FrameOne post leg will not fit when used with 48"W soft edge worksurfaces, use half, open, or closed loop legs.



In shared applications, the FrameOne post leg can be angled and positioned at the front edge or for a square orientation it must be inset 1" from the front edge when used with 48"W soft edge worksurfaces.



Access holes in tray allow power and data to be routed straight back routed to the sides.


**Worksurfaces with** power and data access door and tray are available with the same support options and follow the same application rules as other Universal Systems worksurfaces

See page 22 for Universal Systems Worksurfaces Understanding.

Tray with cord and plug can be used in a freestanding table application.

Worksurfaces with power and data access door and tray with modular or hardwire power cannot be used in a freestanding application.


Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray, continued



**Height of tray** is 43/4" so lower storage height must be accounted for when used adjacent to tray.


### Width of outer tray below the worksurface is 2716" so adjacent lower

is 271/8" so adjacent lower storage dimensions must be accounted for on each worksurface width.



**Tray with cord and plug** includes two cord clips
to help manage the cord
below the worksurface.

Soft edge worksurfaces and power and data access door and tray worksurfaces require reinforcement channel or other support on worksurfaces 60°W or larger.



**Worksurfaces** greater than 72"W require additional support such as cantilevers, pedestals, or legs beyond the brace.

# Wiring & Cabling

Chicago, New York City, and Los Angeles have special requirements.

**Underwriters Labora**tory (UL) listed. The power and data tray has been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

# **Surface Materials**

# High-Pressure Laminate Worksurfaces

- · Laminate
- See Surface Materials
- Reference Manual.Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.

See Surface Materials Reference Manual.

# Soft edge

· 6615 Grey V5 Plastic

### 3 mm front edge

Plastic

# **Back and side edges**

 Plastic color default to match 3 mm front edge

### Wood Veneer Worksurfaces

- · Wood veneer (standard)
- · Customiz stain (option)
- · Full-fill finish (option)

### Soft edge

6615 Grey V5 Plastic

# Square (3 mm) edge profile

 Wood veneer to match worksurface

# Front (user's) edge(s)

Wood edge band

# Power and Data Access Door and Tray

# Door

- Paint
- · Anodized aluminum

# Door bezel

· 6694 Slate Plastic

# **Inner and outer tray**

7237 Slate Paint

# **End caps for outer tray**

6694 Slate Plastic

# Panel grommet

Plastic:
6000 Black
6009 Arctic White
6249 Platinum Solid
6654 Sand
6697 Fog

# Pad

· 6615 Grey V5 Plastic

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

# **Universal Systems Worksurfaces with Power Access Door**

# Power access door option on worksurfaces allows for

convenient pass through access to panel outlets.

► Specifying pages 204 and 218


# Systems straight worksurfaces with power access

**door** are available in a variety of widths and depths in modular and parametric dimensions.

# Power access door

provides desk top access and management of cords.

**Power access door** is only available on worksurfaces with a 1/2" cord drop.



Modular*	Parametric*	Cambanad	1 -44	Dialet	I aft and	I aft and	Dialet and	Laft Dialet
woquiar*	Parametric*	Centered	Left	Right	Left and Right	Left and Center	Right and Center	Left, Right, and Center
Straights – 18 <sup>3</sup> /8", 23 <sup>1</sup> /2", and 29 <sup>1</sup> /2"D*	Straights - 18"D - 36"D							
30"W	30"W - 35 <sup>15</sup> / <sub>16</sub> "W	•						
36", 42", and 48"W	36"W - 53 <sup>15</sup> / <sub>16</sub> "W	•	•	•				
54", 60", and 66"W	54"W - 71 <sup>15</sup> /16"W	•	•	•	•			
72", 78", 84", 90", and 96"W	72"W – 120"W	•	•	•	•	•	•	•
Straight 120° Worksurfaces – 23½" and 29½"D								
48" and 60"W	N.A.	•	•	•				
72"W	N.A.	•	•	•	•	•	•	•
Square Edge Tops –183/8" and 231/2"D								
30", 36", and 42"W	N.A.	•						
18", 54", 60", and 66"W	N.A.	•	•	•				
72", 78", 84", 90", and 96"W	N.A.	•	•	•	•	•	•	•

Dimensions					
	<b>Cutout for Door</b>				
Width	16 <sup>1</sup> /8"				
Depth	41/4"				

<sup>\*</sup>Tip: Modular 29½"D worksurface is only available up to 72"W.

<sup>\*</sup>Tip: Worksurface width is available parametric from 18"W–120"W in  $^{1}$ /16" increments.

<sup>\*</sup>Tip: Worksurface depth can be specified parametric from 183/8"D–36"D in 1/16" increments.

Universal Systems Worksurfaces with Power Access Door

# **Product Details**

# High-Pressure Laminate Worksurfaces

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.


See Surface Materials
Reference Manual for specific PVC-free availability.

**3 mm front edge** is specifiable. Back and side-edges match 3 mm front edge.


Edge profile finish for 3 mm front edge is specified separately from laminate color.

# Wood Veneer Worksurfaces

Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.



**Scallops** are omitted on all worksurfaces with a power access door.




**Power access door** provides access to power outlets in the panel.



Universal laminate storage with recessed back should be used when storage will be placed in front of a power outlet.

Recessed back storage features a 33/4" cavity to allow access to outlets below the worksurface.





Left and right configured power access doors will interfere with FrameOne post leg support and freestanding end panels (UE18, UE24, and UE30).

# **Surface Materials**

# High-Pressure Laminate Worksurfaces

- · Laminate
- ►See Surface Materials
- Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

# 3 mm front edge

Plastic

# Back and side edges

 Plastic color default to match 3 mm front edge

# Wood Veneer Worksurfaces

- · Wood veneer (standard)
- Customiz stain (option)Full-fill finish (option)

# Square (3 mm) edge profile

 Wood veneer to match worksurface

# Front (user's) edge(s)

Wood edge band

# **Power Access Door**

# Door

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle
- 8043 Clear Anodized Aluminum

# Door bezel


6527 Merle

# FrameOne Legs and Supports for Universal Worksurfaces

## Legs and supports

share a common visual with FrameOne bench and support Universal worksurfaces in freestanding, storage-supported, or panel-supported applications.

Specifying page 251



Intermediate support is used with Universal One-


Spacers between top of legs and worksurface provide a floating look to the worksurface and match visual of FrameOne bench.

High or 1.5-High storage as a worksurface support allowing for nesting of low storage.


**Post leg** is square to provide a complementary visual to FrameOne legs. Post leg can be used as a column support.

Dimensions							
	Closed and Open Loop Legs	Post Leg	Intermediate Supports				
	. •		For One-High storage	For 1.5-High storage			
Height*	281/2"	281/2"	281/2"	281/2"			
Height	N.A.	N.A.	11 <sup>1</sup> / <sub>4</sub> "	51/4"			
Depth	24" or 30"	N.A.	16"	16"			
Width	N.A.	N.A.	2 <sup>3</sup> /16"	23/16"			
Glide range	21/4"	1"	N.A.	N.A.			

\*Height dimensions include the thickness of the worksurface.



Closed and open-loop legs are available in tethered versions in which one side of the worksurface is attached to a panel or storage.




Closed and open-loop legs support the ends of worksurface; they are not shared supports between two worksurfaces.



Closed and open-loop legs are available in table versions in which both sides of the worksurface are supported by the legs. Post legs can also be used to create freestanding tables.


FrameOne Legs and Supports for Universal Worksurfaces



Closed and open loop legs do not align properly with knife-edge worksurfaces. Instead use cantilevers.




27"H mobile, freestanding, or fixed pedestals do not fit flush to the inside of the closed, or open leg, there is a 3" gap due to the worksurface support plate. 25½"H freestanding pedestals or 21"H mobile pedestals will fit flush




27"H mobile, freestanding, or fixed

pedestals do not fit flush to the inside of the post leg, there is a 53/4" gap due to the worksurface support plate. 251/2"H freestanding pedestals or 21"H mobile pedestals will fit flush.



**Post leg** can be shared between two worksurfaces.



Post leg in shared applications can be square or oriented angled to the front edge of the worksurface.




Intermediate supports replace the need for other types of worksurface support when used with One-High or 1.5-High Universal storage.

# Steel top storage


requires additional bracing inside the storage when used with an intermediate support. Bracing is an option to the intermediate support and is specified to match the width of the storage.

Bracing is field-installed.

# Number of braces is determined by the orientation of the intermediate support to storage. It is not determined by the orientation of the worksurface to storage.




Side-to-side (parallel) orientation of intermediate support relative to storage requires one brace.




Front-to-back (perpendicular) orientation of intermediate support relative to storage requires two braces.

**Storage with laminate or wood tops** do not require additional bracing with intermediate support.




Side-to-side (parallel) application of intermediate support allows worksurface to be oriented perpendicular to storage.




dicular) application of intermediate support allows worksurface to be oriented in-line with storage.




Intermediate support must be at least 1" from the front, back, or side edges of the storage unit to allow clearance for installation.




On cabinets with steel tops, in parallel applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in parallel applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.



tops, in perpendicular applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in perpendicular applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.




Worksurfaces 18"D to 24"D allows intermediate support to be positioned below the worksurface 1" from the front or back.




Worksurfaces 241/1e"D to 30"D must be placed a minimum of 1" from the front or back edge, and a maximum of 7" from the front or back edge.

**Intermediate support** cannot support worksurfaces larger than 30"D.



FrameOne post legs will interfere with left and right oriented grommet cutouts in parametric straight Universal worksurfaces.



FrameOne post legs will interfere with left and right oriented power access doors on Universal worksurfaces.

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray, continued

# **Surface Materials**

# Legs and intermediate support

Paint

# Spacer caps for panel attached legs

· Black plastic only

Glide cap for legs
• 6694 Slate only

# Shipping

Closed and open loop legs are packed in boxes of six when ordered on the same line item.

**Bracing for intermediate supports** ship separately from intermediate supports and are field installed into storage cases.


# **Infills for FrameOne Legs for Universal Worksurfaces**

Infills for FrameOne Legs for Universal Worksurfaces

Infills are available in laminate and veneer and are used with open and closed loop FrameOne legs.

► Specifying page 252

Infills provide added privacy.



# **Product Details**

Infills can be used with both panel connected or freestanding versions of open and closed loop FrameOne legs for universal worksurfaces.

Connectors attach to the back side of the legs.

# **Surface Materials**

# Surfaces

- · Laminate
- Veneer


# Planning Dimension

Infills are available 24"W and 30"W.

# **Legs and Columns for Universal Systems Worksurfaces**

Without Alignment Tab

Legs are available to support worksurfaces in freestanding applications. ▶ Specifying, page 254



Actual Dimensions							
	Column	Adjustable column	Double post leg	Post leg	Adjustable- height leg	Double post C-leg	Support plate
Height*	281/2"	281/2"-315/8"	28½" or 40½"	26", 28 <sup>1</sup> / <sub>2</sub> ", or 40 <sup>7</sup> / <sub>8</sub> "	251/2"- 311/2"	281/2"	N.A.
Glide range, for legs equipped with glides	11/2"	31/8"	3/4"	3/4"	3/4"	3/4"	N.A.

<sup>\*</sup>Height dimensions include the thickness of a worksurface.

Legs and Columns for Universal Systems Worksurfaces

#### **Product Details**

Legs support Systems Worksurfaces at 26"H nesting, 281/2"H standard, 407/8"H standing or 251/2"H to 311/2"H adjustable heights.

Legs for Systems Worksurfaces do not include alignment tabs. Pilot holes help the installer locate the proper leg position under the worksurface.



281/2"H legs.

45° orientation

Post legs are always installed at a 45° orientation.



26"H nesting height legs allow worksurfaces to nest underneath an adjacent worksurface supported with



Double post leg can be used in a shared application with a support plate, or it can be used as a column support for spanner, jetty, bubble jetty, bullet peninsula, and angled peninsula worksurfaces in panel-mounted applications.



Two post legs can be used in place of one double post leg as column support for spanner, jetty, bubble jetty, bullet peninsula, and angled peninsula worksurfaces for added stability.

For Answer Freestanding desk applications, column can be used on bullet peninsula and jetty worksurfaces. Adjustable and non-adjustable versions are available.

Column cannot be used in a shared application.



Bottom View **Bottom View** Column Post Leg


Column is not recommended for applications that include post legs because it has a round shape, while post legs are more of an elliptical shape. Use single or double post legs as a column support in applications that include other post legs.





Adjustable-height

legs adjust from 251/2"H to  $31\frac{1}{2}$ "H in  $\frac{3}{4}$ " increments. Legs can be used to support the primary worksurface, or legs can support a worksurface in a nesting application.



channel

required

**Worksurface spans** greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TS7WKSPT reinforcing channel is used. Reinforcing channel must be specified separately.

► Specifying, Page 248

#### **Surface Materials**

Post legs, C-leg, adjustable-height leg, and adjustable column

Paint

Post leg caster

· Black plastic only

#### Support plate and reinforcing channel

· Black paint only

# Freestanding Guidelines for Systems Worksurfaces with Legs


**The following section on freestanding worksurfaces** gives some guidelines to be used with common freestanding configurations.

**Counterweight packages for storage products** are required to ensure product stability.


See page 121 for Counterweight Requirements for Storage Products.

**Remember to specify omit scallops option** on worksurfaces intended for use in freestanding applications.

There are several ways to support the ends of a freestanding worksurface:




With post legs. Nesting post legs can also be used.



With a double post C-leg.




With adjustable-height legs.




# With FrameOne for Universal open loop, closed loop, and post legs.

- · Post legs can be used to create completely freestanding tables.
- Freestanding open and closed loop legs can be used on one or both ends of a worksurface to create a freestanding table.




With a pedestal. Other storage products can also be used.



**Double post C-legs** can be used on a single worksurface or in a shared application.


Freestanding Guidelines for Systems Worksurfaces with Legs




Tie plate is recommended to align worksurfaces.




18"D worksurfaces can be freestanding down to 24"W.




**Freestanding worksurfaces greater than 72"W** need additional center front and back floor support.




**Combined worksurfaces** can give each other support when joined with a double post leg and support plate. Use a 14"D support plate on return worksurfaces 22"D to 29<sup>15</sup>/16"D. Use a 20"D support plate for return worksurfaces 30"D to 36"D. For returns worksurfaces less than 22"D only a tie plate can be used.



When supporting a return worksurface greater than 30"D in conjunction with a double post C-leg, use a 14" support plate to support front edge of return worksurface.




**Double post C-leg** can be used to support a corner or extended corner worksurface and adjacent worksurfaces.



**Double post C-leg** can be used to support an extended corner worksurface and adjacent worksurfaces.

### Freestanding Guidelines for Systems Worksurfaces with Legs, continued



**Double post C-leg** can be used to support a corner,  $120^{\circ}$  worksurface and adjacent worksurfaces.




**Long worksurface spans** must be supported with storage or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately. ▶ Page 249


# **Understanding Answer Freestanding Desks and Components**

	//////
Statement of Line	42
Answer Freestanding Desk Overview	46
Desk Shell Overview	48
Returns Overview	50
Bridge Overview	52
Corner Desks Overview	54
Hutch Kits	56
Over the Case Bin and Hutch Kit Overview	58
<b>Desk Supports and Corner Shelves</b>	60
Modesty Panels	62
Application Topics	
Modesty Panel Alignment	64
Height Matrix	66
Answer Freestanding Desk Stability Guidelines	68
Answer Freestanding Open Plan Stability Guidelines	73

# **Statement of Line**




Understanding
► Page 48
Specifying
► Page 258




Understanding
► Page 48
Specifying
► Page 260

Desk Shells						
	24"D	30"D				
60"W	•	•				
66"W	•	•				
72"W	•	•				






Understanding
► Page 48
Specifying
► Page 262



Understanding
► Page 50
Specifying
► Page 264

24"D 30"D 60"W • • • • • • • • • • • • • • • • • • •	Single-Pedestal Desks					
66"W •		24"D	30"D			
	60"W	•	•			
70"\\/	66"W	•	•			
12 VV	72"W	•	•			

Pedestal Returns						
	24"D					
24"W	•					
30"W	•					
36"W	•					
42"W	•					
48"W	•					
60"W	•					



Understanding
Page 50
Specifying
Page 266

_	\^\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

Understanding
► Page 52
Specifying
► Page 267

Returns					
24"D					
•					
•					
•					
•					
•					
•					
	24"D				

Bridges					
	24"D				
42"W	•				
48"W	•				
60"W	•				



Understanding
► Page 54
Specifying
► Page 268

#### **Corner Desks**


	24"D
36"W	•
42"W	•
48"W	•



Understanding
► Page 56
Specifying
► Page 276

#### **Hutch Kits**

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W	
14 <sup>7</sup> /8"D	•	•	•	•	•	•	•	•	



Understanding
► Page 58
Specifying
► Page 270

### **Over the Case Bin and Hutch Kit**

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
15 <sup>3</sup> / <sub>4</sub> "D	•	•	•	•	•	•	•	•

Statement of Line, continued




Understanding
► Page 60
Specifying
► Page 272



Understanding
► Page 60
Specifying
► Page 272

End Supports							
	18 <sup>3</sup> /8"D	23 <sup>1</sup> /2"D	29 <sup>1</sup> /2"D				
27"H	•	•	•				





Understanding
► Page 60
Specifying
► Page 273



Understanding
► Page 60
Specifying
► Page 273

Peninsula Supports				
	24"D	30"D		
27"H	•	•		




51"W

48"W

54"W

57"W



Understanding
► Page 62
Specifying
► Page 274

60"W

•		-						
•		9"W	15"W	18"W	21"W	24"W	27"W	
•	10.5/6"							

**Modesty Panels** 

36"W

39"W

42"W

45"W


33"W


30"W

Statement of Line

Freestanding Desks

# **Answer Freestanding Desk Overview**







Counterweight **Requirements for** Storage Products ▶ Page 121

Flush-front pull is full

#### **High-Pressure Laminate Worksurfaces**







edge profile

edge profile

#### **Wood Veneer** Worksurfaces











Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Door and lateral file drawer pulls are 192 mm, pedestal drawer pull is 128 mm. Proud pulls are available on steel or wood veneer doors and drawers. c:scape pulls (200 mm) are available on steel only.




width and integrated with the drawer. Pull is available on steel drawers only.

appearance is needed. Page 274

### **Desk Shell Overview**





# Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



# Full-height modesty panels are always mounted flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

A single scallop is available as an option. The scallop is located in the center of the worksurface side opposite of the user.

#### **Surface Materials**

#### High-Pressure Laminate Worksurfaces

- · Laminate
- See Surface Materials
  Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on
- Steelcase products.

  See Surface Materials
  Reference Manual.

#### Front (user's) edge(s)

Plastic

#### **Back and side edges**

 Plastic color default to match user's edge

#### **Pedestals**

Paint

#### **End panels**

 Paint (will default to pedestal paint when used with pedestals)

#### **Modesty panels**

 Paint default to pedestal or end panel

#### **Application Topics**


# Modesty panel width is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the

#### Counterweight Requirements for Storage Products

desk style number.

▶Page 121

### **Returns Overview**




Height

is 281/2".

281/2"

Note: Return height, including the thickness of a worksurface,



# Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



# Full-height modesty panels are always mounted

flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

A single scallop is available as an option. The scallop is located in the center of the worksurface side opposite of the user.

#### **Surface Materials**

#### High-Pressure Laminate Worksurfaces

- · Laminate
- See Surface Materials
  Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

#### Front (user's) edge(s)

Plastic

#### **Back and side edges**

 Plastic color default to match user's edge

#### **Pedestals**

Paint

#### **End panels**

 Paint (will default to pedestal paint when used with pedestals)

#### **Modesty panels**

 Paint default to pedestal or end panel

#### **Application Topics**

# Modesty panel width is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the

Counterweight Requirements for Storage Products

return style number.

▶Page 121

# **Bridge Overview**

#### Answer Freestanding Desks and Components

are designed to work together. Bridges and other storage units can be used to create individual and team spaces that share a common aesthetic.

#### **Answer Freestanding**


bridges are specified as single style numbers with the most common dimensions and components included in the style number. Various other configurations can still be created from Answer Freestanding components.

#### Optional modesty pan-

els are not required for structural support. Bridges without modesty panels allow free access to power and data outlets in the wall.

#### **Optional modesty panel**

conceals the kneespace. Half-height and full-height modesty panels are available. Modesty panels can be positioned flush or inset depending on the application.




#### **Product Details**

#### High-Pressure Laminate Worksurfaces




3 mm edge profile

**Modesty panels** are available in two heights.



**Half-height modesty panels** may be mounted flush with the worksurface, or with a 1½" gap for cord and plug management.



Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



Full-height modesty panels are always mounted flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

Actual Dimensions				
Depth	24"			
Width	42", 48", or 60"			
Height	281/2"			

A single scallop is available as an option. The scallop is located in the center of the worksurface side opposite of the user.

#### **Surface Materials**

#### High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

#### Front (user's) edge(s)

Plastic

#### **Back and side edges**

 Plastic color default to match user's edge

#### **Modesty panels**

• Paint

#### **Application Topics**

#### **Modesty panel width**

is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the bridge style number.

#### Counterweight Requirements for Storage Products

▶Page 121

### **Corner Desks Overview**

# Answer Freestanding desk and components

are designed to work together. Corner desks and other storage units can be used to create individual and team spaces that share a common aesthetic.

#### **Answer Freestanding**


corner desks are specified as single style numbers with the most common dimensions and components included in the style number. Various other configurations can still be created from Answer Freestanding components.

#### **Optional modesty pan-**

els are not required for structural support. Corner desks without modesty panels allow free access to power and data outlets in the wall.

#### **Optional modesty panel**

conceals the kneespace. Half-height and full-height modesty panels are available. Modesty panels can be positioned flush or inset depending on the application.




Actual Dimensions				
Depth	24"			
Width	36", 42", or 48"			
Height	281/2"			


Note: Corner desk height, including the thickness of a worksurface, is  $28^{1/2}$ ".

#### **Product Details**

**Optional modesty panels** are available in two heights.



**Half-height modesty panels** may be mounted flush with the worksurface, or with a 1½" gap for cord and plug management.



Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



**Full-height modesty panels** are always mounted flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

**Two scallops** are available as an option. The scallops are located in the center of the rear worksurface edges.

#### **Surface Materials**

#### High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
  Reference Manual.

#### Front (user's) edge(s)

Plastic

#### **Back and side edges**

 Plastic color default to match user's edge

# Corner and/or end supports

Paint

#### **Modesty panels**

 Paint default to pedestal or end panel


#### **Application Topics**

# Modesty panel width is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the corner desk style number and the supports specified.

Counterweight Requirements for Storage Products

▶Page 121

### **Hutch Kits**




Height

211/8"

# Product Details


# **Double-sided tackboards** are standard with hutch kits. They divide space, increase privacy, and provide a display surface.




Accessory rail accepts the dividers that are available as an option to the storage bin and the hutch kit receptacle. The rail also accepts selected worktools. A 11/2" gap below the accessory rail allows plugs and cords to be routed between the rail and the worksurface. A painted metal access cover slides up and down to allow plugs to pass through without creating a large visible gap.

#### Power receptacles and power and data strip are available for field installation on the accessory rail, providing access to power at worksurface height.


#### **Connections**




**Hutches** can be used on 23½"D, 24"D, 29½"D, and 30"D freestanding desks and credenzas. They can also be used on full-depth corner and extended corner worksurfaces.



24"W and 30"W hutches can also be mounted on the ends of desks, credenzas, and bullet peninsula worksurfaces that are at least as deep as the hutch is wide.




**Hutch end supports** attach to the worksurface using screws that are shipped with the hutch kit.




Hutch connector bracket is available to connect two or more hutch kits side by side.

See Desk Stability Guidelines, page 68.



**Shelf lights** are available to recess into the bottom of storage bins.

#### Wiring & Cabling



Light cords can be routed through a hutch vertical cable manager, and then through the gap between the accessory rail and the worksurface. One non-handed, painted steel vertical cable manager is shipped with each hutch kit. Additional cable managers ordered separately, are available.

#### **Surface Materials**

End supports, back panel, vertical cable manager, and accessory rail

Paint

#### Tackboard

· Vertical surface fabric

#### Power receptacle

· Black plastic only

#### **Pricing**

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

#### **Application Topics**

**Clearance** between the worksurface and the bin is 21½".

**Hutches** must be applied according to desk stability guidelines.

Page 72

#### **Steelcase worktools**

are available for use on accessory rail including letter trays, pencil cup, double square cup, office in a file, mini shelf, personal shelf, and slatshelves. For product information, see the Steelcase Worktools Specification Guide.


Counterweight Requirements for Storage Products

Page 121

#### **Shipping**

**Hutch kits** are assembled in the field

## **Over the Case Bin and Hutch Kit Overview**



Actual Dimensions					
Depth	153/4"				
Width	24", 30", 36", 42", 48", 60", 66", or 72"				
Height	375/16"				

Over the Case Bin and Hutch Kit Overview

# Product Details

#### **Double-sided tackboards** are standard. They divide space, increase privacy, and provide a display surface.


#### Power receptacles and power and data strip are available for field installation on the accessory rail, providing access to power at worksurface height.

#### **Connections**



**Hutch end supports** attach to the worksurface using screws that are shipped with the hutch kit.

#### Wiring & Cabling



Light cords can be routed through a hutch vertical cable manager, and then through the gap between the accessory rail and the worksurface. One non-handed, painted steel vertical cable manager is shipped with each hutch. Additional cable managers ordered separately, are available.

#### **Surface Materials**

End supports, back panel, vertical cable manager, and accessory rail

• Paint

#### **Tackboard**

· Vertical surface fabric

#### **Pricing**

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

#### **Application Topics**

**Clearance** between the worksurface and the bin is  $21\frac{1}{8}$ ".

#### Steelcase worktools

are available for use on accessory rail including letter trays, pencil cup, double square cup, shallow dish, office in a file, mini shelf, personal shelf, and slat shelves. For product information, see the Steelcase Worktools Specification Guide.

Counterweight
Requirements for
Storage Products
Page 121

#### **Shipping**

**Bin and hutch with tackboard** are assembled in the field.

# **Desk Supports and Corner Shelves**

#### Answer Freestanding Desk supports are available to support worksurfaces in desk applications.


► Specifying, page 272


End support is L-shaped to stabilize the desk, even if there is no modesty panel. Non-handed, reversible design aids in reconfiguration.

▶ Page 272


Corner shelves attach to the inside of end supports to provide additional storage below the worksurface. Nonhanded, reversible design aids in reconfiguration.

Page 272





connects two worksurfaces together in an L-configuration. Two-piece design accommodates all worksurface depths.



End support mounting brackets and leveling glides can be installed on either end to create a left-hand or right-hand end support.

▶Page 272

**Leveling glides** allow desk height to be adjusted for uneven floors.

Corner support is available to support the back of a corner worksurface. It can also be used as an intermediate support providing unobstructed knee clearance.

Page 273

Removable inner cover

contains and conceals cables.

# **Product Details**

**Desk supports** used with 13/1e" thick Universal Systems Worksurfaces will create desks at 281/2"H standard height. Thicker worksurfaces will create taller desks.


#### Compatible worksur-

faces include:

- Universal Systems
  Worksurfaces with 1/2"
  cord drop
- Universal Systems
- Worksurfaces-full depth
  TS Series Worksurfaces-full depth
- Elective Elements
   Worksurfaces—full depth
- Avenir 1<sup>1</sup>/<sub>2</sub>" thick worksurfaces

# Compatible storage products include:

- 27"H fixed pedestals: Universal and TS Series
- 2-high lateral files with the no top option: Universal and TS 200 Series
- 2-high Universal bookcases and storage cabinets with the no top option
- Universal hutch kits with Universal in the case, over the case, and sliding door bins




Corner shelves attach to the inside of end supports to provide additional storage below the worksurface. Up to two shelves can be mounted to each end support. Each shelf has 12" of vertical clearance to accept standard binders. Shelves are not height adjustable.

<b>Actual Dime</b>	ual Dimensions						
	End Support	Corner Shelf	Peninsula Support	Corner Support	Flush-Mount Bracket		
Width	15"	11"	24" or 30"	51/2"	41/2"		
Depth	183/8", 231/2", or 291/2"	153/8", 201/2", or 261/2"	121/2"	51/2"	5" and 8½" (2 plates)		
Height*	27"	3/4"	27"	27"	N.A.		
Glide adjustment range	11/2"	N.A.	11/2"	11/2"	N.A.		


\*Height dimensions match universal pedestals. Desk height, including the thickness of a worksurface, is 281/2".

**Bookends** are recommended when using shelves for binder storage.


See Storage Specification Guide.



**Shelves** are reversible, with High-Pressure Laminate on both sides, and can be easily reconfigured. Shelves do not interfere with modesty panel attachment or removal.



**Each shelf size** is designed to fit a single depth of end support. Smaller shelves may not be mounted in larger end supports without drilling additional holes in the end supports.



End supports with shelves can also be mounted facing outward to create open storage that is easier to access, and to create credenzas with a mix of closed and open storage. Modesty panels can be attached to outward facing end supports the same way they attach to pedestals.

#### **Surface Materials**

End supports, peninsula supports, and corner support

Paint

#### **Corner shelf**

- Laminate
- See Surface Materials
  Reference Manual
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products
- See Surface Materials
  Reference Manual

#### Corner shelf edge

Plastic

#### Flush-mount bracket

· Black paint only


#### **Application Topics**

Answer Freestanding peninsula support is not compatible with P-edge bullet peninsula, jetty, or bubble jetty worksurfaces. Legs or other alternate supports are recommended.

Counterweight Requirements for Storage Products

▶Page 121

# **Modesty Panels**



#### **Application Topics**


#### Modesty Panel Alignment

▶Page 64

#### **Modesty panel width**


is equal to the width of the kneespace. To determine the width of the kneespace, subtract the width of the desk supports and storage components from the width of the worksurface and round down. The specifying page also has a matrix of typical applications.

Specifying, page 274




#### Example 1: Desk

Worksurface width: 72" Pedestal width: 15" End support width: 15" Modesty panel width: 42" Tip: Straight desks with zero, one, or two pedestals always use the same size modesty panel because end supports and pedestals are both 15"W.




## Example 2: Pedestal Return

Worksurface width: 48"
Pedestal width: 15"
Modesty panel width: 33"
Tip: Returns with zero or one pedestal always use the same size modesty panel.




## Example 3: Lateral File Return

Worksurface width: 48" Pedestal width: 30" Modesty panel width: 18" Tip: Remember to use fulldepth worksurfaces with proud front lateral files.




#### Example 4: Bridge Worksurface width: 42"

Modesty panel width: 42"




#### Example 5: Bullet Peninsula

Peninsula width: 71¹/2" Peninsula support depth: 12¹/2" Column diameter: 4" Clearance at end: 13" (30" peninsula depth minus 4" column diameter divided by 2) Modesty panel width: 42"




# Example 6a: Extended Corner, long side

Worksurface width: 71½" Corner support width: 5½" End support width: 15" Modesty panel width 51"



# Example 6b: Extended Corner, short side

Worksurface width: 41<sup>1</sup>/<sub>2</sub>" Corner support width: 5<sup>1</sup>/<sub>2</sub>" Modesty panel width: 30"



#### P-edge profile worksurface depths are 3/8"

deeper than 3 mm edge profile worksurfaces. This additional depth prevents modesty panels from fitting properly in return or bridge applications. Modesty panels cannot be used when a return or bridge worksurface is attached to the front edge of a P-edge worksurface. Use a corner worksurface instead.


# **Modesty Panel Alignment**

Modesty panels are designed with reconfiguration in mind. Non-handed brackets connect modesty panels to end supports, peninsula supports, and corner supports. Brackets can be removed so modesty panels can be screwed directly to pedestals, lateral files, columns, and the outer faces of end supports and corner supports.

#### Modesty panel brack-

ets are designed to create 1/4" reveal in certain applications. These reveals allow the same size modesty panels to be used in multiple applications, simplifying inventory management and reconfiguration.

A 1/4" reveal occurs when a modesty panel is attached to the side of a peninsula support.




This u-configuration uses the same 42" modesty panels to create a 231/2"D X 72"W desk, a 231/2"D X 42"W bridge, and a 30" X 711/2" bullet peninsula worksurface.


Modesty panels are designed to be inset 1/2" from the back and side edges of end supports, peninsula supports, etc.


Worksurfaces with 1/2" cord drop are always flush to the back edges of pedestals, end supports, corner supports, and peninsula supports.

A 1/4" reveal occurs when a modesty panel is attached to the front edge of an end support, such as in most return or bridge applications.




Full depth worksurfaces typically cause end supports, peninsula supports, corner supports, pedestals, and modesty panels to be inset an additional '1/2" from the back edge of the worksurface.






**Pedestals and storage** with flush fronts are <sup>7</sup>/ε" smaller in depth than proud front pedestals and storage.


**Modesty panel alignment** can be achieved by mounting flush front storage units with the fronts recessed <sup>7</sup>/8" from the front edge of the worksurface.






Full-depth worksurfaces

# **Height Matrix**



Towers, Combination Cabinets, and Wardrobes

Lateral Files and Storage Cabinets



# **Answer Freestanding Desk Stability Guidelines**


**Answer Freestanding Desks and Components** are exceptionally stable when applied according to these guidelines.

**Counterweight packages for storage products** are required to ensure product stability.


See page 121 for counterweight requirements.

Remember to specify the omit scallop option on worksurfaces intended for use in desk applications, or order worksurface wire managers to fill the scallops.


Freestanding desks can be created with a variety of worksurfaces:




**With straight worksurfaces.** Support each end with a pedestal or other storage unit, or an end support.




**With tapered or single-tapered worksurfaces.** Each end requires an end support of appropriate depth. The wider end of a single-tapered worksurface can accommodate storage or a return worksurface.



**With taper-flat worksurfaces.** The smaller end can accommodate an end support, pedestal, or other storage unit, or a return worksurface. The wider end requires an end support of the next smaller size: for example, a 291/2"D x 231/2" x 72" tape-flat worksurface requires a 231/2"D end support at the wider end.




**18"D to 23<sup>15</sup>/16"D straight worksurfaces** must be connected to an adjacent worksurface in an L-configuration for additional support. This also applies to any transition, tapered, taper-flat, or single-tapered worksurface with an 18<sup>3</sup>/<sub>8</sub>"D or 18<sup>7</sup>/<sub>8</sub>"D end.




**End supports** can be mounted facing outward to create open storage that is easier to access, and to create credenzas with a mix of closed and open storage. Stand-alone desks and credenzas with outward-facing end supports must be at least 60"W. Hutches may not be mounted above outward-facing end supports.

Answer Freestanding Desk Stability Guidelines



Return worksurface applications up to 72" long can be supported with an end support or storage at one end, and a flush-mount bracket at the other end. The same two-piece flush mount bracket kit can be used to join worksurfaces 30"D or less. For return worksurfaces greater than 30"D, use two 14"D support plates. Return worksurfaces longer than 72" require additional support.




**Bridge worksurface applications up to 60" long** can be supported with two flush-mount brackets. Bridge worksurfaces longer than 60" require additional support.

Tip: Modesty panels cannot be used when a return or bridge worksurface is attached to the front edge of a P-edge worksurface. The additional <sup>3</sup>/<sub>8</sub>" worksurface depth prevents the modesty panel from fitting properly.




**Long worksurface spans** must be supported with storage or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately.


Page 249



**Corner worksurfaces** can be supported by a corner support in the back corner. Sides must be supported by end supports if the corner worksurface is being used as a stand alone desk.




**Extended corner worksurfaces** can accommodate pedestals and other storage on the long end. Refer to specification pages to determine width available for storage.




**Corner worksurfaces can be combined with other worksurfaces** to create larger desks. For unimpeded knee clearance, a corner support can be used as an intermediate support for combined worksurface runs up to 8 feet. Use a flush-mount bracket to attach the worksurface.


#### Answer Freestanding Desk Stability Guidelines, continued




Corner supports may not be used to support the end of a run.



Bullet peninsula worksurfaces and jetty worksurfaces may be supported by a peninsula support and a column. The bullet peninsula must be connected to an adjacent worksurface in an L-configuration for additional support, using a flush-mount bracket. A reinforcing channel (TS7WKSPT) must also be installed as shown to stabilize the peninsula worksurface. Tip: Peninsula support is not compatible with P-edge bullet peninsula worksurfaces. Legs or other alternate supports are recommended.




**Other legs** may be used in place of a column, but these will not allow modesty panels to be used.



**Jetty worksurfaces** require the same supports as bullet peninsula worksurfaces, except that a corner support must be used as an intermediate support where the jetty is attached to another worksurface in an L-configuration. This corner support may be attached to either worksurface.

Tip: Peninsula support is not compatible with P-edge jetty worksurfaces. Legs or other alternate supports are recommended.




**Bubble jetty worksurfaces** can be supported by a peninsula support and a pair of legs. The bubble jetty must be connected to an adjacent worksurface in and L-configuration for additional support, using a flush-mount bracket and a reinforcing channel (TS7WKSPT) installed as shown. Also, a corner support must be used as an intermediate support where the bubble jetty is attached to another worksurface. This corner support may be attached to either worksurface.

Tip: Peninsula support is not compatible with P-edge bubble jetty worksurfaces. Legs or other alternate supports are recommended.

Modesty panels are not compatible with bubble jetty worksurfaces.


Answer Freestanding Desk Stability Guidelines




**Angled peninsula worksurfaces** can be supported by a peninsula support and a pair of legs. The angled peninsula must be connected to an adjacent worksurface in an L-configuration for additional support, using a flush-mount bracket and a reinforcing channel (TS7WKSPT) installed as shown.

**Modesty panels** are not compatible with angled peninsula worksurfaces.

**Various storage components** can be used instead of pedestals when designing desks.




**Lateral files,** specified with the no top option, can be used in place of pedestals for high-density or legal-size filing. Two-high storage cabinets can also be used. Full-depth worksurfaces should be used with proud front lateral files and cabinets.



**30"W lateral files and storage cabinets** can also be applied facing the side of the desk when 30"D full-depth worksurfaces are used.

Tip: 24"D proud front storage products and 18"D flush front storage products work best for side-facing applications where modesty panels are required, because the exact modesty panel sizes needed are available.




**24"W and 30"W bookcases,** specified with the no top option, can provide open storage for binders below the worksurface. Bookcases can face outward for shared storage, or inward for personal storage. Bookcases are 15"D and can be substituted for 15"W pedestals. Full-depth worksurfaces must be used with side-facing bookcases.

**Modesty panels** are not compatible with inward-facing bookcases.




**Do not use a Universal Systems Worksurface as a top for storage that** matches the worksurface width. Universal Systems Worksurfaces are slightly undersized for panel-wrapped applications and will not fit over full-width storage. Use field-installed storage tops for this type of application.

▶See Storage Specification Guide.




**Universal hutch kits** can be used to mount Universal in the case and over the case bins above desks. Hutch kits attached to desks without lower storage must be placed against a wall for stability.


#### Answer Freestanding Desk Stability Guidelines, continued




Full depth corner and extended corner worksurfaces can also accommodate hutches. Worksurfaces with 1/2" cord drop will be 1/2" too short. Tip: Select the omit scallops option when a hutch will be mounted above a corner worksurface, otherwise the scallops will interfere with hutch attachment.




**Hutches** can span an L-configuration when full depth worksurfaces are used. Worksurfaces with  $^{1}/_{2}$ " cord drop will be  $^{1}/_{2}$ " too short.



**Both ends of a hutch kit must be** mounted directly above some type of floor support, such as a pedestal, corner support, or end support. Do not mount either end of a hutch kit between floor supports or above a flush-mount bracket.



**Add a corner support** as an intermediate support below the hutch in this type of application.



**Hutch connector bracket** is required when two or more hutches are mounted side by side. Floor support is required below the connected hutch end supports in the middle of the run.

# **Answer Freestanding Open Plan Stability Guidelines**

Answer Freestanding Open Plan Stability Guidelines

#### **Guidelines for Freestanding Applications**

Universal components can be used together to create non-panel based applications.

Counterweight packages for storage products are required to ensure product stability.

See page 121 for Counterweight Requirements for Storage Products.

## **Freestanding Rules**

• Long worksurface spans must be supported with legs or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channels must be specified separately. Specifying, page 249.

Calculate span distance by measuring from edge of one end of worksurface to edge of other end of worksurface. To determine size of reinforcing channel needed, deduct the amount listed in the matrix below from the measured span. Deduction in inches is based on combination of the left-hand and right-hand supports.

Example: 72"W measured span, with application of cantilever for left-hand support and end panel for right-hand support, has a span deduction of 6" for a reinforcing channel size of 66" (72"-6" = 66"). For this application, use reinforcing channel TS7WKSPT66.

				Ri	ight-Hand Sup	port		
for Dete	ace Span Deductions rmining Reinforcing Channel Size	End Panel	FrameOne Leg	FrameOne Leg-Table Application	Intermediate Support	DBL Post Leg	Cantilever	All other Legs/Supports
	End Panel	-6"	-6"	-9"	-9"	-6"	-6"	-6"
	FrameOne Leg	-6"	-6"	-9"	-9"	-6"	-6"	-6"
Left-	FrameOne Leg-Table Application	-9"	-9"	-12"	-12"	-9"	-9"	-9"
Hand Support	Intermediate Support	-9"	-9"	-12"	-12"	-9"	-9"	-9"
	DBL Post Leg	-6"	-6"	-9"	-9"	-6"	-6"	-6"
	Cantilever	-6"	-6"	-9"	-9"	-6"	-6"	-6"
	All other Legs/Supports	-6"	-6"	-9"	-9"	-6"	-6"	-6"

Reinforcing Cha	nnel Sizes	
Style Number	Nominal	Actual
TS7WKSPT39	39"W	39.231"W
TS7WKSPT48	48"W	47.547"W
TS7WKSPT51	51"W	50.547"W
TS7WKSPT54	54"W	53.547"W
TS7WKSPT	57"W	56.547"W
TS7WKSPT60	60"W	59.547"W
TS7WKSPT63	63"W	62.547"W
TS7WKSPT66	66"W	65.547"W
TS7WKSPT72	72"W	71.547"W

Note: If the deducted span distance falls between two reinforcing channel sizes, select the smaller of the two sizes.

## Reinforcing Channel Size for Straight 120° Worksurfaces

To calculate the reinforcing channel size for a straight 120° worksurface, use the user edge length, subtract 6", and order the next shortest channel. See chart below.

Back Edge Width	Worksurface Depth	User Edge Depth	Reinforcing Channel Size
48"	231/2"	611/16"	54"W
48"	291/2"	651/16"	57"W
60"	231/2"	739/16"	66"W
60"	291/2"	771/16"	66"W
72"	23 1/2"	859/16"	72"W
72"	291/2"	891/16"	72"W


Answer Freestanding Open Plan Stability Guidelines, continued

## **Guidelines for Freestanding Applications, continued**


# **Intermediate Supports**

- Intermediate support must be at least 1" from the front, back, or side edges of the storage unit to allow clearance for installation.
- Storage with laminate or wood tops does not require additional bracing with intermediate support.
- · Number of braces is determined by the orientation of the intermediate support to storage; it is not determined by the orientation of the worksurface to storage.
- Side-to-side (parallel) orientation of intermediate support relative to storage requires one brace. This allows the worksurface to be oriented perpendicular to storage.
- Front-to-back (perpendicular) orientation of intermediate support relative to storage requires two braces. This allows the worksurface to be oriented inline with storage.

#### **Parallel Storage and Worksurface Applications**




• On cabinets with steel tops in parallel applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the units (as long as it's at least 1" from the edge).




- · In steel top storage applications with parallel storage and worksurface orientation, two storage braces are required.
- · In steel top storage applications with perpendicular storage and worksurface orientation, one storage brace is required.
- On cabinets with laminate or wood tops in parallel applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.
- Worksurfaces and storage depths can be the same depth or can differ by up to 6". An 18"D worksurface can be used with a 24"D storage unit, or a 24"D worksurface can be used with an 18"D storage unit.

## **Guidelines for Freestanding Applications, continued**




Intermediate supports can be used on both sides of a lateral file
to support one worksurface or two separate worksurfaces as long as
placement guidelines are followed.




 Worksurfaces can be mounted on top of one and/or 1.5H laterals using intermediate supports. Worksurfaces can be the same size or overhang the lateral by up to 10" per side.

Perpendicular Storage and Worksurface Applications can be positioned anywhere front to back on the storage unit.




- On cabinets with steel tops in perpendicular applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations.
- On cabinets with laminate or wood tops in perpendicular applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.
- · In steel top storage applications with perpendicular storage and worksurface orientation, one storage brace is required.
- Intermediate support can be positioned anywhere front to back on the unit.




Two worksurfaces cannot attach to a single intermediate support.

# **Guidelines for Freestanding Applications, continued**


Worksurfaces can be mounted off one or two lateral files.



• Worksurfaces up to 72" long can be support by two perpendicular laterals. When using one 72" worksurface and two perpendicular laterals to support it, there will only be enough room for one person to sit between the laterals. Follow rules for worksurface reinforcing channels in these applications.



• One intermediate support can be used in conjunction with one storage unit or shared between two storage units.



• Two worksurfaces cannot be shared between three lateral units utilizing two shared intermediate supports in a perpendicular application.


Tip: Brace holes may not line up correctly on steel tops in these applications.

Answer Freestanding Open Plan Stability Guidelines


# **Guidelines for Freestanding Applications, continued**

# **Worksurface to Tower Bracket**

# **Parallel Storage and Worksurface Applications**




- Worksurface to tower connectors can be used on one side or both sides of a 24"D or 30"D Universal Towers or TS Series Tower Too. The other end of the worksurface can be supported by legs.
- $\boldsymbol{\cdot}$  The depth of the worksurface must match the depth of the tower.



- Worksurfaces up to 72" long can be supported by a worksurface to tower bracket on each side or by one intermediate support and one worksurface to tower bracket.
- Storage units can be positioned either forwards or backwards.

## **Guidelines for Freestanding Applications, continued**


# **Worksurface to Tower Bracket, continued**




When using an intermediate support on one side and a worksurface to tower bracket on the other side, the storage unit supporting the intermediate support can be positioned parallel or perpendicular to the worksurface.


# FrameOne for Universal Legs

- Post legs can be used to support a freestanding worksurface up to 72"W to create a freestanding table.
- Open and closed loop legs can be used to create a freestanding table.





- 18"D to 36"D worksurfaces can be supported by a post leg in each corner. Freestanding worksurfaces greater than 72"W need additional center front and back floor support.
- For FrameOne universal post leg, power access door and grommets oriented right or left interfere and cannot be used.
- 24"D to 30"D worksurfaces can be used with 24"D closed loop and open loop legs.
- 30"D to 36"D worksurfaces can be used with 30"D closed loop and open loop legs.
- · Follow rules for worksurface reinforcing channels in these applications.



**Tethered application FrameOne legs** will not support a freestanding worksurface. Please specify FrameOne legs for table application. ▶ See page 251 for *FrameOne Legs and Supports for Universal Worksurfaces*.

93

94

175

# **Understanding Universal Tables**

**Statement of Line** 

Table and Leg Combinations

Wiring and Cabling Accessories

Table Leg Positions

Product Details	
Universal Tables	86
Bases for Universal Tables	89
Legs for Universal Tables	90
Application Topics	
Table and Base Combinations	92

# **Statement of Line**


**All table sizes and shapes** are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in High-Pressure Laminate with P-edge or in wood veneer with square edge. See Specifying pages for details.

**Table dimensions shown** apply to both wood veneer and High-Pressure Laminate versions of each table.



Understanding
Page 86
Specifying
Page 282

# **Straight Tables**






Understanding ▶ Page 86

Specifying ▶ Page 284

# **Transition Tables\***




\*Left-hand units shown. Right-hand units available.



Understanding
► Page 86
Specifying
► Page 286


# Corner, 120° Tables





Understanding
► Page 86
Specifying
► Page 287

# **Capsule Tables**




Tip: Wood veneer capsule tables are available in 72"W, 84"W, and 96"W only.

Statement of Line, continued



Understanding
► Page 86
Specifying
► Page 288

# **Spanner Tables**





- Understanding
  Page 86
  Specifying
  Page 289


# **Peninsula Table**





- Understanding
  ► Page 86
  Specifying
  ► Page 290


# **Tapered Peninsula Tables**





Understanding
► Page 86
Specifying
► Page 291

# **Bubble Jetty Tables**




\*Left-hand units shown. Right-hand units available.



Understanding
► Page 86
Specifying
► Page 292


# **Round Tables**





Understanding
► Page 86
Specifying
► Page 293

# **Square Tables**




Tip: Wood veneer square tables are available in 30"W, 42"W, 48"W, and 54"W only.

Statement of Line, continued



Understanding
► Page 86
Specifying
► Page 294

# **Rectangle Tables**






Understanding
Page 86
Specifying
Page 295




Understanding
► Page 86
Specifying
► Page 296

# **Oval Tables**




Tip: Oval tables are available in 3 mm edge High-Pressure Laminate only.


# **Hex Conference Tables**



Tip: Hex conference tables are available in 3 mm edge High-Pressure Laminate only.

# **Bases for Universal Tables**





Understanding
Page 89
Specifying
Page 297

Understanding ▶ Page 90

Specifying

▶ Page 298

# Legs for Universal Tables



Cabby Legs with Casters or Glides



Adjustable-Height Legs with Casters or Glides



**Elliptical Legs** 



Post Legs with Casters or Glides



Double Post C-Legs



FrameOne Open Loop Legs



FrameOne Closed Loop Legs



FrameOne Post Legs

Tip: Height dimensions include the thickness of a table.


# **Power and Data Strip**



Understanding
► Page 174
Specifying
► Page 388

# **Universal Tables**


Universal tables can be **Product Details** used in a variety of individual and team settings. **High-Pressure Laminate Tables** ► Specifying tables, page 282 **Continuous edge** Radius corner eliminates profile is available in sharp edges and is appropritwo shapes. ate for freestanding, mobile furniture. Edge profile is continuous Table top has a around all edges of the table. wood core with a High-Pressure Laminate or wood veneer surface 3 mm P-edge and is 13/16" thick. edge profile profile edge profile PVC-free, 3 mm edge profiles are a proprietary polyolefin blend for all solid colors and seven woodgrain finishes. See surface material listing in this book for specific PVC-free availability. P-edge profile rises slightly above the laminate surface and curves into a 3/8" radius, which optimizes ergonomic benefit for the Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables. Edge profile finishes are specified separately from laminate color. **Wood Veneer Tables** Edges of worksurfaces are available in square (3 mm) profile. Square (3 mm) edge profile



Square (3 mm) edge profile is achieved by adding wood veneer surfaces to table core. This technique can be applied to tables that are straight or curved.

## **Connections**

**Universal tables** are supported by bases or legs, which are ordered separately and installed in the field.



# Use the Table and Base Combinations

matrix to determine the type and number of bases you need to order for the tables you choose.

Tip: Not all sizes and shapes of tables can be supported by bases.

Page 92




Use the Table and Legs Combinations matrix to determine the type and number of legs you need to order for the table you choose. Tip: Not all sizes and shapes of tables can be supported

Page 93



# Reinforcing channels

are available to support tables that are wider than 60"W and supported by leas. When installed, the channels add 1" below the table. Channels are available as an option on larger tables and are field installed. Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table is 96" or smaller and will be supported by T- or X-bases. Channels are required and are always included with tables 120" and larger.




**Underside of table** has inset locations that support slip-fit and nesting applications. Cabby legs can be positioned in a 45° or 90° orientation. Post legs are positioned in 45° orientation only.

See Table Leg Positions, page 94.



Legs installed in a 90° orientation allow for greater storage and kneespace below the table.

**45° leg orientation** is a preferred aesthetic for many customers. Cabby legs installed at a 45° orientation will appear to have more curvature when viewed from the front edge of table.



Legs may be installed inset from the edge of the table to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the table to the edge of the leg. Amount of slip-fit varies by table shape and size.

See Table Leg Positions, page 94.



**Slip-fit planning** allows workstation footprint to expand or decrease, and is ideal for off-module applications.



**Table** with 28½"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.





Adjustable-height legs adjust 251/2"H to 311/2"H in 34" increments. Legs can be used to support the table in a standard height or nesting application.



**26"H legs** allow tables to nest underneath an adjacent table with 28½"H legs.



**Spanner table** enables conferencing at the end of two tables that are placed back-to-back.

## **Surface Materials**

#### High-Pressure Laminate Tables

- Laminate
- See Surface Materials
  Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
  Reference Manual.

#### 3 mm or P-edge profile

Plastic

## **Wood Veneer Tables**

- Wood veneer (standard)
- · Customiz stain (option)
- Full-fill finish (option)

# Square (3 mm) edge profile

Wood veneer to match table

## **Application Topics**




**Mobile pedestals** up to 24½"H will fit under 26"H tables without reinforcing channels.

**Mobile pedestals** up to 27"H will fit under 28½"H tables without reinforcing channels.

Tables with reinforcing channel will reduce the available space by 1".

# Universal Tables, continued



Screens can be used on corner, 120° tables.

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

## **Table and Base Combinations**

▶Page 92

## **Table and Leg** Combinations

►Page 93

#### **Table Leg Positions** Page 94

**Wiring and Cabling Accessories** ► Page 175

## **Shipping**


Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.


**Hex conference tables** 150"W or larger are shipped in two pieces. Tightjoint fasteners are supplied for proper assembly.

# **Bases for Universal Tables**

#### Pedestal-base tables


fill a variety of needs for conference and work tables in general offices, institutions, and educational work spaces. Tables and bases are ordered separately.





**Column support** includes a cylindrical steel column and a base with feet.

# **Product Details**



**Bases** are available 26"W and 36"W and are 27% 16"H.

## **Surface Materials**

# Column support

- · Paint (standard)
- 9201 Polished Chrome (option)

## Base

- · Paint (standard)
- 9201 Polished Chrome (option)

# **Application Topics**


# **Table and Base Combinations**

Page 92

## **Shipping**

**Bases** are shipped knocked down (K.D.) and will require assembly.

# **Legs for Universal Tables**



<b>Actual Dime</b>	nsions						
	Cabby leg	Adjustable- height leg	Elliptical leg	Post leg	Double post C-leg	FrameOne for Universal open and closed loop legs	FrameOne for Universal post leg
Height* (standard)	26" or 281/2"	251/2"-311/2"	26" or 281/2"	26" or 281/2"	281/2"	281/2"	281/2"
Glide range, for legs equipped with glides	3/4"	3/4"	5/8"	3/4"	5/8"	21/4"	1"

<sup>\*</sup>Height dimensions include the thickness of a table.

## **Product Details**

**Legs** support tables at 26"H or 28½"H overall, including table thickness.


**Table legs** are ordered separately and installed on site.

See Table and Leg Combinations, page 93.

**Table legs** are nonhanded to accommodate left- and right-hand applications.



Table legs cannot be used in a shared application with two tables. Radius corners do not provide enough attachment space for leg plate. When a shared leg application is required, order Universal Systems Worksurfaces.




Cabby legs can be installed in either a 45° or 90° orientation on most tables. Elliptical leg installed in the first inset position may only be in a 45° orientation. Single post legs can only be installed in a 45° orientation. ▶ See *Table Leg Positions*, page 94.



**Legs installed in a 90° orientation** allow for greater storage and kneespace below the worksurface.

**45° leg orientation** is a preferred aesthetic for many customers. Cabby legs installed at a 45° orientation will appear to have more curvature when viewed from the front edge of worksurface.



Legs may be installed inset from the edge of the worksurface to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the worksurface to the edge of the leg.



Slip-fit planning allows workstation footprint to expand or decrease.

Alignment tab corresponds to under worksurface alignment slots in tables. Alignment features ensure legs are installed in the proper 45° or 90° orientation and slip-fit position.



**Table** with 28½"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.





**Adjustable-height legs** adjust 25½"H to 31½"H in 34" increments. Legs can be used to support the table in a standard height or nesting application.



**26"H legs** allow tables to nest underneath an adjacent table with 28½"H legs or a panel-mounted worksurface.

## **Surface Materials**

# Cabby legs and adjustable-height legs

• Paint

#### Elliptical leg

- Paint
- 9201 Polished Chrome

# Elliptical leg glide

- 7207 Black
- 8042 Brushed Aluminum
- 8046 Polished Aluminum

# Post, post with caster, and double post C-legs

Paint

## Post leg caster

· Black plastic

# FrameOne Closed loop and open loop legs

Paint

#### FrameOne post legs

Paint

## **Application Topics**

# Table and Leg Combinations

Page 93

## **Table Leg Positions**

► Page 94

# **Table and Base Combinations**

	26"W T-Base	36"W T-Base	26"W X-Base	36"W X-Base
Straight Tables	· · · · · · · · · · · · · · · · · · ·	•		<i>v</i> 1
24"D x 36"W			<b>♀ 0</b>	
30"D x 36"W-42"W			<del>+</del> •	<b>♀ 0</b>
30"D x 48"W-78"W	<> 0			,
Capsule Tables				
24"D x 48"W			<b>₽</b> 0	
30"D x 60"W 36"D x 72"W	< 2			
42"D x 84"W 48"D x 96"W				
Round Tables				
30" diameter 36" diameter			⊋ 0	
42" diameter 48" diameter 54" diameter				$\bigcirc$ 0
Square Tables				
30"D x 30"W			<b>♀ o</b>	
36"D x 36"W 42"D x 42"W				$\diamondsuit$ 0
48"D x 48"W 54"D x 54"W		<b>⇔</b> 0		
Rectangle Tables				
36"D x 60"W 36"D x 66"W 36"D x 72"W	<> 0			
42"D x 84"W 48"D x 96"W		€ 0		
Oval Tables		·		
30"D x 42"W			Q 0	
36"D x 48"W				Q 0
30"D x 60"W 36"D x 72"W 42"D x 78"W	Q 0			
48"D x 96"W		Q 0		
Hex Conference Tables				
36"D x 60"W 36"D x 66"W 36"D x 72"W	<b>⊘</b> 0			
42"D x 96"W		<b>₹</b> 0		
48"D x 120"W 48"D x 150"W 48"D x 180"W		€ 6		
Number of bases to orde Blank spaces in matrix do base combinations that a	esignate table and			

# **Table and Leg Combinations**

	Cabby Leg, Adjustable-Height Leg, Elliptical Leg, or Post Leg	Double Post C-Leg
Straight Tables	<b>O</b> P	<b>9</b> 🖓
Transition Tables	<b>0</b> A	Tip: Do not apply a double post C-leg to a 36"D side.
Corner, 120° Tables	<b>9</b> FFF	
Tip: Corner, 120° tables can be supported by one post leg and two double post C-legs.	• —	→ 0 [H
Round Tables	<b>9</b> M	
Square Tables	<b>4</b> M	
Rectangle Tables	<b>4</b>	
Spanner Tables	<b>4</b> A	
Capsule Tables	<b>9</b>	
Peninsula Tables	<b>4</b>	
Tapered Peninsula Tables	<b>9</b> PP	
Bubble Jetty Tables	<b>6</b> FF	Tip: Double post C-leg can only be applied to the square end of bubble jetty tables.
Oval Tables, up to 36"D x 72"W	<b>4</b> M	
Tip: Oval tables 21"D x 42"W and 30"D x 42"W may only use legs with glides. Legs with casters may not be used on these table sizes.	.1.	

➤ See Post and Beam Solutions Specification Guide, Understanding Split Round and Tethered Capsule Tables for tethered capsule tables support information.

Tip: Hex conference tables, and oval tables 42"D x 72"W and larger, can only be supported with T-bases.

Number of legs to order.

Blank spaces in matrix designate table and leg combinations that are not valid.

<sup>\*</sup>Tables can be supported by one post leg and two double post C-legs.

# **Table Leg Positions**

Table leg positions allow for slip-fit and nesting capabilities. Both 45° and 90° angled leg positions are available on most tables. However, certain tables accommodate either  $45^{\circ}$  or  $90^{\circ}$  angled positions only. Leg positions on the underside of tables are shown at right.

Legs installed in positions 1, 2, or 3 will vary in their distance from the worksurface edge:


Position 1 is 3" from edge Position 2 is 6" from edge Position 3 is 9" from edge Tip: Positions 2 and 3 are not available on every table.












Straight Table	
24"D x 48"W	30"D x 48"W
24"D x 54"W	30"D x 54"W
24"D x 60"W	30"D x 60"W
24"D x 66"W	30"D x 66"W
24"D x 72"W	30"D x 72"W
24"D x 78"W	30"D x 78"W









48" Diameter

Rectangle Table







Square Table 24"D x 24"W 30"D x 30"W




Corner, 120° Table



42"D x 42"W

48"D x 48"W 54"D x 54"W








Spanner Table







Capsule Table 24"D x 48"W 30"D x 60"W









Capsule Table 36"D x 72"W 42"D x 84"W 48"D x 96"W

Position 1

Oval Table 21"D x 42"W

30"D x 42"W

36"D x 48"W

30"D x 60"W

36"D x 72"W

Peninsula Table

Tapered Peninsula

**Bubble Jetty Table** 


- = Both 45° and 90°
- = Either 45° or 90°

# **Understanding Worksurface Screens**

S	ta	ıt	ei	m	e	n	ıt	•	of	1	Li	in	ıe	•																	ć	<b>)</b> (

roduct Details	
Universal Boundary Screens	98
Freestanding Applications	100
Panel-Mounted and Tethered Applications	106
Universal Privacy/Modesty Screens	110
Universal Privacy Screens and Aligners	112
Sarto Privacy/Modesty Screens	113
Sarto Privacy Screens	114
Knit Screens	116
Divisio Side Screen	118

# **Statement of Line**




Tip: Height represents the distance measured from the bottom of the leg on the table or desk.

Understanding
► Page 98
Specifying
► Page 304

# **Universal Boundary Screens**

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
15"H	•	•	•	•	•	•	•	•	•
21"H	•	•	•	•	•	•	•	•	•
27"H	•	•	•	•	•	•	•	•	•
30"H	•	•	•	•	•	•	•	•	•
33"H	•	•	•	•	•	•	•	•	•
36"H	•	•	•	•	•	•	•	•	•
39"H	•	•	•	•	•	•	•	•	•
42"H	•	•	•	•	•	•	•	•	•
48"H	•	•	•	•	•	•	•	•	•
54"H	•	•	•	•	•	•	•	•	•

Tip: Modular dimensions displayed, parametric dimensions available in  $^{1/_{16}"}$  increments for both height and width.



Understanding
► Page 110
Specifying
► Page 307

# **Universal Privacy/Modesty Screens**

	,,,	, 0010011				
	Height Above Worksurface	42"W	48"W	54"W	60"W	66"W
Privacy Mount Height*	19 <sup>1</sup> /5"H	•	•	•	•	•
Privacy/Modesty Mount Height*	13"H	•	•	•	•	•

Tip: Overall screen height is 257/10"H.

Tip: Available in parametric sizes ranging from 42"W to 66"W in 1/16" increments.

<sup>\*</sup>Privacy mount height measures 48" from the floor to the top of the screen and privacy/modesty mount height measures 42" from the floor to the top of the screen. Privacy mount shown.




Understanding
► Page 112
Specifying
► Page 308

# **Universal Privacy Screens**

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 <sup>1</sup> /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•
19 <sup>1</sup> / <sub>2</sub> "H	•	•	•	•	•	•	•	•	•	•	•	•	•

Tip: Available in parametric sizes ranging from 24"W to 96"W and 131/2"H to 191/2"H in 1/16" increments.



Understanding
► Page 113
Specifying
► Page 310

# **Sarto Privacy/Modesty Screens**

	42"W	48"W	54"W	60"W	66"W
24"H	•	•	•	•	•



Understanding
► Page 114
Specifying
► Page 311

# **Sarto Privacy Screens**

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 <sup>1</sup> /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•
19 <sup>1</sup> /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•



Understanding
► Page 116
Specifying
► Page 312



Understanding
Page 118
Specifying
Page 313

# 15"H Knit Screen

	20 <sup>1</sup> / <sub>4</sub> "W	26 <sup>1</sup> / <sub>4</sub> "W	32 <sup>1</sup> / <sub>4</sub> "W	38 <sup>1</sup> /4"W	
15"H	•	•	•	•	

# **Divisio Side Screen**

	29 <sup>1</sup> /2"D
11 <sup>5</sup> /8"H	•

# **Universal Boundary Screens**

#### **Boundary screens**

are available for use with Answer, FrameOne, and Universal worksurfaces to provide light scale space division and privacy for a variety of worksettings.


Universal boundary screens attach to universal square edge worksurfaces to provide privacy and modesty in a variety of widths and heights.

Specifying, page 304

**Screens** are available in laminate and wood veneer.

**Screens** are rectangular and available in a variety of heights and widths in modular and parametric dimensions.

**Screens** are suspended from universal worksurfaces by brackets attached to the underside of a worksurface. They do not rest on floor.




<b>Actual Dimens</b>	sions
Height	15", 21", 27", 30", 33", 36", 39", 42", 48", or 54"
Installed Height	30", 36", 42", 48", or 54"
Width	24", 30", 36", 42", 48", 54", 60", 66", or 72"
Clearance (from floor)	0" or 15"
Thickness	3/4"

Tip: Screen height is available parametric from 15"H–54"H in  $^1\!/\!16"$  increments.

Tip: Screen installed height can be specified parametric from 30"H–54"H in 1/16" increments.

Tip: Screen width can be specified parametric from 24"W-72"W in 1/16" increments.


Tip: Screen clearance from the floor can be specified parametric from 0"-15"H in 1/16" increments.



Universal boundary screens are applicable on 3 mm edge profile panel mounted, tethered, and freestanding universal worksurfaces. Each application type has height, width, and placement guidelines that must be maintained.

> See page 103

**Universal boundary screens** may not exceed the width of the worksurface in any application. See *Universal Freestanding Applications*, page 101, for maximum height and width rules on freestanding worksurfaces. See *Panel-Mounted and Tethered Connections*, page 106, for maximum height and width rules on panel-mounted and tethered worksurfaces.




**Boundary screen height** is determined by identifying the installed height of the top of the screen minus the clearance from bottom of the screen to the bottom of the leg.


**Installed height on modular universal boundary screens** align with the actual height of Answer thin trim panels. Installed height is based on the worksurface being installed at 281/2"H and the leg glide screwed all the way in (post leg glide is 3/8" at minimum). Pilot holes are predrilled in the boundary screen for this condition.

See page 102 for thin trim actual heights.


Tip: Parametric assumes the same worksurface height and glide allowance.



**Installed height** of any universal boundary screen, modular or parametric, must be 54"H or less off floor.




Clearance at the bottom of screen is 0" or 15"H above the bottom of the leg for the modular option. Clearance at the bottom of screen to the bottom of leg for the parametric screen is 0" to 15"H in 1/16" increments. Tip: The boundary screen can never be more than 15"H above the bottom of the leg.



**Boundary screens width** cannot exceed the width of the worksurface or extend past the end of the worksurface it is attached to. Boundary screens with freestanding worksurfaces have additional sizing restrictions.

►See page 108

#### **Connections**



**Bracket placement** is predrilled based on the specified height of the top of screen and the specified clearance from the bottom of the screen to the bottom of the leg. Brackets are located  $7^{1/2}$ " from the outside edge on each side of the screen. They are 4"D x  $2^{1/8}$ "W x 4"H.

**Screen brackets** can be mounted flush or mounted to allow a  $^{1}/_{2}$ " gap for cord drop. Flush mount adds  $^{3}/_{4}$ " to overall depth of worksurface. If mounted to allow cord drop the overall depth is  $1^{1}/_{4}$ ".

#### Wiring and Cabling

#### **Boundary screens**

do not accommodate cable-routing. Plan accordingly when installing boundary screens on worksurfaces with other cable routing accessories.



**Wire managers** are available to conceal cords that are routed beneath the worksurface. They must be at least 41/2" from the back of the worksurface to not interfere with the screen brackets.

#### **Surface Materials**

## **Boundary screens**

- Laminate
- Wood veneer

#### **Edge on laminate**

Plastic

#### **Bracket**

Paint

## **Wood grain laminate**

is only available on surfaces less than 60"W. No restrictions for veneer.


# Open Line laminates with grain direction can

be applied vertically only. Open Line laminates are not allowed on screens that are greater than 59"W or have segments that are greater than 59"W.

#### **Application Topics**

See additional understanding pages for panel-mounted and tethered applications, page 106, and freestanding applications, page 101.


# **Freestanding Applications**




**Boundary screen** attaches to universal worksurfaces with included brackets. Brackets are located  $7^{1/2}$ " from the outside edge on each side of the screen. They are 4"D x  $2^{1/8}$ "W x 4"H.

**Bracket placement** is based on the installed height of the top of screen and the specified clearance from bottom of the screen to bottom of the leg.

**Bracket holes** are predrilled based on screen dimensions and application. Screen brackets cannot overlap with table leg brackets. Legs may need to be moved to an alternate position in order to avoid interference with the screen brackets.



**Screen brackets** can be mounted flush or mounted to allow a  $^{1/2}$ " gap for cord drop.




**Boundary screen** attaches to 3 mm edge profile universal worksurfaces only with the following base types: cabby leg with glide only, elliptical leg, post leg, double post C-leg, FrameOne open, or closed loop legs.




Universal boundary screens may not be used on freestanding tables with casters.

**Applications** are considered freestanding when they have no structural connection and do not meet the tethered or panel connected requirements. ▶ See page 106 for panel-mounted and tethered connections.


**Freestanding tables** may be used with boundary screens. Table size, shape, connected configuration; as well as possible location, height, and weight being added to application are factors that determine stability limits.



**Boundary screens** attach on the square edge of universal straight, transitional, tapered, bullet peninsula, corner, jetty, and bubble jetty.



**Boundary screens** are not intended for use on the depth edge of surfaces.



**Maximum allowed width of a screen** is determined by the installed height, screen clearance, and worksurface width.


To ensure stability, any boundary screen applied in a freestanding application must not exceed the size listed in matrix, on page 102.



**Boundary screens** are not permitted on height adjustable desks as they do not pass minimum safety requirements which could result in the desk tipping over.

Freestanding Applications, continued

#### **0"H Screen Clearance**



Use when clearance at the bottom of screen is 0"H.

Tip: The bottom of the screen aligns with the bottom of the table leg.

Use the width of your table and installed height of your screen to determine the appropriate screen size for your application.

Tip: Maximum screen width listed.


Tip: If between table width sizes, refer to smaller size for both

modular or parametric.

Tip: If between screen heights, refer to to next highest size.

Installed Screen Height Modular/	Table Width													
	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	
Parametric	Maximum Screen Width													
30"H 30"H to 35 <sup>15</sup> /16"H	24"	30"	36"	36"	48"	54"	60"	66"	72"	72"	72"	72"	72"	
36"H 36"H to 41 <sup>15</sup> /16"H	24"	30"	36"	36"	36"	36"	36"	36"	60"	60"	60"	60"	60"	
42"H 42"H to 47 <sup>15</sup> /16"H	NA	NA	NA	NA	36"	36"	36"	36"	48"	48"	48"	48"	48"	
48"H 48"H to 53 <sup>15</sup> /16"H	NA	NA	NA	NA	24"	24"	24"	24"	30"	30"	30"	30"	30"	
54"H	NA	NA	NA	NA	NA	NA	NA	NA	30"	30"	30"	30"	30"	

#### 15"H Screen Clearance



Use when clearance at the bottom of screen is 15"H.


Tip: 15"H clearance will align with Universal One-High storage.

Use the width of your table and installed height of your screen to determine the appropriate screen size for your application. Tip: Maximum screen width listed.


Tip: If between table width sizes, refer to smaller size for both modular or parametric.

Tip: If between screen heights, refer to to next highest size.

Installed Screen	Table Width												
Height Modular/	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
Parametric	Maximum Screen Width												
30"H 30"H to 35 <sup>15</sup> /16"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"
36"H 36"H to 41 <sup>15</sup> /16"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"
42"H 42"H to 47 <sup>15</sup> /16"H	24"	30"	30"	30"	36"	36"	36"	36"	60"	60"	60"	60"	60"
48"H 48"H to 53 <sup>15</sup> /16"H	NA	NA	NA	NA	30"	30"	30"	30"	42"	42"	42"	42"	42"
54"H	NA	NA	NA	NA	24"	24"	24"	24"	30"	30"	30"	30"	30"




**Boundary screens** attached to freestanding tables, connected in end-toend, may have one screen on one segment that meets the width and height guidelines. The screen can attach to segment A or B, but not both. Width must be equal to or less than that listed for the worksurface width per specified height.




**Universal tables** connected end-to-end or in an L-configuration, where one segment extends at least 24" past the front edge of adjacent unit, may have boundary screen attached to it as long as each screen is equal to or less in width to that listed in matrix.

►See page 102




**Jetty or bubble jetty freestanding tables** can have boundary screen of equal or less width on one or both of the straight sides if they are attached to another table. In this situation each surface segment width determines the permitted width of the boundary screen boundary per the matrix.

►See page 102




**Inline connected tables with shared supports** are allowed one boundary screen on one segment only.



**Spanning** inline tables or two freestanding tables is not permitted.

Freestanding Applications, continued




**Boundary screen** can be used on worksurfaces that are supported at one end with intermediate support as long as the support is screwed to the top of the storage in addition to the underside of the worksurface.

Freestanding Applications

Worksurfac


# **Panel-Mounted and Tethered Applications**

**Boundary screens** are considered panel-mounted or tethered when the universal worksurface is supported by a panel or is secured to a worksurface which is connected to a panel.




**Boundary screens** are attached to universal worksurfaces with included brackets. Brackets are located  $7^{1/2}$ " from the outside edge on each side of the screen. They are 4"D x  $2^{1/8}$ "W x 4"H.


Tip: Worksurfaces mounted to a panel, storage, or another worksurface require no less than two connection points when used with boundary screens.




**Boundary screens** can be attached to the back edge of worksurfaces that are supported by side supports at the front and back edge, end panels, fixed pedestals, FrameOne open or closed loop legs, one cantilever and one side support, one center support and one side support, or one end panel.



**Worksurfaces** attached to a panel using a cantilever or center support bracket must also use a side support bracket at the back edge when a boundary screen is attached.




**Universal boundary screens** can be attached to panel-mounted, 3 mm edge profile worksurfaces using two side support brackets.




**Boundary screens brackets** cannot overlap with support plates or structure of worksurface support.


**Boundary screens** can attach to the width edge of panel supported worksurfaces as well as worksurfaces in a variety of panel-mounted and tethered configurations.




**Universal tables** connected perpendicular to each other with a shared support plate where the return is at least 24"D and extends 24" past the user edge of main surface. A boundary screen can connect on one or both of sides in widths equal or less than the table segments.



**Universal tables** can include a corner connected on both sides by straight table with shared support plates. Boundary screens can connect to one or all sides in widths equal or less than the table segments.




**Universal tables** create U configuration where segments are connected with shared support plates and each segment extends at least 24" beyond user edge of adjacent table. Boundary screen can connect to one or all of sides in widths equal to or less than the table segments.



**Boundary screens** can be attached to worksurfaces that are supported at one side by worksurface to storage bracket applications (i.e. Universal towers, wardrobes, and lateral files).

# Panel-Mounted and Tethered Applications, continued



# Clearance of screen to bottom of leg is 0"H to 15"H

Installed Screen	Worksurface Width												
Height Modular/	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
Parametric						Maximu	ım Scree	n Width					
30"H 30"H to 35 <sup>15</sup> /16"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"
36"H 36"H to 41 <sup>15</sup> /16"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"
42"H 42"H to 47 <sup>15</sup> /16"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"
48"H 48"H to 53 <sup>15</sup> /16"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"
54"H	24"	30"	36"	42"	48"	54"	60"	66"	72"	72"	72"	72"	72"

Use when clearance at the bottom of screen is 0"H to 15"H. Tip: The bottom of the screen aligns with the bottom of the table leg.

Use the width of your worksurface and installed height of your screen to determine the appropriate screen size for your application.

Tip: Maximum screen width listed.

# **Universal Privacy/Modesty Screens**

#### Universal privacy/ modesty screen


provides a boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 and 7 worksurfaces, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.

Specifying, page 307


**Universal privacy/modesty screens** are available in one height, 257/10", with two mount location options to provide either privacy or privacy/modesty.

**Universal privacy/modesty screens** cannot be used on surfaces that have intergrated rails or an additive SOTO rail.

Universal privacy/ modesty screen is pin tackable.



The screen is attached to the worksurface using simple L-brackets and 1" screws. Brackets are shown mounted in the privacy position.



The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

**The screen** may be used on 3/4"-11/2" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

#### **Surface Materials**

#### Screen

• Fabri

► See Surface Materials, page 412.

#### Edge (upper segment)

• 7360 Merle

#### Edge (lower segment)

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET


#### Brackets

• 7360 Merle

#### **Actual Dimensions**

# Universal Privacy/Modesty Screen Width 42", 48", 54", 60", or 66" Height 257/10" Weight 9.79 lb, 10.315 lb, 10.84 lb, 11.365 lb, 11.89 lb Thickness 3/4"

Tip: Universal screens can also be specified parametrically in width in 1/16" increments.



Universal privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 33/4" in from each side of the screen.


### Screen height attachment locations are

determined when specifying privacy (top of screen will be at 48") or privacy/modesty (top of screen will be at 42"). The location cannot be changed in the field.




#### **Privacy configuration**

provides 191/s" of screen above the worksurface and 51/2" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 48"H Answer panel.



**Screen** can be mounted with a 1½" cord drop or flush with no cord drop.



#### Privacy/modesty con-

**figuration** provides 13" of screen above the worksurface and 117/10" of screen below the worksurace. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.

Both the privacy and privacy/modesty configurations allow the height-adjustable desks to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

Universal privacy/ modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1 Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2 Tables with cabby leg or double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

Privacy/modesty screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

Privacy modesty screens must never be wider than the surface to which they are attached. Tip: It is recommended that CET SmartTools Planning aid be used to ensure proper application of screen to

worksurface or tables.


When used with One-High integrated storage, Universal privacy/ modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

# **Universal Privacy Screens and Aligners**

#### **Universal privacy**

screens provide a boundary and privacy element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 and 7, Elective Elements, panel-supported Universal worksurfaces, and TS Series worksurfaces.

► Specifying, page 308




#### **Actual Dimensions** 121/2" or 181/2" Height Overall Height 131/2" or 191/2" Width 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.


Tip: 131/2"H screen aligns with a 42" datum from the floor. 191/2" screen aligns with a 48" datum from the floor.

Tip: Universal screens can also be specified parametrically in width and height in 1/16" increments.

#### **Product Details**



Universal privacy screens are tackable and available in 131/2"H and 191/2"H, and have widths from 24"W to 96"W.




The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

The screen may be used on 3/4"-11/2" thick worksurfaces

#### The width of the screen can be equal to or less than the width of the worksurface


to which it will attach. Some restrictions apply due to location of worksurface legs and

supports.



#### When fabric screens are placed directly adjacent to each other,

a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



Brackets are included with screens. Two brackets are used on all screens.

**Universal privacy** screen slides onto brackets

#### **Surface Materials**

- Fabric
- See Surface Materials, page 412.

#### **Edge (upper segment)**

7360 Merle

#### **Edge (lower segment)**

- · P630 Medium Heather **Grey PET**
- P631 Dark Heather Grey

#### **Brackets**

- 4799 Platinum
- 7241 Textured Arctic White
- · 7360 Textured Merle

# **Sarto Privacy/Modesty Screens**


#### Sarto privacy/ modesty screen pro-

vides a light scale boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 worksurfaces, Elective Elements, universal tables, and universal panel-mount worksurfaces.

►Specifying, page 310

#### Sarto privacy/modesty

screens are available in one height, 24", and in one mounting configuration to provide privacy and modesty.



**Actual Dimensions** 

•		
	Width	42", 48", 54", 60", or 66"
	Height	24"
	Weight	4.86 lb, 5.48 lb, 6.10 lb, 6.97 lb, 7.59 lb
	Thickness	9/16"

#### **Product Details**

**The screen** may be used on 3/4"-11/2" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports

#### **Surface Materials**


#### Screen

 Fabric
 See Surface Materials, page 412.

#### Brackets

· 7360 Merle


#### **Application Topics**




#### Sarto privacy/

modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3¾" in from each side of the screen.

**Screen height** is 24" overall. When mounted, the top of the screen will be at



**Screen** can be mounted with a 11/8" cord drop or flush with no cord drop.



# Privacy/modesty configuration provides 131/2" of screen above the worksurface and 91/2" of screen below the worksurface on a 1" thick worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a

When mounted, the screen allows a heightadjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

42"H Answer panel.

Privacy/modesty screen with integrated storage will not allow for adequate pinch point gaps when desk is lowered to its lowest position.

Sarto privacy/modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1 Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2—Tables with cabby leg or double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

#### Privacy/modesty

screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

#### Privacy/modesty


screens must never be wider than the surface to which they are attached. Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.

# **Sarto Privacy Screens**

#### Sarto privacy screens

provide a light scale boundary and privacy element for height-adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5, Elective Elements, universal worksurfaces, and TS Series worksurfaces.

► Specifying, page 311




#### **Actual Dimensions**

Screen Height	12½" or 18½"
Overall Height	13½" or 19½"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.

Tip: 13½"H screen aligns with a 42" datum from the floor. 191/2"H screen aligns with a 48" datum from the floor.

#### **Product Details**




#### Sarto privacy screens

are tackable. They are available in two heights, 131/2"H and 191/2"H, and have widths ranging from 24"W to 96"W.

**The screen** may be used on 3/4"-11/2" thick worksurfaces.

#### The width of the screen

can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



#### **Brackets and hard**

stops are included with screens. Screens up to 54"W use two brackets, while screens 60"W and larger utilize three brackets. The third bracket is centered on the width of the screen.

#### Sarto privacy screen slides onto brackets.

# **Surface Materials**

#### Screen

Fabric

See Surface Materials, page 412.


#### **Brackets and hard** stops

7360 Merle


#### **Knit Screens**

Knit screens provide light-weight space division. All screens mount in two positions for either desktop privacy or below worksurface modesty. Available in four widths.


► Specifying page 312









**Foot** mounts to top of clamp for desktop privacy, or mounts to underside of clamp for modesty. Clamps are ordered separately.









Actual Dimensions				
	15"H Knit Screen			
Screen width	20 <sup>1</sup> / <sub>4</sub> ", 26 <sup>1</sup> / <sub>4</sub> ", 32 <sup>1</sup> / <sub>4</sub> ", or 38 <sup>1</sup> / <sub>4</sub> "			
Overall width	21½", 27½", 33½", or 39½"			
Height	15"			

Tip: Overall width includes the width of both clamps.


#### **Product Details**



**15"H screens** mount to worksurfaces in privacy position or below the worksurface for modesty. In privacy applications, the overall height of the screen from the floor is 43½"H.



Gap between 15"H screen to top of worksurface is 1".




Gap between bottom of worksurface to 15"H screen is 11/2".

#### **Connections**



Clamps allow attachment to worksurfaces 11/6" to 13/16" thick, which include Universal Worksurfaces and Tables, and Answer worksurfaces. Clamps cannot be used with Avenir 11/2" thick worksurfaces.

**Clamps** are specified as a pair and ordered separately from the screen.




**15"H screen** mounts to the top or bottom of the clamp.


**Multiple screens** can share clamps that attach to a worksurface.




**Three clamps** can be used to support screens of various sizes.




**15"H screens** can be applied to the side of a worksurface.



For corner privacy applications where 15"H screens are desired on the back and side of the worksurface, the screen for use on the side of the worksurface should be specified 6" smaller. For example, a 30"D x 42"W worksurface with a 381/4"W x 15"H screen on the back, requires a 201/4"W x 15"H screen on the side.



Screens can be planned to match the width of the worksurface. However, if worksurfaces are slip-fit, screen sizes must be planned accordingly.



For corner, 120° table applications, the following screens can be used:

• 20¹/a"W screens can be used on tables with dimensions C and D each equal

to 43".

• 201/4"W and 261/4"W screens can be used on tables with dimensions C and D each equal to 49". Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

#### **Surface Materials**

#### **Vertical surface fabric**

Applies to knit screen:

- B902 Soft White
- B903 Fog
- B904 Sand

#### Screen frame and foot

4799 Platinum only

#### Clamp

· 4799 Platinum only

### Clamp adjustment knob and cover

· 7237 Slate only

#### **Application Topics**


**15"H screens** can be used on fences in Post and Beam applications. For attachment hardware style number and additional information, refer to the *Post and Beam Solutions*Specification Guide.

#### **Divisio Side Screen**

#### Divisio side screen is

magnetic and provides a territorial boundary between users. The user-movable functionality allows users to decide when and where they need additional privacy. The screens may be used on any 3/4"- to 11/2"-thick worksurface.

▶ Specifying, page 313





# Divisio side screen can be made more permanent by adding two screws through the clamp. For 3/4" thick worksurfaces, c:scape, and FrameOne, a #10 x 3/4" countersunk screw is recommended. For worksurfaces over 3/4" thick, a #10 x 7/8" countersunk wood screw is recommended.

#### **Actual Dimensions**

**Depth** 29½" (total), 21½" (sits on worksurface)

Width 11/4"

 $\textbf{Height} \quad 14^{1}\!/4^{\text{"}} \text{ (total), } 11^{5}\!/8^{\text{"}} \text{ (above worksurface)}$ 


# **Understanding Counterweights**

Counterweights	120
Counterweight Requirements for Storage Products	121

# **Counterweights**

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required. See Counterweight Requirements for Storage Products, pages 121–128.

#### Counterweight **Packages for Lateral Files and Cabinets**





#### **Surface Materials**

#### **Counterweight plates**

Black only

#### **Actual Dimensions**

Depth	31/8" or 23/8"
Width	251/2"
Height	18"

#### Counterweight Package for Towers and **Workstation Verticals**



► Specifying, page 382

#### **Product Details**



#### **Surface Materials**

#### Counterweight

· Black only


#### **Actual Dimensions**

Depth	1 1/4"	
Width	12"	
Height	11/4"	

#### **Counterweight Packages** for Bookcases



#### **Product Details**



Counterweight packages attach to the inside of the bottom shelf. A cover is included to conceal the counterweight.

#### **Surface Materials**

#### Counterweight

#### Black

#### Cover • Paint

#### **Actual Dimensions**

#### Counterweight

Height

Depth	11/4"
Width	19", 25", 31", or 37"
Height	11/4"
Cover	
Depth	1 <sup>3</sup> /8"
Width	23 <sup>3</sup> / <sub>4</sub> ", 29 <sup>3</sup> / <sub>4</sub> ", 35 <sup>3</sup> / <sub>4</sub> ", 41 <sup>3</sup> / <sub>4</sub> "

11/4"

# **Counterweight Requirements for Storage Products**

Counterweight Requirements for Storage Products



Follow these requirements to reduce the risk of storage products tipping and causing injury.

Requirements for Lateral Files, Towers, Workstation Verticals, Cabinets, and Bookcases Applications

· Dimen	sions	w	н	· Counterweight Package	Style Number
Flush Steel Front	Proud Steel/ Wood				
Three	12"H I	Draw	ers		
18"	187⁄8"	30"	40"	Package 3	RLF18303
	18 <sup>7</sup> / <sub>8</sub> "	36"	40"	Package 3 Package 3	RLF18303
18" 18" 18"					
18"	187⁄8"	36"	40"	Package 3	RLF18363

**Product specification** pages indicate proper counterweight package for each style number.

Dimensions			· Counterweight	·Style
)	W	н	Package	Number
lush Proud			:	:
Steel Steel				7.
ront Wood			:	/:
Front			: /	

If a counterweight is not required in any condition for a particular style number, the product specification page will indicate not required.

#### 65½"H Tower with Door Hinged on Left, continued

Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and 651/2" Not required 231/8" RFF24245LW

#### Counterweight Requirements for Storage Products, continued

#### **Requirements for Freestanding Applications**

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:

1. Counterweights are not required for lateral files, towers, workstation verticals, cabinets, and bookcases anchored to the floor.




Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and Universal Storage with 3" base) secures lateral files, towers, workstation verticals, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet.

Note: **Local seismic requirements vary.** Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.




Floor anchor brackets for Universal with FrameOne foot secure lateral files and towers to the floor for stability or in seismic zones to reduce the risk of hazards during earthquakes.

Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent.




2. Counterweights are not required for lateral files, towers, workstation verticals, cabinets, and bookcases anchored to the wall.

For wall anchoring of lateral files, towers, workstation verticals, cabinets and bookcases, consult with the building's designated design professional (architect or engineer) and work with local codes authorities for approvals to ensure adequate support when product is fully loaded.



Counterweights are not required for lateral files, towers, workstation verticals, cabinets, and bookcases ganged back-to-back with ganging hardware.

TS Series towers which do not include ganging hardware, order 8425808SR from Service Parts.



Units ganged side-by-side require counterweights.


Counterweight Requirements for Storage Products

#### **Requirements for Panel Applications**


Panel stability guidelines must be met prior to determining counterweight requirements.

▶ See Panel Stability Guidelines in the appropriate panel specification guide. (Storage may support panel stability)

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




- 1. Counterweights are not required for Two Drawer lateral files installed right below a worksurface attached to the panel system when the application is mirrored back-to-back (a two-pack minimum).
- TS Series underworksurface lateral files are only intended for use under a panel-mounted worksurface and cannot be used as freestanding.




2. Counterweights are not required for One-High and 1.5-High lateral files and cabinets used with an intermediate support, when the application is mirrored back-to-back (a two-pack minimum).

Note: This includes storage either perpendicular or parallel to the panel.



3. Counterweights are not required for One-High, 1.5-High, and Two Drawer lateral files and cabinets used with a storage-to-panel bracket to support the panel run if the application is mirrored back-to-back (a two-pack minimum) and the panel run is equal to or greater than 6'.



4. Counterweights are not required for towers used with a storage-to-panel connector to support the panel run, if the application is mirrored back-to-back (a two-pack minimum) and the panel is equal to or greater than 5'.


#### Counterweight Requirements for Storage Products, continued

#### **Requirements for c:scape Tethered Applications**


c:scape stability guidelines must be met prior to determining counterweight requirements.

▶ See c:scape Stability Guidelines in the c:scape Specification Guide.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:



1. Counterweights are not required for a 1- and 1<sup>1</sup>/<sub>2</sub>-High lateral files and low storage 48"W or smaller tethered to a c:scape beam when the beam width is 6' or larger.



2. Counterweights are not required for 1- and  $1^{1}/2$ -High lateral files and low storage tethered to a c:scape beam when the beam has mid storage mounted parallel and the beam length is equal to or greater than the combined low storage width.



3. Counterweights are not required for 1- and 11/2-High lateral files or low storage tethered to a c:scape beam when the storage is the same size and mirrored back-to-back on both sides of the beam.


Counterweight Requirements for Storage Products

#### **Requirements for Answer Freestanding Desk Applications**


Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.

▶ See Answer Freestanding Desk Stability Guidelines on page 68.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




1. A counterweight is not required for a single Two Drawer lateral file attached to desks connected in an L-configuration.




L-configurations with two or more lateral files **require** counterweights in each file.




Counterweights are **required** for all lateral files in stand-alone desk or credenza applications.



Hutch kit applications with lateral files always **require** counterweights in the lateral files.



A counterweight is not required for a single Two Drawer lateral file attached to a desk made with corner, extended corner, or 120 degree corner worksurfaces.




Configurations with two or more lateral files  $\boldsymbol{require}$  counterweights in each file.

#### Counterweight Requirements for Storage Products, continued

#### Requirements for Pedestals in Freestanding Applications

Counterweights are required for all freestanding applications.



1. Universal fixed pedestals converted to freestanding pedestals require a counterweight and drawer interlock system.

Universal fixed to freestanding pedestal conversion kit includes  $\mbox{\sc 1/8}$ "H steel top, counterweight package, and drawer interlock system.

Fixed pedestals, converted to freestanding with a laminate or veneer top, require a counterweight and drawer interlock system. Drawer interlock system is available from service parts.

TS Series fixed pedestals are only intended for use under a panel-mounted worksurface and cannot be converted to freestanding.

Laminate fixed pedestals can never be freestanding.




2. Mobile pedestals include counterweight and drawer interlock system as standard.

#### **Requirements for Pedestals in Panel Applications**

Panel stability guidelines must be met prior to determining counterweight requirements.

See Panel Stability Guidelines in the appropriate panel specification guide.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:



Counterweights are not required for fixed pedestals installed below a worksurface attached in a panel spine application. Single workstation applications **require** a counterweight in each pedestal.


Counterweight Requirements for Storage Products

#### **Requirements for Pedestals in Answer Freestanding Desk Applications**


Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.

See Answer Freestanding Desk Stability Guidelines on page 68.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




- 1.Single pedestal desks less than 48"W require a counterweight and an interlock. Single pedestal desks with 30"D pedestals require a counterweight and interlock.
- Tip: Interlock is available as a service part for Universal pedestals, 1043575SR for box/box/file and file/file configurations.



2. Double pedestal desks 60"W and wider only require one pedestal with counterweight.




All other desk applications with multiple pedestals **require** a counterweight for each pedestal.




Counterweights are not required for a single fixed pedestal in desk with hutch kit applications. Any additional pedestals within the application require counterweights.

#### Requirements for Pedestals in Answer Freestanding Desk Applications, continued



4. A counterweight is not required for a single fixed pedestal attached to a desk attached to another worksurface in an L-configuration. Any additional pedestals within the application require counterweights.




5. A counterweight is not required for a single fixed pedestal attached to desks made with corner, extended corner, or 120 degree corner worksurfaces. Any additional pedestals within the application require counterweights.

# **Understanding Universal Steel Storage Products**

	/////
Statement of Line	130
Universal Pedestals	134
Universal Sliding Door Bins	138
Universal Over the Case and In The Case Bins	140
Dimensions for Custom Field-Installed Picture Frame	
Door Inserts	143
Universal Shelves and Universal Personal Shelves	144
Dividers	146
Horizontal Wall Attachment Brackets	147
Wall Hang Channels and Horizontal Braces	148
Slim Shelves	149
Universal One-High, 1.5-High, and Two Drawer	
Lateral Files	150
Universal Towers and Workstation Verticals	154
Universal Lateral Files	158
Connectors	161

# **Statement of Line**

For the full Universal Storage offering, see Storage Specification Guide.



18<sup>3</sup>/8"D, 23<sup>1</sup>/2"D, or 29<sup>1</sup>/2"D

Proud steel, laminate, or wood front

Understanding

▶ Page 134

▶Page 316

Specifying





Flush steel front Proud steel, laminate, or wood front

Understanding
► Page 134
Specifying
► Page 320

Understanding ▶Page 138


Specifying
Page 324

#### **Universal Fixed Pedestals**

	15"W	
25½"H	•	
27"H	•	
•		

#### **Universal Mobile Pedestals**

	15"W
21"H	•
27"H	•




### Universal Sliding Door Bins

For Use with Answer

101 030	, with Ans	WU					
	36"W	42"W	48"W	60"W	66"W	72"W	
15 <sup>3</sup> ⁄ <sub>4</sub> "D	•	•	•	•	•	•	



Flat steel, laminate, or wood front



Flat steel, laminate, or wood front



Radius steel front



Understanding
► Pages 140
Specifying
► Pages 326 and 328


#### Universal Over the Case and In the Case Bins with Flat, Radius, Laminate, and Wood Flat Fronts

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W	
15 <sup>3</sup> ⁄4"D	•	•	•	•	•	•	•	•	

Statement of Line

For the full Universal Storage offering, see Storage Specification Guide.





Understanding ➤ Page 144
Specifying
➤ Page 331

#### **Universal Shelves and Universal Personal Shelves**

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
Universal Personal Shelves 1311/16"D	•	•	•	•	•		
Universal Shelves 143/4"D	•	•	•	•	•	•	•



Understanding Page 149 Specifying ▶ Page 337


#### **Slim Shelves**

	24"W	30"W	36"W	42"W	48"W	60"W	72"W	96"W
6"D	•	•	•	•	•	•	•	•

#### Statement of Line, continued

For the full Universal Storage offering, see Storage Specification Guide.


#### **Universal One-High**




Flush steel front



Proud steel, laminate, or wood front



Flush steel open front



Proud steel open front

#### Universal 1.5-High



Flush steel front



Proud steel, laminate, or wood front



Flush steel open front




Proud steel open front

Understanding
► Page 150
Specifying
► Page 338


#### Universal One-High and 1.5-High Lateral Files

	30"W	36"W	42"W
One-High 16"H	•	•	•
1.5-High 22"H	•	•	•

Tip: 42"W lateral files are available 18"D and 187/8"D only.







Understanding
►Page 154
Specifying
►Page 350

#### **Universal Open Side Towers**

	24"W	
47½"H	•	
52"H	•	
65½"H	•	


Drawings show door hinged left. Units are also available with door hinged right.

#### **Universal Dual Door Towers**

	24"W	
47½"H	•	
52"H	•	
65½"H	•	

Drawings show door hinged left.
Units are also available with door hinged right.

For the full Universal Storage offering, see Storage Specification Guide.




# 23<sup>1</sup>/<sub>8</sub>"D 24"D or 30"D Proud steel, laminate, front or wood front

Understanding
Page 154
Specifying
Page 360

#### **Universal Full Front Towers**

	24"W
52"H	•
65½"H	•


Drawings show door hinged left.
Units are also available with door hinged right.



# Universal Vertical Drawer Towers

	24"W	
52"H	•	
65½"H	•	

Drawings show door hinged left. Units are also available with door hinged right.



#### **Universal Workstation Verticals**

	15"W	
52"H	•	
65 <sup>1</sup> /2"H	•	

#### **Universal Lateral Files**

	30"W	36"W	42"W
28"H	•	•	•
40"H	•	•	•
52"H	•	•	•
65½"H	•	•	•

Tip: 42"W lateral files are available 18"D and  $18^{7}/8$ "D only.

#### **Universal Pedestals**

# **27"H fixed pedestals** are floor-standing and can support worksurfaces at 28½"H.

- ►Specifying, page 316
- Specifying Storage Accessories, page 377

**Top** is open and accommodates attachment to a worksurface. Attachment hardware is included

Lock is standard on pedestals and secures all drawers. Lock is located in the top drawer. Locks are standard factory-installed, keyed random.

Lock and Keying, page 428

Leveling glides adjust to install pedestals on uneven floors. 25½"H pedestals have a ½" adjustable glide range, and 27"H pedestals have a 1½" adjustable glide range.

#### Mobile pedestals fit

under a worksurface and can be moved wherever storage is needed. They provide an auxiliary worksurface when you need more space to spread out your work.

➤ Specifying, page 320 ➤ Specifying *Storage Accessories*, page 377

Finished back and sides are standard.

Four casters are hard composition and non-locking, with a full-rotation swivel mechanism. Casters are exposed at the base of box/file pedestals and concealed with the base of box/box/file and file/file pedestals.

**Drawer fronts** are available in steel, laminate, or wood veneer. Mobile pedestals maintain drawer pull and drawer front alignment with other storage components that have a 3" base.

**Pull on proud-front ped-estal** is available in a variety of shapes.

**3"H base** is integral to 27"H pedestal case.

Pull on flush-front pedestal is full width and integral. This pull is available on steel drawer fronts only. Full-width wood pull is available as an option. Wood pull, if selected, ships separately from pedestal and is field installed, attaching to the integral pull with double-sided tape.

**Drawers** open their full depth for total access to the contents. Box and file drawers are available.

**Top on mobile pedestal** is 1/8"H steel. Additional top options are available.



**Mobile pedestal cushion top** provides a temporary seat ideal for


provides a temporary seat ideal for informal gatherings. Optional handle can be extended to easily transport mobile pedestal.

Available factory- or field-installed.


Specifying, page 320

Actual Dimensions						
	Fixed	Box/File	Box/Box/File and File/File			
Depth with flush steel front	171/2", 225/8", and 285/8"	17½"and 225/8"	171/2" and 225/8"			
Depth with proud steel, laminate, or wood front	183/8", 231/2", and 291/2"	183/8" and 231/2"	183/8" and 231/2"			
Width	15"	15"	15"			
Height	251/2" and 27"	N.A.	N.A.			
Overall height with 1/8"H top	N.A.	21"	27"			

#### **Product Details**




**Box drawers** are a welded steel construction and available with proud or flush fronts. One divider is included with each box drawer.




File drawers are a welded steel construction and available with proud or flush fronts. Drawer body sides are full height and accommodate front-to-back filing of hanging letter-size file folders.

**Optional rails** accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 171/8"D or 183/8"D pedestals.




**Drawer fronts** can be removed and changed in the field to create a different aesthetic or to replace damaged drawer fronts.



**Pencil tray** to hold small office supplies is included with each box/box/file pedestal.


**Optional basic drawer interior** allows box/box/ file pedestals to be ordered without rails, box drawer dividers, or pencil trays.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 128 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel drawers only.

Label holders are available through Service Parts. Label holder fits inside the integral pull of flush-front drawers and over the top edge of drawer front on proud-front drawers.

**Safety interlock system** allows only one drawer to be opened at a time for added stability.



Locks are available factoryor field-installed. Factoryinstalled locks are standard
and available keyed random
only. Optional field-installed
locks are available with
consecutive, specific, and
random keying options.
Master-keyed locks are also
available. Field-installed lock
cylinders must be specified
separately.


Lock and Keying,

**Individual drawer locks** are available on file/file


page 428

pedestals for applications where you want to limit access to each drawer Pedestals include a security shield above each drawer to prevent unauthorized access. Individual locking drawers are only available with field-installed lock cylinders. Consecutive, specific, and random keying options are available. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately. Lock and Keying, page 428


Non-locking pedestal is available as an option.



**27"H fixed pedestals** have base alignment with other Universal Storage components that have a 3"H base.



Steel, laminate, and wood veneer tops are available in place of standard 1/8"H steel tops. 1"H steel tops, 13/16"H laminate with square edge profile, 17/16"H laminate with bullnose edge profile on the front edge, and 13/16"H wood veneer with square edge profile.



Handle of mobile pedestal cushion top is retractable. In the stowed position, handle is flush with mobile pedestal front. In the travel position, handle is completely extended and articulates upward for longer distance transport. Cushion top is also available without a handle.

Mobile pedestal cushion top for fieldinstallation can be used with mobile pedestals RPM2421CP, RPM2421CF, and RPM2421CW only.




Basic cushion is ordered separately for use on Universal mobile pedestals with metal, laminate, or veneer top. Basic cushion is field-installed and attaches to the existing top with hook and loop fastener.

Basic cushion for field installation can be used with mobile pedestals RPM1821CF, RPM1821CP, RPM1821CW, RPM2421CF, RPM2421CP, and RPM2421CW only.

Counterweights packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.


#### Connections



Fixed pedestals are intended to attach under a worksurface for security and support. Three pedestal depths are available to correspond with Universal Worksurface depths. Proudfront pedestals exactly match the depth of Universal Worksurfaces. Flush-front pedestals are 7/8" shorter.

Freestanding applications that don't require attachment to a worksurface should be used with a conversion kit that includes a steel top, counterweight package, and components to convert the locking system to a safety interlock system.

Page 319



Field-installed accessories are available, including pencil trays, stationery trays, dividers, and rails.

Page 377

#### Wiring & Cabling

Fixed pedestals do not accommodate cable-routing. Plan accordingly when installing pedestals underneath worksurfaces with grommets or other cable-routing accessories.

orage

Universal Pedestals, continued

#### **Surface Materials**

# Pedestal, steel drawer fronts, and integral pulls

Paint

## Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

# Wood veneer top and drawer fronts

- Wood veneer—
   Open pore finishes
- Customiz stain (option)

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

#### Drawer bodies, drawer suspensions, rails, dividers, and glides

Black

## Laminate top and drawer fronts

- Laminate
- Open Line laminate (option)

### Square edge profile on laminate top

Plastic

Tip: Bullnose edge tops have a self-edge.

# Bullnose edge profile on laminate top

Plastic edge default

#### **Cushion top**

- Fabric
- Leather

#### **Basic cushion**

Fabric

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide

#### Counterweight Requirements for Storage Products

▶Pages 121–128.

#### **Shipping**

**Fixed pedestals** are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


**Mobile pedestals** are shipped in corrugated board to minimize damage during transport.

# **Universal Sliding Door Bins**

For Use with Answer Freestanding

#### **Universal sliding door**


bins attach to panels with an on-module bracket and provide overhead storage in the work space. Door is available in steel or wood. ▶ Specifying, page 324



# Actual Dimensions Depth 15³/4" Width 36", 42", 48", 60", 66", and 72" Height 16¹/4"

#### **Product Details**


On-module attachment brackets are independent of the storage bin and are used to attach the storage bin to wall channels in a freestanding application. On module attachment brackets are product line specific. If the storage bin needs to be attached to a different product line in the future, additional on-module attachment brackets can be purchased through Service Parts.



Vertical off-module brackets, optional, can be used to mount one or two sides of an overhead bin off-module. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin and will connect into wall channels.


Vertical off-module brackets are used with bins up to 12" wider than the wall channel.

Omit brackets option must be specified when bin is being used in hutch kit or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately.




Lock in bin is concealed from view beneath the shelf. Locks are available factory-or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 428




**Shelf lights** are available for use beneath bins. Lights recess into the bottom of the overhead storage unit.

►Page 188




**Dividers** are available as an option for use on bins. Dividers ship in a package of four.




**Back of storage bin** is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.

Overhead storage bin height accepts standard and A4 binders.







**Steel support** hooks on end supports insert into the slotted channel of a wall channel and lock into place with a safety catch.




bin may be mounted at 38"H or lower if another panelmounted component prevents it from being seated upon.




Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as separate style number. Tip: Select the omit brackets option when ordering the bin.



Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced. ▶ Page 148



Wall channel horizontal brace is required with wall channels to support bins that are wider than 48".
▶ Page 148



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.

> Page 201

#### Overhead bin

- Paint
- · Wood door (optional)

**Surface Materials** 

#### Locks

- 9201 Polished Chrome
- 9250 Ember Chrome (optional)

#### Dividers

· White plastic


#### **Application Topics**

### Storage Capacities and Dimensions

See Storage Specification
Guide


#### **Universal Over the Case and In the Case Bins**

For Use with Answer Freestanding



#### **Product Details**


On-module attachment brackets are independent of the storage bin and are used to attach the storage bin to wall channels in a freestanding application. On module attachment brackets are product line specific. If the storage bin needs to be attached to a different product line in the future, additional on-module attachment brackets can be purchased through Service Parts.



**Vertical off-module** brackets, optional, can be used to mount one or two sides of an overhead bin off-module. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin and will connect into wall channels.

Vertical off-module brackets are used with bins up to 12" wider than the wall channel.

#### Omit brackets option must be specified when bin is being used in hutch kit or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately.



# Picture frame door, optional, is available on Universal over the case and in the case bins with flat steel fronts only, and is an aluminum door frame with acrylic or glass inserts. An omit insert option is also available which allows custom material to be field installed in the aluminum door frame

#### The acrylic door


insert is a white acrylic.

A door assist mechanism is not available as an option on a bin with an acrylic door insert due to the light weight door.

#### The glass door insert

is tempered translucent glass. If a glass door insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin. Due to the weight of the glass door insert, it is recommended to specify the optional door assist mechanism.


The omit insert custom material must be ordered from a material vendor. If an omit insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin. The weight of a custom insert on a Universal over the case bin can not exceed 101/2 pounds. An insert for a Universal over the case storage bin door with an assist mechanism must weigh within the range of 71/4 pounds to 101/2 pounds or the assist mechanism will not function correctly. Custom materials being installed in a door insert must comply with local building codes. Consult with local authorities to determine compliance requirements. The use of safety glass is required if installing custom glass in a door insert. To install customer provided material in a picture frame door with the insert omitted, make sure the material is cut precisely to the sizes listed on the dimensions matrix. ▶ See Dimensions for Custom Field-Installed Picture Frame Door Inserts.



page 143


#### Door assist mecha-

nism, optional, consist of a gas cylinder and spring that provides an assisted open and close of the door. When opening the door, the spring pulls the door to the fully recessed position. When closing the door, the assist mechanism will slowly close the door. Universal bins ship with two assist mechanisms per door when specified.




Lock in bin is concealed from view beneath the shelf. Locks are available factory-or field-installed. Factory-installed locks are standard and available keyed random only. Two-door units are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 428




**Shelf lights** are available for use beneath bins. Lights recess into the bottom of overhead bins.

► Page 188



**Divider** is available as an option on overhead bins. Dividers ship in a package of four.


▶ Page 146




**Back of storage bin** is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging surface of the wall.

Overhead storage bin height accepts standard and A4 binders.






Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.




Universal over the case bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.



Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as a separate style number. Tip: Select the omit brackets option when ordering the

▶ Page 332



Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.
▶ Page 148

Wall channel horizontal brace is required with wall channels to support bins that are wider than 48".

► Page 148

Universal Over the Case and In The Case Bins for Use with Answer Freestanding, continued

# Wiring & Cabling

# Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage. Page 201

#### **Surface Materials**

#### Overhead bin

Paint

#### Lock

- 9201 Polished Chrome9250 Ember Chrome (optional)
- **Dividers**

· White plastic

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide

# **Dimensions For Custom Field-Installed Picture Frame Door Inserts**

Dimensions For Custom Field-Installed Picture Frame Door Inserts

For Unive	For Universal Over the Case Bins							
·Bin Width	· Door Width	Custom P Height +/-0.02"	icture Fram Width +/-0.02"	ne Door Inserts Thickness +/-0.02"				
24"	24"	15.933"	23.314"	0.138"				
25"	25"	15.933"	24.314"	0.138"				
30"	30"	15.933"	29.314"	0.138"				
35"	35"	15.933"	34.314"	0.138"				
36"	36"	15.933"	35.314"	0.138"				
42"	42"	15.933"	41.314"	0.138"				
45"	45"	15.933"	44.314"	0.138"				
48"	48"	15.933"	47.314"	0.138"				
60"	30" (per door)	15.933"	29.314"	0.138"				
66	33" (per door)	15.933"	32.314"	0.138"				
70"	35" (per door)	15.933"	34.314"	0.138"				
72"	36" (per door)	15.933"	35.314"	0.138"				
75"	37 <sup>1</sup> / <sub>2</sub> " (per door)	15.933"	36.314"	0.138"				
	:	:						

Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

For Universal In the Case Bins						
· Bin Width	· Door Width	Custom P · Height +/-0.02"	icture Fram Width +/-0.02"	e Door Inserts Thickness +/-0.02"		
24"	24"	15.000"	23.164"	0.138"		
25"	25"	15.000"	24.164"	0.138"		
30"	30"	15.000"	29.164"	0.138"		
35"	35"	15.000"	34.164"	0.138"		
36"	36"	15.000"	35.164"	0.138"		
42"	42"	15.000"	41.164"	0.138"		
45"	45"	15.000"	44.164"	0.138"		
48"	48"	15.000"	47.164"	0.138"		
60"	30" (per door)	15.000"	29.164"	0.138"		
66	33" (per door)	15.000"	32.164"	0.138"		
70"	35" (per door)	15.000"	34.164"	0.138"		
72"	36" (per door)	15.000"	35.164"	0.138"		
75"	37 <sup>1</sup> / <sub>2</sub> " (per door)	15.000"	36.664"	0.138"		

Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

# **Universal Shelves and Universal Personal Shelves**

For Use with Wall-Mount Channels

Universal shelves can be attached to a wall using wall-mount channels in a freestanding application.
▶ Specifying, page 331

#### **Universal personal**

**shelves** provide a wall-supported surface.


► Specifying, page 331

Metal backstop on Universal shelves prevents notebooks and equipment from damaging wall surface. Universal personal shelves do not have a backstop.

**On-module attachment hooks** are integral to the end supports and are used to mount shelves on wall channels.


**Safety catch** locks shelf units to frame to prevent accidental removal.

**Shelves** are steel and ship ready to assemble.




Actual Dimensions					
	Universal shelves	Universal personal shelves			
Depth	143/4"	1311/16"			
Width	24", 30", 36", 42", 48", 60", and 72"	24", 30", 36", 42", and 48"			
Height	7 <sup>1</sup> / <sub>2</sub> " (Kick, Answer, and Avenir)	1 <sup>11</sup> /16" (thickness of shelf)			

#### **Product Details**



Shelf lights are available for use beneath shelves.
Lights recess into the bottom of the overhead storage unit.

Page 188




**Dividers** are available field installed for use on Universal shelves. Dividers ship in a package of four. Dividers cannot attach to Universal personal shelves.


A 11/2" gap exists between the personal shelf and the wall to allow for cable routing.

The height dimension of the bracket (from top of personal shelf to the bottom of the bracket) is 61/2"H.


#### Connections



**Steel support hooks** on end supports insert into the slotted channel of a wall channel and lock into place with a safety catch.




**Universal shelf** may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.



Wall channels are available to attach shelves to concrete or block walls. Wall channels can be used to attach shelves to wood, dry wall, or plaster walls, if wall is reinforced.

▶ Page 148

#### Wiring & Cabling



**Vertical wire managers** conceal cords and cables that are routed vertically outside of the wall.

▶ Page 201

#### **Surface Materials**

#### Shelf

Paint

#### **Application Topics**

# Storage Capacities and Dimensions

► For interior dimensions, see Storage Capacities and Dimensions in the Storage Specification Guide.


## **Dividers**

#### **Dividers**



▶ Specifying, page 332

#### **Product Details**



**Divides** space in panel-supported bins and Universal shelves. Dividers will not work in bins and shelves introduced prior to March 2007.

**Divider** can be used on hutch kit.

#### Specifying

# A carton of four dividers is available as an option on overhead bins and Universal shelves.

#### **Surface Materials**

#### Divider

· White plastic only

#### **Actual Dimensions**

Width 11/2" at the back 1/4" at the front	Depth	71/2"
	Width	. ,

61/2"


Height

Dividers for Overhead Storage Bins and Shelves Introduced prior to March 2007



▶ Specifying, page 333

#### **Product Details**



**Divides** space in bins and shelves.

#### **Surface Materials**

#### Divider

· Clear textured plastic only

#### **Actual Dimensions**

Depth	103/4"
Width	4" at the back 1/2" at the front
Height	41/2"

## **Horizontal Wall Attachment Brackets**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins


Horizontal Wall Attachment Brackets



# Horizontal wall attachment brackets can attach to wall of building to accept Universal sliding door, Universal Over the Case, and Universal In the Case storage bins. Brackets will not accept bins introduced prior to March 2007 or TS Series bins. Specifying, page 332 Tip: Specify as a separate


style number.

#### **Product Details**



Horizontal wall attachment brackets must match the width of the storage bin.

Tip: Select the omit brackets option when ordering the bin.




Horizontal wall attachment brackets include brackets and a steel back to enclose the storage bin.


Horizontal wall attachment brackets can be positioned on wall at height needed.

#### **Connections**

Horizontal wall attachment brackets can be used to attach Universal sliding door, Universal over the case, and Universal in the case bins to a building wall. TS Series cannot attach to horizontal wall attachment brackets.




**Shelves** cannot hang off horizontal wall attachment brackets



Mounting of horizontal wall attachment brackets must include attachment to at least two wall studs, but it is recommended to attach to all studs in wall behind the storage bin. Storage bins that are 24"W or 25"W can only be mounted with horizontal wall attachment brackets if wall is constructed with 16" stud centers.

#### Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5%" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw.
- Wood studs with #10 wood screws of appropriate length with countersunk flat head screw.
- Steel studs with #10 sheet metal screws of appropriate length with countersunk flat head screw.



**Limit** of one bin for each horizontal wall attachment bracket.

Attaching worksurfaces to horizontal wall attachment brackets is not possible.

Horizontal wall attachment brackets allow overhead storage bin to fit flush to wall.

#### **Actual Dimensions**

**Width** 24", 30", 36", 42", 48", 60", 70", and 72".

#### **Surface Materials**

Brackets and steel back

Paint

## **Wall Hang Channels and Horizontal Braces**


For Use with Overhead Storage Bins and Shelves

#### **Slotted steel channel**


can attach to wall of building to accept shelves, overhead storage bins, worksurfaces, or tackboards. Channel will accept all universal bins and shelves, TS Series bins and bins and shelves introduced prior to March 2007.

► Specifying, page 334 Tip: Must specify bin or shelf with Answer, Kick, or Avenir bracket to hang on wall channel.





#### **Product Details**



Wall channel can be positioned on wall at height needed


#### **Connections**

Wall channels can be used to support shelves, overhead storage bins, worksurfaces, and tackboards. Wall channels can he shared

#### Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5/8" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw
- Steel or wood studs with #10 sheet metal or wood screws of appropriate length with countersunk flat head screw.

Anchors must be used in each screw hole location on the wall channel.



Components attach at 1" increments, but screws block some slot locations.

#### **Actual Dimensions**


#### Wall hang channels and horizontal braces

Depth	11/8" (28 mm)	
Width	<sup>15</sup> / <sub>16</sub> " (24 mm)	
Height	66" (1676 mm)	




#### Component limits for each pair of wall

- channels are as follows: Two bins or shelves
- One worksurface and two shelves
- One worksurface and one



Horizontal brace is available to reinforce vertical wall channels that support storage bins, shelves or worksurfaces that are attached to walls. Bins and shelves that are 48"W or less do not require a horizontal brace. All worksurfaces require horizontal




Wall channel horizontal brace is required for EACH storage bin or shelf that is wider than 48". The brace should be placed at the position along the vertical wall channel where the top of the bin or shelf will be placed.

Width of horizontal brace must match width of shelf or storage bin.

#### Wall channel horizontal

brace is also available in 42" and 48" widths and can be used in applications where there is concern regarding the strength of the wall. These braces must also be used with wallmounted worksurfaces.

Wall hang channels for shelves, overhead storage bins, or tackboards cannot be used with a wall start junction.



Worksurfaces may be attached to wall channels with cantilevers, subject to the following application guidelines:

- All worksurfaces must be 24"D or less.
- Worksurfaces must be supported by a cantilever or legs every 42" or 48". Cantilevers can be shared when worksurfaces are adjacent.
- Wall channel horizontal braces must be installed directly behind all wallmounted worksurfaces, and also at the top of the wall channels.
- Worksurface-supported pedestals cannot be hung from a wall-mounted worksurface

#### **Surface Materials**

#### Wall channel

Paint

#### **Horizontal brace**

Paint

#### **Application Topics**

Reinforce wall by positioning studs where wall channels will be attached. See dimensions below

> Distance between center lines of reinforced wall channels matches width of overhead storage unit.




Tip: Wall channels can be shared.

# Universal Storage

# **Slim Shelves**

Slim shelves provide a panel-supported surface that attaches to Answer, Kick, Avenir, and Montage with panel-specific brackets.

Specifying, page 337




#### **Product Details**

**Slim shelves** attach to Answer, Kick, Series 9000, Avenir, and Montage with panel-specific brackets.




**Gap at back of slim shelf** allows routing of shelf light cord.



Slim shelves can be mounted off-module. No more than 12" overhang on either side of panel is recommended. Brackets attach on vertical seams of panel, while the shelf adjusts off-module on the brackets.

Two attachment brackets are included with shelves less than or equal to 48"W. Two attachment brackets and a mid-span support are included with shelves wider than 48"W.



Answer will not support two shelves installed end to end.

#### **Surface Materials**

#### Slim shelves

Paint


#### Attachment brackets

· Painted to match shelf

#### **Actual Dimensions**

Depth 63/8"
Width 24", 30", 36", 42", 48", 60", 72", 96"

# Universal One-High, 1.5-High, and Two Drawer Lateral Files



Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### **Product Details**

Base options




Universal 3" Base




c:scape Glide Base




FrameOne Foot Base Tip: All base options have same overall height.




**Flush-front pull** is full width and integral with the drawer. Pull is available on steel drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel only.




**Drawer interiors** include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.




Hanging folder bar accommodates side-to-side filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.

Page 378



Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See Storage Capacities for additional details. Additional rails are available and must be specified separately.


For interior dimensions, see Storage Capacities and Dimensions in the Storage Specification Guide.



Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

Page 379

**Safety interlock system** allows only one drawer to be opened at a time.




Locks are available factoryor field-installed. Factoryinstalled locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 428


#### Individual drawer locks

are available as an option for an application that would limit access to each drawer. Lateral files include a security shield between drawers to prevent unauthorized access. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying are available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 428



No-top lateral files are available for use with cushion top or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the lateral file.



FrameOne top matches the height of a FrameOne bench. A 3/4"H wood or laminate top floats above a painted steel security top using six black plastic spacers. FrameOne top can be specified on 28"H files only, making the overall height 281/2"H.



Security top is available as an option for installations where the file will be installed beneath a worksurface, but not physically attached. Thin steel top prevents unauthorized access to the contents of the cabinet. Security top is not structural and can be specified on 28"H files only. Security top reduces overall height of file to approximately 27"H.



**Ganging hardware** is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

## Counterweights pack-

ages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

#### Universal One-High, 1.5-High, and Two Drawer Lateral Files, continued

#### **Connections**



#### **Intermediate support**

is used with Universal One-High, 1.5-High, and storage as a worksurface support allowing for nesting of low storage.



Cushion top is ordered separately for use on One-High, 1.5-High, and Two Drawer lateral files without top.



Basic cushion is ordered separately for use on Universal One-High, 1.5-High, and Two Drawer storage with metal, laminate, or veneer top. Basic cushion is field-installed and attaches to the existing top with hook and loop fastener.

Tip: Basic cushion is available on Universal lateral files with a top only.



When applying the basic cushion on 30"W or 36"W Universal laterals with an open configuration, a support brace must also be specified.




Wood veneer with square edge profile

Laminate with square

Field-installed tops are available in two choices wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

▶Page 373




Field-installed accessories are available, including drawer accessories and counterweight packages. ▶Page 377

#### Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and **Universal Storage with**

3" base) secures lateral files, towers, workstation verticals, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet.

#### Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals. ▶Page 382



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.

►See Storage Specification Guide

#### **Surface Materials**

#### Lateral, including steel top, fixed shelf, and integral pulls

Paint

#### Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome 9211 Nickel
- 9212 Silver

#### c:scape pull

- · 4140 Arctic White Gloss
- 4144 Black Gloss · 4799 Platinum Metallic

#### Wood veneer top. lift-up door, and drawer fronts

- Wood veneer-Open pore finishes
- · Customiz stain (option)
- · Full-fill finish (option) is available on field-installed wood veneer tops only. Tip: Specify file with no top option.

#### Laminate top, lift-up door, and drawer fronts

- Laminate
- Open Line laminate (option)

#### Lock

• 9201 Polished Chrome • 9250 Ember Chrome (option)

#### Drawer bodies, hanging folder bars, rails, and dividers

Black

#### **Cushion top**

- Fabric
- Leather

#### **Basic cushion**

Fabric



Cushion top will be manufactured in a four seam pattern in all standard solid color seating upholstery, leather, vinyls, COM leathers, and COM vinyls. These upholsteries are:

- Brisa
- · Buzz2
- · Cogent: Connect
- · Elmosoft Leather
- Gaja–Cradle to Cradle Certified TM Silver
- Leather
- · Select Surfaces Leather
- · Stand In
- Vinyl



Cushion top will be manufactured in a two seam pattern for all approved standard patterned seating upholstery, leather, vinyl, COM leathers, and COM vinyls. All approved standard textured upholsteries will also be manufactured in a two seam pattern including leather, vinyl, COM leathers, and COM vinyls.



Basic cushion will be manufactured in a two seam pattern for all approved standard seating upholstery and Customer's Own Materials (COMs).

Note: Leathers and vinyls are not approved for basic cushion.

Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide


Counterweight
Requirements for
Storage Products
Pages 121–128.


#### Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


**Counterweight packages** ship separately from case and must be field-installed.

## **Universal Towers and Workstation Verticals**







**Interior of tower** combines coat storage, box and file drawers, fixed and adjustable shelves.



**Door on full front towers** is full height and can be hinged on the left or right. Coat storage space is always located on the same side as the door hinge.




**Flush-front pull** is integral and full height on the door and full width on the drawers. Pull is available on steel doors and drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Door pull is 192 mm and drawer pulls are 128 mm. Proud-front pulls are available on steel or wood veneer doors and drawers. c:scape pulls (200 mm) are available on steel only.


**Lift-up door** is standard on 65½"H vertical drawer towers and workstation verticals, and includes a fixed shelf. Flush-front door recedes into the case and proud-front door lifts above case.

Adjustable shelves on 52"H and 65½"H open side towers are recessed from the front and side of the tower. Shelves adjust in 2½" vertical increments. Opening on 47½"H tower is 13½"H and does not come with an adjustable shelf.




Frosted glass adjustable shelves are available as an option on open side towers. Tip: If glass shelves are selected, they will replace all steel shelves in the unit.

**Post on open side towers** supports adjustable shelves and is painted to match the case.




Adjustable shelves in dual door and full front towers can be positioned in the interior of the tower in 3/4" vertical increments using a reversible bracket. The first shelf above a file drawer is a fixed shelf.



Drawer accessories include one divider and one pencil tray in each box drawer. File drawers can accommodate front-to-back filing of letter-size hanging folders without the use of additional accessories.

**Safety interlock system** allows only one drawer to be opened at a time.



Locks are available factoryor field-installed. Factoryinstalled locks are standard
and available keyed random
only. Door and drawer locks
are keyed alike. Optional
field-installed locks are
available with consecutive,
specific, and random keying
options. Master-keyed locks
are also available. Fieldinstalled lock cylinders must
be specified separately.

Lock and Keying,
page 428


**Drawer lock in open side tower** is located in the top file drawer.

Drawer lock in dual door tower, full front tower, and workstation vertical tower is located approximately 36" from the floor and also secures the lift-up door on 651/2"H units.


#### **Individual drawer locks**

are available as an option on workstation verticals for applications where you want to limit access to each drawer Workstation verticals include a security shield above each drawer to prevent unauthorized access. In 651/2"H towers, the lift-up door is controlled by the lock in the drawer directly below. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying options are available Master-keyed locks are also available. Field-installed lock cylinders must be specified separately. Lock and Keying, page 428

Exception: Individual drawer locks are not available on towers with 6"H drawers.



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the tower.



**Top** will default to steel on towers with proud wood fronts since the door overlaps and partially conceals the top. Wood top is available as an option.




**Ganging hardware** is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

#### Counterweights pack-

ages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.




# Worksurface to tower connector eliminates the need for other worksurface supports such as legs or end supports next to the tower. ▶See page 372



Worksurface to tower connector eliminates the need for other worksurface supports such as legs or end supports next to the tower.

> See page 372

Worksurface to tower alignment. Proud front towers align with 23½"D, 24"D, 29½"D, and 30"D worksurfaces. Flush front towers extend 7½" beyond 24"D and 30"D worksurfaces, and ½" beyond 23½"D and 29½"D worksurfaces.



#### Field-installed accessories are available, including drawer accessories and shelf bookends.

Page 377

#### Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and Universal Storage with 3" base) secures lateral

files, towers, workstation verticals, cabinets, or book-cases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet.

Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.

> Page 382

#### **Surface Materials**

#### Tower, including steel top, hinged door, integral pulls, drawer fronts, and adjustable shelves

Paint

#### Post

 Paint to match tower (default)

# Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel9212 Silver

#### c:scape pull

- 4140 Arctic White Gloss4144 Black Gloss
- · 4799 Platinum Metallic

#### Wood veneer top, hinged doors, and drawer fronts

- Wood veneer—
   Open pore finishes
- Customiz stain (option)

# Laminate top, hinged doors, and drawer fronts

- Laminate
- Open Line laminate (option)

#### Glass adjustable shelves

· Frosted tempered glass

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

# Drawer bodies, pencil tray, and box drawer divider

Black

#### **Coat rod**

· Black with black supports

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide

#### Counterweight Requirements for Storage Products

▶Pages 121-128.

#### Shipping


**Towers** are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

#### Counterweight pack-

**ages** ship separately from case and must be field installed.


Universal Towers and Workstation Verticals

## **Universal Lateral Files**






**Flush-front pull** is full width and integral with the drawer. Pull is available on steel drawers only.




Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer doors and drawers. C:scape pulls (200 mm) are available on steel only.

Height


40", 52", and 651/2"



**Drawer interiors** include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options. Tip: Your specification for optional drawer interiors will apply to all the drawers within a single lateral file.




Hanging folder bar accommodates side-toside filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.



▶Page 378


**Bails** accommodate frontto-back filing of letter-, A4 international-, and legalsize hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See Storage Capacities for additional details. Additional rails are available and must be specified separately.

For interior dimensions. see Storage Capacities and Dimensions in the Storage Specification Guide.




**Dividers** accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

▶Page 379




Lift-up door with fixed shelf is standard in the top position of 651/2"H cases. Door is 131/2"H to accommodate standard-height binders. Door on lateral files with flush-front recesses inside the case: door on proudfront case lifts up above the



Lift-up door on flushfront cases is available with an optional roll-out shelf in place of the standard fixed shelf. Roll-out shelf includes three dividers and one hanging file folder bar to function as a backstop.

Safety interlock system allows only one drawer or roll-out shelf to be opened at a time.




Locks are available factoryor field-installed. Factoryinstalled locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 428


#### Individual drawer

locks are available as an option for applications where you want to limit access to each drawer. Lateral files include a security shield above each drawer to prevent unauthorized access. In 651/2"H cases, the lock in the drawer below controls the lift-up door in the top position. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying options are available. Field-installed lock cylinders must be specified separately.


Lock and Keying, page 428



No-top lateral files are available for installations where cases will be installed under a worksurface or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




**Laminate and wood** veneer tops with squareedge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the lateral file.



Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweights packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.




with square edge profile

with square edge profile

Field-installed tops are available in two choiceswood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

▶ Page 373



Field-installed acces sories are available, including drawer accessories and counterweight packages.

►Page 377


Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and Universal Storage with 3" base) secures lateral

files, towers, workstation verticals, cabinets, or book-cases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet.

# Tip: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.

Page 382



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.

See Storage Specification Guide

#### **Surface Materials**

Lateral file, including steel top, drawer fronts, lift-up door, fixed shelf, and integral pulls

Paint

# Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
   Odd Nielel
- 9211 Nickel
- 9212 Silver

#### c:scape pull

- · 4140 Arctic White Gloss
- · 4144 Black Gloss
- · 4799 Platinum Metallic

#### Wood veneer top, lift-up door, and drawer fronts

- Wood veneer—
   Open pore finishes
- Customiz stain (option)
- Full-fill finish (option) is available on field-installed wood veneer tops only. Tip: Specify file with no top option.

#### **Laminate top**

- Laminate
- Open Line laminate (option)

#### Lock

9201 Polished Chrome9250 Ember Chrome (option)

Drawer bodies, roll-out shelves, hanging folder bars, rails, and dividers

Black

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide

#### Counterweight Requirements for Storage Products

▶Pages 121-128.

#### **Shipping**

**Lateral files** are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

# **Counterweight packages** ship separately from case and must be field- installed.

# **Universal Storage**

## **Connectors**

#### **Worksurface-to-Tower Connectors**



►Specifying page 372

Tip: Cannot be used with universal laminate storage.

#### **Product Details**



**Connects** worksurface to tower eliminating the need for other worksurface supports such as legs or end supports next to the tower. Tip: When using the worksurface-to-tower connector, the depth of the worksurface must match the depth of the tower.

**Worksurface-to-tower connectors** only support 24"D or 30"D (full depth and 1/2" cord drop) worksurfaces.

#### **Surface Materials**

#### Connector

Paint

#### **Actual Dimensions**

Depth: 20", 26"

# Viring and Cablin

# **Understanding Wiring and Cabling**

All Answer electrical components are listed by Underwriters Laboratory (UL) and certified by the Canadian Standards Association (CSA).

Statement of Line	164

Product Details	
Wiring Schematics	166
How to Calculate Power Needs	167
Power and Data Thought Starters for Answer Freestanding Applications	168
Interface Products	
Multipurpose Power Infeed	172
Modular Connector Faceplates	172
Distribution Products	
Modular Harness	173
Three-Way Branching Connectors	173
Access Product	
Power and Data Strip	174
Accessories	
Power Spheres	175
Power and Communication Spheres	175
Communication Sphere	175
Power and Communication Port	175
Power/Data Boxes	177
21/2" Round Grommet	177
Universal Worksurface Wire Manager	177
Vertebral Cable Riser and Extension	178
Skeleton Bone Wire Manager	178
Cable and Fiber Reel	179
Termination Plate	180
Cord Reels	181
Cable Storage Tray	181
Wire Guide Clips	181
Wire Clips	181
Velcro Wire Clip	181
Vertical Wire Manager	181

# **Statement of Line**

#### **Interface Products**

The interface is the point at which the utilities within a panel connect to a building's power and communication network. All power components are field installed.



Multipurpose Power Infeed

Understanding
Page 172
Specifying
Page 386



Modular Connector Faceplate

Understanding
► Page 172
Specifying
► Page 386


#### **Distribution Products**

**Distribution** refers to the way that power and communication networks are routed through a panel.



Modular Harness Understanding

► Page 173 Specifying ► Page 387



Three-Way Branching Connector

Understanding
► Page 173
Specifying
► Page 387

#### **Access Product**

Access to power and communication networks is accommodated by power receptacles and communication outlets installed in a panel.



#### **Power and Data Strip**

Understanding
►Page 174
Specifying
►Page 388

# Wiring and Cabling

#### **Accessories**

Accessories are used to help customize your wiring and cabling needs.



**Power Spheres** Understanding ▶ Page 175 Specifying Page 389



**Power and Communication Spheres** 

Understanding ▶Page 175 Specifying ▶ Page 389



#### **Communication Sphere**

Understanding ▶ Page 175 Specifying Page 390



#### **Power and Communication Port**

Understanding ▶ Page 175 Specifying ▶ Page 390



#### Power/Data Boxes Understanding

▶ Page 177

Specifying ▶ Page 391




#### 21/2" Grommet

Understanding ▶ Page 177 Specifying Page 391



#### **Universal Worksurface Wire Manager**

Understanding ▶ Page 177 Specifying Page 392



#### **Vertebral Cable Riser**

Understanding ▶ Page 178 Specifying Page 393



#### **Vertebral Cable Riser Extension**

Understanding ▶ Page 178 Specifying ▶ Page 393



#### **Skeleton Bone** Wire Manager

Understanding ► Page 178 Specifying ▶ Page 393



#### **Cable and Fiber Reel**

Understanding ▶ Page 179 Specifying ▶ Page 394



#### **Termination Plate**

Understanding ▶ Page 180 Specifying ▶ Page 394



#### **Cord Reels**

Understanding ▶ Page 181 Specifying ▶Page 394



#### **Cable Storage Trays**

Understanding Page 181 Specifying ▶ Page 395



#### Wire Guide Clips Understanding

▶ Page 181 Specifying ▶ Page 395



#### **Wire Clips**

Understanding ▶ Page 181 Specifying ▶ Page 395



#### **Velcro Wire Clip**

Understanding ▶ Page 181 Specifying ▶ Page 396



#### **Vertical Wire Manager**

Understanding ▶ Page 181 Specifying ▶ Page 396




# **Wiring Schematics**

Details for the Electrician

**Answer Freestanding** is available in the four-circuit 3 + 1 wiring schematic.


# Four-Circuit, 3+1 Circuit Panel 1 PHASE PHASE PHASE Circuit 1 Hot Circuit 2 Hot Circuit 3 Hot NEUTRAL Circuits 1, 2, and 3 Neutral GROUND Ground

#### Circuit Panel 2



In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

#### Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, all four circuits are distributed as shown.

## **How to Calculate Power Needs**

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

# If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

# If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) or 80 amps (20 amps times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

<b>Approximate</b>	power	consumption	for	common
devices				

devices				
• Device	• Wattage	• Amperage	• Voltage	• Number of Devices Supported on Single 20 Amp Circuit*
Lanton	90	0.8	110	20
Laptop CPU/Desktop	120	1.1	110	15
Computer				
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/ Copier (high)	1900	17.3	110	1
Large Printer/ Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

# **Power and Data Thought Starters for Answer Freestanding Applications**

Trying to figure out how to route power and data in an Answer Freestanding application can be difficult. The images and tips on this page should give you some ideas when planning your applications.

#### Interface

Interfacing with the building can happen in several different ways. If you are utilizing a hardwire or modular solution a floor monument(s) or core(s) will need to be drilled in the floor in the proper location for your application. If you are utilizing a cord and plug solution you should access a nearby receptacle.

#### Distribution

Power can be distributed through the application utilizing harnesses and branching connectors. 43" and 80" harnesses are available in the Answer Solutions Specification Guide with several other lengths available in the Post and Beam Specification Guide.

#### Access

There are two main products used for accessing power and data in a freestanding application:


- 1. Power and data access door and tray which is available in modular, corded, or hardwire versions.
- 2. Power and data strip which attaches with brackets to the Universal worksurface.

#### Accessories

There are several products available for managing extra wires including: 98768 - Cable Storage Tray 32WCP - Wire Guide Clips TS5LEGCLP - Velcro Wire Clips

#### **Private Office**


#### Cord and Plug



Quantity	Style Number	Description
1	98768	Cable Storage Tray
1	BPDSWSPL	Power and Data Strip

Tip: Accessing power in this application would require a receptacle in the proper height or in the base of the wall.

Cord and Plug Version



Quantity	Style Number	Description
2	32WCP	Wire Guide Clips (if necessary)
2	TS5LEGCLP	Velcro Wire Clips (if necessary)
4	UTTRC	Power and Data Access Door and Tray

Tip: Accessing power for this application would require two core or two floor monuments to be drilled (two workstations would share one core or floor monument). Note: Power and data strip could be used in place of the power and data access door and tray.

Power and Data Thought Starters for Answer Freestanding Applications, continued

# Modular


Quantity	Style Number	Description
2	GQTUHC (X,Y, or 2	Z) Branching Connector
2	TS712UPHX	Multipurpose Power Infeed (12')
4	UTTRHWN	Power and Data Access Door and Tray
1	TS743MHX	Harness

Tip: Accessing power for this application would require two core or two floor monuments to be drilled (two workstations would share one core or floor monument).

Power and Data Thought Starters for Answer Freestanding Applications

#### **Traditional Manager Workstation**


Cord and Plug Version



Quantity	Style Number	Description
1	UTTRC	Power and Data Access Door and Tray

Tip: Accessing power for this application would require a receptacle in the wall at the proper height or in the base of the wall. Note: Power and data strip could be used in place of the power and data access door and tray.

#### Modular



:	Quantity	Style Number	Description
:	1	UTTRM	Power and Data Access Door and Tray
:	1	GAPFCMX	Modular Connector Faceplate

Tip: Accessing power in this application would require a core or floor monument to be drilled. Note: Power and data strip could be used in place of the power and data access door and tray.

# **Interface Products**


# Multipurpose Power Infeed



► Specifying, page 386

#### **Product Details**

**Multipurpose power infeed** is shielded to allow power and communication routing side by side. Available in 12' and 24' lengths.




Multipurpose power infeeds bring power into the workstation and make a modular connection to a power and data strip or power and data access door and tray.

Multipurpose power infeeds may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.

#### Modular Connector Faceplates





#### **Product Details**

Modular connection faceplate provides a way to add a modular connection to a junction box. Faceplate available with a flush or 90° connection.

#### **Connections**

Faceplate is attached to junction box with screws. Hardwire connection to power source within conventional 41½6" x 41½6" junction box is completed by electrician in the field. Modular extension harness can be connected or disconnected from faceplate as needed.

#### **Surface Materials**

Faceplate is zinc-plated steel. Modular connector is black plastic for 3+1, brown plastic for 2+2, and rust plastic for 3 circuits with separate neutrals.

#### **Actual Dimensions**

Depth 4<sup>1</sup>1/<sub>16</sub>"

Width 4<sup>1</sup>1/<sub>16</sub>"

Height 6"

# iring and Cabli

# **Distribution Products**


#### **Modular Harness**




► Specifying, page 387

#### **Product Details**

**Modular harness** may be specified in a non-PVC version



**T-connection** is formed by connecting two harnesses to a three-way branching connector.



**X-connection** is formed by connecting two harnesses to two three-way branching connectors.

**Modular harness** may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.

# Three-Way Branching Connectors



► Specifying, page 387

#### **Product Details**

Three-way branching connector has one power-infeed and three modular connection points for power distribution.

#### Connections

Three-way branching connector can route power to daisy chain power components such as floor boxes.

#### **Surface Materials**

Three-way branching connector is concealed beneath Architectural Solutions Low-Profile Floor when it is properly installed.


_								
$\Delta$ $\circ$	4π	ıa	РΠ	m	er	SI	O	ns

Depth	25/8"
Width	11/2"
Height	13/4"

## **Access Product**

#### **Power and Data Strip**

Powerstrip with cord and worksurface bracket



Powerstrip includes

three simplex receptacles and space for customersupplied voice/data outlets.

#### **Product Details**

**Power and data strip** provides additional electrical and voice and data receptacles.

Power and data strips are field-installed on either a worksurface or on slatwall. Specify appropriate attachment bracket depending on application.

Power and data strip worksurface bracket attaches to worksurfaces 59/64" to 15/8" thick.

#### Wiring & Cabling

**Available** with an 8'-long cord with plug.

Chicago, New York City, and Los Angeles have special requirements.

**Underwriters Labora**tory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

#### Surface Materials

#### Power and data strip

 8043 Clear Anodized Aluminum cover with black faceplate

#### **Attachment brackets**

· 4799 Platinum paint only

Actual Dimensions		
Depth	21/4"	
Width	101/4"	
Height	3"	

Accessories


#### **Power and Communication Spheres and Port**


# Power and communication spheres and port

provide convenient desktop access to power outlets and data jacks. Spheres and ports are field installed only.

Power spheres have four electrical outlets and two 6' cords with plug or conduit for hardwired applications.

► Specifying, page 389





Power and communication spheres provide two electrical outlets, faceplates for two customer-supplied voice/data jacks, and a 6' cord with plug or conduit.

Specifying, page 389

#### **Communication sphere**

includes face plate for four customer-supplied voice/data jacks.

► Specifying, page 390



#### **Product Details**




**Power and communication spheres** are field installed. Use a 3"-diameter drill to cut mounting hole at desired location.

Power and communication port contains an opening in one side of lower port that allows excess wire and cable cords to drop beneath the worksurface, leaving the port clear.

#### Wiring and Cabling

**6' power cord** is included on power and communication spheres and port.



Hardwired version of power and communication sphere is available with 6' Greenfield conduit. Tip: Hardwiring must be done by a licensed electrician.

Chicago, New York City, and Los Angeles have special requirements.

**Underwriters Labora**tory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

#### **Surface Materials**

Power and communication ports
• Black plastic only

176

#### Power/Data Boxes



► Specifying, page 391

#### **Product Details**

Power data boxes, ordered separately, provide additional electrical outlets and voice and data receptacles where needed. Power/power, power/data, and data/data versions are available. Boxes are field-installed and can be mounted to the underside of worksurface anywhere access to power

#### **Surface Materials**

#### Box

· Black paint

#### **Actual Dimensions**

Depth	3"	
Width	3"	
Heiaht	1"	

#### 21/2" Round Grommet



► Specifying, page 391

#### **Product Details**

and data is needed.

21/2" round grommet, ordered separately, provides wire and cable management for worksurfaces.

#### Surface Materials

- Round grommet
   Black paint
- 9201 Polished Chrome (option)
- 9211 Nickel (option)

#### **Actual Dimensions**

Depth	21/2"		
Width	21/2"		

#### Universal Worksurface Wire Manager



► Specifying, page 392

#### **Product Details**



Worksurface wire managers are available to convert cable scallops into grommets in freestanding applications. They are included with wood veneer worksurfaces. Wire managers can be used with Universal worksurfaces.


#### **Surface Materials**

# Universal worksurface wire manager

- 6000 Black
- 6009 Arctic White6052 Milk
- 6053 Seagull
- 6249 Platinum Solid
- 6654 Sand
- 6695 Midnight
- 6697 Fog

Accessories, continued

# Vertebral Cable Riser and Extension



► Specifying, page 393

#### **Product Details**

Vertebral cable riser, ordered separately, attaches to underside of worksurface to accommodate wires vertically. Extension can be added for increased wire management. Extension does not include attachment hardware or floor plate.

#### **Surface Materials**

#### Riser

· Black plastic

#### Floor plate

Metallic Aluminum only

#### **Actual Dimensions**

Length 31½"

Extension length 15¾"

#### **Skeleton Bone Wire Manager**



► Specifying, page 393

#### **Product Details**

Skeleton bone wire manager, ordered separately, attaches to underside of worksurface to accommodate wires vertically. Extension can be added for increased wire management.

#### **Surface Materials**

#### Wire manager

Black plastic

#### **Actual Dimensions**

Depth	11/2"	
Width	13/8"	
. Heiaht	36" or 38"	

# Cable and Fiber Reel Cable and fiber reel

is available to store excess

fiber-optic cable lengths. It is also suitable for storing power cables.

► Specifying, page 394

Mounting slots allow installation of reel vertically beneath worksurface.

**Inner reel** accommodates copper wire and other cables that can be wound tightly.

**Outer reel** accommodates the preferred bend radius of fiber-optic cables.

**Tabs** prevent cables from slipping off reel.

#### **Key-shaped mounting**

**hole** allows quick installation and removal of reel mounted horizontally to underside of worksurface.

#### **Product Details**



approximately 12' of standard power or communication cable on outer reel and 18' of telephone-type cord on inner reel depending on the specific cable used. Neatness of installation can affect capacities. In critical situations, you should conduct a test using the

specific cable types your installation requires.

#### **Connections**



Reel can be field installed vertically or horizontally in the kneespace of freestanding desks or panel-supported worksurfaces.

#### **Wiring and Cabling**

Chicago, New York City, and Los Angeles have special requirements.

**Local electrical codes vary.** Consult a qualified electrician or electrical engineer for the proper installation of electrical equipment.

#### **Surface Materials**

#### Reel

· Black plastic only

Depth 11/4"

Width 8"

Height 85/16"


#### **Termination Plate**

#### Termination plate is


available for field installation to accommodate junction boxes for connections of fiber-optic cables and other cable types.

► Specifying, page 394

to a termination device.



#### **Product Details**



Faceplates and junction boxes can be added to support fiber-optic or ordinary voice/data networks.

# Wiring and Cabling

Chicago, New York City, and Los Angeles have special requirements.

Local electrical codes vary. Consult a qualified electrician or electrical engineer for the proper installation of electrical equipment.

#### **Surface Materials**

#### **Termination plate**


Black plastic only

#### **Connections**



**Termination plate** is field installed beneath the worksurface in any position needed. Usually, it is located at the back of the worksurface so it doesn't obstruct kneespace.

Actual Dimensions			
Depth	3/4"		
Width	71/8"		
Height	71/8"		
Center opening	23/4" diameter		



## **Understanding Lighting**

	///////
Statement of Line and Comparison	184

Product Details	
Shelf Lights	188
LED Shelf Lights	192
LED Linear Shelf Lights	194
LED Personal Task Lights	198
Application Topics	
Daisy Chaining	200
Related Products	
Vertical Wire Manager	201

Underwriters Laboratory (UL) and Canadian Standards Association (CSA) listed. These lights have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

## **Statement of Line and Comparison**

Shelf lights mount into the recessed bottom of storage shelves and bins to illuminate the worksurface. Five types of shelf lights are available to control the quality of light for specific applications. Each type is compatible with Steelcase systems furniture.

#### Shelf Lights

Storage-Mounted Lights

#### Standard Shelf Light



#### **Utility2 Shelf Light**



		<b>,</b>
Mounting Options	Universal mounting package (standard) Flush mount Competitive mounting package	Universal and flush mounting package (standard)
	Understanding ► Page 188 Specifying ► Page 398	Understanding ► Page 188 Specifying ► Page 400
Depth	91/4"	67/8"
Width	25", 37", or 49"	25", 37", or 49"
Lamp	T8 Fluorescent	• T8 Fluorescent
Watts/Lumens/Efficacy	25"W – 17 Watts/ 1343 Lumens/ 79 Efficacy 37"W – 25 Watts/ 2150 Lumens/ 86 Efficacy 49"W – 32 Watts/ 2899 Lumens/ 90.6 Efficacy	25"W – 17 Watts/ 1343 Lumens/ 79 Efficacy 37"W – 25 Watts/ 2150 Lumens/ 86 Efficacy 49"W – 32 Watts/ 2899 Lumens/ 90.6 Efficacy
Color Temperature	3500K	3500K
Description	The right choice for the majority of people in today's workplace who switch frequently from task to task throughout the day.	Designed for use in display areas, service centers, under transaction tops, and other applications where glare control is not a primary consideration.
Optics	Faceted, white reflector	Silver reflector
	Contrast sleeve that can be manually rotated to vary light	Prismatic lens— flat acrylic diffuser intensity
Ballasts	Electronic ballast     High power factor ballast	Electronic ballast     High power factor ballast     Normal-power-factor ballast
Electronic Dimmer	Not available	Not available
Lens Options	• None	Batwing lens option
Average Rated Lamp Life	• 20,000 hours	• 20,000 hours
Warranty	Ballast - 5 years     Fixture - 12 years	Ballast - 5 years     Fixture - 12 years

Shelf lights offer end users added control and adjustability to place the proper amount of shelf lighting to create a holistic work setting. Ideally suited for recessed mount applications to bottom of bin or shelf.

#### **Shelf Lights**

#### Storage-Mounted Lights

#### Underline Light



#### **Bottomline Light**



Mounting	<ul> <li>Standard includes universal</li> </ul>	<ul> <li>Standard includes universal</li> </ul>			
	spring bracket for recessed mount	spring bracket for recessed mount			
	or screw-in for flush mount (tool	or screw-in for flush mount (tool			
	free clips for New York applications).	free clips for New York applications).			
	Understanding	Understanding			
	▶Page 190	▶Page 190			
	Specifying	Specifying			
	Page 402	▶ Page 403			
Depth	43/4"	41/2"			
Width	22"	23 <sup>1</sup> / <sub>4</sub> ", 35", or 46 <sup>3</sup> / <sub>4</sub> "			
Height	3/4"	11/4"			
Weight	2.7 lb	4.02 lb, 4.95 lb, or 6.9 lb			
Lamp	T2 Fluorescent	T5 Fluorescent			
Watts/Lumens/Efficacy	22"W – 13 Watts/ 837 Lumens/ 64 Efficacy	23 <sup>1</sup> / <sub>4</sub> "W – 14 Watts/ 1275 Lumens/ 91 Efficacy			
, <u></u>	EE W To Watto Cor Editions of Embady	35"W – 21 Watts/ 2000 Lumens/ 95 Efficacy			
		463/4"W – 28 Watts/ 2697 Lumens/ 96 Efficacy			
Color	3500K	3500K			
Temperature					
Description	3/4 of an inch slim profile along with	Designed to be environmentally			
-	environmentally friendly technology	friendly providing 15% more light			
	provides an even distribution of	with an even distribution of light			
	light on the worksurface. Ideal under	on the worksurface. Ideally suited			
	shelves and bins.	for recessed mount applications to			
	Shorves and sine.	bottom of bin or shelf.			
Finish Options	Paint: Black (0835), Pewter (7018),	<ul> <li>Paint: Black (0835), Pewter (7018),</li> </ul>			
-	or Dark Champagne (7021)	or Dark Champagne (7021)			
Optics	Aluminum reflector with batwing lens	Mylar reflector with batwing lens			
Ballasts	Energy saving electronic ballast	Energy saving electronic ballast			
Electronic Dimmer	Available	Not available			
Average Rated Lamp Life	• 10,000 hrs.	• 20,000 hrs.			
Warranty	Ballast - 5 years	Ballast - 5 years			


#### Statement of Line and Comparison, continued

Shelf lights offer end users added control and adjustability to place the proper amount of task lighting to create a holistic worksetting. Ideally suited for recessed mount applications to bottom of bin or shelf.


#### **LED Shelf Light**

#### Storage-Mounted Lights

#### **LED Shelf Light**



#### **LED Linear Shelf Lights**



		- · ·								
Mounting	<ul> <li>Standard includes magnetic mount for steel bins and shelves. Optional fastener kit for woodare available.</li> </ul>	<ul> <li>Standard includes magnetic mount for steel bins and Each light length comes with set quantity of mounting for both steel and wood applications.</li> </ul>				quantity of mounting brackets				
	Understanding ► Page 192 Specifying ► Page 404	Understanding  ▶ Page 194  Specifying ▶ Page 406								
Depth	21/2"	2"								
Width	18"	17", 3	I", 44", o	r 58"						
Number of LEDs	ber of LEDs 102 LEDs				58"W 96 188	Standard Output LEDs High Output LEDs				
Watts/Lumens/Efficacy	9.6 Watts / 522 Lumens/ 54 Efficacy	17"W 7.8 444 57	31"W 17.6 980 55.6	44"W 25.9 1412 54.5	58"W 33.6 1791 53.3	Standard Output Watts Lumens Efficacy				
		17"W 10.9 744 68	31"W 23.4 1590 68	44"W 34.3 2290 67	58"W 43.5 2807 64.5	High Output Watts Lumens Efficacy				
Color Rendering Index	87	84								
Color Temperature	3500K	3500K								
Description	The most environmentally-friendly light in the portfolio. Consumes only 11 watts of power, contains no harmful metals (mercury), and has a useful life of over 50,000 hours. Ideally suited for recessed mount applications to bottom of bin or shelf.				With its low profile and available four widths, the LED linear light will fit in a variety of shelving and overhead storage applications. Beneficial features of this fixture include: energ efficient LEDs, continous dimming, automatic turn off after 10 hours, and optional occupancy sensor.					
Finish Options	Bottom surface clear anodized aluminum only. Plastic cover Arctic White (6009) or Black (6000).	4231 Arctic White body with Arctic White (6009) end caps or 0835 Black body with Black (6000) end caps.								
Optics	Polycarbonate matte film	• Polyca	ırbonate	matte filn	า					
Ballasts	lasts • Energy saving low-voltage power supply			Energy saving low-voltage power supply						
Electronic Dimmer	• Standard on all lights			lights						
Average Rated Lamp Life	• 50,000 hrs.	• 50,000	hrs.							
Warranty	Power supply - 5 years     Fixture - 12 years	Power supply - 5 years     Fixture - 12 years								

#### Personal task lights

offer end users added control and adjustability to place the proper amount of personal lighting to create a holistic worksetting. Ideally suited for rail-mount, desk, or freestanding applications.

#### **LED Lights**

Rail-Mounted and Non Rail-Mounted

#### **LED Personal Task Lights**





#### Mounting

· Rail-mounted attaches directly to rail systems in Ology, c:scape, FrameOne, Elective Elements, turnstone Campfire big table, and SOTO Rail. The non rail-mounted version attaches to most freestanding desks and tables. Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 11/4", or with modesty panels or modesty screens closer than 6" from the back edge.

Understanding ► Page 198 Specifying ▶ Page 408

Depth 6" Width 30"

**Number of LEDs** 120 LEDs

Watts/Lumens/Efficacy 12.6 Watts/ 414 Lumens/ 44.1 Efficacy 86

**Color Rendering Index** 

3500K

#### **Temperature Description**

Intended to be a primary light source, LED personal task light covers the user's active work zone with a smartly-designed array of light. The light is specifically designed to direct light where it is needed. Energy efficient at only 12.6 watts, LED personal task light is engineered to have a useful life of over 50,000 hours. It attaches directly to the rail systems of Ology, c:scape, FrameOne, Elective Elements, turnstone Campfire big table, and SOTO Rail. A non railmounted version attaches to freestanding desks and tables.

**Finish Options** 

• Fixture and stanchions, paint: 4799 Platinum Metallic, 4231 Arctic White, 4710 Low Gloss Black. Plastic cover Arctic White (6009) only.

Optics

· Polycarbonate matte film

**Ballasts** 

· Energy saving low-voltage power supply

**Electronic** Dimmer

· Standard on all lights

**Average Rated** Lamp Life

• 50,000 hrs.

Warranty

- Power supply 5 years
- · Fixture 12 years

## **Shelf Lights**

#### Standard and Utility2

► Specifying, pages 398–400

## End cap cord managers, molded into the durable plastic end caps, allow you to route and manage excess cord. Plug is flat so it remains close to the receptacle. 9' cord with grounded

Housing is painted black. Optional paint colors are available.

On-off switch is centered on the front edge of the Standard shelf light and on the right-hand side of the Utility2 shelf light.

Cord exits from the center of the back of the light for Standard shelf light and from the right hand-side of the Utility2 shelf lights.

Shelf light includes the lamp, ballast, and either a 9' cord with three-prong plug or daisy-chain cords.

**Product Details** 



#### **Plug configuration** allows two Standard shelf lights to engage adjacent


outlets in one receptacle. **Energy-saving T8** lamps have triphosphor coating for balanced color

#### **Connections**

and pleasing light.

#### Shelf light mounts recessed or flush

depending on design of overhead storage bin or shelf. Installation is done in the field.



Universal bracket allows shelf light to be installed without tools under most metal overhead storage bins and shelves.

**Specify** Underline task light or LED shelf light for use under 24" wide bins. Standard, Utility2, and Bottomline 24" wide lights do not fit under 24" wide bins.




#### **Daisy chain starter cord**

must be ordered separately when used with Standard shelf lights in a daisy chain application.

Daisy chain starter light with cord must be ordered when Utility2 shelf lights are used in a daisy chain application.

#### plug is factory installed. Length is maximum allowed by U.S. National Electrical

Code. Cord with circuit breaker is available to meet the requirements of the Chicago code.




#### Daisy chain cords

have modular connectors to link Standard shelf lights together. 78" daisy chain jumper cord is standard with select Utility2 lights.

Actual Dimensions					
	Standard	Utility2			
Depth	91/4" (235 mm)	6 <sup>7</sup> /8" (175 mm)			
Width	245/8", 365/8", or 485/8" (625 mm, 930 mm, or 1235 mm)	245/16", 365/16", or 485/16" (617 mm, 922 mm, or 1227 mm)			
Height	1 <sup>3</sup> / <sub>4</sub> " (44 mm)	1 <sup>5</sup> /8" (41 mm)			


Width	Lamp width	Lamp wattage	Replacement lamps
245/8"	24"	17 watts	F17T8-TL735
365/8"	36"	25 watts	F25T8-TL735
485/8"	48"	32 watts	F32T8-TL735



Keyhole slots in housing of fixture allow shelf light to be mounted beneath wood or laminate overhead storage bins and shelves using screws provided. Keyhole slots are also used to mount lights to overhead storage bins and shelves manufactured prior to August 1991.

## Standard shelf competitive mounting package

provides attachment hardware to mount Steelcase shelf lights on all major competitive furniture lines. Package includes screws and installation instructions.



**Shelf light** can be mounted anywhere from side to side beneath overhead storage bin or shelf. The cord length is the only limitation.

#### Wiring & Cabling

**Power** drawn is approximately ½ amp.

Daisy chaining permits interconnecting up to six Standard shelf lights from a single power outlet. Utility2 light daisy chaining allows up to 10 fixtures.

Page 200

**Starter cord** for Standard and starter light for Utility2 powers first light in a daisy chain and allows you to convert any daisy chain light for independent operation.

#### Electronic highpower-factor ballast

that is roughly 45% more efficient than a normal-power-factor ballast is available on Standard and Utility2.

Normal-power-factor electronic ballasts are available on Utility2 shelf lights.

**Batwing lens** is available as an option on Utility2 shelf lights for applications where moderate improvement to light distribution is needed.

#### **Surface Materials**

#### Housing

- · Black paint (standard)
- Paint colors (option)

#### Reflector

 White on Standard and silver on Utility2 shelf lights

#### Cord

· Black plastic only

#### End cap cord manager

· Black plastic only

Phot	ometric	Data						
		Initi		Standard al footcand orksurface	les for LSM	24K		
3"	88	85	78	67	55	42	31	22
6"	93	90	82	70	57	43	31	23
9"	91	88	81	69	56	41	30	21
12"	82	80	72	62	50	38	28	20
15"	69	67	61	53	43	33	24	18
18"	56	55	49	43	36	28	21	16
21"	41	40	37	32	27	22	17	13
24"	29	28	26	23	19	16	13	10
27"	19	19	18	16	14	12	10	8
30"	13	13	12	11	10	9	7	6
	CL	3"	6"	9"	12"	15"	18"	21"

Worksurface front


## **Utility2**Initial horizontal footcandles for LSB24K2 Worksurface rear


3"	113 129	109	98	84	65	49	36	25
	129					10	30	20
6"	123	123	112	93	73	53	37	26
9"	135	129	117	96	75	53	38	26
12"	127	119	107	89	68	49	36	25
15"	104	99	89	74	58	43	32	22
18"	78	76	68	56	44	34	26	19
21"	55	51	48	41	34	26	21	15
24"	36	36	31	29	24	18	15	11
27"	25	24	21	19	17	14	11	9
30"	17	16	15	13	11	10	8	7
	CL	3"	6"	9"	12"	15"	18"	21"

Worksurface front

### **Shelf Lights**

#### Underline and Bottomline





Actual Dimensions						
	Underline	Bottomline				
Depth	43/4"	41/2"				
Width	22"	231/4", 35", 463/4"				
Height	3/4"	11/4"				
Weight	2.7 lb	4.02 lb, 4.95 lb, 6.9 lb				

#### **Product Details**

**Shelf light** includes the lamp, ballast, and either a 9' cord with a three-prong plug or a Chicago plug.



#### **Plug configuration**

allows two task lights to engage adjacent outlets in one receptacle.

#### Optics:

**Underline** includes an aluminum reflector with batwing lens.

**Bottomline** includes a batwing lens with mylar reflector that provides low glare and broad distribution of light.

#### Connections

Shelf light mounts recessed or flush depending on the design of the overhead storage bin or shelf. Standard with universal spring brackets for recessed mount or screw-in for flush mount.

Specify Underline task light or LED shelf light for use under 24" wide bins. Standard, Utility2, and Bottomline 24" wide lights do not fit under 24" wide bins.

Width	dth Lamp Lamp width wattage		Replacement lamps
		Underline	
24"	23.3"	13 watts	FM13T2-835
		Bottomline	
24"	23.3"	14 watts	F14T5-835
36"	35.1"	21 watts	F21T5-835
48"	46.8"	28 watts	F28T5-835

Lamp life of a fluorescent lamp that turns on and off once a day will last longer than a lamp that turns on and off many times a day. Environmental effects can shorten the life of a lamp, such as: moisture or higher humidity, higher or colder than normal temperatures, excessive vibration, and nower surges

Tip: If the light begins to flicker, or shuts down immediately, the sensor is indicating the lamp is at the end of its life and needs to be replaced.

#### Wiring & Cabling

**Power** drawn is approximately ½ amp.

**Daisy chaining** is only available on Bottomline shelf lights.

**Daisy chaining on Bottomline** permits interconnecting up to six shelf lights from a single power outlet

Page 200

**Daisy chaining on Bottomline** allows for independent operation of lights.

**Electronic ballast** is more energy efficient than T8 electronic ballasts.

#### **Surface Materials**

#### Housing

Paint
0835 Black
7018 Pewter
7021 Dark Champagne

#### Reflector

- Underline Aluminum reflector with batwing lens
- **Bottomline** Mylar reflector with batwing lens - flat acrylic diffuser

· Black plastic only

#### **End caps**

Cord

· Molded to match housing

Phot	Photometric Data									
		lr	itial horizo	Underlin ontal footca orksurface	ndles for LT	2				
3"	67	62	57	52	45	37	28	23		
6"	85	79	72	66	56	44	34	27		
9"	102	96	85	76	63	49	38	29		
12"	110	103	93	82	67	52	39	29		
15"	102	98	90	80	67	53	40	30		
18"	75	72	67	63	57	48	37	29		
21"	49	49	47	45	43	38	31	25		
24"	33	32	30	30	30	28	24	19		
27"	21	20	21	21	21	20	17	15		
30"	15	15	15	15	15	14	13	11		
	CL	3"	6" Wd	9" orksurface	12" front	15"	18"	21"		


#### **Bottomline**

Initial horizontal footcandles for L52FT Worksurface rear

29	27	25	23	18	15	12	9
47	44	40	34	27	22	16	12
70	68	61	51	40	30	22	16
98	92	81	68	52	39	28	19
119	112	99	81	63	46	32	22
124	117	104	85	63	47	33	22
114	107	94	77	58	42	30	20
98	93	80	66	50	36	26	17
77	72	63	52	39	29	20	14
52	49	43	37	28	20	15	10
	77 98 114 124	77 72 98 93 114 107 124 117	77     72     63       98     93     80       114     107     94       124     117     104	77     72     63     52       98     93     80     66       114     107     94     77       124     117     104     85	77         72         63         52         39           98         93         80         66         50           114         107         94         77         58           124         117         104         85         63	77         72         63         52         39         29           98         93         80         66         50         36           114         107         94         77         58         42           124         117         104         85         63         47	77         72         63         52         39         29         20           98         93         80         66         50         36         26           114         107         94         77         58         42         30           124         117         104         85         63         47         33

Worksurface front

## **LED Shelf Lights**



#### **Product Details**

Shelf light includes the lamp and power supply with cord set. Daisy chain primary light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.



An 18 watt power supply, is used on the LED standard light; it is 9' long with a two prong driver plug.


Tip: Energy saving mini-LEDs greatly reduce power use.




Power supply for LED daisy chain starter light uses an 11' 60 watt modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

#### **Connections**


**Shelf light** mounts recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.





Magnetic mounting allows shelf light to be installed without tools under

most metal overhead storage bins and shelves. This mounting allows the light to be mounted to most competitive steel bins and shelves.



**Optional fastener kit** allows shelf light to be mounted to wood shelves.

Specify Underline task light or LED shelf light for use under 24" wide bins. Standard, Utility2, and Bottomline 24" wide lights do not fit under 24" wide bins.

#### **Actual Dimensions**

Depth 25/8"

Width 181/8"

Height 1/2

Power Supply 18 Watt Cord – 9' with two prong driver plug

Power Supply 60 Watt Cord Set (11')

- Line voltage cord: 6'
- Low voltage cord: 5'

#### Wiring & Cabling

Shelf light includes the lamp and power supply with cord set. Daisy chain starter light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.

Power supply for LED daisy chain starter light uses a 60 watt modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light. An 18 watt power supply is used on the LED standard light, it is 9' long with a two prong driver plug.

Tip: Daisy chain starter light comes with a 60 watt power supply to support up to three lights. Daisy chain secondary lights do not come with a power supply, but instead come with a daisy chain cord set.

#### Surface Materials

#### Housing

- 6000 Black
- · 6009 Arctic White

#### Reflector


 Clear anodized aluminum only


#### Cord

Black plastic only

Pho	Photometric Data												
	<b>LED Shelf Light</b> Initial horizontal footcandles for LSL18 Worksurface rear												
3"	83	80	71	58	45	32	23	17					
6"	94	90	78	64	48	34	24	18					
9"	98	94	81	65	49	35	25	17					
12"	93	89	75	61	46	34	24	17					
15"	78	74	63	53	40	30	22	15					
18"	59	57	50	43	32	25	18	14					
21"	40	41	36	32	25	19	15	11					
24"	28	27	24	22	18	14	11	9					
27"	18	17	16	14	12	10	8	7					
30"	11	10	10	9	8	7	6	5					
	CL	3"	6"	9"	12"	15"	18"	21"					
			W	orksurface	front								

## **LED Linear Shelf Lights**





#### **Product Details**

LED linear stand alone and daisy chain starter lights include the lamp, power supply, and both magnetic mounts, and wood bracket hardware with adhesive cord managers.

LED linear daisy chain lights include the lamp, daisy chain cords, and both magnetic mounts, and wood mount bracket hardware with adhesive cord managers.

**Optional occupancy sensor** is a separate component that connects to the light fixture and activates in 30 minutes when no movement is detected to conserve energy.

Average rated lamp life of LED linear shelf lights is 50,000 hours.

Color temperature LEDs is 3500K.

Color rendering index of LEDs is 84.

Automatic turn off after 10 hours (+/- 15 mins.); standard with both models.

#### **Connections**

**Lights** mount recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.

Magnet mounts allow shelf lights to be installed without tools under most metal overhead storage bins of shelves.

**Wood mount brackets** allow shelf lights to be mounted to wood shelves.

Actual Dimensions									
	Light	Occupancy Sensor							
Depth	2"	2"							
Width	17", 31", 44", or 58"	23/10"							
Height	1/2"	7/10"							

Lamp width	Number of LEDs in Standard Output/ High Output	System Wattage Standard Output/ High Output			
17"	24 / 47	7.8 / 10.9			
31"	48 / 94	17.6 / 23.4			
44"	72 / 141	25.9 / 34.3			
58"	96 / 188	33.6 / 43.5			

#### Wiring & Cabling

**Light** is standard with single touch on/off and touch control dimming.

#### User adjustable touch and hold dimming pad includes continuous dimming range of 100% to 15%.

Power supply for 17" linear stand alone only uses a straight plug with a 9' 18 watt 24 volt wall

transformer.

## Power supply for 31", 44", 58", or 17" starter

light; 60 watt compact in-line brick straight plug. The cord is 11', 6' from power supply to power outlet and 5' from power supply to fixture.

Tip: Daisy chain starter light comes with a 60 watt power supply to graphy to a great the following the compact of th

IIp: Daisy chain starter light comes with a 60 watt power supply to support up to a limited number of lights – refer to chart for daisy chaining fixtures. Daisy chain secondary lights do not come with a power supply, but instead come with two daisy chain jumper cords, one 8" and one 30" set.

#### **Surface Materials**

#### **Housing**

4321 Arctic White0835 Black

· Black plastic only

Ph	oto	met	ric	Dat	a											
17"W Standard Output Linear Shelf Light Measured fr Worksurface rear above work									3"		Shelf	Outpo f Light rface	nt	near		
12"	11	19	28	33	28	19	11		12"	11	19	28	33	28	19	11
6"	21	20	18	17	15	13	11		6"	21	20	18	17	15	13	11
CL	31	31	29	26	23	19	15	_	CL	31	31	29	26	23	19	15
6"	51	50	46	42	36	29	23	_	6"	51	50	46	42	36	29	23
12"	82	79	73	64	53	43	32		12"	82	79	73	64	53	43	32
	18"	12"	6"	CL	6"	12"	18"	_		18"	12"	6"	CL	6"	12"	18"
		Wo	rksur	face	front	İ					W	orksui	face f	ront		

31"W	Standard	Output	Linear
	Shelf	Light	

	Worksurface rear										
12"	28	43	55	59	55	43	28				
6"	44	73	96	104	96	73	44				
CL	53	91	121	131	121	91	53				
6"	44	73	96	104	96	73	44				
12"	28	43	55	59	55	43	28				
	18"	12"	6"	CL	6"	12"	18"				
		Wo	rksurl	ace fi	ront						

#### 31"W High Output Linear Shelf Light

	Worksurface rear										
12"	28	43	55	59	55	43	28				
6"	44	73	96	104	96	73	44				
CL	53	91	121	131	121	91	53				
6"	44	73	96	104	96	73	44				
12"	28	43	55	59	55	43	28				
	18"	12"	6"	CL	6"	12"	18"				
		Wo	orksur	face fr	ont						

## 44"W Standard Output Linear Shelf Light

	Worksurface rear										
12"	48	61	69	71	69	61	48				
6"	80	104	116	119	116	104	80				
CL	99	129	144	148	144	129	99				
6"	80	104	116	119	116	104	80				
12"	48	61	69	71	69	61	48				
	18"	12"	6"	CL	6"	12"	18"				
		W	orksu	ırface	e fron	t					

#### 44"W High Output Linear Shelf Light

	Worksurface rear										
12"	48	61	69	71	69	61	48				
6"	80	104	116	119	116	104	80				
CL	99	129	144	148	144	129	99				
6"	80	104	116	119	116	104	80				
12"	48	61	69	71	69	61	48				
	18"	12"	6"	CL	6"	12"	18"				
		W	orksui	rface f	ront						

#### 58"W Standard Output Linear Shelf Light

	Worksurface rear									
12"	63	70	74	74	74	70	63			
6"	106	117	122	123	122	117	106			
CL	131	145	150	151	150	145	131			
6"	106	117	122	123	122	117	106			
12"	63	70	74	74	74	70	63			
	18"	12"	6"	CL	6"	12"	18"			
		W	/orksu	urface	fron	t				

#### 58"W High Output Linear Shelf Light

	Worksurface rear											
12"	63	70	74	74	74	70	63					
6"	106	117	122	123	122	117	106					
CL	131	145	150	151	150	145	131					
6"	106	117	122	123	122	117	106					
12"	63	70	74	74	74	70	63					
	18"	12"	6"	CL	6"	12"	18"					
	Worksurface front											

#### **Chart for Daisy Chaining Fixtures**


	Standard Output Linear Shelf Light										
Light fixture widths		Maximum number of fixtures allowed with daisy chain starter light									
17"	6	4	3	2	2	1	1	_	_	_	_
31"	_	1	-	2	-	2	1	3	1	1	-
44"	_	-	1	-	-	-	1	-	1	_	2
58"	_	-	-	-	1	_	-	-	-	1	_

	High Output Linear Shelf Light									
Light fixture widths	Maximum number of fixtures allowed with daisy chain starter light									
17"	4	2	1	-						
31"	-	1	-	2						
44"	-	_	1	_						

- A 60 watt power supply is required for daisy chaining.
   Total system wattage of all fixtures together cannot meet or exceed 60 watts, see chart.
- Cannot daisy chain standard output and high output together.
- · Cannot daisy chain 58" high output fixtures.
- Occupancy sensor must be positioned between the power supply and the first starter fixture.
- Only need one sensor when daisy chaining.

Tip: Each column is the maximum number of fixtures that can be daisy chained together.


#### Occupancy Sensor



- Turns off after 30 minutes of no activity
- 360° lens view
- 90° outward detection angle
- 30" diameter coverage if mounted 15" above worksurface
- 36" diameter coverage if mounted 18" above worksurface
- Connects to fixture with one end-to-end connector. 8" or 30" jumper cords

Lighting

## **LED Personal Task Lights**



#### **Product Details**

#### Personal task light


includes the lamp and power supply with cord set. Rail-mounted version includes rail brackets. Non rail-mounted version includes Universal Mounting brackets.




Power supply is an 18 watt two prong driver plug with 9' black cord. Tip: Energy saving mini-LEDs greatly reduce power use.

When specified with Height-Adjustable Series Benching or power and data tray, flexible receptacles are recommended.

#### Connections



LED personal task light mounts directly to the rail systems of Ology, c:scape, FrameOne, Elective Elements, turnstone Campfire big table, and SOTO rail.



Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 11/4", or with modesty panels or modesty screens closer than 6" from the back edge.

#### Wiring & Cabling

#### Personal task light

includes the lamp and power supply with cord set.

**Power supply** uses a modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

#### **Surface Materials**

#### Housing

6009 Arctic White plastic
only

#### **Fixture and Stanchions**

- · 4231 Arctic White
- 4710 Low Gloss Black
- 4799 Platinum Metallic

#### Cord

Black plastic only

#### **Actual Dimensions**

Depth 6"

Width 30"

Height 17"

Power Supply Cord (9')


Photometric Data													
	<b>LED Personal Task Lights</b> Initial horizontal footcandles for LPTL30 and LPTL30NR Worksurface rear												
0"	15	14	13	12	11	9	6	6	5	4	3	2	2
3"	21	20	18	17	15	13	11	8	6	5	3	3	2
6"	31	31	29	26	23	19	15	12	9	7	5	3	2
9"	51	50	46	42	36	29	23	18	13	9	6	4	3
12"	82	79	73	64	53	43	32	23	16	11	7	5	3
15"	109	105	96	83	68	53	39	27	19	12	8	6	4
18"	105	102	93	81	66	51	37	27	18	12	9	6	4
21"	76	75	69	59	50	39	30	22	16	11	7	5	4
24"	48	47	44	39	33	27	21	16	12	9	6	5	3
27"	29	28	27	24	21	17	14	11	9	7	5	4	3
30"	18	18	17	16	14	12	10	8	7	5	4	3	2
	CL	3"	6"	9"	12" W	15" /orksu	18" rface 1	21" ront	24"	27"	30"	33"	36"

## **Daisy Chaining**


For Standard, Utility2, and Bottomline Lights

Daisy chaining shelf lights together extends power from one fixture to another within workstations to help keep receptacles clear for other uses.

For Standard shelf lights, starter cord is required with daisy chain cords to bring power to the first shelf light in a daisy chain so there's no need to designate where each fixture will be used within the chain.



Power will not be interrupted in a chain even if one of the shelf lights is turned off or its lamp has burned out. That's because the path of power through the chain doesn't pass through the lamps or switches.



Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.


Tip: Overhead cabinets and shelves provide a recessed area for shelf lights. They are not designed to conceal cords when daisy chaining.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.


#### For Utility2 lights,

connect the power cord to between the first light and the wall receptacle. Connect the jumper cord between the lights. Maximum distance betweeen receptacles for 78" jumper is 74". Starter light is required with daisy chain lights to bring power to the first light in the daisy chain.

Tip: Connect up to 10 fixtures maximum. Voltage and current rating of fixture is 120 volt, .75 amps.



For Bottomline lights, starter light is required with daisy chain lights to bring power to the first light in the




daisy chain.

## **Vertical Wire Manager**

#### Vertical wire manager

conceals cords and cables that are routed vertically outside of the panels.


► Specifying, page 409





Wire manager is available for use between the bottom of a shelf or overhead storage bin and a worksurface. Wire manager can be cut in the field to suit specific application.

**Wire manager** can also be used below the worksurface.



**Power cords and cables** can be routed from the wire manager and the ½" gap along the back edge of the worksurface.

#### Connections

**Snaps** into the slotted channel of the junction.

#### **Surface Materials**

#### Cover

- 6000 Black
- · 6009 Arctic White
- 6249 Platinum Solid
- 6652 Titanium
- · 6654 Sand
- 6697 Fog

#### **Actual Dimensions**


Depth	1" (25 mm)	
Width	15⁄8" (41 mm)	
Height	48" (1219 mm)	

# **Specifying Universal Systems Worksurfaces**

Norl	ksurfaces	
	Straight Worksurfaces	204
	Parametric Straight Worksurfaces	208
	Straight Worksurfaces with Soft Edge Profile	212
	Parametric Straight Worksurfaces with Soft Edge Profile	214
	120° Straight Worksurface	218
	Transition Worksurfaces	220
	Tapered Worksurfaces	222
	Tapered Worksurfaces with Soft Edge Profile	223
	Taper-Flat Worksurfaces	224
	Single-Tapered Worksurfaces	225
	Corner, Flat-Front Worksurfaces	226
	Dual Corner, Flat-Front Worksurfaces	227
	Corner, Straight-Front Worksurfaces	228
	Corner, Curved-Front Worksurfaces	229
	Extended Corner, Straight-Front Worksurfaces	230
	Extended Corner, Curved-Front Worksurfaces	232
	Corner, 120° Worksurfaces	234
	Spanner Worksurfaces	235
	Bullet Peninsula Worksurfaces	236
	Angled Peninsula Worksurfaces	237
	Jetty Worksurfaces	238
	Bubble Jetty Worksurfaces	240
	Visitor Worksurfaces	242
Pow	er and Data Access Door & Tray	244
Con	nectors	246
ille	r Package – Data	247
Jniv	rersal Systems Worksurface Supports	248
ran	neOne Legs and Supports for Universal Worksurfaces	251
nfill	s for FrameOne Legs for Universal Worksurfaces	252
_	s and Columns for Universal Systems	<b>0</b> = 5
Worl	ksurfaces	254

### **Straight Worksurfaces**

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 23

#### For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic

catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US1830 becomes US1830SW for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 244
- ► See page 26 for worksurface size availability matrix.

Tip: Scallop will be omitted if you select power access door.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: Power access door option is only available on straight worksurfaces with 1/2" cord drop.

#### Standard Includes

► Need help? Product details, page 22

- · Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
  - -Plastic 3 mm edge, knife edge, or P-edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- –Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

#### Required to Specify

- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge
- P Laminate with plastic P-edge SW Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Lamina	te worksurfaces			
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$ 74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manua		
	Wood veneer worksurf	faces			
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	Wood group 3	See information at left	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain		

#### Customiz stain

· Full-fill finish on wood group 1 Prices at right

See Surface Materials Reference Manual. Specify full-fill finish number.

Paint price group 1     Anodized aluminum	No cost +\$ 10 per door	Specify paint color number. Specify with <i>8043 Clear Anodized Aluminum</i> .
Omit scallop	No cost	Specify omit scallop.

осиор	3 33a5p		opeony erint ecanop.
Cutout for Pow and Data Acce		No cost	Specify with cutout for power and data access door.
<b>Door and Tray</b>			

#### Power **Access** Door

Scallon

Applies to 30"W		
<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.
Power access door center	+\$ 98	Specify with power access door center.

#### Applies to 36"W to 48"W Specify with no power access. · No power access No cost · Power access door center +\$ 98 Specify with power access door center. · Power access door left +\$ 98 Specify with power access door left. +\$ 98 Specify with power access door right. · Power access door right

Applies to 54"W to 66"W	1	
No power access	No cost	Specify with no power access.
Power access door center	+\$ 98	Specify with power access door center.
Power access door left	+\$ 98	Specify with power access door left.
Power access door right	+\$ 98	Specify with power access door right.
Power access door left	+\$196	Specify with power access door left and
and right		right.

	Applies to 72"W to 96"W	
•	No power access	No cost
•	Power access door center	+\$ 98
•	Power access door left	+\$ 98
•	Power access door right	+\$ 98
•	Power access door left	+\$196
	and right	
•	Power access door left	+\$196
	and center	

· Power access door right and +\$196 Power access door left. +\$294

Specify with no power access. Specify with power access door center.

Specify with power access door left. Specify with power access door right. Specify with power access door left and right.

Specify with power access door left and center.

Specify with power access door right and Specify with power access door left, right,

and center.

▶Options, continued on next page

right, and center



#### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

					Options				F	Required	to Specif	у
			Related Products	•   •   • \	Reinforcing ch	oorts for Univer screens	ace supports rsal Systems W	orksurfac	es F	Page 248 Page 249 Page 254 Page 312 Page 385		
Spe	cificati	ion Infor										
			U.S. Base Pr High-Pressu		te	Wood			Base Prid	ces e Laminate		
· Dime	nsions	· Style	·Plastic	·Plastic	·Plastic	·Wood	·Option		ensions		·Plastic	·Plastic
A	В	Number	3 mm Edge	P-Edge	Knife Edge	Square Edge	(Add \$ to Base Price)	A	В	Number	3 mm Edge	Knife Edge
			No Suffix	Suffix P	Suffix K	Suffix SW	Full-Fill Finish on Wood Group 1					Suffix K
With	1/2" <b>C</b> c	ord Drop						With	Full D	epth		
183/8"	24"	US1824	\$181	N.A.	\$267	N.A.	N.A.	187/8"	24"	WS1824	\$181	\$268
183/8"	30"	US1830	\$197	\$232	\$282	\$ 716	+\$40	187/8"	30"	WS1830	\$197	\$284
183/8""	36"	US1836	\$213	\$248	\$297	\$ 732	+\$41	187/8"	36"	WS1836	\$213	\$300
183/8"	42"	US1842	\$228	\$278	\$334	\$ 833	+\$46	187/8"	42"	WS1842	\$228	\$334
183/8"	48"	US1848	\$275	\$325	\$380	\$ 880	+\$47	187/8"	48"	WS1848	\$275	\$381
183/8"	54"	US1854	\$295	\$345	\$399	\$ 900	+\$49	187/8"	54"	WS1854	\$295	\$401
183/8"	60"	US1860	\$317	\$373	\$444	\$1030	+\$52	187/8"	60"	WS1860	\$317	\$446
183/8"	66"	US1866	\$369	N.A.	\$495	N.A.	N.A.	187/8"	66"	WS1866	\$369	\$498
183/8"	72"	US1872	\$412	N.A.	\$538	N.A.	N.A.	187/8"	72"	WS1872	\$412	\$541
183/8"	78"	US1878	\$527	N.A.	\$660	N.A.	N.A.	187/8"	78"	WS1878	\$527	\$667
183/8"	84"	US1884	\$556	N.A.	\$689	N.A.	N.A.	187/8"	84"	WS1884	\$556	\$696
183/8"	90"	US1890	\$588	N.A.	\$722	N.A.	N.A.	187/8"	90"	WS1890	\$588	\$728
183/8"	96"	US1896	\$617	N.A.	\$750	N.A.	N.A.	187/8"	96"	W\$1896	\$617	\$757
231/2"	24"	US2424	\$203	\$238	\$289	\$ 722	+\$40	24"	24"	W\$2424	\$203	\$290
231/2"	30"	US2430	\$218	\$253	\$302	\$ 737	+\$40	24"	30"	W\$2430	\$218	\$305
231/2"	36"	US2436	\$228	\$263	\$314	\$ 747	+\$41	24"	36"	W\$2436	\$228	\$315
231/2"	42"	US2442	\$247	\$297	\$351	\$ 852	+\$46	24"	42"	W\$2442	\$247	\$353
231/2"	48"	US2448	\$294	\$344	\$398	\$ 899	+\$47	24"	48"	W\$2448	\$294	\$400
231/2"	54"	US2454	\$314	\$364	\$417	\$ 919	+\$49	24"	54"	W\$2454	\$314	\$420

**US2460** 

**US2466** 

US2472

**US2478** 

**US2484** 

**US2490** 

**US2496** 

\$333

\$374

\$417

\$559

\$620

\$641

\$686

\$389

\$430

\$473

N.A.

N.A.

N.A.

N.A.

\$460

\$501

\$543

\$693

\$752

\$775

\$818

66"

72"

78"

84"

90"

96"

231/2"

231/2"

231/2"

231/2"

231/2"

231/2"

231/2"

\$333

\$374

\$417

\$559

\$620

\$641

\$686

WS2460

WS2466

WS2472

WS2478

WS2484

WS2490

WS2496

\$462

\$503

\$546

\$699

\$760

\$781

\$826

\$1046

\$1087

\$1130

N.A.

N.A.

N.A.

N.A.

+\$52

+\$54

+\$56

N.A.

N.A.

N.A.

N.A.

24"

24"

24"

24"

24"

24"

24"

60"

66"

72"

78"

84"

90"

96"

<sup>▶</sup> Specification Information, continued on next page

Straight Worksurfaces, High-Pressure Laminate or Wood Veneer continued

#### ▶ Specification information, continued from previous page

Spec	ificati	ion Info	mation									
			U.S. Base Prices High-Pressure Laminate			Wood	U.S. Base Prices High-Pressure Laminate					
• Dimensions		Style Number	· Plastic 3 mm Edge	· Plastic P-Edge	• Plastic Knife Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	• Dimensions • A B		•Style Number	Plastic 3 mm Edge	Plastic Knife Edge
			No Suffix	Suffix P	Suffix K	Suffix SW	Full-Fill Finish on Wood Group 1				No Suffix	Suffix K
With	<sup>1</sup> /2" <b>C</b> (	ord Drop	)					With	Full D	epth		
291/2"	24"	US3024	\$286	\$321	\$370	\$ 805	+\$40	30"	24"	WS3024	\$286	\$373
291/2"	30"	US3030	\$297	\$332	\$381	\$ 816	+\$41	30"	30"	WS3030	\$297	\$384
291/2"	36"	US3036	\$317	\$352	\$401	\$ 836	+\$43	30"	36"	W\$3036	\$317	\$404
291/2"	42"	US3042	\$333	\$383	\$436	\$ 938	+\$47	30"	42"	WS3042	\$333	\$439
291/2"	48"	US3048	\$379	\$429	\$482	\$ 984	+\$49	30"	48"	W\$3048	\$379	\$485
291/2"	54"	US3054	\$406	\$456	\$508	\$1011	+\$50	30"	54"	W\$3054	\$406	\$512
291/2"	60"	US3060	\$432	\$488	\$558	\$1145	+\$54	30"	60"	WS3060	\$432	\$561
291/2"	66"	US3066	\$469	\$525	\$595	\$1182	+\$56	30"	66"	WS3066	\$469	\$598
291/2"	72"	US3072	\$514	\$570	\$639	\$1227	+\$57	30"	72"	WS3072	\$514	\$643
351/2"	60"	US3660	\$469	N.A.	N.A.	N.A.	N.A.					
351/2"	66"	US3666	\$508	N.A.	N.A.	N.A.	N.A.					
351/2"	72"	US3672	\$552	N.A.	N.A.	N.A.	N.A.					
Tip: 35 <sup>1</sup>	/2"D wor	ksurfaces c	an only be used	d in freestand	ing applicatio	ns.	:	:		:	:	:



Straight Worksurfaces

Worksurfaces


## **Parametric Straight Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate or Wood Veneer



#### Standard Includes

· Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- Plastic 3 mm edge profile, P-edge profile or knife edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Wood square edge profile on front edge
- Matching veneer flat profile on side and back edges
- Depth: 18"D 36"D
- Width: 18"W 120"W

#### Required to Specify

- 1 Style number
- 2 Worksurface size type (see below under Required Selections)
- 3 Depth (see below under Required Selections)
- 4 Width (see below under Required Selections)
- 5 User edge profile
- 6 High-Pressure Laminate or wood color number for worksurface
- 7 Plastic color number for front edge on laminate worksurface, if selected
- 8 Options, if selected (see below)
- See Surface Materials, page 412.

	Require	ed Selections	U.S. Price	Required to Specify
Worksurface Size Type	<ul><li>Modular</li><li>Parametric</li></ul>	;	No cost No cost	Specify with modular. Specify with parametric.
Depth	Modular • 187/8"D • 24"D • 30"D • 36"D	Parametric 18"D-23 <sup>7</sup> /16"D 23 <sup>1</sup> /2"D-29 <sup>7</sup> /16"D 29 <sup>1</sup> /2"D-35 <sup>7</sup> /16"D 35 <sup>1</sup> /2"D-36"D	Prices at right Prices at right Prices at right Prices at right	Specify depth. Specify depth. Specify depth. Specify depth.
Width	Modular  18"W  24"W  30"W  36"W  42"W  48"W  54"W  66"W  72"W  78"W  90"W  96"W  102"W  114"W  120"W	Parametric 18"W-2315/16"W 24"W-2915/16"W 30"W-3515/16"W 36"W-4115/16"W 42"W-4715/16"W 54"W-5315/16"W 54"W-5915/16"W 66"W-7115/16"W 72"W-7715/16"W 84"W-8915/16"W 90"W-9515/16"W 102"W-10715/16"W 102"W-10715/16"W 104"W-11315/16"W 105"W-11315/16"W	Prices at right	Specify width.

#### For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Short grain laminate is

only available on surfaces

60"W or less.

## **Materials**

Surface

#### **High-Pressure Laminate worksurfaces**

· Laminate price group 2 · Open Line laminate

See information at left Specify laminate color number.

Required to Specify

See Surface Materials Reference Manual.

#### **Wood veneer worksurfaces**

 Wood group 2 Wood group 3 · Customiz stain

**Options** 

See information at left No cost

Prices at right

plus cost of laminate

**U.S. Price** 

See information at left Specify wood color number. Specify wood color number. Specify with Customiz stain.

See Surface Materials Reference Manual. Specify full-fill finish number.

#### **Wood grain direction**

 No direction Long grain · Short grain

No cost No cost No cost Specify with no direction. Specify with long grain direction. Specify with short grain direction.

#### Door

 Paint · Anodized aluminum

· Full-fill finish wood group 1

No cost +\$10

Specify paint color number. Specify with 8043 Clear Anodized Aluminum.

▶Options, continued on next page

Parametric Straight Worksurfaces

#### ▶ Options, continued from previous page

Tip: When selecting with cord drop, subract 1/2" from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will deault to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 244

See page 26 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with 1/2" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will deault to no grommet.

	Options	U.S. Price	Required to Specify
Cord Drop	No cord drop	No cost	Specify without cord drop.
•	• ½" cord drop	No cost	Specify with 1/2" cord drop.
Scallop	Scallop	No cost	Specify with scallop.
	Omit scallop	No cost	Specify with no scallop.
Cutout for Power	Applies to 48"W to 120"W		
and Data Access Door and Tray	• Cutout	No cost	Specify with cutout for power and data access door.
Power Access	Applies to 30"W to 3515/16		
Door	No power access	No cost	Specify with no power access.
	Power access door center	+\$ 98	Specify with power access door center.
	Applies to 36"W to 5115/16	"W	
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.
	Power access door center	+\$ 98	Specify with power access door center.
	<ul><li>Power access door left</li><li>Power access door right</li></ul>	+\$ 98 +\$ 98	Specify with power access door left. Specify with power access door right.
	-		
	Applies to 52"W to 71 <sup>15</sup> /16  No power access	s" <b>W</b> No cost	Specify with no newer access
	Power access     Power access door center	+\$ 98	Specify with no power access.  Specify with power access door center.
	Power access door left	+\$ 98	Specify with power access door center.  Specify with power access door left.
	Power access door right	+\$ 98	Specify with power access door right.
	Power access door left and right	·	Specify with power access door left and
	J	,	right.
	Applies to 72"W to 120"W	,	
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.
	Power access door center	+\$ 98	Specify with power access door center.
	Power access door left	+\$ 98	Specify with power access door left.
	Power access door right	+\$ 98	Specify with power access door right.
	<ul> <li>Power access door left and right</li> <li>Power access door left and</li> </ul>	+\$196	Specify with power access door left. Specify with power access door left and
	center	T\$130	center.
	Power access door right	+\$196	Specify with power access door right and
	and center	10100	center.
	Power access door left, right,	+\$294	Specify with power access door left, right
	and center		and center.
Grommet	No grommet cutout	No cost	Specify with no grommet cutout.
Cutout	• 2" grommet cutout	No cost	Specify with 2" grommet cutout.
	3" grommet cutout	No cost	Specify with 3" grommet cutout.
Grommet	Applies to 18"W to 24 <sup>15</sup> /16	"W	
Location	Center	No cost	Specify with center grommet.
	Applies to 25"W to 3315/16	"W	
	Center	No cost	Specify with center grommet.
	• Left	No cost	Specify with left grommet.
	• Right	No cost	Specify with right grommet.
	Right and left	No cost	Specify with right and left grommet.
	Applies to 34"W to 120"W		0 % %
	• Center	No cost	Specify with center grommet.
	• Left	No cost	Specify with left grommet.
	<ul><li>Right</li><li>Right and left</li></ul>	No cost No cost	Specify with right grommet.  Specify with right and left grommet.
	Left and center	No cost	Specify with left and center grommet.
	Right and center	No cost	Specify with right and center grommet.
			Spoon,g and contor grounder.

No cost



#### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specify with right, left, and center grommet.


· Right, left, and center

▶ Options, continued on next page

Parametric Straight Worksurfaces High-Pressure Laminate or Wood Veneer, continued

#### ▶Options, continued from previous page

# Related Products Reinforcing channel Legs and supports for Universal Systems Worksurfaces Worksurface screens Worksurface power and communication components 2½" round grommet 3" grommet package Page 391 Page 391 Page 391



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

Style	Dimension	ons		U.S. Bas	e Prices				
Number			Modular Width	18"W	: 24"W	: 30"W	: 36"W	: 42"W	: 48"W
	Modular Depth	Parametric Depth	Parametric Width		24"W- 29 <sup>15</sup> / <sub>16</sub> "W	: 30"W- : 35 <sup>15</sup> /16"W	36"W- 41 <sup>15</sup> /16"W	: 42"W- : 47 <sup>15</sup> / <sub>16</sub> "W	48"W- 53 <sup>15</sup> / <sub>16</sub> "W
3 mm Ed	ge Profile	e – Laminat	е						
USWS	187⁄8"D	18"D-23 <sup>7</sup> / <sub>16</sub> "	D	\$168	\$181	\$197	\$ 213	\$ 228	\$ 275
	24"D	23½"D-297/	16"D	\$190	\$203	\$218	\$ 228	\$ 247	\$ 294
	30"D	29½"D-357/	16"D	\$272	\$286	\$297	\$ 317	\$ 333	\$ 379
	36"D	35½"D-36"[	)	\$325	\$339	\$354	\$ 368	\$ 385	\$ 432
:	•				:	:	:	:	
P Edge F	Profile – L	aminate							
USWSP	18 <sup>7</sup> /8"D	18"D-23 <sup>7</sup> /16"	D	\$203	\$217	\$232	\$ 248	\$ 278	\$ 325
	24"D	23 <sup>1</sup> / <sub>2</sub> "D–29 <sup>7</sup> /	16"D	\$224	\$238	\$253	\$ 264	\$ 297	\$ 343
	30"D	29 <sup>1</sup> / <sub>2</sub> "D–35 <sup>7</sup> /	16"D	\$308	\$321	\$332	\$ 353	\$ 383	\$ 429
	36"D	35½"D-36"[	)	\$361	\$374	\$388	\$ 404	\$ 435	\$ 482
:	:				:	:		:	:
Knife Ed	ge Profile	e – Laminat	е						
USWSK	187⁄8"D	18"D-23 <sup>7</sup> / <sub>16</sub> "	D	\$254	\$268	\$283	\$ 299	\$ 335	\$ 382
	24"D	231/2"D-297/	16"D	\$275	\$289	\$305	\$ 315	\$ 354	\$ 401
	30"D	29½"D-357/	16"D	\$359	\$372	\$383	\$ 404	\$ 439	\$ 485
	36"D	35½"D-36"[	)	\$412	\$426	\$439	\$ 455	\$ 491	\$ 538
:	:				:	:		:	:
Square E	dge Profi	ile – Wood							
USWSSW	187⁄8"D	18"D-237/16"	D	\$665	\$701	\$716	\$ 732	\$ 834	\$ 881
	24"D	231/2"D-297/	16"D	\$686	\$723	\$737	\$ 748	\$ 852	\$ 899
	30"D	29½"D-357/	16"D	\$768	\$805	\$816	\$ 836	\$ 939	\$ 985
	36"D	35½"D-36"[	`	\$929	\$966	\$978	\$1003	\$1125	\$1181



54"W	: 60"W	:66"W	:72"W	: 78"W	: 84"W	90"W	96"W	: 102"W	: 108"W	: 114"W	: 120"W
54"W- 59 <sup>15</sup> /16"W	60"W- 65 <sup>15</sup> /16"W	: 66"W- : 71 <sup>15</sup> /16"W	72"W- 77 <sup>15</sup> /16"W	: 78"W- : 83 <sup>15</sup> /16"W	: 84"W- : 89 <sup>15</sup> ⁄16"W	90"W- 95 <sup>15</sup> / <sub>16</sub> "W	96"W- 101 <sup>15</sup> /16"W		: 108"W– : 113 <sup>15</sup> ⁄16"W	: 114"W- : 119 <sup>15</sup> ⁄16"W	: 120"W
\$ 295	\$ 317	\$ 369	\$ 412	\$ 527	\$ 556	\$ 588	\$ 617	\$ 646	\$ 675	\$ 703	\$ 732
\$ 314	\$ 333	\$ 374	\$ 417	\$ 559	\$ 620	\$ 641	\$ 686	\$ 717	\$ 748	\$ 779	\$ 809
\$ 406	\$ 432	\$ 469	\$ 514	\$ 662	\$ 692	\$ 721	\$ 749	\$ 778	\$ 806	\$ 835	\$ 864
\$ 454	\$ 469	\$ 508	\$ 552	\$ 692	\$ 830	\$ 864	\$ 899	\$ 933	\$ 968	\$1002	\$1036
:	:	:	:	:	:	:	:	:	:	:	:
\$ 344	\$ 373	\$ 426	\$ 468	\$ 589	\$ 620	\$ 651	\$ 686	\$ 714	\$ 744	\$ 779	\$ 807
\$ 364	\$ 389	\$ 431	\$ 474	\$ 622	\$ 682	\$ 704	\$ 755	\$ 786	\$ 817	\$ 854	\$ 886
\$ 456	\$ 488	\$ 526	\$ 571	\$ 726	\$ 754	\$ 783	\$ 818	\$ 847	\$ 875	\$ 911	\$ 940
\$ 503	\$ 526	\$ 564	\$ 608	\$ 754	\$ 893	\$ 926	\$ 968	\$1002	\$1038	\$1077	\$1112
:	:	:	:	:	:	:	:	:	:	:	:
\$ 402	\$ 446	\$ 499	\$ 541	\$ 666	\$ 696	\$ 728	\$ 756	\$ 795	\$ 823	\$ 852	\$ 881
\$ 420	\$ 463	\$ 504	\$ 547	\$ 698	\$ 758	\$ 781	\$ 826	\$ 866	\$ 897	\$ 927	\$ 959
\$ 512	\$ 562	\$ 599	\$ 644	\$ 802	\$ 831	\$ 859	\$ 889	\$ 926	\$ 955	\$ 985	\$1013
\$ 560	\$ 599	\$ 637	\$ 682	\$ 831	\$ 969	\$1003	\$1039	\$1082	\$1117	\$1151	\$1185
:	:			:	:	:	•	:	:	:	:
\$ 900	\$1030	\$1083	\$1125	\$1213	\$1366	\$1396	\$1428	\$1479	\$1507	\$1536	\$1587
\$ 919	\$1047	\$1088	\$1131	\$1226	\$1389	\$1450	\$1473	\$1539	\$1571	\$1601	\$1654
\$1011	\$1146	\$1183	\$1228	\$1330	\$1501	\$1530	\$1558	\$1609	\$1639	\$1667	\$1718
\$1213	\$1375	\$1420	\$1474	\$1596	\$1801	\$1837	\$1870	\$1932	\$1966	\$2002	\$2062




## **Straight Worksurfaces with Soft Edge Profile**

High-Pressure Laminate or Wood Veneer

► Need help?

page 26

Product details,



Tip: Supports for freestanding applications must be specified separately.

#### **Standard Includes**

 Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- Plastic antimicrobial soft edge profile centered on worksurface
- Plastic 3 mm edge profile on balance of front edge
- Plastic flat profile on side and back edges
- · Wood worksurface:
- Wood 3 mm edge profile on front edge
- Plastic antimicrobial soft edge centered on worksurface
- Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **WS** Wood with square edge ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

## For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support.

► See understanding section for details, page 23

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US2448S becomes US2448SWS for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

See page 26 for worksurface size availability matrix.

Tip: 48"W worksurface with soft edge used with FrameOne post leg has some limitations.

See page 27 for connections.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Laminate price group 2 Open Line laminate	worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	Wood veneer worksurfac  Wood group 2  Wood group 3  Customiz stain  Full-fill finish on wood group 1	es See information at left See information at left No cost Prices at right	Specify wood color number. Specify wood color number. Specify with Customiz stain.  See Surface Materials Reference Manual. Specify full-fill finish number.
Soft Edge	<ul><li>Antimicrobial edge</li><li>No antimicrobial edge</li></ul>	No cost No cost	Specify with antimicrobial soft edge. Specify without antimicrobial soft edge.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power and Data Access Door and Tray	041041	No cost	Specify with cutout for power and data access door.
Related Products	Universal Systems worksurface     Reinforcing channel     Legs and supports for Universa     Worksurface screens     Wiring and cabling	• •	<ul><li>▶ Page 248</li><li>▶ Page 249</li><li>▶ Page 254</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>



## **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.


Straight Worksurfaces with Soft Edge Profile

Spe	cificat	ion Inforn	mation						
· Dime	ensions B		U.S. Base Pric High-Pressure Laminate  Soft Edge Profile		• Option (Add \$ to Base Price)	• Dime	ensions B	• Style Number	U.S. Base Price High-Pressure Laminate  Soft Edge Profile
			with Plastic 3 mm Edge	with Wood Square Edge	Dase Filce)	:			with Plastic 3 mm Edge
			No Suffix	Suffix WS	Full-Fill Finish on Wood Group 1	:		:	No Suffix
With	1/2" <b>C</b> (	ord Drop				With	ı Full De	epth	
231/2"	48"	US2448S	\$ 641	\$1246	+\$47	24"	48"	WS2448S	\$ 641
231/2"	54"	US2454S	\$ 661	\$1266	+\$49	24"	54"	WS2454S	\$ 661
231/2"	60"	US2460S	\$ 680	\$1393	+\$52	24"	60"	WS2460S	\$ 680
231/2"	66"	US2466S	\$ 721	\$1434	+\$54	24"	66"	WS2466S	\$ 721
231/2"	72"	US2472S	\$ 764	\$1477	+\$56	24"	72"	WS2472S	\$ 764
231/2"	78"	US2478S	\$ 906	N.A.	N.A.	24"	78"	WS2478S	\$ 906
231/2"	84"	US2484S	\$ 967	N.A.	N.A.	24"	84"	WS2484S	\$ 967
231/2"	90"	US2490S	\$ 988	N.A.	N.A.	24"	90"	WS2490S	\$ 988
231/2"	96"	US2496S	\$1033	N.A.	N.A.	24"	96"	WS2496S	\$1033
291/2"	48"	US3048S	\$ 726	\$1331	+\$49	30"	48"	WS3048S	\$ 726
291/2"	54"	US3054S	\$ 753	\$1358	+\$50	30"	54"	WS3054S	\$ 753
291/2"	60"	US3060S	\$ 779	\$1492	+\$54	30"	60"	WS3060S	\$ 779
291/2"	66"	US3066S	\$ 816	\$1529	+\$56	30"	66"	WS3066S	\$ 816
291/2"	72"	US3072S	\$ 861	\$1574	+\$57	30"	72"	WS3072S	\$ 861



## **Parametric Straight Worksurfaces with Soft Edge Profile**

High-Pressure Laminate or Wood Veneer



#### Standard Includes

#### Required to Specify

Need help? Product details, page 26

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic antimicrobial soft edge profile centered on worksurface
- Plastic 3 mm edge profile, P-edge profile or knife edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Plastic antimicrobial soft edge centered on worksurface
- Wood square edge profile on front edge
- Matching veneer flat profile on side and back edges
- Depth: 18"D 36"D
- Width: 18"W 120"W

- 1 Style number
- 2 Worksurface size type (see below under Required Selections)
- 3 Depth (see below under Required Selections)
- 4 Width (see below under Required Sections)
- 5 User edge profile (see below)
- 6 High-Pressure Laminate or wood color number for worksurface
- 7 Plastic color number for front edge on laminate worksurface, if selected
- 8 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Required	l Selections	U.S. Price	Required to Specify
Worksurface Size Type	<ul><li> Modular</li><li> Parametric</li></ul>		No cost No cost	Specify with modular. Specify with parametric.
Depth	• 18 <sup>7</sup> / <sub>8</sub> "D • 24"D • 30"D	Parametric 18"D–23 <sup>7</sup> /16"D 23 <sup>1</sup> /2"D–29 <sup>7</sup> /16"D 29 <sup>1</sup> /2"D–35 <sup>7</sup> /16"D 35 <sup>1</sup> /2"D–36"D	Prices at right	Specify depth. Specify depth. Specify depth. Specify depth.
Width	48"W 54"W 60"W 66"W 72"W 78"W 84"W 90"W 96"W 102"W 114"W	Parametric 48"W-53¹5/16"W 54"W-59¹5/16"W 60"W-65¹5/16"W 66"W-71¹5/16"W 72"W-77¹5/16"W 78"W-83¹5/16"W 90"W-95¹5/16"W 90"W-95¹5/16"W 102"W-107¹5/16"W 108"W-113¹5/16"W 114"W-119¹5/16"W	Prices at right	Specify width.
Surface Materials	Options High-Press Laminate pri	sure Laminate wo		Required to Specify  Specify laminate color number.

## For wood group 2, wood group 3, and laminate price group 2 pricing please refer to the electronic

please refer to the electronic catalog or SmartTools.

Tip: Short grain laminate is only available on surfaces 60"W or less.

Tip: Soft edge is available with or without ½" cord drop.

- Laminate price group 2
- · Open Line laminate

See information at left +\$74

Specify laminate color number.See Surface Materials Reference Manual.

plus cost of laminate

#### **Wood veneer worksurfaces**

Wood group 2Wood group 3Customiz stain

See information at left See information at left No cost

Specify wood color number. Specify wood color number. Specify with Customiz stain.

 See Surface Materials Reference Manual. Specify full-fill finish number.

#### **Wood grain direction**

No directionLong grainShort grain

No cost No cost No cost Specify with no direction.
Specify with long grain direction.
Specify with short grain direction.

#### Door

Paint price group 1Anodized aluminum

No cost +\$10 Specify paint color number.
Specify with 8043 Clear Anodized

Soft Edge

- Antimicrobial edgeNo antimicrobial edge
- No cost No cost

Specify with antimicrobial edge. Specify without antimicrobial edge.

▶Options, continued on next page

Parametric Straight Worksurfaces with Soft Edge Profile

#### ▶Options, continued from previous page

Tip: When selecting with cord drop, subract 1/2" from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will deault to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 244
- See page 26 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with ½" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will deault to no grommet.

	Options	U.S. Price	Required to Specify				
Cord Drop	No cord drop	No cost	Specify without cord drop.				
	• 1/2" cord drop	No cost	Specify with 1/2" cord drop.				
Scallop	Scallop	No cost	Specify with scallop.				
•	Omit scallop	No cost	Specify with no scallop.				
Cutout for Powe	er Applies to 48"W to 120"W						
and Data Acces Door and Tray	ss · Cutout	No cost	Specify with cutout for power and data access door.				
Power Access	Applies to 48"W to 51 <sup>15</sup> / <sub>16</sub>	"W					
Door	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.				
	<ul> <li>Power access door center</li> </ul>	+\$ 98	Specify with power access door center.				
	<ul> <li>Power access door left</li> </ul>	+\$ 98	Specify with power access door left.				
	Power access door right	+\$ 98	Specify with power access door right.				
	Applies to 52"W to 71 <sup>15</sup> / <sub>16</sub>	"W					
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.				
	<ul> <li>Power access door center</li> </ul>	+\$ 98	Specify with power access door center.				
	<ul> <li>Power access door left</li> </ul>	+\$ 98	Specify with power access door left.				
	<ul> <li>Power access door right</li> </ul>	+\$ 98	Specify with power access door right.				
	Power access door left and right	+\$196	Specify with power access door left and right.				
	Applies to 72"W to 120"W						
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.				
	<ul> <li>Power access door center</li> </ul>	+\$ 98	Specify with power access door center.				
	<ul> <li>Power access door left</li> </ul>	+\$ 98	Specify with power access door left.				
	<ul> <li>Power access door right</li> </ul>	+\$ 98	Specify with power access door right.				
	Power access door left and right	+\$196	Specify with power access door left and right.				
	<ul> <li>Power access door left and center</li> </ul>	+\$196	Specify with power access door left and center.				
	Power access door right and center	+\$196	Specify with power access door right and center.				
	<ul> <li>Power access door left, right, and center</li> </ul>	+\$294	Specify with power access door left, right and center.				
Grommet	No grommet cutout	No cost	Specify with no grommet cutout.				
Cutout	2" grommet cutout	No cost	Specify with 2" grommet cutout.				
	3" grommet cutout	No cost	Specify with 3" grommet cutout.				
Grommet	Applies to 48"W to 120"W						
Location	Center	No cost	Specify with center grommet.				
	• Left	No cost	Specify with left grommet.				
	Right	No cost	Specify with right grommet.				
	Right and left	No cost	Specify with right and left grommet.				
	<ul> <li>Left and center</li> </ul>	No cost	Specify with left and center grommet.				
	<ul> <li>Right and center</li> </ul>	No cost	Specify with right and center grommet.				
	<ul> <li>Right, left, and center</li> </ul>	No cost	Specify with right, left, and center grommet				

## For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

Answer Freestanding Specification Guide

▶ Page 249

▶ Page 254

▶ Page 312

▶ Page 385

▶ Page 391

▶ Page 392

Related

**Products** 

• Legs and supports for Universal Systems Worksurfaces

· Worksurface power and communication components


· Reinforcing channel

· Worksurface screens

· 21/2" round grommet

• 3" grommet package

Parametric Straight Worksurfaces with Soft Edge Profile High-Pressure Laminate or Wood Veneer, continued



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

Specifica	ation Infor	mation									
Style Number	Dimensions			U.S. Prices							
	:		Modular Width		54"W	: 60"W	: 66"W	: 72"W			
	Modular Depth	Parametric Depth	Parametric Width	: 48"W– : 53 <sup>15</sup> /16"W	54"W- 59 <sup>15</sup> /16"W	60"W- 65 <sup>15</sup> /16"W	66"W- 71 <sup>15</sup> /16"W	72"W- 77 <sup>15</sup> /16"W			
3 mm Edg	je Profile	– Laminate									
USWSS	18 <sup>7</sup> /8"D	18"D-23 <sup>7</sup> /16"D		\$ 623	\$ 641	\$ 663	\$ 716	\$ 758			
	24"D	23½"D-29½16"D		\$ 640	\$ 660	\$ 680	\$ 722	\$ 763			
	30"D	29½"D-35½16"D		\$ 726	\$ 752	\$ 779	\$ 816	\$ 860			
	36"D	35½"D-36"D		\$ 829	\$ 850	\$ 872	\$ 911	\$ 955			
Square E	dge Profile	e – Wood									
USWSSWS	18 <sup>7</sup> / <sub>8</sub> "D	18"D-23 <sup>7</sup> /16"D		\$1228	\$1246	\$1378	\$1430	\$1473			
	24"D	23 <sup>1</sup> / <sub>2</sub> "D-29 <sup>7</sup> / <sub>16</sub> "D		\$1245	\$1266	\$1393	\$1435	\$1478			
	30"D	29 <sup>1</sup> / <sub>2</sub> "D-35 <sup>7</sup> / <sub>16</sub> "D		\$1331	\$1358	\$1493	\$1530	\$1575			
	36"D	35½"D-36"D		\$1528	\$1559	\$1721	\$1766	\$1820			



Parametric Straight Worksurfaces with Soft Edge Profile

· 78"W	· 84"W	· 90"W	- 96"W	· 102"W	· 108"W	· 114"W	· 120"W
	<u>:</u>	<u>:</u>	-	:	:	<u>:</u>	
: 78"W-	: 84"W-	: 90"W-	: 96"W-	: 102"W-	: 108"W-	: 114"W-	: 120"W
: 83 15/16"W	: 8919/16"W	: 9519/16"W	101 <sup>15</sup> /16"W	: 10/13/16"W	: 11319/16"W	: 119 <sup>19</sup> /16"W	:
\$ 873	\$ 903	\$ 936	\$ 964	\$ 993	\$1021	\$1050	\$1078
\$ 905	\$ 966	\$ 989	\$1033	\$1064	\$1095	\$1125	\$1157
\$1010	\$1039	\$1067	\$1096	\$1124	\$1154	\$1182	\$1211
	•		•	•	•		
\$1039	\$1177	\$1211	\$1245	\$1280	\$1315	\$1349	\$1383
\$1559	\$1713	\$1743	\$1774	\$1825	\$1854	\$1883	\$1934
\$1573	\$1737	\$1797	\$1819	\$1886	\$1917	\$1948	\$2002
					•		
\$1677	\$1848	\$1876	\$1906	\$1957	\$1985	\$2014	\$2065
\$1943	\$2148	\$2183	\$2217	\$2279	\$2312	\$2348	\$2408
	:	:				:	

## 120° Straight Worksurfaces

Need help?

page 22

Product details,

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding panel-mounted applications must be specified separately.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile, or plastic knife profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:

**Options** 

- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

## **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge
- SW Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

**Required to Specify** 

# For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support.

► See understanding section for details, page 23

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, USE2448LH becomes USE2448LHSW for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 244
- See page 26 for worksurface size availability matrix.

Tip: When facing the user edge, the side the diagonal is on is the handed side.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurfaces	
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$ 74	See Surface Materials Reference Manual.
		plus cost of laminate	
	Wood veneer worksurfac	es	
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	Full-fill finish on wood group 1	Prices at right	Specify full-fill finish number.
	Doors		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Anodized aluminum</li> </ul>	+\$ 10 per door	Specify with 8043 Clear Anodized
		·	Aluminum.
Scallop	Omit scallop	No cost	Specify omit scallop.
Power	Applies to 48"W		
Access	No power access	No cost	Specify with no power access.
Door	Power access door center	+\$ 98	Specify with power access door center.
	<ul> <li>Power access door left</li> </ul>	+\$ 98	Specify with power access door left.
	<ul> <li>Power access door right</li> </ul>	+\$ 98	Specify with power access door left.
	Applies to 60"W		
	No power access	No cost	Specify with no power access.
	Power access door center	+\$ 98	Specify with power access door center.
	Power access door left	+\$ 98	Specify with power access door left.
	<ul> <li>Power access door right</li> </ul>	+\$ 98	Specify with power access door right.
	Power access door left	+\$196	Specify with power access door left and
	and right		right.
	Applies to 72"W		
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.
	<ul> <li>Power access door center</li> </ul>	+\$ 98	Specify with power access door center.
	<ul> <li>Power access door left</li> </ul>	+\$ 98	Specify with power door left.
	<ul> <li>Power access door right</li> </ul>	+\$ 98	Specify with power door right.
	Power access door left	+\$196	Specify with power access door left and
	right		right.
	Power access door left	+\$196	Specify with power access door left and
	and center		center.
	Power access door right and	+\$196	Specify with power access door right and
	center	*:==	center.
	Power access door left,	+\$294	Specify with power access door left,
	right, and center		right, and center.
	J,		J - /

U.S. Price




## **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

- Reinforcing channel
- · Legs and supports for Universal Systems Worksurfaces
- Worksurface screens
- · Wiring and cabling

- ▶ Page 249
- ▶ Page 254
- ▶ Page 312
- ▶ Page 385

#### **Specification Information U.S. Base Prices High-Pressure Laminate** Wood ·Option Style ·Plastic ·Plastic ·Wood (Add \$ to Dimensions Knife В Number 3 mm Square Base Price) Edge Edge Edge Full-Fill No Suffix Suffix K **Suffix SW** Finish on Wood Group 1




#### Left-Hand With 1/2" Cord Drop 231/2" 271/8" 48" 611/16" USE2448LH \$290 \$398 \$ 906 +\$47 231/2" 271/8" 60" 739/16" USE2460LH \$1056 \$328 \$460 +\$52 231/2" 271/8" 72" 859/16" USE2472LH \$543 \$1139 +\$56 \$411 291/2" 341/16" 48" 651/16" USE3048LH \$373 \$482 \$ 991 +\$49 291/2" 341/16" 60" 771/16" USE3060LH \$426 \$558 \$1154 +\$54

\$639

\$1235

+\$57



291/2" 341/16" 72" 891/16"

USE3072LH

\$507

Right-Hand With ½" Cord Drop							
23½" 27½" 48" 61½16" <b>L</b>	JSE2448RH	\$290	\$398	\$ 906	+\$47		
23½" 27½" 60" 73½16" <b>L</b>	JSE2460RH	\$328	\$460	\$1056	+\$52		
23 <sup>1</sup> /2" 27 <sup>1</sup> /8" 72" 85 <sup>9</sup> /16" <b>L</b>	JSE2472RH	\$411	\$543	\$1139	+\$56		
29½" 34½16" 48" 65½16" <b>L</b>	JSE3048RH	\$373	\$482	\$ 991	+\$49		
29½" 34½16" 60" 77½16" <b>L</b>	JSE3060RH	\$426	\$558	\$1154	+\$54		
29 <sup>1</sup> /2" 34 <sup>1</sup> / <sub>16</sub> " 72" 89 <sup>1</sup> / <sub>16</sub> " <b>L</b>	JSE3072RH	\$507	\$639	\$1235	+\$57		




## **Transition Worksurfaces**

High-Pressure Laminate or Wood Veneer

► Need help? Product details,

page 22



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports for freestanding applications must be specified separately.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 23

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UT2136L SW for wood with square edge profile.)

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile, plastic P-edge profile, or plastic knife profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges
- · Cable scallop on back edge


## **Required to Specify**


- 1 Style number with appropriate edge profile suffix
  - K Laminate with knife edge
- P Laminate with plastic P-edge
- **SW** Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	worksurfaces			
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.		
	<ul> <li>Open Line laminate</li> </ul>	+\$74	► See Surface Materials Reference Manual.		
		plus cost of laminate			
	Wood veneer worksurfac				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	Wood group 3     See informatio		Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices at right	Specify full-fill finish number.		
Scallop	Omit scallop	No cost	Specify omit scallop.		
Related	Universal Systems worksurface	e supports	▶ Page 248		
Products	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 254		
	Worksurface screens	•	▶ Page 312		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385		




#### **Specification Information U.S. Base Prices U.S. Base Price High-Pressure Laminate Wood High-Pressure Laminate** • Option (Add \$ to Style ·Plastic ·Plastic Dimensions ·Wood Dimensions Style · Plastic P-Edge D C В Number 3 mm Square В Number 3 mm Base Price) **Edge** Edge Edge Full-Fill No Suffix Suffix P Suffix SW Finish on No Suffix Wood Group 1






Left-	Left-Hand With ½" Cord Drop								
231/2"	183⁄8"	36"	14"	UT2136L	\$379	\$429	\$1092	+\$41	
231/2"	183⁄8"	42"	20"	UT2142L	\$403	\$459	\$1116	+\$46	
231/2"	183⁄8"	48"	26"	UT2148L	\$467	\$523	\$1180	+\$47	
231/2"	183⁄8"	54"	32"	UT2154L	\$500	\$556	\$1213	+\$49	
231/2"	183⁄8"	60"	38"	UT2160L	\$533	\$599	\$1246	+\$52	
291/2"	231/2"	36"	14"	UT3236L	\$448	\$498	\$1161	+\$46	
291/2"	231/2"	42"	20"	UT3242L	\$470	\$526	\$1183	+\$47	
291/2"	231/2"	48"	26"	UT3248L	\$549	\$605	\$1262	+\$49	
291/2"	231/2"	54"	32"	UT3254L	\$589	\$645	\$1302	+\$52	
291/2"	231/2"	60"	38"	UT3260L	\$626	\$692	\$1339	+\$57	

30"	24"	36"	18"	WT3236	\$448
30"	24"	42"	24"	WT3242	\$470
30"	24"	48"	30"	WT3248	\$549
30"	24"	54"	36"	WT3254	\$589
30"	24"	60"	42"	WT3260	\$626





Right-Hand With ½" Cord Drop								
183/8"	231/2"	36"	14"	UT1236R	\$379	\$429	\$1092	+\$41
183/8"	231/2"	42"	20"	UT1242R	\$403	\$459	\$1116	+\$46
183⁄8"	231/2"	48"	26"	UT1248R	\$467	\$523	\$1180	+\$47
183/8"	231/2"	54"	32"	UT1254R	\$500	\$556	\$1213	+\$49
18 <sup>3</sup> /8"	231/2"	60"	38"	UT1260R	\$533	\$599	\$1246	+\$52
231/2"	291/2"	36"	14"	UT2336R	\$448	\$498	\$1161	+\$46
231/2"	291/2"	42"	20"	UT2342R	\$470	\$526	\$1183	+\$47
231/2"	291/2"	48"	26"	UT2348R	\$549	\$605	\$1262	+\$49
231/2"	291/2"	54"	32"	UT2354R	\$589	\$645	\$1302	+\$52
231/2"	291/2"	60"	38"	UT2360R	\$626	\$692	\$1339	+\$57
:					:	:	•	:

24"	30"	36"	18"	WT2336	\$448
24"	30"	42"	24"	WT2342	\$470
24"	30"	48"	30"	WT2348	\$549
24"	30"	54"	36"	WT2354	\$589
24"	30"	60"	42"	WT2360	\$626

## **Tapered Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate

Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 23

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 244

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Exception: Power and data access door and tray only fits on tapered worksurfaces that are 24" to 30" and 30" to 24" deep.

Tip: To specify 3 mm edge profile, no suffix is required.

## **Standard Includes**

- · Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Cable scallop on back edge

#### **Required to Specify**


- 1 Style number with appropriate edge profile suffix
  - K Laminate with knife edge
- See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina  Laminate price group 2  Open Line laminate	te worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power and Data Access Door and Tray		No cost	Specify with cutout for power and data access door.
Related Products	Universal Systems worksur     Legs and supports for Unive     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 248</li><li>▶ Page 254</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>

## **Specification Information**


U.S. Base Price U.S. Base Prices **High-Pressure High-Pressure** Laminate Laminate

·Din	nensio	ons	·Style	· Plastic	<ul><li>Dimensions</li></ul>	· Style	<ul> <li>Plastic</li> </ul>	·Plastic
·A	В	C	Number	3 mm	A B C	Number	3 mm	Knife
:			:	Edge	:	•	Edge	Edge
:				No Suffix		:	No Suffix	Suffix K



Lett.	-Hanc	ı Witn	ı ½" Gora	υrop
231/2"	183/8"	48"	UTT2148	\$467
231/2"	183/8"	60"	UTT2160	\$533
231/2"	183/8"	72"	UTT2172	\$596
291/2"	231/2"	48"	UTT3248	\$549
291/2"	231/2"	60"	UTT3260	\$626
291/2"	231/2"	72"	UTT3272	\$700
:			:	:

Lef	t-Hand	l Wi	th Full Dep	th	
24"	18 <sup>7</sup> /8"	48"	WTT2148	\$467	\$523
24"	18 <sup>7</sup> /8"	60"	WTT2160	\$533	\$599
24"	18 <sup>7</sup> /8"	72"	WTT2172	\$596	\$662
30"	24"	48"	WTT3248	\$549	\$605
30"	24"	60"	WTT3260	\$626	\$692
30"	24"	72"	WTT3272	\$700	\$766



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

## Right-Hand With 1/2" Cord Drop

3				
183/8"	231/2"	48"	UTT1248	\$467
183/8"	231/2"	60"	UTT1260	\$533
183/8"	231/2"	72"	UTT1272	\$596
231/2"	291/2"	48"	UTT2348	\$549
231/2"	291/2"	60"	UTT2360	\$626
231/2"	291/2"	72"	UTT2372	\$700

Right-Hand With Full Depth					
187/8"	24"	48"	WTT1248	\$467	\$523
187/8"	24"	60"	WTT1260	\$533	\$599
187/8"	24"	72"	WTT1272	\$596	\$662
24"	30"	48"	WTT2348	\$549	\$605

WTT2360 \$692 24" 30" 60" \$626 24' 30' 72" WTT2372 \$700 \$766

## **Tapered Worksurfaces with Soft Edge Profile**

► Need help? Product details,

page 26

High-Pressure Laminate

Tapered Worksurfaces with Soft Edge Profile

Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 23

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic antimicrobialsoft edge profile centered on worksurface
- Plastic 3 mm edge profile on balance of front edge
- Plastic flat profile on side and back edges
- Cable scallop on back edge

## **Required to Specify**

- 1 Style number 2 High-Pressure Laminate color number for
- worksurface
  3 Plastic color number for front edge on
- laminate worksurface
  4 Options, if selected (see below)
- See Surface Materials, page 412.

For wood group 2, wood
group 3, and laminate
price group 2 pricing,
places refer to the electronic

please refer to the electronic catalog or SmartTools.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 244

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamina	te worksurfaces	
Materials	Laminate price group 2     Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
Soft Edge	<ul><li>Antimicrobial edge</li><li>No antimicrobial edge</li></ul>	No cost No cost	Specify with antimicrobial soft edge. Specify without antimicrobial soft edge.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power and Data Access Door and Tray	• Cutout	No cost	Specify with cutout for power and data access door.
Related Products	<ul> <li>Universal Systems worksur</li> <li>Legs and supports for Unive</li> <li>Worksurface screens</li> </ul>		<ul><li>Page 248</li><li>Page 254</li><li>Page 312</li></ul>

## **Specification Information**

· Dimensions

R

231/2" 291/2" 72"

U.S. Base Price U.S. Base Price

·Style

Number

· Dimensions

R



**Edge** 

\$1047

**Profile** 

Left	-Hand	l With	1 ½" Cord	 Drop
291/2"	231/2"	48"	UTT3248S	\$ 896
291/2"	231/2"	60"	UTT3260S	\$ 973
291/2"	231/2"	72"	UTT3272S	\$1047

·Style

Number

291/2"	231/2"	60"	UTT3260S	\$ 973	
291/2"	231/2"	72"	UTT3272\$	\$1047	
Righ	ıt-Haı	nd W	ith ½" Cord	l Drop	_
231/2"	291/2"	48"	UTT2348S	\$ 896	
231/2"	291/2"	60"	UTT2360S	\$ 973	

**UTT2372S** 

Left-Hand With Full Depth							
30"	24"	48"	WTT3248S	\$ 896			
30"	24"	60"	WTT3260S	\$ 973			
30"	24"	72"	WTT3272S	\$1047			

·Soft

Edge

**Profile** 

Rig	Right-Hand With Full Depth						
24"	30"	48"	WTT2348S	\$ 896			
24"	30"	60"	WTT2360S	\$ 973			
24"	30"	72"	WTT2372S	\$1047			



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

## **Taper-Flat Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate

Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 23

#### **Standard Includes**

· Cable scallop on back edge

- Plastic 3 mm edge profile on front edge

Plastic default flat profile on side and back edges

· Laminate worksurface:

## · Worksurface: High-Pressure Laminate price group 1

## **Required to Specify**

- 1 Style number 2 High-Pressure Laminate color number for
  - worksurface 3 Plastic color number for front edge on
  - laminate worksurface
  - 4 Options, if selected (see below)
- See Surface Materials, page 412.

For wood group 2 , wood group 3, and laminate
price group 2 pricing,
olease refer to the electronic
catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	Specify laminate color number.  See Surface Materials Reference Manua	
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	Universal Systems worksur     Legs and supports for Unive     Worksurface screens     Wiring and cabling	<ul><li>▶ Page 248</li><li>▶ Page 254</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>	

Tip: To specify 3 mm edge profile, no suffix is required.

## **Specification Information**

**U.S. Base Price High-Pressure** Laminate




Dimensions			∙Style	· Plastic	
Α	В	C	Number	3 mm	
			:	Edge	
			:	:	
			:	No Suffix	

High-Pressure
Laminate




**U.S. Base Price** 

· Dimensions		ons	·Style	· Plastic	<ul> <li>Dimensions</li> </ul>			·Style	· Plastic	
Α	В	C	Number	3 mm	A	В	C	Number	3 mm	
:			:	Edge	:				Edge	
:				No Suffix	:			:	No Suffix	
Lof	t Uo	-4 W:1	h 1/all Cand D	×0.00		t Ua	~4 W:1	h Full Doubh		



#### Left-Hand With 1/2" Cord Drop 231/2" 183/8" 60' **UTTF2160** \$533 231/2" 183/8" 72" **UTTF2172** \$596 183/8" 60" **UTTF3160** \$626 UTTF3172 291/2" 183/8" 72" \$700 291/2" 231/2" 60" **UTTF3260** \$626 291/2" 231/2" 72" **UTTF3272** \$700

Left	Left-Hand With Full Depth						
24"	187⁄8"	60"	WTTF2160	\$533			
24"	187⁄8"	72"	WTTF2172	\$596			
30"	187⁄8"	60"	WTTF3160	\$626			
30"	187⁄8"	72"	WTTF3172	\$700			
30"	24"	60"	WTTF3260	\$626			
30"	24"	72"	WTTF3272	\$700			



Righ	Right-Hand With 1/2" Cord Drop						
183/8"	231/2"	60"	UTTF1260	\$533			
183/8"	231/2"	72"	UTTF1272	\$596			
183/8"	291/2"	60"	UTTF1360	\$626			
183/8"	291/2"	72"	UTTF1372	\$700			
231/2"	291/2"	60"	UTTF2360	\$626			
231/2"	291/2"	72"	UTTF2372	\$700			

Righ	Right-Hand With Full Depth						
187/8"	24"	60"	WTTF1260	\$533			
187/8"	24"	72"	WTTF1272	\$596			
187/8"	30"	60"	WTTF1360	\$626			
187/8"	30"	72"	WTTF1372	\$700			
24"	30"	60"	WTTF2360	\$626			
24"	30"	72"	WTTF2372	\$700			
:			:	:			

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

## **Single-Tapered Worksurfaces**

► Need help? Product details,

page 22

High-Pressure Laminate

Single-Tapered Worksurfaces

## Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 23

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Cable scallop on back edge

## Required to Specify

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

# For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	te worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	<ul><li>Universal Systems worksur</li><li>Legs and supports for Unive</li><li>Worksurface screens</li><li>Wiring and cabling</li></ul>		<ul><li>Page 248</li><li>Page 254</li><li>Page 312</li><li>Page 385</li></ul>

Tip: To specify 3 mm edge profile, no suffix is required.

## **Specification Information**

В

U.S. Base Price
High-Pressure
Laminate

U.S. Base Price
High-Pressure
Laminate





3 mm


Edge


**No Suffix** 

Dimensions
A B

• Style Number Plastic 3 mm Edge

No Suffix





Left-Hand With ½" Cord Drop						
231/2"	183/8"	60"	UST2160	\$533		
231/2"	183/8"	72"	UST2172	\$596		
291/2"	231/2"	60"	UST3260	\$626		
291/2"	231/2"	72"	UST3272	\$700		

Number

Righ	Right-Hand With ½" Cord Drop					
183/8"	231/2"	60"	UST1260	\$533		
183/8"	231/2"	72"	UST1272	\$596		
231/2"	291/2"	60"	UST2360	\$626		
231/2"	291/2"	72"	UST2372	\$700		

LGI	t-nan	u witi	ıı run vehm		
24"	18 <sup>7</sup> /8'	' 60"	WST2160	\$533	
24"	18 <sup>7</sup> /8'	72"	WST2172	\$596	
30"	24"	60"	WST3260	\$626	
30"	24"	72"	WST3272	\$700	
:			:	:	

Right-Hand With Full Depth						
24"	60"	WST1260	\$533			
24"	72"	WST1272	\$596			
30"	60"	WST2360	\$626			
30"	72"	WST2372	\$700			
	24" 24" 30"	24" 60" 24" 72" 30" 60"	24"     60"     WST1260       24"     72"     WST1272       30"     60"     WST2360	24"       60"       WST1260       \$533         24"       72"       WST1272       \$596         30"       60"       WST2360       \$626		



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Answer Freestanding Specification Guide


## **Corner, Flat-Front Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate



Tip: Supports must be specified separately.

profile

#### For I 2 pri the e Smai

## **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Cable scallops on back edges

## **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

: To specify 3 mm edge		Options	U.S. Price	Required to Specify
file, no suffix is required.	Surface	High-Pressure Laminat		
r laminate price group pricing, please refer to electronic catalog or	• Open Line laminate +\$74		See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
artTools.	Scallops	Omit scallops	No cost	Specify omit scallops.
	Related	Universal Systems worksurface supports		▶Page 248
	Products	<ul> <li>Legs and supports for University</li> </ul>	ersal Systems Worksurfaces	► Page 254
		<ul> <li>Worksurface screens</li> </ul>		▶ Page 312
		<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385
pecification Inform	ation			

		U.S. Base Price High-Pressure Laminate			U.S. Base Price High-Pressure Laminate
Dimensions A B C D	• Style Number	Plastic 3 mm Edge	Dimensions A B C D	• Style Number	Plastic 3 mm Edge
With ½" Cord Dro	p	·	With Full Depth	<u> </u>	•
231/2" 231/2" 351/2" 351/2	UCF223636	\$401	24" 24" 36" 36"	WCF223636	\$401
231/2" 231/2" 411/2" 411/2"	UCF224242	\$437	24" 24" 42" 42"	WCF224242	\$437
231/2" 231/2" 471/2" 471/2"	UCF224848	\$496	24" 24" 48" 48"	WCF224848	\$496
291/2" 291/2" 411/2" 411/2"	UCF334242	\$480	30" 30" 42" 42"	WCF334242	\$480
291/2" 291/2" 471/2" 471/2"	UCF334848	\$543	30" 30" 48" 48"	WCF334848	\$543




## **Dual Corner, Flat-Front Worksurfaces**

► Need help? Product details,

page 22

High-Pressure Laminate

Dual Corner, Flat-Front Worksurfaces



Tip: Supports must be specified separately.

Tip: Keyboard surface adjusts 6" higher or 5" lower than worksurface height.

# For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Dual corner, flat-front worksurfaces must be panel hung.

Tip: 231/2"D dual corner, flat-front worksurfaces must be supported with a center support on each side.

Tip: 291/2"D dual corner, flat-front worksurfaces can be supported with a cantilever or center support.

Tip: To specify 3 mm edge profile, no suffix is required.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
  - Plastic 3 mm edge profile on front edge of keyboard surface
  - Plastic default flat profile on all other edges
- · Cable scallops on back edges
- Keyboard mechanism

## **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for edges on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminar  Laminate price group 2  Open Line laminate	Specify laminate color number.  See Surface Materials Reference Manual	
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	Universal Systems worksur     Legs and supports for University     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 248</li><li>▶ Page 254</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>

Specification Infor	mation				
· Dimensions A B C D	• Style Number	U.S. Base Price High-Pressure Laminate  Plastic 3 mm Edge	Dimensions A B C D	· Style Number	U.S. Base Price High-Pressure Laminate  Plastic 3 mm Edge
With 1/2" Cord Drop		_	With Full Depth		
231/2" 231/2" 411/2" 411/2"	UDC224242	\$1071	24" 24" 42" 42"	WDC224242	\$1071
231/2" 231/2" 471/2" 471/2"	UDC224848	\$1128	24" 24" 48" 48"	WDC224848	\$1128
291/2" 291/2" 471/2" 471/2"	UDC334848	\$1174	30" 30" 48" 48"	WDC334848	\$1174




## **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## **Corner, Straight-Front Worksurfaces**

Specification Information

High-Pressure Laminate



Tip: Supports must be specified separately.

#### **Standard Includes**

- Need help?
   Product details,
   page 22
   Worksurface: High-Pressure Laminate price group 1
   —Plastic 3 mm edge profile or plastic P-edge profile on front edge
  - -Plastic default flat profile on side and back edges
  - · Cable scallops on back edges

#### **Required to Specify**

- Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge
- See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

# For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina  Laminate price group 2  Open Line laminate	te worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	<ul> <li>Universal Systems worksur</li> <li>Legs and supports for Univ</li> <li>Worksurface screens</li> <li>Wiring and cabling</li> </ul>		<ul><li>▶ Page 248</li><li>▶ Page 254</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UC114242 becomes UC114242P for laminate with P-edge profile.)

					U.S. Base P High-Pressu	rices re Laminate	
Dime	ension B	is C	D	•Style Number	· Plastic	• Plastic • P-Edge	
· · · · · ·				:	Edge No Suffix	Suffix P	
With	1/2"	Cord	Drop				
18"	18"	42"	42"	UC114242	\$418	\$ 477	
183⁄8"	231/2"	411/2"	411/2"	UC124242	\$461	\$ 520	
231/2"	183/8"	411/2"	411/2"	UC214242	\$461	\$ 520	
231/2"	231/2"	351/2"	351/2"	UC223636	\$401	\$ 460	
231/2"	231/2"	411/2"	411/2"	UC224242	\$437	\$ 496	
231/2"	231/2"	471/2"	471/2"	UC224848	\$496	\$ 555	
231/2"	231/2"	591/2"	591/2"	UC226060	\$917	\$1036	
291/2"	291/2"	411/2"	411/2"	UC334242	\$480	\$ 539	
291/2"	291/2"	471/2"	471/2"	UC334848	\$543	\$ 602	



## **Corner, Curved-Front Worksurfaces**


► Need help?

page 22

Product details,

High-Pressure Laminate or Wood Veneer

Corner, Curved-Front Worksurfaces



Tip: Supports must be specified separately.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UCC114242 becomes UCC114242SW for wood with square edge profile.)

SmartTools.

#### **Standard Includes**

 Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- -Plastic 3 mm edge profile or plastic P-edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallops on back edges

## Required to Specify

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify						
Surface	High-Pressure Laminate worksurfaces								
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.						
	Open Line laminate	+\$74	See Surface Materials Reference Manual						
		plus cost of laminate							
	Wood veneer worksurfac	es							
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.						
	Wood group 3     See information a		Specify wood color number.						
	Customiz stain	No cost	Specify with Customiz stain.  See Surface Materials Reference Manua						
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.						
Scallops	Omit scallops	No cost	Specify omit scallops.						
Related	Universal Systems worksurface	▶ Page 248							
Products	<ul> <li>Legs and supports for Universa</li> </ul>	▶ Page 254							
	Worksurface screens	-	▶ Page 312						
	<ul> <li>Wiring and cabling</li> </ul>	▶ Page 385							

Specification Inf	ormation						
		U.S. Base	Prices sure Laminate	Wood		U.S. Base Price High-Pressure Laminate	
• Dimensions A B C D	•Style Number	Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	• Option (Add \$ to Base Price)	·Dimensions ·Style ·F	Plastic 3 mm Edge
:	:	No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1		No Suffix
With 1/2" Cord Dr	op					With Full Depth	
183/8" 183/8" 351/2" 351/2	" UCC113636	\$465	N.A.	N.A.	N.A.	187/8" 187/8" 36" WCC113636 \$	3465
183/8" 183/8" 411/2" 411/2	" UCC114242	\$496	\$ 555	\$1179	+\$58	18 <sup>7</sup> / <sub>8</sub> " 18 <sup>7</sup> / <sub>8</sub> " 42" 42" <b>WCC114242</b> \$	496
183/8" 183/8" 471/2" 471/2	" UCC114848	\$554	N.A.	N.A.	N.A.	18 <sup>7</sup> / <sub>8</sub> " 18 <sup>7</sup> / <sub>8</sub> " 48" 48" <b>WCC114848</b> \$	5554
183/8" 231/2" 411/2" 411/2	" UCC124242	\$533	\$ 592	\$1216	+\$58	18 <sup>7</sup> / <sub>8</sub> " 24" 42" <b>WCC124242</b> \$	533
231/2" 183/8" 411/2" 411/2	" UCC214242	\$533	\$ 592	\$1216	+\$58	24" 18 <sup>7</sup> / <sub>8</sub> "42" 42" <b>WCC214242</b> \$	533
231/2" 231/2" 351/2" 351/2	" UCC223636	\$471	\$ 530	\$1154	+\$58	24" 24" 36" 36" <b>WCC223636</b> \$	6471
231/2" 231/2" 411/2" 411/2	" UCC224242	\$514	\$ 573	\$1197	+\$58	24" 24" 42" <b>WCC224242</b> \$	514
231/2" 231/2" 471/2" 471/2	" UCC224848	\$571	\$ 630	\$1254	+\$62	24" 24" 48" 48" <b>WCC224848</b> \$	571
231/2" 231/2" 591/2" 591/2	" UCC226060	\$917	\$1036	N.A.	N.A.		
291/2" 291/2" 411/2" 411/2	" UCC334242	\$556	\$ 615	\$1239	+\$59	30" 30" 42" 42" <b>WCC334242</b> \$	5556
291/2" 291/2" 471/2" 471/2	" UCC334848	\$620	\$ 679	\$1303	+\$64	30" 30" 48" 48" <b>WCC334848</b> \$	620

## **Extended Corner, Straight-Front Worksurfaces**

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports must be specified separately.

Tip: Long worksurface spans require additional support. See understanding section for details, page 23

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

 Worksurface: High-Pressure Laminate price group 1 Product details, · Laminate worksurface: page 22

► Need help?

- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- Plastic default flat profile on side and back edges
- · Cable scallops on back edges

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge
- ► See edge profiles below.
- 2 High-Pressure Laminate number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	te worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	Universal Systems worksurf     Reinforcing channel     Legs and supports for Unive     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 248</li><li>▶ Page 249</li><li>▶ Page 254</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>



Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UE2202L becomes UE2202LP for laminate with P-edge profile.)

Specification	Information

#### U.S. Base Prices High-Pressure Laminate





Dim	ensio		Style	
A	В	C	D	Number
				•

·Plastic 3 mm Edge


· Plastic P-Edge

No Suffix Suffix P



		Left-	-Hand	With	1/2"	Cord	Drop
--	--	-------	-------	------	------	------	------

231/2"	231/2"	591/2"	411/2"	UE2202L	\$	758	\$ 861
231/2"	231/2"	651/2"	411/2"	UE2262L	\$	828	\$ 931
231/2"	231/2"	71½"	411/2"	UE2222L	\$	898	\$1001
231/2"	231/2"	591/2"	471/2"	UE2208L	\$	779	\$ 882
231/2"	231/2"	651/2"	471/2"	UE2268L	\$	845	\$ 948
231/2"	231/2"	711/2"	471/2"	UE2228L	\$	912	\$1015
231/2"	291/2"	591/2"	471/2"	UE2308L	\$	850	\$ 953
231/2"	291/2"	651/2"	471/2"	UE2368L	\$	917	\$1020
231/2"	291/2"	71½"	471/2"	UE2328L	\$	992	\$1095
291/2"	231/2"	591/2"	471/2"	UE3208L	\$	850	\$ 953
291/2"	231/2"	651/2"	471/2"	UE3268L	\$	917	\$1020
291/2"	231/2"	711/2"	471/2"	UE3228L	\$	992	\$1095
291/2"	291/2"	591/2"	471/2"	UE3308L	\$	890	\$ 993
291/2"	291/2"	651/2"	471/2"	UE3368L	\$	962	\$1065
291/2"	291/2"	711/2"	471/2"	UE3328L	\$1	028	\$1131



## Right-Hand With 1/2" Cord Drop


KIGN	t-Han	a wit	n 72"	Cora vrop				
231/2"	231/2"	411/2"	591/2"	UE2220R	\$ 758	\$ 861		
231/2 "	231/2"	411/2"	651/2"	UE2226R	\$ 828	\$ 931		
231/2"	231/2"	411/2"	711/2"	UE2222R	\$ 898	\$1001		
231/2"	231/2"	471/2"	591/2"	UE2280R	\$ 779	\$ 882		
231/2"	231/2"	471/2"	651/2"	UE2286R	\$ 845	\$ 948		
231/2"	231/2"	471/2"	711/2"	UE2282R	\$ 912	\$1015		
231/2"	291/2"	471/2"	591/2"	UE2380R	\$ 850	\$ 953		
231/2"	291/2"	471/2"	651/2"	UE2386R	\$ 917	\$1020		
231/2"	291/2"	471/2"	711/2"	UE2382R	\$ 992	\$1095		
291/2"	231/2"	471/2"	591/2"	UE3280R	\$ 850	\$ 953		
291/2"	231/2"	471/2"	651/2"	UE3286R	\$ 917	\$1020		
291/2"	231/2"	471/2"	711/2"	UE3282R	\$ 992	\$1095		
291/2"	291/2"	471/2"	591/2"	UE3380R	\$ 890	\$ 993		
291/2"	291/2"	471/2"	651/2"	UE3386R	\$ 962	\$1065		
291/2"	291/2"	471/2"	711/2"	UE3382R	\$1028	\$1131		




► See page 1 for details.

## **Extended Corner, Curved-Front Worksurfaces**

High-Pressure Laminate or Wood Veneer



Left-Hand



Right-Hand

Tip: Supports must be specified separately.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 23

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UEC2202L becomes UEC2202LP for laminate with P-edge profile.)

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
  - Wood 3 mm edge profile on front edge
  - Matching veneer flat profile on side and back edges
- Cable scallops on back edges

## **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify						
Surface	High-Pressure Laminate worksurfaces								
Materials	Laminate price group 2	See information at left	Specify laminate color number.						
	Open Line laminate +\$74 plus cost of laminate		See Surface Materials Reference Manual.						
	Wood veneer worksurfac	es							
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.						
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number. Specify with Customiz stain.						
	<ul> <li>Customiz stain</li> </ul>	No cost							
			See Surface Materials Reference Manual.						
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices at right	Specify full-fill finish number.						
Scallops	Omit scallops	No cost	Specify omit scallops.						
Related	Universal Systems worksurface	e supports	▶Page 248						
Products	<ul> <li>Legs and supports for Universa</li> </ul>	▶ Page 254							
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312						
	<ul> <li>Wiring and cabling</li> </ul>	▶ Page 385							



See page 1 for details.

Extended Corner, Curved-Front Worksurfaces


		U.S. Base High-Pres	Prices sure Laminate	Wood		U.S. Base Price High-Pressure Laminate	
						ingii-i ressure kummute	
Dimensions A B C D	•Style Number	Plastic 3 mm Edge	P-Edge	• Wood Square Edge	• Option • (Add \$ to • Base Price)	Dimensions Style A B C D Number	Plastic 3 mm Edge
		No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1		No Suffi
Left-Hand With $^{1}$	'2" Cord Dro	מו				With Full Depth	
231/2" 231/2" 591/2" 411/2		\$ 758	\$ 861	\$1605	+\$67	24" 24" 60" 42" <b>WEC2260</b> 4	<b>12</b> \$ 758
231/2" 231/2" 651/2" 411/2	" UEC2262L	\$ 828	\$ 931	\$1675	+\$83	24" 24" 72" 42" <b>WEC2272</b> 4	<b>12</b> \$ 898
231/2" 231/2" 711/2" 411/2	" UEC2222L	\$ 898	\$1001	\$1745	+\$84	24" 24" 60" 48" <b>WEC2260</b> 4	<b>18</b> \$ 779
231/2" 231/2" 591/2" 471/2	" UEC2208L	\$ 779	\$ 882	\$1626	+\$83	24" 24" 72" 48" <b>WEC2272</b> 4	<b>18</b> \$ 912
231/2" 231/2" 651/2" 471/2	" UEC2268L	\$ 845	\$ 948	\$1692	+\$84	24" 30" 60" 42" <b>WEC23604</b>	<b>12</b> \$ 795
231/2" 231/2" 711/2" 471/2	UEC2228L	\$ 912	\$1015	\$1759	+\$88	24" 30" 72" 42" <b>WEC2372</b> 4	<b>12</b> \$ 941
231/2" 291/2" 591/2" 471/2	" UEC2308L	\$ 850	\$ 953	\$1697	+\$84	24" 30" 60" 48" <b>WEC2360</b> 4	<b>18</b> \$ 850
231/2" 291/2" 651/2" 471/2	" UEC2368L	\$ 917	\$1020	\$1764	+\$88	24" 30" 72" 48" <b>WEC2372</b> 4	<b>18</b> \$ 992
231/2" 291/2" 711/2" 471/2	UEC2328L	\$ 992	\$1095	\$1839	+\$89	30" 24" 60" 42" <b>WEC3260</b> 4	<b>12</b> \$ 795
291/2" 231/2" 591/2" 471/2	UEC3208L	\$ 850	\$ 953	\$1697	+\$84	30" 24" 72" 42" <b>WEC3272</b> 4	<b>12</b> \$ 941
291/2" 231/2" 651/2" 471/2	UEC3268L	\$ 917	\$1020	\$1764	+\$88	30" 24" 60" 48" <b>WEC3260</b> 4	<b>18</b> \$ 850
291/2" 231/2" 711/2" 471/2	UEC3228L	\$ 992	\$1095	\$1839	+\$89	30" 24" 72" 48" <b>WEC3272</b> 4	<b>18</b> \$ 992
291/2" 291/2" 591/2" 471/2	UEC3308L	\$ 890	\$ 993	\$1737	+\$88	30" 30" 60" 42" <b>WEC3360</b> 4	<b>\$</b> \$ 840
291/2" 291/2" 651/2" 471/2	UEC3368L	\$ 962	\$1065	\$1809	+\$89	30" 30" 72" 42" <b>WEC3372</b> 4	<b>12</b> \$ 979
291/2" 291/2" 711/2" 471/2	UEC3328L	\$1028	\$1131	\$1875	+\$92	30" 30" 60" 48" <b>WEC3360</b> 4	<b>18</b> \$ 890
						30" 30" 72" 48" <b>WEC3372</b> 4	<b>18</b> \$1028
Right-Hand With	½" Cord Di	ron	<u>:</u>	<u>:</u>	<u>:</u>	With Full Depth	:
231/2" 231/2" 411/2" 591/2		\$ 758	\$ 861	\$1605	+\$67	24" 24" 42" 60" <b>WEC22426</b>	<b>60</b> \$ 758
231/2" 231/2" 411/2" 651/2		\$ 828	\$ 931	\$1675	+\$83	24" 24" 42" 72" <b>WEC2242</b>	<b>'2</b> \$ 898
231/2" 231/2" 411/2" 711/2	UEC2222R	\$ 898	\$1001	\$1745	+\$84	24" 24" 48" 60" <b>WEC22486</b>	<b>60</b> \$ 779
231/2" 231/2" 471/2" 591/2			\$ 882	\$1626	+\$83	24" 24" 48" 72" <b>WEC2248</b> 7	<b>'2</b> \$ 912
231/2" 231/2" 471/2" 651/2		\$ 845	\$ 948	\$1692	+\$84	24" 30" 42" 60" <b>WEC23426</b>	
231/2" 231/2" 471/2" 711/2			\$1015	\$1759	+\$88	24" 30" 42" 72" <b>WEC2342</b> 7	
231/2" 291/2" 471/2" 591/2			\$ 953	\$1697	+\$84	24" 30" 48" 60" <b>WEC23486</b>	<b>60</b> \$ 850
231/2" 291/2" 471/2" 651/2	UEC2386R	\$ 917	\$1020	\$1764	+\$88	24" 30" 48" 72" <b>WEC23487</b>	<b>'2</b> \$ 992
231/2" 291/2" 471/2" 711/2	" UEC2382R	\$ 992	\$1095	\$1839	+\$89	30" 24" 42" 60" <b>WEC32426</b>	<b>60</b> \$ 795
291/2" 231/2" 471/2" 591/2	" UEC3280R	\$ 850	\$ 953	\$1697	+\$84	30" 24" 42" 72" <b>WEC3242</b> 7	<b>'2</b> \$ 941
	UEC3286R	\$ 917	\$1020	\$1764	+\$88	30" 24" 48" 60" <b>WEC32486</b>	<b>60</b> \$ 850
291/2" 231/2" 471/2" 651/2	" IIEC3282D	\$ 992	\$1095	\$1839	+\$89	30" 24" 48" 72" <b>WEC3248</b> 7	<b>'2</b> \$ 992
	UEC3202h						
29½" 23½" 47½" 65½ 29½" 23½" 47½" 71½ 29½" 29½" 47½" 59½		\$ 890	\$ 993	\$1737	+\$88	30" 30" 42" 60" <b>WEC3342</b> 6	<b>60</b> \$ 840
291/2" 231/2" 471/2" 711/2	" UEC3380R		\$ 993 \$1065	\$1737 \$1809	+\$88	30" 30" 42" 60" <b>WEC33426</b> 30" 30" 42" 72" <b>WEC33427</b>	

## **Corner, 120° Worksurfaces**

Product details,

page 22

High-Pressure Laminate or Wood Veneer



Tip: Supports must be specified separately.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:

**Specification Information** 

- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges
- Cable scallops on back edges

## **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on
- laminate worksurface, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate				
Materials	Laminate price group 2	See information at left	Specify laminate color number.		
	Open Line laminate +\$74 plus cost of laminate		See Surface Materials Reference Manual.		
	Wood veneer worksurfac				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	<ul> <li>Wood group 3 See information at left</li> <li>Customiz stain No cost</li> </ul>		Specify wood color number.		
			Specify with Customiz stain.		
		See Surface Materials Reference Manual.			
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.		
Scallops	Omit scallops	No cost	Specify omit scallops.		
Related	Universal Systems worksurface	e supports	▶ Page 248		
	<ul> <li>Legs and supports for Universa</li> </ul>	▶ Page 254			
	<ul> <li>Worksurface screens</li> </ul>	-	▶ Page 312		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385		

T' T '( 0 1
Tip: To specify 3 mm edge
profile, no suffix is required
For all other edge profiles,
add a suffix to the style
number. (For example,
UB223636 becomes
UB223636SW for wood
with square edge profile.)

• Dime	ensior B	ns C	D	Style Number	• Plastic 3 mm Edge	· Plastic P-Edge	· Wood Square Edge	• Option (Add \$ to Base Price) Full-Fill Finish on Wood Group 1
Free	stan	ding	With <sup>1</sup>	1/2" Cord Dr	ор			
231/2"	231/2"	351/2"	351/2"	UB223636	\$809	\$ 928	\$1583	+\$84
231/2"	231/2"	411/2"	411/2"	UB224242	\$841	\$ 960	\$1615	+\$88
231/2"	231/2"	471/2"	471/2"	UB224848	\$872	\$ 991	\$1646	+\$89
291/2"	291/2"	351/2"	351/2"	UB333636	\$841	\$ 960	\$1615	+\$88
291/2"	291/2"	411/2"	411/2"	UB334242	\$872	\$ 991	\$1646	+\$89
29 <sup>1</sup> /2"	291/2"	471/2"	471/2"	UB334848	\$903	\$1022 :	\$1677 :	+\$92 :

Wood

**U.S. Base Prices High-Pressure Laminate** 



## **Spanner Worksurfaces**

High-Pressure Laminate or Wood Veneer

► Need help?

page 22

Product details,



Tip: Supports for freestanding applications must be specified separately.

#### **Standard Includes**

· Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges

## Required to Specify

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

		Options	U.S. Price	Required to Specify
	Surface High-Pressure Laminate worksurfaces			
For wood group 2,	Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
wood group 3, and		<ul> <li>Open Line laminate</li> </ul>	+\$74	► See Surface Materials Reference Manual
laminate price group  2 pricing, please refer			plus cost of laminate	
to the electronic catalog or Wood veneer worksurfaces				
SmartTools.		<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.
		<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.
		<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.
				► See Surface Materials Reference Manual
Tip: To specify 3 mm edge pro- file, no suffix is required. For		Full-fill finish on wood group 1	Prices below	Specify full-fill finish number.
all other edge profiles, add a	Related	<ul> <li>Universal Systems worksurface</li> </ul>	e supports	▶ Page 248
suffix to the style number. (For	<b>Products</b>	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 254
example, USPC47 becomes		Columns		▶ Page 256
USPC47SW for wood with		<ul> <li>Worksurface screens</li> </ul>		▶ Page 312
square edge profile.)		<ul> <li>Wiring and cabling</li> </ul>		► Page 385

square edge profile.)

· Dimensions · Style

B

**Specification Information** 

Number

<b>High-Pressure Laminate Wood</b>	U.S. Dase Prices	
	<b>High-Pressure Laminate</b>	Wood



No Suffix Suffix P

Edge

Plastic · Plasti	

·Wood	·Opi
Square	· (Ad

Edge

tion dd \$ to Base Price)

Full-Fill **Suffix SW** Finish on Wood Group 1

U.S.	Base Price	e
High	-Pressure	Laminate

**Full Depth** 



·Dim	ensions	· Style	·Plastic
A	В	Number	3 mm Edge
:		:	: Eage
:		:	:
		:	No Suffix

## For Freestanding Applications without Panels With 1/2" Cord Drop

2" 47"	USPC47	\$451	\$510	\$1164	+\$65	24"	48"	WSPC4824	
2" 59"	USPC59	\$575	\$634	\$1288	+\$71	30"	60"	WSPC6030	
		-						•	٠



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

## **Bullet Peninsula Worksurfaces**

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support. See understanding section for details, page 23

#### For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bullet peninsula worksurfaces are recommended for use with other curvedfront shapes such as corner. curved-front worksurfaces. ▶ Page 229

Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with 1/2" cord drop or with full depth worksurfaces.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UPBC3060 becomes UPBC3060SW for wood with square edge profile.)

#### **Standard Includes**

► Need help? Product details, page 22

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges

**U.S. Base Prices** 

**High-Pressure Laminate** 

· Cable scallop on back edge

## **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge
- SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Laminate price group 2 Open Line laminate	worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	Wood veneer worksurfac  Wood group 2  Wood group 3  Customiz stain  Full-fill finish on wood group 1	Specify wood color number. Specify wood color number. Specify with Customiz stain.  See Surface Materials Reference Manual. Specify full-fill finish number.	
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	Universal Systems worksurface     Legs and supports for Universal     Columns     Worksurface screens     Wiring and cabling	<ul><li>▶ Page 248</li><li>▶ Page 254</li><li>▶ Page 256</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>	

#### **Specification Information**

• Din	nensions B	•Style Number	Plastic 3 mm Edge	• Plastic P-Edge	· Wood Square Edge Suffix SW	• Option (Add \$ to Base Price)  Full-Fill Finish on Wood Group 1
24"	471/2"	UPBC2448	\$527	N.A.	N.A.	N.A.
24"	591/2"	UPBC2460	\$536	N.A.	N.A.	N.A.
24"	651/2"	UPBC2466	\$553	N.A.	N.A.	N.A.
24"	711/2"	UPBC2472	\$563	N.A.	N.A.	N.A.
30"	471/2"	UPBC3048	\$612	N.A.	N.A.	N.A.
30"	591/2"	UPBC3060	\$624	\$706	\$1337	+\$62
30"	651/2"	UPBC3066	\$638	\$720	\$1351	+\$64
30"	711/2"	UPBC3072	\$650	\$732	\$1363	+\$67

Wood




## **Angled Peninsula Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate



Tip: Supports for freestanding applications must be specified separately.

## **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges

## **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

		Options	U.S. Price	Required to Specify
Tip: To specify 3 mm edge	Surface	High-Pressure Lamina	te worksurfaces	
profile, no suffix is required.	Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74	Specify laminate color number.  See Surface Materials Reference Manual.
For laminate price			plus cost of laminate	
group 2 pricing, please refer to the electronic cata-	Related	Universal Systems worksur	face supports	▶ Page 248
log or SmartTools.	Products	<ul> <li>Legs and supports for University</li> </ul>	ersal Systems Worksurfaces	▶ Page 254
leg er emarreeler		<ul> <li>Columns</li> </ul>		▶ Page 256
		<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385

Specification In	formation					
Dimensions A B C	• Style Number			• Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge	
With 1/2" Cord D	rop		With Full Dept	:h	`	
231/2" 231/2" 48"	UPA2448	\$669	24" 24" 48"	WPA2448	\$669	
231/2" 231/2" 60"	UPA2460	\$700	24" 24" 60"	WPA2460	\$700	
291/2" 291/2" 48"	UPA3048	\$669	30" 30" 48"	WPA3048	\$669	
291/2" 291/2" 60"	UPA3060	\$700	30" 30" 60"	WPA3060	\$700	




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## **Jetty Worksurfaces**

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 23

# For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Jetty worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

▶Page 229

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on
- laminate worksurface, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.


	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Laminate price group 2 Open Line laminate	worksurfaces See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	Wood veneer worksurfac  Wood group 2  Wood group 3  Customiz stain  Full-fill finish on wood group 1	es See information at left See information at left No cost Prices at right	Specify wood color number. Specify wood color number. Specify with Customiz stain.  See Surface Materials Reference Manual. Specify full-fill finish number.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	Universal Systems worksurface     Legs and supports for Universal     Columns     Worksurface screens     Wiring and cabling		Page 248  Page 254  Page 256  Page 312  Page 385



			U.S. Base Prices High-Pressure Laminate Wood				U.S. Base Price High-Pressure Laminate		
·Dimensions		·Style	·Plastic	· Plastic	·Wood	·Option	· Dimensions	·Style	·Plastic
A B C	D	Number	3 mm	P-Edge	Square	· (Add \$ to	ABCD	Number	3 mm
:		:	Edge	:	Edge	Base Price)	:	:	Edge
:		:		:	:	: · Full-Fill	:	:	:
			No Suffix	Suffix P	Suffix SW	Finish on		:	No Suffix
•		•	•	•	•	Wood Group 1	•	•	•



Lef	t-Hand With $1/$	2" Cord Dro	<b>Left-Hand With Full Depth</b>				
30"	231/2" 651/2" 48"	UJC3268L	\$888	\$1007	\$1601	+\$83	30" 24 66" 48" <b>WJ326648L</b> \$888
30"	231/2" 711/2" 48"	UJC3228L	\$917	\$1036	\$1808	+\$87	30" 24" 72" 48" <b>WJ327248L</b> \$917
30"	231/2" 771/2" 48"	UJC3288L	\$948	\$1067	\$1871	+\$92	30" 24" 78" 48" <b>WJ327848L</b> \$948
30"	291/2" 651/2" 48"	UJC3368L	\$916	\$1035	\$1629	+\$83	30" 30" 66" 48" <b>WJ336648L</b> \$916
30"	291/2" 711/2" 48"	UJC3328L	\$948	\$1067	\$1839	+\$87	30" 30" 72" 48" <b>WJ337248L</b> \$948
30"	291/2" 771/2" 48"	UJC3388L	\$981	\$1100	\$1904	+\$92	30" 30" 78" 48" <b>WJ337848L</b> \$981



Right-Hand With ½" Cord Drop							Right-Hand With Full Depth
48"	651/2"	UJC2386R	\$888	\$1007	\$1601	+\$83	24" 30" 48" 66" <b>WJ234866R</b> \$888
48"	711/2"	UJC2382R	\$917	\$1036	\$1808	+\$87	24" 30" 48" 72" <b>WJ234872R</b> \$917
48"	771/2"	UJC2388R	\$948	\$1067	\$1871	+\$92	24" 30" 48" 78" <b>WJ234878R</b> \$948
48"	651/2"	UJC3386R	\$916	\$1035	\$1629	+\$83	30" 30" 48" 66" <b>WJ334866R</b> \$916
48"	711/2"	UJC3382R	\$948	\$1067	\$1839	+\$87	30" 30" 48" 72" <b>WJ334872R</b> \$948
48"	771/2"	UJC3388R	\$981	\$1100	\$1904	+\$92	30" 30" 48" 78" <b>WJ334878R</b> \$981
	48" 48" 48" 48" 48"	48" 65½" 48" 71½" 48" 77½" 48" 65½" 48" 71½"	48"       65½"       UJC2386R         48"       71½"       UJC2382R         48"       77½"       UJC2388R         48"       65½"       UJC3386R         48"       71½"       UJC3382R	48" 65½" UJC2386R \$888 48" 71½" UJC2382R \$917 48" 77½" UJC2388R \$948 48" 65½" UJC3386R \$916 48" 71½" UJC3382R \$948	48" 65½" UJC2386R \$888 \$1007 48" 71½" UJC2382R \$917 \$1036 48" 77½" UJC2388R \$948 \$1067 48" 65½" UJC3386R \$916 \$1035 48" 71½" UJC3382R \$948 \$1067	48"       65½"       UJC2386R       \$888       \$1007       \$1601         48"       71½"       UJC2382R       \$917       \$1036       \$1808         48"       77½"       UJC2382R       \$948       \$1067       \$1871         48"       65½"       UJC3386R       \$916       \$1035       \$1629         48"       71½"       UJC3382R       \$948       \$1067       \$1839	48"       65½"       UJC2386R       \$888       \$1007       \$1601       +\$83         48"       71½"       UJC2382R       \$917       \$1036       \$1808       +\$87         48"       77½"       UJC2382R       \$948       \$1067       \$1871       +\$92         48"       65½"       UJC3386R       \$916       \$1035       \$1629       +\$83         48"       71½"       UJC3382R       \$948       \$1067       \$1839       +\$87

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

## **Bubble Jetty Worksurfaces**

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding applications must be specified separately.

#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 22

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile or plastic P-edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate				
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.		
	Wood veneer worksurfac				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.		
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.		
Related	Universal Systems worksurface	e supports	▶ Page 248		
Products	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 254		
	Columns		▶ Page 256		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385		

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJBC2430L becomes UJBC2430LSW for wood with square edge profile.)



UJBC2436L

UJBC2442L

UJBC2448L

\$884

\$937

\$988

· Dimensions

231/2" 30" 231/2" 36"

231/2" 42"

231/2" 48"

**Left-Hand With** 

on information				
	U.S. Base High-Pres	Prices sure Laminate	Wood	
				· Option
· Style	· Plastic	·Plastic	·Wood	(Add \$ to
Number	3 mm	P-Edge	Square	Base Price)
:	Edge		Edge	
				· Full-Fill
:	No Suffix	Suffix P	Suffix SW	Finish on Wood Group 1
/ith ½" Cord I	Orop			
UJBC2430L	\$834	\$ 953	\$1547	+\$43

\$1597


\$1650


\$1701

+\$46

+\$57

+\$57





Right-Hand	d With ½" Cord	Drop				
231/2" 30"	UJBC2430R	\$834	\$ 953	\$1547	+\$43	
231/2" 36"	UJBC2436R	\$884	\$1003	\$1597	+\$46	
231/2" 42"	UJBC2442R	\$937	\$1056	\$1650	+\$57	
231/2" 48"	UJBC2448R	\$988	\$1107	\$1701	+\$57	

\$1003

\$1056

\$1107



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Worksurfaces

Answer Freestanding Specification Guide

## **Visitor Worksurfaces**

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding applications must be specified separately.

Tip: Visitor worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

▶Page 229

Tip: Scallops are available only on visitor worksurfaces 36"W and wider.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Need help?
Product details,
page 22

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile or plastic P-edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallop on back edge of visitor worksurfaces 36"W and wider

- Required to Specify
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge
- **SW** Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify					
Surface	High-Pressure Laminate	worksurfaces						
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.					
	<ul> <li>Open Line laminate</li> </ul>	+\$74	See Surface Materials Reference Manual.					
	plus cost of laminate							
	Wood veneer worksurfaces							
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.					
	Wood group 3	See information at left	Specify wood color number.					
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.					
			See Surface Materials Reference Manual.					
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below and at right	Specify full-fill finish number.					
Scallop	Omit scallop	No cost	Specify omit scallop.					
Related	Universal Systems worksurface	e supports	▶ Page 248					
Products	<ul> <li>Legs and supports for Universal</li> </ul>	al Systems Worksurfaces	Page 254					

#### **Specification Information U.S. Base Prices U.S. Base Price High-Pressure Laminate Wood High-Pressure Laminate** Dimensions **Style** · Plastic **Plastic** Wood **Option** Dimensions **Style** Plastic (Add \$ to Number 3 mm P-Edge **Square** Number 3 mm Edge Base Price) Edge Edge Full-Fill No Suffix Suffix P **Suffix SW** Finish on **No Suffix** Wood Group 1





## **Visitor Worksurfaces With 1/2" Cord Drop**

Left-F	land \	Norksurfaces					
231/2"	24"	UVC2424L	\$433	\$492	\$1146	+\$40	
231/2"	30"	UVC2430L	\$465	\$524	N.A.	N.A.	
231/2"	36"	UVC2436L	\$498	\$557	N.A.	N.A.	
231/2"	42"	UVC2442L	\$530	\$589	N.A.	N.A.	
231/2"	48"	UVC2448L	\$557	\$616	N.A.	N.A.	
291/2"	30"	UVC3030L	\$478	\$537	\$1208	+\$40	
:		:	:	:	:	:	

	WITH	ruii	veptn
--	------	------	-------

Left-Hand Worksurfaces					
24"	24"	WVC2424L	\$433		
24"	30"	WVC2430L	\$465		
30"	30"	WVC3030L	\$478		
		:	:		

▶ Specification Information, continued on next page

### ▶ Specification Information, continued from previous page

#### **Specification Information U.S. Base Prices U.S. Base Price High-Pressure Laminate Wood High-Pressure Laminate** ·Option · Dimensions · Style ·Plastic · Plastic ·Wood · Dimensions ·Style ·Plastic В P-Edge В Number 3 mm Square (Add \$ to A Number 3 mm Edge Edge Base Price) Edge Full-Fill Suffix SW Finish on No Suffix Suffix P **No Suffix** Wood Group 1



#### Visitor Worksurfaces With 1/2" Cord Drop, continued With Full Depth **Left-Hand Worksurfaces** 291/2" 36" UVC3036L \$514 \$573 N.A. 291/2" UVC3042L \$543 \$602 N.A. N.A. 291/2" UVC3048L \$577 \$636 N.A. N.A.



Right	Right-Hand Worksurfaces						
231/2"	24"	UVC2424R	\$433	\$492	\$1146	+\$40	
231/2"	30"	UVC2430R	\$465	\$524	N.A.	N.A.	
231/2"	36"	UVC2436R	\$498	\$557	N.A.	N.A.	
231/2"	42"	UVC2442R	\$530	\$589	N.A.	N.A.	
231/2"	48"	UVC2448R	\$557	\$616	N.A.	N.A.	
291/2"	30"	UVC3030R	\$478	\$537	\$1208	+\$40	
291/2"	36"	UVC3036R	\$514	\$573	N.A.	N.A.	
291/2"	42"	UVC3042R	\$543	\$602	N.A.	N.A.	
291/2"	48"	UVC3048R	\$577	\$636	N.A.	N.A.	



**Right-Hand Worksurfaces** 

24"	24"	WVC2424R	\$433
24"	30"	WVC2430R	\$465
30"	30"	WVC3030R	\$478

**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## **Power and Data Access Door & Tray**



Tip: Remember to specify cutout for power and data tray on the worksurface style number.

#### **Standard Includes**

## **Required to Specify**

- ► Need help? Product details, page 26
- Door: paint • Door bezel: 6694 slate
- Inner tray with six simplex receptacles: 7237 slate
- · Outer tray with end caps: 7237 slate and 6694 slate
- Grommet (modular and hardwire only): plastic
  Two cord clips or harness clips

- 1 Style number
- 2 Paint color for door
- 3 Plastic color for grommet
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	Door		
Materials	Paint	No cost	Specify paint color.
	Anodized aluminum	+\$25	Specify with 8043 clear anodized aluminum.
Power	3+1		
Schematics,	• Line 1		
Line Options,	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 1, system ground.
and Ground	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 1, isolated ground.
Options	• Line 2		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 2, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 2, isolated ground.
	• Line 3		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 3, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 3, isolated ground.
	• Line 4		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 4, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 4, isolated ground.
	2+2		
	• Line 1		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 2+2, line 1, system ground.
	<ul><li>Isolated ground</li><li>Line 2</li></ul>	No cost	Specify with 2+2, line 1, isolated ground.
	<ul> <li>System ground</li> </ul>	No cost	Specify with 2+2, line 2, system ground.
	<ul><li>Isolated ground</li><li>Line 3</li></ul>	No cost	Specify with 2+2, line 2, isolated ground.
	<ul> <li>System ground</li> </ul>	No cost	Specify with 2+2, line 3, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 2+2, line 3, isolated ground
	• Line 4		, , , , , , , , , , , , , , , , , , , ,
	<ul> <li>System ground</li> </ul>	No cost	Specify with 2+2, line 4, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 2+2, line 4, isolated ground.
	3SN		
	• Line 1		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3SN, line 1, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3SN, line 1, isolated
			ground.
	• Line 2		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3SN, line 2, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3SN, line 2, isolated ground.
	• Line 3		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3SN, line 3, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3SN, line 3, isolated ground.



Power and Data Access Door & Tray

Specific	Specification Information					
Style Number	·U.S. Base Price	Style Number Non-PVC	·U.S. Base Price			
Modular	Power					
UTTRM	\$1127	UTTRMN	\$1138			
Hardwire	e Power	·	•			
UTTRHW	\$1127	UTTRHWN	\$1138			
Cord and	d Plug	·				
UTTRC	\$1127	UTTRCN	\$1138			







245

## **Connectors**



	Standard Includes	Required to Specify
Need help? Product details, page 27	Connector: black plastic only	Style number

Specification Information				
Description	• Style Number	·U.S. Price		
4-Circuit, 3+1		·		
Harness-to-harness	вннсх	\$60		
Branching harness-to-harness	GQTUHCX	\$79 :		
4-Circuit, 2+2				
Harness-to-harness	вннсч	\$60		
Branching harness-to-harness	GQTUHCY	\$79		
3-Circuit, Separate N	eutrals			
Harness-to-harness	вннси	\$60		
Branching harness-to-harness	GQTUHCZ	\$79		



## Iniversal System Vorksurfaces

## Filler Package—Data



	Standard Includes	Required to Specify
Need help? Product details, page 27	Package of 20 fillers: black	Style number

Specification Information					
Style Number	· U.S. Price				
FMVF	\$38 ·				



## **Universal Systems Worksurface Supports**

For Use with Answer Freestanding

## **Cantilevers**



Tip: Cantilevered straight worksurfaces greater than 26"D and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

	Standard Includes
Need help?	Cantilever: paint
Product details,	<ul> <li>Tie plate</li> </ul>
page 23	<ul> <li>Attachment hardware</li> </ul>

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for cantilever
- See Surface Materials, page 412.

Specifica	ation Information				
Style	· U.S.				
Number	Price				

## **On-Module Cantilever**

UCANT	\$11

## **Support Plate**



	Standard Includes	Required to Specify
Need help? Product details, page 36	Support plate: black paint only     Attachment hardware	Style number

Specification Information			
Dimensions	· Style Number	·U.S. Price	
14"D	TS714WSP	\$76	
20"D	TS720WSP	\$76	

## **Tie Plates**



	Standard Ir	ncludes	Required to Specify
Need help? Product details, page 39	<ul><li>Package of six ti</li><li>Attachment hard</li></ul>	ie plates: black paint only dware	Style number
Specification	on Information		
Dimensions	• Style Number	· U.S. Price	
3 <sup>3</sup> / <sub>4</sub> "L	TS7TIEPLATE	\$110	



## **Reinforcing Channels**



page 73

► Need help?

page 23

Product details,

Tip: Refer to Worksurface Support Guidelines in the Answer Solution Specification Guide for more information.

Standard Includes	Required to Specify
Beinforcing channel: black paint only	Style number

- ► Need help? Product details,
  - Attachment hardware

Specification	Specification Information				
Dimensions	• Style Number	· U.S. Price			
39"W	TS7WKSPT39	\$54			
48"W	TS7WKSPT48	\$54			
51"W	TS7WKSPT51	\$54			
54"W	TS7WKSPT54	\$54			
57"W	TS7WKSPT	\$54			
60"W	TS7WKSPT60	\$54			
63"W	TS7WKSPT63	\$54			
66"W	TS7WKSPT66	\$54			
72"W	TS7WKSPT72	\$54			
	:				

## **Center Support Panels**



Tip: Center support panel can be used in freestanding applications by connecting the attachment hardware to a wall-mount channel.

## **Standard Includes**

- · Center support panel: paint price group 1
- · Tie plate
- · Attachment hardware

## **Required to Specify**

- 1 Style number
- 2 Paint color number for center support panel
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
Materials	<ul><li>Paint price group 2</li><li>Paint price group 3</li></ul>	+\$13 +\$24	Specify paint color number. Specify paint color number.

#### **Specification Information** · Dimensions ·Style · U.S. D н Number **Base Price**

## **On-Module Center Support Panel**

11 2072 0001 0100	11"	281/2"	UCSP	\$150
-------------------	-----	--------	------	-------

## **On-Module Center Support Panel Standing Height**

<b>T</b>
For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor

► See page 1 for details.

Universal Systems Worksurface Supports, for Use with Answer Freestanding, continued

## **End Panels**



Tip: End panels can be used in freestanding applications by connecting the attachment hardware to a wall-mount channel.

	Standard Includes	Required to Specify
Need help?	End panel: paint price group 1	1 Style number
Product details,	<ul> <li>Attachment hardware</li> </ul>	2 Paint color number for end panel
page 22		3 Options, if selected (see below)
		See Surface Materials, page 412.

	Option	5	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price</li><li>Paint price</li><li>Paint price</li></ul>	group 2	No cost +\$32 +\$52	Specify paint color number. Specify paint color number. Specify paint color number.
Specificati	on Informat	ion		
Dimensions D H	• Style Number	·U.S. Base Price		

On-I	Module	End Panel			
24"	281/2"	UEP24	\$411		
30"	281/2"	UEP30	\$467		

# On-Module End Panel Standing Height 24" 407/8" UEP24S \$486 30" 407/8" UEP30S \$545



## FrameOne Legs and Supports for Universal Worksurfaces

FrameOne Legs and Supports for Universal Worksurfaces

# Standard Includes Required to Specify Need help? • Legs and intermediate support: paint 1 Style number Product details, page 32 • Attachment hardware 2 Paint color number for legs and support 3 Options, if selected (see below) ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify			
Surface	For legs	·				
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color.			
	<ul> <li>Paint price group 2</li> </ul>	+\$21 per leg	Specify paint color.			
	Paint price group 3	+\$37 per leg	Specify paint color.			
	For intermediate support					
	Paint price group 1	No cost	Specify paint color.			
	<ul> <li>Paint price group 2</li> </ul>	+\$13 per leg	Specify paint color.			
	Paint price group 3	+\$24 per leg	Specify paint color.			
Intermediate	For laminate or wood sto	rage tops				
Support bracing	No brace	No cost	Specify with no brace.			
	For steel storage tops					
	<ul> <li>One brace (30", 36", or 42"W)</li> </ul>	+\$55	Specify with one brace.			
	• Two braces (30", 36", or 42"W)	+\$55	Specify with two braces.			

Specification Information					
Planning	Depth	• Style	·U.S.	Style	·U.S.
Height	:	Number	Base	Number	Base
	:	:	Price	:	Price
	:	:	:		:

## **Closed Loop**

		Tethered Application Table Application		ication		
281/2"	24"	UFC24	\$642	UFC24T	\$698	
281/2"	30"	UFC30	\$642	UFC30T	\$698	

# Open Loop 28½" 24" UFQ24 \$468 UFQ24T \$524 28½" 30" UFQ30 \$468 UFQ30T \$524

Post Leg		
281/2"	UFP	\$184

## **Intermediate Support**

For use with One-High Universal storage				
281/2"	16"	UFS1610H	\$285	

For use with 1.5-High Universal storage				
281/2"	16"	UF\$1615H	\$260	











**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

## **Infills for FrameOne Legs for Universal Worksurfaces**



#### **Standard Includes**

## **Required to Specify**

- ► Need help? Product details, page 35
- High-Pressure Laminate price group 1 infills Edge on laminate infill, if selected: plastic
- · Brackets and caps

- 1 Style number
- 2 Laminate color number for infill
- 3 Plastic color number for edge on laminate infill, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For laminate price	;
group 2 pricing, ple	ease
refer to the electronic of	cata-
log or SmartTools	

Tip: Wood group 2 and 3 upcharges are in addition to wood group 1 upcharge.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Laminate price group 2 Open Line laminate	See information at left +\$ 74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	Wood veneer		
	Wood group 1	Prices below	Specify with wood veneer and indicate wood color number.
	Wood group 2	+\$111	Specify with wood veneer and indicate wood color number.
	Wood group 3	+\$388	Specify with wood veneer and indicate wood color number.
	Customiz stain	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual.

Specific	ation Infor	mation	
· Planning Width	•Style Number	·U.S. Base Price	• Option (Add \$ to Base Price)
:		High-Pressure Laminate	Wood Group 1
For Close	ed Loop Le	gs	
24"W	UFC24NF	\$629	+\$203
30"W	UFC30NF	\$700 :	+\$220 :
For Open	Loop Legs	<b>3</b>	
24"W	UFQ24NF	\$629	+\$203
30"W	UFQ30NF	\$700	+\$220
			·



Universal System
Worksurfaces

# **Legs and Columns for Universal Systems Worksurfaces**

Without Alignment Tab

# **Post Legs and Double Post Legs**

Tip: Height dimensions listed are nominal and include the thickness of a worksurface.

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

	Standard Includes	Required to Specify
Need help? Product details, page 36	<ul><li>Legs: paint</li><li>Attachment hardware</li><li>Non-locking caster, if selected: black plastic only</li></ul>	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ▶See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$21 per leg +\$37 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Specific	ation Info	rmation			
Planning Height	· Style Number	·U.S. Base	· Planning Height	· Style · Number	·U.S. Base
:	:	Price		:	Price
:		:	:	:	

Post Leg with Glide			Package of Four Post Legs with Glides			
26"	UNPL	\$136	26"	UNPL4	\$544	
281/2"	UPL	\$136	281/2"	UPL4	\$544	
407/8"	UHPL	\$171				
:	:	:		•	:	

Post Le	g with Cast	er	Packag	je of Four P	ost Legs with Casters
26"	UNPLC	\$155	26"	UNPL4C	\$620
281/2"	UPLC	\$155	281/2"	UPL4C	\$620

Package of Four Post Legs with Two Glides and Two Casters		
26"	UNPL4M	\$582
 281/2"	UPL4M	\$582

<sup>▶</sup> Specification Information, continued on next page







Legs and Columns for Universal Systems Worksurfaces

# ▶ Specification Information, continued from previous page

# Specification Information Planning Style U.S. Height Number Base Price

# **Double Post Leg with Glides**

	•		
281/2"	UDPL	\$382	
407/8"	UHDPL	\$448	



Tip: Double post legs can be used as a shared or column support in applications with other post legs.

# **Double Post C-Leg with Glides**

		_
281/2"	UCL	\$434



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Legs and Columns for Universal Systems Worksurfaces without Alignment Tab, continued

# **Adjustable-Height Legs**


Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per worksurface. ► Page 93

Tip: Height dimensions listed include the thickness of a worksurface.







	Standard Includes	Required to Specify
Need help?	Worksurface legs: paint	1 Style number
Product details,	<ul> <li>Glides, if selected: paint to match legs</li> </ul>	2 Paint color number for leg
page 36	<ul> <li>Locking casters, if selected: paint to match legs</li> </ul>	3 Options, if selected (see below)
	Attachment hardware	► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$21 per leg	Specify paint color number. Specify paint color number.

Planning	·Style	·U.S.	<ul> <li>Planning</li> </ul>	·Style	·U.S.
Height	Number	Base	Height	Number	Base
	:	Price		:	Price
	:	:		:	

Adjustable-Height Leg with Glide		Package of Four Legs with Glides	Adjustable-Height	
251/2"-311/2"	UADJ	\$223	25½"–31½" <b>UADJ4</b>	\$ 892

Adjustab with Cast	•	Leg	Package of Four Adj Legs with Casters	justable-Height
251/2"-311/2"	UADJC	\$251	25 <sup>1</sup> / <sub>2</sub> "-31 <sup>1</sup> / <sub>2</sub> " <b>UADJ4C</b>	\$1004

# Package of Four Adjustable-Height Legs with **Two Glides and Two Casters**

25<sup>1</sup>/<sub>2</sub>"-31<sup>1</sup>/<sub>2</sub>" **UADJ4M** 

# **Columns**



Tip: Columns have a different aesthetic than post legs (round vs. elliptical). Columns can be used as column supports in applications without post legs.

Tip: Height dimensions listed include the thickness of a worksurface.



For Canadian Pricing Canadian price factor.

Multiply U.S. Price by the ► See page 1 for details.

### **Standard Includes**

· Column: paint

►Need help?

page 36

Product details,

· Attachment hardware

# **Required to Specify**

- 1 Style number
- 2 Paint color number for column
- 3 Options, if selected (see below)

I to Specify

► See Surface Materials, page 412.


	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$21 per leg +\$37 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Specifica	ation Infor	mation
. •	• Style Number	·U.S. Base Price
281/2"	UCOL	\$301
	UADJCOL	\$301

# Specifying Answer Freestanding Desks and Components

Desk Shells	258
Double-Pedestal Desks	260
Single-Pedestal Desks	262
Pedestal Returns	264
Returns	266
Bridges	267
Corner Desks	268
Over the Case Bin and Hutch Kit	270
End Supports and Corner Shelves	272
Peninsula Supports and Corner Support	273
Modesty Panels	274
Hutch Kits	276
Cable Race Channel Packages and Flush-Mount Brackets	278
Worksurface Accessories	279

# **Desk Shells**



For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

### **Standard Includes Required to Specify** • 11/8"-thick worksurface: High-Pressure Laminate price 1 Style number

- ► Need help? Product details, page 48
- group 1
- 3 mm radius profile edge on front edge: plastic
- Two end supports: paint price group 1
- Attachment hardware
  Half-height or full-height modesty panel, if selected: paint price group 1
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for end supports and modesty panel, if selected
- 5 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	e worksurface See information at left +\$ 74 plus the cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	End Supports		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 76	Specify paint color number.
	Paint price group 3	+\$130	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
Modesty	Half-height		
Panels	• For 60"W	+\$207	Specify with half-height modesty panel.
	<ul> <li>For 66"W</li> </ul>	+\$216	Specify with half-height modesty panel.
	• For 72"W	+\$224	Specify with half-height modesty panel.
	Full-height		
	• For 60"W	+\$246	Specify with full-height modesty panel.
	<ul> <li>For 66"W</li> </ul>	+\$259	Specify with full-height modesty panel.
	• For 72"W	+\$273	Specify with full-height modesty panel.


Spe	cificat	tion Info	ormation		
· Dim	ensions W	н	Style Number	·U.S. Base Price	
24"	60"	281/2"	TS7UNP2460	\$1319	
24"	66"	281/2"	TS7UNP2466	\$1414	
24"	72"	281/2"	TS7UNP2472	\$1457	
30"	60"	281/2"	TS7UNP3060	\$1546	
30"	66"	281/2"	TS7UNP3066	\$1637	
30"	72"	281/2"	TS7UNP3072	\$1681 :	



Desk Shells

and Components

# **Double-Pedestal Desks**



### **Standard Includes Required to Specify**

► Need help? Product details, page 48

- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- Two file/file pedestals: paint price group 1
- Contemporary pulls on pedestals: metal
- · Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- One pedestal counterweight
  Lock, keyed random: 9201 Polished Chrome
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for pedestals and modesty panel, if selected
- 5 Metal color number for pulls: 0835 Black 9201 Polished Chrome 9211 Nickel 9212 Silver
- 6 Options, if selected (see below)
- ► See Surface Materials, page 412.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Desks come standard with two file/file pedestals. Box/file/file pedestals are available as an option.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurface	
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$ 74	See Surface Materials Reference Manual.
	•	plus the cost of laminate	
	Paint on pedestals		
	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$107	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$185	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
Pedestals	Full-height pedestals		
	<ul> <li>One box/box/file pedestal</li> </ul>	+\$ 20	Specify with box/box/file and file/file.
	and one file/file pedestal		
	Two box/box/file pedestals	+\$ 40	Specify with two box/box/files.
Pulls	Handle pull	No cost	Specify with handle pull.
rulis	Jazz pull	+\$116	Specify with jazz pull.
	Bar pull	+\$160	Specify with bar pull.
	·		——————————————————————————————————————
Drawer	Rails		0 " " "
Accessories	<ul> <li>Two side-to-side hanging rails per file drawer</li> </ul>	No cost	Specify with rails.
Basic Drawer	24"D, and 30"D box/box	/file pedestals	
Interiors	<ul> <li>No rails, pencil trays, or</li> </ul>	_\$ 57	Specify with basic drawers.
	box drawer dividers		
Lock and	Lock		
Keying	<ul> <li>Ember chrome</li> </ul>	No cost	Specify with 9250 Ember Chrome lock.
	<ul> <li>No lock</li> </ul>	-\$ 71 per lock	Specify with no lock.
	Individual locking draw	ers	
	<ul> <li>File/file pedestals only</li> </ul>	+\$139	Specify with individual lock.
	Keying		
	<ul> <li>Factory- and field-installed</li> </ul>		▶ Page 428
	keying		· ·
Modesty	Half-height		
Panels	• For 60"W	+\$207	Specify with half-height modesty panel.
	<ul> <li>For 66"W</li> </ul>	+\$216	Specify with half-height modesty panel.
	• For 72"W	+\$224	Specify with half-height modesty panel.
	Full-height		
	• For 60"W	+\$246	Specify with full-height modesty panel.
	• For 66"W	+\$259	Specify with full-height modesty panel.
	• For 72"W	+\$273	Specify with full-height modesty panel.
Options, contin	ued on next page		- ,,




▶Options, continued on next page


# ▶Options, continued from previous page

Options U.S. Price Required to Specify


Counterweight • Remove counterweight -\$151 Specify without counterweight.

· Dim	ensions W	н	· Style · Number	·U.S. Base		
	••	••	·	Price		
24"	60"	281/2"	TS7UDP2460	\$1986		
24"	66"	281/2"	TS7UDP2466	\$2028		
24"	72"	281/2"	TS7UDP2472	\$2071		
30"	60"	281/2"	TS7UDP3060	\$2370		
30"	66"	281/2"	TS7UDP3066	\$2408		
30"	72"	281/2"	TS7UDP3072	\$2452		





# **Single-Pedestal Desks**



### **Standard Includes Required to Specify**

► Need help? Product details, page 48

- 11/8"-thick worksurface: High-Pressure Laminate price
- · 3 mm radius profile edge on front edge: plastic
- One file/file pedestal: paint price group 1
- Contemporary pulls on pedestal: metal
- One end support: paint price group 1
- Attachment hardware
- · Half-height or full-height modesty panel, if selected: paint price group 1
  • One pedestal counterweight
- · Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for pedestal and modesty panel, if selected
- 5 Metal color number for pulls: 0835 Black 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver
- 6 Options, if selected (see below)
- ► See Surface Materials, page 412.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Desk comes standard with a file/file pedestal. A box/box/file pedestal is available as an option.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurface	
Materials	Laminate price group 2	See information at left	Specify laminate color number.
	<ul> <li>Open Line laminate</li> </ul>	+\$ 74	See Surface Materials Reference Manual.
		plus the cost of laminate	
	Paint on pedestal/end pa	anel	
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 93	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$159	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
Pedestal	Full-height pedestal		
	<ul> <li>One box/box/file pedestal</li> </ul>	+\$ 20	Specify with box/box/file.
Pulls	Handle pull	No cost	Specify with handle pull.
	<ul> <li>Jazz pull</li> </ul>	+\$ 58	Specify with jazz pull.
	Bar pull	+\$ 80	Specify with bar pull.
Drawer	Rails		
Accessories	<ul> <li>Two side-to-side hanging</li> </ul>	No cost	Specify with rails.
	rails per file drawer		
Basic Drawer	24"D and 30"D box/box/	file pedestal	
Interiors	<ul> <li>No rails, pencil trays, or</li> </ul>	<b>-\$</b> 57	Specify with basic drawers.
	box drawer dividers		
Lock and	Lock		
Keying	<ul> <li>Ember chrome</li> </ul>	No cost	Specify with 9250 Ember Chrome lock.
	<ul> <li>No lock</li> </ul>	<b>-</b> \$ 71	Specify with no lock.
	Individual locking draw	ers	
	<ul> <li>File/file pedestals only</li> </ul>	+\$139	Specify with individual lock.
	Keying		
	<ul> <li>Factory- and field-installed</li> </ul>		▶ Page 428
	keying		
Modesty	Half-height		
Panels	• For 60"W	+\$207	Specify with half-height modesty panel.
	• For 66"W	+\$216	Specify with half-height modesty panel.
	• For 72"W	+\$224	Specify with half-height modesty panel.
	Full-height		
	• For 60"W	+\$246	Specify with full-height modesty panel.
	• For 66"W	+\$259	Specify with full-height modesty panel.
	• For 72"W	+\$273	Specify with full-height modesty panel.
Counterweight	Remove counterweight	<b>-</b> \$151	Specify without counterweight.

▶See Counterweight Requirements for Storage Products, page 121.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.



· Dime	ensions	;	· Style	·U.S.
D	W	н	Number	Base Price
24"	60"	281/2"	TS7USP2460	\$1730
24"	66"	281/2"	TS7USP2466	\$1770
24"	72"	281/2"	TS7USP2472	\$1813
30"	60"	281/2"	TS7USP3060	\$2036
30"	66"	281/2"	TS7USP3066	\$2072
30"	72"	281/2"	TS7USP3072	\$2117



► Need help?

page 50

Product details,

# **Pedestal Returns**



# Standard Includes

### 11/8"-thick worksurface: High-Pressure Laminate price group 1

- 3 mm radius profile edge on front edge: plastic
- · Contemporary pulls on pedestal: metal
- Pedestal: paint price group 1
- Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- · Lock, keyed random: 9201 Polished Chrome

# **Required to Specify**

- Style number
   High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for pedestal and modesty panel, if selected
- 5 Metal color number for pulls: 0835 Black 9201 Polished Chrome 9211 Nickel 9212 Silver
- 6 Options, if selected (see below)
- See Surface Materials, page 412.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Returns come standard with a file/file pedestal. A box/box/file pedestal is available as an option.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate		
Materials	Laminate price group 2	See information at left	Specify laminate color number.
matorialo	Open Line laminate	+\$ 74	See Surface Materials Reference Manual
	open zine kininate	plus the cost of laminate	The second of th
	Paint on pedestals		
	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 60	Specify paint color number.
	Paint price group 3	+\$104	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
Pedestal	Full-height pedestal		
	<ul> <li>One box/box/file pedestal</li> </ul>	+\$ 20	Specify with box/box/file.
Pulls	Handle pull	No cost	Specify with handle pull.
	<ul> <li>Jazz pull</li> </ul>	+\$ 58	Specify with jazz pull.
	Bar pull	+\$ 80	Specify with bar pull.
Drawer	Rails		
Accessories	<ul> <li>Two side-to-side hanging rails per file drawer</li> </ul>	No cost	Specify with rails.
Basic Drawer	24"D box/box/file pedes	tal	
Interiors	<ul> <li>No rails, pencil trays, or box drawer dividers</li> </ul>	<b>-\$</b> 57	Specify with basic drawers.
Lock and	Lock		
Keying	<ul> <li>Ember chrome</li> </ul>	No cost	Specify with 9250 Ember Chrome lock.
	<ul> <li>No lock</li> </ul>	<b>-\$</b> 71	Specify with no lock.
	Individual locking drawe	ers	
	File/file pedestal only	+\$139	Specify with individual lock.
	Keying		
	<ul> <li>Factory- and field-installed keying</li> </ul>		Page 428
Modesty	Half-height		
Panels	• For 24"W	+\$166	Specify with half-height modesty panel.
	<ul> <li>For 30"W</li> </ul>	+\$177	Specify with half-height modesty panel.
	<ul> <li>For 36"W</li> </ul>	+\$187	Specify with half-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$198	Specify with half-height modesty panel.
	<ul> <li>For 48"W</li> </ul>	+\$212	Specify with half-height modesty panel.
	• For 60"W	+\$229	Specify with half-height modesty panel.
	Full-height		
	• For 24"W	+\$208	Specify with full-height modesty panel.
	• For 30"W	+\$217	Specify with full-height modesty panel.
	• For 36"W	+\$227	Specify with full-height modesty panel.
	E (001) 4 (	00.10	
	<ul> <li>For 42"W</li> </ul>	+\$240	Specify with full-height modesty panel.
	• For 42"W • For 48"W	+\$240 +\$252	Specify with full-height modesty panel.  Specify with full-height modesty panel.  Specify with full-height modesty panel.



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.



·Dime	ensions		· Style	∙U.S.
D	W	н	Number	Base Price
24"	24"	281/2"	TS7UPR2424	\$ 981
24"	30"	281/2"	TS7UPR2430	\$ 996
24"	36"	281/2"	TS7UPR2436	\$1006
24"	42"	281/2"	TS7UPR2442	\$1025
24"	48"	281/2"	TS7UPR2448	\$1072
24"	60"	281/2"	TS7UPR2460	\$1164



# **Returns**



# ► Need help? Product details,

page 50

# **Standard Includes**

# **Required to Specify**

- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- One end support: paint price group 1
- Attachment hardware
  Half-height or full-height modesty panel, if selected: paint price group 1
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for end support and modesty panel, if selected
- 6 Options, if selected (see below)
- See Surface Materials, page 412.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	See information at left +\$ 74 plus the cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	End support		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 45	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$ 77	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
Modesty	Half-height		
Panels	<ul> <li>For 24"W</li> </ul>	+\$166	Specify with half-height modesty panel.
	<ul> <li>For 30"W</li> </ul>	+\$177	Specify with half-height modesty panel.
	<ul> <li>For 36"W</li> </ul>	+\$187	Specify with half-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$198	Specify with half-height modesty panel.
	<ul> <li>For 48"W</li> </ul>	+\$212	Specify with half-height modesty panel.
	• For 60"W	+\$229	Specify with half-height modesty panel.
	Full-height		
	<ul> <li>For 24"W</li> </ul>	+\$208	Specify with full-height modesty panel.
	<ul> <li>For 30"W</li> </ul>	+\$217	Specify with full-height modesty panel.
	<ul> <li>For 36"W</li> </ul>	+\$227	Specify with full-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$240	Specify with full-height modesty panel.
	• For 48"W	+\$252	Specify with full-height modesty panel.
	• For 60"W	+\$281	Specify with full-height modesty panel.

Spe	Specification Information						
· Dim	ensions W	Н	Style Number	·U.S. Base Price			
24"	24"	281/2"	TS7UR2424	\$725			
24"	30"	281/2"	TS7UR2430	\$740			
24"	36"	281/2"	TS7UR2436	\$750			
24"	42"	281/2"	TS7UR2442	\$823			
24"	48"	281/2"	TS7UR2448	\$870			
24"	60"	281/2"	TS7UR2460	\$909			

Tip: Reinforcement channel is standard on worksurfaces 24"x42" and larger.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

# **Bridges**



# **Standard Includes**

# Required to Specify

Need help? Product details, page 52

- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for modesty panel, if selected (see below)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 412.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify	
Surface Materials	High-Pressure Lamina  Laminate price group 2  Open Line laminate	ate worksurface See information at left +\$ 74 plus the cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manua	
Modesty Panels	Half-height • Price group 1	<b>42"W 48"W 60"W</b> +\$224 +\$236 +\$260	Specify with half-height modesty panel	
rancis	5 .		and specify paint color number.	
	Price group 2	+\$237 +\$249 +\$273	Specify with half-height modesty panel and specify paint color number.	
	Price group 3	+\$249 +\$261 +\$285	Specify with half-height modesty panel and specify paint color number.	
	Full-height			
	Price group 1	+\$273 +\$287 +\$318	Specify with full-height modesty panel and specify paint color number.	
	Price group 2	+\$294 +\$308 +\$339	Specify with full-height modesty panel and specify paint color number.	
	Price group 3	+\$310 +\$324 +\$355	Specify with full-height modesty panel and specify paint color number.	
Scallops	Scallops on worksurface	No cost	Specify with scallops.	

·Dime	ensions	· Style	·U.S.
D	W	Number	Base Price
24"	42"	TS7UB2442	\$309
24"	48"	TS7UB2448	\$411
24"	60"	TS7UB2460	\$452



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

# **Corner Desks**



# **Standard Includes**

# **Required to Specify**

- ► Need help? Product details, page 54
- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- Three corner supports: paint price group 1
  Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for corner supports and/or end supports, and modesty panel, if selected
- 5 Options, if selected (see below)
- ► See Surface Materials, page 412.

For laminate price group 2 pricing, please log or SmartTools.

refer to the electronic cata-

Tip: Modesty panels, if selected, will either both be half-height or both be full-height.

Tip: Modesty panel width will be dependent on the supports specified.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	e worksurface	
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>Open Line laminate</li> </ul>	+\$ 74	► See Surface Materials Reference Manual.
		plus the cost of laminate	
	Corner support and/or	end supports	
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 89	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$148	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
End Supports	Two corner supports with	+\$336	Specify two corner supports with one
	one end support		end support.
	<ul> <li>One corner support with</li> </ul>	+\$672	Specify one corner support with two
	two end supports		end supports.
Modesty	Half-height		
Panels	<ul> <li>For 36"W</li> </ul>	+\$370	Specify with half-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$392	Specify with half-height modesty panel.
	• For 48"W	+\$414	Specify with half-height modesty panel.
	Full-height		
	<ul> <li>For 36"W</li> </ul>	+\$453	Specify with full-height modesty panel.
	• For 42"W	+\$474	Specify with full-height modesty panel.
	• For 48"W	+\$498	Specify with full-height modesty panel.

· Dimensions		<b>;</b>	· Style	·U.S.	
D	W	н	Number	Base Price	
<u></u> 24"	36"	281/2"	TS7UC2436	\$ 927	
24"	42"	281/2"	TS7UC2442	\$ 970	
24"	48"	281/2"	TS7UC2448	\$1028	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Corner Desks

and Components

# **Over the Case Bin and Hutch Kit**

► Need help? Product details,

page 58



Tip: Hutch kits can span an L-shaped desk configuration only when full depth worksurfaces are used.

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

Tip: 66"W and 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

# **Standard Includes**

- Overhead bin with lift-up door: paint price group 1
- · Recess beneath unit to accommodate shelf light
- Steel back to enclose storage bin, end supports, accessory rail, and one non-handed cable manager: paint price group 1
- Double-sided tackboard, fabric direction with horizontal application: fabric price group 1
- · Attachment hardware

# **Required to Specify**

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Fabric color number for tackboard
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify					
Surface	Overhead bin with one o	loor						
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.					
	<ul> <li>Paint price group 2</li> </ul>	+\$ 91	Specify paint color number.					
	<ul> <li>Paint price group 3</li> </ul>	+\$151	Specify paint color number.					
	Overhead bin with two	loors						
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.					
	<ul> <li>Paint price group 2</li> </ul>	+\$107	Specify paint color number.					
	Paint price group 3	+\$183	Specify paint color number.					
	Tackboard							
	<ul> <li>Fabric price group 1</li> </ul>	No cost	Specify fabric color number.					
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 24	Specify fabric color number.					
	<ul> <li>Fabric price group 3</li> </ul>	+\$116	Specify fabric color number.					
	<ul> <li>Fabric price group 4</li> </ul>	+\$158	Specify fabric color number.					
	<ul> <li>Fabric price group 5</li> </ul>	+\$252	Specify fabric color number.					
	Fabric price group COM	+\$ 32	Specify fabric color number.					
	Fabric direction on 60"W and smaller tackboards							
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.					
Brackets	No brackets							
	Omit brackets	<b>-\$ 22</b>	Specify omit brackets.					
Picture Frame	Omit insert	Prices at right	Specify omit insert.					
Door	<ul> <li>Acrylic insert</li> </ul>	Prices at right	Specify with acrylic insert.					
	<ul> <li>Glass insert (assist</li> </ul>	Prices at right	Specify with glass insert.					
	mechanism recommended)							
Door	Assist mechanism for	+\$206 per door	Specify with assist mechanism.					
Mechanism	standard door, glass insert,							
	or omit insert							
Shelf	Four dividers: white plastic	+\$ 53	Specify with dividers.					
Accessories								
Lock and	Lock		0 " " 0050 5 1 01 1 1					
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.					
	<ul> <li>No lock</li> </ul>	<b>-\$</b> 73	Specify with no lock.					
	Keying							
	<ul> <li>Factory- and field-installed keying</li> </ul>		▶ Page 428					
Related	Accessories		▶ Page 332					
Products	Shelf lights		▶ Page 398					
	•		•					




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Over the Case Bin and Hutch Kit

Specification Information									
Dimei D	nsions W	н	· Number of Doors	· Style Number	·U.S. Base Price	• Options • (Add \$ to • Base Price)			
					:	Picture	Frame D	oor Inserts	
· ·				:		Omit Insert	Acrylic	Glass	
15 <sup>3</sup> /4"	24"	375/16"	1	TS7UOH24	\$1120	+\$288	+\$409	+\$ 490	
15 <sup>3</sup> /4"	30"	375/16"	1	TS7UOH30	\$1159	+\$303	+\$433	+\$ 523	
15 <sup>3</sup> /4"	36"	375/16"	1	TS7UOH36	\$1203	+\$318	+\$453	+\$ 556	
15 <sup>3</sup> /4"	42"	375/16"	1	TS7UOH42	\$1243	+\$331	+\$475	+\$ 614	
15 <sup>3</sup> /4"	48"	375/16"	1	TS7UOH48	\$1281	+\$345	+\$499	+\$ 669	
15 <sup>3</sup> /4"	60"	375/16"	2	TS7UOH60	\$1786	+\$566	+\$790	+\$ 997	
15 <sup>3</sup> /4"	66"	375/16"	2	TS7UOH66	\$1870	+\$579	+\$814	+\$1056	
15 <sup>3</sup> /4"	72"	375/16"	2	TS7UOH72	\$1935	+\$592	+\$836	+\$1113	





For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

# **End Supports and Corner Shelves**

# **End Supports**



### **Required to Specify Standard Includes**

- ► Need help? Product details, page 60
- End support: paint price group 1
- Attachment hardware

- 1 Style number
- 2 Paint color number for end support
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$32 +\$52	Specify paint color number. Specify paint color number. Specify paint color number.

Dime D	nsions W	н	• Style Number	·U.S. Base Price
83/8"	15"	27"	UE18	\$423
231/2"	15"	27"	UE24	\$493
91/2"	15"	27"	UE30	\$557

# **Corner Shelves**



### ► Need help? Product details,

page 60

- **Standard Includes**
- · Reversible corner shelf: High-Pressure Laminate price group 1 both sides
- · Square plastic edge
- · Attachment hardware

# **Required to Specify**

- 1 Style number 2 High-Pressure Laminate color number for shelf
- 3 Plastic color number for edge
- ► See Surface Materials, page 412.

### For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

### **U.S. Price Options** Surface · Laminate price group 2 **Materials** Open Line laminate plus cost of laminate

# See information at left

### Specify laminate color number. See Surface Materials Reference Manual.

**Required to Specify** 

Dime	nsions W	•Style Number	·U.S. Base Price
15 <sup>3</sup> /8"	11"	UES18	\$105
201/2"	11"	UES24	\$127
261/2"	11"	UES30	\$146



# **Peninsula Supports and Corner Support**

Surface

121/2"

30"

27"

**Options** 

· Paint price group 1

UPS30

\$557

Peninsula Supports and Corner Support

**Required to Specify** 

Specify paint color number.

# **Peninsula Supports**



	Standard Includes	Required to Specify
► Need help? Product details, page 60	<ul> <li>Peninsula support: paint price group 1</li> <li>Attachment hardware</li> </ul>	<ul> <li>1 Style number</li> <li>2 Paint color number for peninsula supports</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 412.</li> </ul>

Materials		• Pa	int price group 2 int price group 3	+\$32 +\$52		Specify paint color number. Specify paint color number.	
Spec			ormation •Style	·U.S.			
D	W	н	Number	Base Price			
121/2"	24"	27"	UPS24	\$493			

**U.S. Price** 

No cost

# **Corner Support**



	Standard Includes	Required to Specify
Need help? Product details, page 60	Corner support and cable management cover: paint price group 1     Attachment hardware	<ul> <li>1 Style number</li> <li>2 Paint color number for corner support and cable management cover</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 412.</li> </ul>

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$21 +\$37	Specify paint color number. Specify paint color number. Specify paint color number.



# **Modesty Panels**


	Standard Includes	Required to Specify
► Need help? Product details, page 62	Modesty panel and two non-handed attachment brackets: paint price group 1     Attachment hardware	<ul> <li>1 Style number</li> <li>2 Paint color number for modesty panel and brackets</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 412.</li> </ul>

Options	U.S. Price	Required to Specify				
Half-height modesty panel						
<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
<ul> <li>Paint price group 2</li> </ul>	+\$13	Specify paint color number.				
Paint price group 3	+\$25	Specify paint color number.				
Full-height modesty panel						
Paint price group 1	No cost	Specify paint color number.				
Paint price group 2	+\$21	Specify paint color number.				
Paint price group 3	+\$37	Specify paint color number.				
	Half-height modesty Paint price group 1 Paint price group 3  Full-height modesty Paint price group 1 Paint price group 2	Half-height modesty panel  Paint price group 1 No cost Paint price group 2 +\$13 Paint price group 3 +\$25  Full-height modesty panel  Paint price group 1 No cost Paint price group 2 +\$21				

			Application					
Dim A	nensions B	• Style Number	• Desk Width	·Return Width	· Bridge Width	• Corner Width	· Jetty or Bullet Peninsula Size	· U.S. Base Price
Hal	f-Height	Modesty	Panels	·	·	·	·	•
9"	12 <sup>5</sup> /8"	<b>UMH9</b>		24"				\$168
15"	125/8"	UMH15		30"				\$179
18"	125/8"	UMH18	48"				30" x 47 <sup>1</sup> /2"	\$184
21"	125/8"	UMH21		36"			24" x 47 <sup>1</sup> /2"	\$190
24"	125/8"	UMH24	54"			351/2", 36"		\$196
27"	125/8"	UMH27		42"				\$201
30"	125/8"	<b>UMH30</b>	60"			411/2", 42"	30" x 59 <sup>1</sup> / <sub>2</sub> "	\$210
33"	125/8"	<b>UMH33</b>		48"			24" x 59 <sup>1</sup> / <sub>2</sub> "	\$215
36"	12 <sup>5</sup> /8"	<b>UMH36</b>	66"		36"	471/2", 48"	30" x 65 <sup>1</sup> /2"	\$219
39"	12 <sup>5</sup> /8"	UMH39		54"		591/2", 60"	24" x 65 <sup>1</sup> / <sub>2</sub> "	\$223
12"	12 <sup>5</sup> /8"	UMH42	72"		42"		30" x 71 <sup>1</sup> / <sub>2</sub> "	\$227
45"	12 <sup>5</sup> /8"	UMH45		60"		651/2", 66"	24" x 71 <sup>1</sup> / <sub>2</sub> "	\$233
48"	12 <sup>5</sup> /8"	UMH48	78"		48"		30" x 77 <sup>1</sup> / <sub>2</sub> "	\$240
51"	12 <sup>5</sup> /8"	UMH51		66"		711/2", 72"	·	\$245
54"	12 <sup>5</sup> /8"	UMH54	84"		54"			\$252
57"	12 <sup>5</sup> /8"	UMH57		72"			·	\$259
30"	12 <sup>5</sup> /8"	<b>UMH60</b>	90"		60"		·	\$263

<sup>▶</sup> Specification Information, continued on next page

Specification Information





# ▶ Specification Information, continued from previous page

Spo	Specification Information							
			Applicat	tion				
Dimensions A B		Style Number	• Desk • Width	· Return Width	· Bridge Width	· Corner Width	• Jetty or Bullet Peninsula Size	·U.S. Base Price
Full	-Height	Modesty	Panels	;	:	:	:	:
9"	27"	UMF9		24"				\$211
15"	27"	UMF15		30"				\$220
18"	27"	UMF18	48"				30" x 47 <sup>1</sup> /2"	\$226
21"	27"	UMF21		36"			24" x 47 <sup>1</sup> /2"	\$231
24"	27"	UMF24	54"			351/2", 36"		\$240
27"	27"	UMF27		42"				\$244
30"	27"	UMF30	60"			411/2", 42"	30" x 59 <sup>1</sup> /2"	\$250
33"	27"	UMF33		48"			24" x 59 <sup>1</sup> / <sub>2</sub> "	\$257
36"	27"	UMF36	66"		36"	471/2", 48"	30" x 65 <sup>1</sup> /2"	\$262
39"	27"	UMF39		54"		59 <sup>1</sup> /2", 60"	24" x 65 <sup>1</sup> /2"	\$272
42"	27"	UMF42	72"		42"		30" x 71 <sup>1</sup> /2"	\$277
45"	27"	UMF45		60"		65 <sup>1</sup> /2", 66"	24" x 71 <sup>1</sup> /2"	\$285
48"	27"	UMF48	78"		48"		30" x 77 <sup>1</sup> /2"	\$290
51"	27"	UMF51		66"		711/2", 72"		\$301
54"	27"	UMF54	84"		54"			\$309
57"	27"	UMF57		72"				\$316
60"	27"	UMF60	90"		60"			\$322





# **Hutch Kits**

# **Hutch Kits**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins

► Need help?

page 56

Product details,



Tip: A hutch kit cannot support more than one bin.

• 5

# **Standard Includes**

- Steel back to enclose storage bin, end supports, accessory rail, and one non-handed cable manager: paint price group 1
- Double-sided tackboard, fabric direction with horizontal application: fabric price group 1
- Attachment hardware

# **Required to Specify**

- 1 Style number
- 2 Paint color number for back end supports, accessory rail, and cord manager
- 3 Fabric color number for tackboard surface 1 (front)
- 4 Fabric color number for tackboard surface 2 (back)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 412.

Tip: Be sure to order the storage bin in the same paint finish as the hutch kit. Storage bin is ordered separately.

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

Tip: 66"W and 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: Hutch kits can span an L-shaped desk configuration only when full depth worksurfaces are used.

	Options	U.S. Price	Required to Specify		
Surface	Paint price group 1	No cost	Specify paint color number.		
Materials	<ul> <li>Paint price group 2</li> </ul>	+\$ 43	Specify paint color number.		
	<ul> <li>Paint price group 3</li> </ul>	+\$ 72	Specify paint color number.		
	Tackboard				
	<ul> <li>Fabric price group 1</li> </ul>	No cost	Specify fabric color number.		
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 24 +\$116 +\$158 +\$252 +\$ 32	Specify fabric color number. Specify fabric color number.		
	<ul> <li>Fabric price group 3</li> </ul>				
	<ul> <li>Fabric price group 4</li> </ul>		Specify fabric color number. Specify fabric color number.		
	Fabric price group 5				
	<ul> <li>Fabric price group COM</li> </ul>		See Surface Materials Reference		
			Manual to specify.		
	Fabric direction on 60"W and smaller tackboards				
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.		
Related	Universal sliding door bins		▶Page 324		
Products	<ul> <li>Universal over the case bins and Universal in the case bins</li> </ul>		▶ Pages 326 and 328		

Specification Information						
Width	•Style Number	·U.S. Base Price				
24"	RHK24	\$461				
30"	RHK30	\$471				
36"	RHK36	\$483				
42"	RHK42	\$496				
48"	RHK48	\$510				
60"	RHK60	\$549				
66"	RHK66	\$572				
72"	RHK72	\$590				



# **Hutch Kit Receptacle**For Use with Hutch Kit



	Standard Includes	Required to Specify
Need help?	One butch kit receptacle with 9' cord and three-prong plug:	Style number

Product details, page 56

black only · Rail attachment hardware

Specificat	Specification Information						
Style Number	· U.S. · Price						
-	<u>:</u>						
RHKRECPT	\$130						

# **Hutch Kit Cable Manager**

**Standard Includes Required to Specify** ► Need help? · Package of two hutch kit cable managers: paint 1 Style number Product details, page 57 2 Paint color number for cable managers ► See Surface Materials, page 412.

Specification Information				
Height	• Style Number	·U.S. Price		
:	Humber	:		
193⁄8"	RHKCM	\$56		
:		:		

# **Hutch Connector Bracket**



	Standard Includes	Required to Specify
Need help? Product details, page 57	Bracket: paint	1 Style number 2 Paint color number for bracket ▶ See Surface Materials, page 412.

Specification Information				
Height	· Style Number	·U.S. Price		
211/8"	RHKESB	\$83		
	•	:		



# **Cable Race Channel Packages and Flush-Mount Brackets**

# **Cable Race Channel Packages**



•	Need help?
	Product details,
	page 62

# Standard Includes

# **Required to Specify**

 Telescoping cable race channels (set of 2): black paint only

Attachment hardware

Style	num	be
-------	-----	----

Specification Information				
Telescoping Length Range	• Style Number	·U.S. Price		
9"-15"	UMCR9	\$24		
18"-33"	UMCR18	\$37		
36"-60"	UMCR36	\$52		
:		•		

# **Flush-Mount Brackets**



	Need help?
	Product deta
>	page 60

### **Standard Includes**

- Flush-mount brackets: black paint only
- · Attachment hardware

# **Required to Specify**

Style number


Specification	Specification Information		
• Style Number	· U.S. Price		
UFB	\$29		



# and Components

# **Worksurface Accessories**

# **Universal Pedestal Counterweight**



Tip: Counterweights fit 27"H fixed pedestals only.

	Standard Includes	Required to Specify
► Need help? Product details, page 135	Pedestal counterweight: black	Style number

# **Plastic Center Drawer**



	Standard Includes	Required to Specify
See Avenir Specification Guide.	Drawer: black textured plastic only     Slides: black plastic only	Style number
	<ul> <li>Attachment hardware and installation template</li> </ul>	



# **Specifying Universal Tables**

Tables	
Straight Tables	282
Transition Tables	284
Corner, 120° Tables	286
Capsule Tables	287
Spanner Tables	288
Peninsula Table	289
Tapered Peninsula Tables	290
Bubble Jetty Tables	291
Round Tables	292
Square Tables	293
Rectangle Tables	294
Oval Tables	295
Hex Conference Tables	296
Bases for Universal Tables	297
Legs for Universal Tables	298
FrameOne Legs	302

# **Straight Tables**

High-Pressure Laminate or Wood Veneer

► Need help?

page 86

Product details,



# **Standard Includes**

# • Table: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

# **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations

Page 92 Table and Leg Combinations,

► Page 93.

	Options	U.S. Price	Required to Specify	
Surface Materials	High-Pressure Laminate for Laminate price group 2 Open Line laminate	tables See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual	
	• Wood group 2 • Wood group 3 • Customiz stain	See information at left See information at left No cost	Specify wood color number.  Specify wood color number.  Specify with Customiz stain.  See Surface Materials Reference Manual.	
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices at right	Specify full-fill finish number.	
Reinforcing Channel	Reinforcing channel (available on 66"W and wider tables)	No cost	Specify with reinforcing channel.	
Related Products	Bases for Universal Tables     Legs for Universal Tables     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 297</li><li>▶ Page 298</li><li>▶ Page 312</li><li>▶ Page 385</li></ul>	



Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFS2430 becomes BFS2430SW for wood square edge profile.)


# Specification Information

### U.S. Base Prices High-Pressure Laminate





· Dim	ensions B	• Style Number	· Plastic 3 mm Edge	Plastic P-Edge	• Wood Square Edge	• Option (Add \$ to Base Price)
			No Suffix	Suffix P	Suffix	Full-Fill Finish on Wood Group 1
24"	293/4"	BFS2430	\$258	\$312	\$ 823	+\$40
24"	353/4"	BFS2436	\$275	\$329	\$ 849	+\$41
24"	413⁄4"	BFS2442	\$298	\$362	\$ 942	+\$46
24"	473/4"	BFS2448	\$351	\$415	\$1021	+\$47
24"	533/4"	BFS2454	\$379	\$443	\$1054	+\$49
24"	593/4"	BFS2460	\$405	\$482	\$1159	+\$52
24"	653/4"	BFS2466	\$446	\$523	\$1222	+\$54
24"	713⁄4"	BFS2472	\$503	\$580	\$1299	+\$56
24"	773/4"	BFS2478	\$551	\$628	\$1366	+\$57
30"	353/4"	BFS3036	\$381	\$435	\$ 997	+\$43
30"	413⁄4"	BFS3042	\$412	\$466	\$1096	+\$47
30"	473/4"	BFS3048	\$457	\$521	\$1166	+\$49
30"	533/4"	BFS3054	\$488	\$552	\$1214	+\$50
30"	593/4"	BFS3060	\$525	\$589	\$1323	+\$54
30"	653/4"	BFS3066	\$565	\$642	\$1388	+\$56
30"	713⁄4"	BFS3072	\$613	\$690	\$1459	+\$57
30"	773/4"	BFS3078	\$664	\$741	\$1528	+\$59



# **Transition Tables**

High-Pressure Laminate or Wood Veneer



# **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 86

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

### For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 93.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	tables	
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74 plus cost of laminate	Specify laminate color number. ▶ See Surface Materials Reference Manual.
	Wood veneer tables		
	<ul><li>Wood group 2</li><li>Wood group 3</li><li>Customiz stain</li></ul>	See information at left See information at left No cost	Specify wood color number.  Specify wood color number.  Specify with Customiz stain.  See Surface Materials Reference Manual.
	• Full-fill finish on wood group 1	Prices at right	Specify full-fill finish number.
Reinforcing Channel	Reinforcing channel (available on 66"W and wider tables)	No cost	Specify with reinforcing channel.
Related	Legs for Universal Tables		▶ Page 298
Products	<ul><li>Worksurface screens</li><li>Wiring and cabling</li></ul>		▶ Page 312 ▶ Page 385



Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BZC302460 becomes BZC302460SW for wood square edge profile.)

Dimensions

C

A B

Style

Number

Specification Informa	ation		
	U.S. Base Prices High-Pressure Laminate	Wood	

·Plastic

P-Edge

Suffix

·Plastic

3 mm

Edge

No Suffix

c//	B B
A	

<u>:                                    </u>			:	:	;₽	SW	Finish on wood Group 1	
Left-Hand Tables								
30"	24"	593/4"	BZC302460	\$744	\$ 876	\$1709	+\$57	
30"	24"	653/4"	BZC302466	\$779	\$ 911	\$1759	+\$59	
30"	24"	713/4"	BZC302472	\$810	\$ 942	\$1801	+\$62	
30"	24"	773/4"	BZC302478	\$832	\$ 974	\$1841	+\$64	
36"	30"	593/4"	BZC363060	\$832	\$ 974	\$1841	+\$73	
36"	30"	653/4"	BZC363066	\$864	\$1006	\$1884	+\$64	
36"	30"	713/4"	BZC363072	\$885	\$1039	\$1924	+\$65	
36"	30"	773/4"	BZC363078	\$922	\$1076	\$1963	+\$69	
:			:	:	:	:	:	

·Wood

Edge


Suffix

Square

• Option (Add \$ to

Full-Fill


Base Price)



24" 3 24" 3	ht-H		ables									
24" 3	30"					Right-Hand Tables						
		593/4"	BZC243060	\$744	\$ 876	\$1709	+\$57					
24" 3	30"	65¾"	BZC243066	\$779	\$ 911	\$1759	+\$59					
24 0	30"	713⁄4"	BZC243072	\$810	\$ 942	\$1801	+\$62					
24" 3	30"	773/4"	BZC243078	\$832	\$ 974	\$1841	+\$64					
30" 3	36"	593/4"	BZC303660	\$832	\$ 974	\$1841	+\$73					
30" 3	36"	65¾"	BZC303666	\$864	\$1006	\$1884	+\$64					
30" 3	36"	713⁄4"	BZC303672	\$885	\$1039	\$1924	+\$65					
30" 3		773/4"	BZC303678	\$922	\$1076	\$1963	+\$69					

# Corner, 120° Tables

High-Pressure Laminate or Wood Veneer



### **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 86

- Tables: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate tables: plastic 3 mm edge profile or P-edge profile on all sides
- · Wood tables: wood square 3 mm edge profile on all sides

**U.S. Base Prices** 

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFB223636SW for wood square edge profile.)

Tip: Screens can be used on corner, 120° tables.

- 24"W screens can be used on tables with dimensions C and D each equal to 43".
- 24"W and 30"W screens can be used on tables with dimensions C and D each equal to 49".

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	tables			
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.		
	Wood veneer tables				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	Wood group 3	See information at left	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.		
Related	Legs for Universal Tables		▶ Page 298		
Products	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385		

_	nacitics	Intorp	mation
C	pecifica		

					High-Pressure Laminate Wo		Wood		
· Dii	nens B	sion:	s D	E	· Style · Number	·Plastic	· Plastic P-Edge	· Wood Square	• Option • (Add \$ to
-	_			_		Edge	: = = = = =	Edge	Base Price)
:							Suffix	Suffix	Full-Fill
<u>:</u>					•	No Suffix	; <b>P</b>	SW	Finish on Wood Group 1
24"	24"	37"	37"	62"	BFB223636	\$ 964	\$1068	\$1863	+\$84
24"	24"	43"	43"	73"	BFB224242	\$1005	\$1109	\$1922	+\$88
24"	24"	49"	49"	83"	BFB224848	\$1038	\$1142	\$1973	+\$89
30"	30"	43"	43"	73"	BFB334242	\$1038	\$1142	\$1973	+\$89
30"	30"	49"	49"	83"	BFB334848	\$1079	\$1183	\$2027	+\$92




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

# **Capsule Tables**

High-Pressure Laminate or Wood Veneer



### **Standard Includes**

# Required to Specify

► Need help? Product details, page 86

- Tables: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- · Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,

▶Page 92

Table and Leg Combinations, ▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFK3672 becomes BFK3672SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate	tables					
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.				
	<ul> <li>Open Line laminate</li> </ul>	+\$74	See Surface Materials Reference Manual.				
		plus cost of laminate					
	Wood veneer tables						
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.				
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.				
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.				
			See Surface Materials Reference Manual.				
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.				
Reinforcing Channel	<ul> <li>Reinforcing channel (available on 66"W and wider tables)</li> </ul>	No cost	Specify with reinforcing channel.				
Related	Bases for Universal Tables		▶ Page 297				
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 298				
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312				
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385				

# **Specification Information**

	mensions B	• Style Number	High-Pressure Laminate		Wood	
• Dir			· Plastic 3 mm Edge	· Plastic P-Edge	· Wood Square Edge	• Option • (Add \$ to • Base Price)
			No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1
24"	48"	BFK2448	\$ 601	\$ 705	N.A.	N.A.
30"	60"	BFK3060	\$ 675	\$ 807	N.A.	N.A.
36"	72"	BFK3672	\$ 809	\$1001	\$2299	+\$ 98
42"	84"	BFK4284	\$1220	\$1422	\$2548	+\$103
48"	96"	BFK4896	\$1445	\$1647	\$2799	+\$106



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

**U.S. Base Prices** 

# **Spanner Tables**

High-Pressure Laminate or Wood Veneer



# **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 86

Creation Information

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations,
▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify						
Surface	High-Pressure Laminate tables								
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.						
	Wood veneer tables								
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.						
	Wood group 3	See information at left	Specify wood color number.						
	Customiz stain	No cost	Specify with Customiz stain.						
			See Surface Materials Reference Manual.						
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.						
Related	Legs for Universal Tables		▶ Page 298						
Products	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312						
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385						

Specification information								
			U.S. Base Prices High-Pressure Laminate		Wood			
· Dii · A	mensions B	•Style Number	• Plastic 3 mm Edge	Plastic P-Edge	· Wood Square Edge	• Option (Add \$ to Base Price)		
		:	No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1		
30"	48"	BFSP48	\$528	\$632	\$1311	+\$65		
30"	52"	BFSP52	\$561	\$665	\$1311	+\$69		
36"	60"	BFSP60	\$590	\$694	\$1624	+\$70		
36"	64"	BFSP64	\$620	\$724	\$1625 :	+\$71 :		



### **Peninsula Table**

High-Pressure Laminate or Wood Veneer



#### **Standard Includes**

#### Required to Specify

► Need help? Product details, page 86

- Tables: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- · Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify	
Surface	High-Pressure Laminate	tables		
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.	
	Open Line laminate	+\$74	See Surface Materials Reference Manual	
	•	plus cost of laminate		
	Wood veneer tables			
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.	
	Wood group 3	See information at left	Specify wood color number.	
	Customiz stain	No cost	Specify with Customiz stain.	
			See Surface Materials Reference Manual.	
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.	
Related	Legs for Universal Tables		▶ Page 298	
Products	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312	

Specificati	on Inform	ation				
		U.S. Base P High-Pressu Laminate		Wood		
Dimensions	Style	Plastic	Plastic	·Wood	Option	
;A B	Number	3 mm	P-Edge	Square	: (Add \$ to	
	:	Edge	:	Edge	Base Price)	
		No Suffix	Suffix	Suffix	: · Full-Fill	
	:		P	SW	Finish on Wood Group 1	
27" 36"	BFP2736	\$516	\$593	\$1222	+\$63	




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

# **Tapered Peninsula Tables**

High-Pressure Laminate or Wood Veneer



#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 86

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- · Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or Smart Tools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	tables	
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual.
	Wood veneer tables		
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.
	Wood group 3	See information at left	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.
Related	Legs for Universal Tables		▶ Page 298
Products	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385

			U.S. Base F High-Pressi Laminate		Wood		
Dir A	nens B	ions C	•Style Number	Plastic 3 mm Edge	· Plastic P-Edge	· Wood Square Edge	• Option (Add \$ to Base Price)
				No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1
27"	32"	48"	BFTP48	\$720	\$852	\$1653	+\$57
33"	40"	60"	BFTP60	\$735	\$867	\$1716	+\$62



### **Bubble Jetty Tables**

High-Pressure Laminate or Wood Veneer


#### **Standard Includes** Required to Specify ► Need help? · Table: High-Pressure Laminate price group 1 or wood 1 Style number with appropriate edge profile suffix Product details, group 1 veneer page 86 Laminate table: plastic 3 mm edge profile P Laminate with plastic P-edge or P-edge profile on all sides **SW** Wood with square edge · Wood table: wood square 3 mm edge profile on all sides ► See edge profiles below. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations,
▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)




# A

24" 78"

30"

30" 78"

72"



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

**Specification Information U.S. Base Prices High-Pressure** Laminate Wood Dimensions ·Style ·Plastic ·Plastic Wood Option В Number 3 mm P-Edge **Square** (Add \$ to Base Price) Edge **Edge** No Suffix Suffix **Suffix** Full-Fill SW Finish on Wood Group 1 **Left-Hand Worksurfaces** 24" 72" BFJ2472L \$1085 \$1277 \$2328 +\$87

\$2377

\$2377

\$2545

+\$92

+\$92

+\$97

# Right-Hand Worksurfaces

BFJ2478L

BFJ3072L

**BFJ3078L** 

\$1120

\$1120

\$1157

\$1312

\$1312

\$1349

24"	72"	BFJ2472R	\$1085	\$1277	\$2328	+\$87
24"	78"	BFJ2478R	\$1120	\$1312	\$2377	+\$92
30"	72"	BFJ3072R	\$1120	\$1312	\$2377	+\$92
30"	78"	BFJ3078R	\$1157	\$1349	\$2545	+\$97
		•	•	•	•	•

#### **Round Tables**

High-Pressure Laminate or Wood Veneer



#### **Standard Includes**

Specification Information

#### **Required to Specify**

Need help?
Product details,
page 86

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge
  K Laminate with knife edge
  SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,
▶Page 92

Table and Leg Combinations, ▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRQ30 becomes BFRQ30SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify	
Surface	High-Pressure Laminate	tables		
Materials	<ul><li>Laminate price group 2</li><li>Open Line laminate</li></ul>	See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manual	
	Wood veneer tables • Wood group 2	See information at left	Specify wood color number.	
	• Wood group 3	See information at left	Specify wood color number.	
	Customiz stain	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual.	
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.	
Related	Bases for Universal Tables		▶ Page 297	
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 298	

		U.S. Base Prices High-Pressure Laminate			Wood	
Diameter	• Style Number	· Plastic 3 mm Edge	· Plastic P-Edge	Plastic Knife Edge	• Wood • Square • Edge	• Option (Add \$ to Base Price)
· · ·	:	No Suffix	Suffix P	Suffix K	Suffix SW	Full-Fill Finish on Wood Group 1
30"	BFR30	\$458	N.A.	\$649	N.A.	N.A.
36"	BFR36	\$489	\$593	\$680	\$1642	+\$47
42"	BFR42	\$542	\$646	\$733	\$1726	+\$50
48"	BFR48	\$593	\$709	\$784	\$1923	+\$56
54"	BFR54	\$713	\$845	\$904	\$2123	+\$59



## **Square Tables**

High-Pressure Laminate or Wood Veneer



#### **Standard Includes**

#### **Required to Specify**

- Need help? Product details, page 86
- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- · Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

# For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,

- ▶Page 92
  Table and Leg Combinations,
  ▶Page 93.
- Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRQ30 becomes BFRQ30SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate tables						
Materials	Laminate price group 2     Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.				
	Wood veneer tables						
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.				
	Wood group 3	See information at left	Specify wood color number.				
	Customiz stain	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual.				
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.				
Related	Bases for Universal Tables		▶ Page 297				
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 298				
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312				
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385				
			3				

#### **Specification Information**

Laminate Wood Dimensions ·Style · Plastic Plastic ·Wood Option Number 3 mm P-Edge Square (Add \$ to Edge Base Price) **Edge No Suffix Suffix Suffix** Full-Fill Finish on Wood Group 1 SW BFRQ24 24" 24" \$244 \$298 N.A. N.A. 30" 30" BFRQ30 \$358 \$412 \$ 988 +\$41 36" 36" BFRQ36 \$504 \$592 N.A. N.A. 42" 42" BFRQ42 \$558 \$646 \$1345 +\$50 BFRQ48 \$1490 +\$56 48" 48" \$612 \$728 54" BFRQ54 54" \$735 \$851 \$1666 +\$59



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

**U.S. Base Prices** 

**High-Pressure** 

# **Rectangle Tables**

High-Pressure Laminate or Wood Veneer



#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 86

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- · Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,

- ▶ Page 92
  Table and Leg Combinations,
  ▶ Page 93.
- Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRR3672 becomes BFRR3672SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify			
Surface	High-Pressure Laminate tables					
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.			
	<ul> <li>Open Line laminate</li> </ul>	+\$74	► See Surface Materials Reference Manual.			
		plus cost of laminate				
	Wood veneer tables					
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.			
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.			
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.			
			► See Surface Materials Reference Manual.			
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.			
Reinforcing	Reinforcing channel	No cost	Specify with reinforcing channel.			
Channel	(available on 66"W					
	and wider tables)					
Related	Bases for Universal Tables		▶ Page 297			
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 298			
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 312			
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 385			

#### **Specification Information**

U.S. Base Prices High-Pressure				
Laminate		Wood		

· Dir	mensions B	·Style Number	Plastic 3 mm Edge	· Plastic P-Edge	• Wood Square Edge	• Option (Add \$ to Base Price)
:		:	No Suffix	Suffix P	Suffix	Full-Fill Finish on Wood Group 1
36"	60"	BFRR3660	\$ 715	N.A.	N.A.	N.A.
36"	66"	BFRR3666	\$ 758	N.A.	N.A.	N.A.
36"	72"	BFRR3672	\$ 809	\$1011	\$2374	+\$100
42"	84"	BFRR4284	\$1220	\$1422	\$2557	+\$103
48"	96"	BFRR4896	\$1445	\$1647	\$2627	+\$106



See page 1 for details.

### **Oval Tables**

High-Pressure Laminate



#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 86

- Tables: High-Pressure Laminate price group 1
- Laminate table: plastic 3 mm edge profile on all sides
- 1 Style number
- ► See edge profiles below.
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see
Table and Base Combinations,
▶Page 92
Table and Leg Combinations,
▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required.

	Options	U.S. Price	Required to Specify	
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	te tables See information at left +\$74 plus cost of laminate	Specify laminate color number.  See Surface Materials Reference Manua	
Related Products	<ul><li>Bases for Universal Tables</li><li>Legs for Universal Tables</li></ul>		▶ Page 297 ▶ Page 298	

#### **Specification Information**

U.S. Base Price

**High-Pressure Laminate** 



Dir A	nensions B	Style Number	Plastic 3 mm Edge
:		:	No Suffix
21"	42"	BEL2142	\$ 539
30"	42"	BEL3042	\$ 586
36"	48"	BEL3648	\$ 645
30"	60"	BEL3060	\$ 789
36"	72"	BEL3672	\$ 809
42"	78"	BEL4278	\$1204
48"	96"	BEL4896	\$1445



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

# **Hex Conference Tables**

Product details,

page 86

High-Pressure Laminate



Tip: Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 93.

Tip: To specify 3 mm edge profile, no suffix is required.

#### **Standard Includes**

- Tables: High-Pressure Laminate price group 1
- · Laminate table: plastic 3 mm edge profile on all sides
- · Reinforcing channels, for tables 120"W or wider
- Tight-joint fasteners for tables 150"W or wider

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Open Line laminate	See information at left +\$74	Specify laminate color number.  See Surface Materials Reference Manual.
Related Products	Bases for Universal Tables	plus cost of laminate	▶ Page 297

#### **Specification Information**

**U.S. Base Price High-Pressure Laminate** 



· Dir	mens B	sions C	•Style Number	Plastic 3 mm Edge
<u>:</u>			:	No Suffix
30"	36"	60"	BHEX3660	\$ 715
30"	36"	66"	BHEX3666	\$ 758
30"	36"	72"	BHEX3672	\$ 809
36"	42"	96"	BHEX4296	\$1382
38"	48"	120"	BHEX48120	\$3338
38"	48"	150"	BHEX48150	\$4877
38"	48"	180"	BHEX48180	\$5070




# **Universal Tables**

# **Bases for Universal Tables**

	Standard Includes	Required to Specify
Need help? Product details, page 89	Column: paint     Base: paint     Adjustable leveling glides: black plastic	1 Style number 2 Paint color number for column 3 Paint color number for base 4 Options, if selected (see below) See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	Base	<u> </u>	
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number
	Paint price group 2	+\$ 21	Specify paint color number.
	Paint price group 3	+\$ 37	Specify paint color number.
	<ul> <li>Polished Chrome column and base</li> </ul>	+\$173	Specify with 9201 Polished Chrome column and base.
	<ul> <li>Polished Chrome base with painted column</li> </ul>	+\$173	Specify with 9201 Polished Chrome base only and select paint color number for column

Tip: When specifying a 9201 Polished Chrome base only, specify a paint color number for the column.









# **Legs for Universal Tables**

#### **Cabby Legs**

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per table. ▶Page 93

Tip: Dimensions listed are nominal and include the thickness of a table.

	Standard Includes	Requ
► Need help?	Table legs: paint or metal	1 Style ni
Product details,	Glides, if selected: paint to match legs	2 Paint co
page 90	<ul> <li>Locking casters, if selected: paint to match legs</li> </ul>	3 Options

Attachment hardware

<b>Required to Specify</b>
Style number

- color number for leg and caster
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify	
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$21 per leg	Specify paint color number. Specify paint color number.	

Specific	ation Info	rmation			
Planning	Style	·U.S.	Planning	·Style	·U.S.
Height	Number	Base	Height	Number	Base
		Price			Price
		•	•		•

Cabby Le	g with Glic	le	Package of Four Cabby Legs with Glides		
26"	BNCAB	\$200	26"	BNCAB4	\$800
281/2"	BCAB	\$200	281/2"	BCAB4	\$800

<b>Cabby Le</b>	g with Cas	ter	Package of Four Cabby Legs with Casters		
26"	BNCABC	\$228	26"	BNCAB4C	\$912
281/2"	BCABC	\$228	281/2"	BCAB4C	\$912

	Package of Four Cabby Legs with Two Glides and Two Casters			
26	6"	BNCAB4M	\$856	
28	81/2"	ВСАВ4М	\$856	



Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.





#### **Adjustable-Height Legs**

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.


Tip: See Table and Leg Combinations page for number of legs required per table.

▶Page 93

Tip: Dimensions listed are nominal and include the thickness of a table.







	Standard Includes	Required to Specify
► Need help?	Table legs: paint	1 Style number
Product details,	Glides, if selected: paint to match legs	2 Paint color number for leg
page 90	<ul> <li>Locking casters, if selected: paint to match legs</li> </ul>	3 Options, if selected (see below)
	Attachment hardware	See Surface Materials, page 412.

Options		U.S.	Price	Required to Specify	
Surface Materials		nt price group 1 nt price group 2	No cost +\$21 per leg		Specify paint color number. Specify paint color number.
Specific	ation Info	rmation			
Planning Height	• Style Number	· U.S. Base Price	• Planning Height	•Style Number	· U.S. Base Price
Adjustable-Height Leg with Glide		Package of Four Adjustable-Height Legs with Glides			
25½"–31½" :	BADJ	\$234	25½"–31½"	BADJ4	\$ 936 :
Adjustable-Height Leg with Caster			Package of Four Adjustable-Height Legs with Casters		
251/2"-311/2"	BADJC	\$262 :	25½"–31½"	BADJ4C	\$1048
			•	egs with T	djustable- 'wo Glides
			251/2"-311/2"	BADJ4M	\$ 992



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Legs for Universal Tables, continued

#### **Elliptical Legs**

With Alignment Tab



Tip: Use 26"H legs for nesting capabilities and use 281/2"H legs to achieve standard height tables.

	Standard Includes	Re
Need help?	Table leg: paint or metal	1 Styl
Product details,	Glides: paint or metal	2 Pair
page 90	Attachment hardware	3 Pair
		4 Opt

Required to Specify	
Style number     Paint or metal color number for leg     Paint or metal color number for glid     Options, if selected (see below)	es
► See Surface Materials, page 412.	

	Options	U.S. Price	Required to Specify	
Surface	Elliptical legs			
Materials	Black	No cost	Specify with 7207 Black paint.	
	<ul> <li>Platinum</li> </ul>	No cost	Specify with 4799 Platinum.	
	<ul> <li>Polished Chrome</li> </ul>	+\$87	Specify with 9201 Polished Chrome.	
	Glides			
	<ul> <li>Black</li> </ul>	No cost	Specify with 7207 Black paint.	
	<ul> <li>Brushed Aluminum</li> </ul>	No cost	Specify with 8042 Brushed Aluminum.	
	<ul> <li>Polished Aluminum</li> </ul>	No cost	Specify with 8046 Polished Aluminum.	

Specification Information							
Planning Height	•Style Number	·U.S. Base Price					
26"	BEL25	\$306					
281/2"	BEL27	\$309					

Tip: Dimensions listed are nominal and include the thickness of a table.



#### **Post Legs and Double Post C-Legs**

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per worksurface. Page 93

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Height dimensions listed are nominal and include the thickness of a table.









	Standard Includes	Required to Specify
►Need help?	Table legs: paint	1 Style number
Product details,	Attachment hardware	2 Paint color number for legs.
page 90	<ul> <li>Non-locking caster, if selected: black plastic only</li> </ul>	3 Options, if selected (see below)
		See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$21 per leg +\$37 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Planning Height	• Style Number	· U.S. Base Price	· Planning Height	• Style Number	· U.S. Base Price
:	:	:	:	:	•
Post Leg with Glide			Packag	e of Four P	Post Leas with Glides

Post Leg with Glide			Packag	Package of Four Post Legs with Glides		
26"	BNPL	\$152	26"	BNPL4	\$608	
281/2"	BPL	\$152	281/2"	BPL4	\$608	

Post Leg with Caster			Package of Four Post Legs with Casters		
26"	BNPLC	\$171	26"	BNPL4C	\$684
281/2"	BPLC	\$171	281/2"	BPL4C	\$684

Package of Four Post Legs with Two Glides and Two Casters				
26"	BNPL4M	\$646		
281/2"	BPL4M	\$646		

#### **Double Post C-Legs with Glides**

Specification Information

28 <sup>1</sup> /2"	BCL	\$467



# FrameOne Legs

	Standard Includes	Required to Specify
► Need help? Product details, page 32	Legs and intermediate support: paint     Attachment hardware	1 Style number 2 Paint color number for legs and support 3 Options, if selected (see below) ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	For legs		
Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$21 +\$37	Specify paint color. Specify paint color. Specify paint color.

Specificati	on Information		
·Planning ·D	epth ·Style	·U.S.	
Height	Number	Base	
	<u> </u>	Price	
	:	:	

#### **Closed Loop**

		Table Applicat	on	
281/2"	24"	UFC24T	\$698	
281/2"	30"	UFC30T	\$698	
:	:			

Open Loop				
281/2"	24"	UFQ24T	\$524	
281/2"	30"	UFQ30T	\$524	
:	:	:	:	

Post Leg	9		
281/2"		UFP	\$184
:	:	•	









# **Specifying Worksurface Screens**

Universal Boundary Screens	304
Universal Privacy/Modesty Screens	307
Universal Privacy Screens and Aligners	308
Sarto Privacy/Modesty Screens	310
Sarto Privacy Screens	311
Knit Screens	312
Divisio Side Screen	313

# **Universal Boundary Screens**

Laminate and Veneer



#### Standard Includes Required to Specify

► Need help? Product details, page 98

- Screen: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Edge on laminate screen, if selected: plastic
- Height: 15"H-54"H
- · Height installed: 30"H-54"H
- Width: 24"W-72"W
- · Attachment brackets: paint price group 1
- 1 Style number
- 2 Screen size type (see below under Required Selections)
- 3 Height installed (see below under Required Selections)
- 4 Screen clearance (see below under Required Selections)
- 5 Width
- 6 High-Pressure Laminate or wood veneer color number for screen (see below under Required Selections)
- 7 Plastic color number for edge on laminate screen, if selected
- 8 Grain direction
- 9 Paint color number for brackets
- 10 Options, if selected (see below)
- ► See Surface Materials, page 412.

Tip: Height installed, in com-
bination with screen clear-
ance and width, determines
the size screen you need for
your application.

Tip: Screen clearance is measured from the bottom of the boundary screen to the bottom of the leg which the screen is attached.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood group 2 and 3 upcharges are in addition to wood group 1 upcharges.

Tip: Full-fill finish codes can be used to simplify specification of veneer boundary screens being used in settings with full-fill veneer products. The screen will not have the final fill coat applied, but the finish color will be consistent with the full-fill products.

Tip: Wood grain laminate is only available on surfaces less than 60"W. No restrictions for veneer.

	Require	ed Selections	U.S. Price	Required to Specify		
Screen Size Type	Modular     Parametric      Modular     30"H		No cost No cost	Specify with modular. Specify with parametric.		
Height Installed			Prices at right	Specify installed height.		
Screen Clearance	<b>Modular</b> 0"H 15"H	<b>Parametric</b> 0"-14 <sup>15</sup> / <sub>16</sub> "H	Prices at right Prices at right	Specify screen clearance. Specify screen clearance.		

	Options	U.S. Price	Required to Specify
Surface	Screen	·	
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$146	See Surface Materials Reference Manual.
	·	plus cost of laminate	
	<ul> <li>Wood group 2</li> </ul>	+\$146	Specify wood color number.
	Wood group 3	+\$520	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
	<ul> <li>Full-fill finish on wood</li> </ul>	No cost	Specify with full-fill finish and select
	group 1 veneer		wood color number.
	Laminate wood grain o		
	No direction	No cost	Specify with no direction.
	<ul> <li>Horizontal</li> </ul>	No cost	Specify with horizontal grain direction.
	<ul> <li>Vertical</li> </ul>	No cost	Specify with vertical grain direction.
	Brackets		
	<ul> <li>Paint price group 2</li> </ul>	+\$ 11	Specify paint color number.
	Paint price group 3	+\$ 25	Specify paint color number.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specification Information											
·Style Number	· Style · Dimensions · U.S. Base Number · Prices										
:	Modular	Modular	: 24"W	:30"W	:36"W	: 42"W	: 48"W	: 54"W	: 60"W	: 66" W	: 72"W
:	Height	Width	:	:	:	:	:	:	:	:	:

#### **Modular High-Pressure Laminate Boundary Screens**

Mouul	iai iliyii-i ibə	Suit Laiiiiia	ie Doui	ilual y 3	CI GGII3					
USSC	15"H	\$193	\$223	\$253	\$284	\$313	\$343	\$373	\$404	\$ 433
	21"H	\$244	\$278	\$314	\$350	\$385	\$421	\$456	\$491	\$ 527
	27"H	\$294	\$335	\$375	\$417	\$457	\$498	\$538	\$580	\$ 621
	30"H	\$318	\$362	\$406	\$448	\$492	\$536	\$580	\$624	\$ 668
	33"H	\$343	\$390	\$436	\$483	\$529	\$576	\$622	\$669	\$ 713
	36"H	\$368	\$418	\$467	\$516	\$565	\$614	\$662	\$711	\$ 760
	39"H	\$393	\$445	\$496	\$550	\$601	\$653	\$704	\$756	\$ 808
	42"H	\$419	\$474	\$528	\$582	\$637	\$692	\$746	\$800	\$ 855
	48"H	\$469	\$529	\$589	\$649	\$708	\$769	\$829	\$889	\$ 949
	54"H	\$519	\$584	\$650	\$714	\$781	\$846	\$912	\$976	\$1043

Specif	Specification Information									
·Style Number	• Dimensions		· U.S. Base Prices							
:	Parametric Height	Parametric Width	24"W - 30"W - 36"W - 29 <sup>15</sup> /16"W 35 <sup>15</sup> /16"W 41 <sup>15</sup> /1							

#### Parametric High-Pressure Laminate Roundary Screens

raiaiii	Guit nigh-Fi633i	ui G Laiiii	IIALG D	ulluai	JOLIEE	113
USSC	15"H – 17 <sup>15</sup> /16"H	\$193	\$223	\$253	\$284	\$3

- 3				,	_				
15"H – 17 <sup>15</sup> /16"H	\$193	\$223	\$253	\$284	\$313	\$343	\$373	\$404	\$ 433
18"H – 20 <sup>15</sup> /16"H	\$218	\$251	\$284	\$316	\$349	\$382	\$415	\$446	\$ 480
21"H – 23 <sup>15</sup> /16"H	\$244	\$278	\$314	\$350	\$385	\$421	\$456	\$491	\$ 527
24"H – 26 <sup>15</sup> /16"H	\$268	\$307	\$344	\$383	\$421	\$460	\$496	\$535	\$ 574
27"H – 29 <sup>15</sup> /16"H	\$294	\$335	\$375	\$417	\$457	\$498	\$538	\$580	\$ 621
30"H - 32 <sup>15</sup> /16"H	\$318	\$362	\$406	\$448	\$492	\$536	\$580	\$624	\$ 668
33"H – 35 <sup>15</sup> /16"H	\$343	\$390	\$436	\$483	\$529	\$576	\$622	\$669	\$ 713
36"H – 38 <sup>15</sup> /16"H	\$368	\$418	\$467	\$516	\$565	\$614	\$662	\$711	\$ 760
39"H – 41 <sup>15</sup> /16"H	\$393	\$445	\$496	\$550	\$601	\$653	\$704	\$756	\$ 808
42"H – 44 <sup>15</sup> /16"H	\$419	\$474	\$528	\$582	\$637	\$692	\$746	\$800	\$ 855
45"H – 47 <sup>15</sup> /16"H	\$443	\$502	\$559	\$616	\$673	\$731	\$787	\$845	\$ 902
48"H – 50 <sup>15</sup> /16"H	\$469	\$529	\$589	\$649	\$708	\$769	\$829	\$889	\$ 949
51"H - 53 <sup>15</sup> /16"H	\$493	\$557	\$620	\$683	\$745	\$808	\$870	\$933	\$ 996
54"H	\$519	\$584	\$650	\$714	\$781	\$846	\$912	\$976	\$1043
	:	:	:	:	:		:	:	:

<sup>▶</sup> Specification Information, continued on next page





#### Universal Boundary Screens Laminate and Veneer, continued

USSC

#### ▶ Specification Information, continued from previous page

Style	<ul><li>Dimensions</li></ul>		·U.S. B								
Number	:		Prices	;							
	Modular	Modular	: 24"W	:30"W	:36"W	: 42"W	: 48"W	: 54"W	: 60"W	: 66" W	: 72"W
	Height	Width	:	:	:	:	:	:	:		:
	: -		:	:	:	:		:	:		:

#### **Modular Wood Veneer Boundary Screens**

	,								
15"H	\$ 480	\$ 524	\$ 567	\$ 613	\$ 654	\$ 699	\$ 741	\$ 787	\$ 828
21"H	\$ 611	\$ 675	\$ 742	\$ 809	\$ 872	\$ 939	\$1004	\$1069	\$1134
27"H	\$ 741	\$ 829	\$ 915	\$1004	\$1091	\$1179	\$1265	\$1354	\$1440
30"H	\$ 806	\$ 904	\$1004	\$1100	\$1198	\$1296	\$1396	\$1494	\$1592
33"H	\$ 872	\$ 982	\$1090	\$1200	\$1309	\$1419	\$1527	\$1637	\$1743
36"H	\$ 937	\$1058	\$1177	\$1298	\$1418	\$1537	\$1657	\$1776	\$1896
39"H	\$1002	\$1134	\$1264	\$1397	\$1526	\$1658	\$1788	\$1920	\$2049
42"H	\$1069	\$1211	\$1353	\$1494	\$1636	\$1778	\$1919	\$2061	\$2203
48"H	\$1200	\$1363	\$1528	\$1691	\$1853	\$2017	\$2181	\$2344	\$2508
54"H	\$1330	\$1515	\$1701	\$1885	\$2072	\$2257	\$2443	\$2627	\$2814

Style	<ul><li>Dimensions</li></ul>		U.S. Bas	е							
Number	:		Prices								
	Parametric	Parametric	24"W -	30"W –	:36"W -	: 42"W –	: 48"W –	: 54"W –	: 60"W -	: 66"W –	: 72"V
:	Height	Width	: 29 <sup>15</sup> /16"W	35 <sup>15</sup> /16"W	: 41 <sup>15</sup> /16"W	: 47 <sup>15</sup> /16"W	: 53 <sup>15</sup> /16"W	: 59 <sup>15</sup> /16"W	: 65 <sup>15</sup> /16"W	: 71 <sup>15</sup> /16"W	:

ı aranı	GUIG WOOD VGIIG	Gi Doullu	ary ou	GGII3			
USSC	15"H-17 <sup>15</sup> /16"H	\$ 480	\$ 524	\$ 567	\$ 613	\$ 654	\$ 699


		,							
15"H-17 <sup>15</sup> /16"H	\$ 480	\$ 524	\$ 567	\$ 613	\$ 654	\$ 699	\$ 741	\$ 787	\$ 828
18"H-20 <sup>15</sup> /16"H	\$ 546	\$ 600	\$ 655	\$ 708	\$ 764	\$ 818	\$ 874	\$ 926	\$ 982
21"H-23 <sup>15</sup> /16"H	\$ 611	\$ 675	\$ 742	\$ 809	\$ 872	\$ 939	\$1004	\$1069	\$1134
24"H-26 <sup>15</sup> /16"H	\$ 676	\$ 752	\$ 828	\$ 906	\$ 982	\$1059	\$1133	\$1210	\$1286
27"H-29 <sup>15</sup> /16"H	\$ 741	\$ 829	\$ 915	\$1004	\$1091	\$1179	\$1265	\$1354	\$1440
30"H-32 <sup>15</sup> /16"H	\$ 806	\$ 904	\$1004	\$1100	\$1198	\$1296	\$1396	\$1494	\$1592
33"H-35 <sup>15</sup> /16"H	\$ 872	\$ 982	\$1090	\$1200	\$1309	\$1419	\$1527	\$1637	\$1743
36"H-38 <sup>15</sup> /16"H	\$ 937	\$1058	\$1177	\$1298	\$1418	\$1537	\$1657	\$1776	\$1896
39"H-41 <sup>15</sup> /16"H	\$1002	\$1134	\$1264	\$1397	\$1526	\$1658	\$1788	\$1920	\$2049
42"H-44 <sup>15</sup> /16"H	\$1069	\$1211	\$1353	\$1494	\$1636	\$1778	\$1919	\$2061	\$2203
45"H-47 <sup>15</sup> /16"H	\$1133	\$1288	\$1440	\$1592	\$1745	\$1899	\$2050	\$2204	\$2355
48"H-50 <sup>15</sup> /16"H	\$1200	\$1363	\$1528	\$1691	\$1853	\$2017	\$2181	\$2344	\$2508
51"H-53 <sup>15</sup> /16"H	\$1265	\$1440	\$1615	\$1790	\$1963	\$2139	\$2311	\$2487	\$2661
54"H	\$1330	\$1515	\$1701	\$1885	\$2072	\$2257	\$2443	\$2627	\$2814
	:		:	:	:	:	:	:	:





► See Surface Materials, page 412.

# **Universal Privacy/Modesty Screens**



Tip: Universal privacy/ modesty screens can be attached to 3/4"-11/2" thick worksurfaces, including height adjustable worksurfaces, universal worksurfaces, and Elective Elements worksurfaces.

Tip: The screens weigh between 9.79 lb and 11.89 lb. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The universal privacy/ modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 11/8" cord drop or no cord drop. See understanding pages for product specific application guidelines.

	Standard Includes	Required to Specify
➤ Need help? Product details, page 110	Screen: fabric price group 1     Edge: PET     Brackets: 7360 Merle	1 Style number 2 Screen size type (see below under Required Sections) 3 Width (see below under Required Selections) 4 Mount location (see below under Required Selections) 5 Fabric color number for screen
		6 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 7 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	<ul><li> Modular</li><li> Parametric</li></ul>	No cost +\$ 31	Specify with modular. Specify with parametric.
Width	Modular       Parametric         • 42"W       • 42"W         • 48"W       • 42½16"W-48"W         • 54"W       • 48½16"W-54"W         • 60"W       • 54½16"W-60"W         • 66"W       • 60½16"W-66"W	Prices below Prices below Prices below Prices below Prices below	Specify width. Specify width. Specify width. Specify width. Specify width.
Mount Location	<ul> <li>Privacy (19½" above the worksurface, 5½" below the worksurface)</li> <li>Privacy/modesty (13" above the worksurface, 11½%" below the worksurface)</li> </ul>	No cost	Specify with privacy application.  Specify with privacy/modesty application.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 1	No cost	Specify fabric color number.
Materials	<ul> <li>Fabric price group 2</li> </ul>	+\$ 41	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$116	Specify fabric color number.
	Fabric price group 4	+\$147	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$177	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$208	Specify fabric color number.
	<ul> <li>Fabric price group 7</li> </ul>	+\$239	Specify fabric color number.
	<ul> <li>Fabric price group 8</li> </ul>	+\$269	Specify fabric color number.
	<ul> <li>Fabric price group 9</li> </ul>	+\$300	Specify fabric color number.
	Fabric price group 10	+\$330	Specify fabric color number.
	<ul> <li>Customer's Own Material (COM)</li> </ul>	+\$ 16	See Surface Materials Reference Manual.

Specification Information								
Style Number	Screen Type Modular Width							
· · · ·	Parametric Width	42"W		10	54 <sup>1</sup> / <sub>16</sub> "W– 60"W	60 <sup>1</sup> / <sub>16</sub> "W–		
UFPM		\$484	\$516	\$548	\$580	\$614		



# **Universal Privacy Screens and Aligners**

#### **Universal Privacy Screens**



Tip: 131/2"H screen will align at a 42" datum. 191/2"H screen will align at a 48"

#### **Standard Includes**

#### **Required to Specify**

- ► Need help? · Screen: fabric price group 1 Product details, page 112
  - Brackets: paint price group 1
  - · Edge: PET

- 1 Style number
- 2 Screen size type (see below under Required Sections)
- 3 Width (see below under Required Selections)
- 4 Height (see below under Required Selections)
- 5 Fabric color number for screen
- 6 Bracket finish color number
- 7 Edge color:
- P630 Medium Heather Grey PET P631 Dark Heather Grey PET
- 8 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	<ul><li>Modular No cost</li><li>Parametric</li></ul>	+\$ 31	Specify with modular. Specify with parametric.
Width	Modular Parametric		
	• 24"W • 24"W	Prices at right	Specify width.
	• 30"W • 24½16"W–30"W	Prices at right	Specify width.
	• 36"W • 30½16"W–36"W	Prices at right	Specify width.
	• 42"W • 36½16"W–42"W	Prices at right	Specify width.
	• 48"W • 42 <sup>1</sup> / <sub>16</sub> "W–48"W	Prices at right	Specify width.
	• 54"W • 48½16"W–54"W	Prices at right	Specify width.
	• 60"W • 54½16"W–60"W	Prices at right	Specify width.
	• 66"W • 60½16"W–66"W	Prices at right	Specify width.
	• 72"W • 66 <sup>1</sup> / <sub>16</sub> "W–72"W	Prices at right	Specify width.
	• 78"W • 72½16"W–78"W	Prices at right	Specify width.
	• 84"W • 78½16"W–84"W	Prices at right	Specify width.
	• 90"W • 84½16"W-90"W	Prices at right	Specify width.
	• 96"W • 90½6"W–96"W	Prices at right	Specify width.
Height	Modular Parametric		
	• 13½"H • 13½"H	Prices at right	Specify height.
	• 19½"H • 13½"H–19½"H	Prices at right	Specify height.

	Options	U.S. Price	Required to Specify	
Surface	Fabric price group 1	No cost	Specify fabric color number.	
Materials	Fabric price group 2	+\$ 36	Specify fabric color number.	
	Fabric price group 3	+\$ 94	Specify fabric color number.	
	Fabric price group 4	+\$119 +\$145	Specify fabric color number.	
	Fabric price group 5		Specify fabric color number.	
	<ul> <li>Fabric price group 6</li> </ul>	+\$170	Specify fabric color number.	
	Fabric price group 7	+\$196	Specify fabric color number.	
	Fabric price group 8	+\$221	Specify fabric color number.	
	Fabric price group 9	+\$247	Specify fabric color number.	
	Fabric price group 10	+\$272	Specify fabric color number.	
	Customer's Own Material (COM)	+\$ 16	See Surface Materials Reference Manual	
	Bracket			
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.	
	<ul> <li>Paint price group 2</li> </ul>	+\$ 11	Specify paint color number.	
Related Products	Aligners		► See left	






• Style Number	· Height	Screen Type Modular Width	rpe · U.S. Base Prices						: 60"W
		Parametric Width		24 <sup>1</sup> / <sub>16</sub> "W- 30"W	30 <sup>1</sup> / <sub>16</sub> "W– 36"W	V- 36 <sup>1</sup> / <sub>16</sub> "W- 42"W		48½16"W– 54"W	54 <sup>1</sup> / <sub>16</sub> "W-
UFPS	131/2"		\$316	\$340	\$362	\$386	\$409	\$433	\$457
	139/16"-1	91/2"	\$362	\$399	\$436	\$472	\$510	\$546	\$582

#### ▶ Specification Information, continued from above

• Style Number	. •	Height Screen Type Modular Width		<b>U.S. Base Prices</b> 66"W 72"W 78"W 84"W 90"W 96"W : : : : : : : : : : : : : : : : : : :				
	:	Parametric Width	60½6"W-		72½"W– 78"W	78½16"W– 84"W		90½ <sub>16</sub> "W–
UFPS	131/2"		\$479	\$503	\$526	\$549	\$572	\$595
	139/16"-1	91/2"	\$619	\$655	\$691	\$726	\$761	\$797

#### **Aligners**




Tip: Aligners are for use with Universal screens only.

	Standard Includes	Required to Specify
► Need help? Product details, page 112	Aligner, package of 10: 6527 Merle	Style number
Specification	n Information	

•Style	·U.S.
Number	Price
UFAL	\$27



# **Sarto Privacy/Modesty Screens**



Tip: Sarto privacy/modesty screens can be attached to 3/4"-11/2" thick worksurface, including Ology, Migration, Series 5 worksurfaces, Elective Elements, universal tables, and universal panel mount worksurfaces.

Tip: The screens weigh between 4.86 and 7.59 lb. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The sarto privacy/ modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1<sup>1</sup>/<sub>8</sub>" cord drop or no cord drop. See understanding pages for product specific application guidelines.

#### **Standard Includes Required to Specify** • 24"H Screen: fabric price group 1 1 Style number

- ► Need help? Product details, · Brackets: 7360 Merle
- page 113

- 2 Width (see below under Required Selections)
- 3 Fabric color number for screen
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

	Required Selections	U.S. Price	Required to Specify
Width	• 42"W	Price below	Specify with 42"W.
	• 48"W	Price below	Specify with 48"W.
	• 54"W	Price below	Specify with 54"W.
	• 60"W	Price below	Specify with 60"W.
	• 66"W	Price below	Specify with 66"W.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 2	+\$ 41	Specify fabric color number.
Materials	<ul> <li>Fabric price group 3</li> </ul>	+\$116	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$147	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$177	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$208	Specify fabric color number.
	<ul> <li>Fabric price group 7</li> </ul>	+\$239	Specify fabric color number.
	<ul> <li>Fabric price group 8</li> </ul>	+\$269	Specify fabric color number.
	<ul> <li>Fabric price group 9</li> </ul>	+\$300	Specify fabric color number.
	Fabric price group 10	+\$330	Specify fabric color number.
	Customer's Own Material     (COM)	+\$ 16	See Surface Materials Reference Manual.

Specification Information					
Style Number	· U.S. Base Prices				
	42"W	: 48"W	: 54"W	: 60"W	: 66"W
<u>:</u>	:	:	:	:	:
PSPM	\$395	\$418	\$442	\$466	\$490
:	:	:	:	:	:



# **Sarto Privacy Screens**



#### **Standard Includes**

#### **Required to Specify**

Need help? Product details, page 114

- Screen: fabric price group 1Brackets and hard stops: 7360 Merle
- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Height (see below under Required Selections)
- 4 Fabric color number for screen
- 5 Options, if selected (see below)
- ► See Surface Materials, page 412.

Tip: 131/2"H screen will align at a 42" datum. 191/2"H screen will align at a 48" datum.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices below	Specify with 24"W.
	• 30"W	Prices below	Specify with 30"W.
	• 36"W	Prices below	Specify with 36"W.
	• 42"W	Prices below	Specify with 42"W.
	• 48"W	Prices below	Specify with 48"W.
	• 54"W	Prices below	Specify with 54"W.
	• 60"W	Prices below	Specify with 60"W.
	• 66"W	Prices below	Specify with 66"W.
	• 72"W	Prices below	Specify with 72"W.
	• 78"W	Prices below	Specify with 78"W.
	• 84"W	Prices below	Specify with 84"W.
	• 90"W	Prices below	Specify with 90"W.
	• 96"W	Prices below	Specify with 96"W.
Height	• 13½"H	Prices below	Specify with 131/2"H.
-	• 19½"H	Prices below	Specify with 191/2"H.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 2	+\$ 36	Specify fabric color number.
Materials	<ul> <li>Fabric price group 3</li> </ul>	+\$ 94	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$119	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$145	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$170	Specify fabric color number.
	<ul> <li>Fabric price group 7</li> </ul>	+\$196	Specify fabric color number.
	Fabric price group 8	+\$221	Specify fabric color number.
	<ul> <li>Fabric price group 9</li> </ul>	+\$247	Specify fabric color number.
	Fabric price group 10	+\$272	Specify fabric color number.
	<ul> <li>Customer's Own Material (COM)</li> </ul>	+\$ 16	See Surface Materials Reference Manual.

Specification Information														
Style	·Height	·U.S. E	· U.S. Base Prices											
Number		24"W	: 30"W	:36"W	: 42"W	: 48"W	: 54"W	: 60"W	: 66"W	:72"W	: 78"W	: 84"W	: 90"W	: 96"W
PSPS	131/2"	\$234	÷ \$251	\$269	\$286	\$304	\$322	\$339	\$357	\$374	\$405	\$422	\$440	÷ \$458
	191/2"	\$268	\$295	\$322	\$350	\$377	\$404	\$431	\$458	\$486	\$531	\$558	\$586	\$613



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

# **Worksurface Screens**

#### **Knit Screens**



Tip: Attachment clamps are not included with screens. Clamps must be specified separately.

	Standard Includes	Required to Specify
Need help? Product details, page 116	Screen: knit     Frame and foot: 4799 Platinum only	1 Style number 2 Color number for knit screen ▶ See <i>Surface Materials</i> , page 412.

Specification Information						
•Style Number						
it Scree	reen					
DALK24	. <b>K24</b> \$260					
DALK30	. <b>K30</b> \$285					
DALK36	. <b>K36</b> \$306					
DALK42	. <b>K42</b> \$330					
DALK4	. <b>K</b> 4	\$330	\$330 :	\$330	\$330 :	\$330 :

#### **Pair of Attachment Clamps for Worksurfaces**





	Standard Includes	Required to Specify
Need help? Product details, page 116	<ul> <li>Attachment clamps: 4799 Platinum only</li> <li>Adjustment knob for clamps: 7237 Slate only</li> <li>Cover for clamp: 7237 Slate only</li> </ul>	Style number

Specificati	on Information		
Style Number	·U.S. Price		
DSCLAMP	\$151		



**Required to Specify** 

#### **Divisio Side Screen**



Tip: The Divisio side screen can be used on any 3/4"- to 1<sup>1</sup>/2"-thick worksurface.

Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.

Tip: The Divisio side screen weighs approximately 141/2 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The Divisio side screen is intended for use on the front of a worksurface.

Tip: The Divisio side screen does not work on knife edge profiles.

Note: Divisio side screen is included here to simplify your planning. It may have different pricing terms than other products in this specification guide.

	Standard Includes	Required to Specify
Need help? Product details, page 118	<ul> <li>Screen: fabric price group A</li> <li>Top cap and clamp: 4799 Platinum paint</li> </ul>	Style number     Fabric color number     See Surface Materials Reference Manual.

Surface	Fabric		
Materials	<ul> <li>Fabric price group A</li> <li>Fabric price group 1</li> <li>Fabric price group 2</li> <li>Customer's Own Material (COM)</li> </ul>	No cost No cost +\$14 +\$16	Specify fabric color number. Specify fabric color number. Specify fabric color number. See Surface Materials Reference Manual.

**U.S. Price** 

**Options** 

<ul> <li>Dimens</li> </ul>	sions	· Style	·U.S.
D	н	Number	Base
			Price
		:	:
291/2"	115/8"	DVSS2912	\$365



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

# **Specifying Universal Steel Storage Products**

Universal Pedestals	
Universal Fixed Pedestals	316
Universal Pedestal Counterweights	318
Universal Fixed to Freestanding Pedestal Conversion Kits	319
Universal Mobile Pedestals	320
Basic Cushions for Universal Mobile Pedestals	323
Universal Bins and Shelves	
Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts	324
Universal Over the Case Bins with Flat or Radius Fronts	326
Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts	328
Universal Shelves	331
Accessories for Overhead Bins and Shelves	332
Slim Shelves	337
Universal One-High, 1.5-High, and Two Drawer Lateral Files	338
Cushion Tops	343
Basic Cushions for Universal Lateral Files	344
Universal Towers and Workstation Verticals	
Universal Open Side Towers	346
Universal Dual Door Towers	350
Universal Full Front Towers	356
Universal Vertical Drawer Towers	360
Universal Workstation Verticals	364
Universal Lateral Files	368

#### **Universal Fixed Pedestals**

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





#### **Standard Includes**

- Pedestal: paint price group 1
- · Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate front selected, or wood group 1 veneer if proud wood front selected
- Integral pulls on units with flush steel fronts
- · Pulls: metal
- · Full drawer interiors: black only
- One pencil tray and two box drawer dividers per box/box/file
- · Lock, keyed random: 9201 Polished Chrome
- · Mounting hardware
- · Four adjustable leveling glides

#### **Required to Specify**

- 1 Style number with appropriate front style suffix in the space provided:
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood fronts selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)
- ► See Surface Materials, page 412.

#### **Required Selections**

#### Pulls

► Need help?

page 134

Product details,











Contemporary Handle

**Options** 

Jazz

Bar

c:scape

**U.S. Price** 

For wood group 2, wood group 3, and laminate price group 2 pricing,
please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	nequired to specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$ 47	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$ 80	Specify paint color number.
	Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	Laminate price group 2 on proud laminate drawer fronts	See information at left	Specify laminate color number.
	Open Line laminate on proud laminate drawer fronts	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual
	Wood group 2 on proud wood drawer fronts	See information at left	Specify wood color number.
	<ul> <li>Wood group 3 on proud wood drawer fronts</li> </ul>	See information at left	Specify wood color number.
	Customiz stain on proud	No cost	Specify with Customiz stain.
	wood drawer fronts		▶ See Surface Materials Reference Manual
Pulls	Flush steel fronts		
	<ul> <li>Full-width wood group 1 veneer pull</li> </ul>	+\$275	Specify with wood pull and indicate wood color number.
	Customiz stain on wood	No cost	Specify with Customiz stain.
	veneer pull		► See Surface Materials Reference Manual
	Proud steel, laminate, or	r wood fronts	
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	• Jazz	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Drawer	Rails		
Accessories	<ul> <li>Two side-to-side hanging rails per file drawer</li> </ul>	No cost	Specify with rails.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

▶Options, continued on next page

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Basic Drawer	18"D, 24"D, and 30"D b	oox/box/file pedestals	
Interiors	<ul> <li>No rails, pencil trays, or box drawer dividers</li> </ul>	<b>-</b> \$ 57	Specify with basic drawers.
Lock and	Lock		
Keying	<ul> <li>Ember chrome</li> </ul>	No cost	Specify with 9250 Ember Chrome lock.
	<ul> <li>No lock</li> </ul>	<b>-</b> \$ 71	Specify with no lock.
	Individual locking drav	vers	
	<ul> <li>File/file pedestals only</li> </ul>	+\$139	Specify with individual drawer lock.
	Keying		
	Factory- and field-installed I	keying	► Page 428
Related	Universal fixed to freestand	ing pedestal conversion kits	▶ Page 319
Products	<ul> <li>Steel storage accessories</li> </ul>		▶ Page 377

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPF1827A becomes RPF1827AP for proud steel front).





Tip: Use 27"H pedestals to align with Universal Storage with 3" base. 27"H pedestals support worksurfaces at 28½"H.

Tip: Only 225/8"D, 231/2"D, 285/8"D, and 291/2"D pedestals can accommodate legalsize filing.





Tip: 251/2"H fixed pedestals are for use in the following two applications: as fixed pedestals when used underneath worksurfaces installed at lower than standard heights (for example, 27"H) or as freestanding pedestals when used with a conversion kit under height-adjustable worksurfaces.



#### **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Dimen	sions			<ul> <li>Counterweight</li> </ul>	·Style	·U.S. Bas	e Prices		
D		W	н	Package	Number				
Flush	Proud				:	Flush	Proud	Proud	Proud
Steel	Steel/			:	:	Steel	Steel	Lam	Wood
Front	Lam/			:	:	Front	Front	Front	Front
	Wood			:	:	:	:	:	:
	Front			:	:	Suffix F	Suffix P	Suffix L	Suffix W


#### 27"H Fixed Pedestals with 3" Base

Two B	ox Draw	ers an	d One	File Drawer					
171/2"	183⁄8"	15"	27"	RPCW	RPF1827A_	\$642	\$710	\$ 901	\$ 977
225/8"	231/2"	15"	27"	RPCW	RPF2427A_	\$700	\$768	\$ 959	\$1035
285/8"	291/2"	15"	27"	RPCW	RPF3027A_	\$842	\$910	\$1101	\$1177
Two Fi	le Draw	ers							
171/2"	183/8"	15"	27"	RPCW	RPF1827B_	\$622	\$690	\$ 881	\$ 957
225/8"	231/2"	15"	27"	RPCW	RPF2427B_	\$680	\$748	\$ 939	\$1015
285/8"	291/2"	15"	27"	RPCW	RPF3027B_	\$822	\$890	\$1081	\$1157

#### 251/2"H Fixed Pedestals

Two B	ox Drawe	ers an	d One F	ile Drawer					
171/2"	18%"	15"	251/2"	Not required	RPF1825A_	\$642	\$710	\$ 901	\$ 977
225/8"	231/2"	15"	251/2"	Not required	RPF2425A_	\$700	\$768	\$ 959	\$1035
285/8"	291/2"	15"	251/2"	Not required	RPF3025A_	\$842	\$910	\$1101	\$1177
Two Fi	le Drawe	ers							
171/2"	18%"	15"	251/2"	Not required	RPF1825B_	\$622	\$690	\$ 881	\$ 957
225/8"	231/2"	15"	251/2"	Not required	RPF2425B_	\$680	\$748	\$ 939	\$1015
285/8"	291/2"	15"	251/2"	Not required	RPF3025B	\$822	\$890	\$1081	\$1157

# **Universal Pedestal Counterweights**



Tip: Counterweights t	it 27"H
fixed pedestals only.	

	Standard Includes	Required to Specify
Need help? Product details, page 135	Pedestal counterweight: black	Style number

Specification	Information
Style Number	·U.S. Price
RPCW	\$156
:	:



# **Universal Fixed to Freestanding Pedestal Conversion Kits**

Universal Fixed to Freestanding Pedestal Conversion Kits





Tip: Flush and proud front pedestals require different conversion kits. Be sure to order the correct style number for your application.

Tip: When converting a file/file pedestal with individual drawer locks, an interlocking bar is required to provide stability to unit. Order 1043922SR through Service Parts.

#### **Standard Includes**

#### Required to Specify

- ► Need help? Product details, page 135
- 1/8"H steel top: all paint price groups
- · Counterweight package
- · Safety interlock system conversion components
- Installation hardware

- 1 Style number
- 2 Paint color number for top
- ► See Surface Materials, page 412.

	S	peci	fication	on Info	ormation
--	---	------	----------	---------	----------

·Dim	ensions	· Style	·U.S.
D	Н	Number	Price

#### For 27"H Proud Steel or Proud Wood Front Pedestals

183⁄8"	27"	RPXCK2718P	\$216	
231/2"	27"	RPXCK2724P	\$238	
291/2"	27"	RPXCK2730P	\$264	

#### For 27"H Flush Steel Front Pedestals

171/2"	27"	RPXCK2718F	\$216
225/8"	27"	RPXCK2724F	\$238
285/8"	27"	RPXCK2730F	\$264

#### For 251/2"H Proud Steel or Proud Wood Front Pedestals

183⁄8"	251/2"	RPXCK2518P	\$216
231/2"	251/2"	RPXCK2524P	\$238
291/2"	251/2"	RPXCK2530P	\$264

#### For 25½"H Flush Steel Front Pedestals

17½" 25½" <b>RPXCK2518F</b> \$216 225%" 25½" <b>RPXCK2524F</b> \$238 285%" 25½" <b>RPXCK2530F</b> \$264	22 <sup>5</sup> / <sub>8</sub> " 25 <sup>1</sup> / <sub>2</sub> " <b>RPXCK2524F</b> \$238						
		171/2"	251/2"	RPXCK2518F	\$216		
28 <sup>5</sup> / <sub>8</sub> " 25 <sup>1</sup> / <sub>2</sub> " <b>RPXCK2530F</b> \$264	285%" 251/2" <b>RPXCK2530F</b> \$264	225/8"	251/2"	RPXCK2524F	\$238		
28 <sup>5</sup> /8" 25 <sup>1</sup> /2" <b>RPXCK2530F</b> \$264	28 <sup>5</sup> / <sub>8</sub> " 25 <sup>1</sup> / <sub>2</sub> " <b>RPXCK2530F</b> \$264						
		285/8"	251/2"	RPXCK2530F	\$264		



#### **Universal Mobile Pedestals**

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





Tip: 1/8"H steel top is non-structural

Tip: Counterweight packages for mobile pedestals are required to ensure product stability and are included.

►See Counterweight Requirements for Storage Products, pages 121-128.

#### Standard Includes

- ► Need help? · Pedestal: paint price group 1 Product details,
  - 1/8"H steel top: paint to match pedestal · Removable drawer fronts: paint to match pedestal, lami-
  - nate price group 1 if proud laminate front selected, or wood group 1 veneer if proud wood front selected
  - · Integral pulls on units with flush steel fronts
  - · Pulls: metal
  - · Full drawer interiors: black only
  - One pencil tray per box/file or box/box/file and box drawer dividers
  - · Lock, keyed random: 9201 Polished Chrome
  - · Four hard-composition, non-locking casters: black only
  - · Safety interlock mechanism
  - · Counterweight package

#### Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)

**Required to Specify** 

Specify paint color number. Specify paint color number.

Specify paint color number.

Specify laminate color number.

Specify laminate color number.

See Surface Materials Reference Manual.

See Surface Materials, page 412.

#### **Required Selections**

#### Pulls

page 134











Surface

Tops

**Materials** 

Contemporary Handle

**Options** 

· Paint price group 1

· Paint price group 2

Jazz

Bar

c:scape

**U.S. Price** 

Prices at right

No cost

+\$ 47 +\$ 80

+\$ 74

+\$314

+\$358

For wood group 2, wood group 3, and laminate price grou 2 pricing, please refe the electronic catalog SmartTools.

Tip: Optional tops will increase the overall pedestal height.

p	
er to	
or	

• 1"H square edge steel top

•	Paint price group 3
	Laminate price group 1 on proud laminate drawer fronts Laminate price group 2 on proud laminate drawer fronts Open Line laminate on proud laminate drawer fronts
	Wood group 2 on proud

See information at left +\$ 74 plus cost of laminate

wood drawer fronts · Wood group 3 on proud wood drawer fronts · Customiz stain on proud No cost wood drawer fronts

See information at left See information at left

Specify wood color number.

Specify with Customiz stain. See Surface Materials Reference Manual.

Specify wood color number.

Specify with steel square top.

#### Laminate top

- 13/16"H square edge laminate price group 1 top
- 1<sup>7</sup>/<sub>16</sub>"H bullnose laminate price group 1 top
- 13/16"H square edge laminate price group 2 top
- 17/16"H bullnose laminate price group 2 top · Open Line laminate on

laminate top

See information at left

See information at left

+\$ 74 plus cost of laminate

Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with bullnose laminate top and

indicate laminate color number. Specify with laminate top and indicate laminate color number for top and plastic color number for edges.

Specify with bullnose laminate top and indicate laminate color number

See Surface Materials Reference Manual.



#### For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

▶Options, continued on next page

#### ▶Options, continued from previous page

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: If wood veneer top option is selected, finishes must be selected for both the wood veneer top and the wood veneer fronts.

Tip: For both cushion top and basic cushion: fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion: pattern matching will not be done on COM.

	Options	U.S. Price	Required to Specify				
Tana	<u> </u>		modali on to opeon,				
Tops, continued	Wood veneer top  • 13/16"H wood group 1	L040E	Charify with wood vancer ten and				
continuea	veneer top	+\$425	Specify with wood veneer top and indicate wood color number.				
	• 13/16"H wood group 2	See information at left	Specify with wood veneer top and				
	veneer top	See illioilliation at leit	indicate wood color number.				
	• 13/16"H wood group 3	See information at left	Specify <i>with wood veneer top</i> and				
	• .	See illioilliation at leit	indicate wood color number.				
	veneer top	No cost					
	<ul> <li>Customiz stain on wood veneer top</li> </ul>	140 0031	Specify with Customiz stain.  See Surface Materials Reference Manual				
	Cushion top for factory installation on RPM2421C_ only						
	Cushion top without handle	+\$384	Specify with cushion top and indicate fabric color number.				
	Cushion top with black handle	+\$490	Specify with cushion top and handle and indicate fabric color number.				
	Upholstery on pedestal c						
	Fabric price group 1	No cost	Specify fabric color number.				
	Fabric price group 2	+\$ 10	Specify fabric color number.				
	Fabric price group 3	+\$ 42	Specify fabric color number.				
	Fabric price group 4	+\$ 51	Specify fabric color number.				
	<ul> <li>Fabric price group 5</li> </ul>	+\$ 65	Specify fabric cobr number.				
	<ul> <li>Fabric price group 6</li> </ul>	+\$ 92	Specify fabric color number.				
	<ul> <li>Fabric price group 7</li> </ul>	+\$111	Specify fabric color number.				
	<ul> <li>Fabric price group 8</li> </ul>	+\$161	Specify fabric color number.				
	<ul> <li>Fabric price group 9</li> </ul>	+\$206	Specify fabric color number.				
	<ul> <li>Fabric price group 10</li> </ul>	+\$250	Specify fabric color number.				
	<ul> <li>Leather price group</li> </ul>	+\$641	Specify leather color number.				
	Elmosoft leather price group	+\$741	Specify Elmosoft leather color number.  See Surface Materials, page 412.				
	<ul> <li>Customer's Own Material</li> </ul>	+\$ 16	See Surface Materials Reference Manua				
	(COM) or Customer's Own Leather (COL)		to specify.				
Pulls	Flush steel fronts	.40==					
	Full-width wood group 1	+\$275	Specify with wood pull and indicate				
	veneer pull	No seed	wood color number.				
	<ul> <li>Customiz stain on wood veneer pull</li> </ul>	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual				
	Proud steel, laminate, or wood fronts						
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.				
	Handle	No cost	Specify with handle pull.				
	• Jazz	+\$ 20 per pull	Specify with jazz pull.				
	• Bar	+\$ 29 per pull	Specify with bar pull.				
	Proud steel fronts only						
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.				
Drawer	Rails						
Accessories	<ul> <li>Two side-to-side hanging rails per file drawer</li> </ul>	No cost	Specify with rails.				
Basic Drawer	Box/file and box/box/file p	edestals					
Interiors	<ul> <li>No rails, pencil trays, or box drawer dividers</li> </ul>	<b>-</b> \$ 57	Specify with basic drawers.				
Lock and	Lock						
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.				
	Individual locking drawer File/file pedestals only	<b>'s</b> +\$139	Specify with individual drawer lock.				
	Keying  • Factory- and field-installed keying	ina	▶ Page 428				
		···· <del>J</del>					
Related	<ul> <li>Steel storage accessories</li> </ul>		▶ Page 377				



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

▶ Specification Information, on next page

Universal Mobile Pedestals with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶Options, on previous page

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPM1821C\_becomes RPM1821CP for proud steel front).













Dimensions				·Counterweight	Style	·U.S. Base Prices			
D Flush Steel Front	Proud Steel/ Lam/ Wood Front	W	н	Package	Number	Flush Steel Front Suffix F	Proud Steel Front	Proud Lam Front	Proud Wood Front
Box/Fi				•	•				
171/2"	183/8"	15"	21"	Included	RPM1821C_	\$ 907	\$ 975	\$1166	\$1242
22 <sup>5</sup> /8"	231/2"	15"	21"	Included	RPM2421C_	\$ 958	\$1026	\$1217	\$1293
Box/B	ox/File				•		•	•	
171/2"	183/8"	15"	27"	Included	RPM1827A_	\$1006	\$1041	\$1235	\$1311
225/8"	231/2"	15"	27"	Included	RPM2427A_	\$1073	\$1105	\$1299	\$1375
File/F	ile			·		•	•	•	
171/2"	183/8"	15"	27"	Included	RPM1827B_	\$ 987	\$1022	\$1216	\$1292
225/8"	231/2"	15"	27"	Included	RPM2427B_	\$1054	\$1086	\$1280	\$1356

· Actu Dim	ual ensio	ns	Style Number	·U.S. Base	
D	W	Н	· · ·	Price	
Cush	ion T	op witl	nout Handle		
225⁄8"	15"	21/4"	RPXTC24F	\$341	(For use with RPM2421CF only)
231/2"	15"	21/4"	RPXTC24P	\$341	(For use with RPM2421CP and RPM2421CW only)
Cush	ion T	op witl	n Black Handle		
225⁄8"	15"	21/4"	RPXTCH24F	\$459	(For use with RPM2421CF only)
231/2"	15"	21/4"	RPXTCH24P	\$459	(For use with RPM2421CP and RPM2421CW only)





Tip: If used with a Universal mobile pedestal manufactured before 12/20/2011, you will need to order service part 1072962001SR for attachment hardware.



# Jniversal Stora

### **Basic Cushions**

#### For Universal Mobile Pedestals



Tip: Basic cushion is fieldinstalled and supplies to attach are included.

Tip: Basic cushion is available on Universal mobile pedestals RPM1821CF, RPM1821CW, RPM2421CF, RPM2421CF, and RPM2421CW with a top only.

Tip: For both cushion top and basic cushion: fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion: pattern matching will not be done on COM.

#### Standard Includes

#### **Required to Specify**

- Need help?
  Product details,
  page 134
- Cushion top: fabric price group 1
- · Attachment supplies: hook and loop fastener
- 1 Style number
- 2 Fabric color number for cushion top
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	<ul> <li>Fabric price group 1</li> </ul>	No cost	Specify fabric color number.
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 10	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$ 42	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$ 51	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$ 65	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$ 92	Specify fabric color number.
	Fabric price group 7	+\$111	Specify fabric color number.
	<ul> <li>Fabric price group 8</li> </ul>	+\$161	Specify fabric color number.
	Fabric price group 9	+\$206	Specify fabric color number.
	<ul> <li>Fabric price group 10</li> </ul>	+\$250	Specify fabric color number.
	Customer's Own Material (0)	COM) +\$ 16	See Surface Materials Reference Manual
Related Products	Universal mobile pedestals	S	▶ Page 320

#### Specification Information

Dime D	nsions W	н	Style Number	·U.S. ·Base	
: 	4.511	11/2"	BOU4745	Price	
225/8"	15" 15"	11/2"	RCH1715 RCH2315	\$201 \$212	



# Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts

For Use with Answer Freestanding



the electronic catalog or

SmartTools.

#### ► Need help? Product details, page 138

Surface

**Materials** 

#### **Standard Includes**

- Overhead bin: paint price group 1
- Sliding door: paint price group 1, laminate price group 1, or wood group 1
- · Recess beneath unit to accommodate shelf light
- Shelf backstop

**Options** 

Paint price group 1

- · On-module attachment brackets with safety catch: black paint only
- · Vertical off-module attachment brackets, if selected: black paint only
- · Lock, keyed random: 9201 Polished Chrome

Overhead bin with one steel door

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Paint, laminate, or wood color number for
- 4 Options, if selected (see below)
- ► See Surface Materials, page 412.

**Required to Specify** 

Specify paint color number

For wood group 2, wood group 3, and
laminate price group
2 pricing, please refer to

Related Products	<ul><li>Accessories</li><li>Shelf lights</li></ul>		▶ Page 332 ▶ Pages 398–406
	Keying • Factory- and field-installed key	ring	▶ Page 428
Lock and Keying	Lock No lock Ember chrome	-\$ 73 No cost	Specify with no lock. Specify with 9250 Ember Chrome lock.
Shelf Accessories	Four dividers: white plastic	+\$ 53	Specify with dividers.
	No brackets Omit brackets	<b>-</b> \$ 22	Specify omit brackets.
	<ul><li>bracket</li><li>Two vertical off-module brackets</li></ul>	+\$140	bracket. Specify with two vertical off-module brackets.
Brackets	• One vertical off-module	orackets +\$ 70	Specify with one vertical off-module
			See Surface Materials Reference Manual.
	Customiz stain on wood door	No cost	Specify with Customiz stain.
	<ul><li>Wood group 2 on wood door</li><li>Wood group 3 on wood door</li></ul>	See information at left	Specify wood color number.  Specify wood color number.
	laminate door	See information at left	
	Laminate price group 2 on	See information at left	Specify laminate color number.
	Paint price group 2     Paint price group 3	+\$ 72	Specify paint color number.
	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$ 47	Specify paint color number. Specify paint color number.
	Overhead bin with one la		On a sife, as sint as law assembles
			epoony paint color number.
	Paint price group 2     Paint price group 3	+\$ 80	Specify paint color number.
materials	Paint price group 1     Paint price group 2	+\$ 47	Specify paint color number.  Specify paint color number.

**U.S. Price** 



Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts

Spe	ecific	ation l	Information					
·Dim	ensio	ns	·Style	·U.S.	·Style	·U.S.	·Style	·U.S.
D	W	н	Number	Base	Number	Base	Number	Base
			:	Price	•	Price		Price
			:					:



Tip: Overhead storage bins with a "TAK" suffix can be used with Privacy

Wall as well.

▶See Architectural Solutions
Specification Guide for attachment information.

D	W	н	Number	Base Price	Number	Base Price	Number	Base Price
			Steel Fron	ts	Laminate Fi	onts	Wood Fronts	S
153/4"	36"	16 <sup>1</sup> / <sub>4</sub> "	RSB36TAK	\$ 737	RSB36LTAK	\$1131	RSB36WTAK	\$1161
153/4"	42"	161/4"	RSB42TAK	\$ 764	RSB42LTAK	\$1158	RSB42WTAK	\$1188
153/4"	48"	161/4"	RSB48TAK	\$ 787	RSB48LTAK	\$1181	RSB48WTAK	\$1211
153/4"	60"	161/4"	RSB60TAK	\$1189	RSB60LTAK	\$1902	RSB60WTAK	\$1932
153/4"	66"	161/4"	RSB66TAK	\$1253	RSB66LTAK	\$1966	RSB66WTAK	\$1996
153/4"	72"	161/4"	RSB72TAK	\$1300	RSB72LTAK	\$2013	RSB72WTAK	\$2043



## **Universal Over the Case Bins with Flat or Radius Fronts**

For Use with Answer Freestanding



#### **Standard Includes**

#### **Required to Specify**

- ► Need help? Product details, page 140
- Overhead bin with lift-up door: paint price group 1
- Recess beneath unit to accommodate shelf light
- · Shelf backstop
- On-module attachment brackets with safety catch: black paint only
- Off-module attachment brackets, if selected: black paint only
- Picture frame door acrylic insert, if selected: 6538 Satin only
- Picture frame door glass insert, if selected: 6580 Ice White only
- · Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	Overhead bin with one do	or	
Materials	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 47	Specify paint color number.
	Paint price group 3	+\$ 80	Specify paint color number.
	Overhead bin with two do	oors	
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 65	Specify paint color number.
	Paint price group 3	+\$112	Specify paint color number.
Brackets	Off-module attachment b		
	One vertical off-module bracket	t +\$ 70	Specify with one vertical off-module bracket.
	<ul> <li>Two vertical off-module</li> </ul>	+\$140	Specify with two vertical off-module
	brackets		brackets.
	No brackets		
	Omit brackets	-\$ 22	Specify omit brackets.
Picture Frame	Omit insert	Prices at right	Specify omit insert.
Door on Flat	<ul> <li>Acrylic insert</li> </ul>	Prices at right	Specify with acrylic insert.
Fronts	<ul> <li>Glass insert (assist mechanism recommended)</li> </ul>	Prices at right	Specify with glass insert.
Door	Assist mechanism for	+\$206 per door	Specify with assist mechanism.
Mechanism	standard door, glass insert, or omit insert	1,9200 per 0001	Specify with assist mechanism.
Shelf Accessories	Four dividers: white plastic	+\$ 53	Specify with dividers.
Lock and	Lock		
Keying	<ul> <li>No lock</li> </ul>	-\$ 73 per door	Specify with no lock.
	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying • Factory- and field-installed keyi	na	▶ Page 428
		···ອ	
Related	Accessories		Page 332
Products	<ul> <li>Shelf lights</li> </ul>		▶ Pages 398–406

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.



Universal Over the Case Bins with Flat or Radius Fronts

Dime	ensions		<ul> <li>Number</li> </ul>	·Style	·U.S.	<ul><li>Option</li></ul>	ıs	
	W	н	of Doors	Number	Base	(Add \$ to		
			Ė	:	Price	Base Pi	rice)	
			:		:	Pictur	e Frame D	oor Inserts
			:	:	:	Omit	· Acrylic	· Glass
						Insert	Insert	Insert
				•				



Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.





Bins	with R	adius F	ronts					
153/4"	24"	161/4"	1	RBB24QCTAK	\$ 819	N.A.	N.A.	N.A.
153/4"	30"	161/4"	1	RBB30QCTAK	\$ 847	N.A.	N.A.	N.A.
153/4"	36"	161/4"	1	RBB36QCTAK	\$ 879	N.A.	N.A.	N.A.
153/4"	42"	161/4"	1	RBB42QCTAK	\$ 906	N.A.	N.A.	N.A.
153/4"	48"	161/4"	1	RBB48QCTAK	\$ 930	N.A.	N.A.	N.A.
153/4"	60"	161/4"	2	RBB60QCTAK	\$1554	N.A.	N.A.	N.A.
153/4"	66"	161/4"	2	RBB66QCTAK	\$1615	N.A.	N.A.	N.A.
153/4"	72"	161/4"	2	RBB72QCTAK	\$1663	N.A.	N.A.	N.A.



## Universal In the Case Bins with Steel, **Laminate, or Wood Flat Fronts**

For Use with Answer Freestanding



#### Standard Includes

#### **Required to Specify**

- ► Need help? Product details, page 140
- Overhead bin with lift-up door: paint price group 1 · Door on units with laminate door fronts:
- laminate price group 1
- Door on units with wood door fronts: wood group 1
- · Recess beneath unit to accommodate shelf light
- · Shelf backstop
- · On-module attachment brackets with safety catch: black paint only
- · Off-module attachment brackets, if selected: black paint only
- · Picture frame door acrylic insert, if selected: 6538 Satin only
- · Picture frame door glass insert, if selected: 6580 Ice White only
- · Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Laminate color number for door, if laminate door selected
- 4 Wood color number for door, if wood door selected
- 5 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify						
Surface	Overhead bin with one s	teel door							
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.						
	<ul> <li>Paint price group 2</li> </ul>	+\$ 47	Specify paint color number.						
	Paint price group 3	+\$ 80	Specify paint color number.						
	Overhead bin with two s	teel doors							
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.						
	<ul> <li>Paint price group 2</li> </ul>	+\$ 65	Specify paint color number.						
	<ul> <li>Paint price group 3</li> </ul>	+\$112	Specify paint color number.						
	Overhead bin with one la								
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.						
	<ul> <li>Paint price group 2</li> </ul>	+\$ 47	Specify paint color number.						
	<ul> <li>Paint price group 3</li> </ul>	+\$ 72	Specify paint color number.						
	Laminate price group 1 on laminate door	Prices at right	Specify laminate color number.						
	<ul> <li>Laminate price group 2 on laminate door</li> </ul>	See information at left	Specify laminate color number.						
	<ul> <li>Open Line laminate on laminate door</li> </ul>	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual						
	Wood group 2    on wood door	See information at left	Specify wood color number.						
	Wood group 3     on wood door	See information at left	Specify wood color number.						
	Customiz stain on wood door	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual						
	Overhead bin with two laminate or wood doors								
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.						
	<ul> <li>Paint price group 2</li> </ul>	+\$ 65	Specify paint color number.						
	Paint price group 3	+\$ 98	Specify paint color number.						
	Laminate price group 1 on laminate doors	Prices at right	Specify laminate color number.						
	<ul> <li>Laminate price group 2 on laminate doors</li> </ul>	See information at left	Specify laminate color number.						
	<ul> <li>Open Line laminate on laminate doors</li> </ul>	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual						
	Wood group 2    on wood doors	See information at left	Specify wood color number.						
	<ul> <li>Wood group 3 on wood doors</li> </ul>	See information at left	Specify wood color number.						
	Customiz stain on wood doors	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual						
Brackets	Off-module attachment b	rackets							
	<ul> <li>One vertical off-module bracket</li> </ul>	+\$ 70	Specify with one vertical off-module bracket.						
	Two vertical off-module	+\$140	Specify with two vertical off module						



For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or

SmartTools.

<ul> <li>One vertical off-module</li> </ul>	+\$ 70
bracket	
<ul> <li>Two vertical off-module</li> </ul>	+\$140
brackets	

Specify with two vertical off-module brackets.

▶Options, continued on next page

Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts

#### ▶Options, continued from previous page

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

	Options	U.S. Price	Required to Specify
Brackets,	No brackets	¢ 00	
continued	Omit brackets	-\$ 22	Specify omit brackets.
Picture Frame	Omit insert	Prices below	Specify omit insert.
Door on Flat	<ul> <li>Acrylic insert</li> </ul>	Prices below	Specify with acrylic insert.
Fronts	Glass insert (assist mechanism recommended)	Prices below	Specify with glass insert.
Door Mechanism	Assist mechanism for standard door, glass insert, or omit insert	+\$206 per door	Specify with assist mechanism.
Shelf Accessories	Four dividers: white plastic	+\$ 53	Specify with dividers.
Lock and	Lock		
Keying	<ul> <li>No lock</li> </ul>	-\$ 73 per door	Specify with no lock.
	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	Factory- and field-installed ke	eying	► Page 428
Related	Accessories		▶ Page 332
Products	<ul> <li>Shelf lights</li> </ul>		▶ Pages 398–406

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. See Architectural Solution Specification Guide for attachment information.



-	. –
ions	
10110	

Dime	ensions		·Number	· Style	·U.S.	Option	IS	
D	W	н	of Doors	Number	Base	· (Add \$ to		
			:	:	Price	Base Pr	rice)	
			:	:	:	Picture	e Frame D	oor Inserts
				·	:	Omit	· Acrylic	· Glass
				:	:	Insert	Insert	Insert

Bins	with S	teel Fla	t Fronts					
153⁄4"	24"	161/4"	1	RBB24TAK	\$ 660	+\$288	+\$409	+\$ 490
153⁄4"	30"	161/4"	1	RBB30TAK	\$ 688	+\$303	+\$433	+\$ 523
153⁄4"	36"	161/4"	1	RBB36TAK	\$ 720	+\$318	+\$453	+\$ 566
153⁄4"	42"	161/4"	1	RBB42TAK	\$ 747	+\$331	+\$475	+\$ 614
15¾"	48"	161/4"	1	RBB48TAK	\$ 771	+\$345	+\$499	+\$ 669
153⁄4"	60"	161/4"	2	RBB60TAK	\$1236	+\$566	+\$790	+\$ 997
153⁄4"	66"	161/4"	2	RBB66TAK	\$1297	+\$579	+\$814	+\$1056
153/4"	72"	161/4"	2	RBB72TAK	\$1345	+\$592	+\$836	+\$1113
:			:	:	:	:	:	:



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

1534" 30" 1614" 1 RBB30LTAK \$1082 N.A. N.A. N.A. 1534" 36" 1614" 1 RBB36LTAK \$1114 N.A. N.A. N.A. 1534" 42" 1614" 1 RBB42LTAK \$1114 N.A. N.A. N.A. 1534" 48" 1614" 1 RBB48LTAK \$1165 N.A. N.A. N.A. 1534" 60" 1614" 2 RBB60LTAK \$1949 N.A. N.A. N.A.										
15¾"       36"       16¼"       1       RBB36LTAK       \$1114       N.A.       N.A.       N.A.         15¾"       42"       16¼"       1       RBB42LTAK       \$1141       N.A.       N.A.       N.A.         15¾"       48"       16¼"       1       RBB48LTAK       \$1165       N.A.       N.A.       N.A.         15¾"       60"       16¼"       2       RBB60LTAK       \$1949       N.A.       N.A.       N.A.	153⁄4"	24"	16 <sup>1</sup> /4"	1	RBB24LTAK	\$1054	N.A.	N.A.	N.A.	
1534" 42" 1614" 1 RBB42LTAK \$1141 N.A. N.A. N.A. 1534" 48" 1614" 1 RBB48LTAK \$1165 N.A. N.A. N.A. 1534" 60" 1614" 2 RBB60LTAK \$1949 N.A. N.A. N.A.	153⁄4"	30"	16 <sup>1</sup> / <sub>4</sub> "	1	RBB30LTAK	\$1082	N.A.	N.A.	N.A.	
15¾" 48" 161¼" 1 <b>RBB48LTAK</b> \$1165 N.A. N.A. N.A. 15¾" 60" 161¼" 2 <b>RBB60LTAK</b> \$1949 N.A. N.A. N.A.	153⁄4"	36"	161/4"	1	RBB36LTAK	\$1114	N.A.	N.A.	N.A.	
15 <sup>3</sup> / <sub>4</sub> " 60" 16 <sup>1</sup> / <sub>4</sub> " 2 <b>RBB60LTAK</b> \$1949 N.A. N.A. N.A.	153⁄4"	42"	161/4"	1	RBB42LTAK	\$1141	N.A.	N.A.	N.A.	
10.74 00 10.74 2 11.550017411 \$1.010	153⁄4"	48"	161/4"	1	RBB48LTAK	\$1165	N.A.	N.A.	N.A.	
15¾" 66" 16¼" 2 <b>RBB66LTAK</b> \$2010 N.A. N.A. N.A.	153⁄4"	60"	161/4"	2	RBB60LTAK	\$1949	N.A.	N.A.	N.A.	
	153⁄4"	66"	161/4"	2	RBB66LTAK	\$2010	N.A.	N.A.	N.A.	

▶ Specification Information, continued on next page

2

**Bins with Laminate Flat Fronts** 

161/4"

N.A.

N.A.

\$2058

N.A.

153/4"


72"

**RBB72LTAK** 

Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts, For Use with Answer Freestanding, continued

#### ▶ Specification Information, continued from previous page

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. See Architectural Solutions Specification Guide for attachment information.





:			:	:	:	insert	insert	insert
Bins	with V	Vood Fla	t Fronts					·
153/4"	24"	161/4"	1	RBB24WTAK	\$1084	N.A.	N.A.	N.A.
153/4"	30"	161/4"	1	RBB30WTAK	\$1112	N.A.	N.A.	N.A.
153/4"	36"	161/4"	1	RBB36WTAK	\$1144	N.A.	N.A.	N.A.
153/4"	42"	161/4"	1	RBB42WTAK	\$1171	N.A.	N.A.	N.A.
153/4"	48"	161/4"	1	RBB48WTAK	\$1195	N.A.	N.A.	N.A.
153/4"	60"	161/4"	2	RBB60WTAK	\$1979	N.A.	N.A.	N.A.
153/4"	66"	161/4"	2	RBB66WTAK	\$2040	N.A.	N.A.	N.A.
153/4"	72"	161/4"	2	RBB72WTAK	\$2088	N.A.	N.A.	N.A.

## Universal Storage

### **Universal Shelves**

For Use with Answer Freestanding

#### **Universal Shelves**



#### **Standard Includes**

#### · Shelf: paint price group 1

#### 1 Style number

- ► Need help? Product details, page 144
- · Recess beneath unit to accommodate shelf light
- · Shelf backstop
- · On-module attachment hooks with safety catch
- 2 Paint color number for shelf
- 3 Options, if selected (see below)

**Required to Specify** 

► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$15 +\$27	Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	<ul><li>Accessories</li><li>Shelf lights</li></ul>		➤ Page 332 ➤ Pages 398–406

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. See Architectural Solutions Specification Guide for attachment information.

Dime	nsions		· Style	∙U.S.
. <b>D</b>	W	н	Number	Base Price
143/4"	24"	71/2"	RSH24TAK	\$215
143/4"	30"	71/2"	RSH30TAK	\$225
143/4"	36"	71/2"	RSH36TAK	\$239
143/4"	42"	71/2"	RSH42TAK	\$253
143/4"	48"	71/2"	RSH48TAK	\$275
143⁄4"	60"	71/2"	RSH60TAK	\$305
143/4"	72"	71/2"	RSH72TAK	\$341

#### **Universal Personal Shelves**

► Need help? Product details,

page 144



#### **Standard Includes**

- · Personal shelf: paint price group1
- · Recess beneath unit to accommodate shelf light
- · On-module attachment hooks

#### **Required to Specify**

- 1 Style number 2 Paint color number for personal shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

Options	U.S. Price	Required to Specify
Paint price group 1	No cost	Specify paint color number.
<ul> <li>Paint price group 2</li> </ul>	+\$15	Specify paint color number.
<ul> <li>Paint price group 3</li> </ul>	+\$27	Specify paint color number.
	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	Paint price group 1 No cost     Paint price group 2 +\$15

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

▶ See Architectural Solutions Specification Guide for attachment information.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Dimens	ions	· Style	·U.S.
D	W	Number	Base Price
13 <sup>11</sup> /16"	24"	RDS24TAK	\$215
13 <sup>11</sup> /16"	30"	RDS30TAK	\$225
13 <sup>11</sup> /16"	36"	RDS36TAK	\$239
13 <sup>11</sup> /16"	42"	RDS42TAK	\$253
13 <sup>11</sup> /16"	48"	RDS48TAK	\$275

## **Accessories for Overhead Bins and Shelves**

#### **Horizontal Wall Attachment Brackets**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



	Standard Includes	Required to Specify
Need help? Product details, page 147	Brackets: paint price group 1     Steel back to enclose storage bin: paint price group 1	<ul> <li>1 Style number</li> <li>2 Paint color number for brackets and back</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 412.</li> </ul>

	Options	•	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price</li><li>Paint price</li><li>Paint price</li></ul>	group 2	No cost +\$15 +\$27	Specify paint color number. Specify paint color number. Specify paint color number.
Specificat	tion Informati	ion		
	·Style	·U.S.		

Specifica	Specification information						
· Width	• Style Number	· U.S. Base Price					
24"	RBKHWM24	\$234					
30"	RBKHWM30	\$234					
36"	RBKHWM36	\$234					
42"	RBKHWM42	\$234					
48"	RBKHWM48	\$234					
60"	RBKHWM60	\$234					
70"	RBKHWM70	\$234					
72"	RBKHWM72	\$234					
	:	•					

#### **Dividers**

For Use with Universal Sliding Door, Universal Over the Case, Universal In the Case, and Universal Shelves For Use with Hutch Kit

► Need help?

**Standard Includes** 

· Package of four dividers: white plastic only



Specificat	ion Information
Style Number	·U.S. Price
RDIV	\$52



**Required to Specify** 

Style number

## **Dividers for Overhead Bin and Full-Height Shelf**For Use with Overhead Storage Products Introduced prior to March 2007



	Standard Includes	Required to Specify
Need help? Product details, page 146	Carton of four dividers: clear textured plastic	Style number

Spe					
D W H Number				·U.S. Price	
:			:	:	
103/4"	4"	41/2"	TS7STDIV	\$59	

#### **Universal Vertical Off-Module Bracket**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins

Tip: For two-sided, off-module application, order two vertical off-module brackets.

Tip: Vertical off-module brackets are used with wallmounted channels.

	Standard Includes	Required to Specify
Need help? Product details, page 140	<ul> <li>Vertical off-module bracket with safety catch: black paint only</li> </ul>	Style number

Specificat	Specification Information				
Style Number	·U.S.				
Number	Price				
- DBKNOEM	ФС7				
RBKVOFM	\$67				



Accessories for Overhead Bins and Shelves, continued

#### Wall Channels for TS Series Bins, Universal Bins, and Universal Shelves

	Star	dard Includes	Required to Specify	
Need help? Product de page 148		f channels: paint	1 Style number 2 Paint color number for channels ▶See <i>Surface Materials</i> , page 412.	
	Rela	ited Products		
	• Tackb	oard for use with wall channels	▶Page 335	
Specifi	cation Inforn	nation		
Height	•Style Number	· U.S. Price		
66"	TS7BSWHC	\$128		

#### **Wall Channel Horizontal Braces**



	Standard Includes	Required to Specify
Need help? Product details, page 148	Brace: paint	<ul><li>1 Style number</li><li>2 Paint color number for horizontal brace</li><li>▶ See Surface Materials, page 412.</li></ul>

Specification Information				
·Width		·U.S. Price		
42"	TS742HB	\$92		
48"	TS748HB	\$92		
60"	TS760HB	\$92		
72"	TS772HB	\$92		
72"	TS772HB	\$9		



#### **Tackboards for Use with Wall Channels**



Standard Includes	Required to Specify
<ul> <li>Tackboard, fabric direction with horizontal application: fabric price group 1</li> </ul>	<ul> <li>1 Style number</li> <li>2 Fabric color number</li> <li>3 Options, if selected (see below)</li> <li>▶ See Surface Materials, page 412.</li> </ul>

	Options	U.S. Price	Required to Specify	
Surface	Fabric price group 1	No cost	Specify fabric color number.	
Materials	<ul> <li>Fabric price group 2</li> </ul>	+\$14	Specify fabric color number.	
	<ul> <li>Fabric price group 3</li> </ul>	+\$29	Specify fabric color number.	
	Fabric price group 4	+\$41	Specify fabric color number.	
	Fabric price group 5	+\$63	Specify fabric color number.	
	Fabric price group COM	+\$39	Specify fabric color number.	
	Fabric direction on 24"W to 60"W tackboards			
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application	
Related	Wall channels for Universal		▶Page 334	
Products	bins and shelves			

Tip: 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction,

► Page 417.

Specification Information					
Dimensions W H		Style Number	· U.S. Base Price		
24"	18"	TS71824TB	\$144		
30"	18"	TS71830TB	\$160		
36"	18"	TS71836TB	\$175		
42"	18"	TS71842TB	\$192		
48"	18"	TS71848TB	\$214		
60"	18"	TS71860TB	\$272		
72"	18"	TS71872TB	\$334		
			•		



Accessories for Overhead Bins and Shelves, continued

#### **Flexible Markerboard Surface**

For Use with Universal Over the Case Bins



Standard Includes	Required to Specify
Flexible, magnetic markerboard surface to attach to door of overhead storage him white plastic.	Style number

Spe	cificatio	on Informati	on
• Dimensions W H		• Style Number	·U.S. Price
30"	161/4"	R30MBB	\$124
36"	161/4"	R36MBB	\$131
42"	161/4"	R42MBB	\$135
48"	16 <sup>1</sup> / <sub>4</sub> "	R48MBB	\$144



## **Slim Shelves**



#### **Standard Includes**

#### **Required to Specify**

- Need help? Product details, page 149
- Shelf: paint price group 1Attachment brackets: paint to match shelf
- 1 Style number 2 Paint color number for shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$15 +\$27	Specify paint color number. Specify paint color number. Specify paint color number.

Spe	Specification Information							
· Dim · D	ensions W	• Style Number	·U.S. Base Price					
6"	24"	RSS24TAK	\$224					
6"	30"	RSS30TAK	\$239					
6"	36"	RSS36TAK	\$255					
6"	42"	RSS42TAK	\$275					
6"	48"	RSS48TAK	\$292					
6"	60"	RSS60TAK	\$366					
6"	72"	RSS72TAK	\$401					
6"	96"	RSS96TAK	\$472					
		•						

Tip: Slim shelves with a "TAK" suffix can attach to Privacy Wall.
See Architectural Solutions
Specification Guide for attachment information.




## Universal One-High, 1.5-High, and Two Drawer Lateral Files

with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts

► Need help? Product details,

page 150



Tip: Service part Y30291SR, (paintable black plug), can be ordered to cover the glide adjustment holes in the front of the lateral file

#### Standard Includes

- Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- Drawer fronts on units with proud laminate fronts: laminate price group 1
- Drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Base: paint to match file
- Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Central lock, keyed random: 9201 Polished Chrome
- · One label holder per drawer: clear plastic
- · Drawer body: black only
- · Drawer suspensions: black only
- · One hanging folder bar per drawer on 18"D units
- · Two rails per drawer on 24"D units
- Four adjustable leveling glides
- Ganging hardware
- · Counterweight package, if selected

#### **Required to Specify**

- 1 Style number with appropriate front style suffix in the space provided
  - Flush steel front
  - Proud steel front
  - Proud laminate front
  - W Proud wood front
- 2 Paint color number for file
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)


**Required to Specify** 

► See Surface Materials, page 412.

	Required Selectio	ns	
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$102	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$102	Specify with c:scape glide base, 4799 Platinum only.

#### **Pulls**











**U.S. Price** 

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or

Tip: Security top reduces

overall height by approxi-

SmartTools



mately 1".

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Surface
Materials

opo		
<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$ 80	Specify paint color number. Specify paint color number.
Paint price group 3	+\$138	Specify paint color number.
Laminate price group 1     on proud laminate fronts	Prices at right	Specify laminate color number.
<ul> <li>Laminate price group 2 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.
Open Line laminate on	+\$ 74	See Surface Materials Reference Manual.
proud laminate fronts	plus cost of laminate	
Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
<ul> <li>Wood group 3 on proud wood fronts</li> </ul>	See information at left	Specify wood color number.
<ul> <li>Customiz stain on 28"H files</li> </ul>	No cost	Specify with Customiz stain.
with proud wood fronts		See Surface Materials Reference Manual.
Security top		
<ul> <li>For use on 28"H</li> </ul>	No cost	Specify with security top.
lateral files only		
No top		

**Tops for** Flush Steel Front and **Proud Steel Front** 

For use with a cushion top

or beneath a common top

**Options** 

-\$104

Specify with no top.

▶ Options, continued on next page

Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### ▶Options, continued from previous page

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: FrameOne tops are available on 28"H lateral files only. FrameOne top will add 1/2" to the overall height.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Full-fill finish (option) is available on field-installed tops only.

▶Page 374

	Options	U.S. Price	Required to Specify
Top for	Laminate top		
lush Steel	Square edge laminate	+\$145	Specify with laminate top and indicate
ront and	price group 1 top	<b>4.1.0</b>	laminate color number for top and plastic
roud Steel	price group i top		color number for edges.
ront,	FrameOne laminate	+\$379	Specify with FrameOne laminate top and
ontinued	price group 1 top	. ψ073	indicate laminate color number for top
Jonaniaea	price group 1 top		and plastic color number for edges.
	- Causes adas laminata	See information at left	Specify <i>with laminate top</i> and indicate
	Square edge laminate	See illioimation at left	
	price group 2 top		laminate color number for top and plastic
	Franco On a la main ata	Consintanantian at laft	color number for edges.
	FrameOne laminate	See information at left	Specify with FrameOne laminate top and
	price group 2 top		indicate laminate color number for top
	0 1: 1 : .		and plastic color number for edges.
	Open Line laminate on	+\$ 74	See Surface Materials Reference Manua
	laminate top	plus cost of laminate	
	Wood veneer top		
	<ul> <li>Wood group 1 veneer top</li> </ul>	+\$437	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>FrameOne wood veneer top</li> </ul>	+\$670	Specify with FrameOne wood veneer top
			and indicate wood color number.
	<ul> <li>Wood group 2 veneer top</li> </ul>	See information at left	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>Wood group 3 veneer top</li> </ul>	See information at left	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>Customiz stain on wood</li> </ul>	No cost	Specify with Customiz stain.
	veneer top		See Surface Materials Reference Manua
ops for	Security top		
Proud Wood	• For use on 28"H	-\$437	Specify with security top.
ront	lateral files only	-ψ-101	opedity with security top.
TOTAL			
	No top		
	<ul> <li>For use with a cushion top</li> </ul>	<del>-</del> \$541	Specify with no top.
	or beneath a common top		
	Laminate top		
	Square edge laminate	<b>-</b> \$292	Specify with laminate top and indicate
	price group 1 top		laminate color number for top and plastic
	F 3 10P		color number for edges.
	FrameOne laminate	<b>-</b> \$ 58	Specify with FrameOne laminate top and
	price group 1 top	Ψ 30	indicate laminate color number for top
	price group 1 top		and plastic color number for edges.
	Square edge laminate	See information at left	Specify <i>with laminate top</i> and indicate
		See illioillation at left	
	price group 2 top		laminate color number for top and plastic
	Franco On a la main ata	Consintamentian at last	color number for edges.
	FrameOne laminate	See information at left	Specify with FrameOne laminate top and
	price group 2 top		indicate laminate color number for top
	Onen Line lerrinata an	±¢ 74	and plastic color number for edges.
	Open Line laminate on	+\$ 74	See Surface Materials Reference Manua
	laminate top	plus cost of laminate	
	Wood veneer top		
	FrameOne wood	+\$233	Specify with FrameOne wood veneer to
	veneer top	•	and indicate wood color number.
	Wood group 2	See information at left	Specify wood color number.
	Wood group 3	See information at left	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
	_ 30101111 010//II		See Surface Materials Reference Manua
ops for	Security top		
Proud Laminate		<b>-</b> \$145	Specify with security top.
ront	lateral files only		1 7

Tip: 6"H box drawers come standard with a divider package.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Proud Laminate • For use on 28"H Front

lateral files only

-\$145

No top

· For use with a cushion top or beneath a common top

-\$292

Specify with no top.

▶ Options, continued on next page

Universal One-High, 1.5-High, and Two Drawer Lateral Files, with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued

#### ▶Options, continued from previous page

**Options** 

Tip: 6"H box drawers come
standard with a divider
package.

For wood group 2, w group 3, and laminat price group 2 pricing please refer to the election catalog or SmartTools.

rood	
te	
3,	
ronic	

Tip: 6"H box drawers come standard with a divider package.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each tions where counterweights are not required. ▶See Counterweight

style number and any excep-Requirements for Storage Products, pages 121–128.

	Options	U.S. Price	Required to Specify							
Tops for Proud	Laminate top									
Laminate Front,	-	+\$235	Specify with FrameOne laminate top and							
continued	group 1 top	. φ203	indicate laminate color number for top							
Continueu	group i top									
	Francous Isminata miss	Consintermentian at left	and plastic color number for edges.							
	FrameOne laminate price	See information at left	Specify with FrameOne laminate top and							
	group 2 top		indicate laminate color number for top							
			and plastic color number for edges.							
	<ul> <li>Open Line laminate on</li> </ul>	+\$ 74	► See Surface Materials Reference Manual							
	laminate top	plus cost of laminate								
	Wood veneer top									
	<ul> <li>Wood group 1</li> </ul>	+\$249	Specify with wood veneer top and							
			indicate wood color number.							
	<ul> <li>FrameOne wood veneer top</li> </ul>	+\$774	Specify with FrameOne wood veneer top							
			and indicate wood color number.							
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify with wood veneer top and							
			indicate wood color number.							
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify with wood veneer top and							
	1100a g. oap o		indicate wood color number.							
	Customiz stain	No cost	Specify with Customiz stain.							
	Oustorniz stani	140 0031	See Surface Materials Reference Manual							
			See Surface Materials neterence Mariual							
Drawer	HF bar for use on 24"D	+\$ 15	Specify with HF bar.							
Interiors	units only	ψσ	opeony marrin ban							
	Divider package	+\$ 29	Specify with divider package.							
	Rails for use on 18"D	+\$ 36	Specify with rails.							
	units only	ιψ 30	opedity with rans.							
	units only									
Pulls	Proud steel, laminate, o	r wood fronts								
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.							
	Handle	No cost	Specify with handle pull.							
	• Jazz	+\$ 20 per pull	Specify with jazz pull.							
	• Bar	+\$ 29 per pull	Specify with bar pull.							
		P P								
	Proud steel fronts only									
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.							
Counterweights										
Counterweights	• Package A	+\$233	Specify with counterweight.							
	Package B	+\$167	Specify with counterweight.							
		· ·								
	Package C	+\$233	Specify with counterweight.							
	Package D	+\$128	Specify with counterweight.							
	• Package E	+\$167	Specify with counterweight.							
	Package F	+\$233	Specify with counterweight.							
	One High and 4 5 High I	steral Files with sees	me Clide and FrameOne Feet Bases							
			pe Glide and FrameOne Foot Bases							
	Package G	+\$233	Specify with counterweight.							
	Package H	+\$167	Specify with counterweight.							
	Package J	+\$233	Specify with counterweight.							
	Two Drawer with Unive	roal 2" Passa								
	• Package 3	+\$128	Specify with counterweight.							
	• Package 4	, -								
	• Package 4	+\$167	Specify with counterweight.							
	Two Drawer with c:scap	ne Glide and FrameOne	Foot Bases							
	• Package 7	+\$233	Specify with counterweight.							
	• Package 8	+\$233	Specify with counterweight.							
	r donago o	1,0200	oposity war ocurrenveight.							
Lock and	Lock									
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.							
Reyling	· Linber chilome	140 0031	Specify with 9230 Ember Officine lock.							
	Individual locking draw	ers								
	18"D with two drawers	+\$139	Specify with individual lock.							
	• 24"D with two drawers	+\$155	Specify with individual lock.							
		T								
	Keying									
	· Factory- and field-installed ke	eying	▶ Page 428							

**U.S. Price** 

**Required to Specify** 



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

▶ Specification Information, on next page

Cushion tops

- Field-installed tops
- Steel storage accessories
- Bookends
- · Counterweight packages
- Basic cushions

▶ Page 344 Answer Freestanding Specification Guide

▶ Page 343

▶ Page 373 ▶ Page 377

▶ Page 380

Pages 381-382

Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### ▶ Options, on previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301\_ becomes RLF18301F for flush steel front).







Tip: For open-open units, the shelf is affixed with screws. The screws can be removed to adjust the clips/shelf to a different height.



Spec	ificati	on I	nfor	mation							
• Dimensions D		w	н	· Counterweight Packages		·Style Number	·U.S. Bas	· U.S. Base Prices			
Flush Steel	Proud Steel/ Lam/ Wood			Universal 3" Base	FrameOne Foot and c:scape Glide Bases		Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front	
: :				:	: :	:	Suffix F	Suffix P	Suffix L	Suffix W	
One 1	2"H Dı	'aw	er								
18"	187⁄8"	30"	16"	Package A	Package G	RLF18301_	\$ 871	\$ 896	\$1185	\$1748	
18"	187⁄8"	36"	16"	Package B	Package H	RLF18361_	\$ 964	\$1002	\$1285	\$1848	
18"	187⁄8"	42"	16"	Package C	Package J	RLF18421_	\$1058	\$1103	\$1380	\$1943	
231/8"	24"	30"	16"	Package A	Package G	RLF24301_	\$ 982	\$1024	\$1308	\$1871	
231/8"	24"	36"	16"	Package B	Package H	RLF24361	\$1140 :	\$1193 :	\$1467 :	\$2030	
Open	Config	jura	tion	S							
18"	187/8"	30"	16"	Not required	Not required	RSC18301A_	\$ 742	\$ 803	N.A.	N.A.	
18"	187/8"	36"	16"	Not required	Not required	RSC18361A_	\$ 868	\$ 943	N.A.	N.A.	
18"	187/8"	42"	16"	Not required	Not required	RSC18421A_	\$ 986	\$1069	N.A.	N.A.	
231/8"	24"	30"	16"	Not required	Not required	RSC24301A_	\$ 904	\$ 976	N.A.	N.A.	
231/8"	24"	36"	16"	Not required	Not required	RSC24361A_	\$1104	\$1196	N.A.	N.A.	

#### **Open-Open Configurations**

18"	181/8"	30"	22"	Not required	Not required	<b>RLF18301A</b> \$ 779	\$ 844	N.A.	N.A.
18"	187⁄8"	36"	22"	Not required	Not required	<b>RLF18361A</b> \$ 937	\$1016	N.A.	N.A.
18"	187⁄8"	42"	22"	Not required	Not required	RLF18421A \$1086	\$1177	N.A.	N.A.
231/8"	24"	30"	22"	Not required	Not required	RLF24301A \$1030	\$1113	N.A.	N.A.
231/8"	24"	36"	22"	Not required	Not required	<b>RLF24361A</b> \$1229	\$1326	N.A.	N.A.

#### **Drawer-Drawer Configurations**

One 6"H Drawer and One 12"Drawer										
18"	187⁄8"	30"	22"	Package A	Package A	RLF18301B_	\$ 938	\$1005	\$1448	\$2011
18"	187⁄8"	36"	22"	Package B	Package B	RLF18361B_	\$1100	\$1175	\$1594	\$2157
18"	187⁄8"	42"	22"	Package C	Package C	RLF18421B_	\$1246	\$1337	\$1882	\$2445
231/8"	24"	30"	22"	Package A	Package A	RLF24301B_	\$1191	\$1272	\$1855	\$2418
231/8"	24"	36"	22"	Package B	Package B	RLF24361B_	\$1390	\$1489	\$2039	\$2602

▶ Specification Information, continued on next page



Universal One-High, 1.5-High, and Two Drawer Lateral Files, with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued


#### ▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301\_becomes RLF18301F for flush steel front).







<b>Specification Inf</b>	ormation							
Dimensions D W H		· Counterweight · Packages		·U.S. Base Prices				
Flush Proud Steel Steel/ Lam/	Universal 3" Base	FrameOne Foot and		Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front	
Wood		c:scape Glide Bases						
	:		· :		:		:	
			:	Suffix F	Suffix P	Suffix L	Suffix \	

#### **Drawer-Open Configurations**

One 6	One 6"H Drawer and One 12"H Opening with Fixed Shelf										
18"	187⁄8"	30" 22"	Package D	Package D	RLF18301C_ \$ 870	\$ 934	\$1282	\$1845			
18"	187⁄8"	36" 22"	Package E	Package E	RLF18361C_ \$1026	\$1101	\$1429	\$1992			
18"	187⁄8"	42" 22"	Package F	Package F	RLF18421C_ \$1168	\$1258	\$1715	\$2278			
231/8"	24"	30" 22"	Package D	Package D	RLF24301C_ \$1111	\$1194	\$1689	\$2252			
231/8"	24"	36" 22"	Package E	Package E	<b>RLF24361C</b> \$1305	\$1399	\$1873	\$2436			


### **Open-Drawer Configurations**

One 6	One 6"H Opening with Fixed Shelf and One 12"Drawer										
18"	187⁄8"	30"	22"	Package A	Package A	RLF18301D_ \$ 870	\$ 934	\$1282	\$1845		
18"	187⁄8"	36"	22"	Package B	Package B	RLF18361D_ \$1026	\$1101	\$1429	\$1992		
18"	187⁄8"	42"	22"	Package C	Package C	RLF18421D_ \$1168	\$1258	\$1715	\$2278		
231/8"	24"	30"	22"	Package A	Package A	RLF24301D_ \$1111	\$1194	\$1689	\$2252		
231/8"	24"	36"	22"	Package B	Package B	<b>RLF24361D</b> \$1305	\$1399	\$1873	\$2436		

Two	Two 12"H Drawers											
18"	187⁄8"	30"	28"	Package 3	Package 5	RLF18302_	\$ 963	\$1029	\$1449	\$2012		
18"	187⁄8"	36"	28"	Package 4	Package 7	RLF18362_	\$1125	\$1201	\$1597	\$2160		
18"	187⁄8"	42"	28"	Package 4	Package 8	RLF18422_	\$1271	\$1363	\$1883	\$2446		
231/8"	24"	30"	28"	Package 3	Package 5	RLF24302_	\$1180	\$1262	\$1855	\$2418		
231/8"	24"	36"	28"	Package 4	Package 7	RLF24362_	\$1416	\$1512	\$2040	\$2603		
:				:	:	:	:	:	:	:		

## **Cushion Tops**

For Universal One-High, 1.5-High, and Two Drawer Lateral Files



Tip: Seam pattern is determined by upholstery selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style of the lateral (for example, RPDC1830\_\_ becomes RPDC1830F for cushion top for flush steel front).

#### Standard Includes

#### **Required to Specify**

► Need help? Product details, page 152

**Specification Information** 

- · Cushion top: fabric
- · Attachment hardware

- 1 Style number with appropriate front style suffix in the space provided:
- F Flush steel front
- P Proud steel/wood front
- 2 Fabric color number
- 3 Options, if selected (see below)
- See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify		
Surface	Upholstery				
Materials	Fabric price group 1	No cost	Specify fabric color number.		
	Fabric price group 2	+\$ 10	Specify fabric color number.		
	<ul> <li>Fabric price group 3</li> </ul>	+\$ 42	Specify fabric color number.		
	Fabric price group 4	+\$ 51	Specify fabric color number.		
	Fabric price group 5	+\$ 65	Specify fabric color number.		
	<ul> <li>Fabric price group 6</li> </ul>	+\$ 92	Specify fabric color number.		
	<ul> <li>Fabric price group 7</li> </ul>	+\$111	Specify fabric color number.		
	Fabric price group 8	+\$161	Specify fabric color number.		
	Fabric price group 9	+\$206	Specify fabric color number.		
	Fabric price group 10	+\$250	Specify fabric color number.		
	Leather price group	+\$641	Specify leather color number.		
	Select Surfaces leather price group 1	+\$641	See Surface Materials Reference Manual.		
	Elmosoft leather price group	+\$741	Specify Elmosoft leather color number.		
	Select Surface leather     price group 2	+\$741	See Surface Materials Reference Manual.		
	<ul> <li>Customer's Own Material (COM) or Customer's own Leather (COL)</li> </ul>	+\$ 16	See Surface Materials Reference Manual.		
Related Products	Universal lateral files		▶ Page 338		

· Dime	nsions	w	н	· Style · Number	· U.S. Base	Price	
Flush Steel Front	Steel	1			Flush Steel Front	Proud Steel/ Wood Front	
					Suffix F	Suffix P	
Cushi	ion Top	)S			·		
18"	187⁄8"	30"	11/2"	RPDC1830_	\$670	\$670	
18"	187⁄8"	36"	11/2"	RPDC1836_	\$683	\$683	
18"	187⁄8"	42"	11/2"	RPDC1842_	\$696	\$696	
231/8"	24"	30"	11/2"	RPDC2430_	\$711	\$711	
231/8"	24"	36"	1 <sup>1</sup> /2"	RPDC2436_	\$724	\$724	



## **Basic Cushions**

#### For Universal Lateral Files



Tip: Basic cushion is fieldinstalled and supplies to attach are included.

Tip: Basic cushion is available on Universal laterals with a top only.

#### **Standard Includes Required to Specify**

- Need help? Product details, page 152
- Cushion top: fabric price group 1Attachment supplies: hook and loop fastener
- 1 Style number 2 Fabric color number for cushion top
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	Fabric price group 2	+\$ 10	Specify fabric color number.
	Fabric price group 3	+\$ 42	Specify fabric color number.
	Fabric price group 4	+\$ 51	Specify fabric color number.
	Fabric price group 5	+\$ 65	Specify fabric color number.
	Fabric price group 6	+\$ 92	Specify fabric color number.
	Fabric price group 7	+\$111	Specify fabric color number.
	Fabric price group 8	+\$161	Specify fabric color number.
	Fabric price group 9	+\$206	Specify fabric color number.
	Fabric price group 10	+\$250	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 16	► See Surface Materials Reference Manual.
Support	For 30"W and 36"W steel U	niversal laterals	with an open configuration
Brace	<ul> <li>Brace (30"W or 36"W)</li> </ul>	+\$ 55	Specify with brace.
Related Products	Universal files		▶ Page 338

Dim	ensions		· Style	·U.S.
D	W	н	Number	Base Price
18"	30"	1 1/2"	RCH1830	\$274
18"	36"	11/2"	RCH1836	\$290
18"	42"	11/2"	RCH1842	\$307
24"	30"	11/2"	RCH2430	\$313
24"	36"	11/2"	RCH2436	\$323




### **Universal Open Side Towers**

► Need help?

page 154

Product details,

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### Standard Includes

#### · Tower: paint price group 1

- 1"H top: paint to match tower
- · Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- · Door and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Lock, keyed random: 9201 Polished Chrome
- · Base: paint to match tower
- Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- · Post to support adjustable shelf: paint to match tower
- · One box drawer divider and one pencil tray: black only
- · Coat rod: black
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

#### Required to Specify


- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)
- See Surface Materials, page 412.

Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

	Required Selections	U.S. Price	Required to Specify
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$202	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$202	Specify with c:scape glide base, 4799 Platinum only.

#### **Pulls**











For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic

Surface

**Materials** 

· Laminate price group 1 on proud laminate fronts Laminate price group 2 on proud laminate fronts · Open Line laminate on proud laminate fronts

• Wood group 2 on proud

· Customiz stain on proud

wood fronts Wood group 3 on proud

wood fronts

wood fronts

laminate top

**Options** 

· Paint price group 1

· Paint price group 2

· Paint price group 3

Prices at right

See information at left +\$ 74

plus cost of laminate

See information at left

See information at left

**U.S. Price** 

No cost

+\$ 80

+\$138

No cost

+\$145

Specify laminate color number. See Surface Materials Reference Manual.

Specify laminate color number.

**Required to Specify** 

Specify paint color number.

Specify paint color number.

Specify paint color number.

Specify wood color number. Specify wood color number.

Specify with Customiz stain. See Surface Materials Reference Manual.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

catalog or SmartTools.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

**Tops for** Flush Steel Front, Proud Steel Front, **Proud Laminate** Front, and **Proud Wood** 

**Front** 

Laminate top · Square edge laminate price group 1 top

Square edge laminate price group 2 top

· Open Line laminate on

See information at left

+\$ 74 plus cost of laminate

Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plastic color number for edges.

See Surface Materials Reference Manual.

▶ Options, continued on next page

# Universal Storage

#### ▶ Options, continued from previous page

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Glass shelves are not available on 18"D towers.

Tip: Counterweight packages
are required to ensure prod-
uct stability and are ordered
as an option or separately.
Product specification pages
indicate the correct coun-
terweight package for each
style number and any excep-
tions where counterweights
are not required.

See Counterweight
Requirements for Storage
Products, pages 121–128.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RQS24244LA\_becomes RQS24244LAF for flush steel front).

	Options	U.S. Price	Required to Specify
Tops for	Wood veneer top		
Flush Steel Front, Proud	Wood group 1 veneer top	+\$437	Specify with wood veneer top and indicate wood color number.
Steel Front, Proud Laminate	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
Front, and Proud Wood	Wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
Front,	· Customiz stain on wood	No cost	Specify with Customiz stain.
continued	veneer top on units with flush steel or proud steel fronts		See Surface Materials Reference Manual.
Glass	On 52"H towers	+\$129	Specify with glass shelves.
Shelves	• On 651/2"H towers	+\$258	Specify with glass shelves.
Pulls	Proud steel, laminate, or		
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	• Jazz	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Counterweights	Tower Package 1	+\$114	Specify with counterweight.
	Tower Package 2	+\$140	Specify with counterweight.
Lock and	Lock		
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	Factory- and field-installed key	ing	▶ Page 428
Related	Field-installed tops		▶ Page 373
Products	<ul> <li>Steel storage accessories</li> </ul>		▶ Page 377
	<ul> <li>Bookends</li> </ul>		▶ Page 380
	Counterweight packages		▶ Page 381–382

#### ▶ Specification Information, on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Universal Open Side Towers with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶ Options, on previous page

Speci	ficatio	n In	form	ation									
• Dimensions D W		н	· Style Number	· U.S. Base Prices				Counterweights					
					:	•			Steel Fron	ts	Wood Fronts		
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOne	
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and	
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape	
	Wood				:	:	:		:	Glide	:	Glide	
	Front			:	Suffix F	Suffix P	Suffix L	Suffix W	:	Bases		Bases	


#### **Tower with Door Hinged on Left**

#### One 6"H Drawer and Two 12"H Drawers




18"	187/8"	24"	471/2"	RQS182448LA_	\$2174	\$2524	\$2867	\$3011	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RQS242448LA_	\$2407	\$2757	\$3100	\$3244	Not required	Tower package 1	Not required	Tower package 1
291/8"	30"	24"	471/2"	RQS302448LA_	\$2640	\$2990	\$3333	\$3477	Not required	Not required	Not required	Not required

#### One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	187/8"	24"	52"	RQS18244LA_	\$2246	\$2596	\$2939	\$3083	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RQ\$24244LA_	\$2498	\$2848	\$3191	\$3335	Not required	Not required	Not required	Not required
291/8"	30"	24"	52"	RQS30244LA_	\$2750	\$3100	\$3443	\$3587	Not required	Not required	Not required	Not required

#### Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	187/8"	24"	651/2"	RQS18245LC_	\$2649	\$2999	\$3342	\$3486	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RQS24245LC_	\$2943	\$3293	\$3636	\$3780	Not required	Not required	Not required	Not required
291/8"	30"	24"	651/2"	RQS30245LC_	\$3237	\$3587	\$3930	\$4074	Not required	Not required	Not required	Not required

<sup>▶</sup> Specification Information, continued on next page

## Jniversal Storag

#### ▶ Specification Information, continued from previous page

Speci	ficatio	n In	form	ation								
Dimen:	sions	w	н	·Style Number	·U.S. Bas	se Prices			Counterwe	eights		
									Steel Fron	ts	Wood From	nts
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood				:					Glide		Glide
	Front			:	Suffix F	Suffix P	Suffix L	Suffix W	:	Bases		Bases

### **Tower with Door Hinged on Right**

#### One 6"H Drawer and Two 12"H Drawers






18"	187/8"	24"	471/2"	RQS182448RA_	\$2174	\$2524	\$2757	\$3011	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RQS242448RA_	\$2407	\$2757	\$2981	\$3244	Not required	Tower package 1	Not required	Tower package 1
291/8"	30"	24"	471/2"	RQS302448RA_	\$2640	\$2990	\$3205	\$3477	Not required	Not required	Not required	Not required


#### One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers






18"	187/8"	24"	52"	RQS18244RA_	\$2246	\$2596	\$2826	\$3083	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RQS24244RA_	\$2498	\$2848	\$3068	\$3335	Not required	Not required	Not required	Not required
291/8"	30"	24"	52"	RQS30244RA_	\$2750	\$3100	\$3311	\$3587	Not required	Not required	Not required	Not required

#### Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers





18"	187/8"	24"	651/2"	RQS18245RC_	\$2649	\$2999	\$3214	\$3486	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/2"	24"	24"	651/2"	RQS24245RC_	\$2943	\$3293	\$3496	\$3780	Not required	Not required	Not required	Not required
291/8"	30"	24"	651/2"	RQS30245RC_	\$3237	\$3587	\$3779	\$4074	Not required	Not required	Not required	Not required


## **Universal Dual Door Towers**

► Need help?

page 154

Product details,

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### **Standard Includes**

• Tower: paint price group 1

- 1"H top: paint to match tower
- Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- Door and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Lock, keyed random: 9201 Polished Chrome
- · Base (see below under required selections)
- · Pulls: metal
- Integral pulls on units with flush steel fronts
- · Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- · Brackets for adjustable shelves: black
- · Post to support adjustable shelf: paint to match tower
- · One box drawer divider and one pencil tray: black only
- · Coat rod: black
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

#### **Required to Specify**

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel frontP Proud steel front
- L Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)
- See Surface Materials, page 412.

**Required to Specify** 

Specify with Customiz stain.

See Surface Materials Reference Manual.

	Required Selections	U.S. Price	Required to Specify
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$202	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$202	Specify with c:scape glide base, 4799 Platinum only.

**U.S. Price** 

No cost



Contemporary Handle





Jazz

**Options** 

wood fronts

wood fronts

· Customiz stain on proud



Bar



Surface Materials

Specify paint color number. No cost · Paint price group 1 +\$ 80 Specify paint color number. Paint price group 2 · Paint price group 3 +\$138 Specify paint color number. · Laminate price group 1 Prices at right Specify laminate color number. on proud laminate fronts Laminate price group 2 See information at left Specify laminate color number. on proud laminate fronts · Open Line laminate on +\$ 74 See Surface Materials Reference Manual. proud laminate fronts plus cost of laminate · Wood group 2 on proud See information at left Specify wood color number. wood fronts Wood group 3 on proud See information at left Specify wood color number.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

▶ Options, continued on next page

## Universal Storage

#### ▶ Options, continued from previous page

Tops for Flush Steel Front, Proud Steel Front, For wood group 2, wood **Proud Laminate** Front. and Proud group 3, and laminate price group 2 pricing, **Wood Front** please refer to the electronic catalog or SmartTools.

Tip: Height dimension listed

is for units with 1" top. Over-

all height will vary if another

top is selected.

Square edge laminate price group 2 top

**Options** 

**Laminate top** Square edge laminate +\$145 price group 1 top

See information at left

+\$ 74

**U.S. Price** 

laminate color number for top and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plastic color number for edges.

Specify with laminate top and indicate

Required to Specify

See Surface Materials Reference Manual.

**Wood veneer top** 

laminate top

Open Line laminate on

· Wood group 2 veneer top

· Wood group 3 veneer top

 Wood group 1 veneer top +\$437

plus cost of laminate

indicate wood color number. See information at left Specify with wood veneer top and See information at left

indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain.

Specify with wood veneer top and

· Customiz stain on wood veneer top on units with flush steel or proud steel fronts

No cost

See Surface Materials Reference Manual.

Pulls Proud steel, laminate, or wood fronts

Contemporary Handle Jazz

No cost No cost +\$ 20 per pull +\$ 29 per pull Specify with contemporary pull. Specify with handle pull. Specify with jazz pull.

Specify with bar pull.

**Proud steel fronts only** 

c:scape

+\$ 33 per pull

Specify with c:scape pull. Specify with counterweight.

Specify with counterweight.

Counterweights

· Tower Package 1 · Tower Package 2

• Bar

+\$114 +\$140

Lock and **Keying** 

Lock · Ember chrome

**Keying** 

No cost

Specify with 9250 Ember Chrome lock.

style number and any exceptions where counterweights are not required. See Counterweight

Tip: Counterweight packages

are required to ensure product stability and are ordered

as an option or separately.

indicate the correct counterweight package for each

Product specification pages

Related **Products**  · Field-installed tops

· Factory- and field-installed keying · Steel storage accessories

▶ Page 428 ▶ Page 373 ▶ Page 377

▶ Specification Information, on next page

Requirements for Storage Products, pages 121-128. Tip: Your specification is

not complete until you add a suffix to the style number to define the front style (for example, RDD182448LA\_ becomes RDD182448LAF for flush steel front).

For Canadian Pricing Multiply U.S. Price by the


Canadian price factor. See page 1 for details. Universal Dual Door Towers, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶ Options, on previous page

<b>Dimen</b>	sions			· Style	·U.S. Bas	se Prices			· Counterwe	eights		
D W H		Number	:				:					
					:				Steel Fron	ts	Wood From	nts
Flush	Proud				Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/				Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood				:	:				Glide	:	Glide
	Front			:	Suffix F	Suffix P	Suffix L	Suffix W	:	Bases	:	Bases


#### **Tower with Doors Hinged on Left**

#### One Fixed Shelf and Two 12"H Drawers




18"	187/8"	24"	471/2"	RDD182448LA_	\$1923	\$2231	\$2513	\$2657	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448LA_	\$2314	\$2424	\$2717	\$2861	Not required package 1	Tower	Not required package 1	Tower

#### One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	187⁄8"	24"	471/2"	RDD182448LB_	\$2093	\$2407	\$2697	\$2841	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448LB_	\$2475	\$2595	\$2907	\$3051	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	187/8"	24"	52"	RDD18244LA_	\$2125	\$2410	\$2690	\$2834	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244LA	\$2499	\$2631	\$2874	\$3018	Not required	Not required	Not required	Not required

<sup>▶</sup> Specification Information, continued on next page




## Universal Storago

#### ▶ Specification Information, continued from previous page

<b>Dimen</b>	sions		· Style	·U.S. Bas	se Prices			· Counterwe	eights		
D	W H	Number	:				:				
			:	:				Steel Fron	ts	Wood Fron	nts
Flush	Proud			Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/		:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/		:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood		:	:		:	:	:	Glide	:	Glide
	Front			Suffix F	Suffix P	Suffix L	Suffix W	:	Bases	:	Bases

#### **Tower with Doors Hinged on Left, continued**

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	187/8"	24"	52"	RDD18244LB_	\$2262	\$2549	\$2828	\$2972	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244LB_	\$2636	\$2769	\$3047	\$3191	Not required	Not required	Not required	Not required

#### One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	187/8"	24"	651/2"	RDD18245LC_	\$2381	\$2710	\$2985	\$3129	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RDD24245LC_	\$2636	\$2728	\$3250	\$3394	Not required	Not required	Not required	d Not required

#### One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	651/2"	RDD18245LD_	\$2519	\$2833	\$3123	\$3267	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RDD24245LD_	\$2775	\$2866	\$3390	\$3534	Not required	Not required	Not required	Not required

#### ▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Universal Dual Door Towers, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶ Specification Information, continued from previous page

Dimen	sions			· Style	·U.S. Bas	se Prices			· Counterwe	eights		
D	<b>у</b> м н	н	Number					:				
					:				Steel Fron	ts	Wood From	nts
Flush	Proud				Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/				Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood			:	:	:	:		:	Glide	:	Glide
	Front			:	Suffix F	Suffix P	Suffix L	Suffix W		Bases	:	Bases

#### **Tower with Doors Hinged on Right**


#### One Fixed Shelf and Two 12"H Drawers






18"	187/8"	24"	471/2"	RDD182448RA \$1923	\$2231	\$2513	\$2657	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448RA \$2314	\$2424	\$2717	\$2861	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	471/2"	RDD182448RB_ \$2093	\$2407	\$2697	\$2841	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448RB_ \$2475	\$2595	\$2907	\$3051	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	187/8"	24"	52"	RDD18244RA_	\$2125	\$2410	\$2690	\$2834	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244RA_	\$2499	\$2631	\$2874	\$3018	Not required	Not required	Not required	Not required

<sup>▶</sup> Specification Information, continued on next page




## Universal Storage

#### ▶ Specification Information, continued from previous page

Specification Information												
Dimen:	sions	w	н	·Style Number	·U.S. Bas	se Prices			Counterwe	eights		
									Steel Fron	ts	Wood From	nts
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood				:					Glide		Glide
	Front			:	Suffix F	Suffix P	Suffix L	Suffix W	:	Bases		Bases

#### **Tower with Doors Hinged on Right, continued**

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	187/8"	24"	52"	RDD18244RB_	\$2262	\$2549	\$2828	\$2972	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244RB_	\$2636	\$2769	\$3047	\$3191	Not required	Not required	Not required	Not required

#### One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	181/8"	24"	651/2"	RDD18245RC_	\$2381	\$2710	\$2985	\$3129	lower package 1	lower package 1	lower package 1	lower package 1
231/8"	24"	24"	651/2"	RDD24245RC_	\$2636	\$2728	\$3250	\$3394	Not required	Not required	Not required	Not required

#### One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	651/2"	RDD18245RD_	\$2519	\$2833	\$3123	\$3267	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RDD24245RD_	\$2775	\$2866	\$3390	\$3534	Not required	Not required	Not required	Not required



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


## **Universal Full Front Towers**

► Need help?

page 154

Product details,

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### Standard Includes


- · Tower: paint price group 1
- 1"H top: paint to match tower
- · Door fronts on units with proud laminate fronts: laminate price group 1
- Door fronts on units with proud wood fronts: wood group 1
- · Integral pulls on units with flush steel fronts
- · Lock, keyed random: 9201 Polished Chrome
- · Drawer body: black only
- · Adjustable shelves: paint to match tower
- · Brackets for adjustable shelves: black
- · Coat rod: black
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

#### Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
  - Flush steel front
  - Proud steel front
  - Proud laminate front
  - W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door, if proud wood front selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)
- See Surface Materials, page 412.

#### Required Selections

#### **Pulls**











Surface **Materials** 

**Options Required to Specify** · Paint price group 1 Specify paint color number. No cost · Paint price group 2 +\$ 80 Specify paint color number. · Paint price group 3 +\$138 Specify paint color number.

**U.S. Price** 

Prices at right

· Laminate price group 1 on proud laminate fronts

proud laminate fronts

- Laminate price group 2 on proud laminate fronts · Open Line laminate on
- See information at left plus cost of laminate
- See Surface Materials Reference Manual.

Specify laminate color number.

Specify laminate color number.

- · Wood group 2 on proud wood fronts
- Wood group 3 on proud wood fronts
- See information at left See information at left
- Specify wood color number.
- Specify wood color number.
  - Specify with Customiz stain.
- · Customiz stain on proud No cost wood fronts See Surface Materials Reference Manual.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For wood group 2, wood

please refer to the electronic

group 3, and laminate

price group 2 pricing,

catalog or SmartTools.

**Tops for** Flush Steel Front, Proud Steel Front, Front, and **Proud Wood Front** 

- Laminate top · Square edge laminate
- price group 1 top
- See information at left

+\$145

and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plastic color number for edges.

Specify with laminate top and indicate

See Surface Materials Reference Manual.

laminate color number for top

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

**Proud Laminate** 

· Square edge laminate

price group 2 top

· Open Line laminate on laminate top

+\$ 74

plus cost of laminate

**Wood veneer top** 

· Wood group 1 veneer top

· Wood group 2 veneer top

· Wood group 3 veneer top

 Customiz stain on wood veneer top on units with flush steel or proud steel fronts

+\$437

See information at left See information at left

No cost

Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain.

See Surface Materials Reference Manual.

▶Options, continued on next page

#### ▶ Options, continued from previous page


Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.


See Counterweight
Requirements for Storage
Products, pages 121–128.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244LR\_becomes RFF24244LRF for flush steel front).







Tip: The adjustable shelf is always in the top/upper position.

	Options	U.S. Price	Required to Specify
Counterweigh	ts 5"H tower with pro	ud wood fronts	
	<ul> <li>Tower package</li> </ul>	+\$114	Specify with counterweight.
Pulls	Proud steel, lamina	ate, or wood fronts	
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	<ul> <li>Jazz</li> </ul>	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts	only	
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Lock and	Lock		
Keying	<ul> <li>Ember chrome</li> </ul>	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	<ul> <li>Factory- and field-instal</li> </ul>	lled keying	▶ Page 428
Related	Field-installed tops		▶ Page 373
Products	<ul> <li>Steel storage accessor</li> </ul>	ies	▶ Page 377
	Bookends		▶ Page 380

Dimensions		<ul> <li>Counterweight</li> </ul>	·Style	·U.S. Bas	e Prices		
D W	н	Package	Number	•			
Flush Proud		<u> </u>	:	Flush	Proud	Proud	Proud
Steel Steel/		:		Steel	Steel	Lam	Wood
Front Lam/		:	:	Front	Front	Front	Front
Wood		:	:	:	:		:
Front		:		:	:	1	:
		:		Suffix F	Suffix P	Suffix L	Suffix V

#### **52"H Tower with Door Hinged on Left**

Partit	ion wi	th Coa	t Rod	and Four 12"H Drawe	rs				
231/8"	24"	24"	52"	Tower package 1 for proud wood fronts only, not required for flush or proud steel fronts	RFF24244LR_	\$2743	\$2945	\$3341	\$3485

Partition with Coat Rod, One Fixed Shelf, and Three 12"H Drawers												
231/8"	24"	24"	52"	Tower package 1 for proud wood fronts only, not required for flush or proud steel fronts	RFF24244LS_	\$2671	\$2873	\$3269	\$3413			


Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Two 12"H Drawers												
231/8"	24"	24"	52"	Tower package 1 for proud wood fronts only, not required for flush or proud steel fronts	RFF24244LT_	\$2602	\$2804	\$3200	\$3344			


▶ Specification Information, continued on next page


Universal Full Front Towers, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244RR\_becomes RFF24244RRF for flush steel front).











#### ▶ Specification Information, continued from previous page

Speci	ficatio	on I	Inform	mation					
Dimen	sions			· Counterweight	·Style	· U.S. Bas	e Prices		
D	,	W	н	Package	Number	:			
Flush	Proud			: -	:	Flush	Proud	Proud	Proud
Steel	Steel/			:	:	Steel	Steel	Lam	Wood
Front	Lam/			:	:	Front	Front	Front	Front
	Wood			:	:	· ·			
	Front								:
				:		Suffix F	Suffix P	Suffix L	Suffix \

#### **52"H Tower with Door Hinged on Right**

Partit	ion wi	th Coa	t Rod	and Four 12"H Drawe	rs				
231/8"	24"	24"	52"	Tower package 1 for proud wood fronts only, not required for flush or proud steel fronts	RFF24244RR_	\$2743	\$2945	\$3341	\$3485

Partit	ion wi	th Coa	t Rod,	One Fixed Shelf, and	Three 12"H Draw	ers				
231/8"	24"	24"	52"	Tower package 1 for proud wood fronts only, not required for flush or proud steel fronts	RFF24244RS_	\$2671	\$2873	\$3269	\$3413	

Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Two 12"H Drawers													
231/8"	24"	24"	52"	Tower package 1 for proud wood fronts only, not required for flush or proud steel fronts	RFF24244RT_	\$2602	\$2804	\$3200	\$3344				

#### 651/2"H Tower with Door Hinged on Left

Partit	ion wi	th Coa	t Rod, One Fixed Shelf,	and Four 12"H Drawe	ers				_
231/8"	24"	24"	651/2" Not required	RFF24245LU_	\$3037	\$3239	\$3635	\$3779	

Partit	ion wi	th Coa	t Rod, One Adjustable S	Shelf, One Fixed Shelf	, and Thr	ee 12"H D	rawers	
231/8"	24"	24"	651/2" Not required	RFF24245LV_	\$2965	\$3167	\$3563	\$3707

#### ▶ Specification Information, continued on next page


## Universal Storage


#### ▶ Specification Information, continued from previous page


Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24245LW\_becomes RFF24245LWF for flush steel front).









·Dimens	ions		· Counterweight	· Style	·U.S. Bas	e Prices		
D	W	н	Package	Number	:			
Flush F	Proud		:	:	Flush	Proud	Proud	Proud
Steel S	iteel/		:	:	Steel	Steel	Lam	Wood
Front L	.am/		:	:	Front	Front	Front	Front
	Vood		:	:	:	:		:
F	ront		:	:	:	:		:
			:	:	Suffix F	Suffix P	Suffix L	Suffix W

#### 65½"H Tower with Door Hinged on Left, continued

Partit	Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and Two 12"H Drawers												
231/8"	24"	24"	651/2" Not required	RFF24245LW_ Use style number RFF24245LLL for proud laminate front.	\$2897	\$3099	\$3495	\$3639					
			•	•									

#### 651/2"H Tower with Door Hinged on Right

Partition with Coat Rod, One Fixed Shelf, and Four 12"H Drawers								
231/8"	24"	24"	65½" Not required	RFF24245RU_	\$3037	\$3239	\$3635	\$3779


Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Three 12"H Drawers								
231/8"	24"	24"	651/2" Not required	RFF24245RV_	\$2965	\$3167	\$3563	\$3707

Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and Two 12"H Drawers								
231/8"	24"	24"	65½" Not required	RFF24245RW_ Use style number RFF24245RLL for proud laminate front.	\$2897	\$3099	\$3495	\$3639
			•	•		•	•	•



### **Universal Vertical Drawer Towers**

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### **Standard Includes**

► Need help? Product details, page 154

- Tower: paint price group 1
- 1"H top: paint to match tower
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- Hinged door on units with flush steel or proud steel fronts: paint to match tower
- Hinged door on units with proud laminate fronts: laminate price group 1
- Hinged door on units with proud wood fronts: wood group 1 veneer
- Lift-up door with fixed shelf on 65½"H units with flush steel fronts: paint to match tower
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood veneer
- · Lock, keyed random: 9201 Polished Chrome
- · Drawer body: black only
- · Drawer suspensions: black only
- Two box drawer dividers and one pencil tray in units with 6"H box drawers: black only
- · Coat rod: black

**Options** 

- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package; if selected

#### **Required to Specify**

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel front
- L Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)

**Required to Specify** 

► See Surface Materials, page 412.

#### Required Selections

#### Pulls



Surface Materials









Contemporary Handle

Bar

c:scape

**U.S. Price** 

## For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$ 80	Specify paint color number. Specify paint color number.
Paint price group 2     Paint price group 3	+\$138	Specify paint color number.
<ul> <li>Laminate price group 1 on proud laminate fronts</li> </ul>	Prices at right	Specify laminate color number.
<ul> <li>Laminate price group 2 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.
<ul> <li>Open Line laminate on</li> </ul>	+\$ 74	► See Surface Materials Reference Manual.
proud laminate fronts	plus cost of laminate	
Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
<ul> <li>Wood group 3 on proud wood fronts</li> </ul>	See information at left	Specify wood color number.
<ul> <li>Customiz stain on proud</li> </ul>	No cost	Specify with Customiz stain.
wood fronts		See Surface Materials Reference Manual.

▶Options, continued on next page



Canadian price factor.

See page 1 for details.

# ▶ Options, continued from previous page

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

►See Counterweight Requirements for Storage Products, pages 121-128.

	Options	U.S. Price	Required to Specify
Tops for	Laminate top		
Flush Steel	Square edge laminate	+\$145	Specify with laminate top and indicate
Front, Proud	price group 1 top		laminate color number for top and plastic
Steel Front,			color number for edges.
Proud Laminate	<ul> <li>Square edge laminate</li> </ul>	See information at left	Specify with laminate top and indicate
Front, and Proud	price group 2 top		laminate color number for top and plastic
Wood Front			color number for edges.
	<ul> <li>Open Line laminate on</li> </ul>	+\$ 74	► See Surface Materials Reference Manual.
	laminate top	plus cost of laminate	
	Wood veneer top		
	Wood group 1	+\$437	Specify with wood veneer top and
			indicate wood color number.
	Wood group 2	See information at left	Specify with wood veneer top and
			indicate wood color number.
	Wood group 3	See information at left	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>Customiz stain on wood</li> </ul>	No cost	Specify with Customiz stain.
	veneer top on units with flush		► See Surface Materials Reference Manual.
	steel or proud steel fronts		
Counterweights	52"H towers		
	No counterweight	No cost	Specify without counterweight.
	Tower package 1	No cost	Specify with counterweight.
	Tower package 3	No cost	Specify with counterweight.
Pulls	Proud steel, laminate, or	wood fronts	
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Jazz	+\$20 per pull	Specify with jazz pull.
	• Bar	+\$29 per pull	Specify with bar pull.
	Proud steel fronts only		
	· c:scape	+\$33 per pull	Specify with c:scape pull.
Lock and	Lock		
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	Keying • Factory- and field-installed key	ing	▶ Page 428
Related Products		ing	► Page 428  ► Page 373 ► Page 377

# ▶ Specification Information, on next page



Universal Vertical Drawer Towers, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

# ▶ Options, on previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RVD24244LA\_ becomes RVD24244LAF for flush steel front).




Tower w	ith Doo	r Hinged	on Left	
		•		
· Fr	ont			
	-			

<b>Dimensi</b>	ions		· Counterweight	·Style	·U.S. Bas	e Prices		
D	w	н	Package	Number	:			
Flush P	roud		:	:	Flush	Proud	Proud	Proud
Steel S	teel/		:	:	Steel	Steel	Lam	Wood
Front L	am/		:	:	Front	Front	Front	Front
W	lood		:	:	:	:	:	:
F	ront		:	:	:	:		:
			•	:	Suffix F	Suffix P	Suffix L	Suffix W


Four 1	12"H D	rawers	5						
231/8"	24"	24"	52"	Tower package 1	RVD24244LA_	\$2415	\$2713	\$3056	\$3200
291/8"	30"	24"	52"	Tower package 3	RVD30244LA_	\$2661	\$2959	\$3302	\$3446







Four 1	2"H D	rawers	and Or	ne 13½"H Lift-	Up Door with Fixed She	elf			
231/8"	24"	24"	651/2"	Not required	RVD24245LC_	\$2849	\$3195	\$3490	\$3634
291/8"	30"	24"	651/2"	Not required	RVD30245LC_	\$3138	\$3484	\$3779	\$3923



Three	12"H	Drawe	rs, Two	6"H Drawers, a	nd One 13½"H Lift-Up	Door w	ith Fixed S	Shelf	
231/8"	24"	24"	651/2"	Not required	RVD24245LD_	\$3051	\$3397	\$3692	\$3836
291/8"	30"	24"	651/2"	Not required	RVD30245LD_	\$3344	\$3690	\$3985	\$4129
:				:	•	:	:	:	:

Specification Information, continued on next page



# Universal Storage

## ▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RVD24244RA\_becomes RVD24244RAF for flush steel front).




· Dimen	sions			· Counterweig	ht ·Style	·U.S. Bas	e Prices		
D		W	н	Package	Number				
Flush	<b>Proud</b>			:	:	Flush	Proud	Proud	Proud
Steel	Steel/			:		Steel	Steel	Lam	Wood
Front	Lam/			•	·	Front	Front	Front	Front
:	Wood			•	·	:		:	
	Front								
:						Suffix F	Suffix P	Suffix L	Suffix W

# **Tower with Door Hinged on Right**


Four 1	2"H Dı	rawers							
231/8"	24"	24"	52"	Tower package 1	RVD24244RA_	\$2415	\$2713	\$3056	\$3200
291/8"	30"	24"	52"	Tower package 3	RVD30244RA_	\$2661	\$2959	\$3302	\$3446



Three	12"H	Drawe	rs and	Two 6"H Drawers					
231/8"	24"	24"	52"	Tower package 1	RVD24244RB_	\$2619	\$2917	\$3260	\$3404
291/8"	30"	24"	52"	Tower package 3	RVD30244RB_	\$2866	\$3164	\$3507	\$3651



Four 1	12"H D	rawers	and One 13½"H Lift-	Up Door with Fixed She	lf			
231/8"	24"	24"	651/2" Not required	RVD24245RC_	\$2849	\$3195	\$3490	\$3634
291/8"	30"	24"	651/2" Not required	RVD30245RC_	\$3138	\$3484	\$3779	\$3923



Three	12"H	Drawe	rs, Two 6"H Drawers, a	nd One 13½"H Lift-Up	Door wi	th Fixed S	Shelf	
231/8"	24"	24"	65½" Not required	RVD24245RD_	\$3051	\$3397	\$3692	\$3836
291/8"	30"	24"	651/2" Not required	RVD30245RD_	\$3344	\$3690	\$3985	\$4129
:			:	:	:	:		:




# **Universal Workstation Verticals**

► Need help?

page 154

Product details,

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



# Standard Includes

- · Vertical: paint price group 1
- 1"H top: paint to match tower
- · Door and drawer fronts on units with proud laminate fronts, if selected: laminate price group 1
- · Door and drawer fronts on units with proud wood fronts, if selected: wood group 1 veneer
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- Lift-up door with fixed shelf on 65½"H units with flush steel fronts: paint to match tower
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood veneer
- · Central lock, keyed random: 9201 Polished Chrome
- · Drawer body: black only
- · Drawer suspensions: black only
- · One pencil tray in units with 6"H box drawers: black only
- · Four adjustable leveling glides
- · Ganging hardware

**Options** 

· Paint price group 1

· Paint price group 2

Paint price group 3

· Laminate price group 1

Laminate price group 2

· Open Line laminate on

proud laminate fronts

· Wood group 2 on proud

Wood group 3 on proud

Customiz stain on proud

on proud laminate fronts

on proud laminate fronts

· Counterweight package, if selected

# Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood fronts selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)

**Required to Specify** Specify paint color number.

Specify paint color number.

Specify paint color number.

Specify laminate color number.

Specify laminate color number.

Specify wood color number.

Specify wood color number.

Specify with Customiz stain.

color number for edges.

color number for edges

► See Surface Materials Reference Manual

See Surface Materials Reference Manual.

Specify with laminate top and indicate

Specify with laminate top and indicate laminate color number for top and plastic

laminate color number for top and plastic

► See Surface Materials, page 412.

# Required Selections

### Pulls



**Surface** 

**Materials** 









Contemporary Handle

Bar

c:scape

**U.S. Price** 

Prices at right

See information at left

plus cost of laminate

See information at left

See information at left

No cost

+\$ 80

+\$138

+\$ 74

No cost

## For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.



### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Tops for
Flush Steel
Front, Proud
Steel Front,
<b>Proud Laminate</b>
Front, and Proud
Wood Front

# wood fronts Laminate top

wood fronts

wood fronts

price group 1 top

price group 2 top

· Square edge laminate

laminate top

· Wood group 1 veneer top

· Wood group 2 veneer top

· Wood group 3 veneer top

Customiz stain on wood

steel or proud steel fronts

veneer top on units with flush

Wood veneer top

### Square edge laminate +\$145

See information at left

· Open Line laminate on

plus cost of laminate

+\$437

No cost

# +\$ 74

See information at left

See information at left

See Surface Materials Reference Manual.

Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain. See Surface Materials Reference Manual.

▶Options, continued on next page

# Universal Storage

### ▶Options, continued from previous page


Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight
Requirements for Storage
Products, pages 121–128.

Tip: Individual locking drawer option is not available on verticals with 6"H drawers.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RWV2415A\_ becomes RWV2415AF for flush steel front).





	Options	U.S. Price	Required to Specify				
Counterweights	Tower package 1	+\$114	Specify with counterweight.				
	Tower package 3	+\$114	Specify with counterweight.				
Pulls	Proud steel, laminate	, or wood fronts					
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.				
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.				
	<ul> <li>Jazz</li> </ul>	+\$ 20 per pull	Specify with jazz pull.				
	• Bar	+\$ 29 per pull	Specify with bar pull.				
	Proud steel fronts on	ly					
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.				
Lock and	Lock						
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.				
	Individual locking drawers						
	<ul> <li>For use when limiting</li> </ul>	+\$417	Specify with individual lock.				
	drawer access						
	Keying						
	Factory- and field-installed	l keying	▶ Page 428				
Related	Field-installed tops		▶ Page 373				
Products	<ul> <li>Steel storage accessories</li> </ul>		▶ Page 377				

**Specification Information** · U.S. Base Prices Dimensions ·Counterweight ·Style D **Package** Number Flush Proud **Flush Proud Proud Proud** Steel Steel/ Steel Steel Lam Wood Front Lam/ **Front Front Front Front** Wood **Front** Suffix F Suffix P Suffix L Suffix W

Four	12"H	Draw	ers						
231/8"	24"	15"	52"	Tower package 1	RWV24154A_	\$1743	\$1944	\$2337	\$2481
291/8"	30"	15"	52"	Tower package 3	RWV30154A	\$1924	\$2125	\$2518	\$2662

Thre	e 12"	H Drav	wers	and Two 6"H Dr	awers					
231/8"	24"	15"	52"	Tower package 1	RWV24154B_	\$1945	\$2146	\$2539	\$2683	
291/8"	30"	15"	52"	Tower package 3	RWV30154B_	\$2129	\$2330	\$2723	\$2867	

<sup>▶</sup> Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Workstation Verticals, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued


## ▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RWV2415A\_becomes RWV2415AF for flush steel front).

Dimensions		· Counterweight	·Style	· U.S. Base Prices					
D W	н	Package	Number	:					
Flush Proud		<u>:</u>	:	Flush	Proud	Proud	Proud		
Steel Steel/		•		Steel	Steel	Lam	Wood		
Front Lam/		:	:	Front	Front	Front	Front		
Wood		:	:	:	:	:	:		
Front		:	:	:	:	:	:		
		:		:	:	:	:		
		:	:	:	:	:	:		
		•							
		:		Suffix F	Suffix P	Suffix L	Suffix		


Four	Four 12"H Drawers and One 13½"H Lift-Up Door with Fixed Shelf									
231/8"	24"	15"	651/2" Tower package 1	RWV24155C_	\$2069	\$2322	\$2663	\$2807		
291/8"	30"	15"	651/2" Not required	RWV30155C	\$2282	\$2535	\$2876	\$3020		



Thre	e 12"	H Drav	wers, Two 6"H Drawe	ers, and One 13 $\%$	2"H Lift-	<b>Up Door</b>	with Fix	ced Shelf
231/8"	24"	15"	651/2" Tower package 1	RWV24155D_	\$2272	\$2525	\$2866	\$3010
291/8"	30"	15"	651/2" Not required	RWV30155D_	\$2483	\$2736	\$3077	\$3221
:			•	:	:	:	:	:

# **Universal Lateral Files**

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



## Standard Includes

► Need help? Product details, page 158

- · Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- 13/16"H top and drawer fronts on units with proud laminate fronts: laminate price group 1
- 13/16"H top and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Integral pulls on units with flush steel front
- Pulls: metal
- Lift-up door with fixed shelf on 651/2"H units with flush steel or proud steel front: paint
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood group 1 veneer
- · Central lock, keyed random: 9201 Polished Chrome
- · One label holder per drawer: clear plastic
- · Drawer body: black only
- · Drawer suspensions: black only
- · One hanging folder bar per drawer on 18"D units
- · Two rails per drawer on 24"D units
- · One hanging folder bar and three dividers on roll-out shelf, if selected
- · Four adjustable leveling glides
- · Ganging hardware

**Options** 

· Counterweight package, if selected

# Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for file
- 3 Laminate color number for top and drawer fronts, if proud laminate front selected
- 4 Wood color number for top and drawer fronts, if proud wood front selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front
- 7 Options, if selected (see below)

**Required to Specify** 


► See Surface Materials, page 412.

# **Required Selections**

# **Pulls**

T F P











For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

	<del>-</del>		
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	<ul> <li>Paint price group 2</li> </ul>	+\$ 77	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$132	Specify paint color number.
	Laminate price group 2     Open Line laminate on proud laminate fronts	See information at left +\$ 71 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.
Fops with	No top on 40"H or 52"H • For use under a worksurface	<del>-</del> \$100	Specify with no top.
Front and Proud Steel	or beneath a common top	Ψ100	ореспу митно юр.
Front	Laminate top		
	Square edge laminate price group 1 top	+\$139	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	<ul> <li>Square edge laminate price group 2 top</li> </ul>	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	<ul> <li>Open Line laminate on laminate top</li> </ul>	+\$ 71 plus cost of laminate	See Surface Materials Reference Manual.

**U.S. Price** 

▶ Options, continued on next page



# For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

# ▶ Options, continued from previous page

Tip: Full-fill finish (option) is available on field-installed tops only.

▶Page 374

	Options	U.S. Price	Required to Specify		
Tops with	Wood veneer top				
Flush Steel Front and	Wood group 1 veneer top	+\$420	Specify with wood veneer top and indicate wood color number.		
Proud Steel Front,	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.		
continued	Wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.		
	Customiz stain on wood veneer top	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual		
Tops with	No top				
Proud Laminate Front	For use with a cushion top	_\$281 	Specify with no top.		
	Laminate top • Open line laminate on laminate top	+\$ 71 plus cost of laminate	See Surface Materials Reference Manual		
	Wood veneer top  Wood group 1 veneer top  Wood group 2 veneer top  Wood group 3 veneer top  Customiz stain	+\$239 See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manual		
Tops with Proud Wood Front	No top on 40"H or 52"H • For use under a worksurface or beneath a common top	<b>-</b> \$520	Specify with no top.		
	Laminate top Square edge laminate price group 1 top	<b>-</b> \$281	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.		
	Square edge laminate price group 2 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.		
	Open Line laminate on	+\$ 71	See Surface Materials Reference Manual		

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight Requirements for Storage

Tip: 651/2"H files with individual lock option do not have a lock in the lift-up door. Lift-up door is locked by the drawer below.

Products, pages 121-128.

	Square edge laminate price group 1 top	<del>-</del> \$281	Specify <i>with laminate top</i> and indicate laminate color number for top and plastic color number for edges.
	Square edge laminate price group 2 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$ 71 plus cost of laminate	See Surface Materials Reference Manual
	Wood veneer top • Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
Drawer Interiors	HF bar for use on 24"D units only	+\$ 14	Specify with HF bar.
	<ul> <li>Divider package</li> </ul>	+\$ 28	Specify with divider package.
	<ul> <li>Rails for use on 18"D units only</li> </ul>	+\$ 35	Specify with rails.
Lift-Up Door	65½"H flush steel from		
With Roll-Out	<ul> <li>On 18"D files</li> </ul>	+\$ 45	Specify with roll-out shelf.
Shelf	On 24"D files	+\$ 63	Specify with roll-out shelf.
Pulls	Proud steel, laminate,	or wood fronts	
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	<ul> <li>Jazz</li> </ul>	+\$ 19 per pull	Specify with jazz pull.
	• Bar	+\$ 28 per pull	Specify with bar pull.
	Proud steel fronts only	1	
	• c:scape	+\$ 32 per pull	Specify with c:scape pull.
Counterweights	Package 1	+\$123	Specify with counterweight.
	Package 2	+\$123	Specify with counterweight.
	Package 3	+\$123	Specify with counterweight.
	Package 4	+\$161	Specify with counterweight.


Universal Lateral Files, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued


# ▶ Options, continued from previous page


	Options	U.S. Price	Required to Specify				
Lock and Keying	Lock • Ember Chrome	No cost	Specify with 9250 Ember Chrome lock				
	Individual locking dr	awers on 18"D file					
	<ul> <li>With three drawers</li> </ul>	+\$278	Specify with individual lock.				
	• With four drawers +\$417 Specify with individual						
	Individual locking dr	awers on 24"D file					
	<ul> <li>With three drawers</li> </ul>	+\$310	Specify with individual lock.				
	<ul> <li>With four drawers</li> </ul>	+\$465	Specify with individual lock.				
	Keying						
	<ul> <li>Factory- and field-installe</li> </ul>	d keying	▶ Page 428				
Related	Field-installed tops		▶Page 373				
Products	<ul> <li>Steel Storage Accessorie</li> </ul>	S	▶ Page 377				
	Bookends		▶ Page 380				
	<ul> <li>Counterweight packages</li> </ul>		▶ Page 381–382				


Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18363\_ becomes RLF18363F for flush steel front).









Spec	ificatio	n In	form	ation					
·Dimen	sions			· Counterweigh	t ·Style	·U.S. Bas	e Prices		
D		W	н	Package	Number	:			
Flush	Proud				:	Flush	Proud	Proud	Proud
Steel	Steel/			:	:	Steel	Steel	Lam	Wood
Front	Lam/			:	:	Front	Front	Front	Front
	Wood			:	:	:	:	:	:
	Front				:	Suffix F	Suffix P	Suffix L	Suffix W

Three	e 12"H	Drav	vers						
18"	187⁄8"	30"	40"	Package 3	RLF18303_	\$1246	\$1395	\$1909	\$2450
18"	187⁄8"	36"	40"	Package 3	RLF18363_	\$1448	\$1625	\$2103	\$2644
18"	187⁄8"	42"	40"	Package 3	RLF18423_	\$1639	\$1838	\$2235	\$2776
231/8"	24"	30"	40"	Package 2	RLF24303_	\$1595	\$1788	\$2263	\$2804
231/8"	24"	36"	40"	Package 2	RLF24363_	\$1821	\$2041	\$2503	\$3044
				1	:	:	:	:	:

Four	12"H [	)raw	ers						
18"	187⁄8"	30"	52"	Package 3	RLF18304_	\$1629	\$1826	\$2483	\$3024
18"	187⁄8"	36"	52"	Package 4	RLF18364	\$1894	\$2121	\$2745	\$3286
18"	187⁄8"	42"	52"	Package 4	RLF18424	\$2141	\$2401	\$3000	\$3541
231/8"	24"	30"	52"	Package 2	RLF24304	\$2043	\$2291	\$2960	\$3501
231/8"	24"	36"	52"	Package 3	RLF24364	\$2377	\$2668	\$3281	\$3822
•				•	•			•	•

Four 12"H Drawers and One 13 <sup>1</sup> / <sub>2</sub> "H Lift-Up Door with Fixed Shelf									
18"	187⁄8"	30"	651/2"	Package 2	RLF18305_	\$1955	\$2188	\$2888	\$3429
18"	187⁄8"	36"	651/2"	Package 2	RLF18365	\$2269	\$2544	\$3204	\$3745
18"	187⁄8"	42"	651/2"	Package 3	RLF18425_	\$2563	\$2875	\$3516	\$4057
231/8"	24"	30"	651/2"	Package 1	RLF24305_	\$2452	\$2752	\$3463	\$4004
231/8"	24"	36"	651/2"	Package 1	RLF24365	\$2848	\$3193	\$3855	\$4396

# Accessorie

# **Specifying Storage Tops, Shelves, and Accessories**

Connectors	372
Steel Security Tops	373
Square Edge Tops	374
Adjustable Shelves for Towers	376
Steel Storage Accessories	377

# **Connectors**

# **Worksurface-to-Tower Connectors**



	Standard Includes	Required to Specify
Need help? Product details, page 161	Connector: paint     Attachment hardware	1 Style number 2 Paint color number for connector ▶ See <i>Surface Materials</i> , page 412.

Specification Information						
Dimensions D	· Style Number	· U.S. Price				
24"	UFSTOWER24	\$130				
30"	UFSTOWER30	\$130				



# **Steel Security Tops**For Use with Flush or Proud Front Products

Tip: Tops are for field installation only.

Tip: Security tops should only be used on units that are positioned under a worksurface—these are **NOT** structural tops.

Tip: Security top cannot be installed on a file with a lift-up door in the top position.

Tip: For use with universal steel storage only.





	Standard Includes	Required to Specify
Need help? Product details, page 151	Security top: all paint price groups     Attachment hardware	<ul><li>1 Style number</li><li>2 Paint color number for top</li><li>▶ See Surface Materials, page 412.</li></ul>

Dimo	nsions	· For Use On	· Style	·U.S.
Dillie	W	For Ose On	Number	Price
_				
		•	:	
		:	:	
		:	:	
Flusi	n Front			
18"	30"	Lateral file, storage cabinet	RATF1830F	\$109
18"	36"	Lateral file, storage cabinet	RATF1836F	\$109
18"	42"	Lateral file, storage cabinet	RATF1842F	\$109
231/8"	30"	Lateral file, storage cabinet	RATF2430F	\$109
231/8"	36"	Lateral file, storage cabinet	RATF2436F	\$109
Prou	d Front			•
18 <sup>7</sup> /8"	30"	Lateral file, storage cabinet	RATF1830P	\$109
187⁄8"	36"	Lateral file, storage cabinet	RATF1836P	\$109
187⁄8"	42"	Lateral file, storage cabinet	RATF1842P	\$109
24"	30"	Lateral file, storage cabinet	RATF2430P	\$109
24"	36"	Lateral file, storage cabinet	RATF2436P	\$109
		•	:	:

# **Square Edge Tops**

For Use with Flush and Proud Front Products

Tip: For use with universal steel storage only.

## **Standard Includes**

# **Required to Specify**

► Need help? See Storage

· Dimensions

• 13/16"H top with square edge profile on all sides: laminate price group 1 or wood group 1

·Style

Specification Guide. • Attachment hardware

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel or proud wood front
- 2 Laminate or wood color number for top
- 3 Plastic color number for 1 mm edges of laminate top
- 4 Options, if selected (see below)
- See Surface Materials, page 412.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate top Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.
	• Wood veneer top • Wood group 2 • Wood group 3 • Customiz stain on wood veneer top • Full-fill finish on wood group 1 veneer	See information at left See information at left No cost Prices at right	Specify wood color number. Specify wood color number. Specify with Customiz stain.  See Surface Materials Reference Manual. Specify with full-fill finish and select wood color number.  See Surface Materials Reference Manual.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1524\_\_ becomes RATL1524F for a top to be used on a flush steel front unit).







	Wood veneer top	Con information at left	On a sife was ad a slaw as well as
	<ul><li>Wood group 2</li><li>Wood group 3</li></ul>	See information at left See information at left	Specify wood color number.  Specify wood color number.
	Customiz stain on wood	No cost	Specify with Customiz stain.
	veneer top • Full-fill finish on wood group 1 veneer	Prices at right	See Surface Materials Reference Manual. Specify with full-fill finish and select wood color number.
	-		See Surface Materials Reference Manual.
Specific	ation Information		

· U.S. Base Prices

	onneisions visitie vo.s. base Prices		0				
D Flush Steel Front	Steel/	W	н	Number	Flush Steel Front	Proud Steel or Proud Wood Front	• Option (Add \$ to Base Price)
				· ·	Suffix F	Suffix P	Finish on Wood Group 1
Indivi	dual Fi	le Lan	ninato	e Tops			
18"	187/8"	30"	13/16"	RATL1830_	\$208	\$208	N.A.
18"	187/8"	36"	13/16"	RATL1836	\$224	\$224	N.A.
18"	187/8"	42"	13/16"	RATL1842_	\$243	\$243	N.A.
231/8"	24"	30"	13/16"	RATL2430	\$229	\$229	N.A.
231/8"	24"	36"	13/16"	RATL2436	\$243	\$243	N.A.
Lamin	ate Co	mmon	Tops	<u> </u>			·
18"	187⁄8"	601/16"	13/16"	RATCL1860_	\$336	\$336	N.A.
18"	187⁄8"	661/16"	13/16"	RATCL1866_	\$388	\$388	N.A.
18"	187⁄8"	721/16"	13/16"	RATCL1872_	\$437	\$437	N.A.
18"	187⁄8"	781/16"	13/16"	RATCL1878_	\$555	\$555	N.A.
18"	187/8"	841/16"	13/16"	RATCL1884_	\$627	\$627	N.A.
18"	187⁄8"	901/8"	13/16"	RATCL1890_	\$699	\$699	N.A.
18"	187⁄8"	961/8"	13/16"	RATCL1896_	\$769	\$769	N.A.
18"	187⁄8"	1081/8"	13/16"	RATCL18108_	\$925	\$925	N.A.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

<sup>▶</sup> Specification Information, continued on next page

# Accessories

# Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1524\_becomes RATL1524F for a top to be used on a flush



steel front unit).





# ▶ Specification Information, continued from previous page

**Specification Information** 

Dimen	sions			Style	·U.S. Base Prices		
Steel	Proud Steel/ Proud	W	н	Number	Flush Steel Front	Proud Steel or Proud Wood Front	• Option (Add \$ to Base Price)
	Wood			· ·	Suffix F	Suffix P	Full-Fill Finish on Wood Group 1
Lamin	ate Co	mmon	Tops,	continued			
231/8"	24"	601/16"	13/16"	RATCL2460_	\$ 354	\$ 354	N.A.
231/8"	24"	66½16"	13/16"	RATCL2466_	\$ 396	\$ 396	N.A.
231/8"	24"	72½16"	13/16"	RATCL2472_	\$ 447	\$ 447	N.A.
231/8"	24"	901/8"	13/16"	RATCL2490_	\$ 748	\$ 748	N.A.
231/8"	24"	961/8"	13/16"	RATCL2496_	\$ 821	\$ 821	N.A.
231/8"	24"	1081/8"	13/16"	RATCL24108_	\$ 992	\$ 992	N.A.
36½16"	3713/16"	36"	13/16"	RATCL3636_	\$ 425	\$ 425	N.A.
36½16"	3713/16"	721/16"	13/16"	RATCL3672_	\$ 587	\$ 587	N.A.
<b>46</b> <sup>5</sup> ⁄16"	481/16"	36"	13/16"	RATCL4836_	\$ 480	\$ 480	N.A.
<b>46</b> <sup>5</sup> ⁄16"	481/16"	721/16"	13/16"	RATCL4872_	\$ 659	\$ 659	N.A.
:				:	:	:	:
Indivi	dual Fi	le Wo	od Top	S			
18"	187⁄8"	30"	13/16"	RATW1830_	\$ 536	\$ 536	+\$31
18"	187⁄8"	36"	13/16"	RATW1836_	\$ 548	\$ 548	+\$31
18"	187⁄8"	42"	13/16"	RATW1842_	\$ 618	\$ 618	+\$31
231/8"	24"	30"	<sup>13</sup> / <sub>16</sub> "	RATW2430_	\$ 556	\$ 556	+\$31
231/8"	24"	36"	13/16"	RATW2436_	\$ 571	\$ 571	+\$31
	0	<b>-</b>		:	:	:	:
	Comm						
18"	187⁄8"	601/16"		RATCW1860_	\$ 756	\$ 756	+\$50
18"	187⁄8"	661/16"	13/16"	RATCW1866	\$ 796	\$ 796	+\$50
18"	187/8"	721/16"	13/16"	RATCW1872_	\$ 837	\$ 837	+\$50
18"	187/8"	78½16"	13/16"	RATCW1878_	\$1000	\$1000	+\$50
18"	187⁄8"	841/16"	13/16"	RATCW1884_	\$1138	\$1138	+\$74
18"	187⁄8"	901/8"	13/16"	RATCW1890_	\$1202	\$1202	+\$74
18"	187/8"	961/8"	13/16"	RATCW1896_	\$1326	\$1326	+\$74
231/8"	24"	601/16"	13/16"	RATCW2460_	\$ 777	\$ 777	+\$50
231/8"	24"	661/16"	13/16"	RATCW2466_	\$ 816	\$ 816	+\$74
231/8"	24"	721/16"	13/16"	RATCW2472_	\$ 866	\$ 866	+\$74
231/8"	24"	901/8"	13/16"	RATCW2490_	\$1286	\$1286	+\$74
231/8"	24"	961/8"	13/16"	RATCW2496_	\$1418	\$1418	+\$74

# **Adjustable Shelves for Towers**

# **Adjustable Steel Standard Shelves**

For Use with Towers



Tip: Adjustable shelves are for field installation only.

# **Standard Includes**

# **Required to Specify**

- 1 Style number
- 2 Paint color number for shelf
- ► See Surface Materials, page 412.

Need help?
See Storage
Specification Guide.

Set of adjustable brackets: black only

• 3/4"H adjustable shelf: all paint price groups

· Dim	ensions	· Style	· U.S.
	W	Number	Price
	llee!Al	n Open Side T	<u>.</u>

24"	15"	RXSA2415	\$62	
30"	15"	RXSA3015	\$67	

# For Use with Dual Door Towers and Full Front Towers

24"	15"	RXSAFFT2415	\$62

# **Adjustable Glass Shelves**

For Use with Open Side Towers Only



Tip: Adjustable shelves are for field installation only.

## **Standard Includes**

Required to Specify

- ► Need help? See Storage Specification Guide.
- 3/6"H adjustable shelf: frosted glass only
  Set of four adjustable brackets: black only

Style number

<ul> <li>Dime</li> </ul>	ensions	· Style	·U.S.
D	W	Number	Price
24"	15"	RXSG2415	\$153
30"	15"	RXSG3015	\$171



# **Steel Storage Accessories**

# **Rails**

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
Need help? See Storage	Package of two rails: black only	Style number
Specification Gui	de.	

# **Dividers**

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
► Need help? See Storage Specification Guide.	Package of dividers: black only	Style number


Specif	fication Info	ormation	
Width	• Quantity	• Style • Number	·U.S. Price
For Use	e in 6"H Dra	wers	
12"	2	RDV1506	\$ 42 :
For Use	e in 12"H Di	rawers	
12"	2	RDV1512	\$ 45
12"	10	RDV151210	\$210
	:	•	:



Steel Storage Accessories, continued

# **Pencil Tray**

For Use in Pedestals, Universal Towers, and Universal Workstation Verticals




Tip: Pedestals with box drawers include one pencil tray per pedestal.

	Standard Includes	Required to Specify	
Need help? See Storage Specification Guide.	Pencil tray: black only	Style number	

Specificat	Specification Information		
•Style Number	· U.S. Price		
RPXDPT	\$36		

# **Reference Shelf**



	Standard Includes	Required to Specify
Need help? See Storage Specification Guide.	Reference shelf: black only     Insert: clear plastic only	Style number

Specification Information		
Style Number	· U.S. Price	
RPXDRS	\$51 :	

# **Hanging Folder Bars**

For Use with Universal Lateral Files and Universal Combination Cabinets Manufactured on or after October 17, 2005 For Use with 900 Series, 800 Series, and TS 200 Series Lateral Files Manufactured on or after May 5, 1997



	Standard Includes	Required to Specify
► Need help? See Storage Specification Guide.	Hanging folder bar: black only	Style number

·Style Number	·U.S. Price		
•	FIICE		
RAHF30	\$15		
RAHF36	\$15		
RAHF42	\$15		
	RAHF36	RAHF36 \$15 RAHF42 \$15	RAHF36 \$15 RAHF42 \$15



# **Rails**

For Use with Lateral Files and Combination Cabinets





Tip: All drawer sizes require two rails per drawer for maximum capacity frontto-back filing.

Tip: Actual rail dimensions are 151/2" deep for an 18" deep cabinet and 20" deep for a 24" deep cabinet.

	Standard Includes	Required to Specify
Need help? See Storage Specification Guide	Package of two or four rails: black only	Style number

Depth	• Style Number	·U.S. Price	
Packa	ge of Two	•	
18"	800RW	\$36	
	RXADRL24	\$27	

# **Dividers**

For Use in Lateral Files and Combination Cabinets

24"

	Standard Includes	Required to Specify
Need help? See Storage	Carton of three dividers: black only	Style number
Specification Guide		

Spe	ecificat	ion Ir	nformation	
Dim	ensions W	н	•Style Number	·U.S. Price
:				:

# For Use in 12"H Drawers or 12"H Roll-Out Shelves

117/8"	1/16"	61/4"	800DV12	\$28

RXADRL2442

# For Use in 6"H Roll-Out Shelves or Drawers and 9"H Drawers

13½"	<sup>1</sup> /16"	35/8"	800DV6	\$28








► See page 1 for details.

Steel Storage Accessories, continued

# **Shelf Divider Assembly**



	Standard Includes	Required to Specify
► Need help? See Storage Specification Guide.	Divider bracket: black only     Two dividers: clear plastic	Style number

Specif	ication Inforn	nation		
·Width	•Style Number	·U.S. Price		
30"	RASTDIV30	\$103		
36"	RASTDIV36	\$103		
42"	RASTDIV42	\$103		
		:		

# **Bookends**



	Standard Includes	Required to Specify
Need help? See Storage Specification Guide.	Package of two or twenty bookends: 6695 Midnight only	Style number

Specific	ation Inform	nation
Style Number	·Quantity	·U.S. Price
KDIV02	2	\$ 33
KDIV20	20	\$309



**Required to Specify** 

Specify with Customiz stain.

# **Wood Drawer Pulls**



	Standard Includes	Required to Specify
Need help? See Storage	Pull: wood group 1	1 Style number 2 Wood color number
Specification Gu	ide.	3 Options, if selected (see below) <ul><li>See Surface Materials, page 412.</li></ul>

**U.S. Price** 

No cost

**Options** 

· Customiz stain

Materials			See Surface Materials Reference Manual.			
Specification Information						
·Width	·Style Number	·U.S. ·Price				
:	:	:				
15"	RPULL15W	\$179				
30"	RPULL30W	\$244				
36"	RPULL36W	\$277				
42"	RPULL42W	\$309				

# **Counterweight Packages**

For Use with Universal One-High and 1.5-High Lateral Files

Surface



	Standard Includes	Required to Specify
Need help? Product details, page 120	Counterweight: black only     Attachment hardware	Style number
Specificatio	n Information	


· Package	· Style	·U.S.	· Package	·Style	·U.S.
Name	Number	Price	Name	Number	Price
Package A	RAACWA	\$233	Package F	RAACWF	\$233
Package B	RAACWB	\$167	Package G	RAACWG	\$233
Package C	RAACWC	\$233	Package H	RAACWH	\$167
Package D	RAACWD	\$128	Package J	RAACWJ	\$233
Package E	RAACWE	\$167			



Steel Storage Accessories, continued

# **Counterweight Packages**

For Use with Universal 2H, 3H, 4H, and 5H Lateral Files, Combination Cabinets, and Workstation Verticals



	Standard Includes	Required to Specify
Need help? Product details, page 120	Counterweight: black only     Attachment hardware	Style number

Package Number	• Style Number	·U.S. Price	· Package Number	• Style Number	·U.S. Price
Package 1	RAACW1	\$128	Package 5	RAACW5	\$233
Package 2	RAACW2	\$128	Package 6	RAACW6	\$233
Package 3	RAACW3	\$128	Package 7	RAACW7	\$233
Package 4	RAACW4	\$167	Package 8	RAACW8	\$233
	•	•	•	•	

# **Counterweight Packages**

For Use with Universal Towers



Tip: Tower packages 1 and 2 are for 18"D and 24"D units and tower package 3 is for 30"D units.

	Standard Includes	Required to Specify
Need help? Product details,	Counterweight: black only     Attachment hardware	Style number

Specification	on Informa	ation		
	•Style Number	· U.S. Price		
Tower package 1	RAACT1	\$114		
Tower package 2	RAACT2	\$140		
Tower package 3	RAACT3	\$114		
•	•	•		

# **Anchor Bracket Package for Products with Glides**



Tip: Four anchor bracket packages are required for each cabinet.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

►Need help? Product details, page 122 Two-piece anchor bracket and attachment hardware

**Standard Includes** 

Required to Specify
Style number

Specificat	tion Information
Style Number	· U.S. Price
RAANBRK	\$38

# Accessories

# **Attachment Cable**

Tip: For use with underworksurface lateral

files.

Standard Includes	Required to Specify
<ul><li>Attachment cable</li><li>Package of 1 or 25</li></ul>	Style number

Specification Info	mation	
	U.S. Price	
PAB12 (package of 1)	\$ 22	
PAB12M (package of 25)	\$336	

*
For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

# **Specifying Wiring and Cabling**

Interface Products	
Multipurpose Power Infeed	386
Modular Connector Faceplate	386
Distribution Products	
Modular Harness	387
Three Way Branching Connector	387
Access Products	
Power and Data Strips with Cord	388
Accessories	
Power Spheres	389
Power and Communication Spheres	389
Communication Sphere	390
Power and Communication Port	390
Power/Data Boxes	391
21/2" Round Grommet	391
3" Grommet Package	392
Universal Worksurface Wire Managers	392
Vertebral Cable Riser and Extension	393
Skeleton Bone Wire Managers	393
Cable and Fiber Reels	394
Termination Plate	394
Cord Reels	394
Cable Storage Tray	395
Wire Guide Clips	395
Wire Clips	395
Velcro Wire Clips	396
Vertical Wire Manager	396

# **Interface Products**

# **Multipurpose Power Infeeds**



# Standard Includes Required to Specify

- ► Need help? Product details, page 172
- Multipurpose power infeed with modular connector
   Insulated color coded wires for hardwired connection
- Insulated color-coded wires for hardwired connection to building power source

Style number

Spec	ificatio	on Inf	orma	tion

Length	Style	·U.S.	Length	Style	∙U.S.
:	Number	Price	:	Number	Price
	•	•	•	-	

**Non-PVC** 

# 4-Circuit, 3+1 Wiring Schematic

4-6110	uit, 5+1 willing s	Cilcillatic	
12'	TS712UPHX	\$363	
24'	TS724UPHX	\$526	
:	:	•	

# 4-Circuit, 3+1 Wiring Schematic

	,		
12'	TS712UPHXN	\$375	
24'	TS724UPHXN	\$541	

# **Modular Connector Faceplates**





# **Standard Includes**

- Faceplate with flush connection: galvanized steel
- Faceplate with 100° connection: galvanized
   Faceplate with 90° connection: black paint
- Female modular connector
- Pigtail for hardwire connection

# **Required to Specify**

Style number

# **Specification Information**

Connection	Style	∙U.S.
	Number	Price

# 4-Circuit, 3+1

► Need help?

page 172

Product details,

Flush	GAPFCMX	\$ 64
90°	GAPFCM90X	\$118
		·



# **Distribution Products**

# **Modular Harnesses**



Tip: Remember to order connectors, which are required to connect two modular harnesses or to connect a modular harness to a hub harness.

▶ Page 246

### **Standard Includes Required to Specify**


► Need help? Product details, page 173

Harness

Style number

Specific	cation Informa	tion			
			Non-PVC	;	
Length	· Style Number	·U.S. Price	• Length	• Style Number	·U.S. Price
4-Circui	it, 3+1		<u> </u>		
12"	GSGUH12X	\$158	12"	GSGUH12XN	\$172
22"	GSGUH22X	\$158	22"	GSGUH22XN	\$172
28"	GSGUH28X	\$158	28"	GSGUH28XN	\$172
32"	GSGUH32X	\$158	32"	GSGUH32XN	\$172
38"	GSGUH38X	\$158	38"	GSGUH38XN	\$172
44"	GSGUH44X	\$180	44"	GSGUH44XN	\$194
50"	GSGUH50X	\$180	50"	GSGUH50XN	\$194
54"	GSGUH54X	\$191	54"	GSGUH54XN	\$202
64"	GSGUH64X	\$210	64"	GSGUH64XN	\$230
76"	GSGUH76X	\$228	76"	GSGUH76XN	\$248
88"	GSGUH88X	\$260	88"	GSGUH88XN	\$274
100"	GSGUH100X	\$282	100"	GSGUH100XN	\$296
120"	GSGUH120X	\$332	120"	GSGUH120XN	\$345
144"	GSGUH144X	\$377	144"	GSGUH144XN	\$391
:		:	:	:	:

# **Three-Way Branching Connectors**



Tip: Branching connector distributes all circuits to each connection point.

Tip: Modular power manufactured before May 2004 (round conduit) are not interchangeable after May 2004 (oval conduit). A power-out modular harness is available from Steelcase Service Parts to make a modular connection between the two versions.

# **Standard Includes**

- · Branching connector: Ultramid nylon
- Three modular connection attachment points
- One power infeed harness connection point

# **Required to Specify** Style number

# **Specification Information**

·Style ·U.S. Number Price

# 4-Circuit, 3+1

► Need help?

page 173

Product details,

\$28

**GAP3HCX** 

# **Access Product**

# **Power and Data Strip**



	Standard Includes	Required to Specify
Need help?	Power and data strip with cord: 8043 Clear Anodized	Style number

Need help? Product details, page 174

 Power and data strip with cord: 8043 Clear Anodized Aluminum cover with black faceplate

 Worksurface attachment bracket, if selected: 4799 Platinum paint only

Spe	cifica	tion lı	nformation	
·Dim	ensions	5	·Style	·U.S.
D	W	н	Number	Price
:			•	:

# **Power and Data Strip with Cord with Worksurface Attachment Bracket**

21/4"	101/4"	3"	BPDSWSPL	\$276

# **Worksurface Attachment Bracket Only**

ΝΔ	ΝΔ	NΑ	BPDSWB	¢ 51
IN.A.	IN.A.	IN.A.	BFD3WB	φοι



# **Accessories**

# **Power Spheres**



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

# **Standard Includes**

# Required to Specify

► Need help? Product details, page 175

- Sphere with four simplex electrical outlets: black plastic only
- Two 6' power cords (each rated at 15 amps), if selected: black plastic only
- Two 6' Greenfield conduits (each rated at 15 amps), if selected: metal only

Ctulo	number
Otyle	Hullibel

Spec	ification	n Inform	nation
D.:			

Dimensions		· Style	·U.S.	
D	W	н	Number	Price

# Four Electrical Outlets with Two 6' Power Cords

33/8"	33/8"	3"	PTDMGB1	\$266

# Four Electrical Outlets with Two 6' Greenfield Conduits for Hardwiring

33/8"	33/8"	3"	PTDMGB2	\$465

# **Power and Communication Spheres**



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Face plates in sphere accommodates standard voice/data jacks.

# **Standard Includes**

# **Required to Specify**

Style number

- ► Need help? Product details, page 175
- Sphere with two simplex electrical outlets: black plastic only
- Face plates to accommodate two customer-supplied voice/ data jacks: black plastic only
- 6' power cord with plug rated at 15 amps, if selected: black plastic only
- · 6' Greenfield conduit for hardwiring, if selected: metal only

# **Specification Information**

<ul><li>Dimensions</li></ul>		· Style	·U.S.		
D	W	н	Number	Price	

# Sphere with One 6' Power Cord

33/8"	33/8"	3"	PTDMGB3	\$266

# Sphere with One 6' Greenfield Conduit for Hardwiring



# **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Accessories, continued

# **Communication Sphere**



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired

Tip: Face plates in sphere accommodates standard voice/data jacks.

	Standard Includes	Required to Specify
Nood holn?	Sphere with face plates to accommodate four customer-	Style number

Need help?
Product details, page 175

supplied voice/data jacks: black plastic only

# **Power and Communication Port**



Tip: Port is field installed. Use a 31/2"-diameter drill to cut mounting hole at desired location.

## **Standard Includes**

# **Required to Specify**

Style number

- ► Need help? Product details, page 175
- · Port with two electrical outlets: black plastic only
- · 6' power cord with plug rated at 15 amps: black plastic only
- Adapters for two customer-supplied data couplers/jacks

# Specification Information

· Dimensions		sions ·Style		·U.S.
D	W	н	Number	Price
.1/4"	41/4"	45/16"	PTRSGB1	\$394

# **Power/Data Boxes**

	Standard Includes	Required to Specify
Nood holp?	Powor/data hov	Style number

Product details, · Power/power box page 177 · Data/data box

<ul> <li>Dimensions</li> </ul>
Specificati

# **Power/Data Box**

**AWVBC** \$248

# **Power/Power Box**

**AWVBP** \$248

# Data/Data Box

page 177

**AWVBD** \$248

# 21/2" Round Grommet

Tip: Grommet AWAG2 is for use on worksurfaces only.

Tip: When using AWAG2 in the Universal parametric straight worksurface, specify the 2" grommet cutout option. Actual diameter of cutout is 21/4".

	Standard Includ
► Need help?	<ul> <li>Grommet: paint or meta</li> </ul>
Product details,	<ul> <li>Installation instructions</li> </ul>

· Installation instructions 2 Paint or metal color number

es

**Required to Specify** 1 Style number

► See Surface Materials, page 412.

Spe	ecifica	tion	Inf	forma	ation



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Accessories, continued

# **3" Grommet Package**



Tip: When using TSAEGROM in the Universal parametric straight worksurface, specify the 3" grommet cutout.

Standard Includes	Required to Specify
 	- · · · · ·

► Need help? Product details, page 24

• Package of 10 grommets: black plastic

Style number

Specification Information				
• Style Number	· U.S. Price			
TSAEGROM	\$60			

# **Universal Worksurface Wire Managers**



Standard Includes	Required to Specify

- ► Need help? Product details, page 177
- Set of six field installed worksurface wire managers: plastic
- Attachment hardware

1 Style number 2 Plastic color number for worksurface

wire manager: 6000 Black 6009 Arctic White 6052 Milk 6053 Seagull 6249 Platinum Solid 6654 Sand 6695 Midnight 6697 Fog

# **Specification Information**

• Style	·U.S.
Number	Price
TS7WWM	\$154



# **Vertebral Cable Riser and Extension**

ARRECTER RECTER OF THE PROPERTY OF THE PROPERT

**Standard Includes Required to Specify** Style number

 Vertebral cable riser: black plastic only ► Need help?

Product details, · Attachment hardware page 178

· Floor plate: Metallic Aluminum only

Length	• Style Number	· U.S. Price	
Vertehr	al Cable Ris	er	
1011081			

Tip: 153/4"L cable riser is an extension only. Extension does not include attachment hardware or floor plate.

**Vertebral Cable Riser Extension** 

DAVCE \$ 44 153/4"

# **Skeleton Bone Wire Managers**

► Need help?

Product details, page 178

**创身的各种的自由的各种的各种的的特种的** 经经济的

Tip: This product is turnstone, **NOT** Steelcase. It is included here to simplify your planning. Remember that Steelcase has different pricing terms than turnstone products.

Standard Includes	Required to Specify
Wire manager: black plastic     Attachment hardware	Style number

·Dim	ensions	3	·Style	·U.S.
D	W	н	Number	Price
			:	:

### 11/2" 13/8" 38" **TS5SKLBNE** \$198 **Skeleton Bone Wire Manager Extension**

11/2"	13/8"	36"	TS5SKEXT	\$169



► See page 1 for details.

Accessories, continued

# **Cable and Fiber Reels**



	Standard Includes	Required to Specify
Need help? Product details, page 179	Package of four reels: black plastic only	Style number

Specifica	ation Information
•Style Number	· U.S. Price
98766	\$175

# **Termination Plate**



	Standard Includes	Required to Specify
Need help? Product details, page 180	Termination plate: black paint only	Style number

• Dimensions • Style • U.S. D W H Number Price	Specific	Specification Information			
	3/4" 71/8'	71/8"	98765	\$26	

# **Cord Reels**



	Standard Includes	Required to Specify
► Need help? Product details, page 181	Carton of six cord reels: black paint only	Style number

Specifica	Specification Information		
• Style Number	·U.S.		
Number	Price		
:	_ :		
98767	\$74		
	·		



# **Cable Storage Tray**



	Standard Includes	Required to Specify
Need help? Product details, page 181	Cable storage tray: black paint only	Style number

Specification Information				
· Dime	ensions		· Style Number	·U.S. Price
ָ יע	W	н	Number	Price
2"	24"	21/2"	98768	\$57

# **Wire Guide Clips**



	Standard Includes	Required to Specify
Need help? Product details,	<ul> <li>Carton of 20 adhesive-backed wire guide clips: black plastic only</li> </ul>	Style number

Specification Information	
•Style Number	· U.S. Price
32WCP	\$41

# **Wire Clips**



	Standard Includes	Required to Specify
Need help? Product details,	<ul><li>Carton of six: black plastic only</li><li>Foam tape</li></ul>	Style number
page 181	Mounting screws	

Specifica	Specification Information		
•Style Number	· U.S. Price		
999CHT	\$73		



Accessories, continued

# **Velcro Wire Clips**



Tip: Attaches under worksurfaces with screws or around leg. page 181

► Need help?

3/4"

25"

**AWVW** 

Tip: This product is turnstone, **NOT** Steelcase. It is included here to simplify your planning. Remember that Steelcase has different pricing terms than turnstone products.

	Standard Includes	Required to Specify					
► Need help?	Package of six wire clips: velcro	Style number					
Product details	Attachment hardware						

Specification Information						
· Dim	ensions W	н	· Style Number	·U.S. Price		
			:			
1/2"	8"	1/2"	TS5LEGCLP	\$56		

# **Vertical Wire Manager**

**Standard Includes** 

• 25" wire manager with double-sided tape: black plastic

\$16



**Required to Specify** 

Style number

# **Specifying Lighting**

.igl	hting	
	Standard Shelf Lights	398
	Utility2 Shelf Lights	400
	Underline Shelf Lights	402
	Bottomline Shelf Lights	403
	LED Shelf Lights	404
	LED Linear Shelf Lights	406
	LED Personal Task Lights	408
Rel	ated Products	
	Vertical Wire Manager	409

# **Standard Shelf Lights**

► Need help?

page 188

Product details,

Tip: Daisy chaining shelf lights together extends power from one fixture to another within workstations to help keep receptacles clear for other uses.

See page 200 for more information.

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.



Tip: Remember to order a daisy chain starter cord.

►See Related Products on next page.

# For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Standard Includes

- Light housing with centered on-off switch: black paint
- · End cap cord managers: black plastic only
- Cords:
  - Standard and Chicago (including circuit breaker),
     9' cord with three-prong plug at 45° angle:
     black plastic only
  - Daisy chain, one 78" cord with modular connectors for daisy chaining: black plastic only
- · Contrast sleeve around lamp
- Faceted reflector: white only
- T8 3500K lamp
- Ballast
- · Universal mounting hardware package
- Daisy chain starter cord, if selected: black plastic only (order separately)

#### **Required to Specify**

- 1 Style number
- 2 Paint color number, if other than black (see options below)
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul> <li>Painted light housing other than black</li> </ul>	+\$28	Specify paint color number for housing.
Bracket Option	Competitive mounting package	No cost	Specify with competitive mounting package.
-	Flush mounting package	No cost	Specify with flush mounting package and paint color number for end cap covers.

Specification Information							
Dim	nensio	ns	·Lamp	· Style	·U.S.		
D	W	н	Wattage	Number	Base		
:				:	Price		

#### **Electronic High-Power-Factor Ballast**

With	Stand	ard Pov	ver Cord			
91/4"	25"	13/4"	17 watts	LSM24K	\$464	
91/4"	37"	13/4"	25 watts	LSM36K	\$492	
91/4"	49"	13/4"	32 watts	LSM48K	\$533	
With	With Chicago Cord Including Circuit Breaker					
91/4"	25"	13/4"	17 watts	LSM24KC	\$536	
91/4"	37"	13/4"	25 watts	LSM36KC	\$564	
91/4"	49"	13/4"	32 watts	LSM48KC	\$605	
With	Daisy	Chain C	ords			
91/4"	25"	13/4"	17 watts	LSM24KD	\$505	
91/4"	37"	13/4"	25 watts	LSM36KD	\$533	
91/4"	49"	13/4"	32 watts	LSM48KD	\$574	

Related Pr	oducts		
Quantity	Length	·Style Number	·U.S. Price
in Package	:	Number	Price

Tip: Use with Standard shelf light with daisy chain cord only. Do not order with Utility2.

<b>Daisy</b>	Chain	Starter	Cord
--------------	-------	---------	------

1	78"	LS1FSC	\$ 64
6	78"	LS6FSC	\$384

# **Utility2 Shelf Lights**

► Need help?

page 188

Product details,

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Specification guidelines can be found on the next page.

Tip: Cord on stand alone light has right-hand exit. Cord on daisy chain light has off center exit.


Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.





Tip: Minimum of two fixtures for daisy chaining and maximum of 10.

For more information on daisy chaining, see page 200.

Tip: When ordering starter light do not order a daisy chain starter cord.

#### **Standard Includes**

- · Light housing with right-hand on-off switch: black paint
- · End cap cord managers: black plastic only
- Cords
- Standard and Chicago (including circuit breaker),
   9' cord with three-prong plug at 45° angle:
   black plastic only
- Daisy chain, one 78" cord with modular connectors for daisy chaining: black plastic only
- · Prismatic lens
- Angled reflector: silver only
- · T8 3500K lamp
- Ballas
- · Universal and flush mounting hardware package

#### **Required to Specify**

- 1 Style number
- 2 Paint color number, if other than black (see options below)
- 3 Options, if selected (see below)
- ► See Surface Materials, page 412.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul> <li>Painted light housing other than black</li> </ul>	+\$28	Specify paint color number for housing.
Lens	Batwing lens	+\$37	Specify with batwing lens.

Dim	ensions	5	·Lamp	· Style	·U.S.	
D	W	н	Wattage	Number	Base	
				:	Price	
Electronic High-Power-Factor Ballast						
Ele	ctronic	Higl	n-Power-Fa	actor Balla	st	


		•		ao 101 Daniao	-
With	Stand	ard Pov	ver Cord		
67/8"	25"	15/8"	17 watts	LSB24K2	\$308
67/8"	37"	15/8"	25 watts	LSB36K2	\$363
67/8"	49"	15/8"	32 watts	LSB48K2	\$404
With	Chica	go Cord	Including	Circuit Breaker	
67/8"	25"	15/8"	17 watts	LSB24KC2	\$380
67/8"	37"	15/8"	25 watts	LSB36KC2	\$435
67/8"	49"	15/8"	32 watts	LSB48KC2	\$476
Dais	/ Chai	n Light	with 78" Ju	mper Cord	
67/8"	25"	15/8"	17 watts	LSB24KD2	\$349
67/8"	37"	15/8"	25 watts	LSB36KD2	\$404
67/8"	49"	15/8"	32 watts	LSB48KD2	\$445
Dais	/ Chai	n Starte	r Light witl	ı 9' Starter Cor	d
67/8"	25"	15/8"	17 watts	LSB24KS2	\$349
67/8"	37"	15/8"	25 watts	LSB36KS2	\$404
67/8"	49"	15/8"	32 watts	LSB48KS2	\$445
:			:	:	

▶ Specification Information, continued on next page

#### ▶ Specification Information, continued from previous page

Specification Information						
Dim	ensio	ns	·Lamp	·Style	·U.S.	
D	W	н	Wattage	Number	Base	
			•		Price	
:			•	:	:	

### **Electronic Normal-Power-Factor Ballast**



Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.

With	Stand	ard Pov	er Cord		
67/8"	25"	15/8"	17 watts	LSB24M2	\$219
67/8"	37"	15/8"	25 watts	LSB36M2	\$274
67/8"	49"	15/8"	32 watts	LSB48M2	\$315
With	Chica	go Cord	Including (	Circuit Breaker	
67/8"	25"	15/8"	17 watts	LSB24MC2	\$291
67/8"	37"	15/8"	25 watts	LSB36MC2	\$346

67/8"	49"	<b>1</b> 5⁄8"	32	watts	s LSB48MC2
Daisy	Chain	Light	with	78"	Jumper Cord

67/8"	25"	15/8"	17 watts	LSB24MD2	\$260
67/8"	37"	15/8"	25 watts	LSB36MD2	\$315
67/8"	49"	15/8"	32 watts	LSB48MD2	\$356

Dais	y Chai	n Starte	r Light with	n 9' Starter Cor	d
67/8"	25"	15/8"	17 watts	LSB24MS2	\$260
67/8"	37"	15/8"	25 watts	LSB36MS2	\$315
67/8"	49"	15/8"	32 watts	LSB48MS2	\$356

\$387



Tip: When ordering daisy chain with jumper cord there is no power supply.



Tip: Minimum of two fixtures for daisy chaining and maximum of 10.

► For more information on daisy chaining, see page 200.

Tip: When ordering starter light do not order a daisy chain starter cord.

#### **Specification Guidelines**

Application	Requirement
2 lights	1 starter light fixture and 1 daisy chain light with jumper cord fixtures
3 lights	1 starter light fixture and 2 daisy chain light with jumper cord fixtures
4 lights	1 starter light fixture and 3 daisy chain light with jumper cord fixtures
5 lights	1 starter light fixture and 4 daisy chain light with jumper cord fixtures
6 lights	1 starter light fixture and 5 daisy chain light with jumper cord fixtures
7 lights	1 starter light fixture and 6 daisy chain light with jumper cord fixtures
8 lights	1 starter light fixture and 7 daisy chain light with jumper cord fixtures
9 lights	1 starter light fixture and 8 daisy chain light with jumper cord fixtures
10 lights	1 starter light fixture and 9 daisy chain light with jumper cord fixtures



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

# **Underline Shelf Lights**



#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 190

- · Steel light housing: paint
- · Aluminum reflector
- Batwing lens
   Polycarbonate end caps: molded to match housing Cords:
- Standard and Chicago (including circuit breaker), 9' cord with three-prong plug at 45° angle: black plastic only
  Soft touch switch
  Thin profile, energy-efficient T2 fluorescent lamp

- · Universal spring brackets for recessed mount and screw-in for flush mount
- · Tool free clips for New York application

1	Chylo.	numbor	

2 Paint color number for housing and end caps:

0835 Black

7018 Pewter

7021 Dark Champagne

· DIM	ension	s	·Lamp	·Style	·U.S.	
D	w	н	Wattage	Number	Price	
With	Standa	ard Po	wer Cord, Wi	thout Dimming	·	
4 <sup>3</sup> /4"	22"	3/4"	13 watts	LT2	\$320	
\A/:AI	Chica	go Cor	d Including C	ircuit Breaker		
witn						



# Lightin

# **Bottomline Shelf Lights**

► Need help?

page 190

Product details,



Tip: Daisy chaining shelf lights together extends power power from one fixture to another within workstations to help keep receptacles clear for other uses.

See page 200 for more information.

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.

Tip: When ordering the Bottomline shelf lights with daisy chain starter cord you do NOT need to order a starter cord or jumper cord.

#### **Standard Includes**

- · Steel light housing: paint
- · Mylar reflector
- · Batwing lens
- · Polycarbonate end caps: molded to match housing
- Cords:
  - Standard and Chicago (including circuit breaker),
     9' cord with three-prong plug at 45° angle:
     black plastic only
- Daisy chain, one 56" cord with modular connectors for daisy chaining: black plastic only
- · Energy efficient electronic ballast
- Energy efficient 3500K T5 fluorescent light
- Universal spring brackets for recessed mount and screw-in for flush mount
- · Tool free clips for New York application

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for housing and end caps: 0835 Black

0835 Black 7018 Pewter

7021 Dark Champagne

Dime D	ensions W	H	· Lamp Wattage	·Style Number	·U.S. Price
	AA	-	waitage	Humber	Frice
With	Standa	rd Pov	ver Cord		
41/2"	231/4"	11/4"	14 watts	L52FT	\$278
41/2"	35"	11/4"	21 watts	L53FT	\$298
41/2"	463/4"	11/4"	28 watts	L54FT	\$320
With	Chicag	o Cord	Including C	ircuit Breaker	
4 <sup>1</sup> /2"	231/4"	11/4"	14 watts	L52FTCHI	\$325
4 <sup>1</sup> /2"	35"	11/4"	21 watts	L53FTCHI	\$354
41/2"	463/4"	11/4"	28 watts	L54FTCHI	\$379
			:	:	:
With	Daisy C	Chain C	ord		
4 <sup>1</sup> /2"	231/4"	11/4"	14 watts	L52FTY	\$307
4 <sup>1</sup> /2"	35"	11/4"	21 watts	L53FTY	\$325
4 <sup>1</sup> /2"	463/4"	11/4"	28 watts	L54FTY	\$347
With	Daisy C	Chain S	tarter Cord		
4 <sup>1</sup> /2"	231/4"	11/4"	14 watts	L52FTS	\$307
4 <sup>1</sup> /2"	35"	11/4"	21 watts	L53FTS	\$325
41/2"	463/4"	11/4"	28 watts	L54FTS	\$347

#### **Specification Guidelines**

Application	Requirement
2 lights	1 starter fixture and 1 daisy chain fixture
3 lights	1 starter fixture and 2 daisy chain fixtures
4 lights	1 starter fixture and 3 daisy chain fixtures
5 lights	1 starter fixture and 4 daisy chain fixtures
6 lights	1 starter fixture and 5 daisy chain fixtures

Note: Daisy chaining minimum of two fixtures; maximum of six fixtures.



# **LED Shelf Lights**

Tip: Maximum number of lights that can be daisy chained is three lights.

#### **Standard Includes**

#### Required to Specify


► Need help? Product details, page 192

- · Aluminum extrusion with plastic cover
- Power supply with cord
- · Soft touch switch
- Thin profile accommodates recessed and low profile flush mounting
- Ultra energy efficient LED light source
- · Universal magnetic mounting
- · Polycarbonate matte film diffuser
- Continuous dimming

- 2 Plastic color number for cover: 6000 Black
- 6009 Arctic White
- 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Mounting	<ul> <li>Fastener kit for use with wood shelf</li> </ul>	+\$8	Specify with fastener kit.

Dim D	ension W	s H	· Lamp Wattage	• Style Number	· U.S. Base Price
LED	Stan	dard L	ight.	•	•
21/2"	18"	1/2"	9.6 watts	LSL18	\$377



Tip: LED standard light comes with a 9' 18 watt power supply.

Tip: Daisy chain starter light comes with a 60 watt power supply that will support up to three lights in series (11' cord; 6' from power supply to power outlet, 5' from power supply to fix-

ture). Does not include daisy chain jumper cords.

### **LED Daisy Chain Starter Light**

Specification Information

21/2"	18"	1/2"	9.6 watts	LSL18YA	\$405
				•	

Tip: Daisy chain secondary light does not come with a power supply. Daisy chain cord package (8" and 30") comes standard with each secondary light.

#### **LED Daisy Chain Secondary Light**

21/2"	18"	1/2"	9.6 watts	LSL18YB	\$370

Lighting

# **LED Linear Shelf Lights**

Tip: The power supply for the 17" stand alone only uses a straight plug with a 9' 18 watt 24 volt wall transformer. The power supply for the 31", 44", 58", or 17" starter light uses a 11'60 watt compact in-line brick with straight plug.

	Standard Includes	Required to Specify
eed help? roduct details,	Task light and mounting bracket: 4231 Arctic White     Power supply with cord: black	1 Style number 2 Options, if selected (see below)

Product details, page 194

- · Power supply with cord: black
- · Soft touch switch
- · Magnetic and wood mounting brackets
- Continuous range dimmer
  Automatic turn off program
- Color temperature 3500K

	Options	U.S. Price	Required to Specify
Surface Materials	Painted light housing in 0835 Black	+\$ 13	Specify with 0835 Black.
Occupancy Sensor	• 17"W, 31"W, 44"W, and 58"W with stand alone or daisy chain starter	+\$139	Specify with occupancy sensor.
High Output	17"W with stand alone, starter, or secondary	+\$ 87	Specify with high output.
-	<ul> <li>31"W, 44"W, and 58"W with stand alone or daisy chain starter, or secondary</li> </ul>	+\$149	Specify with high output.

Din	nensions	·Style	·U.S.	
D	W H	Number	Base	
		:	Price	
		:	:	
4 711	Ctond Alon	- I ! I I		
17"	Stand Alon	e Light		
<b>17"</b>	Stand Alon	e Light	\$284	

# 17" Daisy Chain Starter Light \$332

#### 17" Daisy Chain Secondary Light LLL17YB \$249

31"	Stand	Alone	or Daisy	Chain Starter Light	
2"	31"	7/10"	LLL31	\$462	
				•	

31"	Daisy	Chain	Secondary Lig	ht	
2"	31"	7/10"	LLL31YB	\$383	
-			•		

▶ Specification Information, continued on next page









For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

#### ▶ Specification Information, continued from previous page

Spe	ecific	ation	Information	
·Dim	ensio	ns	· Style	·U.S.
D	W	н	Number	Base
:				Price

# 44" Stand Alone or Daisy Chain Starter Light

2"	44"	7/10"	LLL44	\$613

### 44" Daisy Chain Secondary Light

2"	44"	7/10"	LLL44YB	\$514	
			•	•	

### **58" Stand Alone or Daisy Chain Starter Light**

#### **58" Daisy Chain Secondary Light**

	-				
2"	58"	7/10"	LLL58YB	\$555	
			•	•	

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

# **LED Personal Task Lights**

#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 198

- · Housing: 6009 Arctic White plastic only
- · Fixture and stanchions: paint
- · Power supply (9') Soft touch switch
- Ultra energy efficient LED light source
- · Polycarbonate matte film diffuser
- · Continuous dimming

- 1 Style number
- 2 Paint color number for fixture and stanchions:
- 4231 Arctic White
- 4710 Low Gloss Black
- 4799 Platinum Metallic

#### **Related Products**

- · c:scape desk
- FrameOne bench
- · SOTO rail
- · Technology zone integral rail
- Worksurfaces
- · Campfire Big Table

- See c:scape Specification Guide.
- See Benching Specification Guide.
- See Steelcase Worktools Specification Guide.
- See Elective Elements Specification Guide.
- ▶ Page 203.
- See turnstone Specification Guide.

#### **Specification Information**

· Dimensions			·Lamp	·Style	·U.S.
D	W	н	Wattage	Number	Price
				_	

#### **Rail-Mounted LED Personal Task Light**

12.6 watts LPTL30





Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 11/4", or with modesty panels or modesty screens closer than 6" from the back edge.

#### **Non Rail-Mounted LED Personal Task Light**

6"	30"	17"	12.6 watts	LPTL30NR	\$676

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

# **Vertical Wire Manager**

	Standard Includes	Required to Specify
Need help? Product details, page 201	Vertical wire manager: plastic	1 Style number 2 Plastic color number: 6000 Black 6009 Arctic White 6249 Platinum Solid 6652 Titanium 6654 Sand 6697 Fog

Tip: Wire manager can be cut in the field to the specific length needed.

Specification Information									
leight Style Number	· U.S. Price								
: B" TS7PVWM	\$32								



# **Surface Materials**

Surface Materials	412
Specification Guidelines for Directional Fabrics	417
Paint Color Availability Matrix	418
Recommended Worksurface Edge Finishes	420
Directional Laminate Grain Directions	422
Wood Veneer Grain Directions	424

### **Surface Materials**

This listing includes all the surface material choices that are available for the products in this specification guide.

#### Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specifica-

tion tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a

core collection of finishes that is available across multiple geographies (Americas/EMEA - Europe. Middle East, and Africa/ APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/ surface-materials.

#### **Surface Materials**

- Binders include:
- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics. and seating upholstery

#### **Paint**

Tip: All products may not be available in all colors listed below.

►See page 418 for an overview of the paint colors available on each component

= Established

#### **Steelcase Surfaces**

### **Price Group 1**

**Smooth Paint** 

4242 Milk

#### **Textured Paint**

7207 Black 7225 Sand

7236 Fog **9** 

Slate **3** 7237

7238 Fieldstone Midnight 7239

7241 Arctic White

Seagull 7243

Sterling Dark Solid 7250

Dark Bronze

7360 Merle

#### **Price Group 2**

#### **Smooth Metallic Paint**

4728 Nickel Metallic

4743 Mineral Metallic 4744 Pearl Metallic

Champagne Metallic 4750

Steel Metallic 6

Gold Dust Metallic @ 4788 4798 Sterling Metallic

Platinum Metallic Near Black Metallic

#### **Textured Metallic Paint**

7245 Carbon Metallic 7246 Midnight Metallic

Applies to:

· 21/2" round grommet

#### **Price Group 1**

#### **Smooth Paint**

7241 Arctic White 7278 Dark Bronze

#### **Price Group 2**

#### **Standard Paint**

0835 Black **G** 

**Smooth Metallic Paint** 

4799 Platinum Metallic

#### **Select Surfaces**

#### **Price Group 3**

#### **Accent paint**

Accent paints allow you to choose from a pre-matched color palette of trend driven colors. Refer to the Surface Materials Reference Manual for more information.

#### **Custom Surfaces**

#### **Price Group 3**

#### **PerfectMatch**

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program.

#### Laminate

Applies to:

- Universal worksurfaces and tables-High-Pressure Laminate
- Answer freestanding corner shelves
- Universal storage tops · Infills for FrameOne legs

#### Steelcase Surfaces

#### **High-Pressure** Laminate

#### **Price Group 1**

#### **Fiber Laminate**

Vanadium Fiber

2851 Rhyme Fiber **3** Tungsten Fiber 2852

2854 Vellum Fiber Novell Fiber

2860 Granite Fiber Coconut Fiber

Stucco Fiber

#### **Micro Laminate**

2920 Marl Micro 2921 Gypsum Micro Clay Micro

Shadow Micro 6

#### **Patina Laminate**

2870 Blonde Bronze

Patina

Blackened Bronze Patina

2873 Instant Iron Patina

## **Solid Laminate**

2722 Cream 

G

2730 Arctic White 2746 Black

2759 Warm White 6

Mist **G** 2811

2883 Seagull

2884 Milk

2885 Dune 2HMG Merle

#### **Speckle Laminate**

2820 Coffee Speckle 6 2822 Woodrose Speckle 6

2823 Driftwood Speckle

Smoke Speckle 2825 Vanadium Speckle

#### **Woodgrain Laminate**

2406 Clear Cherry

2409 Clear Maple

Graphite Walnut 2410 Natural Cherry 2412

Medium Cherry 2422

Winter on Maple 2511

2535 Virginia Walnut

Blackwood 2536

2538 Clear Walnut

Warm Oak **G** 2539 2592 Blonde on Maple

Natural Walnut Medium Mahogany 2772

on Walnut G 2HAK Clear Oak

2HAN Ash Noce

2HAT Acacia

2HAW Ash Wenge

2HBN Bisque Noce 2HBW Bisque Wenge

2HCN Clay Noce

2HCW Clay Wenge 2HSN Storm Noce

2HSW Storm Wenge

Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

#### **Select Surfaces**

#### **High-Pressure** Laminate

### Price Group 2

#### **Textured Woodgrain** Laminate

2TH2 Fawn Cypress

Weathered Char 2TH3

2TH4 Saddle Oak

2TH5 Veranda Teak

2TH6 Persian Cherry 2TH7 Walnut Heights

#### **Custom Surfaces**

#### **Open Line** Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$74 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Universal worksurfaces and Universal storage tops, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

#### **Laminate Approval and Material Requirements**

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square

foot requirements: Visit www.steelcase.com

For additional information, refer to the Steelcase Surface Materials Reference Manual.

#### Wood

#### Applies to:

- · Universal worksurfaces and tables-wood veneer
- Universal storage tops and fronts
- · Infills for FrameOne legs (not available in composite veneer)

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color. grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- · Do not store products in trailers
- · Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

#### **Steelcase Surfaces**

#### Veneer

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Tip: Answer panel wood trims are only available with quarter-cut finishes with the exception of maple finishes. Maple on wood trims is only available with flat-cut finishes. For ordering simplicity, both flat-cut and quarter-cut finishes can be specified on panel trims. However, for all finishes except maple, if a flat-cut finish is selected, the trims will have the coordinating quarter-cut finish. For maple finishes, if quarter-cut is selected, the trims will have the coordinating flat-cut finish. Blending panel trims with other wood products that have flat-cut finishes may be visually acceptable for most applications. If a more exact match is desired for non-maple finishes, please specify quarter-cut finishes for the entire project. If a more exact match is desired for maple finishes, please specify flat-cut finishes for the entire project.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

#### Flat-cut open-pore finish choices

#### Wood Group 1

- 3062 FC/OP Graphite Walnut
- FC/OP Clear Cherry (Aged)
- FC/OP Natural Cherry 3 3412
- FC/OP Medium Cherry 3422
- FC/OP Clear Maple\* 3522
- 3572 FC/OP Amber on Maple 6 FC/OP Blonde on Maple 3592
- 3702 FC/OP Clear Walnut
- FC/OP Natural Walnut 3712
- 3722 FC/OP Dark Mahogany on Walnut
- FC/OP Medium Walnut 3752
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany on Walnut

#### Quarter-cut open-pore finish choices

#### **Wood Group 1**

- QC/OP Ash\* 3042
- QC/OP Clear Maple\* 3222
- QC/OP Amber on Maple 6 3272
- 3292 QC/OP Blonde on Maple QC/OP Clear Walnut 3302
- QC/OP Natural Walnut 3312
- 3322 QC/OP Dark Mahogany on Walnut
- QC/OP Medium Walnut 3352
- QC/OP Dark Walnut 3362
- 3372 QC/OP Medium Mahogany on Walnut
- QC/OP Graphite Walnut

#### Rift-cut open-pore finish choices

#### **Wood Group 1**

- 3602 RC/OP Desert Oak
- RC/OP Warm Oak **G** 3612
- RC/OP Espresso Oak 3692

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

#### Flat-cut full-fill finish choices

#### Wood Group 1

- 3064 FC/FF Graphite Walnut
- FC/FF Clear Cherry (Aged)
- FC/FF Natural Cherry 6 3414
- FC/FF Medium Cherry 3424
- 3524 FC/FF Clear Maple\* FC/FF Blonde on Maple 3544
- 3574 FC/FF Amber on Maple 6
- FC/FF Clear Walnut 3704
- 3714 FC/FF Natural Walnut
- FC/FF Dark Mahogany on Walnut 3724
- 3754 FC/FF Medium Walnut
- FC/FF Dark Walnut 3764
- FC/FF Medium Mahogany on Walnut 3774

#### Quarter-cut full-fill finish choices

#### **Wood Group 1**

- 3224 QC/FF Clear Maple\*
- QC/FF Amber on Maple 6 3274
- 3294 QC/FF Blonde on Maple
- QC/FF Clear Walnut 3304
- QC/FF Natural Walnut 3314
- 3324 QC/FF Dark Mahogany on Walnut
- 3354 QC/FF Medium Walnut
- QC/FF Dark Walnut
- 3374 QC/FF Medium Mahogany on Walnut
- 3384 QC/FF Graphite Walnut

#### Rift-cut full-fill finish choices

#### **Wood Group 1**

- 3604 RC/FF Desert Oak
- RC/FF Warm Oak **G** 3614
- RC/FF Espresso Oak 3694

\*To ensure an understanding of the color ranges and characteristic variations of natural veneer. a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042, 05-0001370 for 3222 and 3224.

#### **Premium Veneers**

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

#### Quarter-cut open-pore finish choices

#### **Wood Group 2**

3032 QC/OP Dark Thin Line Bamboo

QC/OP Ribbon Sapele 3052

#### **Wood Group 3**

QC/OP Figured Anegre 3832 QC/OP Figured Makore 3842

\*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032. form number 09-0000757 for 3052. form number 09-0000758 for 3832, and form number 09-0000759 for 3842.

#### **Select Surfaces**

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

#### **Composite Veneer**

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

#### Flat-cut open-pore finish choices

#### **Wood Group 1**

3JDX FC/OP Oak Composite 3JFX FC/OP Maple Composite 3JHX FC/OP Cherry Composite 3JJX FC/OP Walnut Composite

#### Quarter-cut open-pore finish choices

#### **Wood Group 1**

3F8X QC/OP European Walnut Composite
3GAX QC/OP Gold Teak Composite
3GFX QC/OP Rosewood Composite
3GGX QC/OP Zebrano Composite
3HGX QC/OP Oak Composite
3HYX QC/OP Walnut Composite
3JEX QC/OP Maple Composite
3JGX QC/OP Cherry Composite

#### **Natural Veneer**

3ZNX

Natural veneer is available in the Select Surfaces offering. Natural veneer may have extended leadtimes. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the natural veneer offering:

QC/OP Night Cerused Oak Composite

# Flat-cut open-pore finish choices

#### **Wood Group 1**

3342 FC/OP Black Walnut 35A2 FC/OP Blanch Maple 37A2 FC/OP Thunder Walnut

#### **Wood Group 3**

3082 FC/OP Washed Walnut

# Flat-cut full-fill finish choices

#### **Wood Group 1**

3734 FC/FF Black Walnut

#### Wood Group 3

3084 FC/FF Washed Walnut

# Quarter-cut open-pore finish choices

#### **Wood Group 1**

32A2 QC/OP Blanch Maple 33A2 QC/OP Thunder Walnut

3392 QC/OP Black Walnut

# Quarter-cut full-fill finish choices

#### Wood Group 1

3394 QC/FF Black Walnut

# Rift-cut open-pore finish choices

#### Wood Group 1

36A2 RC/OP Volcanic Oak

#### **Planked Veneer**

Planked veneer is available in the Select Surfaces offering. Planked veneer may have extended leadtimes. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the planked veneer offering:

#### **Wood Group 1**

3P41 OP Planked Cherry 3P51 OP Planked Maple 3P61 OP Planked Oak 3P71 OP Planked Walnut

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

#### **Custom Surfaces**

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1.500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time neriod After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual.

#### **Plastic**

#### Steelcase Surfaces

Tip: The following two plastics are available for existing customers only. The matching paints have moved to the Surface Materials Reference Manual.

6651 Tungsten **6**6652 Titanium **6** 

#### Applies to:

- 1 mm and 3 mm front edge profile on Universal systems worksurfaces and tables
- 1 mm edge profile on Answer Freestanding corner shelves
- 1 mm square edge profile on Universal storage laminate tops

6000 Black 6001 Coffee Arctic White 6009 6034 Natural Cherry Medium Cherry 6037 Winter on Maple 6038 Blonde on Maple 6041 Natural Walnut 6045 Medium Mahogany on Walnut **G** 

6052 Milk 6053 Seagull 6213 Acacia 6219 Clear Oak 6231 Graphite Walnut 6234 Clear Cherry

6237 Clear Maple 6242 Virginia Walnut 6243 Blackwood

6245 Clear Walnut6246 Warm Oak6249 Platinum Solid

6271 Plywood 6527 Merle 6615 Grey V5 6619 Ice

6631 Cream 6635 Dawn **€** 6636 Mist 6654 Sand

6655 Warm White 6676 Marbled Maple 6677 Chocolate Walnut 6678 Marbled Cherry

6678 Marbled C 6694 Slate 6695 Midnight 6697 Fog 6698 Fieldstone

6697 Fog 6698 Fieldstone 6703 Ash Wenge 6704 Storm Wenge

6705 Bisque Wenge 6706 Clay Wenge 6707 Ash Noce 6708 Bisque Noce

6709 Clay Noce 6710 Storm Noce

Established

#### Applies to:

· P-edge profile on Universal systems worksurfaces and tables with High-Pressure Laminate 6000 Black

Arctic White 6009 6052 Milk 6053 Seagull 6249 Platinum Solid 6527 Merle Grey V2 **G** 6612

6615 Grey V5 Sand 6654 6694 Slate 6695 Midnight

6697 Fog 6698 Fieldstone

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects

#### **Select Surfaces**

#### Applies to:

- 1 mm and 3 mm front edge profile on Universal systems worksurfaces and tables
- 1 mm edge profile on Answer freestanding corner shelves
- 1 mm square edge profile on Universal storage laminate tops

6T02 Fawn Cypress 6T03 Weathered Char Saddle Oak 6T04 6T05 Veranda Teak

Persian Cherry 6T06 Walnut Heights 6T07

#### **Accessory Paint**

#### **Steelcase Surfaces**

#### Applies to:

- Cabby legs with glides
- · Adjustable-height legs with alides Universal table bases
- · Universal lateral files with c:scape pulls

4140 Arctic White Gloss 4144 Black Gloss

#### Metal

#### **Steelcase Surfaces**

Applies to:

· Elliptical leg 9201 Polished Chrome

Applies to:

• 2½" round grommet 9201 Polished Chrome 9211 Nickel

#### **Plated Metal**

#### **Steelcase Surfaces**

Applies to:

· Universal storage pulls 0835 Black **3** Polished Chrome 9201 Nickel 9211 9212 Silver

#### Glass

#### **Steelcase Surfaces**

Applies to:

· Universal over the case or Universal in the case bin picture frame door glass insert 6580 Ice White

#### Acrylic

#### **Steelcase Surfaces**

Applies to:

Universal over the case or Universal in the case bin picture frame door acrylic insert 6538 Satin

# **Vertical Surface**

► See Surface Materials Reference Manual for a listing of available fabrics for Divisio side screen.

Applies to: · Knit screens

B902 Soft White B903 Fog B904 Sand

Applies to:

Hutch kit tackboards

#### **Steelcase Surfaces**

#### **Price Group A**

#### **Sprite**

5540 Khaki 5541 Snow 5542 Rutter 5543 Linen 5544 Sherbet 5545 Powder 5546 Harvest 5547 Sky 5548 Kiwi

#### **Price Group 1**

#### Abacus A

P122 Entasis P123 Portico P124 Opus P125 Cusp P126 Artifact P129 Atlas

#### Allov

P525 Polar P526 Skim P527 Bubbly P528 Tern P529 Shore P530 Asti P531 Silver P532 Oxide P533 Flement P534 Construct

P535 Currency P536 Iron

#### **Boccie**

P200 New Rice P201 New Almond P202 New Nutmeg P203 New Camel P204 New Opal P205 New Mist P206 New Plum P207 New Lichen P208 **New Spearmint** P209 New Sky

#### Buzz2

5F03 Tomato 5F04 Red **G** 5F05 Burgundy Sky 😉 5F06 5F07 Blue 5F08 Navv Grape **G** 5F10 Eggplant 6 5F11 5F15 Stone 5F16 Grev 5F17 Black Dunegrass 5G50 5G51 Sable Barley 5G52 5G53 Sunrise 5G54 Carrot 5G55 Pumpkin 5G56 Timber 5G57 Rouge 5G58 Chocolate

Meadow

lvv

Cyan

Atlantic

Crocus

Alpine

5G65 Tornado Charm P504 Tint P505 Shell P506 Mimosa P507 Birch P508 Sparkle P509 Ginkao P510 Debut P511 Clover

Twilight

### P513 Lapel

5G59

5G60

5G61

5G62

5G63

5G64

P409 Cement Pebble P410 P411 Beech P412 Dune P413 Grain P414 Sprout P415 Misty Blue P416 Maple P417 Slate

#### **Optic**

P540 Hazel P541 Twinkle P542 Orion P543 Seaglass P544 Shine P545 Halo P546 Whiskey P547 Bath P548 Whisper P549 Breezv P550 Wry P551 Glimmer

#### Pianista

P420 Sand P421 Mist P422 Rain P423 Natural P424 Café P425 Denim P426 Carbon P427 Stone P428 Flax P429 Oat P430 Wheat P431 Maize

Rhythm P555 Allegro P556 Tempo P557 Refrain P558 Pitch P559 Harmony P560 Melody P561 Stanza P562 Opus

**Tinsel** P515 Sugar P516 Lit P517 Ego P518 Fizz P519 Muse P520 Depth P521 Bliss P522 Grow P523 Dolce P524 Boost

#### Price Group 2

#### **Bariolage**

G200 New Etude G201 New Andante G202 New Cantata G203 New Adagio G205 New Ballata G206 New Sonata

#### Bouquet ()

P165 Hosta P166 Dundee P169 Argenta P170 Hoya P173 Camomile

#### Code

5FA1 Fossil 5FA2 Gabbro 5FA3 Reed 5FA4 Bluff 5FA5 Sea Salt 5FA6 Cannon 5FA7 Tussah 5FA8 Mica

Ecru

Bamboo

#### Flip: Orbit

5FA9

5FB1

5F85 Mud Pie 5F86 Hummus 5F87 Petoskev 5F88 Pluto 5F89 Papyrus 5F91 Blizzard 5F92 Briquette

#### Flip: TexHex

5F75 Mud Pie 5F76 Hummus 5F77 Petoskey 5F78 Pluto 5F79 Papyrus 5F97 Blizzard 5F98 Briquette

#### Fresco

G001 Sandrift G002 Mistiblu G003 Faon G006 Chamoline G007 Grapenut G017 Flint

#### Latch

P600 Seashell P601 Clam P602 Eggshell P603 Zen P604 Cool Grav P605 Armor Sentinel P606 P607 Rye P608 Billow P609 Nimbus

#### Milano ()

N002 Delft N003 Woodland N004 Sunshadow N005 Olivine N012 Teakwood

Established

#### **Price Group 3**

#### **Billiard Multi-Use**

by Designtex 5H10 Bone Poppy 5H11 5H12 Tangelo 5H13 Citron 5H14 Avocado 5H15 Hunter 5H16 Indigo 5H17 Mallard 5H18 Teak 5H19 Cumulus 5H20 Pewter 5H21 Gunmetal

5H22 Ink Applies to:

· Universal screens

#### **Price Group 1**

Abacus **G** Buzz2

#### **Price Group 2**

Code Cogent: Connect Designtex: Gamut Latch

Tip: Designtex: Gamut and Designtex: Crossweave are part of the Graded-In program.

See Surface Materials Reference Manual for more information on the Graded-In

#### **Price Group 3**

Billiard Multi-Use by Designtex

#### **Select Surfaces**

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surfacematerials under the Select Surfaces section

Applies to:

Sarto screens

#### **Price Group A**

Sprite

#### **Price Group 1**

Abacus **3** Alloy Boccie Buzz2 Charm Era Lapel Link Optic Pianista Playground 6 Rhythm Tinsel

#### **Price Group 2**

Bariolage Bouquet **3** Cogent: Connect Flip: Orbit Flip: TexHex Fresco Latch Milano G

Applies to:

Universal screens

· Sarto screens

#### **Custom Surfaces**

#### **Price Group COM** (Customer's Own Material)

#### Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual vardage requirements:

· Visit www.steelcase.com

#### For additional information regarding Customer's Own Material, call

1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

► See Surface Materials Reference Manual for a listing of available seating upholstery colors.

# Seating Upholstery

See Surface Materials Reference Manual for a listing of available fabrics for Divisio side screen.

Applies to:

- Mobile pedestal cushion top
- Basic cushions

#### **Steelcase Surfaces**

#### **Price Group 1**

Buzz2 Era Jacks 3 Link New Black

Playground **3** Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

#### **Price Group 2**

Chainmail Cogent: Connect Cogent: Trails New Black Nitelights Seating Vinyl 6\* Spyder **G** Stand In<sup>3</sup>

Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

#### **Price Group 3**

Billiard Multi-Use by Designtex Gaja - Cradle to Cradle Certified<sup>™</sup> Silver Imperma Redeem Retrieve

#### **Price Group 5**

Bo Peep

#### **Price Group 6**

#### **Price Group 7**

Steelcut Trio

#### Leather

Steelcase Leather\*

#### **Elmosoft Leather**

Elmosoft Leather'

\* Not available on basic cushions.

#### **Select Surfaces**

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/ surface-materials under the Select Surfaces section


#### **Custom Surfaces Price Group COM** (Customer's Own Material)

#### **Fabric Approval and Yardage**


To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

# **Specification Guidelines for Directional Fabrics**



The standard application direction of fabric on hutch kit tackboard is warp horizontal. Standard Steelcase fabrics were designed for this application direction.



**The optional application direction** of fabrics on hutch kit tackboard is warp vertical. This is most commonly used on COMs designed for warp vertical application.

For more information about the warp direction of fabrics, see the *Surface Materials Reference Manual*.

# **Paint Color Availability Matrix**

	Paint Price Group 1 (smooth)	<b>4242</b> Milk	Paint Price Group 1 (textured)	<b>7207</b> Black	<b>7225</b> Sand	7236 Fog <b>@</b>	7237 Slate (B	7238 Fieldstone	7239 Midnight	7241 Arctic White	7243 Seagull	7250 Sterling Dark Solid	7278 Dark Bronze	<b>7360</b> Merle	Paint Price Group 2 (metallic)	4728 Nickel Metallic	4743 Mineral Metallic	4744 Pearl Metallic	4750 Champagne Metallic	4752 Steel Metallic (	4788 Gold Dust Metallic (	4798 Sterling Metallic	4799 Platinum Metallic	4803 Near Black Metallic	7245 Carbon Metallic	7246 Midnight Metallic
Storage																										
Universal storage																										
Universal overhead bins and shelves, upmount bin brackets, and hutch kits		•		•		•			•												•		-			
Worksurfaces, Desks, and Tables																										
Cantilevers, center support panels, and end panels		•		•		•	-	-		-				-				-			П		•		П	П
Answer Freestanding Desk supports and modesty panels		•		•	-	•	-	-	•		•	-	-	-							•		•	•	-	
Universal legs, double post C-legs, and columns				•										•												
Cabby legs																										
Adjustable-height legs																										
Elliptical legs		•				•	•	•		•	•			•		•		•		•	•				•	•
Universal table bases		•				•	•	•		•	•			•		•	•	•		•	•				•	•
FrameOne legs and supports		•			•	•	•	•	•	•	•	٠	•	•		•	•	•	•	•	•	•		•	•	•
Service module package																										
Shelf side support bracket																										
Worksurface Screens																										
Universal privacy/modesty screen brackets		•		•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•
Universal privacy screen screen brackets		•		•	•	•	•	•	•		•	•	•			•	•	•	•	•	•	•		•	•	•
Sarto privacy/modesty screen brackets		•		•	٠	•	•	•	•	•	•	•	٠			•	•	•	•	•	•	•	•	•	•	•
Sarto privacy screen brackets		•		٠	•	•	•	•	•	•	•	٠	•			٠	•	•	•	•	•	•	•	•	•	•
Lighting																										
Shelf lights		•															•	•						•	•	

#### Legend

- = Not available
- = Available
  □ = Available with exceptions
   = Established

# **Recommended Worksurface Edge Finishes**

#### Recommended Edge Colors—High-Pressure Laminate

#### Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

	color is specified separately.				
Lami	Laminate Color		mmended or 1 mm Color		mmended je Color
Fiber	Laminate				
2850	Vanadium Fiber	6654	Sand	6697	Fog
2851	Rhyme Fiber <b>(3</b>	6631	Cream	6654	Sand
2852	Tungsten Fiber	6636	Mist	6654	Sand
2854	Vellum Fiber	6655	Warm White	6697	Fog
2859	Novell Fiber	6001	Coffee	6697	Fog
2860	Granite Fiber	6000	Black	6000	Black
2861	Coconut Fiber	6654	Sand	6654	Sand
2862	Stucco Fiber	6053	Seagull	6053	Seagull
Micro	Laminate				
2920	Marl Micro	6053	Seagull	6053	Seagull
2921	Gypsum Micro	6654	Sand	6654	Sand
2922	Clay Micro	6654	Sand	6654	Sand
2923	Shadow Micro	6249	Platinum Solid	6249	Platinum Solid
Patin	a Laminate				
2870	Blonde Bronze Patina	6654	Sand	6654	Sand
2871	Blackened Bronze Patina	6615	Grey V5	6000	Black
2873	Instant Iron Patina	6615	Grey V5	6000	Black
Solid	Laminate				
2722	Cream <b>G</b>	6631	Cream	6654	Sand
2730	Arctic White	6009	Arctic White	6009	Arctic White
2746	Black	6000	Black	6000	Black
2759	Warm White	6655	Warm White	6654	Sand
2811	Mist <b>(3</b>	6636	Mist	6697	Fog
2883	Seagull	6053	Seagull	6053	Seagull
2884	Milk	6052	Milk	6052	Milk
2885	Dune	6654	Sand	6654	Sand
2HMG	Merle	6527	Merle	6527	Merle
•	kle Laminate				
	Coffee Speckle	6631	Cream	6654	Sand
	Woodrose Speckle 6	6635	Dawn <b>G</b>	6000	Black
2823		6631	Cream	6000	Black
2824	Smoke Speckle	6636	Mist	6654	Sand
2825	Vanadium Speckle	6619	Ice <b>3</b>	6697	Fog
	ured Woodgrain Laminate-		t Surfaces		
	Fawn Cypress	6T02	Fawn Cypress	6654	Sand
2TH3	Weathered Char	6T03	Weathered Char	6615	Grey V5
2TH4	Saddle Oak	6T04	Saddle Oak	_	-
	Veranda Teak	6T05	Veranda Teak	6612	Grey V2 <b>G</b>
	Persian Cherry	6T06	Persian Cherry	_	-
2TH7	Walnut Heights	6T07	Walnut Heights	_	_

#### ▶ Recommended Worksurface Edge Finishes, continued on next page

**G** = Established

#### ▶ Recommended Worksurface Edge Finishes, continued from previous page

#### Recommended Edge Colors—High-Pressure Laminate, continued

#### **E**dges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.


Laminate Color		3 mm	mmended n or 1 mm Color		mmended ge Color
Wood	dgrain Laminate				
2406	Clear Cherry	6234	Clear Cherry	6000	Black
2409	Clear Maple	6237	Clear Maple	6654	Sand
2410	Graphite Walnut	6231	Graphite Walnut	6000	Black
2412	Natural Cherry	6034	Natural Cherry	6000	Black
2422	Medium Cherry	6036	Medium Cherry	6000	Black
2511	Winter on Maple	6037	Winter on Maple	6654	Sand
2538	Clear Walnut	6245	Clear Walnut	6000	Black
2539	Warm Oak <b>G</b>	6246	Warm Oak <b>3</b>	6246	Warm Oak <b>6</b>
2592	Blonde on Maple	6038	Blonde on Maple	6654	Sand
2714	Natural Walnut	6041	Natural Walnut	6000	Black
2772	Medium Mahogany on Walnut	6045	Medium Mahogany on Walnut	6000	Black
2HAK	Clear Oak	6219	Clear Oak	6654	Sand
2HAN	Ash Noce	6707	Ash Noce	6654	Sand
2HAT	Acacia	6213	Acacia	6655	Warm White Solid
2HAW	Ash Wenge	6703	Ash Wenge	6654	Sand
2HBN	Bisque Noce	6708	Bisque Noce	6631	Cream
2HBW	Bisque Wenge	6705	Bisque Wenge	6631	Cream
2HCN	Clay Noce	6709	Clay Noce	6612	Grey V2 6
2HCW	Clay Wenge	6706	Clay Wenge	6612	Grey V2 6
2HSN	Storm Noce	6710	Storm Noce	6615	Grey V5
2HSW	Storm Wenge	6704	Storm Wenge	6615	Grey V5
turns	tone Laminate Collection	1*			
2535	Virginia Walnut	6242	Virginia Walnut	6000	Black
2536	Blackwood	6243	Blackwood	6000	Black
2612	Marbled Maple	6676	Marbled Maple	6000	Black
2614	Chocolate Walnut	6677	Chocolate Walnut	6000	Black
2615	Marbled Cherry	6678	Marbled Cherry	6000	Black


<sup>\*</sup>A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy.

# **Directional Laminate Grain Directions**

#### **Directional laminates**

are standard with the grain directions shown.





# **Wood Veneer Grain Directions**

#### The appearance of

wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.

#### Universal Systems Worksurfaces—Wood Veneer











Straight Straight, 120°

Transition Worksurface

Corner, Curved-Front Worksurface

Extended Corner, Curved-Front Worksurface









Corner, 120° Worksurface

Spanner Worksurface

Bullet Peninsula Worksurface

Jetty Worksurface



Bubble Jetty Worksurface



Visitor Worksurface

#### Universal Tables—Wood Veneer



Straight Table



Transition Table



Corner, 120° Table



Capsule Table



Spanner Table



Peninsula Table



Tapered Peninsula Table



Bubble Jetty Table



Round Table



Square Table



Rectangle Table



Oval Table



Hex Conference Table


# **Resources**

Lock and Keying for Universal Steel Storage Products	428
Style Number Index	430

# **Lock and Keying for Universal Steel Storage Products**

#### **All locking products**

are standard with factoryinstalled, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options. Exception: Individual locking drawers are only available with field-installed locks.



**Locks** consist of a factoryor field-installed lock cylinder and a factory-installed lock face ring. Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

#### **Factory-Installed Keying**

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

See below.

#### **Key Random**

FR305
FR421
FR305

XF1042 - Master Key

#### **Required to Specify**

Master key random +\$27

Specify with master key random.

#### **Field-Installed Keying**

**Field-installed locks** are only available on products that include factory-installed lock mechanisms.

**Specify "plug"** when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order. **Lock cylinders** will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

**Key random** means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

#### Key Specific

FR305
FR421
FR305
or
XF1011
XF
Master
Key

Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.


►See example at right.

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).


**Example** of a typical lock cylinder specification is shown below:

- 10 LOCK9201FR FR320 5 LOCK9201FR FR350
- 15 LOCK9201XF XF1100
- 30 Total
- 1 877102003SR standard lock tool
- 1 877102002SR master lock tool

#### **Key Random**



#### **Key Consecutive**



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

428

#### **Field-Installed Lock Cylinders**



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

#### Standard Includes

#### **Required to Specify**

- Lock cylinder: 9201 Polished Chrome or 9250 Ember Chrome
- · Two keys

1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.
Master key random	+\$27 each	Specify master key random.
Master key specific	+\$27 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$27 each	Specify <i>master key consecutive</i> and select beginning key number from XF1001–XF1150.

Specifica	tion Informatio	n
Color	· Style	·U.S.
•	Number	Base
		Price
•	•	

### FR Series (Standard Keying System) - Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost
		:
		•

# Tip: You can change lock cylinders in the field by using the appropriate lock tool.

#### **Standard Lock Tool**

877102003SR	\$2

#### XF Series (Master Keying System) - Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.
:	:	

#### **Master Lock Tool**

87710	)2002SR \$27



# **Style Number Index**

Style Number	Page	Description	Style Number	Page	Description	:
32WCP	395	Wire Guide Clip	BFP2736	289	U Tbl Pnsl	
800DV12	379	Dividers	BFR30	292	U Tbl Round	:
: 800DV6	379	Dividers	; BFR36	292	U Tbl Round	:
: 800RW	379	Rail	BFR42	292	U Tbl Round	:
877102002SR	429	Master Lock Tool	BFR48	292	U Tbl Round	:
877102003SR	429	Standard Lock Tool	BFR54	292	U Tbl Round	:
98765	394	Termination Plate	BFRQ24	293	U Tbl Square	
98766	394	Cable/Fiber Reel	BFRQ30	293	Univ Tbl Square	:
98767	394	Cord Reels	BFRQ36	293	U Tbl Square	
98768	395	Cable Storage Tray	BFRQ42	293	U Tbl Square	:
999CHT	395	Wire Clips	BFRQ48	293	U Tbl Square	
ASHC1921X1	279	Plastic Drawer	BFRQ54	293	U Tbl Square	:
AWAG2 AWVBC	391 391	Round Grommet Power/Data Box	BFRR3660 BFRR3666	294 294	U Tbl Rectangle U Tbl Rectangle	:
AWVBD	391	Power/Power Box	BFRR3672	294	U Tbl Rectangle	
AWVBP	391	Data/Data Box	BFRR4284	294	U Tbl Rectangle	:
AWVW	396	Wire Mgr.	BFRR4896	294	U Tbl Rectangle	
BADJ	299	U Tbl Adj-Hgt Leg	BFS2430	283	U Tbl Str	:
BADJ4	299	U Tbl Adj-Hgt Leg	BFS2436	283	U Tbl Str	:
BADJ4C	299	U Tbl Adj-Hgt Leg	BFS2442	283	Univ Tbl Str	
BADJ4M	299	U Tbl Adj-Hgt Leg	BF\$2448	283	U Tbl Str	:
BADJC	299	U Tbl Adj-Hgt Leg	BFS2454	283	U Tbl Str	:
BCAB	298	U Tbl Cabby Leg	BFS2460	283	U Tbl Str	:
BCAB4	298	U Tbl Cabby Leg	BFS2466	283	U Tbl Str	
BCAB4C	298	U Tbl Cabby Leg	BFS2472	283	U Tbl Str	
BCAB4M	298	U Tbl Cabby Leg	BFS2478	283	U Tbl Str	:
BCABC	298	U Tbl Cabby Leg	BFS3036	283	U Tbl Str	:
BCL	301	U Tbl Dbl Post C-Leg	BFS3042	283	U Tbl Str	:
BEL2142	295	U Tbl Oval	BF\$3048	283	U Tbl Str	:
BEL25	300	U Tbl Elliptical Leg	BF\$3054	283	U Tbl Str	:
BEL27	300	U Tbl Elliptical Leg	BFS3060	283	U Tbl Str	
BEL3042	295	U Tbl Oval	BFS3066	283	U Tbl Str	
BEL3060	295	Univ Tbl Oval	BF\$3072	283	U Tbl Str	:
BEL3648	295	U Tbl Oval	BFS3078	283	U Tbl Str	
BEL3672	295	U Tbl Oval	: BFSP48	288	U Tbl Spnr	:
BEL4278	295	U Tbl Oval	BFSP52	288	U Tbl Spnr	
BEL4896	295	U Tbl Oval	: BFSP60	288	U Tbl Spnr	:
BFB223636	286	U Tbl Cnr, 120°	BFSP64	288	U Tbl Spnr	
BFB224242	286	U Tbl Cnr, 120°	BFTP48	290	U Tbl Taprd Pnsl	
BFB224848	286	U Tbl Cnr, 120°	BFTP60	290	U Tbl Taprd Pnsl	:
BFB334242	286	U Tbl Cnr, 120°	: BHEX3660	296	Univ Tbl Hex Conf	:
BFB334848	286	U Tbl Cnr, 120°	BHEX3666	296	U Tbl Hex Conf	:
BFJ2472L	291	U Tbl Bubl Jetty	BHEX3672	296	U Tbl Hex Conf	:
BFJ2472R	291	U Tbl Bubl Jetty	BHEX4296	296	U Tbl Hex Conf	:
BFJ2478L	291	Univ Tbl Bubl Jetty	BHEX48120	296	U Tbl Hex Conf	:
BFJ2478R	291	U Tbl Bubl Jetty	BHEX48150	296	U Tbl Hex Conf	
BFJ3072L BFJ3072R	291 291	U Tbl Bubl Jetty U Tbl Bubl Jetty	BHEX48180 BHHCX	296 246	U Tbl Hex Conf Connector	•
BFJ3072R		Univ Tbl Bubl Jetty	BHHCY	246	Connector	:
BFJ3078E	291 291	U Tbl Bubl Jetty	BHHCZ	246	Connector	:
BFK2448	287	U Tbl Capsule	BNCAB	246	U Tbl Cabby Leg	
BFK3060	287	U Tbl Capsule	BNCAB	298	U Tbl Cabby Leg	:
BFK3672	287	U Tbl Capsule	BNCAB4C	298	U Tbl Cabby Leg	•
BFK4284	287	U Tbl Capsule	BNCAB4M	298	U Tbl Cabby Leg	
BFK4896	287	U Tbl Capsule	BNCABC	298	U Tbl Cabby Leg	:
	201	o ibi oapoulo	·	230	S 15. Gabby Log	:

:	Style Number	Page	Description	∵ Style ∴ Number	Page	Description	
:	BNPL	301	U Tbl Post Leg	GSGUH	2 <b>2X</b> 387	Internode Harness	
:	BNPL4	301	U Tbl Post Leg	GSGUH2	<b>22XN</b> 387	Modular Harness	
:	BNPL4C	301	U Tbl Post Leg	GSGUH2	<b>28X</b> 387	Internode Harness	
:	BNPL4M	301	U Tbl Pkg Four	GSGUH2	<b>28XN</b> 387	Modular Harness	
:	BNPLC	301	U Tbl Post Leg	GSGUH	387	Internode Harness	
:	BPDSWB	388	WS Attachment Brkt	GSGUH		Modular Harness	:
:	BPDSWSPL	388	Power and Data Strip	GSGUH		Internode Harness	
:	BPL	301	U Tbl Post Leg	GSGUH		Modular Harness	:
:	BPL4	301	U Tbl Post Leg	: GSGUH4		Internode Harness	
:	BPL4C	301	U Tbl Post Leg	GSGUH4		Modular Harness	
:	BPL4M	301	U Tbl Pkg Four	GSGUH		Internode Harness	:
:	BPLC	301	U Tbl Post Leg	GSGUH		Modular Harness	
:	BT26	297	Univ Tbl Base	GSGUH		Internode Harness	:
:	BT36	297	Univ Tbl Base	GSGUH		Modular Harness	
:	BX26	297	U Tbl Base	GSGUH		Internode Harness	
:	BX36	297	U Tbl Base	GSGUH		Modular Harness	:
:	BZC243060	285	U Tbl Trans	GSGUH		Internode Harness	
:	BZC243066	285	U Tbl Trans U Tbl Trans	GSGUH		Modular Harness Internode Harness	:
:	BZC243072	285		. GSGUH8 . GSGUH8		Modular Harness	
:	BZC243078 BZC302460	285	U Tbl Trans				
:	BZC302466	285 285	U Tbl Trans U Tbl Trans	KDIV02	380 380	Bookends Bookends	:
:	BZC302466	285	U Tbl Trans	L52FT	403	Bottomline	
:	BZC302472	285	U Tbl Trans	L52FTCI		Bottomline	:
:	BZC303660	285	U Tbl Trans	L52FTS	403	Bottomline	
:	BZC303666	285	U Tbl Trans	L52FTY	403	Bottomline	
:	BZC303672	285	U Tbl Trans	. L53FT	403	Bottomline	:
:	BZC303672	285	U Tbl Trans	L53FTCI		Bottomline	
:	BZC363060	285	U Tbl Trans	L53FTS	403	Bottomline	
:	BZC363066	285	U Tbl Trans	L53FTY	403	Bottomline	:
:	BZC363072	285	U Tbl Trans	L54FT	403	Bottomline	
:	BZC363078	285	U Tbl Trans	L54FTCI		Bottomline	:
:	DALK24	312	Knit Screen	L54FTS	403	Bottomline	
:	DALK30	312	Knit Screen	L54FTY	403	Bottomline	:
:	DALK36	312	Knit Screen	LLL17	406	LED Linear Shelf Light	
:	DALK42	312	Knit Screen	: LLL17Y/	406	LED Linear Shelf Light	
:	DAVC	393	Cable Riser	: LLL17YI	3 406	LED Linear Shelf Light	:
:	DAVCE	393	Cable Riser Extn	LLL31	406	LED Linear Shelf Light	
:	DSCLAMP	312	Pair of Attchmt Clamp	: LLL31YI	406	LED Linear Shelf Light	:
:	DVSS2912	313	Divisio Side Screen	LLL44	407	LED Linear Shelf Light	
:	FMVF	247	Filler Pkg Pwr/Data	LLL44YI	<b>3</b> 407	LED Linear Shelf Light	
:	<b>GAP3HCX</b>	387	Mod Pwr Branch Connector	LLL58	407	LED Linear Shelf Light	:
:	GAPFCM90X	386	Modular Connector Faceplate	LLL58YI	<b>3</b> 407	LED Linear Shelf Light	
:	GAPFCMX	386	Mod Pwr Mod Conn Faceplate	: LOCK92	<b>01FR</b> 429	Lock Cylinder	:
:	GQTUHCX	246	Connector	LOCK92	<b>01XF</b> 429	Lock Cylinder	
:	GQTUHCY	246	Connector	LOCK92	<b>50FR</b> 429	Lock Cylinder	:
:	GQTUHCZ	246	Connector	: LOCK92	<b>50XF</b> 429	Lock Cylinder	:
:	GSGUH100X	387	Internode Harness	LPTL30	408	LED Personal Task Light	
:	GSGUH100XN	387	Modular Harness	: LPTL30	<b>NR</b> 408	LED Personal Task Light	:
:	GSGUH120X	387	Internode Harness	LS1FSC	399	Daisy Chain Cord	
:	GSGUH120XN	387	Modular Harness	LS6FSC	399	Daisy Chain Cord	
:	GSGUH12X	387	Internode Harness	LSB24K		Utility2 Shelf Light	:
:	GSGUH12XN	387	Modular Harness	LSB24K		Utility2 Shelf Light	
:	GSGUH144X	387	Internode Harness	: LSB24K		Utility2 Shelf Light	:
:	GSGUH144XN	387	Modular Harness	LSB24K	<b>\$2</b> 400	Utility2 Shelf Light	

:	Style Number	Page	Description	Style Number	Page	Description	:
:	LSB24M2	401	Utility2 Shelf Light	RAACW5	382	Counterweight Pkg	:
:	LSB24MC2	401	Utility2 Shelf Light	RAACW6	382	Counterweight Pkg	:
:	LSB24MD2	401	Utility2 Shelf Light	RAACW7	382	Counterweight Pkg	:
:	LSB24MS2	401	Utility2 Shelf Light	RAACW8	382	Counterweight Pkg	:
:	LSB36K2	400	Utility2 Shelf Light	RAACWA	381	Counterweight Pkg	:
:	LSB36KC2	400	Utility2 Shelf Light	RAACWB	381	Counterweight Pkg	:
:	LSB36KD2	400	Utility2 Shelf Light	RAACWC	381	Counterweight Pkg	:
:	LSB36KS2	400	Utility2 Shelf Light	RAACWD	381	Counterweight Pkg	:
:	LSB36M2	401	Utility2 Shelf Light	RAACWE	381	Counterweight Pkg	:
:	LSB36MC2	401	Utility2 Shelf Light	RAACWF	381	Counterweight Pkg	:
:	LSB36MD2	401	Utility2 Shelf Light	RAACWG	381	Counterweight Pkg	:
:	LSB36MS2	401	Utility2 Shelf Light	RAACWH	381	Counterweight Pkg	:
:	LSB48K2	400	Utility2 Shelf Light	RAACWJ	381	Counterweight Pkg	:
:	LSB48KC2	400	Utility2 Shelf Light	RAANBRK	382	Anchor Bracket Pkg	:
:	LSB48KD2	400	Utility2 Shelf Light	RAHF30	378	Hanging Folder Bars	:
:	LSB48KS2	400	Utility2 Shelf Light	RAHF36	378	Hanging Folder Bars	:
:	LSB48M2	401	Utility2 Shelf Light	RAHF42	378	Hanging Folder Bars	:
:	LSB48MC2	401	Utility2 Shelf Light	RASTDIV30	380	Shelf Div Assembly	:
:	LSB48MD2	401	Utility2 Shelf Light	RASTDIV36	380	Shelf Div Assembly	:
:	LSB48MS2	401	Utility2 Shelf Light	RASTDIV42	380	Shelf Div Assembly	:
:	LSL18	404	LED Light	RATCL18108_	374	Square Edge Top	:
:	LSL18YA	404	LED Light	RATCL1860_	374	Square Edge Top	:
:	LSL18YB	404	LED Light	RATCL1866_	374	Square Edge Top	:
:	LSM24K	398	Standard Light	RATCL1872	374	Square Edge Top	:
:	LSM24KC	398	Standard Light	RATCL1878_	374	Square Edge Top	:
:	LSM24KD	398	Standard Light	RATCL1884_	374	Square Edge Top	:
:	LSM36KC	398	Standard Light	RATCL1890_	374	Square Edge Top	:
:	LSM36KD	398	Standard Light	RATCL1896_ RATCL24108	374	Square Edge Top Square Edge Top	:
:	LSM48K	398 398	Standard Light Standard Light	RATCL24108_	375 375	Square Edge Top  Square Edge Top	:
:	LSM48KC	398	Standard Light	RATCL2466	375	Square Edge Top	:
:	LSM48KD	398	Standard Light	RATCL2400_	375	Square Edge Top	:
:	LT2	402	Underline Light	RATCL2490_	375	Square Edge Top	:
:	LT2CHI	402	Underline Light	RATCL2496_	375	Square Edge Top	
:	PAB12	383	Attachment Cable	RATCL3636_	375	Square Edge Top	:
:	PAB12M	383	Attachment Cable	RATCL3672_	375	Square Edge Top	:
:	PSPM	310	Sarto Privacy Screens	RATCL4836	375	Square Edge Top	:
:	PSPS	311	Sarto Privacy Screens	RATCL4872	375	Square Edge Top	:
:	PTDMGB1	389	Power Sphere	RATCW1860_	375	Square Edge Top	:
:	PTDMGB2	389	Power Sphere	RATCW1866_	375	Square Edge Top	:
:	PTDMGB3	389	Pwr Comm Sphere	RATCW1872_	375	Square Edge Top	:
:	PTDMGB4	389	Pwr Comm Sphere	RATCW1878_	375	Square Edge Top	:
:	PTDMGB5	390	Comm Sphere	RATCW1884_	375	Square Edge Top	:
:	PTRSGB1	390	Power Comm Port	RATCW1890_	375	Square Edge Top	:
:	R30MBB	336	Flexible Mb Surf	RATCW1896_	375	Square Edge Top	:
:	R36MBB	336	Flexible Mb Surf	RATCW2460_	375	Square Edge Top	:
:	R42MBB	336	Flexible Mb Surf	RATCW2466_	375	Square Edge Top	:
:	R48MBB	336	Flexible Mb Surf	RATCW2472_	375	Square Edge Top	:
:	RAACT1	382	Counterweight Pkg	: RATCW2490_	375	Square Edge Top	:
:	RAACT2	382	Counterweight Pkg	RATCW2496_	375	Square Edge Top	:
:	RAACT3	382	Counterweight Pkg	RATF1830F	373	Steel Security Top	:
:	RAACW1	382	Counterweight Pkg	RATF1830P	373	Steel Security Top	:
:	RAACW2	382	Counterweight Pkg	RATF1836F	373	Steel Security Top	:
:	RAACW3	382	Counterweight Pkg	RATF1836P	373	Steel Security Top	:
:	RAACW4	382	Counterweight Pkg	RATF1842F	373	Steel Security Top	:

Style Number	Page	Description	. Style ∴ Number	Page	Description	
RATF1842P	373	Steel Security Top	: RBKHWM24	332	Wall Bracket	
RATF2430F	373	Steel Security Top	: RBKHWM30	332	Wall Bracket	
RATF2430P	373	Steel Security Top	RBKHWM36	332	Wall Bracket	
RATF2436F	373	Steel Security Top	: RBKHWM42	332	Wall Bracket	
RATF2436P	373	Steel Security Top	RBKHWM48	332	Wall Bracket	
RATL1830_	374	Square Edge Top	: RBKHWM60	332	Wall Bracket	
RATL1836_	374	Square Edge Top	: RBKHWM70	332	Wall Bracket	
RATL1842_	374	Square Edge Top	RBKHWM72	332	Wall Bracket	
RATL2430_	374	Square Edge Top	RBKVOFM	333	Vert Off-Module Brkt	
RATL2436_	374	Square Edge Top	: RCH1715	323	Basic Cushion	
RATW1830_	375	Square Edge Top	: RCH1830	344	Basic Cushion	
RATW1836_	375	Square Edge Top	RCH1836	344	Basic Cushion	
RATW1842_	375	Square Edge Top	RCH1842	344	Basic Cushion	
RATW2430_	375	Square Edge Top	: RCH2315	323	Basic Cushion	
RATW2436_	375	Square Edge Top	: RCH2430	344	Basic Cushion	
RBB24LTAK	329	U In the Case Bin	RCH2436	344	Basic Cushion	
RBB24QCTAK	327	U Ovr the Case Bin	: RDD182448LA_	352	U Dual Door Tower	
RBB24QTAK	327	U Ovr the Case Bin	: RDD182448LB_	352	U Dual Door Tower	
RBB24TAK	329	U In the Case Bin	RDD182448RA_	354	U Dual Door Tower	
RBB24WTAK	330	U In the Case Bin	RDD182448RB_	354	U Dual Door Tower	
RBB30LTAK	329	U In the Case Bin	: RDD18244LA_	352	U Dual Door Tower	
RBB30QCTAK	327	U Ovr the Case Bin	RDD18244LB_	353	U Dual Door Tower	
RBB30QTAK	327	U Ovr the Case Bin	RDD18244RA_	354	U Dual Door Tower	
RBB30TAK	329	U In the Case Bin	: RDD18244RB_	355	U Dual Door Tower	
RBB30WTAK	330	U In the Case Bin	RDD18245LC_	353	U Dual Door Tower	
RBB36LTAK	329	U In the Case Bin	RDD18245LD_	353	U Dual Door Tower	
RBB36QCTAK	327	U Ovr the Case Bin	: RDD18245RC_	355	U Dual Door Tower	
RBB36QTAK	327	U Ovr the Case Bin	RDD18245RD_	355	U Dual Door Tower	
RBB36TAK RBB36WTAK	329 330	U In the Case Bin U In the Case Bin	: RDD242448LA_	352 352	U Dual Door Tower U Dual Door Tower	
RBB42LTAK	329	U In the Case Bin	: RDD242448LB_	354	U Dual Door Tower	
RBB42QCTAK	329	U Ovr the Case Bin	RDD242448RA_ RDD242448RB	354	U Dual Door Tower	
RBB42QTAK	327	U Ovr the Case Bin	: RDD24244LA	352	U Dual Door Tower	
RBB42TAK	329	U In the Case Bin	· RDD24244LB	353	U Dual Door Tower	
RBB42WTAK	330	U In the Case Bin	: RDD24244RA	354	U Dual Door Tower	
RBB48LTAK	329	U In the Case Bin	RDD24244RB	355	U Dual Door Tower	
RBB48QCTAK	327	U Ovr the Case Bin	RDD24245LC	353	U Dual Door Tower	
RBB48QTAK	327	U Ovr the Case Bin	: RDD24245LD	353	U Dual Door Tower	
RBB48TAK		U In the Case Bin	RDD24245RC		U Dual Door Tower	
RBB48WTAK	330	U Ovr the Case Bin	RDD24245RD_	355	U Dual Door Tower	
RBB60LTAK	329	U In the Case Bin	RDIV	332	Dividers	
RBB60QCTAK	327	U Ovr the Case Bin	RDS24TAK	331	U Personal Shelf	
RBB60QTAK	327	U Ovr the Case Bin	· RDS30TAK	331	U Personal Shelf	
RBB60TAK	329	U In the Case Bin	RDS36TAK	331	U Personal Shelf	
RBB60WTAK	330	U In the Case Bin	· RDS42TAK	331	U Personal Shelf	
RBB66LTAK	329	U In the Case Bin	RDS48TAK	331	U Personal Shelf	
RBB66QCTAK	327	U Ovr the Case Bin	. RDV1506	377	Dividers	
RBB66QTAK	327	U Ovr the Case Bin	RDV1512	377	Dividers	
RBB66TAK	329	U In the Case Bin	RDV151210	377	Dividers	
RBB66WTAK	330	U In the Case Bin	RFF24244LR_	357	U Full Front Tower	
RBB72LTAK	329	U In the Case Bin	RFF24244LS_	357	U Full Front Tower	
RBB72QCTAK	327	U Ovr the Case Bin	RFF24244LT_	357	U Full Front Tower	
RBB72QTAK	327	U Ovr the Case Bin	∴ RFF24244RR_	358	U Full Front Tower	
RBB72TAK	329	U In the Case Bin	RFF24244RS_	358	U Full Front Tower	
RBB72WTAK	330	U In the Case Bin	RFF24244RT_	358	U Full Front Tower	

Style Number	Page	Description	Style Number	Page	Description	: 
RFF24245LU_	358	U Full Front Tower	RLF24361B_	341	U 1.5-High Lat File	:
RFF24245LV_	358	U Full Front Tower	RLF24361C_	342	U 1.5-High Lat File	:
RFF24245LW_	359	U Full Front Tower	RLF24361D_	342	U 1.5-High Lat File	:
RFF24245RU_	359	U Full Front Tower	: RLF24362_	342	U Lat File	:
RFF24245RV_	359	U Full Front Tower	RLF24363_	370	Univ Lat File	:
RFF24245RW_	359	U Full Front Tower	RLF24364_	370	Univ Lat File	
RHK24	276	Hutch Kit	∴ RLF24365_	370	Univ Lat File	:
RHK30	276	Hutch Kit	RPCW	279, 318	U Ped Counterwght	:
RHK36	276	Hutch Kit	RPDC1830_	343	Cushion Top	
RHK42	276	Hutch Kit	: RPDC1836_	343	Cushion Top	:
RHK48	276	Hutch Kit	RPDC1842_	343	Cushion Top	:
RHK60	276	Hutch Kit	RPDC2430_	343	Cushion Top	:
RHK66	276	Hutch Kit	RPDC2436_	343	Cushion Top	:
RHK72	276	Hutch Kit	RPF1825A_	317	U Fixed Pedestal	
RHKCM	277	Hutch Kit Cable Manager	: RPF1825B_	317	U Fixed Pedestal	:
RHKESB	277	Hutch Connector Bracket	∵ RPF1827A_	317	U Fixed Pedestal	:
RHKRECPT	277	Hutch Kit Receptacle	RPF1827B_	317	U Fixed Pedestal	
RLF18301_	341	U One-High Lat File	: RPF2425A_	317	U Fixed Pedestal	:
RLF18301A_	341	U 1.5-High Lat File	RPF2425B_	317	U Fixed Pedestal	:
RLF18301B_	341	U 1.5-High Lat File	RPF2427A_	317	U Fixed Pedestal	
RLF18301C_	342	U 1.5-High Lat File	∴ RPF2427B_	317	U Fixed Pedestal	:
RLF18301D_	342	U 1.5-High Lat File	RPF3025A_	317	U Fixed Pedestal	:
RLF18302_	342	U Lat File	RPF3025B_	317	U Fixed Pedestal	:
RLF18303_	370	Univ Lat File	: RPF3027A_	317	U Fixed Pedestal	•
RLF18304_	370	Univ Lat File	RPF3027B_	317	U Fixed Pedestal	:
RLF18305_	370	Univ Lat File	RPM1821C_	322	U Mobile Pedestal	:
RLF18361_	341	U One-High Lat File	∴ RPM1827A_	322	U Mobile Pedestal	:
RLF18361A_	341	U 1.5-High Lat File	RPM1827B_	322	U Mobile Pedestal	:
RLF18361B_	341	U 1.5-High Lat File	: RPM2421C_	322	U Mobile Pedestal	:
RLF18361C_	342	U 1.5-High Lat File	<b>RPM2427A</b> _	322	U Mobile Pedestal	:
RLF18361D_	342	U 1.5-High Lat File	RPM2427B_	322	U Mobile Pedestal	:
RLF18362_	342	U Lat File	; RPULL15W	381	Wood Drawer Pull	•
RLF18363_	370	Univ Lat File	RPULL30W	381	Wood Drawer Pull	:
RLF18364_	370	Univ Lat File	: RPULL36W	381	Wood Drawer Pull	:
RLF18365_	370	Univ Lat File	: RPULL42W	381	Wood Drawer Pull	:
RLF18421_	341	U One-High Lat File	RPXCK2518F	319	U Conv Kit	:
RLF18421A_	341	U 1.5-High Lat File	RPXCK2518F	319	U Conv Kit	
RLF18421B_	341	U 1.5-High Lat File	RPXCK2524F	319	U Conv Kit	:
RLF18421C_	342	U 1.5-High Lat File	RPXCK2524F	319	U Conv Kit	:
RLF18421D_	342	U 1.5-High Lat File	RPXCK2530F	319	U Conv Kit	:
RLF18422_	342	U Lat File	RPXCK2530F		U Conv Kit	:
RLF18423_	370	Univ Lat File	RPXCK2718F		U Conv Kit	:
RLF18424_	370	Univ Lat File	RPXCK2718F		U Conv Kit	:
RLF18425_	370	Univ Lat File	RPXCK2724F		U Conv Kit	
RLF24301_	341	U One-High Lat File	RPXCK2724F		U Conv Kit	:
RLF24301A_	341	U 1.5-High Lat File	RPXCK2730F		U Conv Kit	:
RLF24301B_	341	U 1.5-High Lat File	RPXCK2730F		U Conv Kit	
RLF24301C_	342	U 1.5-High Lat File	RPXDPT	378	Pencil Tray	
RLF24301D_	342	U 1.5-High Lat File	RPXDRS	378	Reference Shelf	:
RLF24302_	342	U Lat File	RPXTC24F	322	U Ped Cushion Top	:
RLF24303_	370	Univ Lat File	RPXTC24P	322	U Ped Cushion Top	:
RLF24304_	370	Univ Lat File	RPXTCH24F	322	U Ped Cushion Top	:
RLF24305_	370	Univ Lat File	RPXTCH24P	322	U Ped Cushion Top	:
RLF24361_	341	U One-High Lat File	RQS182448L	_	U Open Side Tower	:
RLF24361A_	341	U 1.5-High Lat File	RQS182448R	<b>A</b> _ 349	U Open Side Tower	

RQS18244LA	Style Number	Page	Description	Style Number	Page	Description	
ROS1824SLC	RQS18244LA_	348	U Open Side Tower	RVD24244LB_	362	U Vrtl Dwr Tower	
R0S16245RC	RQS18244RA_	349	U Open Side Tower	RVD24244RA_	363	U Vrtl Dwr Tower	
R0S24244BLA	RQS18245LC_	348	U Open Side Tower	RVD24244RB_	363	U Vrtl Dwr Tower	
ROS24244RA	RQS18245RC_	349	U Open Side Tower	RVD24245LC_	362	U Vrtl Dwr Tower	
R0S24244LA	RQS242448LA_	348	U Open Side Tower	RVD24245LD_	362	U Vrtl Dwr Tower	
ROS24244RA	RQS242448RA_	349	U Open Side Tower	RVD24245RC_	363	U Vrtl Dwr Tower	
ROS24245LC	RQS24244LA_	348	U Open Side Tower	RVD24245RD_	363	U Vrtl Dwr Tower	
RQS24245RC	RQS24244RA_	349	U Open Side Tower	RVD30244LA_	362	U Vrtl Dwr Tower	
RQS302448LA	RQS24245LC_	348	U Open Side Tower	RVD30244LB_	362	U Vrtl Dwr Tower	
RQS302448RA         349         U Open Side Tower         RVD30245LC         362         U Vrtl Dwr Tower           RQS30244LA         348         U Open Side Tower         RVD30245LD         362         U Vrtl Dwr Tower           RQS30244RA         349         U Open Side Tower         RVD30245RD         363         U Vrtl Dwr Tower           RQS30245RC         349         U Open Side Tower         RWD30245RD         363         U Vrkstation Vrtl           RSB36LTAK         325         U Side Dr Bin Lam Frmt         RWV24154B         365         U Wrkstation Vrtl           RSB36TAK         325         U Side Dr Bin Wal Frmt         RWV24155D         366         U Wrkstation Vrtl           RSB42LTAK         325         U Side Dr Bin Wal Frmt         RWV30154B         365         U Wrkstation Vrtl           RSB42TAK         325         U Side Dr Bin Wal Frmt         RWV30155D         366         U Wrkstation Vrtl           RSB42TAK         325         U Side Dr Bin Wal Frmt         RWV30155C         366         U Wrkstation Vrtl           RSB43TAK         325         U Side Dr Bin Wal Frmt         RW30155D         366         U Wrkstation Vrtl           RSB48WTAK         325         U Side Dr Bin Wal Frmt         RXADRL15         377         Rails </th <th>RQS24245RC_</th> <th>349</th> <th>U Open Side Tower</th> <th>RVD30244RA_</th> <th>363</th> <th>U Vrtl Dwr Tower</th> <th></th>	RQS24245RC_	349	U Open Side Tower	RVD30244RA_	363	U Vrtl Dwr Tower	
RQS30244LA	RQS302448LA_	348	U Open Side Tower	: RVD30244RB_	363	U Vrtl Dwr Tower	
RQS30244RA_         349         U Open Side Tower         RVD30245RC_ RVD30245RD RVD30245RD_ RVD30246FRD_ RVD30245RD_ RVD30245RD_ RVD30245RD_ RVD30245RD_ RVD30245RD RVD30245RD_ RVD3024	_		•	· · · · · · · · · · · · · · · · · · ·			
RQS30245LC_ RQS30245RC_ SQS3024	_		•	·			
RQS30245RC_         349         U Open Side Tower         RWV24154A_         365         U Wrkstation Vrtl           RSB36LTAK         325         U Sidd Dr Bin Lam Frmt         RWV24154B_         365         U Wrkstation Vrtl           RSB36TAK         325         U Sidg Dr Bin Stl Frmt         RWV24155D_         366         U Wrkstation Vrtl           RSB4SWTAK         325         U Sidg Dr Bin Wd Frmt         RWV24155D_         366         U Wrkstation Vrtl           RSB42LTAK         325         U Sidg Dr Bin Stl Frmt         RWV30154A_         365         U Wrkstation Vrtl           RSB42LTAK         325         U Sidg Dr Bin Wd Frmt         RWV30155D_         366         U Wrkstation Vrtl           RSB42LTAK         325         U Sidg Dr Bin Wd Frmt         RWV30155D_         366         U Wrkstation Vrtl           RSB48LTAK         325         U Sidg Dr Bin Wd Frmt         RW30155D_         366         U Wrkstation Vrtl           RSB48BTAK         325         U Sidg Dr Bin Wd Frmt         RXADRL24         379         Rails           RSB48TAK         325         U Sidg Dr Bin Wd Frmt         RXADRL244         379         Rails           RSB48TAK         325         U Sidg Dr Bin Wd Frmt         RXADRL244         379         Rails <th>_</th> <th>349</th> <th>•</th> <th></th> <th></th> <th></th> <th></th>	_	349	•				
RSB36LTAK         325         U Slid Dr Bin Lam Frnt         RWV24154B_         365         U Wrkstation Vrll           RSB36TAK         325         U Slidg Dr Bin Stl Frnt         RWV24155C_         366         U Wrkstation Vrll           RSB36WTAK         325         U Slidg Dr Bin Wd Frnt         RWV24155D_         366         U Wrkstation Vrll           RSB42LTAK         325         U Slidg Dr Bin Stl Frnt         RWV30154B_         365         U Wrkstation Vrll           RSB42TAK         325         U Slidg Dr Bin Wd Frnt         RWV30155C_         366         U Wrkstation Vrll           RSB48LTAK         325         U Slidg Dr Bin Wd Frnt         RWV30155D_         366         U Wrkstation Vrll           RSB48TAK         325         U Slidg Dr Bin Stl Frnt         RWADRL15         377         Rails           RSB48WTAK         325         U Slidg Dr Bin Wd Frnt         RXADRL24         379         Rails           RSB60TAK         325         U Slidg Dr Bin Wd Frnt         RXADRL2442         379         Rails           RSB60TAK         325         U Slidg Dr Bin Wd Frnt         RXADRL2442         379         Rails           RSB6GTAK         325         U Slidg Dr Bin Wd Frnt         RXSA2415         376         Adj Steel Std Shelf <th>_</th> <th></th> <th>•</th> <th></th> <th></th> <th></th> <th></th>	_		•				
RSB36TAK         325         U Sidg Dr Bin Stl Fmt         RWV24155C_         366         U Wrkstation Vrtl           RSB36WTAK         325         U Sidg Dr Bin Wd Fmt         RWV24155D_         366         U Wrkstation Vrtl           RSB42LTAK         325         U Sidg Dr Bin Lam Fmt         RWV30154B_         365         U Wrkstation Vrtl           RSB42WTAK         325         U Sidg Dr Bin Stl Fmt         RWV30154B_         365         U Wrkstation Vrtl           RSB43WTAK         325         U Sidg Dr Bin Wd Fmt         RWV30155C_         366         U Wrkstation Vrtl           RSB48WTAK         325         U Sidg Dr Bin Stl Fmt         RWV30155D_         366         U Wrkstation Vrtl           RSB48WTAK         325         U Sidg Dr Bin Stl Fmt         RWADRL15         377         Rails           RSB48WTAK         325         U Sidg Dr Bin Wd Fmt         RXADRL24         379         Rails           RSB60TAK         325         U Sidg Dr Bin Stl Fmt         RXSA2415         376         Adj Steel Std Shelf           RSB60TAK         325         U Sidg Dr Bin Wd Fmt         RXSA2415         376         Adj Steel Std Shelf           RSB66TAK         325         U Sidg Dr Bin Wd Fmt         RXSA2415         376         Adj Steel Std Shelf	_		•	. –			
RSB36WTAK         325         U Sldg Dr Bin Wd Frnt         RWV24155D_         366         U Wrkstation Vrtl           RSB42LTAK         325         U Sldg Dr Bin Stl Frnt         RWV30154B_         365         U Wrkstation Vrtl           RSB42WTAK         325         U Sldg Dr Bin Stl Frnt         RWV30155C_         366         U Wrkstation Vrtl           RSB48LTAK         325         U Sldg Dr Bin Val Frnt         RWV30155D_         366         U Wrkstation Vrtl           RSB48TAK         325         U Sldg Dr Bin Stl Frnt         RWX30155D_         366         U Wrkstation Vrtl           RSB48WTAK         325         U Sldg Dr Bin Stl Frnt         RXADRL15         377         Rails           RSB60TAK         325         U Sldg Dr Bin Wd Frnt         RXADRL24         379         Rails           RSB60TAK         325         U Sldg Dr Bin Stl Frnt         RXSA2415         376         Adj Steel Std Shelf           RSB60TAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB60TAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB60TAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std She				• –			
RSB42LTAK         325         U Sid Dr Bin Lam Frmt         RWV30154A_         365         U Wrkstation Vrtl           RSB42TAK         325         U Sidg Dr Bin Stl Frmt         RWV30155C_         366         U Wrkstation Vrtl           RSB43LTAK         325         U Sidg Dr Bin Wd Frmt         RWV30155C_         366         U Wrkstation Vrtl           RSB48LTAK         325         U Sidg Dr Bin Wd Frmt         RWV30155D_         366         U Wrkstation Vrtl           RSB48TAK         325         U Sidg Dr Bin Wd Frmt         RXADRL15         377         Rails           RSB48WTAK         325         U Sidg Dr Bin Wd Frmt         RXADRL244         379         Rails           RSB60LTAK         325         U Sidg Dr Bin Wd Frmt         RXADRL2442         379         Rails           RSB60TAK         325         U Sidg Dr Bin Vd Frmt         RXSA2415         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sidg Dr Bin Vd Frmt         RXSA5415         376         Adj Steel Std Shelf           RSB66TAK         325         U Sidg Dr Bin Vd Frmt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sidg Dr Bin Vd Frmt         RXSG3015         376         Adjustable Glass Shelf			•	:			
RSB42TAK         325         U Sldg Dr Bin Stl Frnt         RWV30154B_         365         U Wrkstation Vrtl           RSB42WTAK         325         U Sldg Dr Bin Wd Frnt         RWV30155C_         366         U Wrkstation Vrtl           RSB481TAK         325         U Sldg Dr Bin Stl Frnt         RWV30155D_         366         U Wrkstation Vrtl           RSB484TAK         325         U Sldg Dr Bin Stl Frnt         RXADRL15         377         Rails           RSB48WTAK         325         U Sldg Dr Bin Stl Frnt         RXADRL24         379         Rails           RSB60LTAK         325         U Sldg Dr Bin Stl Frnt         RXADRL2442         379         Rails           RSB60TAK         325         U Sldg Dr Bin Stl Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         376         Adjustable Glass Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Stl Frnt         RXSG3015         376         Adjustable Glass S			9	•			
RSB42WTAK         325         U Sldg Dr Bin Wd Frnt         RWV30155C_         366         U Wrkstation Vrtl           RSB48TAK         325         U Sldg Dr Bin Stl Frnt         RWV30155D_         366         U Wrkstation Vrtl           RSB48TAK         325         U Sldg Dr Bin Stl Frnt         RXADRL15         377         Rails           RSB48WTAK         325         U Sldg Dr Bin Wd Frnt         RXADRL244         379         Rails           RSB60LTAK         325         U Sldg Dr Bin Stl Frnt         RXADRL2442         379         Rails           RSB60TAK         325         U Sldg Dr Bin Stl Frnt         RXSA2415         376         Adj Steel Std Shelf           RSB60TAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         376         Adjustable Glass Shelf           RSB6GTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB6GTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         396         Und WS Wire Clips <th></th> <th></th> <th></th> <th>• –</th> <th></th> <th></th> <th></th>				• –			
RSB48LTAK         325         U Sid Dr Bin Lam Frnt         RWV30155D_         366         U Wrkstation Vrtl           RSB48TAK         325         U Sidg Dr Bin Stl Fmt         RXADRL15         377         Rails           RSB48WTAK         325         U Sidg Dr Bin Wd Frnt         RXADRL24         379         Rails           RSB60LTAK         325         U Sidg Dr Bin Stl Fmt         RXADRL2442         379         Rails           RSB60TAK         325         U Sidg Dr Bin Stl Fmt         RXSA2415         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sidg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66TAK         325         U Sidg Dr Bin Stl Fmt         RXSG2415         376         Adj Isteel Std Shelf           RSB66WTAK         325         U Sidg Dr Bin Wd Frnt         RXSG2415         376         Adj Isteel Std Shelf           RSB72LTAK         325         U Sidg Dr Bin Wd Frnt         RXSG2415         376         Adj Isteel Std Shelf           RSB72TAK         325         U Sidg Dr Bin Stl Fmt         TXSSLEGCLP         396         Und WS Skel Wr Mgr           RSB72TAK         325         U Sidg Dr Bin Stl Fmt         TXSSKEXT         393         Und WS Skel Wr Mgr </th <th></th> <th></th> <th>9</th> <th>:</th> <th></th> <th></th> <th></th>			9	:			
RSB48TAK         325         U Sldg Dr Bin Stl Fmt         RXADRL15         377         Rails           RSB48WTAK         325         U Sldg Dr Bin Wd Fmt         RXADRL24         379         Rails           RSB60LTAK         325         U Sldg Dr Bin Lam Fmt         RXADRL2442         379         Rails           RSB60TAK         325         U Sldg Dr Bin Stl Fmt         RXSA3015         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sldg Dr Bin Wd Fmt         RXSA3015         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Lam Fmt         RXSA3015         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Fmt         RXSG3015         376         Adj Steel Std Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Fmt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Stl Fmt         TXSLEGCLP         396         Und WS Skel Wr Mgr           RSB72TAK         325         U Sldg Dr Bin Wd Fmt         TXSSKEXT         393         Und WS Skel Wr Mgr           RSC18301A         341         U One-High Lat File         TXS112UPMX         386         Mul. Pwr Infeed      <			•				
RSB48WTAK         325         U Sldg Dr Bin Wd Frnt         RXADRL24         379         Rails           RSB60LTAK         325         U Sld Dr Bin Lam Frnt         RXADRL2442         379         Rails           RSB60TAK         325         U Sldg Dr Bin Stl Frnt         RXSA2415         376         Adj Steel Std Shelf           RSB66UTAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sldg Dr Bin Lam Frnt         RXSA2415         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adj steel Std Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adj steel Std Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adj steel Std Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adj steel Std Shelf           RSB72LTAK         325         U Sldg Dr Bin Wd Frnt         TXSLEGCLP         396         Und WS Wire Clips           RSB72WTAK         325         U Sldg Dr Bin Stl Frnt         TXSSKEXT         393         Und WS Skel Wr				• -			
RSB60LTAK         325         U Sld Dr Bin Lam Frnt         RXADRL2442         379         Rails           RSB60TAK         325         U Sldg Dr Bin Stl Frnt         RXSA2415         376         Adj Steel Std Shelf           RSB60WTAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sldg Dr Bin Stl Frnt         RXSAFFT2415         376         Adjustable Glass Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Lam Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72TAK         325         U Sldg Dr Bin Stl Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72WTAK         325         U Sldg Dr Bin Stl Frnt         TXS5LEGCLP         396         Und WS Skel Wr Mgr           RSC18301A_         341         U One-High Lat File         TX5712UPHX         386         Mul. Pwr Infeed           RSC18361A_         341         U One-High Lat File         TX571482TB         33			-	:			
RSB60TAK         325         U Sldg Dr Bin Stl Frnt         RXSA2415         376         Adj Steel Std Shelf           RSB60WTAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sldg Dr Bin Lam Frnt         RXSA2415         376         Adjustable Glass Shelf           RSB66WTAK         325         U Sldg Dr Bin Stl Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Stl Frnt         TXSLEGCLP         396         Und WS Wire Clips           RSB72WTAK         325         U Sldg Dr Bin Wd Frnt         TXSSKEXT         393         Und WS Skel Wr Mgr           RSC18301A_         341         U One-High Lat File         TX712UPHX         386         Mul. Pwr Infeed           RSC18301A_         341         U One-High Lat File         TX712UPHX         386         Mul. Pwr Infeed           RSC18421A_         341         U One-High Lat File         TX714WSP         248         U Support Plate           RSC24301A_         341         U One-High Lat File         TX71830TB         335			•	•			
RSB60WTAK         325         U Sldg Dr Bin Wd Frnt         RXSA3015         376         Adj Steel Std Shelf           RSB66LTAK         325         U Sldg Dr Bin Lam Frnt         RXSAFFT2415         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         376         Adjustable Glass Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Lam Frnt         TS5LEGCLP         396         Und WS Wire Clips           RSB72TAK         325         U Sldg Dr Bin Stl Frnt         TS5SKEXT         393         Und WS Skel Wr Mgr           RSC18301A         325         U Sldg Dr Bin Wd Frnt         TS5SKLBNE         393         Und WS Skel Wr Mgr           RSC18301A         341         U One-High Lat File         TS712UPHX         386         Mul. Pwr Infeed           RSC18301A         341         U One-High Lat File         TS714WSP         248         U Support Plate           RSC24301A         341         U One-High Lat File         TS71824TB         335         TB Use w/Wall Chan           RSC24361A         341         U One-High Lat File         TS71830TB         335				•			
RSB66LTAK         325         U Sld Dr Bin Lam Frnt         RXSAFFT2415         376         Adj Steel Std Shelf           RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         376         Adjustable Glass Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Lam Frnt         TS5LEGCLP         396         Und WS Wire Clips           RSB72WTAK         325         U Sldg Dr Bin Wd Frnt         TS5SKEXT         393         Und WS Skel Wr Mgr           RSC18301A_         341         U One-High Lat File         TS712UPHX         386         Mul. Pwr Infeed           RSC18361A_         341         U One-High Lat File         TS712UPHXN         386         Mul. Pwr Infeed           RSC18421A_         341         U One-High Lat File         TS714WSP         248         U Support Plate           RSC24301A_         341         U One-High Lat File         TS71824TB         335         TB Use w/Wall Chan           RSC24361A_         341         U One-High Lat File         TS71830TB         335         TB Use w/Wall Chan           RSH24TAK         331         U Shelf         TS71842TB         335         TB Use w/			•			•	
RSB66TAK         325         U Sldg Dr Bin Stl Frnt         RXSG2415         376         Adjustable Glass Shelf           RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Lam Frnt         TS5LEGCLP         396         Und WS Wire Clips           RSB72TAK         325         U Sldg Dr Bin Stl Frnt         TS5KEXT         393         Und WS Skel Wr Mgr           RSB72WTAK         325         U Sldg Dr Bin Wd Frnt         TS5KLBNE         393         Und WS Skel Wr Mgr           RSC18301A_         341         U One-High Lat File         TS712UPHX         386         Mul. Pwr Infeed           RSC18361A_         341         U One-High Lat File         TS714WSP         248         U Support Plate           RSC24301A_         341         U One-High Lat File         TS71824TB         335         TB Use w/Wall Chan           RSC24361A_         341         U One-High Lat File         TS71830TB         335         TB Use w/Wall Chan           RSH24TAK         331         U Shelf         TS71842TB         335         TB Use w/Wall Chan           RSH36TAK         331         U Shelf         TS71848TB         335         TB Use w/Wall Chan			•	•		•	
RSB66WTAK         325         U Sldg Dr Bin Wd Frnt         RXSG3015         376         Adjustable Glass Shelf           RSB72LTAK         325         U Sldg Dr Bin Lam Frnt         TS5LEGCLP         396         Und WS Wire Clips           RSB72TAK         325         U Sldg Dr Bin Stl Frnt         TS5SKEXT         393         Und WS Skel Wr Mgr           RSB72WTAK         325         U Sldg Dr Bin Wd Frnt         TS5SKLBNE         393         Und WS Skel Wr Mgr           RSC18301A_         341         U One-High Lat File         TS712UPHX         386         Mul. Pwr Infeed           RSC18361A_         341         U One-High Lat File         TS712UPHXN         386         Mul. Pwr Infeed           RSC24301A_         341         U One-High Lat File         TS714WSP         248         U Support Plate           RSC24301A_         341         U One-High Lat File         TS71824TB         335         TB Use w/Wall Chan           RSC24361A_         341         U One-High Lat File         TS71830TB         335         TB Use w/Wall Chan           RSH24TAK         331         U Shelf         TS71842TB         335         TB Use w/Wall Chan           RSH36TAK         331         U Shelf         TS71860TB         335         TB Use w/Wall Chan </th <th></th> <th></th> <th></th> <th>•</th> <th></th> <th>•</th> <th></th>				•		•	
RSB72LTAK         325         U Sld Dr Bin Lam Frnt         TS5LEGCLP         396         Und WS Wire Clips           RSB72TAK         325         U Sldg Dr Bin Stl Frnt         TS5SKEXT         393         Und WS Skel Wr Mgr           RSB72WTAK         325         U Sldg Dr Bin Wd Frnt         TS5SKLBNE         393         Und WS Skel Wr Mgr           RSC18301A         341         U One-High Lat File         TS712UPHX         386         Mul. Pwr Infeed           RSC18361A         341         U One-High Lat File         TS712UPHXN         386         Mul. Pwr Infeed           RSC18421A         341         U One-High Lat File         TS714WSP         248         U Support Plate           RSC24301A         341         U One-High Lat File         TS71824TB         335         TB Use w/Wall Chan           RSC24361A         341         U One-High Lat File         TS71830TB         335         TB Use w/Wall Chan           RSH24TAK         331         U Shelf         TS71842TB         335         TB Use w/Wall Chan           RSH36TAK         331         U Shelf         TS71860TB         335         TB Use w/Wall Chan           RSH42TAK         331         U Shelf         TS71860TB         335         TB Use w/Wall Chan <th< th=""><th></th><th></th><th>•</th><th></th><th></th><th>•</th><th></th></th<>			•			•	
RSB72TAK       325       U Sldg Dr Bin Stl Frnt       TS5SKEXT       393       Und WS Skel Wr Mgr         RSB72WTAK       325       U Sldg Dr Bin Wd Frnt       TS5SKLBNE       393       Und WS Skel Wr Mgr         RSC18301A       341       U One-High Lat File       TS712UPHX       386       Mul. Pwr Infeed         RSC18361A       341       U One-High Lat File       TS712UPHXN       386       Mul. Pwr Infeed         RSC18421A       341       U One-High Lat File       TS714WSP       248       U Support Plate         RSC24301A       341       U One-High Lat File       TS71824TB       335       TB Use w/Wall Chan         RSC24361A       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan			•	•		•	
RSB72WTAK       325       U Sldg Dr Bin Wd Frnt       TS5SKLBNE       393       Und WS Skel Wr Mgr         RSC18301A_       341       U One-High Lat File       TS712UPHX       386       Mul. Pwr Infeed         RSC18361A_       341       U One-High Lat File       TS712UPHXN       386       Mul. Pwr Infeed         RSC18421A_       341       U One-High Lat File       TS714WSP       248       U Support Plate         RSC24301A_       341       U One-High Lat File       TS71824TB       335       TB Use w/Wall Chan         RSC24361A_       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan				:		•	
RSC18301A_       341       U One-High Lat File       TS712UPHX       386       Mul. Pwr Infeed         RSC18361A_       341       U One-High Lat File       TS712UPHXN       386       Mul. Pwr Infeed         RSC18421A_       341       U One-High Lat File       TS714WSP       248       U Support Plate         RSC24301A_       341       U One-High Lat File       TS71824TB       335       TB Use w/Wall Chan         RSC24361A_       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH30TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan			•			· ·	
RSC18361A_       341       U One-High Lat File       TS712UPHXN       386       Mul. Pwr Infeed         RSC18421A_       341       U One-High Lat File       TS714WSP       248       U Support Plate         RSC24301A_       341       U One-High Lat File       TS71824TB       335       TB Use w/Wall Chan         RSC24361A_       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan			-	•		· ·	
RSC18421A_       341       U One-High Lat File       TS714WSP       248       U Support Plate         RSC24301A_       341       U One-High Lat File       TS71824TB       335       TB Use w/Wall Chan         RSC24361A_       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH30TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan	_		•				
RSC24301A       341       U One-High Lat File       TS71824TB       335       TB Use w/Wall Chan         RSC24361A       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH30TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan	_		-				
RSC24361A_       341       U One-High Lat File       TS71830TB       335       TB Use w/Wall Chan         RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH30TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan	_		-	•		.,	
RSH24TAK       331       U Shelf       TS71836TB       335       TB Use w/Wall Chan         RSH30TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan	_		· ·	: -			
RSH30TAK       331       U Shelf       TS71842TB       335       TB Use w/Wall Chan         RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan	_		· ·				
RSH36TAK       331       U Shelf       TS71848TB       335       TB Use w/Wall Chan         RSH42TAK       331       U Shelf       TS71860TB       335       TB Use w/Wall Chan         RSH48TAK       331       U Shelf       TS71872TB       335       TB Use w/Wall Chan				•			
RSH42TAK         331         U Shelf         TS71860TB         335         TB Use w/Wall Chan           RSH48TAK         331         U Shelf         TS71872TB         335         TB Use w/Wall Chan							
RSH48TAK 331 U Shelf TS71872TB 335 TB Use w/Wall Chan				•			
				•		TB Use w/Wall Chan	
	RSH60TAK	331	U Shelf	TS720WSP	248	U Support Plate	
RSH72TAK 331 U Shelf TS724UPHX 386 Mpp Power Infeed	RSH72TAK			•		Mpp Power Infeed	
: RSS24TAK 337 Slim Shelf : TS724UPHXN 386 Mpp Power Infeed	RSS24TAK	337	Slim Shelf	TS724UPHXN	386	Mpp Power Infeed	
RSS30TAK 337 Slim Shelf TS742HB 334 Horiz Brace						Horiz Brace	
RSS36TAK 337 Slim Shelf TS748HB 334 Horiz Brace	RSS36TAK			TS748HB			
RSS42TAK 337 Slim Shelf TS760HB 334 Horiz Brace				·		Horiz Brace	
RSS48TAK 337 Slim Shelf TS772HB 334 Horiz Brace	RSS48TAK	337	Slim Shelf	<b>TS772HB</b>	334	Horiz Brace	
RSS60TAK 337 Slim Shelf TS7BSWHC 334 Wall Channels	RSS60TAK	337	Slim Shelf	TS7BSWHC	334	Wall Channels	
: RSS72TAK 337 Slim Shelf : TS7PVWM 409 Vertical Wire Mgr	RSS72TAK	337	Slim Shelf	: TS7PVWM	409	Vertical Wire Mgr	
RSS96TAK 337 Slim Shelf TS7STDIV 333 Dividers	RSS96TAK	337	Slim Shelf	TS7STDIV	333	Dividers	
: RVD24244LA_ 362 U Vrtl Dwr Tower : TS7TIEPLATE 248 U Tie Plates	RVD24244LA_	362	U Vrtl Dwr Tower	TS7TIEPLATE	248	U Tie Plates	

	Style Number	Page	Description	 Style Number	Page	Description	: :
:	TS7UB2442	267	Bridge	UADJ	256	U Adj-Hgt Leg	:
:	TS7UB2448	267	Bridge	UADJ4	256	U Adj-Hgt Leg	:
:	TS7UB2460	267	Bridge	UADJ4C	256	U Adj-Hgt Leg	:
:	TS7UC2436	268	Cnr Desk	UADJ4M	256	U Adj-Hgt Leg	:
:	TS7UC2442	268	Cnr Desk	UADJC	256	U Adj-Hgt Leg	:
:	TS7UC2448	268	Cnr Desk	UADJCOL	256	Adjustable Column	:
:	TS7UDP2460	261	Double-Pedestal Desk	UB223636	234	U 120° WS CD	:
:	TS7UDP2466	261	Double-Pedestal Desk	UB224242	234	U 120° WS CD	:
:	TS7UDP2472	261	Double-Pedestal Desk	UB224848	234	U 120° WS CD	:
:	TS7UDP3060	261	Double-Pedestal Desk	UB333636	234	U 120° WS CD	:
:	TS7UDP3066	261	Double-Pedestal Desk	UB334242	234	U 120° WS CD	:
:	TS7UDP3072	261	Double-Pedestal Desk	UB334848	234	U 120° WS CD	:
:	TS7UNP2460	258	Desk Shell	UC114242	228	U Cor WS, Front—CD	:
:	TS7UNP2466	258	Desk Shell	UC124242	228	U Cor WS, Front—CD	:
:	TS7UNP2472	258	Desk Shell	UC214242	228	U Cor WS, Front—CD	:
:	TS7UNP3060	258	Desk Shell	UC223636	228	U Cor WS, Front—CD	:
:	TS7UNP3066	258	Desk Shell	UC224242	228	U Cor WS, Front—CD	:
:	TS7UNP3072	258	Desk Shell	UC224848	228	U Cor WS, Front—CD	:
:	TS7UOH24 TS7UOH30	271 271	OTC and Hutch Kit OTC and Hutch Kit	UC226060 UC334242	228 228	U Cor WS, Front—CD	:
:	TS7U0H36	271	OTC and Hutch Kit	UC334242	228	U Cor WS, Front—CD U Cor WS, Front—CD	:
:	TS7U0H42	271	OTC and Hutch Kit	UCANT	248	U On-Mod CANT	:
:	TS7U0H48	271	OTC and Hutch Kit	UCC113636	229	U Cor WS, Frnt—CD	:
:	TS7UOH60	271	OTC and Hutch Kit	UCC114242	229	U Cor WS, Frnt—CD	:
:	TS7UOH66	271	OTC and Hutch Kit	UCC114848	229	U Cor WS, Frnt—CD	:
:	TS7U0H72	271	OTC and Hutch Kit	UCC124242	229	U Cor WS, Frnt—CD	:
:	TS7UPR2424	265	Pedestal Return	UCC214242	229	U Cor WS, Frnt—CD	:
:	TS7UPR2430	265	Pedestal Return	UCC223636	229	U Cor WS, Frnt—CD	:
:	TS7UPR2436	265	Pedestal Return	UCC224242	229	U Cor WS, Frnt-CD	:
:	TS7UPR2442	265	Pedestal Return	UCC224848	229	U Cor WS, Frnt-CD	:
:	TS7UPR2448	265	Pedestal Return	UCC226060	229	U Cor WS, Frnt-CD	:
:	TS7UPR2460	265	Pedestal Return	UCC334242	229	U Cor WS, Frnt-CD	:
:	TS7UR2424	266	Return	UCC334848	229	U Cor WS, Frnt-CD	:
:	TS7UR2430	266	Return	UCF223636	226	U Cnr, FT-Frt WS-CD	:
:	TS7UR2436	266	Return	UCF224242	226	U Cnr, FT-Frt WS-CD	:
:	TS7UR2442	266	Return	UCF224848	226	U Cnr, FT-Frt WS-CD	:
:	TS7UR2448	266	Return	UCF334242	226	U Cnr, FT-Frt WS-CD	:
:	TS7UR2460	266	Return	UCF334848	226	U Cnr, FT-Frt WS-CD	:
:	TS7USP2460	263	Sgl-Pedestal Desk	UCL	255	U Dbl Post C-Leg	:
:	TS7USP2466	263	Sgl-Pedestal Desk	UCOL	256	Column	:
:	TS7USP2472	263	Sgl-Pedestal Desk	UCS	273	Corner Support	:
:	TS7USP3060	263	Sgl-Pedestal Desk	UCSP	249	U On-Md Cen Sprt Pnl	:
:	TS7USP3066	263	Sgl-Pedestal Desk	UCSPS	249	U On-Md Cen Sprt Pnl	:
:	TS7USP3072	263	Sgl-Pedestal Desk	UDC224242	227	U Dual Corner Wksf	:
:	TS7WKSPT	249	Reinforcing Chan	UDC224848	227	U Dual Corner Wksf	:
:	TS7WKSPT39	249	Reinforcing Chan	UDC334848	227	U Dual Corner Wksf	:
:	TS7WKSPT48	249	Reinforcing Chan	UDPL	255	U Dbl Post Leg	:
:	TS7WKSPT51	249	Reinforcing Chan	UE18	272	End Support	:
:	TS7WKSPT54 TS7WKSPT60	249 249	Reinforcing Chan Reinforcing Chan	UE2202L UE2208L	231 231	U Ext Corner Wksf U Ext Corner Wksf	:
:	TS7WKSPT63	249	Reinforcing Chan	UE2220R	231	U Ext Corner Wksf	:
:	TS7WKSPT66	249	Reinforcing Chan	UE2222L	231	U Ext Corner Wksf	:
:	TS7WKSPT72	249	Reinforcing Chan	UE2222R	231	U Ext Corner Wksf	:
:	TS7WWM	392	U WS Wire Mgr	UE2226R	231	U Ext Corner Wksf	:
:	TSAEGROM	392	Grommet Pkg	UE2228L	231	U Ext Corner Wksf	:
•					'	<del></del>	:

	Style Number	Page	Description	:	Style Number	Page	Description	:
:	UE2262L	231	U Ext Corner Wksf	<del></del> :	UEP24	250	U On-Module End Pnl	
:	UE2268L	231	U Ext Corner Wksf	:	UEP24S	250	U On-Module End Pnl	:
:	UE2280R	231	U Ext Corner Wksf	:	UEP30	250	U On-Module End Pnl	
:	UE2282R	231	U Ext Corner Wksf		UEP30S	250	U On-Module End Pnl	
:	UE2286R	231	U Ext Corner Wksf		UES18	272	Cnr Shelf	
:	UE2308L	231	U Ext Corner Wksf	:	UES24	272	Cnr Shelf	
:	UE2328L	231	U Ext Corner Wksf	:	UES30	272	Cnr Shelf	:
:	UE2368L	231	U Ext Corner Wksf	:	UFAL	309	Aligners	
:	UE2380R	231	U Ext Corner Wksf	:	UFB	278	Flush-Mount Bracket	:
:	UE2382R	231	U Ext Corner Wksf	:	UFC24	251	FO Closed Loop	
:	UE2386R	231	U Ext Corner Wksf	:	UFC24NF	252	Infill for FO Legs	:
:	UE24	272	End Support	:	UFC24T	251, 302	FO Closed Loop	:
:	UE30	272	End Support		UFC30	251	FO Closed Loop	
:	UE3208L	231	U Ext Corner Wksf	:	UFC30NF	252	Infill for FO Legs	:
:	UE3228L	231	U Ext Corner Wksf	:	UFC30T	251, 302	FO Closed Loop	
:	UE3268L	231	U Ext Corner Wksf	:	UFP	251, 302	FO Post Loop	:
:	UE3280R	231	U Ext Corner Wksf	:	UFPM	307	Uni Prv/ Mod Screen	
:	UE3282R	231	U Ext Corner Wksf		UFPS	309	Uni Prv Screen	
:	UE3286R	231	U Ext Corner Wksf	:	UFQ24	251	FO Open Loop	:
:	UE3308L	231	U Ext Corner Wksf		UFQ24NF	252	Infill for FO Legs	
:	UE3328L UE3368L	231 231	U Ext Corner Wksf U Ext Corner Wksf	:	UFQ24T UFQ30	251, 302 251	FO Open Loop	:
:	UE3380R	231	U Ext Corner Wksf		UFQ30NF	251	FO Open Loop Infill for FO Legs	
:	UE3382R	231	U Ext Corner Wksf	:	UFQ30T	251, 302	FO Open Loop	:
:	UE3386R	231	U Ext Corner Wksf	:	UFS1610H	251, 302	FO Inter Support	
:	UEC2202L	233	U Ext Corner Wksf		UFS1615H	251	FO Inter Support	
:	UEC2208L	233	U Ext Corner Wksf	:	UFSTOWER24	372	Connector	:
:	UEC2220R	233	U Ext Corner Wksf	:	UFSTOWER30	372	Connector	
:	UEC2222L	233	U Ext Corner Wksf	:	UHDPL	255	U Dbl Post Leg	:
:	UEC2222R	233	U Ext Corner Wksf	:	UHPL	254	U Post Leg	
:	UEC2226R	233	U Ext Corner Wksf	:	UJBC2430L	240	U Bubl Jetty WS CD	:
:	UEC2228L	233	U Ext Corner Wksf	:	UJBC2430R	240	U Bubl Jetty WS CD	
:	UEC2262L	233	U Ext Corner Wksf		UJBC2436L	240	U Bubl Jetty WS CD	
:	UEC2268L	233	U Ext Corner Wksf	:	UJBC2436R	240	U Bubl Jetty WS CD	
:	UEC2280R	233	U Ext Corner Wksf		UJBC2442L	240	U Bubl Jetty WS CD	
:	UEC2282R	233	U Ext Corner Wksf	:	UJBC2442R	240	U Bubl Jetty WS CD	:
:	UEC2286R	233	U Ext Corner Wksf	:	UJBC2448L	240	U Bubl Jetty WS CD	
:	UEC2308L	233	U Ext Corner Wksf	:	UJBC2448R	240	U Bubl Jetty WS CD	:
:	UEC2328L	233	U Ext Corner Wksf	:	UJC2382R	239	U Jetty WS, Fr CD	
:	UEC2368L	233	U Ext Corner Wksf	:	UJC2386R	239	U Jetty WS, Fr CD	:
:	UEC2380R	233	U Ext Corner Wksf	:	UJC2388R	239	U Jetty WS, Fr CD	
:	UEC2382R	233	U Ext Corner Wksf	:	UJC3228L	239	U Jetty WS, Fr CD	:
:	UEC2386R	233	U Ext Corner Wksf	:	UJC3268L	239	U Jetty WS, Fr CD	
:	UEC3208L	233	U Ext Corner Wksf	:	UJC3288L	239	U Jetty WS, Fr CD	:
:	UEC3228L	233	U Ext Corner Wksf	:	UJC3328L	239	U Jetty WS, Fr CD	
:	UEC3268L	233	U Ext Corner Wksf		UJC3368L	239	U Jetty WS, Fr CD	
:	UEC3280R UEC3282R	233 233	U Ext Corner Wksf U Ext Corner Wksf	:	UJC3382R UJC3386R	239 239	U Jetty WS, Fr CD U Jetty WS, Fr CD	:
:	UEC3286R	233	U Ext Corner Wksf	:	UJC3388L	239	U Jetty WS, Fr CD	
:	UEC3308L	233	U Ext Corner Wksf	:	UJC3388R	239	U Jetty WS, Fr CD	:
:	UEC3328L	233	U Ext Corner Wksf	:	UMCR18	278	Cable Race Chan Pkg	
:	UEC3368L	233	U Ext Corner Wksf	:	UMCR36	278	Cable Race Chan Pkg	:
:	UEC3380R	233	U Ext Corner Wksf	:	UMCR9	278	Cable Race Chan Pkg	
:	UEC3382R	233	U Ext Corner Wksf	:	UMF15	275	Full-Height Modesty Pnl	:
:	UEC3386R	233	U Ext Corner Wksf	:	UMF18	275	Full-Height Modesty Pnl	
•				•				

Style Number	Page	Description	Style Number	Page	Description	:
: —			<del></del> :		-	<del></del> :
UMF21 UMF24	275 275	Full-Height Modesty Pnl	∵ UPS30 ∵ US1824	273 205	Pnsl Support U Str WS CD	:
UMF27	275	Full-Height Modesty Pnl Full-Height Modesty Pnl	US1830	205	U Str WS CD	:
: UMF30	275	Full-Height Modesty Pnl	: US1836	205	U Str WS CD	:
UMF33	275	Full-Height Modesty Pnl	US1842	205	U Str WS CD	:
UMF36	275	Full-Height Modesty Pnl	US1848	205	U Str WS CD	:
: UMF39	275	Full-Height Modesty Pnl	US1854	205	U Str WS CD	:
UMF42	275	Full-Height Modesty Pnl	US1860	205	U Str WS CD	:
UMF45	275	Full-Height Modesty Pnl	US1866	205	U Str WS CD	:
: UMF48	275	Full-Height Modesty Pnl	US1872	205	U Str WS CD	:
UMF51	275	Full-Height Modesty Pnl	US1878	205	U Str WS CD	:
UMF54	275	Full-Height Modesty Pnl	US1884	205	U Str WS CD	:
UMF57	275	Full-Height Modesty Pnl	US1890	205	U Str WS CD	:
UMF60	275	Full-Height Modesty Pnl	US1896	205	U Str WS CD	:
: UMF9	275	Full-Height Modesty Pnl	US2424	205	U Str WS CD	:
UMH15	274	Half-Height Modesty Pnl	US2430	205	U Str WS CD	:
UMH18	274	Half-Height Modesty Pnl	US2436	205	U Str WS CD	:
UMH21	274	Half-Height Modesty Pnl	US2442	205	U Str WS CD	:
UMH24	274	Half-Height Modesty Pnl	US2448	205	U Str WS CD	:
UMH27	274	Half-Height Modesty Pnl	US2448S		Strgt Wkf w/Sft Eg Prf	:
: UMH30	274	Half-Height Modesty Pnl	US2454	205	U Str WS CD	:
UMH33	274	Half-Height Modesty Pnl	US2454S	213	Strgt Wkf w/Sft Eg Prf	:
UMH36	274	Half-Height Modesty Pnl	US2460	205	U Str WS CD	:
: UMH39	274	Half-Height Modesty Pnl	US2460S	213	Strgt Wkf w/Sft Eg Prf	:
UMH42	274	Half-Height Modesty Pnl	US2466	205	U Str WS CD	:
UMH45	274	Half-Height Modesty Pnl	US2466S	213	Strgt Wkf w/Sft Eg Prf	:
UMH48	274	Half-Height Modesty Pnl	US2472	205	U Str WS CD	:
UMH51	274	Half-Height Modesty Pnl	US2472S	213	Strgt Wkf w/Sft Eg Prf	:
UMH54	274	Half-Height Modesty Pnl	US2478	205	U Str WS CD	:
UMH57	274	Half-Height Modesty Pnl	US2478S	213	Strgt Wkf w/Sft Eg Prf	:
UMH60	274	Half-Height Modesty Pnl	US2484	205	U Str WS CD	:
UMH9	274	Half-Height Modesty Pnl	US2484S	213	Strgt Wkf w/Sft Eg Prf	:
UNPL	254	U Post Leg	US2490	205	U Str WS CD	:
UNPL4	254	U Post Leg	US2490S	213	Strgt Wkf w/Sft Eg Prf	:
: UNPL4C	254	U Post Leg	US2496	205	U Str WS CD	:
UNPL4M	254	U Post Leg	US2496S	213	Strgt Wkf w/Sft Eg Prf	:
UNPLC	254	U Post Leg	US3024	206	U Str WS CD	:
UPA2448	237	U Angled Pnsl WS CD	US3030	206	U Str WS CD	:
UPA2460	237	U Angled Pnsl WS CD	US3036	206	U Str WS CD	:
: UPA3048	237	U Angled Pnsl WS CD	: US3042	206	U Str WS CD	:
UPA3060	237	U Angled Pnsl WS CD	US3048	206	U Str WS CD	:
UPBC2448	236	Bullet Pnsl WS CD/FD	: US3048S		Strgt Wkf w/Sft Eg Prf	:
UPBC2460	236	Bullet Pnsl WS CD/FD	US3054	206	U Str WS CD	:
UPBC2466	236	Bullet Pnsl WS CD/FD	US3054S		Strgt Wkf w/Sft Eg Prf	:
UPBC2472	236	Bullet Pnsl WS CD/FD	US3060	206	U Str WS CD	:
UPBC3048	236	Bullet Pnsl WS CD/FD	: US3060S		Strgt Wkf w/Sft Eg Prf	:
UPBC3060	236	U Bullet Penn WS, CD	US3066	206	U Str WS CD	:
UPBC3066	236	U Bullet Penn WS, CD	US3066S		Strgt Wkf w/Sft Eg Prf	:
UPBC3072	236	U Bullet Penn WS, CD	US3072	206	U Str WS CD	:
UPL	254	U Post Leg	US3072S		Strgt Wkf w/Sft Eg Prf	:
: UPL4	254	U Post Leg	: US3660	206	U Str WS CD	:
: UPL4C	254	U Post Leg	: US3666	206	U Str WS CD	:
UPL4M UPLC	254 254	U Post Leg	US3672 USPC47	206 235	U Str WS CD	:
UPS24	254	U Post Leg Pnsl Support	USPC59	235	U Spnr WS CD U Spnr WS CD	:
, JF324	213	ι ποι συμμοιτ	. 03FC39	235	O Optili VVO OD	:

		Description	Number	Page	Description	
USSC	305	U Boundary Screen	UTTF1360	224	U Taper-Flat WS CD	
UST1260	225	U Sgl-Tprd WS CD	∵ UTTF1372	224	U Taper-Flat WS CD	
UST1272	225	U Sgl-Tprd WS CD	UTTF2160	224	U Taper-Flat WS CD	
UST2160	225	U Sgl-Tprd WS CD	: UTTF2172	224	U Taper-Flat WS CD	
UST2172	225	U Sgl-Tprd WS CD	UTTF2360	224	U Taper-Flat WS CD	
UST2360	225	U Sgl-Tprd WS CD	UTTF2372	224	U Taper-Flat WS CD	
UST2372	225	U Sgl-Tprd WS CD	: UTTF3160	224	U Taper-Flat WS CD	
UST3260	225	U Sgl-Tprd WS CD	UTTF3172	224	U Taper-Flat WS CD	
UST3272	225	U Sgl-Tprd WS CD	UTTF3260	224	U Taper-Flat WS CD	
USWS	211	U Str WS PM	∴ UTTF3272	224	U Taper-Flat WS CD	
USWSK	211	U Str WS PM	UTTRC	245	Cord and Plug	
USWSP	211	U Str WS PM	UTTRCN	245	Cord and Plug	
USWSS	217	U Str WS PM	: UTTRHW	245	Hardwire Power	
USWSSW	211	Strgt Wkf w/Sft Eg PM	UTTRHWN	245	Hardwire Power	
USWSSWS	217	Strgt Wkf w/Sft Eg PM	UTTRM	245	Modular Power	
UT1236R	221	U Trans WS CD	UTTRMN	245	Modular Power	
UT1242R	221	U Trans WS CD	UVC2424L	242	U Visitor Wksf	
UT1248R	221	U Trans WS CD	UVC2424R	243	U Visitor Wksf	
UT1254R	221	U Trans WS CD	UVC2430L	242	U Visitor Wksf	
UT1260R	221	U Trans WS CD	UVC2430R	243	U Visitor Wksf	
UT2136L	221	U Trans WS CD	UVC2436L	242	U Visitor Wksf	
UT2142L	221	U Trans WS CD	UVC2436R	243	U Visitor Wksf	
UT2148L	221	U Trans WS CD	UVC2442L	242	U Visitor Wksf	
UT2154L	221	U Trans WS CD	UVC2442R	243	U Visitor Wksf	
UT2160L	221	U Trans WS CD	UVC2448L	242	U Visitor Wksf	
UT2336R	221	U Trans WS CD	UVC2448R	243	U Visitor Wksf	
UT2342R	221	U Trans WS CD	: UVC3030L	242	U Visitor Wksf	
UT2348R	221	U Trans WS CD	UVC3030R	243	U Visitor Wksf	
UT2354R	221	U Trans WS CD	UVC3036L	243	U Visitor Wksf	
UT2360R	221	U Trans WS CD	: UVC3036R	243	U Visitor Wksf	
UT3236L	221	U Trans WS CD	UVC3042L	243	U Visitor Wksf	
UT3242L	221	U Trans WS CD	UVC3042E	243	U Visitor Wksf	
UT3248L	221	U Trans WS CD	UVC3048L	243	U Visitor Wksf	
UT3254L	221	U Trans WS CD	UVC3048E	243	U Visitor Wksf	
UT3260L	221	U Trans WS CD	WCC113636	229	U Corner Wksf	
UTT1248	222	U Taprd WS CD	WCC114242	229	U Corner Wksf	
UTT1240	222	U Taprd WS CD	WCC114242	229	U Corner Wksf	
UTT1260	222	U Taprd WS CD	WCC114848	229	U Corner Wksf	
UTT2148		U Taprd WS CD	WCC214242	229	U Corner Wksf	
UTT2148		·	WCC214242	229	U Corner Wksf	
	222	U Taprd WS CD	•			
UTT2172	222	U Taprd WS CD	WCC224242	229	U Corner Wksf	
UTT2348	222	U Taprd WS CD	WCC224848	229	U Corner Wksf	
UTT2348S	223	Tprd Wkf w/Sft Eg Prf	WCC334242	229	U Corner Wksf	
UTT2360	222	U Taprd WS CD	WCC334848	229	U Corner Wksf	
UTT2360S	223	Tprd Wkf w/Sft Eg Prf	WCF223636	226	U CNR, Flat-Fr WS FD	
UTT2372	222	U Taprd WS CD	WCF224242	226	U CNR, Flat-Fr WS FD	
UTT2372S	223	Tprd Wkf w/Sft Eg Prf	WCF224848	226	U CNR, Flat-Fr WS FD	
UTT3248	222	U Taprd WS CD	WCF334242	226	U CNR, Flat-Fr WS FD	
UTT3248S	223	Tprd Wkf w/Sft Eg Prf	WCF334848	226	U CNR, Flat-Fr WS FD	
UTT3260	222	U Taprd WS CD	WDC224242	227	U Dual Corner Wksf	
UTT3260S	223	Tprd Wkf w/Sft Eg Prf	WDC224848	227	U Dual Corner Wksf	
UTT3272	222	U Taprd WS CD	WDC334848	227	U Dual Corner Wksf	
UTT3272S	223	Tprd Wkf w/Sft Eg Prf	WEC224260	233	U Ext Corner Wksf	
UTTF1260	224	U Taper-Flat WS CD	WEC224272	233	U Ext Corner Wksf	
UTTF1272	224	U Taper-Flat WS CD	WEC224860	233	U Ext Corner Wksf	

Style Number	Page	Description	Style Number	Page	Description	:
WEC224872	233	U Ext Corner Wksf	: WS1884	205	U Str WS FD	:
WEC226042	233	U Ext Corner Wksf	WS1890	205	U Str WS FD	:
WEC226048	233	U Ext Corner Wksf	WS1896	205	U Str WS FD	:
WEC227242	233	U Ext Corner Wksf	: WS2424	205	U Str WS FD	:
WEC227248	233	U Ext Corner Wksf	WS2430	205	U Str WS FD	:
WEC234260	233	U Ext Corner Wksf	WS2436	205	U Str WS FD	:
WEC234272	233	U Ext Corner Wksf	WS2442	205	U Str WS FD	:
WEC234860	233	U Ext Corner Wksf	W\$2448	205	U Str WS FD	:
WEC234872	233	U Ext Corner Wksf	WS2448S	213	Strgt Wkf w/Sft Eg Prf	:
WEC236042	233	U Ext Corner Wksf	WS2454	205	U Str WS FD	
WEC236048	233	U Ext Corner Wksf	WS2454S	213	Strgt Wkf w/Sft Eg Prf	
WEC237242	233	U Ext Corner Wksf	WS2460	205	U Str WS FD	:
WEC237248	233	U Ext Corner Wksf	WS2460S	213	Strgt Wkf w/Sft Eg Prf	:
WEC324260 WEC324272	233	U Ext Corner Wksf	WS2466 WS2466S	205	U Str WS FD	:
WEC324272	233 233	U Ext Corner Wksf U Ext Corner Wksf	WS2472	213 205	Strgt Wkf w/Sft Eg Prf U Str WS FD	:
WEC324872	233	U Ext Corner Wksf	WS2472 WS2472S	203		:
WEC324072	233	U Ext Corner Wksf	WS24723	205	Strgt Wkf w/Sft Eg Prf U Str WS FD	:
WEC326048	233	U Ext Corner Wksf	WS2478S	213	Strgt Wkf w/Sft Eg Prf	:
WEC327242	233	U Ext Corner Wksf	W\$2484	205	U Str WS FD	:
WEC327248	233	U Ext Corner Wksf	: WS2484S	213	Strgt Wkf w/Sft Eg Prf	:
WEC334260	233	U Ext Corner Wksf	WS2490	205	U Str WS FD	:
WEC334272	233	U Ext Corner Wksf	WS2490S	213	Strgt Wkf w/Sft Eg Prf	:
WEC334860	233	U Ext Corner Wksf	: WS2496	205	U Str WS FD	:
WEC334872	233	U Ext Corner Wksf	WS2496S	213	Strgt Wkf w/Sft Eg Prf	:
WEC336042	233	U Ext Corner Wksf	W\$3024	206	U Str WS FD	:
WEC336048	233	U Ext Corner Wksf	: WS3030	206	U Str WS FD	:
WEC337242	233	U Ext Corner Wksf	W\$3036	206	U Str WS FD	:
WEC337248	233	U Ext Corner Wksf	: WS3042	206	U Str WS FD	:
WJ234866R	239	Jetty Worksurface FD	W\$3048	206	U Str WS FD	:
WJ234872R	239	Jetty Worksurface FD	: WS3048S	213	Strgt Wkf w/Sft Eg Prf	:
WJ234878R	239	Jetty Worksurface FD	WS3054	206	U Str WS FD	:
WJ326648L	239	Jetty Worksurface FD	W\$3054\$	213	Strgt Wkf w/Sft Eg Prf	:
WJ327248L	239	Jetty Worksurface FD	WS3060	206	U Str WS FD	:
WJ327848L	239	Jetty Worksurface FD	: WS3060S	213	Strgt Wkf w/Sft Eg Prf	:
WJ334866R	239	Jetty Worksurface FD	WS3066	206	U Str WS FD	:
WJ334872R	239	Jetty Worksurface FD	: WS3066S	213	Strgt Wkf w/Sft Eg Prf	:
W1334878R	239 239	Jetty Worksurface FD	: WS3072 : WS3072S	206	U Str WS FD	:
WJ336648L WJ337248L	239	Jetty Worksurface FD Jetty Worksurface FD	WSPC4824	213 235	Strgt Wkf w/Sft Eg Prf U Spnr WS FD	:
WJ337848L	239	Jetty Worksurface FD	: WSPC4024		U Spnr WS FD	:
WPA2448	239	U Angled Pnsl WS FD	WST1260	235	U Sgl-Taprd WS FD	:
WPA2460	237	U Angled Pnsl WS FD	WST1272	225	U Sgl-Taprd WS FD	:
WPA3048	237	U Angled Pnsl WS FD	WST2160	225	U Sgl-Taprd WS FD	:
WPA3060	237	U Angled Pnsl WS FD	WST2172	225	U Sgl-Taprd WS FD	:
WS1824	205	U Str WS FD	WST2360	225	U Sgl-Taprd WS FD	:
WS1830	205	U Str WS FD	WST2372	225	U Sgl-Taprd WS FD	:
WS1836	205	U Str WS FD	WST3260	225	U Sgl-Taprd WS FD	:
WS1842	205	U Str WS FD	WST3272	225	U Sgl-Taprd WS FD	•
WS1848	205	U Str WS FD	WT2336	221	U Trans WS FD	:
WS1854	205	U Str WS FD	WT2342	221	U Trans WS-FD0	•
WS1860	205	U Str WS FD	WT2348	221	U Trans WS-FD	:
WS1866	205	U Str WS FD	WT2354	221	U Trans WS-FD	:
WS1872	205	U Str WS FD	WT2360	221	U Trans WS-FD	•
WS1878	205	U Str WS FD	<b>WT3236</b>	221	U Trans WS—FD	:

Style Number	Page	Description
WT3242	221	U Trans WS-FD
WT3248	221	U Trans WS-FD
WT3254	221	U Trans WS-FD
WT3260	221	U Trans WS-FD
WTT1248	222	U Sgl-Taprd WS FD
WTT1260	222	U Sgl-Taprd WS FD
WTT1272	222	U Sgl-Taprd WS FD
WTT2148	222	U Sgl-Taprd WS FD
WTT2160	222	U Sgl-Taprd WS FD
WTT2172	222	U Sgl-Taprd WS FD
WTT2348	222	U Sgl-Taprd WS FD
WTT2348S	223	Tprd Wkf w/Sft Eg Prf
WTT2360	222	U Sgl-Taprd WS FD
WTT2360S	223	Tprd Wkf w/Sft Eg Prf
WTT2372	222	U Sgl-Taprd WS FD
WTT2372S	223	Tprd Wkf w/Sft Eg Prf
WTT3248	222	U Sgl-Taprd WS FD
WTT3248S	223	Tprd Wkf w/Sft Eg Prf
WTT3260	222	U Sgl-Taprd WS FD
WTT3260S	223	Tprd Wkf w/Sft Eg Prf
WTT3272	222	U Sgl-Taprd WS FD
WTT3272S	223	Tprd Wkf w/Sft Eg Prf
WTTF1260	224	U Taper-Flat WS-FD
WTTF1272	224	U Taper-Flat WS—FD
WTTF1360	224	U Taper-Flat WS-FD
WTTF1372	224	U Taper-Flat WS—FD
WTTF2160	224	U Taper-Flat WS—FD
WTTF2172	224	U Taper-Flat WS—FD
WTTF2360	224	U Taper-Flat WS—FD
WTTF2372	224	U Taper-Flat WS—FD
WTTF3160	224	U Taper-Flat WS—FD
WTTF3172	224	U Taper-Flat WS—FD
WTTF3260	224	U Taper-Flat WS—FD
WTTF3272	224	U Taper-Flat WS—FD
WVC2424L	242	U Visitor Wksf
WVC2424R	243	U Visitor Wksf
WVC2430L	242	U Visitor Wksf
WVC2430R	243	U Visitor Wksf
WVC3030L	242	U Visitor Wksf
WVC3030R	243	U Visitor Wksf

### **Trademark List**

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Liahtolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA:
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- The following is a registered trademark of Security People, Inc.: Digilock.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, Echo, Edge, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, LessThanFive, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following trademark is used under license from Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, Sistema, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- <sup>™</sup> The following are trademarks of PolyVision: a<sup>3</sup>, e3, Motif, and PolyVision.
- ™ The following is a trademark of Bostock Company, Inc: SnapCab.
- ™ The following is a trademark of Williams-Sonoma. Inc: West Elm.

Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.