

Steelcase Flex Collection

Availability



Electronic price list updated with release 192.A (U.S.) and 152.A (Canada), dated April 19, 2021.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Spec News is available on village.steelcase.com. Search Steelcase Marketing Resources (Adstock) and download the current release's Spec News.

Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.

View or download Steelcase Specification Guides at [https://www.steelcase.com/resources/documents?tax-\[doctype\]=spec-guide](https://www.steelcase.com/resources/documents?tax-[doctype]=spec-guide).

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an , followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at <http://finishlibrary.steelcase.com>.

► For a list of all trademarks, refer to the last page of this specification guide.
© 2021 Steelcase Inc.



For Canadian Pricing

Canadian factor can be found at www.steelcase.com/CADpricing. Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

Working with This Specification Guide

Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4

Statement of Line

Understanding

Height-Adjustable Desks Comparison Chart	11
Height-Adjustable Desks and Bases	12
How to Calculate Power Needs	16
Work Tables and Slim Tables	18
Curved Screens	20
Freestanding Screens	21
Acoustic Boundary	22
Carts	23
Markerboard Solutions	24
Mobile Power and Charging Cart	26
Accessories	28
Flex Active Frames	30
Flex Active Frames Work Island	38

Specifying

Height-Adjustable Desks	42
Height-Adjustable Bases	45
Work Tables—Seated Height	47
Work Tables—Standing Height	49
Work Table—Bases Only	51
Slim Table	53
Slim Table—Base Only, Standing Height	55
Curved Screens	56
Freestanding Screens	57
Acoustic Boundary	58
Carts	59
Markerboard Solutions	61
Mobile Power and Charging Cart	63
Accessories	65
Flex Active Frames	68

Surface Materials


Resources

81

87


Ten Tips: How to Get the Most Out of This Book

Tip 1



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

Tip 3



Find cross references by looking for page numbers flagged with an arrow.

Tip 4


Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

Product Drawing shows you what the product looks like and points out important features.

Product Details gives specific information on the product and how it is used.

Connections describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities of the product.

Surface Materials lists what material is used for each part of the product.

Tip 5

Refer to the specifying pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
 - Dimensions
 - Style Number
 - Price

Standard Includes

Standard Includes
(under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify

(under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Product Drawing shows you what the product looks like.

[illegible]

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Tip 6

Required to Specify


Specify with Customiz Stain

Tip 7

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an “X.”

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Flex products are supported with informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

Printed Materials

Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www.steelcase.com web site or at village.steelcase.com.

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools—Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications

You can access these digital publications at www.steelcase.com or village.steelcase.com.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance,

please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.


Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to <http://www.steelcase.com/warranty/>.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: www.steelcase.com.

Statement of Line



Understanding
 ▶ Page 12
 Specifying
 ▶ Page 42

Height-Adjustable Desks

	46"W	58"W	70"W
23"D or 24"D	•	•	•
29"D or 30"D	•	•	•

Tip: Widths are parametric to 1/16" from 46"—72".



Understanding
 ▶ Page 12
 Specifying
 ▶ Page 45

Height-Adjustable Bases

	46"W	58"W	70"W
23"D or 24"D	•	•	•
29"D or 30"D	•	•	•


Tip: Widths are parametric to 1/16" from 46"—72".



Understanding
 ▶ Page 18
 Specifying
 ▶ Page 47

Work Tables—Seated Height


	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•



Understanding
 ▶ Page 18
 Specifying
 ▶ Page 49

Work Tables—Standing Height

	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•



Understanding
 ▶ Page 18
 Specifying
 ▶ Page 51

Work Table—Bases Only


	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•



Understanding
 ▶ Page 18
 Specifying
 ▶ Page 53

Slim Table


	58"W
18"D	•



Understanding
► Page 18
Specifying
► Page 55

Slim Table—Base Only, Standing Height


	58"W
18"D	●



Understanding
► Page 20
Specifying
► Page 56

Curved Screens


	46"W	58"W	70"W
18"H	●	●	●



Understanding
► Page 21
Specifying
► Page 57

Rectangle Freestanding Screen


	47"H	71"H
35 1/2"W	●	●



Understanding
► Page 21
Specifying
► Page 57

Angled Freestanding Screen


	47"H
47 1/2"W	●



Understanding
► Page 22
Specifying
► Page 58

Acoustic Boundary

	79"H	116 7/8"H
58 3/8"W	●	●




Understanding
 ▶ Page 23
 Specifying
 ▶ Page 59

Team Cart

41³/₈"H

46"W




Understanding
 ▶ Page 23
 Specifying
 ▶ Page 60

Board Cart

41³/₈"H

46"W



Understanding
 ▶ Page 23
 Specifying
 ▶ Page 60

Board Cart Package

41³/₈"H

46"W




Understanding
 ▶ Page 24
 Specifying
 ▶ Page 61

Markerboard

47"H

71"H

35¹/₂"W



Understanding
 ▶ Page 24
 Specifying
 ▶ Page 61

Markerboard Package

47"H

71"H

35¹/₂"W




Understanding
 ▶ Page 24
 Specifying
 ▶ Page 61

Stand

38"H


16" Dia.



Understanding
 ▶ Page 24
 Specifying
 ▶ Page 62

Wall Rails

Tip: Widths are parametric to 1/16" from 48"—96"W.



Understanding
 ▶ Page 24
 Specifying
 ▶ Page 62

Wall Rails Package


Tip: Widths are parametric to 1/16" from 48"—96"W.

Mobile Power



Understanding
 ▶ Page 26
 Specifying
 ▶ Page 63

Mobile Power Charging Cart



Understanding
 ▶ Page 27
 Specifying
 ▶ Page 64

Accessories




Power Hanger
 Understanding
 ▶ Page 28
 Specifying
 ▶ Page 65




Baskets
 Understanding
 ▶ Page 28
 Specifying
 ▶ Page 65




Cups
 Understanding
 ▶ Page 28
 Specifying
 ▶ Page 66




Cable Tray for Flex Height-Adjustable Desks
 Understanding
 ▶ Page 28
 Specifying
 ▶ Page 66




Cable Catch
 Understanding
 ▶ Page 29
 Specifying
 ▶ Page 66



Cable Brackets
 Understanding
 ▶ Page 29
 Specifying
 ▶ Page 67




Cable Riser
 Understanding
 ▶ Page 29
 Specifying
 ▶ Page 67




Brakes for Flex Height-Adjustable Desks
 Understanding
 ▶ Page 12
 Specifying
 ▶ Page 67

Flex Active Frames



Frame

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 69



Extension

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 71




Fixed Board

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 72



Infill Single Panel

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 72



Shelf

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 73



Door

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 74



Tool Box

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 74




Mobile Board Clip

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 74



Cable Clip

Understanding
 ▶ Page 30
 Specifying
 ▶ Page 75



Bookends


Understanding
 ▶ Page 30
 Specifying
 ▶ Page 75



Coat Rod


Understanding
 ▶ Page 30
 Specifying
 ▶ Page 75

Flex Active Frames Work Island




Frame

Understanding
 ▶ Page 38
 Specifying
 ▶ Page 77




Extension

Understanding
 ▶ Page 38
 Specifying
 ▶ Page 78



Worksurface

Understanding
 ▶ Page 38
 Specifying
 ▶ Page 79



Infill Center Panel


Understanding
 ▶ Page 30
 Specifying
 ▶ Page 79

Height-Adjustable Desks Comparison Chart

Height-Adjustable Desks
Comparison Chart

Steelcase
Flex Collection

Steelcase Flex Collection



Enhanced sit-to-stand height-adjustability

A push button delivers electric adjustability up to 1½" per second. Includes two controller options:

- Simple touch
- Active touch

Weight capacity of 360 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

► See *Storage Specification Guide* for worksurface weights.

Adjustables Comparison Chart

	Steelcase Flex Collection
	Sit-to-Stand
Range of Adjustment	Extended height: 22 ³ / ₅ " — 48 ⁷ / ₁₀ " Basic height: 27 ³ / ₅ " — 46 ⁹ / ₁₀ "
Type of Adjustment	Electric
Distributed Weight Capacity	360 lb
Worksurface Weight	See page 15 for worksurface weights
Worksurface Thickness	1"
Controller	Simple touch, Active touch
Integrated Rail	No
Integrated Soft Edge	No
Integrated Power	Yes
Motor	Enclosed
Decibel Rating	< 45 dBA
Volts	120v AC
Input Amps	2.5A
Watts	300W
Standby Power	0.1W
Frequency and Phase	60 Hz Single Phase
Adjustability Speed	1½" per second
Stretcher or Understructure Design	Fixed
Base Only Availability	Yes
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed

Height-Adjustable Desks and Bases

Height-adjustable

desks bring mobility and wellbeing, allowing users to change posture and location to suit their work needs. Optional integrated power includes a single power cord that comes out of the desk for ease of movement.

► Specifying, page 42–46.

Desk has a wood core with a High-Pressure Laminate, wood veneer surface, or a plywood core with a plywood surface, and is 1" thick.

Edge is available in 3 mm edge profile, when High-Pressure Laminate is selected.

Square edge is available in 3 mm edge profile, when wood veneer is selected.

Plywood desks edge profile is exposed plywood with a square (3 mm) radius.

Basic height-adjustable base adjusts from 27 $\frac{3}{5}$ "H–46 $\frac{9}{10}$ "H in any increment.

Extended height-adjustable base adjusts from 22 $\frac{3}{5}$ "H to 48 $\frac{7}{10}$ "H in any increment.

Brakes are available as an option or can be specified separately. Brake can be activated by the user to fix the mobile desk into place and is engaged by spinning the ring to the floor.

Tip: Brake is recommend for use on hard floors.

Push button simple touch controller adjusts height at a rate of 1 $\frac{1}{2}$ " per second.

Base supports a maximum distributed weight load of 360 pounds (2-leg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

► See page 15 for *worksurface weights*.

Lifting column is controlled by central control box for synchronization. Columns are precision balanced to minimize surface vibrations.


Active touch controller is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

Tip: Steelcase Rise mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.

Directional rollers provide intentional user mobility.

Product Details**High-Pressure Laminate Desks**

Edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Desks

Edge profile is wood veneer with a square (3 mm) radius.

Plywood Desks

Plywood desk's edge profile is exposed plywood with a square (3 mm) radius.

Simple touch controller is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.


Tip: Available with an antimicrobial option.

Active touch controller is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders. *Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

Obstruction sensing technology is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

The overall depth of the worksurface is 23"D, 24"D, 29"D, or 30"D.

Desk overhang for CPU holder or layering of low storage and pedestals is available as an option. The overhang is 9" and available on 58"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.




Extended height Flex desks adjust 22⅝"H to 48⅞"H in any increment. Basic height-adjustable base adjusts from 27⅝"H–46⅞"H in any increment.

Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 1½" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Flex desks and bases are listed by ETL.




Cable trays are available as an option or can be ordered separately. 46"W–57½"W desks use the 28" cable tray. 58"W–72"W desks use the 40" cable tray. When specifying a desk overhang, see the chart below for additional guidelines.

	Worksurface Width			
Overhang	46"W–57½"W	58"W–65½"W	66"W–69½"W	70"W–72"W
None	28"W Cable Tray	40"W Cable Tray		
Left or Right		28"W Cable Tray	40"W Cable Tray	
Left and Right				28"W Cable Tray


Integrated power is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks 57½"W and under receive three power outlets in the understructure and desks 58"W and above receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 67



Inside dimensions of cable brackets are 6"D x 2¼"W x ⅛"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)
A program including non- Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

3 mm edge profile

- Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Plywood Desk

- 3862 OP Baltic Birch plywood

Square 3 mm edge profile

- Wood veneer to match desk
- Plywood to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7243 Seagull
- 7360 Merle

Foot

- Paint

Rollers

- 6053 Seagull
- 6205 Black
- 6249 Platinum Solid
- 6527 Merle

Brake

- 6527 Merle

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

On extended height desks, any storage higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 23⁷/₁₀" will impede the height range of the desk.
Tip: Do not place storage underneath controller.

When mounting CPU holders, specify the overhang option.
Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.

All assemblies meet or exceed ANSI/BIFMA standards.

WARNING

Read base only warranty limitations.

Keyboard assemblies are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

Installation

Desks ship with pre-drilled holes for mounting bases.


Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 360 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options.

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight

Worksurface Shape	W	D	• Worksurface Weight	• Understructure Weight	• Leg Clearance (A)	• Options	• Accessory
							

*For detailed curved screen information, see page 20.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) or 80 amps (20 amps times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

► See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate power consumption for common devices

Device	Wattage	Amperage	Voltage	Number of Devices Supported on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/Copier (high)	1900	17.3	110	1
Large Printer/Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

Work Tables and Slim Tables

Steelcase Flex work tables are a family of standing and seated height tables that span a wide array of team activities; from an individual desk for focus work, to collaborative work-surfaces for the team, and in-between spaces.

► Specifying, pages 47–55

Pegs are standard on all four legs and provide a convenient place to hang a backpack, cable catch, power hanger, or accessory cup.

Wheel housing finish matches the wheel/glide finish selected.


Radius corners are standard on the top and have 5" radius on all four corners with a continuous user edge.

Legs come standard with four glides on standing and seated height tables. Mobile two wheels and two glides is available as an option. Slim tables are only available with four glides.


Legs are 2" diameter.

Wheels provide intentional user mobility.


Glides provide 1" of leveling and are used for installation on uneven floors.



Cable catch, optional, attaches to the pegs to assist cord and cable routing.




Footrest on standing height table supports change of posture and brings comfort for sitting all day.



Product Details

High-Pressure Laminate Worksurface



Edge profile is available in 3 mm edge profile.

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Worksurface

Edge profile is wood veneer with a square (3 mm) radius.

Plywood Worksurface

Edge profile is exposed plywood with a square (3 mm) radius.

Cable catch joined between two tables acts as a simple trough cable management.

Cable catch is felted PET and will stretch or conform, dependent on the weight of the cords stored. Do not place items within that restrict airflow to electrical components.

Frame, pegs, and footrest can be specified in different colors.

Actual Dimensions

Feature	Overall			Footrest Height
	Depth	Width	Height	
Standing height table	23" or 29"	46", 58", or 70"	41 ³ / ₈ "	11"
Seated height table	23" or 29"	46", 58", or 70"	28 ¹ / ₂ "	N.A.
Slim table	18"	58"	41 ³ / ₈ "	11"

Base only style numbers are available for customers who want to provide their own tops. Tops for work tables can be sized with no more than 8" overhang on all sides and be no more than 60 pounds. Tops for slim tables can be sized with no more than 6" overhang on all sides and be no more than 30 pounds. Tops need to be a minimum of 1" thick to use the provided screws.

Slim table is sized to cap the ends of two 29"D work tables.

Surface Materials

Top

- Laminate
- Wood veneer
- Plywood
- Customiz stain (option)
- Full-fill finish (option)

3 mm edge profile

- Plastic (if laminate top is selected)
- Square wood veneer to match table (if wood top is selected)
- Square plywood edge to match table (if plywood is selected)

Frame

- Paint

Footrest

- Paint

Pegs

- Paint

Wheels, glides, and housing

- 6527 Merle with Merle tread
- 6053 Seagull with sterling dark solid tread

Cable catch


- P630 Medium Heather Grey
- P631 Dark Heather Grey

Curved Screens

Curved screens provide user adjustable privacy and modesty for height-adjustable desks and work tables.

► Specifying, page 56

Curved screens are attached to the worksurface with magnetic brackets allowing for user adjustability between privacy and modesty modes.



Curved screens are pin tackable.

Curved screens can be ordered as single or pair to optimized privacy needs.

Surface Materials

Screen

- Fabric

Tip: Some thin, light colored fabrics are not available on these screens. Please see Surface Materials for available fabric finishes.

► Page 82

Brackets

- 6527 Merle

Product Details

Curved screens perform to an NRC rating of 0.45.

Application Topics

Curved screens are sized to work with modular size desks. Mounting a pair of screens on a parametric sized desk will create a gap between screens.

Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.

Curved screen is mounted with a 5/8" cord drop.

Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Privacy configuration provides 11½" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Modesty configuration provides 3½" of screen above the worksurface and 13½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

When ordering a single screen, selecting the correct hand is important. Handedness is assigned from the user position when the curved screen is mounted in privacy mode.

Single curved screens mounted to a modular size desk will cover half the width of the desk. If more coverage is desired, order the next size larger of screens. *Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.*

Actual Dimensions

Desk width	46", 58", or 70"
Height	18"
Weight	1.9 lb, 3.7 lb, 5.5 lb
Depth	1½"

Freestanding Screens



Freestanding Screens

Steelcase
Flex Collection

Freestanding screens

offer infinite possibilities for space division, personal privacy, and keeping information visible.

► Specifying, page 57



Magnetic edge allows freestanding screens to attach to each other and other steel objects.

Product Details

Freestanding screens are lightweight for ease of use in both portrait and landscape modes. 47"H screens weigh under 8 pounds and 71"H screens weigh under 10 pounds.

Rectangle freestanding screens are the same size as the markerboards and can be displayed in the same locations: board cart, team cart, stand, and wall rail.

Flex freestanding screens perform to a NRC rating between 0.40-0.65 dependent on fabric type and use.

Magnet edge allows for 360° of attachment to other screens. Straight line, T, or X applications are possible.

Fabric is applied in a warp vertical direction. Due to the size of the screens, fabric is unable to be applied in a warp horizontal direction.

Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Color scheme can have contrasting color as long as it is within the same fabric family. (For example, 5H16 Indigo can be specified for Surface 1 and 5H19 Cumulus can be specified for Surface 2; both are Billiard Multi-Use by DesignTex.)

Surface Materials

Screen

- Fabric

Magnet edge and glide

- 6527 Merle


Actual Dimensions

Feature	Overall		
	Depth	Width	Height
Rectangle screen	15 3/32"	24", 30", or 35 1/2"	47" or 71"
Angled screen	15 3/32"	47 1/2"	47"


Acoustic Boundary

Steelcase Flex acoustic boundary improves acoustic performance and creates flexible space division.

► Specifying, page 58




Product Details



Aligning of boundary units to reduce gaps where sound can travel allows for optimal acoustic performance.

Short boundary fits through a standard door opening, allowing for ease of movement throughout an office environment.



Avoid pendant lighting when moving acoustic boundaries through office environments. Top of boundary must be two feet lower than ceiling height to allow clearance for fire suppression systems.



No clip or single sided clip option is available if a clean aesthetic is desired.

Due to recycled content of PET, there may be slight color variation between skins.

Acoustic boundaries perform to an NRC rating of 0.75.

Surface Materials

Outer skin

- P631 Dark Heather Grey PET
- P636 Light Heather Grey PET

Board clips and casters

- 6053 Seagull
- 6527 Merle

Actual Dimensions

Feature	Overall		
	Depth	Width	Height
Short	22 ³ / ₄ "	58 ³ / ₈ "	79"
Tall	22 ³ / ₄ "	58 ³ / ₈ "	116 ⁷ / ₈ "

The Flex carts consist of a team cart and a board cart. The team cart provides storage for team needs. The board cart holds up to eight markerboards and allows teams to create, move, and share information.

► Specifying, page 59


Clips are standard and lock markerboards and screens in place in portrait mode or support in landscape mode.

Carts are standard with two wheels and two locking casters for ease of mobility.

Board cart holds eight markerboards and/or screens internal and two markerboards/screens displayed.

Hooks are standard and hold backpacks, power hangers, or accessory cups. Hooks can hold up to 25 pounds.

Markerboards or free-standing screens can be positioned in a portrait or landscape orientation on the carts.



Shelves are non-adjustable fixed height.

Surface Materials

Frame

- Paint

Shelves

- Paint

Wheels and casters

- 6053 Seagull with sterling dark solid tread
- 6527 Merle with Merle tread

Board clips

- 6053 Seagull
- 6527 Merle

Board organizer

- 6527 Merle


Accessory cup

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Product Details

Shelves are specifiable in a contrasting color from the frame.

Accessory baskets, ordered separately, sit on the team cart shelves to provide storage for team needs.



Board cart package contains a cart, eight 71"H markerboards, and an accessory cup.

Actual Dimensions

Depth 20"

Width 46"

Height 41³/₈"

Markerboard Solutions

Steelcase Flex markerboard solutions

are lightweight and mobile for creating, sharing, and moving your work.



► Specifying, page 61

Wall rails offer additional display options for markerboards and screens and can activate otherwise blank walls.

Markerboards are lightweight and easily portable bringing information wherever it is needed.

Stand provides freestanding space division with boards and also serves as a podium for active collaboration and quick meet-ups.

Pegs are standard on the stand and provide a convenient place to hang a backpack, power hanger, or accessory cup.



Product Details

Stand is standard with a plywood top and two slots. Slots support markerboards and screens to create a free-standing display and space division. Stand weighs approximately 20 pounds.

Markerboards are double sided and available in two sizes: 47"H and 71"H.

Markerboards have a plywood edge for increased durability.

Markerboards are lightweight for ease of use in both portrait and landscape modes. 47"H markerboards weigh 8 pounds and 71"H markerboards weigh approximately 10 pounds.

Radius corners have a 3 1/2" radius.


Wall rails come in a top and bottom rail set.

Wall rails are double tracked to provide density of information display. Tracks are lined with low friction tape for ease of sliding markerboards and screens.

Wall rails can be installed for either portrait or landscape positioning of markerboards and screens.

Wall rails can be field cut or are available in factory cut sizes from 48"W to 96"W with 1/16" increments.

Wall rails can be joined together with included pins for sizes longer than 96"W.



Wall rails mount directly to structural wall. When used with a markerboard there is a 1 1/8" clearance between the wall and the inner markerboard.

Actual Dimensions

Feature	Overall Depth	Width	Height
Stand	16" Dia.	N.A.	38"
Markerboard	1/2"	35 1/2"	47" or 71"
Wall rail	4"	48"-96"	N.A.

Wall rail tracks are sized for 1/2" or thinner boards. Wall rail is not intended for glass.

Wall rail is only intended for use with Steelcase Flex Collection screens and markerboards.

Wall rail package contains a top and bottom set of wall rails and four 71"H markerboards.

When applying markerboards or screens to wall rails, consult with your local officials for code compliance details.

Maintenance

Markerboard

- Use any high-quality dry erase marker.

CAUTION! *The use of Low Odor markers may cause ghosting to occur. If Low Odor markers have been used, the surface can be completely cleaned by following the cleaning instructions below.*

Maintenance and Care

- Use clean dry eraser or microfiber cloth to remove ink.
- Use Expo cleaner or other markerboard cleaner with microfiber cloth. If the markerboards are used daily, cleaning may be required 2-3x per week.
- For heavily used markerboards and persistent markings, clean with 91% isopropyl alcohol with a microfiber cloth.

Surface Materials

Stand base

- 6053 Seagull
- 6527 Merle

Stand top

- 3862 OP Baltic Birch Plywood

Wall rail

- 4799 Platinum Metallic
- 7360 Merle


Accessory cups

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Mobile Power

Mobile power is a sleek, smart mobile power solution that gives teams and individuals the freedom to work anywhere they want.
► Specifying, page 63

Mobile power is ordered and shipped as a kit of five mobile power units and one mobile power charging tray.



Mobile power charging tray can charge five mobile power units simultaneously in less than eight hours.

A 7-segment LED power level gauge displays the remaining power in the mobile power unit.

Three USB-C power delivery ports and one USB-A port.

Plastic housing with a flexible handle make for easy portability.

Product Details

Mobile power units have a capacity of 218-watt hours each and can provide up to 117-watt of power simultaneously to up to four devices.

Mobile power charging tray can be specified as standalone freestanding tray, with a bumper on the outside with rubber feet, or without the bumper so it can be integrated into the Steelcase Flex mobile power-charging cart.

Mobile power charging tray ships with a freestanding 200-watt power supply. The power supply comes with a 8⁴/₅' cord when specified as freestanding or a 6²/₅' cord when specified without the bumper.

Surface Materials

Flex mobile power kit (tray and power units always match)

- 6000 Black
- 6009 Arctic White

Actual Dimensions		
	Mobile power unit	Mobile power charging tray
Depth	N.A.	1"
Width	4"	10 ¹ / ₅ "
Length	11 ² / ₅ "	16 ¹ / ₁₀ "


Mobile Power Charging Cart

Mobile Power
Charging Cart

Steelcase
Flex Collection

Mobile power charging cart allows for convenient charging for up to 10 mobile power units with one cord to connect to an outlet.

► Specifying, page 64



Flex mobile power charging cart is shipped with cable management clips and routing for power cords that come from trays. These will match the frame color that is specified.

Two charging shelves always ship with cutout and railing to accommodate two mobile power charging trays. Mobile power ordered separately, see page 62.

Product Details

Top two shelves are specifiable in either black or white and should be selected based on mobile power color that will be purchased.

Bottom shelf color will always match cart frame.

Mobile power charging cart does not accommodate clips or hooks for hanging accessories or markerboards.

Mobile power charging cart is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug.

Surface Materials

Frame and bottom shelf

- Paint

Top two shelves

- 7204 Black
- 7241 Arctic White

Wheels and casters

- 6053 Seagull with sterling dark solid tread
- 6527 Merle with Merle tread

Actual Dimensions

Depth	13"
Width	32"
Height	41 ³ / ₈ "

Accessories


Flex accessories can be used across the collection to provide functionality and personalization.

► Specifying, page 65

Cups hang from the pegs on work tables and stand.

Baskets and cups are made of formed felted PET and available in two color combinations: navy or grey.

Baskets and cups are sold in packages of four.



Power hangers are available in two configurations: four power and three power with USB.

Power hangers hang from the pegs on work tables.

Product Details

Power hangers are standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.


Power hangers are available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.

Power hangers are weighted and have a rubberized back to allow them to sit firmly on the worksurface.

Power cords should not be routed in walkways or where subject to damage.

Over-current protection is standard on power hangers. The reset button is located on the side of the power hanger. If the over-current protection trips, reset by pushing the button back into place.

Baskets and cups are cleanable with a damp cloth.



Cable trays are available as an option or can be ordered separately. 46"W–57¹⁵/₁₆"W desks use the 28"W cable tray. 58"W–72"W desks use the 40"W cable tray. When specifying a desk overhang, see additional cable tray specifying details chart on page 13.

Actual Dimensions


	Depth	Width	Height
Cup	5½"	6"	5⅔"
Basket	11½"	13½"	7⅔"
Power Hanger	2⅔"	10"	1⅜"

Braided Cord Color Matrix


Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull


Tip: Braided cord color is defaulted to cover finish but can be changed if desired.



Cable catch, optional, attaches to the pegs to assist cord and cable routing.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 29



Inside dimensions of cable brackets are 6"D x 2 1/4"W x 1/16"H.

Surface Materials

Power hangers

- 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia
- 4CZ8 Light Peacock
- 7243 Seagull
- 7360 Merle

Baskets

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Accessory cups

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Cable tray

- P631 Dark Heather Grey

Cable bracket

- 6527 Merle

Cable riser

- 7360 Merle

Cable catch

- P630 Medium Heather Grey
- P631 Dark Heather Grey

Flex Active Frames


Active frames are made up of structures. They are either 1 wide or 2 wide and come in a minimum of 2 unit high and stretch up to 5 unit high. Frames are steel and can be specified in any paint finish.

► Specifying, pages 68–79

Four top caps are provided to finish the top end of the upright tubes.


Tubes are a painted 25 mm square, set at a 45° angle, and available in 2 unit, 3 unit, 4 unit, or 5 unit heights.

Tip: Four tubes come standard with the frame and two tubes come standard with the frame extension.




Leveling guides adjust for installations on uneven floors. Adjustability range is 1 1/4".

Shelves have a wood core with a High-Pressure Laminate surface. Shelves connect to the tubes with accompanying shelf connectors. A top and bottom shelf is included with each frame and frame extension and is required in all applications. Additional shelves are available to connect at various heights within the frame or frame extension. The bottom shelves cover the base and can be lifted to access the opening. The top of the unit is also a shelf, so there is actually one more shelf than the height of the unit.




Base is painted and included with each frame and frame extension.

Product Details



Frames (FLXAFFRAME) consist of a base, base shelf, four tubes, top shelf, four leveling glides, four top caps, and a counterweight(s) if necessary. All tubes in a frame will be the same height. When ordering, users will be able to select the number of additional shelves desired for each unit. Two wide, two unit high shown.



Frame extensions (FLXAFFRAMEEXT) consist of a base, base shelf, two tubes, top shelf, two leveling glides, and two top caps. The tubes in a frame extension may be different heights. When ordering, users will be able to select the number of additional shelves desired for each unit. Two wide, two unit high shown.

Frames and frame extensions are available in 1 wide (15 3/4"W) or 2 wide (31 1/2"W). Frame tube heights are expressed in units and are available in 2 unit (36 1/4"H), 3 unit (52 1/8"H), 4 unit (67 7/8"H), or 5 unit (83 3/4"H). All heights are when glides are fully compressed.

Tip: Tube heights on frame extensions can be specified separately to allow for a variety of configurations.

Only one frame (**FLXAFFRAME**) consisting of four tubes will be needed per configuration. A frame extension (**FLXAFFRAMEEXT**) with two tubes will be required to build out the remainder of the unit. Please refer to SmartTools for details.

Counterweights for 1 Wide Frame

	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	0	2	2
Infill	0	0	2	2
Fixed Board	0	2	4	4
Mobile Board Clips	0	2	4	4
Infill and Fixed Board	0	4	4	4
Infill and Mobile Board Clips	0	4	4	4
Fixed Board and Mobile Board Clips	0	4	N.A.	N.A.
Infill, Fixed Board, and Mobile Board Clips	0	4	N.A.	N.A.

Counterweights for 2 Wide Frame

	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	0	0	0
Infill	0	0	2	2
Fixed Board	0	2	4	4
Mobile Board Clips	0	2	4	4
Infill and Fixed Board	0	4	4	4
Infill and Mobile Board Clips	0	4	4	4
Fixed Board and Mobile Board Clips	0	4	4	4
Infill, Fixed Board, and Mobile Board Clips	0	4	4	4

Counterweights for 1 Frame + 1 Frame Extension

	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	2	2	2
Infill	0	2	2	2
Fixed Board	0	6	6	6
Mobile Board Clips	0	6	6	6
Infill and Fixed Board	0	6	6	6
Infill and Mobile Board Clips	0	6	6	6
Fixed Board and Mobile Board Clips	0	6	6	6
Infill, Fixed Board, and Mobile Board Clips	0	10	10	10

Counterweights for 1 Frame + 2 Frame Extensions

	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	0	0	0
Infill	0	10	10	10
Fixed Board	0	10	10	10
Mobile Board Clips	0	10	10	10
Infill and Fixed Board	0	10	10	10
Infill and Mobile Board Clips	0	10	10	10
Fixed Board and Mobile Board Clips	0	10	10	10
Infill, Fixed Board, and Mobile Board Clips	0	10	10	10

Counterweights for 1 Frame + 3 Frame Extensions


	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	6	6	6
Infill	0	10	10	10
Fixed Board	0	10	10	10
Mobile Board Clips	0	10	10	10
Infill and Fixed Board	0	10	10	10
Infill and Mobile Board Clips	0	10	10	10
Fixed Board and Mobile Board Clips	0	10	10	10
Infill, Fixed Board, and Mobile Board Clips	0	10	10	10

Counterweights for 1 Frame + 4 Frame Extensions


	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	0	0	0
Infill	0	6	6	0
Fixed Board	0	6	6	0
Mobile Board Clips	0	6	6	0
Infill and Fixed Board	0	6	6	0
Infill and Mobile Board Clips	0	6	6	0
Fixed Board and Mobile Board Clips	0	6	6	0
Infill, Fixed Board, and Mobile Board Clips	0	6	6	0

Counterweights are required in certain configurations to ensure product stability and are added as part of the frame. Please refer to SmartTools and the matrix below for further information.


	Connection Holes			
	1	2	3	4
Frame				
Upright 1	•	•	•	•
Upright 2	•	•	•	•
Upright 3	•	•	•	•
Upright 4	•	•	•	•
Frame Extension				
Upright 1	•	•	•	•
Upright 2	•	•	•	•




1 Connection Hole



2 Connection Hole




3 Connection Hole




4 Connection Hole

Connection holes refers to the number of faces of the tube (upright) that have holes for attaching shelves. When an upright has 1 connection hole, shelves can only be attached to one side of the upright. These uprights are always on the ends of a configuration. When an upright has 2 connection holes, shelves can be attached on two consecutive sides of the upright. These intermediate uprights are always used to connect frames and extensions that are assembled in a single row. Uprights with 3 connection holes can attach to shelves on three sides. These intermediate uprights are used for L- or T-configurations. Uprights with 4 connection holes can attach to shelves on all four sides. Please refer to SmartTools for details.


Upright connection holes for frame and frame extensions can be specified as 1, 2, 3, or 4 holes per tube side, allowing for a variety of shelf placements and configurations. *Tip: If choosing to omit a shelf, there will still be connection holes along the tube.*



Base is 3 $\frac{1}{8}$ "H x 15 $\frac{3}{4}$ "W (1 wide) or 31 $\frac{1}{2}$ "W (2 wide). A base is included with each frame and frame extension. Tubes will connect to the base using a flanged hex socket head screw with H5 drive in all four corners.



Top and bottom shelves are required in each frame configuration. Top and bottom shelf connects to the tubes with accompanying shelf connectors, washers and flanged hex socket head screw with H5 drive. One shelf in each frame will have stability guidance and may be installed at any height within the frame except as the bottom shelf.




Shelves are 15 $\frac{3}{4}$ "D x 15 $\frac{3}{4}$ "W (1 wide) or 31 $\frac{1}{2}$ "W (2 wide) and $\frac{1}{8}$ " thick. Additional shelves are available and connect at various heights within the frame. All four corners must attach using the shelf connector and screw.


Shelves are High-Pressure Laminate and are available in contrasting finishes. High-Pressure Laminate woodgrain direction will always be horizontal.

1 wide shelves have a weight limit of 25 pounds.

2 wide shelves have a weight limit of 52 pounds.




Nickel-plated shelf connectors come installed in the shelves and are recessed within each corner of the shelf. The shelves are fastened to the tubes at all four corners of the shelf by clamping the shelf connector with a washer, and a flanged hex socket head screw with a H5 drive. A H5 ball tip allen extension bit is included with the frame (**FLXAFFRAME**) to aid in shelf installation.




Infills are available and are $\frac{3}{8}$ " thick and either 15 $\frac{3}{4}$ "W (1 wide) or 31 $\frac{1}{2}$ "W (2 wide) and are available in High-Pressure Laminate or PET. Infills connect in all four corners at the top and bottom of the coordinating shelves and tubes using a plastic connection. Infills are available as a single unit. A maximum of three infills can be installed per shelf. High-Pressure Laminate woodgrain direction will always be horizontal.

Doors are available and are $\frac{3}{8}$ " thick and either 15 $\frac{3}{4}$ "W (1 wide) or 31 $\frac{1}{2}$ "W (2 wide) in High-Pressure Laminate with plastic door rails that will secure on the corresponding infills. High-Pressure Laminate woodgrain direction will always be horizontal. Door pulls are a striped fabric looped material with light elasticity and included with each door.


Tip: You must also specify three High-Pressure Laminate infills in addition to the doors.




Locks are available field-installed. Optional field-installed locks are available with consecutive, specific, and random keying options.



Field-installed lock cylinders (LOCKPB9201FR or LOCKPB9250FR) must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all doors. ▶ Lock and Keying, page 89




Optional locks on doors are located centered on the door panel and directly above the door pull.




Fixed boards are available and connect to the frame in six places. The bottom of the fixed board must align with a shelf to install on the frame. Fixed boards are available 3 high, 4 high, and 5 high in PET/PET or white-board/PET finish.

Fixed Board

	3 H	4 H	5 H
1 W	•	•	•
2 W	•	•	•




Book ends fit on the front side of a shelf and come in quantities of two.



Cable management clips are plastic and come in packages of six. Cable management clips fit on the frame to help manage cords and wires. Cable management clips can manage a maximum of 0.38" dia. cord or wire.




Toolbox comes in a package of four. Toolboxes are molded PET in a light grey finish.




Mobile board clips fit securely on the front of the tube and can move up and down the frame to integrate with Flex mobile boards (**FLXMB**). Flex cups (**FLXCUP**) and Flex power hanger (**FLXPH**) can hang from the front of the clip for easy accessibility. Mobile board clips come in a package of four.

The maximum weight capacity of each mobile board clip is 8 pounds. Mobile board clips may only move along the frame when they are in the unlocked position.



Two wide coat rod



One wide coat rod

Coat rod is available in one wide and two wide and secures under a shelf on each side. The coat rod can be moved on the shelf from front-to-back for desired placement. The one wide coat rod can be oriented in the width or depth direction.

A one wide coat rod has a weight limit of 25 pounds.

A two wide coat rod has a weight limit of 52 pounds.

Maintenance

Markerboard

- Use any high-quality dry erase marker.

CAUTION

The use of low odor markers may cause ghosting to occur. If low odor markers have been used, the surface can be completely cleaned by following the cleaning instructions below.

Maintenance and Care

- Use clean dry eraser or microfiber cloth to remove ink.
- Use Expo cleaner or other markerboard cleaner with microfiber cloth. If the markerboards are used daily, cleaning may be required 2-3 x per week.
- For heavily used markerboards and persistent markings, clean with 91% isopropyl alcohol with a microfiber cloth.

Surface Materials

Tubes and bases for frame and frame extension

- Paint

Shelves

- High-Pressure Laminate

Infills

- High-Pressure Laminate
- P631 Dark Heather Grey
PET
- P636 Light Heather Grey
PET

Doors

- High-Pressure Laminate

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

Bookends

- Paint

Mobile board clip

- 6053 Seagull
- 6527 Merle

Cable management clip

- 6527 Merle

Fixed board

- P631 Dark Heather Grey
PET
- P636 Light Heather Grey
PET
- 2977 White Markerboard

Coat rod

- Paint

Toolbox

- P636 Light Heather Grey
PET

Actual Dimensions

Flex Active Frames

Actual Dimensions

1 Wide Frame

	2 High	3 High	4 High	5 High
Depth	17.042"	17.042"	17.042"	17.042"
Width	17.042"	17.042"	17.042"	17.042"
Height	36.296"	52.102"	67.908"	83.714"

2 Wide Frame

	2 High	3 High	4 High	5 High
Depth	17.042"	17.042"	17.042"	17.042"
Width	32.783"	32.783"	32.783"	32.783"
Height	36.296"	52.102"	67.908"	83.714"

1 Wide Frame Extension

	2 High	3 High	4 High	5 High
Depth	17.042"	17.042"	17.042"	17.042"
Width	16.392"	16.392"	16.392"	16.392"
Height	36.296"	52.102"	67.908"	83.714"

2 Wide Frame Extension

	2 High	3 High	4 High	5 High
Depth	17.042"	17.042"	17.042"	17.042"
Width	32.140"	32.140"	32.140"	32.140"
Height	36.296"	52.102"	67.908"	83.714"

Tip: All dimensions shown refer to overall exterior dimensions.

Additional Dimensions

Flex Active Frames

	Width	Height	Thickness
Distance from floor (with glides fully compressed)			
Bottom of base		0.629"	
Top of base		3.778"	
Top of bottom shelf		4.684"	
Exterior base			
1 Wide x 1 Deep	15.433"	3.150"	
2 Wide x 2 Deep	31.181"	3.150"	
Interior base			
1 Wide x 1 Deep	15.283"	3.000"	
2 Wide x 2 Deep	31.031"	3.000"	
Shelf			
1 Wide x 1 Deep	15.512"	15.512"	0.806"
2 Wide x 2 Deep	31.260"	31.260"	0.806"
Height between Shelves			
1 High		15.000"	
2 High		30.806"	
3 High		46.612"	
4 High		62.418"	
5 High		78.224"	
Door			
1 Wide	14.173"	14.646"	0.556"
2 Wide	29.921"	14.646"	0.556"
Infill			
1 Wide	14.350"	14.764"	0.556"
2 Wide	30.098"	14.764"	0.556"
Opening between LH and RH Infills (without doors)			
1 Wide	14.400"		
2 Wide	30.148"		
Opening between LH and RH Infills (with doors)			
1 Wide	14.282"		
2 Wide	30.038"		
Fixed board			
Whiteboard/Pet			0.746"
Pet/Pet			0.700"
1 Wide	14.016"		
2 Wide	29.764"		
3 High		48.031"	
4 High		63.780"	
5 High		79.528"	

► Additional Dimensions, continued on next page

► Additional Dimensions, continued from previous page

	Depth	Height
Height of opening when door open		13.244"
Outside depth of door and rear infill	15.512"	
Depth from front of shelf to front of rear infill	14.956"	
Depth from back of door to front of rear infill	14.400"	

Flex Active Frames Work Island

Work islands are configured with the same base and extension logic as active frames. To maintain a proper gathering height, work islands are only available 2 high. To reach the proper gathering height, a 4" high piling shelf is added to the 2 high unit.

The width of work islands is fixed at 80²/₅" wide and can be filled by the combination of 1 and 2 wide frames.

A work bridge can be configured when a knee space is needed to accommodate stools. The same 80²/₅" overall width applies, but this unit can have a minimum 14¹/₂" to maximum 46" wide knee span. Both ends of the unit need to be supported by frames of either size and the configuration does not need to be symmetrical.

Work islands are available as 1 or 2 deep configurations.
► Specifying, pages 76–79

Shelves have a wood core with a High-Pressure Laminate surface. Shelves connect to the tubes with accompanying shelf connectors. A top and bottom shelf is required in all applications. Additional shelves are available to connect at various heights within the frame or frame extension.


Tubes are a painted 25 mm square, set at a 45° angle, and available as an end or intermediate.

Tip: Four tubes come standard with the frame and two tubes come standard with the frame extension.


Continuous top is 78³/₄"W (5 wide) x 15³/₄"D (1 deep) or 31¹/₂"D (2 deep) and 1" thick. Continuous top is available in High-Pressure Laminate with a 3 mm edge profile to match top finish. Corners are always square with no overhangs on the left or right. Pilot holes always present to accommodate all configuration options.

Base is painted and included with each frame and frame extension.


Leveling guides adjust for installations on uneven floors. Adjustability range is 1¹/₄".




Product Details







Work bridge application consists of a continuous top with two work island frames and an opening between the two. Each work island frame consists of four tubes and four leveling glides. Additional shelves are available. When no extension is used with a frame, all three shelves are required.



Work island frames (FLXAFCTFRAME) consist of a base, four tubes, and four leveling glides. Additional shelves are available.



Work island frame extensions (FLXAFCTFRAMEEXT) consist of a base, two tubes, top shelf, and two leveling glides. Additional shelves are available.



Work island frames and work island frame extensions are available in 1 wide (15³/₄"W) or 2 wide (31¹/₂"W) and 1 deep (15³/₄"D) or 2 deep (31¹/₂"D).


Only one frame (FLXAFFRAME) consisting of four tubes will be needed per configuration. Two to four frame extensions (FLXAFFRAMEEXT) with two tubes will be required to build out the remainder of the unit. Please refer to SmartTools for details.

	Connection Holes	
	1	2
Work Island Frame		
Upright 1	•	•
Upright 2	•	•
Work Island Extension		
Upright 1	•	•
Upright 2	•	•

Upright connection holes for work island frame and work island extension can be specified as 1 or 2 holes per tube side, allowing for shelf placement. Upright 1 and 2 must have same number of connection holes.


Tip: If choosing to omit a shelf, there will still be connection holes along the tube.

Shelves are 15³/₄"D x 15³/₄"W (1 wide) or 31¹/₂"W (2 wide) and ⁴/₅" thick. When attached to an extension, the middle shelves are optional and connect at various heights within the frame. All four corners must attach using the shelf connector. Shelves are available in contrasting finishes.



Nickel-plated shelf connectors come installed in the shelves and are recessed within each corner of the shelf. The shelves are fastened to the tubes at all four corners of the shelf by clamping the shelf connector with a washer, and a flanged hex socket head screw with a H5 drive.


Center panels are required on a 2 deep work bridge or work island frame to separate the space between the two sides. Center panels can be used with doors on both sides or doors on no sides, however not with a door on only one side. Center panel and side infill finish must match.




Infills are available and are ³/₅" thick and either 15³/₄"W (1 wide) or 31¹/₂"W (2 wide) and are available in High-Pressure Laminate or PET. Infills connect in all four corners at the top and bottom of the coordinating shelves and tubes using a plastic connection. Infills are available in a single infill.

Doors are available and are ³/₅" thick and either 15³/₄"W (1 wide) or 31¹/₂"W (2 wide) in High-Pressure Laminate with plastic door rails that will secure on the corresponding inflills. Door pulls are a striped fabric looped material with light elasticity and included with each door.


Tip: You must also specify three High-Pressure Laminate inflills in addition to the door inflills and center panels.




Locks are available or field-installed. Optional field-installed locks are available with consecutive, specific, and random keying options.




Field-installed lock cylinders (LOCKPB9201FR or LOCKPB9250FR) must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all doors. ▶ Lock and Keying, page 89



Optional locks on doors are located centered on the door panel and directly above the door pull.



Book ends fit on the front side of a shelf and come in quantities of two.



Cable management clips are plastic and come in packages of six. Cable management clips fit on the frame to help manage cords and wires. Cable management clips can manage a maximum of 0.38" dia. cord or wire.



Toolbox comes in a package of four. Toolboxes are molded PET in a light grey finish.

Surface Materials

Tubes and bases for work island frame and work island frame extension

- Paint

Shelves

- High-Pressure Laminate

Continuous top

- High-Pressure Laminate

3 mm edge profile

- Plastic

Infills

- High-Pressure Laminate
- P631 Dark Heather Grey PET
- P636 Light Heather Grey PET

Doors

- High-Pressure Laminate

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

Bookends

- Paint

Cable management clip

- 6527 Merle

Toolbox

- P636 Light Heather Grey PET


Actual Dimensions

Flex Active Frames Work Island

Actual Dimensions


Steelcase
Flex Collection

Work Island Worksurface		
	1 Deep	2 Deep
Depth	17.402"	33.150"
Width	80.394"	80.394"
Thickness	0.993"	0.993"



Additional Dimensions			
	Depth	Width	Height
Depth from front of shelf to inside of center infill	15.352"		
Depth from back of door to front of center infill	14.976"		
Worksurface			
1 Deep	17.402"		
2 Deep	33.150"		
5 Wide		80.394"	
Height to top of worksurface (with glides fully compressed)			41.385"
Height to bottom of worksurface (with glides fully compressed)			40.391"
Opening height from top shelf to worksurface bottom			4.096"
Opening between tubes			
1 Wide		14.461"	
2 Wide		30.209"	
3 Wide		45.957"	
Outermost planning widths			
1 Wide frame		17.042"	
2 Wide frame		32.783"	
1 Wide extension		16.392"	
2 Wide extension		32.140"	
On-center planning connections			
1 Wide x 1 Deep		15.748"	
2 Wide x 2 Deep		31.496"	

Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes

- Worksurface:
 - High-Pressure Laminate price group 1 with 3 mm plastic edge
 - Plywood with matching square 3 mm edge
 - Wood group 1 veneer with matching 3 mm square edge
- Electric height-adjustable sit-to-stand base: paint price group 1
- Active touch controller
- Foot: paint price group 1
- Roller: plastic
- Modular widths: 46", 58", or 70"
- Attachment hardware
- No overhang on worksurface
- Power cord: 10' with standard plug

Options

Size Option	Modular	No cost
	Parametric	No cost
Overhang	No Overhang	No cost
	Overhang - Left	No cost
	Overhang - Left & Right	No cost
	Overhang - Right	No cost
Top Surface Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	Plywood Price Group 01	See below
	Veneer Custom Stain	No cost
	Veneer Price Group 01	See below
	OLL Price Group 1	+\$77
	Veneer Full Fill	+\$77
	Veneer Price Group 02	+\$77
Base Finish	Veneer Price Group 03	+\$271
	Paint Price Group 01	No cost
Foot Finish	Paint Price Group 02	+\$16
	Paint Price Group 01	No cost
Power Configuration	Paint Price Group 02	+\$16
	Paint Price Group 03	+\$31
	No under Worksurface Power	No cost
	Under Worksurf Clamp with USB-A	See below
Power Cord	Under Worksurf Clamp with USB-C	See below
	Under Worksurface Only	See below
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$55
	20' Standard Cord	+\$55
	20' Braided Cord	+\$166
	Curly Cord	+\$244

► Product Information continued on next page

Height-Adjustable Desks

► Product Information continued from previous page

Tip: Full fill upcharge is in addition to the Wood Group 1 cost.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: Active touch controller is a defaulted selection. Upcharge is not reflected in the base price.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Options		
Power Plug Type	Standard NEMA 5-15 3-Prong Thread Low Profile Plug	No cost +\$30
PVC	With PVC Non PVC	No cost +\$26
Cable Tray	No Cable Tray With Cable Tray	No cost See below
Controller	Simple Touch Controller Active Touch Controller	No cost +\$55
Antimicrobial	Non-Antimicrobial With Antimicrobial	No cost No cost
Brake	No Brake With Brake	No cost +\$52

Steelcase
Flex Collection

Specification Information

Top Surface Finish

	46"W-54"W Desks (Add \$ to Base Price)	54 1/16"W-72"W Desks (Add \$ to Base Price)
Laminate HPL Price Group 02	+\$19	+\$25
Laminate HPL Price Group 03	+\$37	+\$50

Power Configuration


	46"W-57 15/16"W Desks (Add \$ to Base Price)	58"W-72"W Desks (Add \$ to Base Price)
Under Worksurface Only	+\$363	+\$388
Under Worksurf Clamp w/USB-A	+\$612	+\$637
Under Worksurf Clamp w/USB-C	+\$856	+\$881

► Product Information continued on next page

Height-Adjustable Desks

► Product Information continued from previous page

Specification Information



Style Number	Dimensions	Base Prices						Cable Tray	
	D	Size Option							(Add \$ to
		Modular	46"W	N.A.	58"W	N.A.	70"W	Base Price)	
		Parametric	46"W-	48 1/16"W-	54 1/16"W-	60 1/16"W-	66 1/16"W-		
			48"W	54"W	60"W	66"W	72"W		

Laminate HPL Price Group 01 - Basic Height

FLXSRQ	23" or 24"	\$1776	\$1832	\$1889	\$1951	\$2011	+\$140
	29" or 30"	\$1998	\$2064	\$2127	\$2193	\$2262	+\$156

Veneer Price Group 01 - Basic Height

FLXSRQ	23" or 24"	\$2392	\$2458	\$2525	\$2598	\$2666	+\$140
	29" or 30"	\$2641	\$2716	\$2788	\$2867	\$2943	+\$156

Plywood Price Group 01 - Basic Height

FLXSRQ	23" or 24"	\$2483	\$2549	\$2617	\$4128	\$4188	+\$140
	29" or 30"	\$2705	\$2781	\$2855	\$4370	\$4439	+\$156

Laminate HPL Price Group 01 - Extended Height

FLXERQ	23" or 24"	\$1932	\$1992	\$2054	\$2121	\$2185	+\$140
	29" or 30"	\$2173	\$2242	\$2312	\$2383	\$2457	+\$156


Veneer Price Group 01 - Extended Height

FLXERQ	23" or 24"	\$2548	\$2618	\$2690	\$2768	\$2840	+\$140
	29" or 30"	\$2816	\$2894	\$2973	\$3057	\$3138	+\$156

Plywood Price Group 01 - Extended Height

FLXERQ	23" or 24"	\$2639	\$2709	\$2782	\$4298	\$4362	+\$140
	29" or 30"	\$2880	\$2959	\$3040	\$4560	\$4634	+\$156

Height-Adjustable Bases



Tip: Height-adjustable bases shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Standard Includes

- Electric height-adjustable sit-to-stand base: paint price group 1
- Foot: paint price group 1
- Roller: plastic
- Active touch controller
- Modular widths: 46", 58", or 70"
- Attachment hardware
- No overhang on worksurface
- Power cord: 10' with standard plug

Options

Size Option	Modular	No cost
	Parametric	No cost
Overhang	No Overhang	No cost
	Overhang - Left	No cost
	Overhang - Left & Right	No cost
	Overhang - Right	No cost
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$16
Foot Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$16
	Paint Price Group 03	+\$31
Power Configuration	No under Worksurface Power	No cost
	Under Worksurf Clamp with USB-A	See below
	Under Worksurf Clamp with USB-C	See below
	Under Worksurface Only	See below
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$55
	20' Standard Cord	+\$55
	20' Braided Cord	+\$166
	Curly Cord	+\$244
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$30
PVC	With PVC	No cost
	Non PVC	+\$26
Cable Tray	No Cable Tray	No cost
	With Cable Tray	See below
Controller	Simple Touch Controller	No cost
	Active Touch Controller	+\$55
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost
Brake	No Brake	No cost
	With Brake	+\$52

► Product Information continued on next page

Height-Adjustable Bases

► Product Information continued from previous page

Specification Information

Integrated Power

	46"W- 57 15/16"W Bases (Add \$ to Base Price)	58"W- 72"W Bases (Add \$ to Base Price)
Under Worksurface Only	+\$363	+\$388
Under Worksurface Clamp w/USB-A	+\$612	+\$637
Under Worksurface Clamp w/USB-C	+\$856	+\$881


Style Number	Dimensions D	Size Option	Base Prices					Cable Tray (Add \$ to Base Price)
			46"W	N.A.	58"W	N.A.	70"W	
			46"W- 48"W	48 1/16"W- 54"W	54 1/16"W- 60"W	60 1/16"W- 66"W	66 1/16"W- 72"W	

Basic Height

FLXSRQB	23" or 24"	\$1678	\$1734	\$1789	\$1852	\$1911	+\$140
	29" or 30"	\$1896	\$1959	\$1980	\$2016	\$2035	+\$156

Extended Height


FLXERQB	23" or 24"	\$1824	\$1884	\$1944	\$2012	\$2078	+\$140
	29" or 30"	\$2062	\$2130	\$2153	\$2190	\$2211	+\$156



Tip: Active touch controller is a defaulted selection. Upcharge is not reflected in the base price.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Work Tables-Seated Height



Four glides

Standard Includes

- Top surface:
 - High-Pressure Laminate price group 1 with 3 mm plastic edge
 - Wood group 1 veneer with matching 3 mm square edge
 - Plywood with matching square 3 mm edge
- Frame: paint price group 1
- Pegs:
 - paint price group 1
 - paint price group 2
 - paint price group 3
 - Lux Coatings
- 1" adjustable glides
- Wheels or 1" adjustable glides:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Attachment hardware

Options

Top Surface Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	Plywood Price Group 01	See below
	Veneer Custom Stain	No cost
	Veneer Price Group 01	No cost
	OLL Price Group 1	+\$77
	Veneer Full Fill	+\$77
	Veneer Price Group 02	+\$77
Frame Finish	Veneer Price Group 03	+\$270
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$48
Cable Catch	Paint Price Group 03	+\$79
	No Cable Catch	No cost
Mobility	With Cable Catch	See below
	Static - 4 Glides	No cost
	Mobile - 2 Glides and 2 Wheels	+\$52

Specification Information

Top Surface Finish

	46"W (Add \$ to Base Price)	58"W (Add \$ to Base Price)	70"W (Add \$ to Base Price)
Laminate HPL Price Group 02	+\$19	+\$25	+\$25
Laminate HPL Price Group 03	+\$36	+\$49	+\$49

Cable Catch


	+\$140	+\$156	+\$171
--	--------	--------	--------

► Product Information continued on next page

Work Tables-Seated Height

► Product Information continued from previous page


Specification Information



Four glides

Style Number	Dimensions	Base Prices		
	D	46"W	58"W	70"W
Laminate HPL Price Group 01				
FLXWTL	23"	\$952	\$991	\$1062
	29"	\$1034	\$1088	\$1173
Veneer Price Group 01				
FLXWTL	23"	\$1568	\$1627	\$1717
	29"	\$1677	\$1749	\$1854
Plywood Price Group 01				
FLXWTL	23"	\$1659	\$1719	\$3239
	29"	\$1741	\$1816	\$3350

Work Tables-Standing Height



Four glides

Standard Includes

- Top surface:
 - High-Pressure Laminate price group 1 with 3 mm plastic edge
 - Wood group 1 veneer with matching 3 mm square edge
 - Plywood with matching square 3 mm edge
- Frame: paint price group 1
- Footrest: paint price group 1
- Pegs:
 - paint price group 1
 - paint price group 2
 - paint price group 3
 - Lux Coatings
- Wheels or 1" adjustable glides:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Attachment hardware

Options

Top Surface Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	Plywood Price Group 01	See below
	Veneer Custom Stain	No cost
	Veneer Price Group 01	See below
	OLL Price Group 1	+\$77
	Veneer Full Fill	+\$77
	Veneer Price Group 02	+\$77
Frame Finish	Veneer Price Group 03	+\$270
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$48
Footrest Finish	Paint Price Group 03	+\$79
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$26
Cable Catch	Paint Price Group 03	+\$48
	No Cable Catch	No cost
Mobility	With Cable Catch	See below
	Static - 4 Glides	No cost
	Mobile - 2 Glides and 2 Wheels	+\$52

► Product Information continued on next page

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Full fill upcharge is in addition to the Wood Group 1 cost.

Work Tables-Standing Height

► Product Information continued from previous page

Specification Information

Top Surface Finish

	46"W (Add \$ to Base Price)	58"W (Add \$ to Base Price)	70"W (Add \$ to Base Price)
Laminate HPL Price Group 02	+\$19	+\$25	+\$25
Laminate HPL Price Group 03	+\$36	+\$49	+\$49

Cable Catch

+\$140	+\$156	+\$171
--------	--------	--------



Four glides

Style Number	Dimensions	Base Prices		
	D	46"W	58"W	70"W

Laminate HPL Price Group 01

FLXWTH	23"	\$1394	\$1509	\$1656
	29"	\$1506	\$1636	\$1798


Veneer Price Group 01

FLXWTH	23"	\$2010	\$2145	\$2311
	29"	\$2149	\$2297	\$2479

Plywood Price Group 01

FLXWTH	23"	\$2101	\$2237	\$3833
	29"	\$2213	\$2364	\$3975

Work Table-Bases Only



Four glides

Standard Includes

- Frame: paint price group 1
- Footrest: paint price group 1
- Pegs:
 - paint price group 1
 - paint price group 2
 - paint price group 3
 - Lux Coatings
- Wheels or 1" adjustable glides:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Attachment hardware


Options

Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$48
	Paint Price Group 03	+\$79
Footrest Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$26
	Paint Price Group 03	+\$48
Cable Catch	No Cable Catch	No cost
	With Cable Catch	See below
Mobility	Static - 4 Glides	No cost
	Mobile - 2 Glides and 2 Wheels	+\$52

Specification Information

Cable Catch

46"W	58"W	70"W
(Add \$ to Base Price)	(Add \$ to Base Price)	(Add \$ to Base Price)
+\$140	+\$156	+\$171



Four glides


Style Number	Dimensions	Base Prices		
	D	46"W	58"W	70"W
Seated Height				
FLXWTLB	23"	\$844	\$881	\$949
	29"	\$919	\$969	\$1049

► Product Information continued on next page

Work Table-Bases Only

► Product Information continued from previous page

Specification Information



Four glides

Style Number	Dimensions	Base Prices		
	D	46"W	58"W	70"W

Standing Height

FLXWTHB	23"	\$1286	\$1400	\$1541
	29"	\$1393	\$1518	\$1674

Slim Table



Standard Includes

- Top surface:
 - High-Pressure Laminate price group 1 with 3 mm plastic edge
 - Wood group 1 veneer with matching 3 mm square edge
 - Plywood with matching square 3 mm edge
- Frame: paint price group 1
- Footrest: paint price group 1
- Pegs:
 - paint price group 1
 - paint price group 2
 - paint price group 3
 - Lux Coatings
- 1" adjustable glide:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Attachment hardware

Options

Top Surface Finish	Laminate HPL Price Group 01	No cost
	Plywood Price Group 01	See below
	Veneer Custom Stain	No cost
	Veneer Price Group 01	No cost
	Laminate HPL Price Group 02	+\$25
	Laminate HPL Price Group 03	+\$49
	OLL Price Group 1	+\$77
	Veneer Full Fill	+\$77
	Veneer Price Group 02	+\$77
Frame Finish	Veneer Price Group 03	+\$270
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$48
Footrest Finish	Paint Price Group 03	+\$79
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$26
	Paint Price Group 03	+\$48

Specification Information

Dimensions	Style Number	Base Price
D W		

Laminate HPL Price Group 01

18"	58"	FLXSLIM	\$1454
-----	-----	----------------	--------

Veneer Price Group 01

18"	58"	FLXSLIM	\$2070
-----	-----	----------------	--------

► Product Information continued on next page

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Full fill upcharge is in addition to the Wood Group 1 cost.


Slim Table

► Product Information continued from previous page

Specification Information

Dimensions		Style Number	Base Price
D	W		
Plywood Price Group 01			
18"	58"	FLXSLIM	\$2132

Slim Table-Base Only, Standing Height



Standard Includes

- Frame: paint price group 1
- Footrest: paint price group 1
- Pegs:
 - paint price group 1
 - paint price group 2
 - paint price group 3
 - Lux Coatings
- 1" adjustable glide:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Attachment hardware

Options

Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$48
	Paint Price Group 03	+\$79
Footrest Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$26
	Paint Price Group 03	+\$48


Specification Information

Dimensions	Style Number	Base Price
D W		

Standing Height

18"	58"	FLXSLIMB	\$1361
-----	-----	-----------------	--------

Curved Screens



Tip: Handedness is only needed to specify when ordering single curved screen.

Tip: Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Tip: When choosing contrasting fabrics, outside and inside screen fabric must stay within same fabric family.

Standard Includes

- Curved desk screen: fabric price group A or 1
- Magnet attachment housing: 6527 Merle plastic
- Attachment hardware


Options

Inside Screen Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$8
	Fabric Price Group 02	+\$19
	Fabric Price Group 03	+\$50
	Fabric Price Group 04	+\$63
	Fabric Price Group 05	+\$77
	Fabric Price Group 06	+\$89
	Fabric Price Group 07	+\$103
	Fabric Price Group 08	+\$116
	Fabric Price Group 09	+\$130
	Fabric Price Group 10	+\$143
Outside Screen Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$8
	Fabric Price Group 02	+\$19
	Fabric Price Group 03	+\$50
	Fabric Price Group 04	+\$63
	Fabric Price Group 05	+\$77
	Fabric Price Group 06	+\$89
	Fabric Price Group 07	+\$103
	Fabric Price Group 08	+\$116
	Fabric Price Group 09	+\$130
	Fabric Price Group 10	+\$143
Handedness	LH Privacy/RH Modesty	No cost
	RH Privacy/LH Modesty	No cost


Specification Information

Dimensions		Style Number	Base Prices		
D	H		Desk Width		
			46"W	58"W	70"W
Single					
1/2"	18"	FLXCS	\$503	\$580	\$658
Pair					
1/2"	18"	FLXCSP	\$1006	\$1160	\$1316

Freestanding Screens



Fabric Surface 1



Fabric Surface 2

Tip: When choosing contrasting fabrics, the angled screen becomes right-handed on the side of surface 1 and left-handed on the side of surface 2.

Tip: When choosing contrasting fabrics, surface 1 and surface 2 must stay within the same fabric family.

Tip: Fabric is applied in a warp vertical direction. Due to the size of the screens, fabric is unable to be applied in a warp horizontal direction.

Tip: The angled screen attaches magnetically only on its long side.

Tip: 71"H is only available on the rectangle freestanding screen.

Standard Includes

- Freestanding screen: fabric price group A or 1
- Magnetic edge: 6527 Merle plastic

Options

Surf1 Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$8
	Fabric Price Group 02	+\$19
	Fabric Price Group 03	+\$50
	Fabric Price Group 04	+\$63
	Fabric Price Group 05	+\$77
	Fabric Price Group 06	+\$89
	Fabric Price Group 07	+\$103
	Fabric Price Group 08	+\$116
Surf2 Finish	Fabric Price Group 09	+\$130
	Fabric Price Group 10	+\$143
	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$8
	Fabric Price Group 02	+\$19
	Fabric Price Group 03	+\$50
	Fabric Price Group 04	+\$63
	Fabric Price Group 05	+\$77
	Fabric Price Group 06	+\$89
	Fabric Price Group 07	+\$103
	Fabric Price Group 08	+\$116
	Fabric Price Group 09	+\$130
	Fabric Price Group 10	+\$143

Specification Information


Style Number	Dimensions	Base Prices	
	W	47"H	71"H

Rectangle


FLXFSRQ	24"	\$700	\$829
	30"	\$726	\$855
	35 1/2"	\$752	\$881

Angled

FLXFSAG	47 1/2"	\$814	N.A.
----------------	---------	-------	------



Acoustic Boundary



Standard Includes

- Acoustic boundary:
 - P631 Dark Heather Grey
 - P636 Light Heather Grey
- Four casters: black plastic
- Board clips:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Counterweights
- Attachment hardware

Options

Height	Short	See below
	Tall	See below
Clip Position	No Clips	No cost
	Clips - Single Side	+\$26
	Clips - Dual Side	+\$52

Specification Information

Dimensions		Style Number	Base Prices	
D	W		Short (79" H)	Tall (116 7/8" H)

Acoustic Boundary

22 3/4"	58 3/8"	FLXBDRY	\$3629	\$4951
---------	---------	----------------	--------	--------

Tip: Board cart package includes a board cart, eight 71"H markerboards, and an accessory cup.

Standard Includes

- Frame: paint price group 1
- One perforated shelf, if board cart or board cart package is selected: paint price group 1
- Three perforated shelves, if team cart is selected: paint price group 1
- Wheels and casters:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Board clips:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Board organizer: 6527 Merle plastic
- Board cart package, if selected: board cart, eight 71"H markerboards, and accessory cup:
 - P635 Heather Navy or P636 Light Heather Grey molded PET felt

Options

Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$36
	Paint Price Group 03	+\$73
Shelf Finish	Paint Price Group 01	No cost
	Paint Price Group 02	See below
	Paint Price Group 03	See below


Specification Information

Shelves for team cart

	(Add \$ to Base Price)
Paint Price Group 02	+\$36
Paint Price Group 03	+\$73

Shelf for board cart and board cart package

	(Add \$ to Base Price)
Paint Price Group 02	+\$21
Paint Price Group 03	+\$41




Dimensions			Style Number	Base Price
D	W	H		
Team Cart				
20"	46"	41 3/8"	FLXCTTM	\$2280

► Product Information continued on next page

Carts

► Product Information continued from previous page

Specification Information



Dimensions

D

W

H

Style Number

Base Price

Board Cart


20"

46"

41 3/8"

FLXCTBD

\$1970



Board Cart Package

20"

46"

41 3/8"

FLXCTBDPKG

\$6661


Markerboard Solutions

Tip: Four markerboards come in the markerboard package.

Standard Includes

- Markerboard, double sided
- Markerboard package, if selected: four double-sided markerboards

Specification Information




Style Number	Dimensions	Prices	
	W	47"H	71"H

Markerboard

FLXMB	35 1/2"	\$658	\$699
--------------	---------	-------	-------

Markerboard Package

FLXMB4	35 1/2"	\$2151	\$2307
---------------	---------	--------	--------



Standard Includes

- Stand base:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Stand worksurface: 3862 OP Baltic Birch plywood

Specification Information

Dimensions	Style Number	Price
Dia. H		

Stand

16"	38"	FLXSTAND	\$580
-----	-----	-----------------	-------

Markerboard Solutions

Tip: Wall rails can be joined together with included pins for sizes longer than 96"W.

Tip: The wall rail package contains one upper and one lower wall rail and four 71"H markerboards.



Standard Includes

- Wall-mounted rails, upper, and lower rail: paint price group 1
- End caps: plastic default to match paint color
- Parametric widths: 48"- 96" with 1/16" increments
- Wall rail package, if selected: upper and lower wall rail and four 71"H markerboards
- Pins for connecting two wall rails together


Options

Wall Rail Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$63

Specification Information

	Style Number	Dimensions W	Base Price
	Wall Rails		
	FLXWR	48"-96"	\$751
	Wall Rail Package		
	FLXWRPKG	48"-96"	\$3058

Mobile Power



Tip: Mobile power and tray ship separately via FedEx ground due to lithium ion battery regulations.

Tip: With bumper option includes a 8 4/5" cord. No bumper option includes a 6 2/5" cord.

Standard Includes

- Five mobile power units
- One mobile power charging tray
- One power supply with standard NEMA plug
- Battery and tray: 6000 Black or 6009 Arctic White

Options

Bumper Option	No Bumper	No cost
	With Bumper	No cost


Specification Information

Style Number	Price
--------------	-------

Mobile Power

FLXMBATPKG	\$4900
-------------------	--------

Mobile Power Charging Cart



Tip: Cart is standard with shelves and cable routing for two mobile power kits.

Standard Includes

- Frame: paint price group 1
- One perforated bottom shelf: paint matches frame
- Two shelves for mobile power charging tray integration: 7204 Black or 7241 Arctic White
- Casters:
 - 6053 Seagull plastic
 - 6527 Merle plastic
- Power routing clips and cable management tray for underside of cart
- Power tap for plugging in mobile power charging tray power supplies
- 9' cord

Options

Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$36
	Paint Price Group 03	+\$73
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$30

Specification Information

Dimensions			Style Number	Base Price
D	W	H		

Mobile Power Charging Cart

13"	32"	41 3/8"	FLXBCTBAT	\$2600
-----	-----	---------	------------------	--------

Accessories



Tip: Power hangers shipping to Illinois will receive 9' power cord.

Standard Includes

- Rubberized hanger back: 7360 Merle paint
- Cover:
 - 4AY2 Chili
 - 4AZ5 Marlin
 - 4BQ7 Fuchsia
 - 4CZ8 Light Peacock
 - 7243 Seagull
 - 7360 Merle
- Power cord: 10' with standard plug

Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Options


Power Configuration	4 Power	No cost
	3 Power 1 USB	+\$88
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$55
	20' Standard Cord	+\$55
	20' Braided Cord	+\$166
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$30
PVC	With PVC	No cost
	Non PVC	+\$26

Specification Information

Style Number	Base Price
--------------	------------

Power Hanger

FLXPH	\$399
--------------	-------



Standard Includes

- Package of four baskets: P635 Heather Navy or P636 Light Heather Grey molded PET felt


Specification Information

Style Number	Price
--------------	-------

Baskets

FLXBSK	\$529
---------------	-------

Accessories



Standard Includes


- Package of four cups: P635 Heather Navy or P636 Light Heather Grey molded PET felt

Specification Information

Style Number	Price
--------------	-------

Cups

FLXCUP	\$308
---------------	-------



Standard Includes


- Cable management for work tables: P630 Medium Heather Grey or P631 Dark Heather Grey soft PET felt

Specification Information

Style Number	Prices		
	Table Width		
	46"W	58"W	70"W

Cable Catch

FLXCC	\$140	\$156	\$171
--------------	-------	-------	-------



Tip: 46"W-57 15/16"W desks use the 28"W cable tray. 58"W-72"W desks use the 48"W cable tray.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Standard Includes

- Cable tray: P631 Dark Heather Grey molded PET felt
- Attachment hardware
- 28"W cable tray, if 46"W-57 15/16"W worksurface selected
- 40"W cable tray, if 58"W-72"W worksurface selected


Specification Information

Style Number	Dimensions		Prices	
	Worksurface Width	Worksurface	Worksurface	
		Depth	23"D/24"D	29"D/30"D

Cable Tray for Flex Height-Adjustable Desks

FLXCT	46"-72"	\$140	\$156
--------------	---------	-------	-------

Accessories



Tip: Cable brackets can be used instead of cable trays or will fit inside footprint of 29"/30"D cable trays.

Standard Includes


- Cable brackets, quantity of four: 6527 Merle plastic

Specification Information

Style Number	Price
--------------	-------

Cable Brackets

FLXCBK4	\$38
----------------	------



Tip: Cable riser leg connection is not compatible with the Flex height-adjustable desk.

Standard Includes


- Cable riser with fence connection: 7360 Merle paint
- Attachment hardware

Specification Information

Style Number	Price
--------------	-------

Cable Riser

OLCR	\$79
-------------	------



Standard Includes

- Two brakes: 6527 Merle plastic
- Attachment hardware


Specification Information

Style Number	Price
--------------	-------

Brakes for Flex Height-Adjustable Desks

FLXBRK	\$52
---------------	------

Flex Active Frames



Tip: Users will have to specify width and height in SmartTools.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Shelf finish is dependent upon unit height and if shelf is selected for each unit.

Tip: Unit requires a top and base shelf. Additional shelf placement is available and dependent upon height.

Standard Includes

- Frame: paint price group 1
- Base: paint price group 1
- Adjusting leveling glides

Options

Width	1 Wide	See below
	2 Wide	See below
Unit Height	2 Units	See below
	3 Units	See below
	4 Units	See below
	5 Units	See below
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Base Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Shelf 2	No Shelf	No cost
	With Shelf	See below
Shelf 3	No Shelf	No cost
	With Shelf	See below
Shelf 4	No Shelf	No cost
	With Shelf	See below
Shelf 5	No Shelf	No cost
	With Shelf	See below
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$25
	Paint Price Group 03	+\$36
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$25
	Paint Price Group 03	+\$36
Counterweight	No Counterweight	No cost
	2 Counterweight	+\$182
	4 Counterweight	+\$364

► Product Information continued on next page

Flex Active Frames

► Product Information continued from previous page

Tip: Base finish defaults to match frame finish. Base finish can be changed by specifier.



Options

Counterweight	6 Counterweight	+\$546
	8 Counterweight	+\$728
	10 Counterweight	+\$910

Specification Information

Optional shelves 2-5


With 1 wide shelf (each) (Add \$ to Base Price)	With 2 wide shelf (each) (Add \$ to Base Price)
+\$104	+\$130



Style Number	Dimensions		H	Base Price
	D	W		
1 Wide Frame				
FLXAFFRAME	15 3/4"	15 3/4"	2 Units	\$523
	15 3/4"	15 3/4"	3 Units	\$654
	15 3/4"	15 3/4"	4 Units	\$837
	15 3/4"	15 3/4"	5 Units	\$1046
2 Wide Frame				
FLXAFFRAME	15 3/4"	31 1/2"	2 Units	\$679
	15 3/4"	31 1/2"	3 Units	\$848
	15 3/4"	31 1/2"	4 Units	\$1087
	15 3/4"	31 1/2"	5 Units	\$1361

Tip: Counterweight packages are required to ensure product stability in some configurations and are ordered with the frame style number. See SmartTools for further requirements.

Flex Active Frames



Tip: Users will have to specify width and height in SmartTools.

Tip: Tube height can be equal to or greater than unit height, but never smaller.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Shelf finish is dependent upon unit height and if shelf is selected for each unit.

Standard Includes

- Frame: paint price group 1
- Base: paint price group 1
- Adjusting leveling glides

Options

Width	1 Wide	See below
	2 Wide	See below
Unit Height	2 Units	See below
	3 Units	See below
	4 Units	See below
	5 Units	See below
Tube Height 1	2 Heights	No cost
	3 Heights	No cost
	4 Heights	No cost
	5 Heights	No cost
Tube Height 2	2 Heights	No cost
	3 Heights	No cost
	4 Heights	No cost
	5 Heights	No cost
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Base Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Shelf 2	No Shelf	No cost
	With Shelf	See below
Shelf 3	No Shelf	No cost
	With Shelf	See below
Shelf 4	No Shelf	No cost
	With Shelf	See below
Shelf 5	No Shelf	No cost
	With Shelf	See below
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Frame Finish	Paint Price Group 01	No cost

► Product Information continued on next page

Flex Active Frames

► Product Information continued from previous page

Tip: Unit requires a top and base shelf. Additional shelf placement is available and dependent upon height.


Tip: Base finish defaults to match frame finish. Base finish can be changed by specifier.

Options		
Frame Finish	Paint Price Group 02	+\$12
	Paint Price Group 03	+\$17
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$12
	Paint Price Group 03	+\$17


Specification Information

Optional shelves 2-5

With 1 wide shelf (each) (Add \$ to Base Price)	With 2 wide shelf (each) (Add \$ to Base Price)
+\$104	+\$130



Style Number	Dimensions			Base Price
	D	W	H	
1 Wide Frame Extension				
FLXAFFRAMEEXT	15 3/4"	15 3/4"	2 Units	\$314
	15 3/4"	15 3/4"	3 Units	\$392
	15 3/4"	15 3/4"	4 Units	\$503
	15 3/4"	15 3/4"	5 Units	\$628



2 Wide Frame Extension				
FLXAFFRAMEEXT	15 3/4"	31 1/2"	2 Units	\$408
	15 3/4"	31 1/2"	3 Units	\$634
	15 3/4"	31 1/2"	4 Units	\$654
	15 3/4"	31 1/2"	5 Units	\$816



Standard Includes

- Fixed board: PET/PET fixed board

Options		
Width	1 Wide	See below
	2 Wide	See below
Height	3 High	See below
	4 High	See below
	5 High	See below
Side 1 Finish	PET	No cost
Side 2 Finish	Fabric Price Group 01	No cost
	Markerboard Price Group 01	See below

► Product Information continued on next page

Flex Active Frames

► Product Information continued from previous page

Specification Information


Style Number	Dimension H	Base Price	Markerboard (Add \$ to Base Price)
--------------	----------------	------------	--

1 Wide Fixed Board

FLXAFFIXBOARD	3 High	\$366	+\$196
	4 High	\$457	+\$318
	5 High	\$571	+\$469

2 Wide Fixed Board

FLXAFFIXBOARD	3 High	\$440	+\$292
	4 High	\$548	+\$439
	5 High	\$686	+\$622



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes

- 1-wide, 1-high infill: High-Pressure Laminate price group 1 with 3 mm plastic edge

Options

Width	1 Wide	See below
	2 Wide	See below
Infill Finish	Fabric Price Group 01	See PET below
	Laminate HPL Price Group 01	See below
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	OLL Price Group 1	+\$77

Specification Information

Style Number	Base Price	Options (Add \$ to Base Price)		
		Laminate Price Group 2	Laminate Price Group 3	PET


1 Wide Single Infill Panel

FLXAFINF	\$61	+\$12	+\$27	+\$15
-----------------	------	-------	-------	-------

2 Wide Single Infill Panel

FLXAFINF	\$100	+\$12	+\$27	+\$66
-----------------	-------	-------	-------	-------

Flex Active Frames



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes

- Shelf: High-Pressure Laminate price group 1 with 3 mm plastic edge

Options

Width	1 Wide	See below
	2 Wide	See below
Depth	1 Deep	See below
	2 Deep	See below
Shelf Finish	Laminate HPL Price Group 01	See below
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	OLL Price Group 1	+\$77

Specification Information


Style Number	Dimensions D	Base Price	Options (Add \$ to Base Price)	
			Laminate Price Group 2	Laminate Price Group 3

1 Wide Shelf

FLXAFSHELF	1 Deep	\$104	+\$12	+\$27
	2 Deep	\$131	+\$12	+\$27

2 Wide Shelf

FLXAFSHELF	1 Deep	\$131	+\$12	+\$27
	2 Deep	\$162	+\$25	+\$55



Standard Includes

- 1-wide, 1-high door: High-Pressure Laminate price group 1 with 3 mm plastic edge

Options

Width	1 Wide	No cost
	2 Wide	See below
Door Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Lock Option	No Lock	No cost
	With Lock	No cost
Lock Finish	Ember Chrome	No cost
	Polished Chrome	No cost

► Product Information continued on next page

Flex Active Frames

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

► Product Information continued from previous page

Options

Keys	Key Plug	No cost
	Master Key Plug	+\$28

Specification Information


Style Number	Base Price
--------------	------------

1 Wide Door

FLXAFDOOR	\$130
------------------	-------

2 Wide Door

FLXAFDOOR	\$177
------------------	-------



Standard Includes


- Tool box, quantity 4: PET

Specification Information

Style Number	Price
--------------	-------

Tool Boxes

FLXAFTBOX	\$616
------------------	-------



Standard Includes

- Mobile board clips, quantity 4:
 - 6053 Seagull plastic
 - 6527 Merle plastic


Specification Information

Style Number	Price
--------------	-------

Mobile Board Clips

FLXAFMBRDCLIP	\$122
----------------------	-------

Flex Active Frames



Standard Includes


- Cable clips, quantity 6:
 - 6527 Merle plastic

Specification Information

Style Number	Price
--------------	-------

Cable Clips

FLXAFCBLMGT	\$91
--------------------	------



Standard Includes

- Book ends, quantity 2: paint price group 1

Options


Paint Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$16
	Paint Price Group 03	+\$26

Specification Information

Style Number	Base Price
--------------	------------

Bookends

FLXAFBKEND	\$171
-------------------	-------



Standard Includes

- Coat rod: paint price group 1

Options

Width	1 Wide	No cost
	2 Wide	See below
Paint Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$26
	Paint Price Group 03	+\$53

Specification Information

Style Number	Base Price
--------------	------------


1 Wide Coat Rod

FLXAFCOATROD	\$122
---------------------	-------

2 Wide Coat Rod

FLXAFCOATROD	\$152
---------------------	-------

Flex Active Frames



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: No shelf includes the base and top shelves. With shelf includes the base, top, and intermediary shelves.

Standard Includes

- Frame: paint price group 1
- Base: paint price group 1
- Adjusting leveling glides

Options


Width	1 Wide	See below
	2 Wide	See below
Depth	1 Deep	See below
	2 Deep	See below
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Base Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Shelf 2	No Shelf	+\$208
	With Shelf	+\$312
Shelf 2 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$25
	Paint Price Group 03	+\$36
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$25
	Paint Price Group 03	+\$36

► Product Information continued on next page

Flex Active Frames

► Product Information continued from previous page


Specification Information



Style Number	Dimension D	Base Price
--------------	----------------	------------


1 Wide Work Island Frame

FLXAFCTFRAME	1 Deep	\$701
	2 Deep	\$1095



2 Wide Work Island Frame

FLXAFCTFRAME	1 Deep	\$1095
	2 Deep	\$1373



Standard Includes

- Frame: paint price group 1
- Base: paint price group 1
- Adjusting leveling glides

Options

Width	1 Wide	See below
	2 Wide	See below
Depth	1 Deep	See below
	2 Deep	See below
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Base Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Shelf 2	No Shelf	+\$208
	With Shelf	+\$312

► Product Information continued on next page

Flex Active Frames

► Product Information continued from previous page


Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: No shelf includes the base and top shelves. With shelf includes the base, top, and intermediary shelves.

Options


Shelf 2 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$12
	Laminate HPL Price Group 03	+\$27
	OLL Price Group 1	+\$77
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$25
	Paint Price Group 03	+\$36
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$25
	Paint Price Group 03	+\$36

Specification Information




1 Wide Work Island Frame Extension

Style Number	Dimension	Base Price
FLXAFCTFRAMEEXT	1 Deep	\$421
	2 Deep	\$659



2 Wide Work Island Frame Extension

Style Number	Dimension	Base Price
FLXAFCTFRAMEEXT	1 Deep	\$659
	2 Deep	\$824



Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge

Options

Width	5 Wide	No cost
Depth	1 Deep	No cost
	2 Deep	See below

► Product Information continued on next page

Flex Active Frames


► Product Information continued from previous page

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Options			
Top Finish	Laminate HPL Price Group 01		No cost
	Laminate HPL Price Group 02		+\$25
	Laminate HPL Price Group 03		+\$39
	OLL Price Group 1		+\$77

Specification Information		
Style Number	Dimension	Base Price
	D	
5 Wide Work Island Worksurface		
FLXAFCTWS	1 Deep	\$377
	2 Deep	\$502

Steelcase
Flex Collection



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes			
• 1-wide, 1-high infill: High-Pressure Laminate price group 1 with 3 mm plastic edge			
Options			
Width	1 Wide	See below	
	2 Wide	See below	
Infill Finish	Fabric Price Group 01		See PET below
	Laminate HPL Price Group 01		See below
	Laminate HPL Price Group 02		See below
	Laminate HPL Price Group 03		See below
	OLL Price Group 1		+\$77

Specification Information				
Style Number	Base Price	Options (Add \$ to Base Price)		
		Laminate Price Group 2	Laminate Price Group 3	PET

1 Wide Center Infill Panel				
FLXAFINFCR	\$262	+\$36	+\$81	+\$66
2 Wide Center Infill Panel				
FLXAFINFCR	\$301	+\$36	+\$81	+\$115

Surface Materials

Surface Materials	82

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/ EMEA – Europe, Middle East, and Africa/APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the *Surface Materials Reference Manual*. Additional details, like product approvals by geography and finish number conversions, can also be found in the *Surface Materials Reference Manual* or see steelcase.com/surface-materials.

Surface Materials Binders

- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Tip: All products may not be available in all colors listed below.

- Applies to:
- Height-adjustable desk lifting columns
- 4799 Platinum Metallic
7207 Black
7243 Seagull
7360 Merle

- Applies to:
- Wall rails
- 4799 Platinum Metallic
7360 Merle

- Applies to:
- Power hanger cover
- 4AY2 Chili
4AZ5 Marlin
4BQ7 Fuchsia
4CZ8 Light Peacock
7243 Seagull
7360 Merle

- Applies to:
- Table frames
 - Pegs
 - Footrest
 - Cart frame
 - Cart shelves
 - Flex active frames
 - Flex active frames work island
 - Height-adjustable desk feet

Price Group 1

Smooth Paint

- 4242 Milk
4710 Low Gloss Black

Textured Paint

- 7207 Black
7225 Sand
7236 Fog **E**
7237 Slate **E**
7238 Fieldstone
7239 Midnight
7241 Arctic White
7243 Seagull
7250 Sterling Dark Solid
7278 Dark Bronze
7360 Merle

Price Group 2

Smooth Metallic Paint

- 4728 Nickel Metallic
4743 Mineral Metallic
4744 Pearl Metallic
4750 Champagne Metallic
4752 Steel Metallic **E**
4788 Gold Dust Metallic **E**
4798 Sterling Metallic
4799 Platinum Metallic
4803 Near Black Metallic
7245 Carbon Metallic

Textured Metallic Paint

- 7245 Carbon Metallic
7246 Midnight Metallic

Price Group 3

Accent Paint

- 1ATB Cloud
1ATG Rose Quartz
1ATH Olivine
1ATJ Sea Salt
1ATK Citrine
4AQ8 Wasabi
4AQ9 Scarlet
4AV3 Blue Jay
4AV4 Baltic
4AX0 Flash
4AX1 Citron
4AY2 Chili
4AZ5 Marlin
4BQ7 Fuchsia
4BH7 Canary*
4CZ1 Aubergine
4CZ2 Peacock
4CZ3 Jungle
4CZ4 Merlot
4CZ5 Honey
4CZ6 Lagoon
4CZ7 Saffron
4CZ8 Light Peacock
4EE9 Electric Indigo

Lux Coatings

- 4B20 Obsidian
4B22 Matte Brass
4B23 Burnished Bronze
4B24 Night Bronze
4B25 Matte Copper
4B26 Smoked Mica
4B27 Blue Steel
4B28 Silver Lilac
4B29 Cast Iron
4B30 Bright Gold

**Available on Flex active frames and Flex active frames work island only.*

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.
Tip: Price Group 3 paints are not available on height-adjustable bench bases.

Accessory Paint

Steelcase Surfaces

- Applies to:
- Table frames
 - Pegs
 - Footrest
 - Cart frame
 - Cart shelves
 - Flex active frames
 - Flex active frames work island
 - Height-adjustable desk feet
- 4140 Arctic White Gloss
4144 Black Gloss

Laminate

High-Pressure Laminate

- Applies to:
- Flex active frames
 - Flex active frames work island
 - Height-adjustable desk worksurface
 - Tables

Price Group 1

Fiber Laminate

- 2850 Vanadium Fiber
2852 Tungsten Fiber
2854 Vellum Fiber **E**
2860 Granite Fiber
2862 Stucco Fiber **E**

Markerboard Laminate

- 2977 Markerboard*

Micro Laminate

- 2920 Marl Micro
2921 Gypsum Micro
2922 Clay Micro

Patina Laminate

- 2870 Blonde Bronze Patina
2873 Instant Iron Patina

Solid Laminate

- 2722 Cream **E**
2730 Arctic White
2746 Black
2811 Mist **E**
2883 Seagull
2884 Milk
2885 Dune
2HAA Persian Salt
2HAB Rose
2HAC Indigo
2HAD Green Citrine
2HAE Dark Olivine
2HAF Cloudy
2HMG Merle

Speckle Laminate

- 2820 Coffee Speckle **E**
2823 Driftwood Speckle
2824 Smoke Speckle
2825 Vanadium Speckle
Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain Laminate

- 2406 Clear Cherry **E**
2409 Clear Maple
2410 Graphite Walnut
2412 Natural Cherry
2422 Medium Cherry
2511 Winter on Maple
2535 Virginia Walnut
2536 Blackwood **E**
2538 Clear Walnut
2592 Blonde on Maple **E**
2612 Marbled Maple **E**
2614 Chocolate Walnut **E**
2615 Marbled Cherry V2 **E**
2714 Natural Walnut **E**
2HAK Clear Oak
2HAL Scarlet*
2HAN Ash Noce
2HAT Acacia
2HAW Ash Wenge
2HBN Bisque Noce
2HBW Bisque Wenge
2HCN Clay Noce
2HCW Clay Wenge
2HSN Storm Noce
2HSW Storm Wenge
2HUB Burnished Bronze*
2HWA Grey Kingswood
2HWB Planked Walnut
2HWD Resolute Walnut
2HWE Natural Recon
2HWF Smoked Walnut

**Available on Flex active frames and Flex active frames work island only.*

Price Group 2

Textured Laminate

- 2TH2 Fawn Cypress
2TH4 Saddle Oak
2TH5 Veranda Teak
2TH7 Walnut Heights
2UH1 Reclaimed Aggregate
2UH2 Reclaimed Gravel
2UH4 Cement*
2UH6 Sheetrock

**2UH4 Cement has limited availability, determined by product sizing and/or options.*

E = Established

Price Group 3**Solid Laminate**

- 24H1 Satin White
- 24H2 Satin Black
- 24H3 Satin Stone
- 24H4 Satin Mocha

Custom Surfaces**Open Line Laminate (OLL)**

This service allows you to order non-standard laminate at an additional processing fee of \$77 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

Enter the required edge finish as you would a standard laminate. Laminate Approval and Material Requirements to confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

- Visit www.steelcase.com

For additional information, refer to the *Surface Materials Reference Manual*.

Wood

Applies to:

- Height-adjustable desk worksurface
- Tables

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Veneer**Wood Group 1****Flat-Cut Open-Pore**

- 3062 FC/OP Graphite Walnut
- 3402 FC/OP Clear Cherry (Aged)
- 3412 FC/OP Natural Cherry **E**
- 3422 FC/OP Medium Cherry
- 3522 FC/OP Clear Maple
- 3592 FC/OP Blonde on Maple **E**
- 3702 FC/OP Clear Walnut
- 3712 FC/OP Natural Walnut
- 3752 FC/OP Medium Walnut **E**
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany on Walnut

Flat-Cut Open-Pore, Natural Veneer

- 3342 FC/OP Black Walnut
- 35A2 FC/OP Blanch Maple
- 37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore

- 3042 QC/OP Ash
- 3222 QC/OP Clear Maple
- 3292 QC/OP Blonde on Maple **E**
- 3302 QC/OP Clear Walnut
- 3312 QC/OP Natural Walnut
- 3352 QC/OP Medium Walnut **E**
- 3362 QC/OP Dark Walnut
- 3372 QC/OP Medium Mahogany on Walnut
- 3382 QC/OP Graphite Walnut

Quarter-Cut Open-Pore, Natural Veneer

- 32A2 QC/OP Blanch Maple
- 33A2 QC/OP Thunder Walnut
- 3392 QC/OP Black Walnut

Rift-Cut Open-Pore

- 3602 RC/OP Desert Oak

Rift-Cut Full-Fill, Natural Veneer

- 36A2 RC/OP Volcanic Oak

Wood Group 3**Flat-Cut Open-Pore, Natural Veneer**

- 3082 FC/OP Washed Walnut

Wood Group 1**Open-Pore Planked Veneer**

- 3P41 OP Planked Cherry
- 3P51 OP Planked Maple
- 3P61 OP Planked Oak
- 3P71 OP Planked Walnut
- 3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Full-Fill

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

Wood Group 2**Flat-Cut Full-Fill**

- 3064 FC/FF Graphite Walnut
- 3404 FC/FF Clear Cherry (Aged)
- 3414 FC/FF Natural Cherry **E**
- 3424 FC/FF Medium Cherry
- 3524 FC/FF Clear Maple
- 3544 FC/FF Blonde on Maple **E**
- 3704 FC/FF Clear Walnut
- 3714 FC/FF Natural Walnut
- 3754 FC/FF Medium Walnut **E**
- 3764 FC/FF Dark Walnut
- 3774 FC/FF Medium Mahogany on Walnut

Flat-Cut Full-Fill, Natural Veneer

- 3734 FC/FF Black Walnut

Quarter-Cut Full-Fill

- 3224 QC/FF Clear Maple
- 3294 QC/FF Blonde on Maple **E**
- 3304 QC/FF Clear Walnut
- 3314 QC/FF Natural Walnut
- 3354 QC/FF Medium Walnut **E**
- 3364 QC/FF Dark Walnut
- 3374 QC/FF Medium Mahogany on Walnut
- 3384 QC/FF Graphite Walnut

E = Established

Quarter-Cut Full-Fill, Natural Veneer

3394 QC/FF Black Walnut

Rift-Cut Full-Fill

3604 RC/FF Desert Oak

Wood Group 3

Flat-Cut Full-Fill, Natural Veneer

3084 FC/FF Washed Walnut

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Wood Group 3

Quarter-Cut Open-Pore

3832 QC/OP Figured Anegre

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Wood Group 1

Flat-Cut Open-Pore

3JDX FC/OP Oak Composite

3JJX FC/OP Walnut Composite

Quarter-Cut Open-Pore

3F8X QC/OP European Walnut Composite

3GGX QC/OP Zebano Composite

3HGX QC/OP Oak Composite

3HVX QC/OP Walnut Composite

3ZNX QC/OP Night Cerused Oak Composite

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

Plywood

Applies to:

- Height-adjustable desk workspace
 - Tables top surface
- 3862 OP Baltic Birch

Plastic

Applies to:

- Height-adjustable desk rollers
- 6053 Seagull
6205 Black
6527 Merle
6249 Platinum Solid

Applies to:

- Acoustic boundary
 - Cart board clips
 - Cart wheels and casters
 - Flex active frames mobile board clip
 - Slim table glides
 - Table wheels and casters
- 6053 Seagull
6527 Merle

Applies to:

- Board cart board organizer
 - Flex active frames cable clip
- 6527 Merle

Applies to:

- Wall rail end caps
- 6527 Merle
6249 Platinum Solid

Applies to:

- Height-adjustable desk power
- 5U23 Blue Jay
6000 Black
6009 Arctic White
6053 Seagull
6249 Platinum Solid
6338 Chili
6527 Merle

E = Established

Applies to:

- Height-adjustable desk worksurface
- Tables top surface

6000	Black	6631	Cream
6001	Coffee	6635	Dawn E
6009	Arctic White	6636	Mist
6034	Natural Cherry	6654	Sand
6036	Medium Cherry	6655	Warm White
6037	Winter on Maple	6676	Marbled Maple E
6038	Blonde on Maple E	6677	Chocolate Walnut E
6041	Natural Walnut E	6678	Marbled Cherry E
6052	Milk	6694	Slate
6053	Seagull	6695	Midnight
60AL	Scarlet*	6697	Fog
60UB	Burnished Bronze*	6698	Fieldston
6169	Stone	66WA	Grey Kingswood
6170	Mocha	66WB	Planked Walnut
61AA	Persian Salt	66WD	Resolute Walnut
61AB	Rose	66WE	Natural Recon
61AC	Indigo	66WF	Smoked Walnut
61AD	Green Citrine	6703	Ash Wenge
61AE	Dark Olivine	6704	Storm Wenge
61AF	Cloudy	6705	Bisque Wenge
6213	Acacia	6706	Clay Wenge
6219	Clear Oak	6707	Ash Noce
6231	Graphite Walnut	6708	Bisque Noce
6234	Clear Cherry E	6709	Clay Noce
6237	Clear Maple	6710	Storm Noce
6242	Virginia Walnut	6T02	Fawn Cypress
6243	Blackwood E	6T04	Saddle Oak
6245	Clear Walnut	6T05	Veranda Teak
6249	Platinum Solid	6T07	Walnut Heights
6271	Plywood	6T08	Aggregate
6527	Merle	6T09	Gravel
6612	Grey V2 E	6T10	Cement
6615	Grey V5	6T12	Sheetrock
6619	Ice E		

*Available on Flex active frames and Flex active frames work island only.

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

E = Established

PET

Applies to:

- Cable catch
- P630 Medium Heather Grey
P631 Dark Heather Grey

Applies to:

- Cable tray
- P631 Dark Heather Grey

Applies to:

- Cup
 - Basket
- P635 Heather Navy
P636 Light Heather Grey

Applies to:

- Acoustic boundary
 - Flex active frames toolbox
- P631 Dark Heather Grey
P636 Light Heather Grey

Upholstery

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Applies to:

- Curved screens
 - Freestanding screens
- Tip: The following thin, light colored fabrics are not available on Flex curved screens:*

Abacus

P122 Entasis

P126 Artifact

Alloy

P525 Polar

P526 Skim

P528 Tern

Charm

P505 Shell

P506 Mimosa

P508 Sparkle

Code

5FA5 Sea Salt

Latch

P601 Clam

P603 Zen

Optic

P541 Twinkle

P544 Shine

Flip: Orbit

5F91 Blizzard

Pianista

P420 Sand

P428 Flax

Sprite

5541 Snow

Price Group A

Sprite

Price Group 1

Abacus **E**

Alloy

Boccie

Buzz2

Charm

Lapel

Link

Optic

Pianista*

Playground **E**

Rhythm

Price Group 2

Bariolage

Bouquet **E**

Cogent: Connect

Flip: Orbit

Flip: TexHex

Fresco

Intersection

Latch

Milano **E**

Stencil

Price Group 3

Billiard by DesignTex

*Not available on freestanding screens

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

- Visit www.steelcase.com

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Resources


Lock and Keying Options	88
Style Number Index	90

Lock and Keying Options

Flex Active Frames

All locking products are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options.

Exceptions: Individual locking drawers are only available with field-installed locks. Overfiles are only available with factory-installed locks.



Locks consist of a factory- or field-installed lock cylinder and a factory-installed lock face ring.

Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.


Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

► See below.

Key Random



Required to Specify

Master key random +\$28 Specify with master key random.

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Exception: Overfiles are only available with factory-installed locks.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Tip: For products with optional lock colors, make sure to specify the color for both the lock and lock face ring.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.


Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation — random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key Random




Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.


► See example at right.

Key Specific



Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).


Key Consecutive



Example of a typical lock cylinder specification is shown below:

10	LOCK9201FR FR320
5	LOCK9201FR FR350
15	LOCK9201XF XF1100
30	Total
1	877102003SR standard lock tool
1	877102002SR master lock tool

Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Tip: You can change lock cylinders in the field by using the appropriate lock tool.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> Lock cylinder, keyed random: 9201 Polished Chrome or 9250 Ember Chrome Two keys 		1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and must select beginning key number from FR305–FR454.
Master key random	+\$28 each	Specify master key random.
Master key specific	+\$28 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$28 each	Specify <i>master key consecutive</i> and must select beginning key number from XF1001–XF1150.

Specification Information		
Color	Style Number	U.S. Base Price
FR Series (Standard Keying System) – Lock Cylinder		
Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost
Standard Lock Tool		
	877102003SR	\$28
XF Series (Master Keying System) – Lock Cylinder		
Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.
Master Lock Tool		
	877102002SR	\$28



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Style Number Index

Style Number	Page	Description
877102002SR	89	Master Lock Tool
877102003SR	89	Standard Lock Tool
FLXAFBKEND	75	Flex, Bookend
FLXAFCBLMGT	75	Flex, Cable Clip
FLXAFCOATROD	75	Flex, Coat Rod
FLXAFCTFRAME	77	Flex, Work Island Frame
FLXAFCTFRAMEEXT	78	Flex, Work Island Frame Extension
FLXAFCTWS	79	Flex, Work Island Worksurface
FLXAFDOOR	74	Flex, Door
FLXAFFIXBOARD	72	Flex, Fixed Board
FLXAFFRAME	69	Flex, Frame
FLXAFFRAMEEXT	71	Flex, Frame Extension
FLXAFINF	72	Flex, Single Infill Panel
FLXAFINFCTR	79	Flex, Center Infill Panel
FLXAFMBRDCLIP	74	Flex, Mobile Board Clips
FLXAFSHELF	73	Flex, Shelf
FLXAFTBOX	74	Flex, Tool Box
FLXBCTBAT	64	Flex, Mobile Power Charging Cart
FLXBDRY	58	Flex, Acoustic Boundary
FLXBRK	67	Flex, Brakes for Hgt-Adj Desks
FLXBSK	65	Flex, Baskets
FLXCBK4	67	Flex, Cable Brackets
FLXCC	66	Flex, Cable Catch
FLXCS	56	Flex, Curved Screen
FLXCSP	56	Flex, Curved Screen, Pair
FLXCT	66	Flex, Cable Tray
FLXCTBD	60	Flex, Board Cart
FLXCTBDPKG	60	Flex, Board Cart Package
FLXCTTM	59	Flex, Team Cart
FLXCUP	66	Flex, Cups
FLXERQ	44	Flex, Hgt-Adj Desks, Ext Height
FLXERQB	46	Flex, Hgt-Adj Bases, Ext Height
FLXFSAG	57	Flex, Freestanding Screen, Angled
FLXFSRQ	57	Flex, Freestanding Screen, Rectangle
FLXMB	61	Flex, Markerboard
FLXMB4	61	Flex, Markerboard Package
FLXMBATPKG	63	Flex, Mobile Power
FLXPH	65	Flex, Power Hanger
FLXSLIM	53-54	Flex, Slim Tables, Stding-Hgt
FLXSLIMB	55	Flex, Slim Table, Stding-Hgt
FLXSRQ	44	Flex, Hgt-Adj Desks, Basic Height
FLXSRQB	46	Flex, Hgt-Adj Bases, Basic Height
FLXSTAND	61	Flex, Stand
FLXWR	62	Flex, Wall Rails
FLXWRPKG	62	Flex, Wall Rail Package
FLXWTH	50	Flex, Stding-Hgt Work Tables
FLXWTHB	52	Flex, Stding-Hgt Work Tables, Base
FLXWTL	48	Flex, Seated-Hgt Tables
FLXWTLB	51	Flex, Seated-Hgt Tables, Base
LOCK9201FR	89	Lock Cylinder
LOCK9201XF	89	Lock Cylinder
LOCK9250FR	89	Lock Cylinder
LOCK9250XF	89	Lock Cylinder
OLCR	67	Ology, Cable Riser

Trademark List

- ® The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Wernld, and X-Stack.
- ® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- ® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- ® The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- ® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- ® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- ® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggle.
- ® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.
- ® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- ® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- ® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

- ® The following are registered trademarks of PolyVision Corp: Flow, Motif, PolyVision, Sans, and Serif.
- ® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- ® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- ® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.
- ® The following is a registered trademark of Security People, Inc.: Digilock.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, Echo, Edge, Elbrook, Elсна, Empath, Empress, Enea, ěno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, LessThanFive, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Marien152, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.

- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following trademark is used under license from Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- ™ The following trademarks are under license from PP Möbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, Sistema, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- ™ The following are trademarks of PolyVision: a³, e³, Boundri, and Nota.
- ™ The following is a trademark of Bostock Company, Inc: SnapCab.
- ™ The following is a trademark of Williams-Sonoma, Inc: West Elm.
- ™ The following is a trademark of Elena Marquina Testor: nanimarquina.
- ™ The following is a trademark of Forbo International SA: Forbo.
- ™ The following are trademarks of Orangebox Ltd., Cardiff, UK: Air³, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kim, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.

Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.