
Worktools



Statement of Line

594




Worktools


596

Statement of Line


Worktools



3\"/>




6\"/>




10\"/>




Tool Box
▶ Page 597




Pile Box
▶ Page 598



Diagonal File Box
▶ Page 598




Personal Box
▶ Page 598



Landscape Letter Box
▶ Page 599



Utility Box
▶ Page 599




Storage Box, Set of 3
▶ Page 599




Cable Clip
▶ Page 600



Personal Hook
▶ Page 600



Mobile Caddy
▶ Page 600



Functional Screen
▶ Page 601




Personal Pocket
▶ Page 601

Worktools, continued




Eyesite Single Display Supports with FrameOne Mounting Brackets
▶ Page 602




Eyesite Dual Display Supports with FrameOne Mounting Brackets
▶ Page 603




Eyesite Static One-Over-One Display Support with FrameOne Mounting Brackets
▶ Page 604




Eyesite Static Two-Over-Two Display Support with FrameOne Mounting Brackets
▶ Page 604




Eyesite Triple Display Supports
▶ Page 605




Eyesite Three-Over-Three Display Supports with FrameOne Mounting Brackets
▶ Page 606




Eyesite Single Display Support with Bivi Mounting Brackets
Specifying
▶ Page 606



Eyesite Dual Display Support with Bivi Mounting Brackets
Specifying
▶ Page 607



Eyesite Single Laptop Support with Bivi Mounting Brackets
Specifying
▶ Page 607




Eyesite Dual Laptop Support with Bivi Mounting Brackets
Specifying
▶ Page 608




Bivi Bracket
Specifying
▶ Page 608



Eyesite FrameOne Bracket
▶ Page 609



Vertical Processor Sling with FrameOne Bracket
▶ Page 609



Keyboard Assemblies
▶ Page 610

SOTO Shelves

Tip: All SOTO shelves allow for 2⁷/₈" or 6" between work-surface and bottom of shelf.

Tip: The colors for plastic spacers are defaulted by stanchion color.

▶ See *Worktools Specification Guide* for default finish matrix.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. Shelf: paint Stanchions: <ul style="list-style-type: none"> – 4799 Platinum Metallic, if 4799 Platinum Metallic selected on shelf – Paint price group 1, if 4231 Arctic White selected on shelf 	<ol style="list-style-type: none"> Style number Paint color number for shelf: <ul style="list-style-type: none"> 4231 Arctic White 4799 Platinum Metallic Paint color number for stanchions, if 4231 Arctic White is selected on shelf: <ul style="list-style-type: none"> 4799 Platinum Metallic 7360 Merle Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 612.</p>

Options	U.S. Price	Required to Specify
Surface Materials Shelf <ul style="list-style-type: none"> Paint price group 3 	+\$26	Specify paint color number. ▶ See <i>Surface Materials Reference Manual</i> for accent paint options.

Specification Information

Dimensions			Weight	Style Number	U.S. Base Price
D	W	H			

36"W Standard Shelf

3 ¹ / ₂ "	36"	6 ⁹ / ₁₀ "	3.9 lb	DSSA363	\$199
---------------------------------	-----	----------------------------------	--------	----------------	-------

36"W High Shelf

3 ¹ / ₂ "	36"	10"	4.2 lb	DSSA363H	\$207
---------------------------------	-----	-----	--------	-----------------	-------

24"W Standard Shelves

6 ³ / ₄ "	24"	6 ⁹ / ₁₀ "	4.9 lb	DSSA246	\$207
---------------------------------	-----	----------------------------------	--------	----------------	-------


10 ¹ / ₄ "	24"	6 ⁹ / ₁₀ "	6.4 lb	DSSA2410	\$217
----------------------------------	-----	----------------------------------	--------	-----------------	-------

24"W High Shelves

6 ³ / ₄ "	24"	10"	5.3 lb	DSSA246H	\$212
---------------------------------	-----	-----	--------	-----------------	-------

10 ¹ / ₄ "	24"	10"	6.7 lb	DSSA2410H	\$226
----------------------------------	-----	-----	--------	------------------	-------

▶ **Specification Information, continued on next page**



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

► Specification Information, continued from previous page

Specification Information



Dimensions			Weight	Style	U.S. Base
D	W	H		Number	Price

14"W Standard Shelves

3½"	14"	6 ⁹ / ₁₀ "	2.2 lb	DSSA143	\$189
6 ³ / ₄ "	14"	6 ⁹ / ₁₀ "	3.6 lb	DSSA146	\$199
10¼"	14"	6 ⁹ / ₁₀ "	4.4 lb	DSSA1410	\$212

14"W High Shelves

3½"	14"	10"	2.5 lb	DSSA143H	\$199
6 ³ / ₄ "	14"	10"	3.9 lb	DSSA146H	\$207
10¼"	14"	10"	4.7 lb	DSSA1410H	\$217

**SOTO Tool Box**

Tip: Tool box contains removable semi-opaque insert to separate pens from sticky notes.

Standard Includes

- Need help? See *Steelcase Worktools Specification Guide* for product details.
- Tool box: plastic

Required to Specify

- 1 Style number
- 2 Plastic color number for tool box:
 - 6009 Arctic White
 - 6302 Baltic
 - 6338 Chili
 - 6527 Merle
 - 6BE2 Light Peacock
 - 6BE3 Cotton Candy

Specification Information

Dimensions			Weight	Style	U.S.
D	W	H		Number	Price


3½"	3¼"	3½"	0.3 lb	DSTB	\$47
-----	-----	-----	--------	-------------	------

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

SOTO Pile Box




Standard Includes				Required to Specify	
<p>► Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.</p>		<ul style="list-style-type: none"> • Pile box: plastic 		<ul style="list-style-type: none"> 1 Style number 2 Plastic color number for pile box: <ul style="list-style-type: none"> 6009 Arctic White 6302 Baltic 6338 Chili 6527 Merle 6BE2 Light Peacock 6BE3 Cotton Candy 	
Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
9 ⁷ / ₈ "	12 ¹ / ₄ "	2"	0.7 lb	DSSPB	\$53

SOTO Diagonal File Box



Standard Includes				Required to Specify	
<p>► Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.</p>		<ul style="list-style-type: none"> • Diagonal file box: plastic 		<ul style="list-style-type: none"> 1 Style number 2 Plastic color number for file box: <ul style="list-style-type: none"> 6009 Arctic White 6302 Baltic 6338 Chili 6527 Merle 6BE2 Light Peacock 6BE3 Cotton Candy 	
Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
12 ¹ / ₄ "	4"	9 ⁷ / ₈ "	0.5 lb	DSDFB	\$53

SOTO Personal Box




Standard Includes				Required to Specify	
<p>► Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.</p>		<ul style="list-style-type: none"> • Personal box: plastic 		<ul style="list-style-type: none"> 1 Style number 2 Plastic color number for personal box: <ul style="list-style-type: none"> 6009 Arctic White 6302 Baltic 6338 Chili 6527 Merle 6BE2 Light Peacock 6BE3 Cotton Candy 	
Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
9"	9"	2"	0.3 lb	DSPB	\$47



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

SOTO Landscape Letter Box



Standard Includes		Required to Specify
▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.	• Landscape letter box: plastic	1 Style number 2 Plastic color number for letter box: 6009 Arctic White 6302 Baltic 6338 Chili 6527 Merle 6BE2 Light Peacock 6BE3 Cotton Candy

Specification Information

• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
9 ⁷ / ₈ "	13 ³ / ₄ "	2"	0.8 lb	DSLLB	\$53
:	:	:	:	:	:

SOTO Utility Box




Standard Includes		Required to Specify
▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.	• Utility box: plastic	1 Style number 2 Plastic color number for utility box: 6009 Arctic White 6302 Baltic 6338 Chili 6527 Merle 6BE2 Light Peacock 6BE3 Cotton Candy

Specification Information

• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
3 ⁷ / ₈ "	9"	1 ¹ / ₄ "	0.3 lb	DSUB	\$47
:	:	:	:	:	:

SOTO Storage Box, Set of Three



Tip: The storage box set fits inside the personal box.

Tip: The box dimensions are:
• Open rectangle box with or without divider: 2¹/₈"D x 4¹/₄"W x 2³/₈"H
• Long rectangle box with lid: 2¹/₈"D x 8⁵/₈"W x 2³/₈"H



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.	• Set of three storage boxes: semi-opaque boxes with white cover	Style number

Specification Information

• Weight	• Style Number	• U.S. Price
0.4 lb	DSSB	\$53
:	:	:

SOTO Cable Clip



Tip: Clips cannot be used with glass, bullnose, knife edge, or other non-standard worksurface edges.

Standard Includes				Required to Specify	
▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.		• Cable clip: plastic		1 Style number 2 Plastic color number: 6009 Arctic White 6059 Sterling Dark Solid	
Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
2"	1"	2"	0.5 lb	DCCLIP	\$32


SOTO Personal Hook



Tip: Hooks cannot be used with glass, bullnose, knife edge, or other non-standard worksurface edges.

Standard Includes				Required to Specify	
▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.		• Personal hook: plastic		1 Style number 2 Plastic color number: 6009 Arctic White 6059 Sterling Dark Solid	
Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
2"	3/4"	2"	0.5 lb	DPHOOK	\$32

SOTO Mobile Caddy




Tip: Height-adjustable worksurface controllers and cables must be clear of mobile caddy.

Tip: When positioning worksurface in lowest position, mobile caddy must be moved from under worksurface.

Standard Includes				Required to Specify	
▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.		• Mobile caddy: plastic • Fabric covered pad: grey felt		1 Style number 2 Plastic color number for mobile caddy: 6009 Arctic White 6527 Merle 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 612.	
Options		U.S. Price	Required to Specify		
Surface Materials	Fabric covered pad				
	• Grey felt	No cost	Specify grey felt.		
	• Fabric finish set 1	+\$ 51	Specify fabric color number.		
	• Fabric finish set 2	+\$110	Specify fabric color number.		
Specification Information					
Dimensions			Style Number	U.S. Base Price	
D	W	H			
21 1/4"	9 1/2"	23 3/4"	DSMC	\$587	

SOTO Functional Screen



Tip: Screens cannot be used on glass, bullnose, knife edge, or other non-standard worksurface edges.

Tip: All height-adjustable worksurface controllers must be mounted clear of installed screen.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. 	<ul style="list-style-type: none"> • Functional screen: plastic 	<ul style="list-style-type: none"> 1 Style number 2 Plastic color number for screen: 6009 Arctic White, 6527 Merle

Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
28½"	1¾"	14"	5.1 lb	DSFS	\$353

SOTO Personal Pocket



Tip: Personal pocket fits on mobile caddy and functional screen, or can be ganged together while freestanding.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. 	<ul style="list-style-type: none"> • Personal pocket: 6000 Black 	<ul style="list-style-type: none"> Style number

Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
11¾"	2"	5½"	1.1 lb	DSPP	\$53






For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Eyesite Single Display Supports with FrameOne Mounting Brackets

Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.

Tip: Eyesite columns may be mounted back to back on double-sided FrameOne worksurfaces when using FrameOne brackets.



Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. • Monitor arm: 4799 Platinum • Mounting bracket: 4799 Platinum • Laptop support, if selected: 4799 Platinum 	Style number

Specification Information

• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			

FrameOne Bracket Mount with 12"H Standard Crank Adjustment Column

6 ⁵ / ₈ "	11 ⁵ / ₈ "	15 ¹ / ₂ "	10 lb	FPAC1FO	\$580
---------------------------------	----------------------------------	----------------------------------	-------	----------------	-------

FrameOne Bracket Mount with 18"H Standard Crank Adjustment Column

6 ⁵ / ₈ "	11 ⁵ / ₈ "	20"	11 lb	FPAEC1FO	\$654
---------------------------------	----------------------------------	-----	-------	-----------------	-------

FrameOne Bracket Mount with 12"H Standard Crank Adjustment Column and Laptop Support

16"	11 ⁵ / ₈ "	15 ¹ / ₂ "	14 lb	FPALC1FO	\$710
-----	----------------------------------	----------------------------------	-------	-----------------	-------

FrameOne Bracket Mount with 18"H Standard Crank Adjustment Column and Laptop Support

16"	11 ⁵ / ₈ "	19 ⁷ / ₈ "	15 lb	FPAELC1FO	\$785
-----	----------------------------------	----------------------------------	-------	------------------	-------



For Canadian Pricing





Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Eyesite Dual Display Supports with FrameOne Mounting Brackets

Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.

Tip: Eyesite dual display support is for use with two monitors up to 27" or less screens and up to 20 lb each. 27" monitors should be use with extended 18" column assemblies or taller.



Tip: When planning with stand-alone, single-sided FrameOne base units, and dual or triple monitor arms, the worksurface must be 66"W or greater and monitor arm must be 15½"H maximum.

Tip: Eyesite flat panel monitor arms with laptop supports are not recommended for use with docking stations.

Tip: Monitor cables that connect to the rear of the monitor near the VESA plate will not fit properly on the Eyesite extended static column.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|---|
| <ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. | <ul style="list-style-type: none"> • Monitor arm: 4799 Platinum • Mounting bracket: 4799 Platinum • Laptop support, if selected: 4799 Platinum |
|--|---|

Style number

Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			

FrameOne Bracket Mount with 12"H Standard Crank Adjustment Column with Dual Yoke and Focal Adjustment					
8½"	31"	15½"	15 lb	FPAC2FO	\$ 981

8½"	31"	15½"	15 lb	FPAC2FO	\$ 981
-----	-----	------	-------	----------------	--------

FrameOne Bracket Mount with 18"H Standard Crank Adjustment Column with Dual Yoke and Focal Adjustment					
8½"	31"	20"	16 lb	FPAEC2FO	\$1057

8½"	31"	20"	16 lb	FPAEC2FO	\$1057
-----	-----	-----	-------	-----------------	--------


FrameOne Bracket Mount with 12"H Standard Crank Adjustment Column with Dual Yoke and Focal Adjustment with Laptop Support					
17"	31"	15½"	19 lb	FPALC2FO	\$1050

17"	31"	15½"	19 lb	FPALC2FO	\$1050
-----	-----	------	-------	-----------------	--------

FrameOne Bracket Mount with 18"H Standard Crank Adjustment Column with Dual Yoke and Focal Adjustment with Laptop Support					
17"	31"	19⅞"	20 lb	FPAELC2FO	\$1127

17"	31"	19⅞"	20 lb	FPAELC2FO	\$1127
-----	-----	------	-------	------------------	--------

Eyesite Static One-Over-One Display Support with FrameOne Mounting Brackets



Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.

Tip: Eyesite static one-over-one display support is for use with two monitors up to 30" and 25 lb each.


Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. 	<ul style="list-style-type: none"> • Extended static column: 4799 Platinum • Mounting bracket: 4799 Platinum 	Style number

Specification Information

Dimensions			Weight	Style Number	U.S. Price
D	W	H			
5 ³ / ₄ "	4 ¹ / ₈ "	31 ³ / ₄ "	10 lb	FPAS101FO	\$648

Tip: Monitor cables that connect to the rear of the monitor near the VESA plate will not fit properly on the Eyesite extended static column.

Eyesite Two-Over-Two Display Supports with FrameOne Mounting Brackets



Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater.

Tip: Eyesite dual display support is for use with two monitors up to 24" screens and 15 lb each.

Tip: Bar-over-bar applications utilize the 26" extended static column only. Bar-over-bar is not permitted on c:scape, Bivi, or big table. Bar-over-bar may be used with FrameOne utilizing the static, non-focal adjusting dual and triple static yokes.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. 	<ul style="list-style-type: none"> • Monitor arm: 4799 Platinum • Mounting bracket: 4799 Platinum 	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Bracket		
<ul style="list-style-type: none"> • Without pivot • With pivot 	No cost +\$40	Specify <i>without pivot</i> . Specify <i>with pivot</i> .

Specification Information

Dimensions			Weight	Style Number	U.S. Base Price
D	W	H			
8 ¹ / ₂ "	31"	26"	17 lb	FPAC2BBSFO	\$1610

26"H Extended Static Column with Dual Yoke and without Focal Adjustment

8 ¹ / ₂ "	31"	26"	17 lb	FPAC2BBSFO	\$1610
---------------------------------	-----	-----	-------	-------------------	--------

Tip: Bar-over-bar applications for use with FrameOne must be used with static columns without focal adjustment yokes only.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.


Eyesite Triple Display Supports

Tip: Eyesite triple display support is for use with three monitors up to 24" screens and 15 lb each.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. 	<ul style="list-style-type: none"> Monitor arm: 4799 Platinum Mounting bracket: 4799 Platinum 	<ul style="list-style-type: none"> 1 Style number 2 Options, if selected (see below)


Options	U.S. Price	Required to Specify
Bracket <ul style="list-style-type: none"> Without pivot With pivot 	No cost +\$30	Specify <i>without pivot</i> . Specify <i>with pivot</i> .

Specification Information					
Dimensions			Weight	Style Number	U.S. Base Price
D	W	H			



12"H Standard Crank Adjustment Column with Triple Yoke and without Focal Adjustment

FrameOne Mount					
7 ⁷ / ₈ "	54 ¹ / ₂ "	15 ¹ / ₂ "	13 lb	FPAFC3FO	\$1057



18"H Extended Crank Adjustment Column with Triple Yoke and without Focal Adjustment

FrameOne Mount					
7 ⁷ / ₈ "	54 ¹ / ₂ "	20"	14 lb	FPAFEC3FO	\$1133

Tip: Eyesite arms should only be mounted to c:scape desks that are tethered to either the beam, another desk, or 1¹/₂-High low storage with a connect zone.

Tip: Monitor cables that connect to the rear of the monitor near the VESA plate will not fit properly on the Eyesite monitor arm.


Tip: Eyesite is not recommended with 22¹/₄"D Airtouch worksurfaces due to C-clamp interference with the lifting column.

Tip: Eyesite display supports will not fit in front of station mounted Slatwall and SlatRail when using a C-clamp bracket. A through-mount bracket is recommended.

Tip: Monitor arms and lap-top supports with C-clamp brackets are not recommended on Universal Tables with P-edge as the user's edge wraps all the way around table. Universal Systems Worksurfaces with P-edge will work as the user's edge is applied to the front only.

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Eyesite Three-Over-Three Display Supports with FrameOne Mounting Brackets



Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.

Tip: Eyesite triple display support is for use with three monitors up to 24" screens and 15 lb each.

Tip: Static yoke must be used when mounting a bar-over-bar application to FrameOne.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> Need help? See <i>Steelcase Worktools Specification Guide</i> for product details. 	<ul style="list-style-type: none"> Monitor arm: 4799 Platinum Mounting bracket: 4799 Platinum 	<ul style="list-style-type: none"> 1 Style number 2 Options, if selected (see below)


Options	U.S. Price	Required to Specify
Bracket		
<ul style="list-style-type: none"> Without pivot With pivot 	<ul style="list-style-type: none"> No cost +\$60 	<ul style="list-style-type: none"> Specify <i>without pivot</i>. Specify <i>with pivot</i>.

Specification Information					
Dimensions			Weight	Style Number	U.S. Base Price
D	W	H			
7 ⁷ / ₈ "	54 ¹ / ₂ "	26"	23 lb	FPAC3BBSFO	\$1902

26"H Extended Static Column with Triple Yoke and without Focal Adjustment

7 ⁷ / ₈ "	54 ¹ / ₂ "	26"	23 lb	FPAC3BBSFO	\$1902
---------------------------------	----------------------------------	-----	-------	-------------------	--------

Eyesite Single Display Support with Extended Crank Adjustment Column and Bivi Mounting Brackets



Tip: Eyesite monitor arms with Bivi Brackets can be installed at six different locations on the Cable Trough.


Tip: Supports displays up to 21 pounds and has a functional focal length of 16".

Standard Includes		Required to Specify
<ul style="list-style-type: none"> Monitor arm: 4799 Platinum Extended crank adjustment column with 12¹/₂" vertical height adjustment 	Style number	

Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
6 ⁵ / ₈ "	11 ⁵ / ₈ "	20"		FPAEC1BIVI	\$686

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.


Eyesite Dual Display Support with Extended Crank Adjustment Column and Bivi Mounting Brackets



Tip: Eyesite dual display support is for use with two monitors up to 27" or less screens and up to 20 lb each. 27" monitors should be used with extended 18" column assemblies or taller.

Standard Includes				Required to Specify	
<ul style="list-style-type: none"> • Monitor arm: 4799 Platinum • Extended crank adjustment column with 12¹/₂" vertical height adjustment 				Style number	
Specification Information					
Dimensions			Style Number	U.S. Price	
D	W	H			
8 ¹ / ₂ "	31"	20"	FPAEC2BIVI	\$1080	

Eyesite Flat Panel Monitor Arm with Single Laptop Support, Extended Crank Adjustment Column, and Bivi Mounting Brackets



Tip: Eyesite monitor arms with Bivi Brackets can be installed at six different locations on the Cable Trough.

Tip: Functional focal length is 16".

Tip: Not recommended for use with docking stations.

Standard Includes				Required to Specify	
<ul style="list-style-type: none"> • Laptop support arm: 4799 Platinum • Extended crank adjustment column with 12¹/₂" vertical height adjustment 				Style number	
Specification Information					
Dimensions			Style Number	U.S. Price	
D	W	H			
16"	11 ⁵ / ₈ "	19 ⁷ / ₈ "	FPAELC1BIVI	\$727	




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Eyesite Flat Panel Monitor Arm with Dual Laptop Support, Extended Crank Adjustment Column, and Bivi Mounting Brackets



Tip: Eyesite dual laptop support is for use with monitor up to 24" screen and 25 pounds.

Tip: Eyesite flat panel monitor arms with laptop supports are not recommended for use with docking station.

Tip: Monitor cables can connect to the rear of the monitor near the VESA plate will not fit properly on Eyesite monitor arm.

Tip: Bivi Bracket to be used with Eyesite single support, dual display support, and dual laptop support with extended crank adjust columns only.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> Laptop support monitor arm: 4799 Platinum Extended crank adjustment column with 12¹/₂" vertical height adjustment 		1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Bracket		
<ul style="list-style-type: none"> Without pivot With pivot 	No cost +\$20	Specify <i>without pivot</i> . Specify <i>with pivot</i> .

Specification Information				
Dimensions			Style Number	U.S. Base Price
D	W	H		
17"	31"	19 ⁷ / ₈ "	FPAELC2BIVI	\$1150

Bivi Bracket



Tip: If you have any existing Eyesite monitor arms, you can order a Bivi Bracket to modify it to work with Bivi tables.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> Bivi mounting bracket: 4799 Platinum 		Style number

Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
3"	4"	1/4"	FPCBIVI	\$177



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Eyesite FrameOne Bracket



Tip: Eyesite columns may be mounted back to back on double-sided FrameOne worksurfaces when using FrameOne brackets.


Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|---|--------------------------|--------------|
| ▶ Need help?
See <i>Steelcase Worktools Specification Guide</i> for product details. | • Bracket: 4799 Platinum | Style number |
|---|--------------------------|--------------|

Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			

3"	4"	1/4"	1.5 lb	FPCFO	\$124
----	----	------	--------	--------------	-------

Vertical Processor Sling with FrameOne Bracket



Tip: CPU must be at least 10"D and 3½"W fixed vertical processor slings.

Tip: Fixed vertical processor sling supports CPUs with perimeters of 53" and 50 lb.

Tip: Fixed vertical processor sling requires 12" clearance under the worksurface.

Tip: Fixed vertical processor sling is mounted in a fixed position.

Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|---|---|--------------|
| ▶ Need help?
See <i>Steelcase Worktools Specification Guide</i> for product details. | • Vertical processor sling: 7207 Textured Black | Style number |
|---|---|--------------|

Related Products

- | | |
|------------------------------|-------------|
| • FrameOne Keyboard Assembly | ▶ See right |
|------------------------------|-------------|

Specification Information				
• Dimensions			• Style Number	• U.S. Price
D	W	H		

10¾"	3¾"	6"	CPRSLFO	\$168
------	-----	----	----------------	-------



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Stella Standard Keyboard Assemblies with FrameOne/c:scape Platform **X4/23**


Standard Includes		Required to Specify
<p>► Need help? See <i>Steelcase Worktools Specification Guide</i> for product details.</p>	<ul style="list-style-type: none"> Mechanism and track: 0835 Black Keyboard platform: 7207 Charcoal only Mouse surface: 9" diameter same-plane, swivel mouse surface Palm rest 	<p>1 Style number 2 Palm rest type (see below under Required Selections)</p>

Tip: FrameOne/c:scape platforms are standard with Stella assemblies and cut-out platform and can be used with furniture and systems with limited space for track adjustment. Check clearance to determine appropriate track length.

Required Selections	U.S. Price	Required to Specify
<p>Palm Rest Type</p> <ul style="list-style-type: none"> Non-antimicrobial Antimicrobial 	<p>No cost No cost</p>	<p>Specify with non-antimicrobial. Specify with antimicrobial.</p>

Specification Information


Dimensions			Style Number	U.S. Price
D	W	H		



Tip: When used with a 24"D worksurface, FrameOne/c:scape platform with 11"L track will protrude 4" from front edge of worksurface when stored.


Left-Hand with Green Gel Palm Rest and 11"L Track For Use With 24"D Worksurface

9"	19"	3"	SS11FCMLGG X4/23	\$619
----	-----	----	-------------------------	-------



Right-Hand with Green Gel Palm Rest and 11"L Track For Use With 24"D Worksurface


9"	19"	3"	SS11FCMRGG X4/23	\$619
----	-----	----	-------------------------	-------



Tip: When used with a 30"D worksurface, FrameOne/c:scape platform with 17"L track stores completely under worksurface.

Left-Hand with Green Gel Palm Rest and 17"L Track For Use With 30"D Worksurface

9"	19"	3"	SS17FCMLGG X4/23	\$619
----	-----	----	-------------------------	-------



Right-Hand with Green Gel Palm Rest and 17"L Track For Use With 30"D Worksurface

9"	19"	3"	SS17FCMRGG X4/23	\$619
----	-----	----	-------------------------	-------

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

X4/23 = Last order entry
April 16, 2023

Steelcase
June 2022