AMQ Specification Guide

Availability

Electronic price list updated with release 198.A (U.S.) and 155.A (Canada), dated April 18, 2022.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Trademarks contained herein are the property of AMQ Solutions, LLC or their respective owner.

Furniture	21
Seating	135
Resources	175

Orders

Orders

Please send P.O.s to orders@amqsolutions.com.

Cancellations

Orders may be cancelled within 48 hours of order placement in writing via email to orders@amqsolutions.com. Please note that orders are not officially cancelled until a confirmation is sent via email from AMQ. Custom or made-to-order products are not eligible for cancellation.

Returns and Exchanges

We do not accept returns or exchanges on products; sales are final once acknowledgments are sent. If a product is ordered by mistake or other issue arises, contact us at orders@amgsolutions.com.

Change Orders

Orders may be changed within 48 hours of order placement. The request must be made via email to orders@amqsolutions.com. The change order is subject to approval and is not accepted until an AMQ acknowledgment is sent to the dealer. In the event that a change order is accepted, change fees may apply. Lead time starts on the day of approval of changes.

Pricing/Order Entry Errors

Claims for pricing or order entry errors must be made no later than 48 hours from receipt of an AMQ acknowledgment. After the 48 hour grace period, customers will be responsible for orders as they are acknowledged.

Please send emails to orders@amqsolutions.com along with your order acknowledgment number, line number with error and detail of the error.

Lead Times

All AMQ products ship within 5 business days.*
Lead time begins the day after receipt of a clean P.O., including receipt of deposit if applicable. When your order is shipped, a tracking notification will be emailed to the contact specified on your purchase order.

Work from Home SPA

We offer special pricing on our Work from Home (WFH) program; visit amqsolutions.com/wfh for details.

Order Fulfillment

We make every attempt to ship all of our orders complete. In the event of a partial or split shipment, you will be notified and an estimated date will be provided for the backordered items. We cannot guarantee which warehouse the product will ship from.

Customer has 10 calendar days after delivery at the specified location to file a claim with AMQ for missing items or AMQ errors not obvious at the time of delivery. If AMQ determines missing items or error was made by AMQ, AMQ's sole obligation is to replace the missing items or correct error and ship at AMQ's expense. AMQ does not cover labor or trip charges. Customer waives right to file a claim if filed after 10 calendar days of receipt of shipment.

Warranties

All AMQ products $\!\!\!\!^*$ have a 10-year warranty, including parts and approved labor on ACTIV, KINEX, Seating and Amobi.

*Amobi whiteboards have a 3 year warranty

AMQ's obligation under this warranty is limited to replacing any product or part that it determines to be defective after inspection by its authorized representative, following receipt of written notice of the defect from the purchaser within the warranty period. This warranty shall apply to the original purchaser only, is non-transferable, and is not applicable outside the United States, Canada, and Mexico.

This warranty is based on normal installation and use of the product in an 8-hour shift. This warranty does not apply to:

- · Damage in shipment caused by a carrier
- · Defects caused by improper installation
- Products subject to improper use and conditions
- · Customer modifications to the product
- Any product that has been modified, altered, tampered with or repaired by any person other than an authorized representative of AMQ
- · Normal wear and tear

Labor charges and/or damage incurred in the installation, repair, or replacement of any products are excluded; AMQ will replace the product if the claim is approved.

Product Design

The right is reserved by AMQ to make changes in design and material, as well as discontinuance of parts and units when such action is deemed to be an improvement in design, function and/or construction.

Warranty Claims

Please email claims to cc@amgsolutions.com.

^{*120°} worksurfaces require a 10 day lead time, as noted on the following page. Orders that include these products will ship in 10 days.

Shipping

Will Call

AMQ offers Will Call upon request; please contact orders@amqsolutions.com for details.

Freight Terms

Freight is included in pricing for all \$1500 + Net Orders, and Seating- or Accessories-only Orders regardless of Net, shipped within the 48 contiguous United States. For orders under \$1500 Net, a \$100 surcharge is added (\$30 for ACTIV DT Riser).

All shipments within the 48 contiguous United Sates, except those designated ports of disembarkation, will be shipped FCA Factory, freight prepaid and allowed regardless of weight. AMQ may select the most appropriate mode of shipment from the manufacturing point of its choice. Special shipping methods and/or handling (including customer requested split shipments) will be subject to an additional charge. Any special freight requirements must be requested prior to order placement and are subject to approval by AMQ. Please contact AMQ Customer Care team for details.

Freight – WFH (work from home)

For WFH orders, different freight options and surcharges apply; please review the WFH Program Terms Document in our Dealer Tools online portal for freight options and charges before ordering with the WFH SPA/discount.

Freight - Canada/Hawaii/Alaska

For shipments to Canada, AMQ pricing only includes Transportation fees (dock to dock). Any other fees or costs associated with shipment, such as customs clearance and import duty/taxes shall be paid directly by the Customer. For shipments to Hawaii/Alaska, AMQ pricing does not include freight. Customer will be responsible for arranging and paying all shipping costs.

Delivery Date Guarantee Option

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between the Customer and AMQ prior to shipment. There is an additional charge to guarantee delivery on a specific day. These charges will be quoted at Customer request.

Redelivery and Re-consignment of Freight

The Customer will be charged for redelivery or re-consignment of all orders (regardless of shipping terms agreed to) if redelivery or re-consignment was caused by a Customer change after the goods have left AMQ's dock.

Shipment Damage Claims

All shipments must be carefully inspected by Customer before acceptance. The Customer must record any damage or shortages noted at time of delivery on the Bill of Lading, and provide this information to AMQ immediately along with photos of any damage. AMQ will arrange inspection by the carrier. If Customer believes it has uncovered further damage after delivery they must take photos of the damage and immediately request inspection by the delivering carrier. Damaged freight must be kept at point of delivery in original packaging for inspection by carrier until further notice by AMQ. If carrier is designated by AMQ, then AMQ will seek recourse on behalf of the Customer. Freight Claims must be filed within 10 days of delivery date.

AMQ warrants to the original purchaser that the products it manufactures are free from defects in design, material and workmanship. Subject to the limitations below, AMQ warrants each product in this catalog to be free from material defects in materials and workmanship.

Title

Title and risk of loss or damage shall pass from AMQ to Customer/Dealer upon delivery to the carrier, including Steelcase trucks.

Submission of Claims

Please submit all order fulfillment, shipping, and warranty claims to cc@amqsolutions.com.

Order Processing

Please send purchase orders to orders@amqsolutions.com.

- Lead time of 5 business days starts from the next day after receipt of clean P.O.
- P.O.'s with missing information/finishes or incorrect pricing will be placed on order processing hold and the lead time will not start until the revised P.O. is sent to Customer Care (orders@amqsolutions.com).
- Please provide .sif file and AMQ quote number along with P.O., if applicable.
- Orders will be acknowledged within 24-48 hours with an AMQ acknowledgment number.
- Claims for quote errors, pricing, order entry errors and/or incorrect finishes must be made within 48 hours of receipt of acknowledgment. After 48 hours, AMQ will not be responsible for errors.
- P.O.s must include your Joey Rewards # in order to obtain Joey points. Register at amqsolutions.com/joey and within 5 business days you'll receive your Joey Rewards #.

Please be sure to check order acknowledgments to confirm accuracy of products, fabrics and finishes against your purchase order.


Payments & Deposits

Terms of payment will be established based on the credit rating and credit information provided by and for specific customers. Orders are invoiced at the time of shipment or will call date. Standard payment terms are net 30 days.

	Orders Under 40,000 Net	Orders Over 40,000 Net
Deposit	No Deposit Required*	50% Deposit Due Upon Order
Balance Due	Net 30	Net 30

^{*}First order with new dealership requires 50% deposit.

Worksurfaces



AMQ worksurfaces are low pressure laminate (LPL).

 $Available\ in\ linear,\ 90^o\ and\ 120^o\ degree\ shapes\ in\ ten\ colors:\ Milk\ White,\ Maple,\ Walnut,\ Teak,\ Arctic\ White,\ Seagull,\ Ash\ Wenge,\ Clay\ Wenge,\ Acacia\ and\ Graphite\ Walnut.$

SPECS

LPL (low pressure laminate)

1 inch/25mm thick

3mm PVC on four sides

Linear, 120, extended corner


^{*}For customized worksurfaces, please call AMQ sales support at (888) 234-5098.


Our linear worksurfaces come in 48", 54", 60", 66" and 72" widths at 24" or 30" depth. Plus 46", 52", 58", 64" & 70" widths at 24" or 30" depth for ACTIV Worksurfaces are 1" thick with 3mm PVC on 4 sides. 72" width 66" width 120° worksurfaces also available for ACTIV-Pro3 height adjustable base. 60" width 54" width

48" width

Privacy Screens

We offer 4 types of privacy screens for your open plan environments.






Fabric Screens*

AMQ fabric screens are .75" thick with aluminum and plastic frame and high density felt interiors.

Upholstered in polyester fabric (ASTM E-84, Class A or 1).


Height adjustable when used with ICON and ACTIV bases.



3F Screens


AMQ 3F felt screens are 18mm thick made from 100% Polyester.

Oeko-Tex Standard 100



Frosted Glass Screens* (60" and 72" ICON only)

AMQ frosted glass screens are .3"/8mm thick and sold in 2-packs for our ICON product line.



Side Screens

Our metal side screens are 22.9"D x 3.14"W x 12.2"H, 1/16" thick, with 3" overhang that slides onto worksurfaces up to 1.5" thick. Rubber mat inset with knob tightener.

No clips required. Fits 24" and 30" deep worksurfaces.

KINEX and ACTIV only.

Screen Clips and Brackets

AMQ screen clips vary by product line and configuration. All sold in pairs (separately from screens). ICON/ACTIV base clips work with worksurfaces between .7"-1.5" (18mm and 40mm) thickness.



ICON double run – Fabric screens only



ILINE – 3F and Fabric screens



KINEX double run – 3F and Fabric screens



Top Mounted Bracket



Top Mounted Bracket Clamp



Undermounted Sleeve Bracket



Fixed Privacy Modesty Bracket




Height Adjustable Bracket



Screen Corner Connector

3F Screens

Modesty & Insert Panels



KINEX End Panel


End Panel for 24" and 30" DR applications. Available in Platinum and White.

Workstation Design Guidelines and Requirements

Overview

Designed for movement with dynamic seating, adjustable work tools and height-adjustable desks are important for today's office workers. To determine the best height-adjustable solution, consider these four criteria:

- 1. Adjustability needed: What is the height range requirement? (seated or sit-to-stand)
- 2. Worksurface size needed: What does the physical space look like? (worksurface configuration)
- 3. Equipment/tools used: What type of computer equipment and other work tools are being used on the worksurface? (Load capacity)
- 4. Use: What is the height adjustable desk being used for (individual or shared, touchdown space or full workstation, sit-to-stand or seated)?



Risk of Serious Injury. If not used as intended, moving worksurfaces can pinch or injure people, or damage property. Always follow theses Instructions:

- Keep height-adjustment range free from obstructions above and below the worksurface.
- 2. Plan for a minimum 1" gap against a panel or wall.
- 3. Plan for a minimum 1" gap to adjacent furniture.

Tips

Obstructions

Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of height-adjustable desks.

Weight

The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

Width

Specify a minimum 1" gap to adjacent furniture. This eliminates any pinch points between a height-adjustable desk and a fixed object.

Depth


When placing a height-adjustable desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This eliminates pinch points and adds clearances for cable access.

Managing Technology

Design workstations with computer equipment in mind so that the height-adjustment range of the height-adjustable desk is not impeded because of cables. Consider the addition of a cable riser, cable basket, or cableway to help harness these wires and cables.

Power

Plan easy and unobstructed access to electrical outlets for computer equipment and height-adjustable desks (when applicable).



AWARNING

Risk of serious injury.

Bases-only warranty limitations and potential for injury: The use of worksurfaces that do not comply with the AMQ defined criteria and limitations could cause personal injury or property damage due to pinch points, instability,or other problems, and voids all AMQ Warranties, expressed or implied.

The use of worksurfaces that do not comply with AMQ criteria voids any AMQ claims of compliance with ANSI/BIFMA, UL, LEED, or other applicable requirements. The use of non-AMQ worksurfaces on AMQ height adjustable bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. AMQ is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-AMQ worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a AMQ worksurface as intended.

Worksurface Criteria and Limitations

The use of non-AMQ worksurfaces is not recommended. Any use of a non-AMQ worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.

Tips

Height-adjustable bases include fasteners intended for use with AMQ worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:

- Medium-density or higher particleboard or berboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater.
- Fasteners located a minimum distance of 1" from any edge.

Electrical — General

We use the USA-based company Byrne Electrical for all our power and data.

The Byrne 8-Trac System and Phase 3 are UL recognized as an Office Furnishing Accessory (UL 1286), and are UL Listed as a Manufactured Wiring System (UL 183) in full compliance with electrical specifications found in the National Electrical Code (NEC). It also complies with municipal standards such as New York, Los Angeles and San Francisco.

To learn more about Byrne, visit their website at www.byrne-electrical.com



Electrical — 3 Circuit/5 Wire

The Byrne Phase 3 System is similar to 8-trac system except is a double sided 3-Circuit/5-Wire system. It Includes flexible mesh conduit jumpers (UL1286 only). Also offers multiple circuit configurations selected by the receptacles.

SPECS

UL183 Listed and UL 1286 Recognized in full compliance with National Electric Code (NEC)

3-Phase System


Modular Receptacles

Flexible mesh conduit jumpers (UL1286 only)

Multiple Circuit configurations selected by receptacles

Double-sided system


Wire Diagram for 3 Keying




Electrical — 4 Circuit/8 Wire


BYRNE 8-TRAC SYSTEM

The Byrne 8-Trac System is rated for 15 amps allowing the use of 4 circuits with 4 line conductors, 2 neutrals and 2 grounds. Under NEC requirements, up to 13 duplex receptacles maybe used per circuit, with a total of 52 available receptacles if all circuits are used, per single power entry. The line conductors are 12 AWG, and share 12 AWG ground and a 10 AWG neutral. The fourth circuit is isolated and dedicated, and is serviced by its own line conductor, neutral and isolated ground. The Byrne System can be wired in both single and 3-phase configurations, 240/120V, 208/120V respectively. Additionally, a 3 hot, 3 general, 2 ground (3-3-2) wiring system is available. The System accommodates panel applications of 2" to 3½" thick harnesses available from 12" to 1800" in length. Assemblies are 100% electrically tested to ensure the highest quality and reliability.






2+2 special order



Four-circuit, 2 + 2 Receptacle Option



General — Unique Electrical Codes

The primary electrical code used in the United States is the National Electrical Code (NEC) (NFPA70). While most states and cities use the NEC as is, some have created their own electrical code using the NEC as the basis for the requirements. There are 3 cities that have unique requirements that directly affect office furnishings installations: New York, Chicago, and San Francisco. These unique requirements are detailed below.

Chicago

Chicago has their own electrical code based on the NEC.

Chicago does not allow the use of any modular systems. All electrical must be hardwired by a licensed electrician. The specific wording of the 2009 Chicago Electrical Code is as follows:

18-27-605.2. General. Wiring in and on office partitions shall conform to all applicable chapter provisions. Relocatable wired partitions are not considered portable and, as such, plug and jack connections are not acceptable. All wiring is to be contained in listed and labeled electrical raceways and outlet boxes.

(a) Use. Wired relocatable office partitions shall be installed and used only as provided for by this Article. The biggest ambiguity is what product types will require TR receptacle for code compliance applications. For example, the NEC TR code dwelling requirements specify "appliances" as exempt from the scope of TR receptacles. Relocatable Power Taps are often grouped into this category.

Hardwire accessories can be used in Chicago if they have a metallic enclosure. This includes Mho, Assemble, Axil, Glenbeigh, and Wonderbar product lines. These hardwire units can be provided as a Chicago version which includes 15" of conduit and a 4X4 junction box.

New York City

- Allows the use of Office Furnishings Systems (as permitted by Article 605 of the NEC) but requires that licensed
 electricians install the electrical components into the furniture.
- Does not allow the use of any non-metallic liquid tight conduit.
- Metallic liquid tight conduit can only be 18" long.
- Flexible metal conduit used on infeeds can only be 6' long.
- Does not allow Manufactured Wiring Systems in furniture.

As of 2009, New York City allows the use of Relocatable Power Taps in office environments.

The New York Electric Code exception of Article 604 for Manufactured Wiring Systems includes Article 604(3) Such wiring may only be used for general lighting circuits above the hung ceiling line.

Until now, this statement was interpreted as lighting circuits must be above the ceiling, while other Manufactured Wiring Systems can be used below the ceiling line.

The new official interpretation requested by BIFMA indicates Manufactured Wiring Systems can only be used for lighting and must be above the ceiling. This applies to Byrne 8-Trac, Byrne 4-Trac and Byrne Phase 3 product lines. This interpretation has not been published on the official NYC Codes site even though more recent interpretations have been. BIFMA continues to work on a resolution to this issue.

San Francisco

San Francisco uses the California Electrical Code which in turn uses the NEC. San Francisco has additional / revised requirements that are called out as an addendum to the code. San Francisco does not allow the use of non-metallic liquid tight conduit and only metallic liquid tight conduit is permitted.

ARTICLE 356 - LIQUIDTIGHT FLEXIBLE NONMETALLIC CONDUIT: TYPE LFNC

- 356.10 Revise the first sentence of this section as follows:
- 356.10 Uses Permitted.

LFNC shall be permitted to be used in exposed or concealed locations for systems not exceeding 50 volts for the following purposes:

356.12 Uses Not Permitted

356.12 Revise item 4 of this section as follows:

(4) Where the operating voltage of the contained conductors is in excess of 50 volts, nominal, except as permitted in 600.32(A).

AMQ Furniture

AMQ Furniture

KINEX	23
ILINE	37
ACTIV	53
AMOBI	73
CONCUR	97
3F	105
REVI	121
S-SERIES	127
MONITOR ARM	131

KINE	EX	
	Understanding	24
	Specifying	33

Statement of Line

BASES



- 1 Stage/Fixed, 2 Stage/dual motor,
- 3 Stage/dual motor

BEAMS




48", 54, 60", 66 and 72" single and double run

CROSSBEAMS




24" and 30"D

FEET




22" and 28" feet single run applications only


WORKSURFACES



PRIVACY SCREENS & PANELS



3F Screens




Fabric Screens*



Screen Mounting Clip



Side Screen



End Panel


ACCESSORIES



Standard Hand Set



Pre-set Hand Set upgrade



Soft Cable Management




Eco Power Box





Boost Power Box

Typical Configurations

A full gallery of typicals is available on our web site under Dealer Tools (ask your AMQ Sales Representative for the password). Each typical includes CAD file, specifications, rendering and .dwg, .sp4 and.sif files.










Electrical


KINEX Benching uses ILINE beam technology to distribute power, with either 3 circuit/5 wire or 4 circuit/8 wire electrical.






Electrical





Jumpers — 4 Circuit/8 Wire and 3 Circuit/5 Wire



KINEX Specifications

Handset	Up/Down (standard) or upgrade to push button with 4 programmable settings
Safety	Anti-collision
Foot Length in Inches	22" and 28" available for 24" and 30" deep worksurfaces
Leg Stage	1, 2 or 3 stage options
Leg Diameter	3.14" x 2.3"
Height Range (excluding top)	3-Stage : 22" - 48"
	2-Stage : 27" - 47"
	Fixed: 27"
Frame Width Expansion	47.2" - 48"
	53.1" - 54"
	59.1" - 60"
	65.1" - 66"
	71.1" - 72"
Worksurface Widths	48", 54", 60", 66", 72"
Worksurface Depths	24" and 30"
Max Lifting Capacity	265 lbs
Gauge of Steel	2mm
Speed	30mm/s
Active Consumption	2-stage legs: 0.2W / 400 W
	3-stage legs: 0.2W / 500 W
Standby Consumption	.2W
Total Stroke	0mm/500mm/650mm
Finishes	Platinum, White and Black
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor
	



Tip: Illustration above shows a double run application which is not included in the base price.

Tip: Base supports a maximum distributed weight capacity of 265 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: End panel(s) are not available on single-run application.

Tip: Fixed height does not have a hand set option or a power cord.

Standard Includes

- · Fixed or adjustable base:
 - Black
 - Platinum
 - White
- Beam: includes 2 data faceplates, 2 bottom caps, 6 plastic front covers, 2 plastic side covers, and 1 bridge connector
- Crossbeam for double run application: includes 2 double run plastic side covers
- Benching set of two feet for single run application
- Power cord: 9'
- · Attachment hardware
- · Laminate worksurface

Options		
Worksurface Finish	Laminate	No cost
End Panel	With One End Panel	24"D: +\$210 30"D: +\$233
	With Two End Panels	24"D: +\$420 30"D: +\$466
Hand Set	Standard	No cost
	4 Pre-Set – Single Run	+\$88
	4 Pre-Set – Double Run	+\$176

Specification Information						
Style Number	Dimensions Depth	Base P Width 48"W	Prices 54"W	60"W	66"W	72"W
KINEX Fixed Desk - Single Run						
KINXBENCH	24"	\$1237	\$1277	\$1313	\$1359	\$1400
	30"	\$1296	\$1336	\$1353	\$1412	\$1446
KINEX 2 Stage Desk - Single Run						
KINXBENCH	24"	\$2106	\$2146	\$2182	\$2228	\$2269
	30"	\$2165	\$2205	\$2222	\$2281	\$2315
KINEX 3 Stage Desk - Single Run	<u> </u>					
KINXBENCH	24"	\$2234	\$2274	\$2310	\$2356	\$2397
	30"	\$2293	\$2333	\$2350	\$2409	\$2443
KINEX Fixed Desk - Double Run						
KINXBENCH	24"	\$2276	\$2351	\$2417	\$2497	\$2574
	30"	\$2387	\$2462	\$2490	\$2596	\$2659
KINEX 2 Stage Desk - Double Run						
KINXBENCH	24"	\$4014	\$4089	\$4155	\$4235	\$4312
	30"	\$4125	\$4200	\$4228	\$4334	\$4397
KINEX 3 Stage Desk - Double Run						
KINXBENCH	24"	\$4270	\$4345	\$4411	\$4491	\$4568
	30"	\$4381	\$4456	\$4484	\$4590	\$4653

KINEX

Standard Includes

· Laminate worksurface



Options							
Worksurface Finish	Laminate						No cost
Specification Information							
Style Number	Dimensions Depth	Base F Width 48"W	Prices 54"W	60"W	66"W	72"W	
KINEX Worksurface							
KINXWORKSURFACE	24"	\$268	\$303	\$333	\$367	\$403	
	30"	\$315	\$350	\$361	\$408	\$437	

Standard Includes

- · Painted power pole
- · Attachment hardware

Options

Run Type Double Run No cost
Single Run No cost

Specification Information

Style Number Base Price

KINEX Power Pole

KINXPOWERPOLE \$483



Standard Includes

• Power supply

Options

Base Finish Paint No cost

Specification Information

Style Number Base Price

KINEX Chicago Power Box

KINXCHIPWR \$310



Standard Includes

- Painted end panel
- Attachment hardware

Options

Base Finish Paint No cost

Specification Information

Style Number End Panel Depth Price

KINEX End Panel

 KINXENDPANEL
 24"
 \$210

 30"
 \$233

KINEX



Standard Includes

• Power supply

Options		
Receptacle Finish	Plastic	No cost
Circuit	3-Circuit	No cost
	4-Circuit	No cost
Receptacle Option	Line 1	No cost
	Line 2	No cost
	Line 3	No cost
	Line 4	No cost

Specification Information

Style Number Base Price

KINEX Power C Receptacle

PWRCRECEPTACLE \$35



Standard Includes

- Double sided double junction block
- 2 junction block brackets

Specification Information

Style Number Circuit Price

KINEX Double Sided Double Junction Block

KINXDBLJUNCTIONBLK 3-Circuit \$135

4-Circuit \$175



Standard Includes

- Double sided single junction block
- Junction block bracket

Specification Information

Style Number Base Price

KINEX Double Sided Single Junction Block


KINXSGLJUNCTIONBLK \$163

ILINE


LIN	E	
	Understanding	38
	Specifying	48

Statement of Line


FRAMES



WORKSURFACES



PRIVACY SCREENS & PANELS





ACCESSORIES



Typical Configurations


A full gallery of typicals is available on our web site under Dealer Tools (ask your AMQ Sales Representative for the password). Each typical includes CAD file, specifications, rendering and .dwg, .sp4 and.sif files.






Electrical

ILINE beam technology distributes electrical with either 3 circuit/5 wire or 4 circuit/8 wire.






Accepts 24 CAT6 cables, 1 conduit and 1 infeed


Electrical

Examples of how to specify ILINE in 3 different configurations.

4 Circuit/8 Wire




3 Circuit/5 Wire




Electrical

Jumpers (4 Circuit/8 Wire)



Jumpers (3 Circuit/5 Wire)



ILINE



Standard Includes

• 2 beam plates, 2 bridge connectors, 2 receptacle covers, 2 data adapters with data faceplates and hardware

Options

Frame Finish Paint No cost

Specification Information

Style Number Base Prices

Width

48"W 60"W 72"W

ILINE Beam

ILNEBEAM \$426 \$483 \$543



Standard Includes

- Post top cap, post, hardware, and 3 plastic side covers
- · Base plate, glides, and hardware

Options

Frame Finish Paint No cost

Specification Information

Style Number Base Prices

90/180 Degree 120 Degree

ILINE Post Kit

ILNEPOST \$320 \$333



Standard Includes

Base plate and hardware



Frame Finish Paint No cost

Specification Information

Style Number Base Prices

End Foot Center Foot

ILINE Base Kit - Single Run

ILNEBASE \$82 \$93

ILINE Base Kit - Double Run

ILNEBASE \$99 \$117

Standard Includes

• ILINE power pole

Options Frame Finish Paint No cost Specification Information Style Number Base Price

ILINE Power Pole

ILNEPOWERPOLE \$483



Options								
Frame Finish	Paint	No cost						
Wire Tray	Wire Tray W/ Cable Management	+\$127						
Specification Information								
Style Number	Base Price							

ILINE Wire Tray

ILNEWIRETRAY \$122



Options		
Frame Finish	Paint	No cost
Specificat	ion Information	
Style Number	Base Price	
ILINE Ch	icago Power Box	

ILNECHIPWR \$310



Options		
Receptacle Finish	Plastic	No cost
Circuit	3-Circuit	No cost
	4-Circuit	No cost

▶ Product Information continued on next page

ILINE

▶ Product Information continued from previous page

Options							
Receptacle Option	Line 1	No cost					
	Line 2	No cost					
	Line 3	No cost					
	Line 4	No cost					
Specification Information							
Style Number	Base Price						
ILINE G-Pow	er						

Specification Information

PWRGRECEPTACLE \$35

Style Number

ımber Base Prices

36"W 42"W 48"W 54"W 60"W 66"W 72"W

Adjustable Jumper Adapter

PWRJUMPER												
3-Circuit	\$99	\$105	\$111	\$117	\$122	\$128	\$140					
4-Circuit	\$145	\$152	\$169	\$175	\$187	\$192	\$210					



Tip: Used on both ILINE and KINEX desks and bases.

Specification Information

Style Number Base Prices

Base Feed Ceiling Power Pole New York City Base Feed San Francisco Base Feed



PWRENTRY											
3-Circuit	\$240	\$286	\$320	\$315							
4-Circuit	\$320	\$350	\$385	\$403							

Tip: Used on both ILINE and KINEX desks and bases.

Specification Information

Style Number Base Price 3-Circuit 4-Circuit

ILINE Double Sided Junction Block

PWRJUNCTIONBLK \$135 \$175





10

Style Number Base Price

3-Circuit Y Connector

X-E3-YC \$35

Tip: Used on both ILINE and KINEX desks and bases.

Specification Information

Style Number Base Price



X-E3-BF-CD72 \$242

Tip: Used on both ILINE and KINEX desks and bases.

Specification Information

Style Number

Base Price



X-E4-BF-CD72 \$198

Tip: Used on both ILINE and KINEX desks and bases.



ACTIV

ACTIV

ACTIV

Understanding **54**Specifying **64**

Statement of Line


ACTIV SIT-TO-STAND BASES



ACTIV-Pro 2-Stage dual motor, available with legs in T or C foot style




ACTIV-Pro 3-Stage dual motor, available with legs in T or C foot style




ACTIV-Pro**3**3 legs/triple motor
90°/120° configurations

WORKSURFACES





Linear



90º/120º (ACTIV-Pro3)

PRIVACY SCREENS







ACCESSORIES



Wire Tray



Soft Cable Management



Eco Power Box



Boost Power Box

*Transitional products, subject to availability

ACTIV DT RISER



ACTIV DT Riser Height Adjustable Desktop converter

OPTIONAL



Keyboard Tray (ACTIV DT Riser)





Dual Monitor Mount (ACTIV DT Riser)

ACTIV-Pro 2 Stage



Worksurface Sizes






ACTIV-Pro/2 Stage Specifications


Handset	Push button with 4 programmable settings
Safety	Anti-collision
Foot Length in Inches	22" and 28" for 24" and 30" deep worksurfaces
Legs	2 stage, available with T or C Leg
Leg Diameter	2.75" x 2.75"
Height Range (excluding top)	27" - 46.7"
Height Range (including top)	28" - 47.7"
Frame Width Expansion	width extendable 48"-72" in 1mm increments
Worksurface Widths	46", 48", 52", 54", 58", 60", 64", 66", 70" and 72"
Worksurface Depths	24" and 30"
Max Lifting Capacity	225 lbs
Base Weight Without Top	66 lbs
Gauge of Steel	2mm for inner tube and 1.5mm for outer tube
Speed	33mm/s
Standby Consumption	.2W
Active Consumption	Max 400W and Max 5A
Decibel Rating	50db≤
Total Stroke	500 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black and Merle
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor

ACTIV-Pro 3 Stage



Worksurface Sizes






ACTIV-Pro/3 Stage Specifications

Handset	Push button with 4 programmable settings
Safety	Anti-collision Anti-collision
Foot Length in Inches	22" and 28" available for 24" and 30" deep worksurfaces
Legs	3 stage, available with T or C Leg
Leg Diameter	2.75" x 2.75"
Height Range (excluding top)	23.5" - 49"
Height Range (including top)	24.5" - 50"
Frame Width Expansion	width extendable 48"-72" in 1mm increments
Worksurface Widths	46", 48", 52", 54", 58", 60", 64", 66", 70" and 72"
Worksurface Depths	24" and 30"
Max Lifting Capacity	250 lbs
Base Weight Without Top	72 lbs
Gauge of Steel	2mm
Speed	38mm/s
Standby Consumption	.2W
Active Consumption	Max 400W and Max 5A
Decibel Rating	50db≤
Total Stroke	650 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black and Merle
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor



Worksurface Sizes




ACTIV-Pro3 Specifications

Handset	Push button with 4 programmable settings
Safety	Anti-collision
Foot Length in Inches	22" and 28" available for 24" and 30" deep worksurfaces
Leg Stage	3 stage
Leg Diameter	2.75" x 2.75"
Height Range (excluding top)	23.5" - 49"
Frame Width Expansion	120°: 470mm / 90°: 500mm
Worksurface Widths	Linear: 48", 60", 72" (see page 105 for 90° and 120° sizes)
Worksurface Depths	24" and 30"
Max Lifting Capacity	300 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm
Base Weight Without Top	113 lbs
Speed	38mm/s
Standby Consumption	0.2W
Active Consumption	Max 500W and Max 13.5A
Decibel Rating	50db≤
Total Stroke	650 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black and Merle
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor
	I I

ACTIV DT Riser





ACTIV DT Riser Specifications

Active Consumption	150W
Base Dimensions	19"W x 15.75"D
Decibel Rating	46db
Dual Monitor Mount Weight	2 lbs
Gauge of Steel	Inner tube: 2mm / Middle/Outer tube 1.5mm
Handset	Push button digital handset with 2 memory presets
Keyboard Surface	25.2"w x 7.9"d
Keyboard Surface Weight Capacity	13.5 lbs
Keyboard Tray Weight	3 lbs
Lifting Column Capacity	175 lbs
Lifting Column Height Range	18.2" - 35.5" (above desktop)
Lifting Range	17.3"
Maximum Monitor Width	43" (single mount), 24" (dual mount)
Monitor Mount Weight Capacity	20 lbs
Primary Worksurface	25.2"w x 18.1"d
Primary Worksurface Height Range	4.3" - 21.5" (above desktop)
Primary Worksurface Weight Capacity	55 lbs (excludes monitor)
Safety	Anti-collision technology
Speed	1.2in/s
Standby Consumption	.1W
UL	UL962
Unit Weight	34 lbs
USB	5V;2A
VESA Mount	75mm & 100mm
Warranty	10 years plus approved labor

ACTIV

ACTIV Desks



Tip: Illustration above shows desk with C-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg heightadjustable desks.

Tip: 2 stage base supports a maximum distributed weight capacity of 225 pounds (250 for 3 stage). When calculating lifting capacity, subtract the weight of the worksurface.

Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- · Laminate worksurface
- 4-preset switch
- Power cord: 9'

Options

- 1/2" glide adjustment
- · Attachment hardware

Worksurface Fini	sh	Laminate	е							No cos	t
Base Finish		Paint								No cos	t
Leg Type	C-Leg							No cost			
	T-Leg	T-Leg						No cost			
Castors or Glides	Glides							No cost			
	Castors,	Castors, Black							+\$169		
Specificat	ion Informa	tion									
Style Number	Base Prices										
	Depth	Width									
		46"\M	4Q"\N	52"\\/	54"\M	58"\ <i>M</i>	60"M	64"\//	66"\ <i>M</i>	70"\ <i>M</i>	70"\//

	Depth	Width									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
ACTIV 2 S	tage Des	sk									
ACTVDESKS2	24"	\$1156	\$1167	\$1191	\$1194	\$1211	\$1224	\$1247	\$1258	\$1281	\$1294
	30"	\$1194	\$1206	\$1229	\$1241	\$1258	\$1252	\$1287	\$1299	\$1317	\$1323
ACTIV 3 S	tage Des	sk									
ACTVDESKS3	24"	\$1277	\$1288	\$1312	\$1315	\$1332	\$1345	\$1368	\$1379	\$1402	\$1415
	30"	\$1315	\$1327	\$1350	\$1362	\$1379	\$1373	\$1408	\$1420	\$1438	\$1444

ACTIV ACTIV Desks



Tip: Illustration above shows desk with C-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg heightadjustable bases.

Tip: 2 stage base supports a maximum distributed weight capacity of 225 pounds (250 for 3 stage). When calculating lifting capacity, subtract the weight of the worksurface.

Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- · 4-preset switch
- Power cord: 9'
- 1/2" glide adjustment
- Attachment hardware

Options		
Base Finish	Paint	No cost
Leg Type	C-Leg	No cost
	T-Leg	No cost
Castors or Glides	Glides	No cost
	Caetore Black	±\$16Q

		Castors, Black	+\$169
Specificati	on Informa	tion	
Style Number	Dimensions Depth	Base Prices	
ACTIV 2 S	Stage Ba	se	
ACTVBASES2	24"	\$956	
	30"	\$956	
ACTIV 3 S	Stage Ba	se	
ACTVRASES3	24"	\$1082	



Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- 4-preset switch
- Power cord: 9'
- 1/2" glide adjustment
- Stretcher bar, if 72"W selected
- · Attachment hardware

Options		
Return Depth	24 in	No cost
Worksurface Finish	Laminate	No cost
Base Finish	Paint	No cost
Leg Type	T-Leg	No cost

▶ Product Information continued on next page

\$1082

ACTIV

ACTIV Desks

▶ Product Information continued from previous page

+\$198

+\$205

+\$210 +\$216

+\$306

+\$312

30"

36"

42"

48"

42"W with 30"D

48"W with 24"D

Specification Information												
Style Number	Dimens Depth	sions	Base P Width									
			46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
ACTIV 90 Deg	ree D	esk										
ACTVPRO90	24"		\$2086	\$2097	\$2121	\$2132	\$2149	\$2162	\$2185	\$2196	\$2219	\$2328
	30"		\$2132	\$2144	\$2167	\$2179	\$2196	\$2190	\$2225	\$2237	\$2260	\$2362
Return Width	24"	+\$187										•

Tip: Base supports a maximum distributed weight capacity of 300 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: All return depths are 24". The depths to the right indicate desk depths that include an extra stretcher bar needed for certain configurations.



Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- · 4-preset switch
- Power cord: 9'
- 1/2" glide adjustment
- · Attachment hardware

Options		
Worksurface Finish	Laminate	No cost
Base Finish	Paint	No cost
Leg Type	T-Leg	No cost

Specification Information

Style Number Depth Base Price

ACTIV 120 Degree Desk

ACTVPRO120 24" \$2669 30" \$3053

ACTIV Desks



Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- · 4-preset switch
- Power cord: 9'
- 1/2" glide adjustment
- · Attachment hardware

Options		
Depth	24 in	No cost
	30 in	No cost
Base Finish	Paint	No cost
Leg Type	T-Leg	No cost

Specification Information

Style Number Base Price

ACTIV 120 Degree Base

ACTVBASE90120 \$1829

ACTIV

ACTIV DT Riser



Tip: Illustration above shows a keyboard tray which is not included in the base price.

Standard Includes

- DT riser with single monitor mount:
 - Black
 - White

Options		
Base Finish	Paint	No cost
Monitor Mount	Single Mount	No cost
	Dual Mount	+\$120
Keyboard Tray	With Keyboard Tray	+\$151

Specification Information

Style Number Base Price

ACTIV DT Riser

ACTVDTRISER \$752

20

Standard Includes

- Keyboard tray:
 - Black
 - White

Options					
Finish	Paint	No cost			
Specification	on Information				
Style Number	Base Price				
ACTIV DT	ACTIV DT Riser Keyboard Tray				

ACTVDTKEYBD \$151



Standard Includes

- Monitor mount:
 - Black
 - White

Options		
Finish	Paint	No cost
Specification	Information	
Style Number	Base Price	
ACTIV DT	Dual Monitor Mount	

ACTVDTDUALMON \$120

ACTIV Power and Accessories



Standard Includes

Casters: 2 locking, 2 non-locking

Specification Information

Style Number Base Price

ACTIV Castors - Set of 4

ACTIV-CASTORS \$169



Options		
Finish	Paint	No cost
Specificatio	n Information	
Style Number	Base Price	
ACTIV Wir	e Trav	

ACTVWIRETRAY \$114



Specification Information

Style Number Base Price

ACTIV Cable Management

X-FCMT



Standard Includes

- Power box with 2 electrical outlets
- Edge mounting clamp
- 78" cord
- White

Specification Information

Style Number Base Price

ACTIV Eco Power Box

X-E-PB4 \$169

ACTIV

ACTIV Power and Accessories



Standard Includes

- Power box with 2 electrical outlets
- · Micro-suction direct surface mount
- 108" cord
- · 2 USB

•	main.	-
U	ptio	пs

Finish Paint No cost

Specification Information

Style Number Base Price

ACTIV Boost Power

BOOSTPOWER \$360

Standard Includes

• 72" stretcher bar for Activ-Pro3 1 box (2 bars)

Specification Information

Style Number Base Price

ACTIV 72" Stretcher Bar

ACTVSTRETCHERBAR72 \$96

Specification Information

Style Number Base Price

ACTIV Short Stretcher Bar

ACTVSHORTSTRETCH No cost

ACTIVWorksurfaces



Standard Includes

· Laminate worksurface

Options

Worksurface Finish Laminate No cost

Specification Information

Style Number Dimensions **Base Prices** Depth Width 46"W 48"W 52"W 54"W 58"W 60"W 64"W 66"W 72"W 70"W **ACTIV Worksurface** ACTVWORKSURFACE \$257 \$268 \$292 \$303 \$320 \$333 \$356 \$367 \$390 \$403 \$303 \$315 \$338 \$350 \$367 \$361 \$396 \$408 \$431 \$437



Standard Includes

· Laminate worksurface

Options

Worksurface Finish Laminate No cost

Specification Information

Style Number Dimensions Base Prices

Depth Width

24"W 30"W 36"W 42"W 48"W

ACTIV Return Worksurface

ACTVRETURNWKSF 24" \$187 \$198 \$205 \$210 \$216



Standard Includes

· Laminate worksurface

Options

Worksurface Finish Laminate No cost

Specification Information

Style Number Dimensions Base Prices

Depth

ACTIV 120 Degree Worksurface

ACTVWORKSURF120 24" \$840 30" \$1224


AMOBI

AMOBI

Understanding 74
Specifying 80

Statement of Line


DESK









TEAM



Amobi Team Wall



Amobi Team Half Wall



Amobi Team Half Wall with Storage



Amobi Team Display



Amobi Team Display with Storage



Amobi Team Cart




Amobi Team Cart with Storage




Storage Basket

Statement of Line

POWER DISTRIBUTION - STRUCTURED, SPINE-BASED



Thread Wall Infeed with Ramps - Dual Circuit



Thread Power Track with Ramps




Thread Power Connector



Thread Low-Profile Adapter

POWER DISTRIBUTION - DYNAMIC, GRID-BASED





Amobi Desk Specifications

Product Overall Height Adjustment Range	39.9" - 78.8"
Worksurface Height Adjustment Range	9.9" - 48.8"
Front Handset	Push button with 2 programmable settings and LED Light Control
Rear Handset	Up/Down Push Button
Feature	Anti-Collision (Gyro Sensor)
Columns	3-Stage
Worksurface	High-Pressure Laminate with 2mm plastic edge
Worksurface Thickness	1"
Worksurface Width	54", 60"
Worksurface Depth	25"
Worksurface Maximum Capacity	176 lbs
Accoustic Panel	NRC Value .80
Magnetic Side Panels	NRC Value .45
Magnetic Side Panels Dimensions	33"H x 27"D
Whiteboard Surface	Painted Steel
Volts	120V AC
Input Amps	3A (Maximum 3.6A)
Watts	400W (Maximum)
Frequency	60Hz
Standby Consumption	0.2W
Active Consumption	0 - 280W (under 176 lbs maximum loading)
Overcurrent Protection	Yes
Output Receptacle	120V, 10A
USB-A Output	2.1A / 5V (10.5W)
USB-C Output	1.5A /12V (18W)
Speed	30mm/s
Total Stroke	38.9"
Decibel Rating	55db≤
Desk Weight	54": 182 lbs, 60": 192 lbs
Compliance	BIMFA X5.5-2021
UL	UL962 Listed
Environmental	SCS IAQ Gold
Flammability	UL723, TB117



Amobi Team Specifications

Frame Dimensions	44"W x 71.5"H x 20"D
Collaboration Board Dimensions - Full Size	42"W x 67"H
Collaboration Board Dimensions - Half Size	42"W x 42"H
Side Infill Dimensions	20"W x 28.75"H
Frame Weight	88 lbs
Lower Tray Dimensions	43.5"W x 1.5"H x 9"D
Lower Tray Weight Capacity	10 lbs
Full Size Whiteboard Weight	17 lbs
Half Size Whiteboard Weight	11 lbs
Whiteboard Type	PET G
Upper Tray Dimensions	44"W x 18.75"D x 2"H
Upper Tray Weight Capacity	16 lbs
Storage Dimensions	20"W x 15.75"D x 8"H
Storage Weight Capacity	41 lbs
Shelving Dimensions	42"W x 8"D x 1"H
Shelving Weight Capacity	14 lbs
Shelving Finishes	10 laminates
Laminate Material	LPL
Finishes	White, Platinum
Storage Locking Availability	Yes
Castors	4 locking
Storage Basket Dimensions	9.57"W x 12.88"D x 5.24"H
Certifications	SCS IAQ Gold

Desk



Standard Includes

- Electric height-adjustable sit-to-stand base:
 - White
 - Platinum
- · Laminate foldable worksurface
- One cord out, integrated power
- Power cord: 9'
- LED handset with 2 memory presets and lighting control
- Built-in power box: 2 power, USB A+C
- · Lockable casters
- · Collaboration board

Options		
Base Finish	Paint	No cost
Collaboration Board	Tackboard Whiteboard	No cost +\$270
Tackboard Finish	Verve	No cost
Snap-in Monitor Arm	Single	+\$260
	Double	+\$520
Monitor Arm Finish	Paint	No cost
Lighting	Led	+\$425
Modesty Panel	W/ Modesty Panel	+\$250
Modesty Panel Finish	Verve	No cost
Magnetic Clips	Set of 5	+\$60

Specification Information

Style Number Base Price

AMOBI 54" Desk One

ADO54

\$3800

Desk



Standard Includes

- Electric height-adjustable sit-to-stand base:
 - \\/hita
 - Platinum
- · Laminate foldable worksurface
- One cord out, integrated power
- Power cord: 9'
- LED handset with 2 memory presets and lighting control
- Built-in power box: 2 power, USB A+C
- · Lockable casters
- · Collaboration board

Options		
Base Finish	Paint	No cost
Collaboration Board	Tackboard	No cost
	Whiteboard	+\$270
Tackboard Finish	Verve	No cost
Snap-in Monitor Arm	Single	+\$260
	Double	+\$520
Monitor Arm Finish	Paint	No cost
Lighting	Led	+\$450
Modesty Panel	W/ Modesty Panel	+\$275
Modesty Panel Finish	Verve	No cost
Magnetic Clips	Set of 5	+\$60

Specification Information

Style Number Base Price

AMOBI 60" Desk One

ADO60 \$3900

Desk



Standard Includes

- Electric height-adjustable sit-to-stand base:
 - \//hito
 - Platinum
- · Laminate foldable worksurface
- One cord out, integrated power
- Power cord: 9'
- LED handset with 2 memory presets and lighting control
- Built-in power box: 2 power, USB A+C
- · Lockable casters
- · Collaboration board

Options		
Base Finish	Paint	No cost
Collaboration Board	Tackboard	No cost
	Whiteboard	+\$270
Tackboard Finish	Verve	No cost
Privacy Screen Finish	Verve	No cost
Snap-in Monitor Arm	Single	+\$260
	Double	+\$520
Monitor Arm Finish	Paint	No cost
Lighting	Led	+\$425
Modesty Panel	W/ Modesty Panel	+\$250
Modesty Panel Finish	Verve	No cost
Magnetic Clips	Set of 5	+\$60
Privacy Screen Connector	Set of 2	+\$125

Specification Information

Style Number Base Price

AMOBI 54" Desk Focus

ADF54 \$4450

Desk



Standard Includes

- Electric height-adjustable sit-to-stand base:
 - White
 - Platinum
- · Laminate foldable worksurface
- One cord out, integrated power
- Power cord: 9'
- LED handset with 2 memory presets and lighting control
- Built-in power box: 2 power, USB A+C
- · Lockable casters
- · Collaboration board

Options		
Base Finish	Paint	No cost
Collaboration Board	Tackboard	No cost
	Whiteboard	+\$270
Tackboard Finish	Verve	No cost
Privacy Screen Finish	Verve	No cost
Snap-in Monitor Arm	Single	+\$260
	Double	+\$520
Monitor Arm Finish	Paint	No cost
Lighting	Led	+\$450
Modesty Panel	W/ Modesty Panel	+\$275
Modesty Panel Finish	Verve	No cost
Magnetic Clips	Set of 5	+\$60
Privacy Screen Connector	Set of 2	+\$125

Specification Information

Style Number Base Price

AMOBI 60" Desk Focus

ADF60 \$4550



Options		
Tackboard Finish	Verve	No cost
Specification Inf	ormation	
Style Number Base Pri	ce	
AMORI 54" Ta	ckhoard	

ADTB54 \$250

Desk



Options		
Tackboard Finish	Verve	No cost
Specification In	ormation	
Style Number Base Pri	ce	
AMOBI 60" Ta	ckboard	



Specification Information Style Number Base Price

AMOBI 54" Whiteboard

\$280

ADWB54 \$520

ADTB60



Specification Information

Style Number Base Price

AMOBI 60" Whiteboard

\$260

ADWB60 \$550

ADSMA



Options		
Monitor Arm Finish	Paint	No cost
Specification Info	ormation	
Style Number Base Price	e	
AMOBI Monito	r Arm	

Desk



Style Number Base Price

AMOBI 54" LED

ADLED54 \$425

Specification Information

Style Number Base Price

AMOBI 60" LED

ADLED60 \$450



Options		
Modesty Panel Finish	Verve	No cost
Specification Info	rmation	
Style Number Base Price		
AMOBI 54" Mod	lesty Panel	

ADMP54 \$250

ADMP60

\$275



Options		
Modesty Panel Finish	Verve	No cost
Specification Info	rmation	
Style Number Base Price	•	
AMOBI 60" Modesty Panel		

Desk

oppide

Specification Information

Style Number Base Price

AMOBI Clip

ADCLIP \$6

Specification Information

Style Number Base Price

AMOBI Privacy Screen Connector

ADPSC \$125





Team



Standard Includes

- Collaboration board
- 4 locking castors
- Lower storage tray
- Felt side infills
- Felt inlays

Options		
Frame Finish	Paint	No cost
Collaboration Board	2 Sided Tackboard	No cost
	1 Side Tackbrd 1 Side Whitebrd	+\$330
	2 Sided Whiteboard	+\$660
Tackboard Side A Finish Verve		No cost
Tackboard Side B Finish	Verve	No cost
Infill Finish	Verve	No cost
Inlay Finish	Verve	No cost

Specification Information

Style Number Base Price

AMOBI Team Wall

ATWALL \$1750



Standard Includes

- Collaboration board
- 4 locking castors
- Lower storage tray
- Upper storage tray
- Felt inlays
- Felt side infills

Paint	No cost
2 Sided Tackboard	No cost
1 Side Tackbrd 1 Side Whitebrd	+\$210
2 Sided Whiteboard	+\$420
Verve	No cost
	2 Sided Tackboard 1 Side Tackbrd 1 Side Whitebrd 2 Sided Whiteboard Verve Verve Verve

Specification Information

Style Number Base Price

AMOBI Team Half Wall

ATHWL \$1950

Team



Standard Includes

- Collaboration board
- 4 locking castors
- Lower storage tray
- · Felt side infills
- Upper storage tray
- Felt inlays

Options		
Frame Finish	Paint	No cost
Collaboration Board	2 Sided Tackboard	No cost
	1 Side Tackbrd 1 Side Whitebrd	+\$210
	2 Sided Whiteboard	+\$420
Tackboard Side A Finish	Verve	No cost
Tackboard Side B Finish	Verve	No cost
Infill Finish	Verve	No cost
Inlay Finish	Verve	No cost

Specification Information

Style Number Base Price

AMOBI Team Half Wall with Storage

ATSTR \$2550



Standard Includes

- 2 laminate display shelves
- Upper storage tray
- Felt inlays
- Felt side infills
- Lower storage tray
- 4 locking castors

Options		
Frame Finish	Paint	No cost
Infill Finish	Verve	No cost
Shelf Finish	Laminate	No cost
Inlay Finish	Verve	No cost

Specification Information

Style Number Base Price

AMOBI Team Display

ATDSP \$2150

Team



Standard Includes

- 2 laminate display shelves
- · Lockable storage cubby
- Upper storage tray
- Felt inlays
- Felt side infills
- Lower storage tray
- 4 locking castors

Options		
Frame Finish	Paint	No cost
Infill Finish	Verve	No cost
Shelf Finish	Laminate	No cost
Inlay Finish	Verve	No cost

Specification Information

Style Number Base Price

AMOBI Team Display with Storage

ATDST \$2750



Options		
Frame Finish	Paint	No cost
Infill Finish	Verve	No cost
Inlay Finish	Verve	No cost

Specification Information

Style Number Base Price

AMOBI Team Cart

ATTC \$1100



Options		
Frame Finish	Paint	No cost
Infill Finish	Verve	No cost
Inlay Finish	Verve	No cost


Specification Information

Style Number Base Price

AMOBI Team Cart with Storage

ATSC \$1700

Team





AMOBI Team Half Size Tackboard

ATTBHS \$270

Specification Information Style Number Base Price

AMOBI Team Full Size Whiteboard

ATWBFL \$650

Specification Information

Style Number Base Price

AMOBI Team Half Size Whiteboard

ATWBHS \$480

Team



Specification Information

Style Number Base Price

AMOBI Team Basket (Set of 2)

ATBSK \$250

Power



Options		
Trim Ring Finish	Plastic	No cost
Specification In	formation	
Style Number Race Pr	ice	

AMOBI 72" Thread Power Track Wall Infeed with Ramps, Dual Circuit

THDIF72 \$708



Options Trim Ring Finish Plastic No cost Specification Information Style Number Base Price

AMOBI 96" Thread Power Track Wall Infeed with Ramps, Dual Circuit

THDIF96 \$821



Options		
Trim Ring Finish	Plastic	No cost
Specification Information		
Style Number Base Price		
AMORI 120" Thread Power Track Wall Infeed with Ramps, Dual Circuit		

AMOBI 120" Inread Power Track Wall Inleed Wiln Kamps, Dual Circuit

THDIF120 \$940



Specification Information

Style Number Base Price

AMOBI 60" Thread Power Track with Ramps

THDPT60 \$498

Power

Specification Information



Style Number Base Price

AMOBI 72" Thread Power Track Wall Infeed with Ramps

THDPT72 \$548

Specification Information



Style Number Base Price

AMOBI 84" Thread Power Track with Ramps

THDPT84 \$597

Specification Information



Style Number Base Price

AMOBI 96" Thread Power Track Wall Infeed with Ramps

THDPT96 \$643

Specification Information



Style Number Base Price

AMOBI 120" Thread Power Track Wall Infeed wtih Ramps

THDPT120 \$745

Power



Options		
Trim Ring Finish	Plastic	No cost
Connector Cover Finish	Textured Paint	No cost

Specification Information

Style Number Base Price

AMOBI Thread Power Connector, Blank Low Profile

THDBLK \$26



Options		
Trim Ring Finish	Plastic	No cost
Connector Cover Finish	Textured Paint	No cost

Specification Information

Style Number Base Price

AMOBI Thread Power Connector, One Door Low Profile

THD1DR \$308



Options		
Trim Ring Finish	Plastic	No cost
Connector Cover Finish	Textured Paint	No cost
Specification Info	mation	

Specification Information

Style Number Base Price

AMOBI Thread Power Connector, Two Door Low Profile

THD2DR \$350



Options		
Trim Ring Finish	Plastic	No cost

Specification Information

Style Number Base Price

AMOBI Thread Power Connector, NEMA Monument with Tamper Resistant

THDNEMA \$413

Power



Specification Information

Style Number Base Price

AMOBI Thread Low Profile Plug Adapter

THDADPTR \$82



Specification Information

Style Number Base Price

AMOBI Jumper Box Wall Converter and Mounting Plate

JBWC

\$390

Tip: Illustration above does not show mounting plate which is included in the price.



Specification Information

Style Number Base Price

AMOBI 72" Jumper Box Corded Infeed with Black Mesh

JBIF72



Specification Information

Style Number Base Price

AMOBI 120" Jumper Box Corded Infeed with Black Mesh

JBIF120 \$250

Power

Specification Information

Style Number Base Price

AMOBI Jumper Box Power Connector Kit for 54" Desk

JBCNT54 \$490

Specification Information

Style Number Base Price

AMOBI Jumper Box Power Connector Kit for 60" Desk

JBCNT60 \$540


ÖNCUR

CONCUR


CONCUR

Understanding 98
Specifying 100

Statement of Line



Optional





CONCUR Specifications

Frame width	47.25", 59.05" and 70.85"
Width between front legs	44.5", 56.25" and 68.1"
Width between rear legs	40.75", 52.5" and 64.35"
Leg Depth	21"
Cantilever Depth	13.75"
Height (excluding top)	28.5"
Worksurface widths	48", 60" and 72"
Worksurface depths	24" and 30"
Worksurface thickness	1"
Modesty Panel	Steel
Modesty Panel Width	39.5", 51.25" and 63.1"
Modesty Panel Height	14"
Clearance between Modesty Panel and Floor	12"
Castors	Soft, Height Adjustable, Locking
Weight Capacity	200 lbs
Frame weight without top	27 lbs
Power in-feed length	72"
Power Box	2 electrical outlets with worksurface clamp
Certifications	BIFMAX5.5-2014
Electrical Compliance	ETL Listed, UL Recognized

CONCUR

CONCUR



Standard Includes

- Table: 1" top, laminate
- Square edge: 3mm plastic edge band
- Steel legs with locking casters

Options		
Worksurface Finish	Laminate	No cost
Frame Finish	Paint	No cost
Modesty Panel	W/ Modesty Panel	48"W: +\$241
		60"W: +\$265
		72"W: +\$289
Specification Info	ormation	

Style Number	Dimensions Depth	Base Prices Width
		48"W 60"W 72"W

CONCUR Table

CNCRTABLE 24"	\$1133 \$123	5 \$1340
30"	\$1180 \$126	3 \$1374



Tip: Illustration above shows armless chair which is not included in the base price. Bundle includes two TIZU nest chairs.

Tip: Black frame only available with chrome base.

Tip: White frame only available with white or platinum base.

Tip: Armless option not available with plastic back.

Worksurface Finish	Laminate	No cost			
Modesty Panel	W/ Modesty Panel	60"W: +\$265 72"W: +\$289			
Seat Finish	Fabric Price Group 01	No cost			
	Fabric Price Group 02	+\$34			
	Fabric Price Group 03	+\$70			
	Polyurethane - Price Group 4	+\$128			
Back Type	Mesh Back	Prices below			
	Plastic Back	Prices below			
Armrests	Fixed Loop	Prices below			
	Armless	Prices below			
Packaging	Knocked down	No cost			
	Fully Assembled	+\$176			
Base Option	Chrome Base	Prices below			
	Platinum Base	Prices below			
	White Base	Prices below			
Castors or Glides	Soft, 2-Tone Grey	No cost			
	Soft, Black	No cost			
	Glides, Black	+\$116			

▶ Product Information continued on next page

CONCUR

▶ Product Information continued from previous page

Specification	Information			
Style Number	Dimensions	Base F	rices	
	Depth	Table \	/idth	
		60"W	72"W	
CONCUR Ta	ble and 2	TIZU	Nest Chairs Bundles	
Bundle with Bl	ack Frame,	Mesh	Back, Armless, Chrome Base Cha	irs
CNCRTIZUBNDL	24"	\$2229	\$2332	
	30"	\$2257	\$2366	
Bundle with W	hite Frame,	Mesh	Back, Armless, Platinum Base Ch	airs
CNCRTIZUBNDL	24"	\$2262	\$2365	
	30"	\$2290	\$2399	
Bundle with W	hite Frame,	Mesh	Back, Armless, White Base Chairs	•
CNCRTIZUBNDL	24"	\$2286	\$2389	
	30"	\$2314	\$2423	
Bundle with Bl	ack Frame,	Plasti	Back, Fixed Arms, Chrome Base	Chairs
CNCRTIZUBNDL	24"	\$2263	\$2367	
	30"	\$2291	\$2401	
Bundle with W	hite Frame,	Plasti	Back, Fixed Arms, Platinum Bas	e Chairs
CNCRTIZUBNDL	24"	\$2298	\$2401	
	30"	\$2326	\$2435	
Bundle with W	hite Frame,	Plasti	Back, Fixed Arms, White Base C	hairs
CNCRTIZUBNDL	24"	\$2322	\$2426	
	30"	\$2350	\$2460	
Bundle with Bl	ack Frame,	Mesh	Back, Fixed Arms, Chrome Base C	hairs
CNCRTIZUBNDL	24"	\$2307	\$2410	
	30"	\$2335	\$2444	
Bundle with W	hite Frame,	Mesh	Back, Fixed Arms, Platinum Base	Chairs
CNCRTIZUBNDL	24"	\$2342	\$2441	
	30"	\$2370	\$2475	
Bundle with W	hite Frame,	Mesh	Back, Fixed Arms, White Base Ch	airs
CNCRTIZUBNDL	24"	\$2368	\$2467	
	30"	\$2396	\$2501	

CONCUR

CONCUR



Specification Information

Style Number

Base Price

CONCUR Power Base In-Feed with Control Box and 72" Cord

CONCUR-EE-CB \$480



Specification Information

Style Number

Base Price

CONCUR 60" Power Link for Concur Training Table

CONCUR-EE-CNT \$318



Specification Information

Style Number

Base Price

CONCUR 24" Power Jumper for Concur Training Table

CONCUR-EE-JMP

\$114

CONCUR CONCUR

Specification Information

Base Price Style Number

CONCUR Ganging Kit

CONCUR-GK \$43



Standard Includes

· Laminate worksurface

Options							
Worksurface Finish	Laminate				No cost		
Specification Information							
Style Number	Dimensions Depth	Base Prices Width					
		48"W	60"W	72"W			
CONCUR Worksurface							
CNCRWORKSURFACE	24"	\$268	\$333	\$403			
	30"	\$315	\$361	\$437			



Specification Information

Base Prices Style Number Width

48"W 60"W 72"W

CONCUR Modesty Panel

CNCRMODESTY \$241 \$265 \$289


3F

3F		
	Understanding	106
	Specifying	113

7

Statement of Line

3F Screens



Brackets



Sleeve Bracket




Top Mounted Bracket



Top Mounted Bracket Clamp



Fixed Privacy Modesty Bracket




Height Adjustable Bracket




Screen Corner Connector

3F Hanging Panels




Panel Suspension Kits



Statement of Line

3F Wall Tiles





001 001 001 001 441 461 501 501 501 501 601 641 601 701
23", 28", 30", 36", 44", 46", 50", 52", 56", 58", 62", 64", 68", 70"
18", 23" and 28"
.7" / 18mm
Linear, L-Shape, U-Shape and Half Desk
3F Worksurface Brackets, ILINE Clips or KINEX Clips
3kg/m2
100% Polyester (min. 50% recycled PET fiber)
NRC Value .85
Oeko-Tex Standard 100 certified, VOC free
100% Recyclable
BIFMA X5.6-2016



3F Hooded Screens Specifications

Standard Widths	48", 54", 60", 66", 72"
Standard Heights	30"
Roof Angle	30°
Mounting Options	3F Top Mounted Bracket/Clamp



3F Hanging Panels Specifications

Standard Widths	28", 38", 48"
Standard Heights	94"
Thickness	9mm / .35"
Density	1.9kg/m2
Composition	100% Polyester (min. 50% recycled PET fiber)
Sound Absorption	NRC Value .60
Mounting Options	Ceiling Suspension, Rail Suspension, Sliding Track
Environmental	Oeko-Tex Standard 100 certified, VOC free
Recyclability	100% Recyclable
Flammability	ATSM E-84 Class A































3F Wall Tiles Specifications

Standard Widths	11.5"
Thickness	9mm / .35"
Density	1.9kg/m2
Composition	100% Polyester (min. 50% recycled PET fiber)
Sound Absorption	NRC Rating: 0.3
Mounting Options	Industrial Tape (approx. 1 roll per 60 tiles)
Environmental	Oeko-Tex Standard 100 certified, VOC free
Recyclability	100% Recyclable
Flammability	ATSM E-84 Class A



Finishes

VERDE FC6

TUSCAN FC7

Verve Collection Specify at the end of product SKU BRIQUETTE FC1 SHADOW FC2 ASH FC3 PEARL FC4 CELESTIAL FC5

SAFFRON FC8

SAND FC9

SEAFOAM FC10



Options		
Screen Finish	Verve	No cost

Tip: Compatible with any bracket.

Specification Information Style Number **Dimensions Base Prices** Height Width 23"W 28"W 30"W 36"W 44"W 46"W 50"W 52"W 56"W 58"W 62"W 64"W 68"W 70"W **3F Linear Screen 3FSNLINEAR** 18" \$137 \$161 \$180 \$211 \$235 \$247 \$272 \$285 \$310 \$322 \$347 \$359 \$384 \$396 23" \$149 \$174 \$192 \$223 \$247 \$260 \$285 \$297 \$322 \$335 \$359 \$371 \$396 \$408 28" \$174 \$422 \$432 \$198 \$217 \$247 \$272 \$285 \$310 \$322 \$347 \$359 \$384 \$396



Tip: Compatible with any bracket other than height adjustable bracket.

Options							
Screen Finish	٧	'erve					No cost
Specification	n Informatio	on					
Style Number	Dimensions Height	Base I Width 46"W	Prices 52"W	58"W	64"W	70"W	
3F L Scree	n						
3FSNLSCREEN	18"	\$403	\$439	\$482	\$520	\$557	
	23"	\$427	\$471	\$507	\$545	\$588	
	28"	\$464	\$507	\$545	\$582	\$625	



Options		
Mount Type	Outer Wrapped	No cost
	Top Mount	No cost

▶ Product Information continued on next page

Screens

▶ Product Information continued from previous page

Specification Information

Style Number Dimensions Base Prices Height Width

24"W 30"W 36"W

3F Half Desk L Screen

3FSNHALFDESK	18"	\$316	\$384	\$439
	23"	\$340	\$408	\$464
	28"	\$378	\$446	\$501

Tip: Half desk L screens are non-handed. Two half-desk L screens are required to wrap a full worksurface.

Tip: Half desk L screens have a 30" side depth. For worksurfaces <30" deep, half desk L screens can overhang the front of the worksurface to provide additional privacy. Tip: Top mount is compatible with top mounted brackets.

Tip: Half desk L screens are designed to work with 48", 60", and 72" wide worksurfaces. Mounting a pair of screens on a different size worksurface will create a gap between screens. Tip: Outer wrapped is compatible with sleeve brackets and fixed privacy modesty brackets.



Tip: Top mount is compatible with top mounted brackets.

Tip: Outer wrapped is compatible with sleeve brackets and fixed privacy modesty brackets.

Options												
Mount Type	Outer Wrapped Top Mount									o cost o cost		
Specification	Informatio	on										
Style Number	Dimensions Height	Base F Width	Prices									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W	
3F U Scree	n											
3FSNUSCREEN	18"	\$531	\$545	\$569	\$588	\$613	\$625	\$650	\$663	\$687	\$711	
	23"	\$569	\$588	\$613	\$625	\$650	\$663	\$687	\$699	\$724	\$736	
	28"	\$618	\$637	\$663	\$674	\$699	\$711	\$736	\$748	\$773	\$787	





Tip: Hooded screens only compatible with top mount bracket.

Tip: The removable monitor arm cut-out ships with the hooded screen and is designed to accommodate applications with or without monitor arms.

Tip: The cut-out can be removed to clamp monitor arms or can be plugged into the opening if monitor arms are not being used.

Options								
Screen Finish		V	erve				No cost	
Specification	n Infor	matio	n					
Style Number	Base F Width	Prices						
	48"W	54"W	60"W	66"W	72"W			
3F Hooded	Scre	en						
3FSNHOODED	\$688	\$735	\$781	\$829	\$876			

3F

Hanging Panel



Pattern	Array	No cost				
	Botanica	No cost				
	Bubbles	No cost				
	Clover	No cost				
	Cubes	No cost				
	Palm	No cost				
	Pebbles	No cost				
	Polka	No cost				
	Shimmer	No cost				
	Skyline	No cost				
	Solid	No cost				
	Stairstep	No cost				
Panel Finish	Verve	No cost				

Specification Information

Style Number Base Prices Width

28"W 38"W 48"W

3F Hanging Panel

3FHPHANGINGPNL \$577 \$753 \$928



Options Extension Kit With Extension Single Rail: +\$11 Double Rail: +\$23 Wall Mount With Wall Mount +\$29

Specification Information

Style Number **Base Prices**

3F Rail

50" Single Rail 50" Double Rail 3FHPRAILKIT \$140 \$198

Tip: When ordering a 3F rail, you must also order a rail suspension mount, a rail sliding mount, or a wall mount.

Specification Information

Style Number **Base Prices**

3F Rail Mount Kit

	Rail Suspension Mount	Rail Sliding Mount
3FHPMOUNTKIT	\$47	\$122



Tip: Rails can be positioned adjacent to each other to build a multi-rail system.

Specification Information


Style Number **Base Price**

3F Ceiling Kit


X-3F-SUSPENSION \$105


Screen Accessories





3FSNSLEEVEBKT \$69





3FSNTOPMNTCLAMPBKT



Options		
Bracket Finish	Paint	No cost
Specification	Information	
Style Number	Base Price	

3F Fixed Privacy Modesty Screen Bracket (2 per set)

3FSNFIXEDPRVCYBKT \$99



Options					
Bracket Finish	Paint	No cost			
Specification	Information				
Style Number	Base Price				
3F Height Adjustable Bracket (2 per set)					

3FSNHEIGHTADJBKT \$137



3FSNILINEMOUN	IT \$145	
3F ILINE M	ount Clip (2 per set)	
Style Number	Base Price	
Specification	Information	
Bracket Finish	Paint	No cost
Options		

3F

Screen Accessories



Options		
Bracket Finish	Paint	No cost
Specificatio	n Information	
Style Number	Base Price	
3F Kinex S	Screen Clip - Double Run	(2 per set)
3ESNKINEXCI I	D \$152	



Options		
Tile Finish	Verve	No cost

Specifica	Specification Information											
Style Number	Base Pric	ces Belt	Chevron	Circle	Dome	Dron	Hexagon	Rhombus	Square	Strine	Trapezoid	Triangle
3F Wall		Den	Olicatoli	Oli Cic	Donic	Біор	пехадоп	THIOHIBUS	oquaic	Otripe	Парсгою	mangic
3FWTTILE	\$41	\$41	\$41	\$41	\$29	\$41	\$41	\$41	\$41	\$29	\$29	\$41

Specification Information					
Style Number	Base Price				
3F Tape	1"W, 36 yds.				
X-3F-TAPE	\$105				

REVI

REVI	
Understanding	122
Specifying	124



Revi Pedestal Specifications

Housing Dimensions	13"w x 23.5"d x 22.75"h
Drawers	Push-to-open (no pulls or handles)
Drawer Depth	20"
Drawer Width	12.5"
Single/Dual Drawer Height	6"
File Drawer Height	12.25"
Maximum Drawer Extension	15.75"
Bag Drop Height	14"
Bag Drop Extension Range	.25" - 6.5"
Personal Locker Door Rotation	95°
Magnetic Cushion Thickness	.85"
Castors	2 locking, 2 non-locking
Bag Drop Castors	2 non-locking
Seated Weight Capacity	220 lbs
Bag Drop Weight Capacity	45 lbs
Lock Availability	Dual Drawer, Drawer + File, Personal Locker
Certifications	ANSI/BIFMA X5.9-2019
-	



Revi Undermount Specifications

Housing Dimensions	10"W x 15"D x 18.5"H
Top Shelf Dimensions	10"W x 7.75"D x 2.5"H
Inside Clearance	10"W x 15"D x 15.5"H
Housing Finish Color	Platinum, White and Black
Personal Storage Bin Net Weight	15 lbs
Personal Storage Console Net Weight	18 lbs
Shelf Clearance below	6"
Shelf Clearance above	9"
Laptop Divider Clearance	3"W x 15"D x 15.5"H
Short Shelf Clearance	6.75"W x 15"D x 9"H
Bag Hook	1"W x 1"D x 2"H
File Pocket	1.25"W x 13"D x 5.5"H
Undermount Weight Capacity	80 lbs
Bag Hook Weight Capacity	15 lbs
File Pocket Weight Capacity	5 lbs
Door Rotation	135°
Certifications	ANSI/BIFMA X5.9-2019

REVI



Tip: Swing door is only available if locker storage is selected.

Standard Includes

- Pedestal
- Steel top
- Push-to-open (no pulls or handles)
- Casters: 2 locking, 2 non-locking

Options		
Storage Finish	Paint	No cost
Swing Door Finish	Paint	No cost
Expandable Bag Drop	With Expandable Bag Drop	+\$198
Bag Drop Finish	Paint	No cost
Seat Cushion Option	With Magnetic Seat Cushion	+\$187
Seat Cushion Finish	Fabric Price Group 01	No cost
Pencil Tray	With Pencil Tray	+\$18

Specification Information

\$483

Style Number	Base Prices Bookcase	Single Drawer	Locker	Dual Drawer	Drawer/File
REVI Pedes	stal				

\$547

\$506

\$582



Standard Includes

REVIPEDESTAL \$436

- Steel storage
- · Hardware package

Options		
Storage Finish	Paint	No cost
Door Type	Left Hinged	+\$82
	Right Hinged	+\$82
Swing Door Finish	Paint	No cost
Shelf Option	With Shelf	+\$35
	Laptop Divider and Short Shelf	+\$93
Shelf Finish	Paint	No cost
Bag Hook	1 Bag Hook	+\$23
	2 Bag Hooks	+\$46
File Pocket	1 File Pocket	+\$41
	2 File Pockets	+\$82
	3 File Pockets	+\$123

Specification Information

Style Number Base Price

REVI Undermount

REVIUNDERMOUNT \$303



Options		
Seat Cushion Finish	Fabric Price Group 01	No cost
Specification	n Information	
Style Number	Base Price	

REVI Cushion

REVICUSHION \$187



Specification Information

Style Number Base Price

REVI Pencil Tray

REVI-PNCLTRY \$18



Options		
Shelf Finish	Paint	No cost
Specification I	nformation	
Style Number Race	Price	

REVI Undermount Shelf

REVISHELF \$35



Options		
Shelf Finish	Paint	No cost
Specification	Information	
Style Number	Base Price	
REVI Lapto	p Shelf	

REVILAPTOPSHELF \$93

REVI

Specification Information

Style Number Base Price

REVI Bag Hook

REVI-BH \$23



Specification Information

Style Number Base Price

REVI File Pocket

REVI-FP

\$41



S-SERIES

S-SERIES

2.2	FR	IFS

Understanding 128
Specifying 129



Storage Specifications

Powder coated

22 gauge steel

Pedestal has locking castors and 220 lb. seated capacity

Lateral and Book Shelf have 65 lb. storage weight capacity

Lateral and Book Shelf have glides, with 16mm Castors also available

Seat cushions for Slim Pedestal in 10 colors

S-SERIES S-SERIES



Options		
Storage Finish	Paint	No cost
Seat Cushion Finish	Fabric Price Group 01	No cost
Specification Info	ormation	

Style Number Base Prices

12"W 15"W

S-SERIES Pedestal

SSRSPEDESTAL \$416 \$483

S-SERIES Pedestal with Cushion

SSRSPEDESTAL \$589 \$667



Tip: Illustration above shows lateral file with drawers.

Options		
Storage Finish	Paint	No cost
Castors or Glides	With Castors	+\$81

Specification Information

Style Number Base Prices

Bookcase Lateral File with Drawers

S-SERIES Storage

SSRSCUSHION \$173

SSRSSTORAGE \$576 \$759



Options			
Seat Cushion Finis	h Fabric Price Group 01	No cost	
Specification	on Information		
Style Number	Base Prices		
12"W Cushion 15"W Cushion			
S-SERIES	Cushion		

AMQ Specification Guide

\$184

MONITOR ARM

MONITOR ARM

MONITOR ARM

Understanding	132
Specifying	133



Monitor Arms Specifications

Monitor Support	Up to 30"
Monitor Weight	4.5 – 20 lbs
Monitor Tilt Range	-85° – 15°
Height Adjustment Range	12"
Arm Extension	20"
Arm Retraction	6"
VESA hole sizes	75×75mm / 100×100mm

AMQ Monitor Arm



Specification Information

Style Number

Base Price

Single Monitor Arm

MONITORARM \$270

AMQ Seating

JAKU	137
SIYA	145
ZILO	151
BODI	161
FL-X	165
TIZU	169

JAKC

JAKU

JAKU

Jnderstanding	138
Specifying	139

JAKU Features



JAKU Specifications

Weight Capacity	275 lbs
Net Weight	38 lbs
Back Dimensions	18.25"w x 22"h
Seat Dimensions	19.25"w x 19.75"d
Seat Height	17" - 20.25"
Back Height	39.25" - 42.5"
Arms Span (outside edges)	24.25" - 26.75"
Adjustable Seat Depth	16.5" - 17.75"
Base Width	27"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Cushion Seats	Polyurethane fill
Seat Covers	Removable with velcro closure
Mesh Back Material	Polyester
Castors	Soft* (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

JAKU JAKU



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- Plastic frame
- · Plastic base
- Seat depth adjustment (seat slider)
- Fabric price group 1 upholstery design on seat
- Removable seat covers with velcro closure
- Fixed arms
- Adjustable lumbar support
- Mesh back
- Step Sync Mechanism with multi-position back lock and tension knob
- 2 1/2" diameter, soft-composition, dual-wheel black casters

Options		
Backrest Finish	Black W/ Black Mesh Adj Lumbar	No cost
	White W/ Grey Mesh Adj. Lumbar	+\$11
Seat Pan	Black Plastic Seat Shell	No cost
	Grey Plastic Seat Shell	+\$7
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Armrests	Fixed, Black	No cost
	Fixed, White	+\$5
	3-Way Adjustable, Black	+\$41
	3-Way Adjustable, White	+\$46
Mechanism	Step Sync Mechanism, Black	No cost
	Smart Sync Mechanism, Black	+\$59
	Smart Sync Mechanism, Grey	+\$60
Cylinder	Smart Sync Cyinder, Chrome	No cost
	Smart Sync Cylinder, Black	No cost
	Smart Sync Cylinder, White	No cost
	Step Sync Cylinder, Black	No cost
	Step Sync Cylinder, Chrome	No cost
	Step Sync Cylinder, White	No cost
Base Option	Black Base	No cost
	White Base	+\$13
	Polished Aluminum Base	+\$30
Castors or Glides	Soft, Black	No cost
	Soft, 2-Tone Grey	+\$5
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Chair

JAKUCHAIR \$714

JAKU JAKU



Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, polished aluminum base, and white/grey casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- · Adjustable lumbar support
- Mesh back
- · Smart Sync mechanism with tension dial and variable back stop
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white/grey casters
- Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU001 \$873



Tip: This pre-configured chair includes: Step Sync mechanism, 3-way adjustable arms, polished aluminum base, and white/grey casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- \bullet 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- Adjustable lumbar support
- · Mesh back
- Step Sync Mechanism with multi-position back lock and tension knob
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white/grey casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU002 \$813

JAKU



Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, white base, and white/grey casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- · Adjustable lumbar support
- · Mesh back
- · Smart Sync mechanism with tension dial and variable back stop
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white/grey casters
- · White base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU003 \$856



Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, polished aluminum base, and black casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- \bullet 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- Adjustable lumbar support
- · Mesh back
- Smart Sync mechanism with tension dial and variable back stop
- 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU004 \$844

JAKU

JAKU



Tip: This pre-configured chair includes: Step Sync mechanism, 3-way adjustable arms, polished aluminum base, and black casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- · Adjustable lumbar support
- Mesh back
- Step Sync Mechanism with multi-position back lock and tension knob
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU005 \$785



Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, black base, and black casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- \bullet 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- Adjustable lumbar support
- · Mesh back
- · Smart Sync mechanism with tension dial and variable back stop
- 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- · Black base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU006 \$814

JAKU



Tip: This pre-configured chair includes: Smart Sync mechanism, fixed arms, polished aluminum base, and white/grey casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- Mesh back
- · Smart Sync mechanism with tension dial and variable back stop
- Fixed arms
- · Adjustable lumbar support
- 2 1/2" diameter, soft-composition, dual-wheel white/grey casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU007 \$832



Tip: This pre-configured chair includes: Smart Sync mechanism, fixed arms, polished aluminum base, and black casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- \bullet 3 1/4" pneumatic seat-height adjustment (17.0" 20.25")
- Mesh back
- · Smart Sync mechanism with tension dial and variable back stop
- · Fixed arms
- Adjustable lumbar support
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

JAKU Pre-Configured Chair

JAKU008 \$803

JAKU JAKU

Standard Includes

Seat cover

554, 5575		
Specification Information		
Style Number	Price Group	Base Price
JAKU Seat Cover		
JAKUSEATCOVER	R Fabric Price Group 01	\$58
	Fabric Price Group 02	\$75
	Fabric Price Group 03 \$93	
	Polyurethane Price Group 04	\$122

SIYA

SIYA

SIYA

Understanding	146
Specifying	147

SIYA Features

Frame available in White and Black
Base available in Polished Aluminum, White and Black
Removable Seat Covers
Synchronized Mechanism with Tension Adjustment
Multi-Position Back Lock
3-Way Width Adjustable Arms
Adjustable Lumbar Support
Seat Depth Adjustment (seat slider)
Waterfall Seat Design
Fully Assembled option



SIYA Specifications

·	
Weight Capacity	275 lbs
Net Weight	39 lbs
Back Dimensions	18.5"w x 23.4"h
Seat Dimensions	19.5"w x 19.3"d
Seat Height	17.25" - 21.25"
Back Height	41.25" - 45.25"
Arms Span (outside edges)	24.6" - 26.4"
Adjustable Seat Depth	16.25" - 17.5"
Base Width	27"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Cushion Seats	Polyurethane fill
Seat Covers	Removable with zip closure
Mesh Back Material	Polyester/Polyelastomer/Nylon
Castors	Soft* (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017
	TB117-2013
	Indoor Advantage Gold™

AYIS



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4" pneumatic seat-height adjustment (17.25" 21.25")
- Plastic frame
- Plastic base
- Seat depth adjustment (seat slider)
- Fabric price group 1 upholstery design on seat
- Removable seat covers with zip closure
- · 3-way adjustable arms
- · Adjustable lumbar support
- Mesh back
- Multi-position back lock
- Synchronized mechanism with tension adjustment
- 2 1/2" diameter, soft-composition, dual-wheel black casters

Options		
Backrest Finish	Black W/ Black Mesh Adj Lumbar	No cost
Dackiest i ilisii	White W/ Grey Mesh Adj. Lumbar	+\$11
Seat Pan	Black Plastic Seat Shell	No cost
	White Plastic Seat Shell	+\$6
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Armrests	3-Way Adjustable, Black	No cost
	3-Way Adjustable, White	+\$6
Base Option	Black Base	No cost
	White Base	+\$11
	Polished Aluminum Base	+\$29
Castors or Glides	Soft, Black	No cost
	Soft, 2-Tone Grey	+\$5
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

SIYA Chair

SIYACHAIR \$766

SIYA SIYA



Tip: This pre-configured chair includes: synchronized mechanism, 3-way adjustable arms, polished aluminum base, and white/grey casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4" pneumatic seat-height adjustment (17.25" 21.25")
- · Adjustable lumbar support
- · Synchronized mechanism with tension adjustment
- Mesh back
- Multi-position back lock
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white/grey casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

SIYA Pre-Configured Chair

SIYA001 \$823



Tip: This pre-configured chair includes: synchronized mechanism, 3-way adjustable arms, white base, and white/ grey casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4" pneumatic seat-height adjustment (17.25" 21.25")
- · Adjustable lumbar support
- · Synchronized mechanism with tension adjustment
- Mesh back
- · Multi-position back lock
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white/grey casters
- · White base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

SIYA Pre-Configured Chair

SIYA002 \$805

SIYA



Tip: This pre-configured chair includes: synchronized mechanism, 3-way adjustable arms, polished aluminum base, and black casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4" pneumatic seat-height adjustment (17.25" 21.25")
- · Adjustable lumbar support
- Synchronized mechanism with tension adjustment
- Mesh back
- · Multi-position back lock
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

SIYA Pre-Configured Chair

SIYA003 \$795



Tip: This pre-configured chair includes: synchronized mechanism, 3-way adjustable arms, black base, and black casters.

Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4" pneumatic seat-height adjustment (17.25" 21.25")
- · Adjustable lumbar support
- Synchronized mechanism with tension adjustment
- Mesh back
- · Multi-position back lock
- 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- Black base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked Down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

SIYA Pre-Configured Chair

SIYA004 \$766

SIYA SIYA

Standard Includes

Seat cover

Specification Information		
Style Number	Price Group	Base Prices
SIYA Seat Cover		
SIYASEATCOVER	Fabric Price Group 01	\$58
	Fabric Price Group 02	\$75
	Fabric Price Group 03	\$93
	Polyurethane Price Group 04	\$122

Z

ZILO

152
153

ZILO Features

Choose from standard configurations or customize your own
Available in Black, White or All Mesh
Choose from Mid or High Back
Full Syncro Mechanism with Tension Adjuster
2 Position Lock with Sliding Seat Mechanism
3-way Adjustable or Fixed Loop Arm styles
Adjustable Lumbar Support
Removable Seat Covers in 4 material options (fabric, leather, and polyurethane)



ZILO Specifications

Weight Capacity	275 lbs
Net Weight	38 lbs
Height Range	39.5" - 43.5"
High Back Dimensions	18"w x 21.5"h
Mid-Back Dimensions	18"w x 18.5"h
Seat Dimensions	19.25"w x 20"d
Seat Height Range	18.5" - 22.75"
Arms Span (outside edges)	25.25" - 26.5"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Base Width	Nylon: 27" / Polished Aluminum: 27.5"
Cushion Seats	Polyurethane fill
Seat Covers	Removable with velcro closure
Mesh Back Material	Polyester/Polyelastomer/Nylon
Castors	Soft* PU (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

ZILO ZILO



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- Plastic frame
- Plastic base
- Seat depth adjustment (seat slider)
- Fabric price group 1 upholstery design on seat
- Removable seat covers with velcro closure
- Fixed loop arms
- Adjustable lumbar support
- Mesh back
- Synchronized mechanism with tension adjustment
- 2 1/2"diameter, soft-composition, dual-wheel black casters

Midback - Black, 22.5" High	No cost
Midback - White, 22.5" High	+\$11
High Back-Black Mesh,26" High	+\$47
High-Black Mesh for Mesh Seat	+\$47
High Back - White, 26" High	+\$58
Black Plastic Seat Shell	No cost
White Plastic Seat Shell	+\$7
Black Shell, for All Mesh Chair	+\$117
Fabric Price Group 01	No cost
Fabric Price Group 02	+\$17
Fabric Price Group 03	+\$35
Fabric Price Group 04	+\$47
Polyurethane - Price Group 4	+\$64
Leather - Price Group 7	+\$140
Fixed Loop, Black	No cost
Fixed Loop, White	+\$6
3-Way Adjustable, Black	+\$33
3-Way Adjustable, White	+\$41
Synchro W/ Tension Adjust	No cost
Swivel, Draft Ring W/ Ext. Cyl.	+\$158
Black Base	No cost
White Base	+\$12
Polished Aluminum Base	+\$29
Soft, Black	No cost
Soft, 2-Tone Grey	+\$5
Knocked down	No cost
Fully Assembled	+\$88
	Midback - White, 22.5" High High Back-Black Mesh,26" High High-Black Mesh for Mesh Seat High Back - White, 26" High Black Plastic Seat Shell White Plastic Seat Shell Black Shell, for All Mesh Chair Fabric Price Group 01 Fabric Price Group 02 Fabric Price Group 03 Fabric Price Group 04 Polyurethane - Price Group 4 Leather - Price Group 7 Fixed Loop, Black Fixed Loop, White 3-Way Adjustable, Black 3-Way Adjustable, White Synchro W/ Tension Adjust Swivel, Draft Ring W/ Ext. Cyl. Black Base White Base Polished Aluminum Base Soft, Black Soft, 2-Tone Grey Knocked down

Specification Information

Style Number Base Price

ZILO Task Chair

ZILOCHAIR \$641

ZILO

ZILO



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, polished aluminum base, and white casters.

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- · Adjustable lumbar support
- · Synchronized mechanism with tension adjustment
- Mesh back
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white casters
- Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO001 \$781



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, white base, and white casters.

Standard Includes

- \bullet 4 1/4" pneumatic seat-height adjustment (18.5" - 22.75")
- Adjustable lumbar support
- Synchronized mechanism with tension adjustment
- Mesh back
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel white casters
- · White base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

▶ Product Information continued on next page

▶ Product Information continued from previous page

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO002 \$764



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, polished aluminum base, and black casters.

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- · Adjustable lumbar support
- · Synchronized mechanism with tension adjustment
- Mesh back
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO003 \$74

ZILO

ZILO



Tip: Illustration above shows a fully assembled chair which is not included in the base price

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, black base, and black casters.

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- · Adjustable lumbar support
- · Synchronized mechanism with tension adjustment
- Mesh back
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- Black base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO004 \$720



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back and seat, 3-way adjustable arms, polished aluminum base, and black casters.

Standard Includes

- \bullet 4 1/4" pneumatic seat-height adjustment (18.5" - 22.75")
- Adjustable lumbar support
- Synchronized mechanism with tension adjustment
- · Mesh back and seat
- · 3-way adjustable arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

▶ Product Information continued on next page

▶ Product Information continued from previous page

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO005



Tip: Illustration above shows a fully assembled chair which is not included in the base

price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, fixed loop arms, polished aluminum base, and white casters.

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- Adjustable lumbar support
- · Synchronized mechanism with tension adjustment
- Mesh back
- Fixed loop arm
- 2 1/2" diameter, soft-composition, dual-wheel white casters
- Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO006

ZILO

ZILO



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, fixed loop arms, polished aluminum base, and black casters.

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- Adjustable lumbar support
- Synchronized mechanism with tension adjustment
- Mesh back
- · Fixed loop arms
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO007 \$716

Standard Includes

- 4 1/4" pneumatic seat-height adjustment (18.5" 22.75")
- · Adjustable lumbar support
- Synchronized mechanism with tension adjustment
- Mesh back
- · Fixed loop arms
- \bullet Swivel, drafting ring with extended cylinder
- 2 1/2" diameter, soft-composition, dual-wheel white casters
- · Polished aluminum base

Options		
Seat Finish	Fabric Price Group 01	No cost
	Leather - Price Group 7	+\$140
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, swivel, fixed loop arms, polished aluminum base, and white casters.

▶ Product Information continued on next page

▶ Product Information continued from previous page

Specification Information

Style Number Base Price

ZILO Pre-Configured Chair

ZILO008 \$857

Standard Includes

• Seat cover

Style Number

Specification Information

Price Group

-	•	
ZILO Seat Cover		
ZILOSEATCOVER Fabric Price Group 01 \$55		\$58
	Fabric Price Group 02	\$75
	Fabric Price Group 03	\$93
	Polyurethane Price Group 04	\$122
	Leather Price Group 07	\$198

Base Price

BODI

BODI

BODI	
Understanding	162
Specifying	163

BODI Features

Available in Black and White frames	
Syncro with Tension Adjuster and Locking Mechanism	
Adjustable Armrest with PU Pad	
Adjustable Lumbar Support	
Seat Depth Adjustment (seat slider)	
Removable/Washable Seat Covers	



BODI Specifications

Weight Capacity	275 lbs
Net Weight	33 lbs
Height Range	37.25" - 42.75"h
Back Dimensions	19"w x 23.75"h
Seat Dimensions	19"w x 20"d
Seat Height Range	17.5" - 23"
Arms Span (outside edges)	24.25"
Base Width	27"
Base / Body Frame Material	Nylon
Cushion Seats	Polyurethane fill
Seat Covers	Removable, with zip closure
Castors	Soft* PU (Black or White/Grey)
Mesh Back Material	Polyester/Polyelastomer/Nylon
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

BODI BODI



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 5 1/2" pneumatic seat-height adjustment (17.5" 23")
- Plastic frame
- · Plastic base
- · Seat depth adjustment (seat slider)
- Fabric price group 1 upholstery design on seat
- Removable seat covers with zip closure
- 1-way adjustable arms
- Mesh back
- · Multi-position back lock
- Adjustable lumbar support
- \bullet Synchronized mechanism with tension adjustment and locking mechanism
- 2 1/2" diameter, soft-composition, dual-wheel black casters

Options		
Frame Finish	Black	No cost
	White	+\$59
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

BODI Task Chair

BODICHAIR \$589

Standard Includes

· Seat cover

Specification Information

Style Number Price Group Base Prices

BODI Seat Cover

BODISEATCOVER Fabric Price Group 01 \$58

Fabric Price Group 02 \$75

Fabric Price Group 03 \$93

Polyurethane Price Group 04 \$122

Ę

FL-X

FL-X	
Understanding	166
Specifying	167

FL-X Features

Weight activated back tilt mechanism	
Height adjustable	
Shell or Mesh back	
Smooth coated armrest pads	
Seat colors in 11 fabrics and 3 vinyl	
Available in Black, White and Light Grey/White	
Mesh back includes additional lumbar support piece	
Optional fabric back cover for Shell back	



FL-X Specifications

Weight Capacity	275 lbs
Net Weight	36 lbs
Chair Total Height	37" - 41.5"
Height Adjustable Range	4.7"
Base Width	27"
Back Dimensions	16.5"w x 22"h
Seat Dimensions	18"w x 19.5"d
Seat Height Range	16" - 21"
Arms Span (outside edges)	24.5"
Body Frame Material	Nylon
Base Material	Nylon
Cushion Seat	Polyurethane foam and fabric
Castors	Nylon, soft* (Black & White/Grey)
·	

FL-X



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Standard Includes

- 4" pneumatic seat-height adjustment (16" 21")
- Plastic frame
- · Plastic base
- · Plastic perforated back shell
- Seat depth adjustment (seat slider)
- Fabric price group 1 upholstery design on seat
- Removable seat covers with zip closure
- Fixed arms
- · Adjustable lumbar support
- 2 1/2" diameter, soft-composition, dual-wheel black casters

Options		
Frame Finish	Black	No cost
	Grey	+\$30
	White	+\$60
Back Type	Shell Back	No cost
	Mesh Back	+\$30
	Fabric Back Cover	+\$70
Back Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$29
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$30
	Vinyl Price Group 04	+\$77
Cylinder	Standard	No cost
	Drafting Ring W/ Extended Height	+\$192
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

FL-X Chair

FLXXCHAIR \$816

Standard Includes

Seat cover

Specification Information

Style Number Price Group Prices

FL-X Seat Cover

FLXXSEATCOVER Fabric Price Group 01 \$128

Fabric Price Group 02 \$158

Vinyl Price Group 04 \$205

FL-X

Standard Includes

Back cover

Specification Information

Style Number Price Group Base Prices

FL-X Back Cover

FLXXBACKCOVER Fabric Price Group 01 \$70

Fabric Price Group 02 \$99

UZIT

TIZU

ΓΙΖU	
Understanding	170
Specifying	172

TIZU Work Features

Height adjustable	
Mesh back with lumbar support or plastic back	
Fixed Loop Arms or Armless with torsion tilt	
Removable seat covers in Buzz, Era, Connect and Brisa Collections plus 2 vinyl colors	
Available in Black with Black base and White with Chrome base	



TIZU Work Specifications

Weight Capacity	275 lbs
Net Weight	27 lbs.
Chair Total Height	37" - 41"
Height Adjustable Range	4"
Base Width	26.5"
Back Width (top)	17"
Seat Dimensions	17.75"w x 18.5"d
Seat Height Range	18" - 22"
Arms Span (outside edges)	23.5"
Body Frame Material	Nylon
Base Material	Nylon (Black) / Aluminum (Grey)
Mesh Back Material	Polyester/Polyelastomer/Nylon
Cushion Seat	Polyurethane foam / fabric
Castors	Soft* PU (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

TIZU Features

Nesting
Available in Black and White
Mesh back with lumbar support or plastic back
Torsion Tension with Fixed Loop Arms or Armless
Removable Seat Covers in 3 material options (fabric and polyurethane)
Glides Available



TIZU Specifications

Weight Capacity	275 lbs
Net Weight	22 lbs
Seat Dimension	17.75"w x 18.5"d
Back Dimensions	19"w x 20"h
Arms Span (outside edges)	23.5"
Legs Dimension	19.25"w x 20.5"d
Seat Height from Floor	19"
Back Height from Floor	37.5"
Nesting Depth Increase	11" (per chair – average of 10 nested chairs)
Body Frame Material	Plastic
Leg Frame Materials	Steel
Cushion Seats	Polyurethane fill
Castors	Soft* PU (Black or White/Grey)
Seat Covers	Removable with zip closure
Mesh Back Material	Polyester/Polyelastomer/Nylon
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

AMQ Specification Guide 171

April 2022

TIZU

TIZU



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Black frame only available with black base.

Tip: White frame only available with polished aluminum base.

Tip: Armless option not available with plastic back.

Standard Includes

- 4" pneumatic seat-height adjustment (18" 22")
- Plastic frame
- Plastic base
- Seat depth adjustment (seat slider)
- Fabric price group 1 upholstery design on seat
- Removable seat covers with zip closure
- · Adjustable lumbar support
- Mesh back
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- Armless

Options		
Frame Finish	Black	No cost
	White	No cost
Back Type	Mesh Back, Armless	No cost
	Plastic Back, Armless	+\$18
	Mesh Back, Fixed Loop Arms	+\$42
Seat Finish	Fabric Price Group 01	No cost
	Fabric Price Group 02	+\$17
	Fabric Price Group 03	+\$35
	Polyurethane - Price Group 4	+\$64
Base Option	Black Base	No cost
	Polished Aluminum Base	+\$60
Castors or Glides	Soft, Black	No cost
	Soft, 2-Tone Grey	+\$5
Packaging	Knocked down	No cost
	Fully Assembled	+\$88

Specification Information

Style Number Base Price

TIZU Task Chair

TIZUWORK \$686

TIZU



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Black frame only available with chrome base.

Tip: White frame only available with white or platinum base.

Tip: Armless option not available with plastic back.

Standard Includes

- 4-prong nesting base
- Plastic frame
- Steel base
- Fabric price group 1 upholstery design on seat
- · Removable seat covers with zip closure
- Fixed lumbar support
- Mesh back
- 2 1/2" diameter, soft-composition, dual-wheel black casters
- Armless

Options			
Frame Finish	Black	No cost	
	White	No cost	
Back Type	Mesh Back, Armless	No cost	
	Plastic Back, Armless	+\$18	
	Mesh Back, Fixed Loop Arms	+\$42	
Seat Finish	Fabric Price Group 01	No cost	
	Fabric Price Group 02	+\$17	
	Fabric Price Group 03	+\$35	
	Polyurethane - Price Group 4	+\$64	
Base Option	Chrome Base	No cost	
	Platinum Base	+\$18	
	White Base	+\$31	
Castors or Glides	Soft, Black	No cost	
	Soft, 2-Tone Grey	+\$5	
	Glides, Black	+\$58	
Packaging	Knocked down	No cost	
	Fully Assembled	+\$88	

Specification Information

Style Number Base Price

TIZU Nest Chair

TIZUNEST \$547

Standard Includes

• Seat cover

▶ Product Information continued on next page

TIZU

▶ Product Information continued from previous page

Options					
Seat Finish	Fabric Price Group 01	No cost			
	Fabric Price Group 02	+\$17			
	Fabric Price Group 03	+\$35			
	Polyurethane - Price Group 4	+\$64			
Specificatio	n Information				
Style Number	Base Price				
TIZU Seat Cover					
TIZUSEATCOV	ER \$58				



Specification Information

Style Number Base Price

TIZU Glides (Set of 4)

TIZU-GLD \$58

Resources

Style Number Index

176

Style Number Index

Style Number	Page	Description	: Style : Number :	Page	Description
3FHPHANGINGPNL	116	AMQ 3F Hanging Panel	ATTBFL	90	AMOBI Team Half Wall with Storage
3FHPMOUNTKIT	117	AMQ 3F Hanging Panel	ATTBHS	90	AMOBI Team Full Size Tackboard
3FHPRAILKIT	117	AMQ 3F Pnl Rail Mount Kit	ATTC	89	AMOBI Team Half Size Tackboard
3FSNCORNERCNCT	118	AMQ 3F Pnl Rail Mount Kit	ATWALL	87	AMOBI Team Cart
3FSNFIXEDPRVCYBKT	119	AMQ 3F Screens Corner Connector	ATWBFL	90	AMOBI Team Wall
3FSNHALFDESK	114	AMQ 3F Scrns Pvcy Mod Scrns Brkt	ATWBHS	90	AMOBI Team Full Size Whiteboard
3FSNHEIGHTADJBKT	119	AMQ 3F Screens Half Desk L Screen	BODICHAIR	163	BODI Task Chair
3FSNHOODED	115	AMQ 3F Screens Height AdjBracket	BODISEATCOVER	163	BODI Seat Cover
3FSNILINEMOUNT	119	AMQ 3F Screens Hooded	BOOSTPOWER	70	AMQ Boost Power Box
3FSNKINEXCLIP	120	AMQ 3F Screens ILINE Scn Mount Clip	CNCRMODESTY	103	AMQ CONCUR Modesty Panel
3FSNLINEAR	113	AMQ 3F Scrns KINEXt Scrn Clip	CNCRTABLE	100	AMQ CONCUR Table
3FSNLSCREEN	113	AMQ 3F Screens Linear	CNCRTIZUBNDL	101	AMQ CONCUR TIZU Seating bundle
3FSNSLEEVEBKT	118	AMQ 3F Screens L Screen	CNCRWORKSURFACE	103	AMQ CONCUR Worksurface
3FSNTOPMNTCLAMPBI	KT 118	AMQ 3F Screens Sleeve Bracket	CONCUR-EE-CB	102	AMQ CONCUR Power Base In-Feed
3FSNTOPMOUNTBKT	118	AMQ 3F Scrns Top Mnt Bracket Clamp	CONCUR-EE-CNT	102	AMQ 60" Power Link
3FSNUSCREEN	114	AMQ 3F Screens Top Mount Bracket	CONCUR-EE-JMP	102	AMQ 24" Power Jumper
3FWTTILE	120	AMQ 3F Screens U Screen	CONCUR-GK	103	AMQ CONCUR Ganging Kit
ACTIV-CASTORS	69	AMQ 3F Wall Tile	FLXXBACKCOVER	168	AMQ FL-X Chair, Fabric Back Cover
ACTVBASE90120	67	AMQ ACTIV Castors for Bases	FLXXCHAIR	167	AMQ FL-X Chair
ACTVBASES2	65	AMQ ACTIV Pro 3 Base 90/120	FLXXSEATCOVER	167	AMQ FL-X Chair, Fabric Seat Cover
ACTVBASES3	65	AMQ ACTIV Pro 2 Base 2 Stage	ILNEBASE	48	AMQ ILINE Base Kit
ACTVDESKS2	64	AMQ ACTIV Pro 2 Base 2 Stage	· ILNEBEAM	48	AMQ ILINE Beam
ACTVDESKS2 ACTVDESKS3	64	AMQ ACTIV Desk Stage 2	ILNECHIPWR	49	
ACTVDESKSS ACTVDTDUALMON	68	AMQ ACTIV Desk Stage 2 AMQ ACTIV Desk Stage 3	ILNEPOST	48	AMQ ILINE Chicago Power Box AMQ ILINE Post Kit
		· ·	•		
ACTVDTKEYBD	68	AMQ ACTIV DT D: 16 AMO ACTIV DT D: 16	ILNEPOWERPOLE	49	AMQ ILINE Power Pole
ACTVDTRISER	68	AMQ ACTIV DT Riser Keyboard Tray	ILNEWIRETRAY	49	AMQ ILINE Wire Tray
ACTVPRO120	66	AMQ ACTIV DT Riser	; JAKU001	140	JAKU Pre-Configured Chair
ACTVPRO90	66	AMQ ACTIV Desk 120 Degree	JAKU002	140	JAKU Pre-Configured Chair
ACTVRETURNWKSF	71	AMQ ACTIV Desk 90 Degree	JAKU003	141	JAKU Pre-Configured Chair
ACTVSHORTSTRETCH	70	AMQ ACTIV Return Worksurface	JAKU004	141	JAKU Pre-Configured Chair
ACTVSTRETCHERBAR7		AMQ ACTIV Short Stretcherbar	JAKU005	142	JAKU Pre-Configured Chair
ACTVWIRETRAY	69	AMQ ACTIV Stretcherbar	JAKU006	142	JAKU Pre-Configured Chair
ACTVWORKSURF120	71	AMQ ACTIV Wire Tray 36"W	JAKU007	143	JAKU Pre-Configured Chair
ACTVWORKSURFACE	71	AMQ ACTIV 120 degree Worksurface	JAKU008	143	JAKU Pre-Configured Chair
ADCLIP	86	AMQ ACTIV Worksurface	: JAKUCHAIR	139	JAKU Task Chair
ADF54	82	AMOBI Desk Magnetic Accessory Clip	JAKUSEATCOVER	144	AMQ JAKU Seat Cover
ADF60	83	54" Focus AMOBI Desk	JBCNT54	96	AMOBI JumperBox Pwr Conn Kit
ADLED54	85	60" Focus AMOBI Desk	JBCNT60	96	AMOBI JumperBox Pwr Conn Kit
ADLED60	85	AMOBI Desk 54" LED Task Light	JBIF120	95	AMOBI 120" JumperBox Corded Infeed
ADMP54	85	AMOBI Desk 60" LED Task Light	JBIF72	95	AMOBI 72" JumperBox Corded Infeed
ADMP60	85	AMOBI Desk 54" Modesty Panel	JBWC	95	AMOBI JmprBox Wall Conv and Mnt Plt
ADO54	80	AMOBI Desk 60" Modesty Panel	KINXBENCH	33	AMQ KINEX Bench
ADO60	81	54" One AMOBI Desk	KINXCHIPWR	35	AMQ KINEX Chicago Power Box
ADPSC	86	60" One AMOBI Desk	KINXDBLJUNCTIONBLI	K 36	AMQ KINEX Double sided Jnctn Block
ADSMA	84	AMOBI Desk Privacy Screen Connector	KINXENDPANEL	35	AMQ KINEX End Panel
ADTB54	83	AMOBI Desk Snap-in Single Mntr Arm	KINXPOWERPOLE	35	AMQ KINEX Power Pole
ADTB60	84	AMOBI Desk 54" Tackboard	KINXSGLJUNCTIONBLI		AMQ KINEX Single sided Jnctn Block
ADWB54	84	AMOBI Desk 60" Tackboard	KINXWORKSURFACE	34	AMQ KINEX Worksurface
ADWB60	84	AMOBI Desk 54" Whiteboard	MONITORARM	133	AMQ Single Monitor Arm
ATBSK	91	AMOBI Desk 60" Whiteboard	PWRCRECEPTACLE	36	•
			•		AMO Power C Receptacle for KINEX
ATDSP	88	AMOBI Team Pianley	PWRENTRY	50	AMO II INF Power C Pocentagle
ATDST	89	AMOBI Team Display	PWRGRECEPTACLE	50	AMQ ILINE Power G-Receptacle
ATHWL	87	AMOBI Team Display with Storage	PWRJUMPER	50	AMQ Power Adj Jumper Adapter
ATSC	89	AMOBI Team Half Wall	PWRJUNCTIONBLK	50	AMQ ILINE Double Sided Jnctn Block
ATSTR	88	AMOBI Team Cart with Storage	REVI-BH	126	AMQ REVI Bag Hook

Style Number	Page	Description
REVI-FP	126	AMQ REVI File Pocket
REVI-PNCLTRY	125	AMQ REVI Pencil Tray
REVICUSHION	125	AMQ REVI Cushion
REVILAPTOPSHELF	125	AMQ REVI Laptop Shelf
REVIPEDESTAL	124	AMQ REVI Pedestal
REVISHELF	125	AMQ REVI Undermount Shelf
REVIUNDERMOUNT	124	AMQ REVI Undermount
SIYA001	148	SIYA Pre-Configured Chair
SIYA002	148	SIYA Pre-Configured Chair
SIYA003	149	SIYA Pre-Configured Chair
SIYA004	149	SIYA Pre-Configured Chair
SIYACHAIR	147	SIYA Task Chair
SIYASEATCOVER	150	SIYA Seat Cover
SSRSCUSHION	129	AMQ S-SERIES Cushion
SSRSPEDESTAL	129	AMQ S-SERIES Storage Pedestal
SSRSSTORAGE	129	AMQ S-SERIES Storage, 1.5 H
THD1DR	94	AMOBI Thread Pwr Conn One Door
THD2DR	94	AMOBI Thread Pwr Conn Two Door
THDADPTR	95	AMOBI Low Profile Plug Adapter
THDBLK	94	AMOBI Thread Power Conn Blank
THDIF120	92	AMOBI 120" Thread Power Track
THDIF72	92	AMOBI 72" Thread Power Track
THDIF96	92	AMOBI 96" Thread Power Track
THDNEMA	94	AMOBI Thread Power Conn NEMA
THDPT120	93	AMOBI 120" Thread Power Track
THDPT60	92	AMOBI 60" Thread Power Track
THDPT72	93	AMOBI 72" Thread Power Track
THDPT84	93	AMOBI 84" Thread Power Track
THDPT96	93	AMOBI 96" Thread Power Track
TIZU-GLD	174	AMQ TIZU Glides, Set of 4
TIZUNEST	173	TIZU Nesting Chair Multipurpose
TIZUSEATCOVER	174	TIZU Seat Cover
TIZUWORK	172	TIZU Task Chair
X-3F-SUSPENSION	117	AMQ 3F Hanging Pnl Ceil Susp
X-3F-TAPE	120	AMQ 3F Wall Tile, Tape 1" x 36 yds
X-E-PB4	69	AMQ Eco Power Box 2 outlet
X-E3-BF-CD72	51	AMQ 3-Cir Corded Pwr Entry Base
X-E3-YC	51	AMQ 3-Circuit Y Connector
X-E4-BF-CD72	51	AMQ 4-Cir Corded Pwr Entry Base
X-FCMT	69	AMQ Activ Soft Cable Mangement
ZILO001	154	ZILO Pre-Configured Chair
ZILO002	155	ZILO Pre-Configured Chair
ZILO003	155	ZILO Pre-Configured Chair
ZILO004	156	ZILO Pre-Configured Chair
ZILO005	157	ZILO Pre-Configured Chair
ZILO006	157	ZILO Pre-Configured Chair
ZILO007	158	ZILO Pre-Configured Chair
ZILO008	159	ZILO Pre-Configured Chair
ZILOCHAIR	153	ZILO Task Chair
ZILOSEATCOVER	159	ZILO Seat Cover