Steelcase

Product Info

Back to Menu

June 2026

Answer Solutions Specification Guide

Availability

Electronic price list updated with release 204.C (U.S.) and 158.C (Canada), dated June 15, 2026.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a T. Products that are scheduled to be culled are indicated with an X, followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

▶For a list of all trademarks, refer to the last page of this specification guide. © 2026 Steelcase Inc.

For Canadian Pricing
Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:
- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

Working With This Specification Guide
Ten Tips: How to Get the Most Out of This Book 2
Additional Resources 4


Understanding
Panels—Thin Trim 5
Panels—Square and Oval Trim 85
Shared Components 111
Wiring and Cabling 159
Universal Systems Worksurfaces and Supports 187
Worksurface Screens 235
Universal Tables 251
Answer Monitor Mount Integration 265
Counterweights 271
Universal Steel Storage Products 281
High-Density Storage Products 317
Duo Storage Products 325

Specifying
Panels—Thin Trim 331
Panels—Square and Oval Trim 411
Shared Components and Wiring and Cabling 445
Universal Systems Worksurfaces and Supports 509
Worksurface Screens 563
Worksurface Power and Communication 575
Universal Tables 581
Answer Monitor Mount Integration 597
Universal Steel Storage Products 599
High-Density Storage Products 643
Storage Tops, Shelves, and Accessories 651
Duo Storage Products 667

Surface Materials 671
Resources 689


Ten Tips:
How to Get the Most Out of This Book

Tip 1



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

Tip 3



Find cross references by looking for page numbers flagged with an arrow.

Tip 4


Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

Product Drawing shows you what the product looks like and points out important features.

Product Details gives specific information on the product and how it is used.

Connections describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities of the product.

Surface Materials lists what material is used for each part of the product.

Tip 5

Refer to the specifying pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:


- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
  - Dimensions
  - Style Number
  - Price

Standard Includes (under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information (under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Product Drawing shows you what the product looks like.



Base Horizontal Frame Packages—Thin Trim
For Panel Buildups

Standard Includes | Required to Specify

Options | UL's Price | Required to Specify

Surface Materials | Top Cap | Change-of-Height Top Cap | Base Trim | Open Base Trim | Cable Tray | Base Cable Tray

Panels—Thin Trim

Base Horizontal Frame Packages—Thin Trim

Specification Information

Width	Style Number	UL's Base Price	Option
18"	TS7418THF	$ 75	+$185
24"	TS7424THF	$ 79	+$185
30"	TS7430THF	$ 85	+$185
36"	TS7436THF	$ 90	+$185
42"	TS7442THF	$102	+$185
48"	TS7448THF	$108	+$185
60"	TS7460THF	$137	+$246
72"	TS7272THF	$169	+$246

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

396 Answer Solutions Specification Guide

Answer Solutions Specification Guide 397

Options (under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify *with Customiz Stain*


Italic typeface on specifying pages usually identifies wording that you should use in your order.

Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.
Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Answer is supported with an array of informational materials, tools, and software to help you plan an installation efficiently.

Product brochures and planning tools can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources web site at village.steelcase.com.

Additional storage products can be found in the *Storage Specification Guide.*

Printed Materials

Answer Product Brochure
This resource is your single source for everything you need to sell Answer. It contains photography showcasing a range of aesthetic and planning options. A complete statement of line, which highlights worksurfaces and storage options, also is included.
Form number 11-2374

Storage Specification Guide contains storage that attaches to Answer and the full offering of large case storage for use outside of workstations.

Answer Freestanding Specification Guide contains lighting, wall-mount storage, screens, and wire management products.

Express Program Specification Guide
This specification guide describes all Steelcase and Coalesse products including the finishes and options that are available as Express orders - manufactured and shipped within 7 business days.

Surface Materials Reference Manual
This publication provides:
- An explanation of the surface materials
- "Available on" matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

Computer Tools

Electronic Catalog
Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools – Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project-Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data
Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications
You can access these digital publications at www.steelcase.com or village.steelcase.com.

Answer Product Training
Basic training for Answer and many other Steelcase products is available as part of the Building Product Muscle curriculum on the Steelcase University Web site at village.steelcase.com.

The Answer BPM web-based module is an interactive course filled with pictures, product detail, and practice exercises designed to build knowledge of Answer's positioning, statement of line, features and benefits, competitive products, application, and sales presentation. It also provides printable job aids of all content covered in the course to serve as ongoing performance support for Steelcase and dealer salespeople. The Answer BPM is course SAL140.

Planning Ideas

Planning ideas are available to help inspire, envision, and plan great solutions. 2D and 3D AutoCAD drawings, Sketch-Up files, and SmartTools drawings are available on the Planning Ideas site: www.steelcase.com/planningideas.

Support

Steelcase Capabilities
Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

Related Products

Worktools include a full line of ergonomically designed products that enhances and improves the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting.
▶ For additional information, refer to *Steelcase Worktools Specification Guide* or contact Steelcase at 1.888.STEELCASE (1.888.783.3522) or send an email to lineone@steelcase.com.

Height-adjustable desks include a full line of crank, counterbalance, and electric height-adjustable desks which promote well-being in the office.
▶ For additional information, refer to *Height-Adjustable Desks Specification Guide* or call 1.888.STEELCASE or send an email to lineone@steelcase.com.

Answer Assembly Tool
As an alternative to using a rubber mallet, frames can be assembled using the Answer Assembly Tool.
Call Steelcase for pricing and order information.
1.888.STEELCASE (1.888.783.3522) or send an email to lineone@steelcase.com.

Sustainability

At Steelcase, we believe business can be a force for good. We create long-lasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies. To learn more at a corporate level, visit: *https://www.steelcase.com/discover/steelcase/esg-overview/environmental/*
Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at *Origin.build*.

Understanding Panels—Thin Trim

Statement of Line 6

Product Details

- Answer Panel Overview—Thin Trim 16
- Panel Buildups 18
- Base Junctions—Thin Trim 20
- Change-of-Height—Thin Trim 24
- Change-of-Height Visual Overview—Thin Trim 26
- Off-Module Panel Connector—Thin Trim 30
- Stacking Junctions—Thin Trim 32
- Build Your Own Elements—Thin Trim 35
- Build Your Own Change-of-Height—Thin Trim 40
- Practice Examples—Thin Trim 45
- Build Your Own 3" In-Line Junction—Thin Trim 46
- Build Your Own Stacking Junctions—Thin Trim 48
- Reconfiguring with Answer—General Guidelines 52
- Base Horizontal Frame Packages—Thin Trim 58
- Stacking Horizontal Frame Packages 62
- Frameless Glass Screens with Recessed Attachment—Thin Trim 64
- Frameless Glass Screens with Clip Attachment—Thin Trim 68
- Universal Screens with Answer Thin Trim Top Cap 70
- Sarto Fence Screens with Answer Thin Trim Top Cap 72
- Top Cap Mounted Storage 74
- Panel Packages—Thin Trim 78
- Answer Boundary Screens 80

Stability Guidelines 142


Statement of Line



Understanding
▶ Page 20
Specifying
▶ Pages 332–336

Base Junctions—Thin Trim

	In-Line Base Junctions	L-Base Junctions	T-Base Junctions	X-Base Junctions	End-of-Run Base Junctions	V-Base Junctions	Y-Base Junctions	Wall-Start Junctions
30"	●	●	●	●	●	●	●	●
36"	●	●	●	●	●	●	●	●
42"	●	●	●	●	●	●	●	●
48"	●	●	●	●	●	●	●	●
54"	●	●	●	●	●	●	●	●
66"	●	●	●	●	●	●	●	●
78"	●	●	●	●	●	●	●	●




Understanding
▶ Page 24
Specifying
▶ Pages 337–350

Change-of-Height Junctions—Thin Trim

In-Line Change-of-Height Junction	L Change-of-Height Junction	T Change-of-Height Junction	X Change-of-Height Junction	V Change-of-Height Junction	Y Change-of-Height Junction
●	●	●	●	●	●


Note: Accommodates most panel heights and combinations.
▶ *See* Change-of-Height Visual Overview—Thin Trim, *page 26*.



Understanding
▶ Page 32
Specifying
▶ Pages 355–356

Stacking Junctions—Thin Trim

	Stacking In-Line Junctions	Stacking L Junctions	Stacking T Junctions	Stacking X Junctions	Stacking End-of-Run Junctions	Stacking V Junctions	Stacking Y Junctions	Wall-Start Junction
6"	●	●	●	●	●	●	●	●
12"	●	●	●	●	●	●	●	●
18"	●	●	●	●	●	●	●	●
24"	●	●	●	●	●	●	●	●



Understanding
▶ Pages 37–38
Specifying
▶ Page 360

Vertical Trim—Thin Trim

	End-of-Run Vertical Trim	L Vertical Trim	T Vertical Trim	V Vertical Trim
30"	●	●	●	●
36"	●	●	●	●
42"	●	●	●	●
48"	●	●	●	●
54"	●	●	●	●
60"	●	●	●	●
66"	●	●	●	●
72"	●	●	●	●
78"	●	●	●	●
84"	●	●	●	●
90"	●	●	●	●



Understanding
▶ Pages 38–39
Specifying
▶ Page 363

Change-of-Height—Thin Trim

	End-of-Run Change-of-Height	L Corner Change-of-Height	T Corner Change-of-Height	120° Corner Change-of-Height	V Change-of-Height
6"	●	●	●	●	●
12"	●	●	●	●	●
18"	●	●	●	●	●
24"	●	●	●	●	●
30"	●	●	●	●	●
36"	●	●	●	●	●

Note: For all change-of-height trim, see Change-of-Height—Thin Trim *on page 38.*

Statement of Line, continued



Understanding
▶ Page 35
Specifying
▶ Page 366

Junction Posts

30"	36"	42"	48"	54"	66"	78"
●	●	●	●	●	●	●





Understanding
▶ Page 35
Specifying
▶ Page 367

Junction Blocks

90° Corner	120° Corner
●	●

Understanding
▶ Page 35
Specifying
▶ Page 367

Inside Corner Light Seals


54"	66"	78"
●	●	●



Understanding
▶ Page 36
Specifying
▶ Page 369

Junction Caps


90° Corner Junction Cap	120° Corner Junction Cap	90° Change-of-Height Junction Cap	Junction Cap Corner Aligner
●	●	●	●



Understanding
▶ Page 58
Specifying
▶ Page 370

Base Horizontal Frame Packages—Thin Trim


18"	24"	30"	36"	42"	48"	60"	72"
●	●	●	●	●	●	●	●




Understanding
▶ Page 62
Specifying
▶ Page 372

Stacking Horizontal Frame Packages

18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
●	●	●	●	●	●	●	●




Horizontal frame package




Understanding
▶ Page 78
Specifying
▶ Page 384

Performance Tackable Acoustical Panel Packages—Thin Trim

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
42"H	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●
66"H	●	●	●	●	●	●	●	●



Horizontal frame package




Understanding
▶ Page 78
Specifying
▶ Page 384

Tackable Acoustical Panel Packages—Thin Trim

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
42"H	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●
66"H	●	●	●	●	●	●	●	●


Statement of Line, continued



Understanding
▶ Page 58
Specifying
▶ Page 373

Spanning Top Caps—Thin Trim


36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
●	●	●	●	●	●	●	●	●



Understanding
▶ Page 64
Specifying
▶ Page 374

Frameless Glass Screens with Recessed Attachment—Thin Trim


	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
6"H	●	●	●	●	●	●	●	●	●	●	●	●	●
12"H	●	●	●	●	●	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●	●	●	●	●	●
24"H	●	●	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 68
Specifying
▶ Page 378

Frameless Glass Screens with Clip Attachment—Thin Trim


	24"W	30"W	36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
12"H	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 70
Specifying
▶ Page 380

Universal Screens with Answer Thin Trim Top Cap

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 72
Specifying
▶ Page 380

Sarto Fence Screens with Answer Thin Trim Top Cap

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●



Center Mount Bracket



Aisle Mount Bracket


Understanding
▶ Page 74
Specifying
▶ Page 382

Top Cap Mounted Storage—Center Mounted and Aisleway

30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W (Width of storage unit)
●	●	●	●	●	●	●	●

Statement of Line, continued

Straight Boundary Screens




Understanding
▶Page 80
Specifying
▶Pages 386 and 390

Single-Sided Boundary Screens

	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69"W	75"W
30"H	●	●	●	●	●	●	●	●	●
36"H	●	●	●	●	●	●	●	●	●
42"H	●	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●	●

Tip: Single-sided boundary screens are available in both single-connect and dual-connect.




Understanding
▶Page 80
Specifying
▶Pages 386 and 390

Spanning Boundary Screens

	51"W	57"W	63"W	69"W	75"W
30"H	●	●	●	●	●
36"H	●	●	●	●	●
42"H	●	●	●	●	●
48"H	●	●	●	●	●
54"H	●	●	●	●	●

Tip: Spanning boundary screens are available in both single-connect and dual-connect.

Straight Boundary Screens, continued



Understanding
▶Page 80
Specifying
▶Pages 386 and 390


Split Boundary Screens

	25 1/2"W	31 1/2"W	37 1/2"W	43 1/2"W	49 1/2"W	55 1/2"W	61 1/2"W	67 1/2"W	73 1/2"W
30"H	●	●	●	●	●	●	●	●	●
36"H	●	●	●	●	●	●	●	●	●
42"H	●	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●	●

Tip: Split boundary screens are available in both single-connect and dual-connect.
Tip: Width must be specified for each split segment.

Statement of Line, continued

L Return Single-Sided Boundary Screens



Understanding
▶Page 80
Specifying
▶Pages 394 and 402

Single-Sided Screens (Primary Screens)


	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69"W	75"W
30"H	●	●	●	●	●	●	●	●	●
36"H	●	●	●	●	●	●	●	●	●
42"H	●	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●	●

Return Screens

	18"W	24"W	30"W
30"H	●	●	●
36"H	●	●	●
42"H	●	●	●
48"H	●	●	●
54"H	●	●	●

Tip: L return single-sided boundary screens are available in both single-connect and dual-connect.
Tip: Primary and return screens may be specified with equal or unequal widths.

L Return Split Boundary Screens



Understanding
▶Page 80
Specifying
▶Pages 394 and 402

Split Screens (Primary Screens)

	25 1/2"W	31 1/2"W	37 1/2"W	43 1/2"W	49 1/2"W	55 1/2"W	61 1/2"W	67 1/2"W	73 1/2"W
30"H	●	●	●	●	●	●	●	●	●
36"H	●	●	●	●	●	●	●	●	●
42"H	●	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●	●

Return Screens

	18"W	24"W	30"W
30"H	●	●	●
36"H	●	●	●
42"H	●	●	●
48"H	●	●	●
54"H	●	●	●

Tip: L return split boundary screens are available in both single-connect and dual-connect.
Tip: Width must be specified for each split segment.
Tip: Primary and return screens may be specified with equal or unequal widths.

Answer Panel Overview—Thin Trim

Thin, square, and oval trim styles are available on Answer panels. Trim styles are not compatible with each other. Applications must use one consistent trim style.

Panel buildups allow you to create unique configurations by mixing surface materials and colors on segmented panels. Order skins and horizontal frame packages separately.

Panel frame is made up of two major elements—vertical base junctions and base horizontal connecting bars.

Stacking components can be used on both panel buildups and panel packages.


Panel packages are used to create common configurations quickly and easily. Packages include a horizontal frame package and skins for both sides of the panel.

Stacking junctions do not come with trim. Vertical trim must be ordered separately to cover any exposed junctions.
▶ Page 32

Thin end-of-run trim has an integral finished end.

Alternate powerkit harness routing can be accommodated through the junction opening. In in-line applications installed on uneven floors, route harness through junction opening to prevent harness from being exposed.

Leveling glides adjust to install panels on uneven floors. Range is 2¾".



Stacking horizontal frame package must be used with stacking junctions.
▶ Page 62

Stacking junctions can be used in panel buildups and panel packages. They are available for in-line, L, T, X, V, Y, and end-of-run configurations.
▶ Page 32

Skins attach to frame without tools and can be removed and repositioned easily.
▶ Page 118

Base junctions are always shared by adjacent panels. They are available for in-line, L, T, X, V, Y, and end-of-run configurations. Wall-start junctions and off-module connectors are also available.
▶ Page 20

Base trims, open base, or big open base trim styles are available on panels with Thin trim style.

Base horizontal connecting bars lock into the vertical junctions at the top and the bottom location of base junction to provide structural stability for the panels.

Powerkits include powerblocks attached to a supporting power tray.
▶ Page 178

Actual Dimensions


Height 29½", 35 11/16", 41 7/8", 48 1/16", 54 1/4", 66 19/32", and 78 31/32"

Note: Height is minimum from floor to top of top caps. Leveling glides can extend 2¾".


Panel Buildups

Order panel components separately
to create unique configurations.

1. Begin by planning your frames. Junctions determine height and horizontal connecting bars determine width.




1a. Corner junctions can easily be reconfigured by adding or removing a junction post (available on junctions shipped on or after October 10, 2011).




2. Order skins for both sides of panel.
Exception: Windows accommodate both sides of the panel.


Performance tackable acoustical fabric-covered skins




Tackable acoustical fabric-covered skins




Steel skins (12"H, 18"H, and 24"H have ribbed and perforated options)




Laminate skins




Wood skins




Back painted glass skins




Markerboard skins






Slatwall



Windows




Technology skins

Tip: Wood skin sets are available for 42", 48", 54", and 66" panel heights.

Answer allows a wide variety of skin arrangements to meet specific functional and aesthetic needs. Skins are not dedicated to a specific location and can be used anywhere on the face of the panel.

2. Order skins for both sides of panel, continued

When specifying skins, the total skin height will be 6" less than the overall panel height. For example, if the panel is 66"H the total skin height will be 60".



When planning skin segments, add skin heights together and add an additional 6" for total height.
Skins = 12" + 12" + 36" = 60"
Trim = 6"
Total = 66"H

Skins to the floor are available in fabric, steel, laminate, wood, or wood skin sets. Skins to the floor also plan 6" shorter than the height of the panel, but are taller in actual height to cover the base trim area of the panel. For example, a 54"H panel with to the floor skins would require a 48" skin with suffix "F", which would be approximately 53"H actual dimension.

Tip: Omit base trim option should be selected on the frame package when using a skin to the floor.

Panel Height	Total Standard Skin Height	Style Number	Total Skin To The Floor Height	Style Number
30"H Panel	24"	TS72430TK	24"	TS72430TKF
42"H Panel	36"	TS73630TK	36"	TS73630TKF
48"H Panel	42"	TS74230TK	42"	TS74230TKF
54"H Panel	48"	TS74830TK	48"	TS74830TKF
66"H Panel	60"	TS76030TK	60"	TS76030TKF
78"H Panel	72"	TS77230TK	72"	TS77230TKF

Monolithic Skins

54"H Panels




Qty 1 - TS74830TK




Qty 1 - TS74830TKF

Segmented Skins

54"H Panels




Qty 2 - TS72430TK



Qty 1 - TS72430TK
Qty 1 - TS72430TKF


3. Specify powerkits where you will need power.



Base Junctions—Thin Trim

Base junctions complete the structure of panel packages and panel buildups. Answer panels always share a junction with adjacent panels. You order the style of junction you need separately.
▶ Specifying thin, page 332.

Thin trim require end-of-run and change-of-height junctions manufactured on or after October 10, 2011.



Corner junction cap aligners ensure correct fit with adjacent panel top caps.

Opening in top of junction allows lay-in cable routing beneath top caps.

Slots in junction accept the panel's horizontal bars every 12", cable trays every 6", and powerkits every 12" vertically.

Slotted channels in junction accommodate worksurface supports and overhead storage components at 1" increments.

Trim is included with L, T, V, and end-of-run junctions to finish exposed surfaces. Trim is available with paint or wood veneer.

Large openings are used to route power or cables through an L, T, X, V, Y, and in-line base junction.

Leveling glides adjust to install panels on uneven floors. Range is 2 3/4".

Inside corner light seals are only needed in 90° applications and are included in the style number when ordering.

Junction cap and appropriate aligners are included with junction when needed.

Skins attach to junction with concealed hardware.

Block and post construction allows the ability to add or remove posts on corner junction for easy configuration.

Lay-in cable routing is accommodated in base area.


Actual Dimensions

Depth	3"
Height	28 7/16"*, 34 5/8", 40 3/4", 47", 53 1/8", 65 1/2", and 77 3/8"


*Note: Wall-start junctions are not available 28 7/16".

Product Details


Answer is available with three styles of trim - square, oval, and thin. This section covers Thin trims. Base junctions are specified with desired style. Styles can not be mixed between adjacent panels.
▶ For square and oval trims, see page 85.




End-of-run base junction includes junction, vertical trim, and trim aligner. Select thin style trim. End-of-run trim adds 1/2" to footprint.




In-line base junction includes junction and plastic top cap aligner. Select thin style trim.




L same height base junction includes junction, inside corner light seal(s), vertical trim, junction cap, and two plastic top cap aligners. Select thin style trim.




T same height base junction includes junction, inside corner light seal(s), vertical trim, junction cap, and three plastic top cap aligners. Select thin style trim.




X same height base junction includes junction, inside corner light seal(s), junction cap, and four plastic top cap aligners. Select thin style trim.



V same height base junction includes junction, vertical trim, junction cap, and plastic top cap aligner. Select thin style trim.




Y same height base junction includes junction, junction cap, and two plastic top cap aligners. Select thin style trim.



Most change-of-height junction configurations are pre-configured and include junctions and needed trims. Change-of-height junctions that are not pre-configured are available through the build your own process.

▶See specification information, page 366.




Wall-start junction secures to the stud in a structural wall or drywall fasteners can be used. Vertical trim is not needed. Also used in off-module applications. Wall-start junction adds 3/16" dimension to panel run.



An in-line top cap aligner is included with in-line junctions. Select thin style.




Top cap aligners are included with end-of-run, L, T, X, V, and Y junctions.




Posts can be added or removed from corner junctions to change from one corner to another.


Connections



Block and post construction of corner junctions allow junctions to be easily added or removed to configure between L,T, X, V, or Y in an application.




Quick lock on both ends of the panel's horizontal connecting bars engage the junction in a tight structural connection.




Base junctions can accept a stacking junction. Omit trim option should be selected whenever stacking. Omitting trim removes all vertical trim, junction cap, and aligner(s). Remember to specify vertical trim, junction cap, inside corner light seal(s), and aligners separately.

▶See page 366.



Floor anchor brackets are available to secure junctions to the floor to prevent panel movement. Brackets are intended for use in seismic zones and may require additional code approvals.




Junction stabilizer bracket can be used to add rigidity to a panel run or when using a Universal sliding door. Bracket must be bolted to a concrete floor. For junctions manufactured before October 10, 2011 use TS7SB. For junctions manufactured on or after October 10, 2011 use TS7SBNJ.

Bracket foot is visible on one side of panel when installed.


Junction stabilizer bracket blocks power routing in the panel base and just above the base areas. The bracket covers the slots on the junction where the powerkit connects in these two zones. It also blocks the ability for a powerkit harness, pass-through powerkit, or modular harness to route in the base area from an adjacent panel.

Junction stabilizer bracket also blocks lay in of cables in base area of panel.

Base Junctions—Thin Trim, continued




Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.




Panels can support worksurfaces, shelves, and bins.


Wiring and Cabling




Lay-in cable routing is accommodated in the top of junctions. Lay-in cable and power routing is accommodated in base area.




As an alternative to lay-in cable routing, horizontal routing of power and cables can be accommodated through openings in junctions.



Junction tall sleeves can be ordered to cover the exposed metal edges in the large cable routing opening of junctions. Tall junction sleeve can only be used on junctions manufactured on or after October 10, 2011.



Lay-in junction cable sleeves can be added in the field to cover the exposed metal edges in lay-in cable space.



Modular harnesses that are 43" or 80" are available to change the height at which you are routing power kits or to route power from the panel base to different heights.



Carpet gripper glide caps may be added to panel glides to help hold panel in place (used only on junctions manufactured on or after October 10, 2011).

Surface Materials

Base junction
- Black paint
  Tip: Junction is hidden when properly installed.

Junction cap—thin
- Paint
- Wood

Vertical trim—thin
- Paint
- Wood

Painted style numbers include all painted trim and wood style numbers include all wood trim. It is not recommended to mix painted and wood trim. Wood trim is slightly thicker as a result of adding veneer so some misalignment between elements may result.
Tip: Answer panel wood trims are only available with quarter-cut finishes with the exception of maple finishes. Maple on wood trims is only available with flat-cut finishes. For ordering simplicity, both flat-cut and quarter-cut finishes can be specified on panel trims. However, for all finishes except maple, if a flat-cut finish is selected, the trims will have the coordinating quarter-cut finish. For maple finishes, if quarter-cut is selected, the trims will have the coordinating flat-cut finish. Blending panel trims with other wood products that have flat-cut finishes will be visually acceptable for most applications. If a more exact match is desired for non-maple finishes, please specify quarter-cut finishes for the entire project. If a more exact match is desired for maple finishes, please specify flat-cut finishes for the entire project.

Application Topics

Stacking junctions can be used with any height base junction.

Stability Guidelines for application rules.
▶ See page 142


Change-of-Height—Thin Trim

Change-of-height trim is available for base panels and stacking panels. It is used in in-line and corner applications.
▶ Specifying thin, page 337.
Note: Change-of-height trims are available in 6"H, 12"H, 18"H, 24"H, 30"H, and 36"H.

Change-of-height (two different panel heights) L, T, X, V, and Y junctions are supported by style numbers in the following pages. Change-of-height (three different panel heights) T, X, and Y and change-of-height (four different panel heights) X junctions are not supported by style numbers and will need to be specified in the build your own section.
▶ See page 35 for understanding.
▶ See page 366 for specifying.
Note: Change-of-height junctions include the necessary change-of-height trim (including junction cap and aligners) for the change-of-height portion. See the following pages for panel height change-of-height applications (two different panel heights) and what is included in each style number.

Change-of-height junctions are shipped assembled. L, V, and some T junctions are handed. A post may have to be moved during installation to achieve the proper "hand".


90° Planning Application



An end-of-run aligner is included with the end-of-run change-of-height trim to provide tight alignment between the top cap and the change-of-height trim. No junction cap is required.

End-of-run change-of-height trim is used at end-of-run or in-line change-of-height. The top of the trim aligns with the top cap on the panel.

90° Planning Application



L corner change-of-height trim is used in a T or X change-of-height application when there are two panels at the tallest height located adjacent to each other. No aligners are required to connect the L corner change-of-height trim to the junction cap.

T vertical trim is used to finish trimming out the base of the panel. Base panel trim is included when specifying the change-of-height junction.

An L to T aligner should be specified when an L corner change-of-height trim resides directly above a T trim in a change-of-height application. The L to T aligner creates a tight connection between the two trim pieces.

Actual Dimensions


Depth	3"
Height	6 3/16", 12 5/32", 18 1/2", 24 1/2", 30 7/8", and 36 7/8"

An L to T aligner must be specified if an L change-of-height trim is located directly above a T.


No aligners are required to connect a T corner change-of-height trim to the junction cap or top cap.

T corner change-of-height trim is used in T or X change-of-height applications where there are two panels at the same height located in-line with each other.

90° Planning Application




120° Planning Application



120° corner change-of-height trim is used in a V or Y change-of-height application when there is only one panel at the tallest height. No aligners are required to connect the trim to the junction cap or top cap.

120° to V aligner should be specified when a 120° corner change-of-height trim resides directly above a V trim. The 120° to V aligner creates a tight connection between the two trim pieces.



V corner change-of-height trim is used in a Y change-of-height application when there are two panels at the tallest height. No aligners are required to connect the trim to the junction cap or top cap.

Surface Materials

Change-of-height trim
- Paint
- Wood veneer


Junction cap
- Paint
- Wood veneer


Aligner
- Black plastic only

Application Topics


Change-of-height top cap option must be specified on the lower panel of in-line applications.
Tip: Change-of-height top cap option is only needed when using in-line change-of-height.

Thin trim top caps have a notch in one or both ends to accommodate in-line change-of-height applications.





Specify change-of-height top caps at one end unless the panel is adjacent to taller panels on both sides. Then specify a top cap change-of-height on both ends.



Specify an in-line change-of-height junction to connect panels. In this application the in-line change-of-height junction includes a 42" high in-line base junction with a 24" end-of-run stacker. A horizontal stacking beam is required when using an in-line change-of-height junction to support the stacker.

Change-of-Height Visual Overview—Thin Trim

Selecting a Junction

To determine the application you need, follow these steps:

1. Find the type of junction you are constructing – L, T, X, V, Y, or in-line. An array of the applications that are supported by style numbers are shown on the following pages. All same height corner junctions are supported by style numbers on pages 333-336. All change-of-height applications (with two different heights) are included on the following pages. If your application is not included (three heights in an T, X, or Y junction or four heights in an X junction) please see *Build Your Own—Thin Trim*, page 40, to build your desired application.


2. It may help if you make a sketch of the junction you are trying to build and then match it with the junction shown on the following pages.

3. Find the type of junction you are looking for in the following pages and see the corresponding specifying page.

Style numbers for junctions are based on the heights of the frames.

Digit in Style Number	Corresponding Frame Height
3	30"
Q	36"
4	42"
5	54"
6	66"
7	78"
8	48"
9	90"

In-Line



A	B	Style Number
30"	36"	**TS73QTCIJ**
30"	42"	**TS734TCIJ**
30"	48"	**TS738TCIJ**
30"	54"	**TS735TCIJ**
30"	66"	**TS736TCIJ**
36"	42"	**TS7Q4TCIJ**
36"	48"	**TS7Q8TCIJ**
36"	54"	**TS7Q5TCIJ**
36"	66"	**TS7Q6TCIJ**
42"	48"	**TS748TCIJ**
42"	54"	**TS745TCIJ**
42"	66"	**TS746TCIJ**
42"	78"	**TS747TCIJ**
48"	54"	**TS785TCIJ**
48"	66"	**TS786TCIJ**
54"	66"	**TS756TCIJ**
54"	78"	**TS757TCIJ**
54"	90"	**TS759TCIJ**
66"	78"	**TS767TCIJ**
66"	90"	**TS769TCIJ**
78"	90"	**TS779TCIJ**


▶ Page 337 to specify

Junction includes

In-line base junction
End-of-run stacking junction
Stacking fork
End-of-run change-of-height trim
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

L Junction



A	B	Style Number
30"	36"	**TS73QTCLJ**
30"	42"	**TS734TCLJ**
30"	48"	**TS738TCLJ**
30"	54"	**TS735TCLJ**
30"	66"	**TS736TCLJ**
36"	42"	**TS7Q4TCLJ**
36"	48"	**TS7Q8TCLJ**
36"	54"	**TS7Q5TCLJ**
36"	66"	**TS7Q6TCLJ**
42"	48"	**TS748TCLJ**
42"	54"	**TS745TCLJ**
42"	66"	**TS746TCLJ**
42"	78"	**TS747TCLJ**
48"	54"	**TS785TCLJ**
48"	66"	**TS786TCLJ**
48"	78"	**TS787TCLJ**
54"	66"	**TS756TCLJ**
54"	78"	**TS757TCLJ**
66"	78"	**TS767TCLJ**

▶ Page 338 to specify


Junction includes

L change-of-height junction
Inside corner light seal
L vertical trim
End-of-run change-of-height trim
Change-of-height junction cap
Aligners

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

Tip: When specifying remember this junction is handed and the other hand is not supported by style numbers. While in the field, installers may need to move a post to achieve the desired configuration.

T Junctions




A	B	C	Style Number
30"	36"	30"	**TS73Q3TCTJ**
30"	42"	30"	**TS7343TCTJ**
30"	48"	30"	**TS7383TCTJ**
30"	54"	30"	**TS7353TCTJ**
30"	66"	30"	**TS7363TCTJ**
36"	42"	36"	**TS7Q4QTCTJ**
36"	48"	36"	**TS7Q8QTCTJ**
36"	54"	36"	**TS7Q5QTCTJ**
36"	66"	36"	**TS7Q6QTCTJ**
42"	48"	42"	**TS7484TCTJ**
42"	54"	42"	**TS7454TCTJ**
42"	66"	42"	**TS7464TCTJ**
42"	78"	42"	**TS7474TCTJ**
48"	54"	48"	**TS7858TCTJ**
48"	66"	48"	**TS7868TCTJ**
48"	78"	48"	**TS7878TCTJ**
54"	66"	54"	**TS7565TCTJ**
54"	78"	54"	**TS7575TCTJ**
66"	78"	66"	**TS7676TCTJ**

▶ Page 340 to specify

Junction includes

T change-of-height junction
Inside corner light seals
T vertical trim
End-of-run change-of-height trim
Change-of-height junction cap
Aligners

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*




A	B	C	Style Number
36"	30"	36"	**TS7Q3QTCTJ**
42"	30"	42"	**TS7434TCTJ**
42"	36"	42"	**TS74Q4TCTJ**
48"	30"	48"	**TS7838TCTJ**
48"	36"	48"	**TS78Q8TCTJ**
48"	42"	48"	**TS7848TCTJ**
54"	30"	54"	**TS7535TCTJ**
66"	30"	66"	**TS7636TCTJ**
54"	36"	54"	**TS75Q5TCTJ**
54"	42"	54"	**TS7545TCTJ**
54"	48"	54"	**TS7585TCTJ**
66"	42"	66"	**TS7646TCTJ**
78"	42"	78"	**TS7747TCTJ**
66"	36"	66"	**TS76Q6TCTJ**
66"	48"	66"	**TS7686TCTJ**
78"	48"	78"	**TS7787TCTJ**
66"	54"	66"	**TS7656TCTJ**
78"	54"	78"	**TS7757TCTJ**
78"	66"	78"	**TS7767TCTJ**

▶ Page 340 to specify

Junction includes

T change-of-height junction
Inside corner light seals
T vertical trim
T change-of-height trim
90° junction cap
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*



A	B	C	Style Number
30"	30"	36"	**TS733QTCTJ**
30"	30"	42"	**TS7334TCTJ**
30"	30"	48"	**TS7338TCTJ**
30"	30"	54"	**TS7335TCTJ**
30"	30"	66"	**TS7336TCTJ**
36"	36"	42"	**TS7QQ4TCTJ**
36"	36"	48"	**TS7QQ8TCTJ**
36"	36"	54"	**TS7QQ5TCTJ**
36"	36"	66"	**TS7QQ6TCTJ**
42"	42"	48"	**TS7448TCTJ**
42"	42"	54"	**TS7445TCTJ**
42"	42"	66"	**TS7446TCTJ**
42"	42"	78"	**TS7447TCTJ**
48"	48"	54"	**TS7885TCTJ**
48"	48"	66"	**TS7886TCTJ**
48"	48"	78"	**TS7887TCTJ**
54"	54"	66"	**TS7556TCTJ**
54"	54"	78"	**TS7557TCTJ**
66"	66"	78"	**TS7667TCTJ**


▶ Page 340 to specify

Junction includes

T change-of-height junction
Inside corner light seals
T vertical trim
End-of-run change-of-height trim
Change-of-height junction cap
Aligners

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

Tip: When specifying remember this junction is handed and the other hand is not supported by style numbers. While in the field, installers may need to move a post to achieve the desired configuration.



A	B	C	Style Number
36"	36"	30"	**TS7QQ3TCTJ**
42"	42"	30"	**TS7443TCTJ**
48"	48"	30"	**TS7883TCTJ**
48"	48"	42"	**TS7884TCTJ**
54"	54"	30"	**TS7553TCTJ**
66"	66"	30"	**TS7663TCTJ**
42"	42"	36"	**TS744QTCTJ**
48"	48"	36"	**TS788QTCTJ**
54"	54"	36"	**TS755QTCTJ**
66"	66"	36"	**TS766QTCTJ**
54"	54"	42"	**TS7554TCTJ**
54"	54"	48"	**TS7558TCTJ**
66"	66"	42"	**TS7664TCTJ**
78"	78"	42"	**TS7774TCTJ**
66"	66"	48"	**TS7668TCTJ**
78"	78"	48"	**TS7778TCTJ**
66"	66"	54"	**TS7665TCTJ**
78"	78"	54"	**TS7775TCTJ**
78"	78"	66"	**TS7776TCTJ**

▶ Page 340 to specify

Junction includes


T change-of-height junction
Inside corner light seals
T vertical trim
L change-of-height trim
90° junction cap
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

Tip: When specifying remember this junction is handed and the other hand is not supported by style numbers. While in the field, installers may need to move a post to achieve the desired configuration.

Change-of-Height Visual Overview—Thin Trim, continued

X Junctions




A	B	C	D	Style Number
30"	36"	30"	36"	**TS73Q3QTCXJ**
30"	42"	30"	42"	**TS73434TCXJ**
30"	48"	30"	48"	**TS73838TCXJ**
30"	54"	30"	54"	**TS73535TCXJ**
30"	66"	30"	66"	**TS73636TCXJ**
36"	42"	36"	42"	**TS7Q4Q4TCXJ**
36"	48"	36"	48"	**TS7Q8Q8TCXJ**
36"	54"	36"	54"	**TS7Q5Q5TCXJ**
36"	66"	36"	66"	**TS7Q6Q6TCXJ**
42"	48"	42"	48"	**TS74848TCXJ**
42"	54"	42"	54"	**TS74545TCXJ**
42"	66"	42"	66"	**TS74646TCXJ**
42"	78"	42"	78"	**TS74747TCXJ**
48"	54"	48"	54"	**TS78585TCXJ**
48"	66"	48"	66"	**TS78686TCXJ**
48"	78"	48"	78"	**TS78787TCXJ**
54"	66"	54"	66"	**TS75656TCXJ**
54"	78"	54"	78"	**TS75757TCXJ**
66"	78"	66"	78"	**TS76767TCXJ**

▶ Page 344 to specify

Junction includes

X change-of-height junction
Inside corner light seals
Two T change-of-height trims
90° junction cap
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*




A	B	C	D	Style Number
30"	30"	36"	36"	**TS733QQTCXJ**
30"	30"	42"	42"	**TS73344TCXJ**
30"	30"	48"	48"	**TS73388TCXJ**
30"	30"	54"	54"	**TS73355TCXJ**
30"	30"	66"	66"	**TS73366TCXJ**
36"	36"	42"	42"	**TS7QQ44TCXJ**
36"	36"	48"	48"	**TS7QQ88TCXJ**
36"	36"	54"	54"	**TS7QQ55TCXJ**
36"	36"	66"	66"	**TS7QQ66TCXJ**
42"	42"	48"	48"	**TS74488TCXJ**
42"	42"	54"	54"	**TS74455TCXJ**
42"	42"	66"	66"	**TS74466TCXJ**
42"	42"	78"	78"	**TS74477TCXJ**
48"	48"	54"	54"	**TS78855TCXJ**
48"	48"	66"	66"	**TS78866TCXJ**
48"	48"	78"	78"	**TS78877TCXJ**
54"	54"	66"	66"	**TS75566TCXJ**
54"	54"	78"	78"	**TS75577TCXJ**
66"	66"	78"	78"	**TS76677TCXJ**

▶ Page 344 to specify

Junction includes

X change-of-height junction
Inside corner light seals
L change-of-height trim
90° junction cap
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*




A	B	C	D	Style Number
30"	30"	30"	36"	**TS7333QTCXJ**
30"	30"	30"	42"	**TS73334TCXJ**
30"	30"	30"	48"	**TS73338TCXJ**
30"	30"	30"	54"	**TS73335TCXJ**
30"	30"	30"	66"	**TS73336TCXJ**
36"	36"	36"	42"	**TS7QQQ4TCXJ**
36"	36"	36"	48"	**TS7QQQ8TCXJ**
36"	36"	36"	54"	**TS7QQQ5TCXJ**
36"	36"	36"	66"	**TS7QQQ6TCXJ**
42"	42"	42"	48"	**TS74448TCXJ**
42"	42"	42"	54"	**TS74445TCXJ**
42"	42"	42"	66"	**TS74446TCXJ**
42"	42"	42"	78"	**TS74447TCXJ**
48"	48"	48"	54"	**TS78885TCXJ**
48"	48"	48"	66"	**TS78886TCXJ**
48"	48"	48"	78"	**TS78887TCXJ**
54"	54"	54"	66"	**TS75556TCXJ**
54"	54"	54"	78"	**TS75557TCXJ**
66"	66"	66"	78"	**TS76667TCXJ**

▶ Page 344 to specify

Junction includes

X change-of-height junction
Inside corner light seals
End-of-run change-of-height trim
Change-of-height junction cap
Aligners

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*



A	B	C	D	Style Number
36"	36"	36"	30"	**TS7QQQ3TCXJ**
42"	42"	42"	30"	**TS74443TCXJ**
48"	48"	48"	30"	**TS78883TCXJ**
54"	54"	54"	30"	**TS75553TCXJ**
42"	42"	42"	36"	**TS7444QTCXJ**
48"	48"	48"	36"	**TS7888QTCXJ**
54"	54"	54"	36"	**TS7555QTCXJ**
66"	66"	66"	36"	**TS7666QTCXJ**
54"	54"	54"	42"	**TS75554TCXJ**
48"	48"	48"	42"	**TS78884TCXJ**
66"	66"	66"	30"	**TS76663TCXJ**
66"	66"	66"	42"	**TS76664TCXJ**
66"	66"	66"	48"	**TS76668TCXJ**
54"	54"	54"	48"	**TS75558TCXJ**
66"	66"	66"	54"	**TS76665TCXJ**
78"	78"	78"	42"	**TS77774TCXJ**
78"	78"	78"	48"	**TS77778TCXJ**
78"	78"	78"	54"	**TS77775TCXJ**
78"	78"	78"	66"	**TS77776TCXJ**


▶ Page 344 to specify

Junction includes

X change-of-height junction
Inside corner light seals
T change-of-height trim
90° junction cap
Aligners

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

V Junctions



A	B	Style Number
30"	36"	**TS73QTCVJ**
30"	42"	**TS734TCVJ**
30"	48"	**TS738TCVJ**
30"	54"	**TS735TCVJ**
30"	66"	**TS736TCVJ**
36"	42"	**TS7Q4TCVJ**
36"	48"	**TS7Q8TCVJ**
36"	54"	**TS7Q5TCVJ**
36"	66"	**TS7Q6TCVJ**
42"	48"	**TS748TCVJ**
42"	54"	**TS745TCVJ**
42"	66"	**TS746TCVJ**
42"	78"	**TS747TCVJ**
48"	54"	**TS785TCVJ**
48"	66"	**TS786TCVJ**
48"	78"	**TS787TCVJ**
54"	66"	**TS756TCVJ**
54"	78"	**TS757TCVJ**
66"	78"	**TS767TCVJ**

▶Page 348 to specify


Junction includes

V change-of-height junction
V vertical trim
120° change-of-height trim
120° junction cap
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

Tip: When specifying remember this junction is handed and the other hand is not supported by style numbers. While in the field, installers may need to move a post to achieve the desired configuration.

Y Junctions




A	B	C	Style Number
36"	30"	30"	**TS7Q33TCYJ**
42"	30"	30"	**TS7433TCYJ**
48"	30"	30"	**TS7833TCYJ**
48"	42"	42"	**TS7844TCYJ**
54"	30"	30"	**TS7533TCYJ**
66"	30"	30"	**TS7633TCYJ**
42"	36"	36"	**TS74QQTCYJ**
48"	36"	36"	**TS78QQTCYJ**
54"	36"	36"	**TS75QQTCYJ**
66"	36"	36"	**TS76QQTCYJ**
54"	42"	42"	**TS7544TCYJ**
54"	48"	48"	**TS7588TCYJ**
66"	42"	42"	**TS7644TCYJ**
78"	42"	42"	**TS7744TCYJ**
66"	48"	48"	**TS7688TCYJ**
78"	48"	48"	**TS7788TCYJ**
66"	54"	54"	**TS7655TCYJ**
78"	54"	54"	**TS7755TCYJ**
78"	66"	66"	**TS7766TCYJ**

▶Page 350 to specify

Junction includes

Y change-of-height junction
120° change-of-height trim
120° junction cap

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*



A	B	C	Style Number
30"	36"	36"	**TS73QQTCYJ**
30"	42"	42"	**TS7344TCYJ**
30"	48"	48"	**TS7388TCYJ**
30"	54"	54"	**TS7355TCYJ**
30"	66"	66"	**TS7366TCYJ**
36"	42"	42"	**TS7Q44TCYJ**
36"	48"	48"	**TS7Q88TCYJ**
36"	54"	54"	**TS7Q55TCYJ**
36"	66"	66"	**TS7Q66TCYJ**
42"	48"	48"	**TS7488TCYJ**
42"	54"	54"	**TS7455TCYJ**
42"	66"	66"	**TS7466TCYJ**
42"	78"	78"	**TS7477TCYJ**
48"	54"	54"	**TS7855TCYJ**
48"	66"	66"	**TS7866TCYJ**
48"	78"	78"	**TS7877TCYJ**
54"	66"	66"	**TS7566TCYJ**
54"	78"	78"	**TS7577TCYJ**
66"	78"	78"	**TS7677TCYJ**

▶Page 350 to specify


Junction includes

Y change-of-height junction
V change-of-height trim
120° junction cap
Aligner

*Tip: Style numbers for wood junctions require a **W** to be added to the end of the style number.*

Off-Module Panel Connector—Thin Trim

Off-module panel connectors allow a fin wall to be attached off-module to a spine wall in 1" increments.
▶ Specifying, page 354



Top brackets attach to top horizontal connecting beam and secure top of the wall-start junction. If fin wall is 12", 18", or 24" shorter than spine wall, the top horizontal connecting bar can be lowered to attach brackets.


Wall-start junction must be ordered separately.

Bottom bracket attaches to lower horizontal connecting beam and secures to lower portion of bottom channel.

Bottom channel has slots in 1" increments to attach panel off-module. Channel must match width of panel and be attached between two junctions.

Bottom bracket for wall-start junction attaches the junction and bottom channel to secure the lower portion of the wall-start junction.


Product Details



Wall-start junctions connect to the off-module panel connectors to start a panel run off from the spine. Available in 30"H, 36"H, 42"H, 48"H, 54"H, 66"H, and 78"H. Wall-start junction must match the height of the fin wall. Wall-start junctions are ordered separately.

Connections

Off-module fin wall must always be the same height or shorter than the spine wall.




When fin wall is more than 24" shorter than the spine wall an additional horizontal beam must be added to the spine wall at the same height as the fin wall. Order a stacking horizontal frame kit.


Spine wall skins must be segmented with a seam matching the height of the shorter fin wall. This allows access to the top bracket and the spine wall horizontal beam.

Actual Dimensions

Width 22 1/2", 34 1/2", 40 1/2", 46 1/2", 58 1/2", and 70 1/2"



Slatwall skins cannot be placed on the spine panel when an off-module fin panel is positioned below it.




When stacking on the fin panel, the spine wall skins must be segmented with a seam matching the height of the fin base panel.


When stacking wall-start junctions in an off-module application, the off-module panel connector connects to the base wall-start junction.

Two off-module panels can be connected back to back at the same location.


Spine: 36"H or 48" base junctions with stackers



For off-module fin walls 36"H or 48"H, base junctions must match the height of fin wall base junctions. Taller spine wall heights can be achieved by stacking.




When connecting two off-module fins at different heights on either side of the spine panel, an additional horizontal beam must be ordered and installed at the same height of the shorter fin panel.




An off-module fin wall cannot connect flush to the end of a panel in the spine wall. The closest connection point will leave a 2½" tail on the spine including the end-of-run trim.


An off-module fin wall cannot attach at a junction in the spine wall. There is a 2" area of dead space on either side of the junction rendering a total of 4" dead space.




An off-module fin wall cannot be installed over a window that is located at the top of a spine panel.




An off-module connector cannot be used on a spine wall with open base trim.



An off-module connector cannot be used on a spine wall with big open base.



A fin panel connected off-module can have open base trim.



A fin panel connected off-module can have big open base trim.

Wiring & Cabling

Wiring and cabling components cannot be routed internally from a spine wall to an off-module fin wall without cutting openings in the spine wall skin. *Tip: It is recommended that you route wiring and cabling through the spine wall.*


Modular power components should be used to bring power from the spine wall to the workstation.

Surface Materials

Off-module bracket

- Black paint

Tip: Bracket is hidden when properly installed.



Off-module installation requires field modification of the light seal on the top skin. Surface covering is not affected.

Application Topics

Stability Guidelines for Application Rules


▶ Page 142

Stacking junctions can be used with any height base junction.


Bins, shelves, and worksurfaces cannot be attached off-module.

Off-module panel connector works with Thin trims. Thin style trims do not require a top cap filler.

When using a wall-start junction manufactured before October 10, 2011 with an off module panel connector manufactured on or after October 10, 2011 the "old" bottom bracket must be used. It can be ordered from Service Parts, part number TS500938MP. If using an old off-module panel connector manufactured before Octo-ber 10, 2011 with a wall-start junction manufactured on or after October 10, 2011 the bottom bracket included with the off module panel connector should be used.



When using frameless glass with clip attachment on a spine panel, with a same height off-module panel connection, the off-module cannot connect within 10" of an end-of-run or in-line junction connection.



Recessed frameless glass cannot be used on a spine panel hosting the same height off-module connection. The off-module fin panel can use recessed frameless glass, but must have the wallstart option specified.

Stacking Junctions—Thin Trim


Stacking junctions allow you to adjust the panel heights within a workstation.
▶ Specifying thin, page 355


Stacking junctions are available for in-line, L, T, X, V, Y, end-of-run, and wall-start configurations.

Stacking horizontal frame package, specified separately, must be used with stacking junctions. Each package includes one horizontal connecting bar.

When stacking, omit base junction trim and specify full height (base height plus stacking height) vertical trim, junction cap, and aligners separately.

Fork connectors are included with stacking junction for proper connection to the base panel.






Top cap from base panel is used to trim the panel.

Same height stacking corner junction posts and block come plant assembled in a designated L, T, X, V, or Y configuration.

Slots in stacking junctions are identical to base junctions to accept horizontal connecting bars, powerkits, and cable trays.

Cables can be laid into top of base panel. During initial installation, it is important to keep cabling loose so it can be temporarily moved aside to install stacking fork connector at a later date.

Base panel must always have two horizontal connecting bars. The bars must be in place prior to adding fork connectors into the junction.




Actual Dimensions


Depth	3"
Height	6 3/16", 12 3/8", 18 1/2", and 24 3/4"

Product Details


All existing base panels can accept a stacking junction.




Stacking junctions do not include any trim. The omit trim option should be specified on base junctions when stacking. All vertical trim, junction caps, and aligners are specified separately when stacking on base junction.




End-of-run stacking junction includes junction and fork connector. Full height trim must be specified separately. End-of-run trim adds 1/2" to footprint.




In-line stacking junction includes junction and fork connectors.




L-stacking junction includes junction and fork connectors. Full height trim, junction cap and aligner(s) must be specified separately




T-stacking junction includes junction and fork connectors. Full height trim, junction cap and aligner(s) must be specified separately.



X-stacking junction includes junction and fork connectors.



V-stacking junction includes junction and fork connectors. Full height trim, junction cap and aligner(s) must be specified separately.




Y-stacking junction includes junction and fork connectors.

Full height vertical trim is available in the specifying section in 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", and 90".
▶ Specifying thin, page 360.


Standard skins, cable trays, and powerkits are used in stackable solutions. To maximize the benefits of stackability, consider matching the skin height to the stacking junction height.

Connections

Skins on base panel do not need to be removed to install a stacking junction in most cases.




Fork connector is included with stacking junction for proper connection to the base panel. Two fork connectors are included with in-line, L, and V stacking junctions, three are included with T and Y stacking junctions, and four are included with X stacking junctions. One fork connector is included with each wall-start stacking junction and end-of-run.




Fork connectors secure into the base junction. Stacking junction is bolted to fork connectors.


Wiring & Cabling



Junction tall sleeves can be ordered to cover the exposed metal edges in the large cable routing opening of the junctions manufactured on or after October 10, 2011.



Horizontal routing of power and cables can be accommodated through openings in stacking junctions.



Power and data cables cannot route through the joint, the top of base panel and bottom of 6"H stacker interfere.

Powerkit installation for stacking components is the same process as for installation in base panels.

Stacking Junctions—Thin Trim, continued

Surface Materials

Stacking junction
- Black paint

Tip: Junction is hidden when properly installed.

Application Topics

Stacking stability guidelines provide detailed information on applications.
▶Page 142

Maximum height that can be stacked on a base panel is 36", consisting of one 24"H and one 12"H, or two 18"H stacking junction.

Maximum height that an Answer panel configuration can reach is 90".

Maximum number of stacking junctions that can be added to a base panel is two.

Any height base panel can be used with stacking junctions.

Bins and shelves can hang from the first stacked tier only.

When using 6"H stacking junctions, a stacking horizontal beam is not needed.

Hanging components are not allowed on the 6"H stacking junctions.

Frameless glass, transaction tops, Universal and Sarto top cap screens, and top cap mounted storage cannot be mounted on a 6"H stacking junction.

12"H slatwall skin cannot be placed on the top of the 6"H stacking junction.

6"H stacking junction can be placed only on base junction. It cannot be used on top of another stacking junction.

Glass windows cannot be placed in the top position of a panel segment that has a 6"H stacker.


Build Your Own Elements—Thin Trim

Junction Posts



▶ Specifying, page 366

Product Details



Junction posts are available in 30"H, 36"H, 42"H, 48"H, 54"H, 66"H, and 78"H and can be ordered separately for use in building change-of-height junctions that are not supported by style numbers.

Junction posts do not come with trim. All trim must be specified separately.

Junction posts can be fastened to 90° corner or 120° corner junction blocks. Posts can be easily added or removed from the junction blocks to reconfigure the application.

Fasteners are included with the junction blocks. For additional fasteners order part number T521882MP (quantity 50).

Surface Materials


- Black paint only

Junction Blocks



▶ Specifying, page 367

Product Details



90° corner and 120° corner junction blocks can be ordered separately for use in building change-of-height junctions that are not supported by style numbers.

90° corner and 120° corner junction blocks are available in packages of three, four, or five.

Four fasteners are included with each junction block.

Junction post can be easily added or removed from junction blocks to reconfigure the application.


Surface Materials

- Black paint only

Inside Corner Light Seal

▶ Specifying, page 367

Product Details



Inside corner light seals are available in 54"H, 66"H, and 78"H and need to be specified in 90° corner junction applications (they are not required in 120° corner applications).

Inside corner light seals are available in packages of four.

Inside corner light seals should be specified to the panel in a shorter 90° change-of-height corner.


Inside corner light seals can be field cut to accommodate shorter post heights.

Surface Materials

- Black paint only


Build Your Own Elements—Thin Trim, continued

Junction Caps



▶ Specifying, page 368

Product Details



90° junction caps, 90° change-of-height junction caps, and 120° junction caps can be ordered separately for use in building change-of-height junctions that are not supported by style numbers.

Junction cap corner aligners (TS7CJCA10) must be ordered separately (package of 10).

90° junction caps can be used in L, T, or X applications and can be converted between applications by adding or removing a junction cap corner aligner.

120° junction caps can be used in V or Y applications and can be converted between applications by adding or removing a junction cap corner aligner.

90° change-of-height junction caps are used in some L, T, and X change-of-height junctions.

Surface Materials


- Plastic
- Wood veneer

Junction Cap Aligner



▶ Specifying, page 369

Product Details



Junction cap aligners need to be ordered for all corner junctions that are not supported by style numbers.


Junction cap aligners are available in packages of 10.

Junction cap aligners need to be ordered for use with 90° change-of-height caps.

Surface Materials


- Black plastic only

Vertical Trim Aligners



▶ Specifying, page 369

Product Details



L to T aligners and 120° to V aligners can be ordered separately for use in building change-of-height junctions that are not supported by style numbers.

Vertical trim aligners are available in packages of four.

L to T aligners are used in change-of-height applications to connect an L change-of-height trim to a T vertical trim.

120° to V aligners are used in change-of-height applications to connect a 120° change-of-height trim to a V vertical trim.

Surface Materials


- Black plastic only

End-of-Run Vertical Trim—Thin Trim



▶Specifying, page 360

Product Details



Thin end-of-run vertical trim should be specified for the full height of the panel (base height plus stacking height, if stacking).

Thin end-of-run applications do not require a junction cap as the end-of-run trim connects with the panel top cap.

Vertical trim aligners to connect the end-of-run vertical trim to the top cap are included with the end-of-run vertical trim.

Thin end-of-run vertical trim can only be applied to end-of-run junctions manufactured on or after October 10, 2011.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: $28^{15}/_{16}$", $34^{3}/_{4}$", $41^{1}/_{4}$", $47^{7}/_{16}$", $53^{5}/_{8}$", $59^{13}/_{16}$", 66", $72^{3}/_{16}$", $78^{3}/_{8}$", $84^{9}/_{16}$", and $90^{11}/_{16}$"

L Vertical Trim—Thin Trim



▶Specifying, page 361

Product Details



L vertical trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

90° junction caps and junction cap aligners are not included with L vertical trim and must be ordered separately.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: $28^{15}/_{16}$", $34^{3}/_{4}$", $41^{1}/_{4}$", $47^{7}/_{16}$", $53^{5}/_{8}$", $59^{13}/_{16}$", 66", $72^{3}/_{16}$", $78^{3}/_{8}$", $84^{9}/_{16}$", and $90^{11}/_{16}$"

T Vertical Trim—Thin Trim



▶Specifying, page 361

Product Details



T vertical trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

90° junction caps and junction cap aligners are not included with T vertical trim and must be ordered separately.

An L to T aligner needs to be specified in applications connecting a thin L change-of-height trim to a T vertical trim.
▶See page 369.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions

Height: $28^{15}/_{16}$", $34^{3}/_{4}$", $41^{1}/_{4}$", $47^{7}/_{16}$", $53^{5}/_{8}$", $59^{13}/_{16}$", 66", $72^{3}/_{16}$", $78^{3}/_{8}$", $84^{9}/_{16}$", and $90^{11}/_{16}$"


Build Your Own Elements—Thin Trim, continued

V Vertical Trim—Thin Trim



▶Specifying, page 362

Product Details



V vertical trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

120° junction caps and junction cap aligners are not included with V vertical trim and must be ordered separately.

A 120° to V aligner needs to be specified separately in applications connecting a thin 120° change-of-height trim to a V vertical trim.
▶See page 369.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: 28 15/16", 34 3/4", 41 1/4", 47 7/16", 53 5/8", 59 13/16", 66", 72 3/16", 78 3/8", 84 9/16", and 90 11/16"

End-of-Run/In-Line Change-of-Height Trim—Thin Trim



▶Specifying, page 363

Product Details



End-of-run/in-line change-of-height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

Vertical trim aligners to connect the change-of-height end-of-run/in-line vertical trim to the top cap are included with the end-of-run vertical trim.

Thin end-of-run/in-line change-of-height trim can only be applied to junctions manufactured on or after October 10, 2011.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: 6 3/16", 12 5/16", 18 1/2", 24 11/16", 30 7/8", 35 3/32", and 37 1/16"

L Corner Change-of-Height—Thin Trim



▶Specifying, page 364

Product Details



L corner change-of-height trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

An L to T aligner needs to be specified in applications connecting a thin L change-of-height trim to a T vertical trim.
▶See page 369.

Thin L change-of-height trim can only be applied to junctions manufactured on or after October 10, 2011.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: 6 3/16", 12 5/16", 18 1/2", 24 11/16", 30 7/8", 35 3/32", and 37 1/16"

T Corner Change-of-Height—Thin Trim



▶Specifying, page 364

Product Details



T corner change-of-height trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

An L to T aligner needs to be specified in applications connecting a thin L change-of-height trim to a T vertical trim.
▶See page 369.

Thin T change-of-height trim can only be applied to junctions manufactured on or after October 10, 2011.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: 6 3/16", 12 5/16", 18 1/2", 24 11/16", 30 7/8", 35 3/32", and 37 1/16"

120° Corner Change-of-Height—Thin Trim



▶Specifying, page 365

Product Details



120° corner change-of-height trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

A 120° to V aligner needs to be specified separately in applications connecting a thin 120° change-of-height trim to a V vertical trim.
▶See page 369.

Thin 120° change-of-height trim can only be applied to junctions manufactured on or after October 10, 2011.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions


Height: 6 3/16", 12 5/16", 18 1/2", 24 11/16", 30 7/8", and 37 1/16"

V Corner Change-of-Height—Thin Trim



▶Specifying, page 365

Product Details



V corner change-of-height trim height should be determined by using the build your own change-of-height junctions or build your own stacking junction sections of this specification guide.

A 120° to V aligner needs to be specified separately in applications connecting a thin 120° change-of-height trim to a V vertical trim.
▶See page 369.

V corner change-of-height trim can only be applied to junctions manufactured on or after October 10, 2011.

Surface Materials

- Paint
- Wood

Tip: Composite veneers are not available on Answer trims.

Actual Dimensions

Height: 6 3/16", 12 5/16", 18 1/2", 24 11/16", 30 7/8", and 37 1/16"

Build Your Own Change-of-Height—Thin Trim

Usage Rules

Follow these for all three height T, X, or Y applications and for all four height X applications. The change-of-height overview pages illustrate and provide a style number for all other standard combinations.


Example

Four change-of-height X application.

Post heights:
- 66"
- 54"
- 42"
- 30"

Trim:
- 12" change-of-height end-of-run
- Change-of-height corner junction cap
- 12" L change-of-height trim
- L to T aligner
- 12" T change-of-height trim
- Aligners

The specification guide supports specific style numbers for all L, T, X, V, and Y change-of-height applications with two heights (see page 338). If the change-of-height application has three or more heights, you must follow the directions on the following pages to properly specify your desired application.




Junction caps are always located at the second tallest panel height. If there are two panels at the same tallest height, the junction cap will be located there.

L to T aligners or 120° to V aligners are required to be specified in certain change-of-height applications to provide consistent alignment of trim pieces.

How to Build Your Own Change-of-Height Applications

Step 1: Draw out the panel application you would like to build (T, X, or Y).



Step 2: Junction Posts
Determine the post heights for each leg of the corner junction corresponding to the panel heights.



Side A (e.g. 78")
Side B (e.g. 66")
Side C (e.g. 54")
Side D (e.g. 42") (For use in X configurations with four different heights only)

Step 3: Junction Blocks
From the list below, select the change-of-height application type that matches your drawing:
a). T or Y junction with three different panel heights (go to step 3a).
b). X junction with three different panel heights (go to step 3b).
c). X junction with four different panel heights (go to step 3c).

Step 3a: If the shortest panel is 48" high or lower, order three blocks.
▶See specifying page 367.

If the shortest panel is 54" high, order four blocks.
▶See specifying page 367.

Step 3b: If there are two panels at 78" high and the lowest panel is 54" high, order five blocks.
▶See specifying page 367.

If there is a panel less than or equal to 48" high and only ONE panel at the tallest height, order three blocks.
▶See specifying page 367.

For all other change-of-height configurations order four blocks.
▶See specifying page 367.

Step 3c: For all X junctions with four different panel heights use four blocks.
▶See specifying page 367.

Step 4: Inside Corner Light Seals

- You will need two inside corner light seals for a T corner and four inside corner light seals for an X corner (none are needed for a Y corner).
- Inside corner light seals are sold in packages of four.
- Packages come in three heights: 54", 66", and 78".
- Specify the height to correspond to the tallest junction and field cut as necessary.


Inside corner light seal–54"H, package of four **TS754ICLS**
Inside corner light seal–66"H, package of four **TS766ICLS**
Inside corner light seal–78"H, package of four **TS778ICLS**

Step 5: Vertical Trim
Locate the application below that is the same as the application you originally illustrated.
Specify the trims listed in the option you selected below. You will be required to refer back to your original drawing several times to calculate the proper trim heights.

Build Your Own Change-of-Height—Thin Trim, continued

How to Build Your Own Change-of-Height Applications, continued

T Change-of-Height Application (3 heights)



Option 1

Step 2: Vertical Junction Posts


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**

Step 3: Junction Blocks - see step 3a on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

Thin end-of-run change-of-height = A - C	**TS7___TICHT(W)**
T change-of-height = C - B	**TS7___TCTCHT(W)**
T vertical = C	**TS7___TTVT(W)**
90° change-of-height corner cap	**TS790COHJC(W)**
Junction cap aligner	**TS7CJCA10** (10 pack)



Option 2

Step 2: Vertical Junction Posts


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**

Step 3: Junction Blocks - see step 3a on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

Thin end-of-run change-of-height = A - B	**TS7___TICHT(W)**
L change-of-height = B - C	**TS7___TCLCHT(W)**
T vertical = C	**TS7___TTVT(W)**
90° change-of-height corner cap	**TS790COHJC(W)**
L to T aligner	**TS7LTA4** (4 pack)
Junction cap aligner	**TS7CJCA10** (10 pack)



Option 3

Step 2: Vertical Junction Posts

A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**


Step 3: Junction Blocks - see step 3a on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

Thin end-of-run change-of-height = B - C	**TS7___TICHT(W)**
L change-of-height = C - A	**TS7___TCLCHT(W)**
T vertical = A	**TS7___TTVT(W)**
90° change-of-height corner cap	**TS790COHJC(W)**
L to T aligner	**TS7LTA4** (4 pack)
Junction cap aligner	**TS7CJCA10** (10 pack)

Y Change-of-Height Application (3 heights)



Option 1

Step 2: Vertical Junction Posts

A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**

Step 3: Junction Blocks - see step 3a on page 41


Step 4: Light seal None

Step 5: Trim

120° change-of-height = A - B	**TS7___T120CHT(W)**
V change-of-height = B - C	**TS7___TVCHT(W)**
120° corner cap	**TS7120JC(W)**
120° to V aligner	**TS7120VA4**

How to Build Your Own Change-of-Height Applications, continued

X Change-of-Height Application (3 heights)



Option 1

Step 2: Vertical Junction Posts


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**
D	**TS7___JP**

Step 3: Junction Blocks
see step 3b on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

T change-of-height = A - B	**TS7__TCTCHT(W)**
T change-of-height = A - D	**TS7__TCTCHT(W)**
90° junction cap	**TS790JC(W)**
Two junction cap aligners	**TS7CJCA10** (10 pack)



Option 2


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**
D	**TS7___JP**

Step 3: Junction Blocks
see step 3b on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

L change-of-height = A - C	**TS7___TCLCHT(W)**
T change-of-height = C - B	**TS7___TCTCHT(W)**
90° junction cap	**TS790JC(W)**
Two junction cap aligners	**TS7CJCA10** (10 pack)
L to T aligner	**TS7LTA4** (4 pack)



Option 3


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**
D	**TS7___JP**

Step 3: Junction Blocks
see step 3b on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

End-of-run change-of-height = A - B	**TS7__TICHT(W)**
T change-of-height = B - C	**TS7___TCTCHT(W)**
90° change-of-height junction cap	**TS790COHJC(W)**
Two junction cap aligners	**TS7CJCA10** (10 pack)



Option 4

Step 2: Vertical Junction Posts


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**
D	**TS7___JP**

Step 3: Junction Blocks
see step 3b on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

End-of-run change-of-height = A - C	**TS7__TICHT(W)**
T change-of-height = C - B	**TS7___TCTCHT(W)**
90° change-of-height junction cap	**TS790COHJC(W)**
Two junction cap aligners	**TS7CJCA10** (10 pack)



Option 5


A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**
D	**TS7___JP**

Step 3: Junction Blocks
see step 3b on page 41

Step 4: Light seals **TS7___ICLS**

Step 5: Trim

End-of-run change-of-height = A - D	**TS7__TICHT(W)**
L change-of-height = D - C	**TS7___TCLCHT(W)**
90° change-of-height junction cap	**TS790COHJC(W)**
Junction cap aligner	**TS7CJCA10** (10 pack)



Option 6

A	**TS7___JP**
B	**TS7___JP**
C	**TS7___JP**
D	**TS7___JP**

Step 3: Junction Blocks
see step 3b on page 41

Step 4: Light seals **TS7___ICLS**


Step 5: Trim

End-of-run change-of-height = D - B	**TS7__TICHT(W)**
Two T change-of-height = B - A	**TS7___TCTCHT(W)**
90° change-of-height junction cap	**TS790COHJC(W)**
Junction cap aligner	**TS7CJCA10** (10 pack)

Build Your Own Change-of-Height—Thin Trim, continued

How to Build Your Own Change-of-Height Applications, continued

X Change-of-Height Application (4 heights)



Option 7

Step 2: Vertical Junction Posts


A	**TS7____JP**
B	**TS7____JP**
C	**TS7____JP**
D	**TS7____JP**

Step 3: Junction Blocks
see step 3c on page 41

Step 4: Light seals **TS7____ICLS**

Step 5: Trim

End-of-run change-of-height = A - D	**TS7__TICHT(W)**
L change-of-height = D - C	**TS7__TCLCHT(W)**
T change-of-height = C - B	**TS7__TCTCHT(W)**
90° change-of-height junction cap	**TS790COHJC(W)**
Junction cap aligner	**TS7CJCA10** (10 pack)
L to T aligner	**TS7LTA4** (4 pack)



Option 8

Step 2: Vertical Junction Posts

A	**TS7____JP**
B	**TS7____JP**
C	**TS7____JP**
D	**TS7____JP**

Step 3: Junction Blocks
see step 3c on page 41


Step 4: Light seals **TS7____ICLS**

Step 5: Trim

End-of-run change-of-height = A - C	**TS7__TICHT(W)**
T change-of-height = C - B	**TS7__TCTCHT(W)**
T change-of-height = C - D	**TS7__TCTCHT(W)**
90° change-of-height junction cap	**TS790COHJC(W)**
Junction cap aligner	**TS7CJCA10** (10 pack)

Practice Examples—Thin Trim

Example One




Step 1: Draw out the application - X - 4 Change-of-Height

		Quantity	Style Number
Step 2: Vertical Junction Posts			
	A 66" H	1	**TS766JP**
	B 54" H	1	**TS754JP**
	C 42" H	1	**TS742JP**
	D 30" H	1	**TS730JP**
Step 3 (a-c): Junction Blocks (3c)		1	**TS790JB4**
Step 4: Light seal		1	**TS754ICLS** (4 pack)
Step 5: Trim			
	End-of-run change-of-height = A - B	1	**TS712TCICHT**
	L change-of-height = B - C	1	**TS712TCLCHT**
	T change-of-height = C - D	1	**TS712TCTCHT**
	90° change-of-height junction cap	1	**TS790COHJC**
	L to T aligner	1	**TS7LTA4** (4 pack)
	Junction cap aligner	1	**TS7CJCA10** (10 pack)

Note: Junction cap resides at the second tallest panel height. In this case there is a panel higher so it is a 90° change-of-height junction cap instead of a 90° corner junction cap.

Example Two




Step 1: Draw out the application - X - 3 Change-of-Height

		Quantity	Style Number
Step 2: Vertical Junction Posts			
	A 54" H	1	**TS754JP**
	B 54" H	1	**TS754JP**
	C 42" H	1	**TS742JP**
	D 30" H	1	**TS730JP**
Step 3 (a-c): Junction Blocks (3c)		1	**TS790JB4**
Step 4: Light seal		1	**TS754ICLS** (4 pack)
Step 5: Trim			
	L change-of-height = A - C	1	**TS712TCLCHT**
	T change-of-height = C - D	1	**TS712TCTCHT**
	90° junction cap	1	**TS790JC**
	L to T aligner	1	**TS7LTA4** (4 pack)
	Junction cap aligner	2	**TS7CJCA10** (10 pack)

Note: Junction cap resides at the second tallest panel height. In this case there are two panels at the tallest height so a 90° junction cap would be specified instead of a 90° change-of-height junction cap as in the previous example.

Example Three



Step 1: Draw out the application - Y - 3 Change-of-Height

		Quantity	Style Number
Step 2: Vertical Junction Posts			
	A 54" H	1	**TS754JP**
	B 42" H	1	**TS742JP**
	C 30" H	1	**TS730JP**
Step 3 (a-c): Junction Blocks (3b)		1	**TS7120JB3**
Step 4: Light seal		N.A.	N.A.
Step 5: Trim			
	120° change-of-height = A - B	1	**TS712T120CHT(W)**
	V change-of-height = B - C	1	**TS712TVCHT(W)**
	120° corner junction cap	1	**TS7120JC(W)**
	120° to V aligner	1	**TS7120A4** (4 pack)


Build Your Own 3" In-Line Junction—Thin Trim


Usage Rules

If you need to add inches to your application while planning, order the following parts in the appropriate heights to create an "I" junction or a 3" in-line junction connection.

Tip: Junctions 48"H or shorter require two junction blocks. Junctions 54"H or higher require three junction blocks.


Normal In-Line Connection





TOP VIEW

3" In-Line Junction



How to Build Your Own 3" In-Line Junction

Step 1: Panel Junction
2 **TS7___JP**

Step 2: Junction Blocks (pack of 3 - use 2 or 3 depending on height)

Step 3: Junction Cap
1 **TS790JC**

Step 4: Junction Cap Aligner (pack of 10 - use 1)
1 **TS7CJCA10**

Step 5: T Vertical Trim
2 **TS7___TTVT**

Practice Example

Quantity	Style Number
2	**TS754JP**
1	**TS790JB3**
1	**TS790JC**
1	**TS7CJCA10**
2	**TS754TTVT**


Build Your Own 3" In-Line Junction—Thin Trim

Build Your Own Stacking Junctions—Thin Trim

Stacking junctions have several implications on the actual frame components of the panel, as well as how the frame is trimmed.
Note: Same height stacking junctions are supported as style numbers, see page 355. This section should only be used when you need to stack and there is not a pre-configured stacking junction style number.


When stacking be sure to follow the steps listed below:

Step 1: Start by drawing out your base application ONLY (do not include stackers).



Corner


Example: 42"H T panel application label one panel A, one panel B, and one panel C.



In-Line


Example: 42"H in-line panel application label one panel A and one panel B.

Step 2: Label each panel with a letter and dimensions (remember to work counterclockwise).



Corner

Example: 42"H T panel application label one panel A, one panel B, and one panel C.





In-Line

Example: 42"H in-line panel application label one panel A and one panel B.


Step 3: Omit **ALL** trims (this will omit the junction cap and aligners as well).

Step 4: Determine where you would like stacking junctions on your application and label them with a letter and dimension.
Remember: Maximum height that an Answer panel can reach is 90". Maximum height that can be stacked on a base panel is 36" consisting of one 24"H and one 12"H or two 18"H stacking junctions.






Corner




In-Line

Step 5: Look at your application in total. Does your application have an in-line or corner (L, T, X, V, or Y) stacking junction?

- For in-line stacking, go to step 6
- For corner (L, T, X, V, or Y) stacking go to step 7



Step 6: In-line stacking junctions




Step 6a: Specify in-line stacking junction for the shared junction. The height specified is the shortest height of the stacking junction. In this example it would be the height of stacking junction D (12").

Step 6b: Specify an end-of-run stacking junction for the difference between the tallest stacking junction and the lowest stacking junction. In this example it would be the height of stacking junction C minus the height of stacking junction D (24" - 12" = 12").

Step 6c: Go to step 7 to specify end-of-run stacking junctions for the stacking junctions that are not in-line. To complete specifying the stacking junctions in this example, one 24" end-of-run and one 12" end-of-run stacking junction would need to be specified.


Step 7: Corner (L, T or X, V, or Y) stacking junctions

Look at each panel individually. Start with panel A and determine what you would like to stack to that panel (if anything). Repeat on the remaining panels in the application.



Base panel A: Add 12" thin end-of-run stacking junction (Panel D)
Base panel B: No change
Base panel C: Add 12" thin end-of-run stacking junction (Panel E)
Specify the proper height and type of stacking junction
1. End-of-run stacking junction
2. L, T, X, V, or Y stacking junction

Stacking junction panel D: 12" stacking junction requires two 12" end-of-run stacking junctions
Stacking junction panel E: 12" stacking junction requires two 12" end-of-run stacking junctions



Base panel A: Add 12" thin end-of-run stacking junction (Panel D)
Base panel B: Add 12" thin end-of-run stacking junction (Panel E)
Base panel C: No change

Stacking junction panel D: 12" stacking junction requires one 12" end-of-run stacking junction and a 12" "L" to be shared with panel E
Stacking junction panel E: 12" stacking junction requires one 12" end-of-run stacking junction


Note: 1. Corner stacking junctions are created by attaching thin end-of-run stacking junctions and junction blocks.
2. Thin end-of-run stacking junctions are also used when creating an in-line change-of-height condition.
3. In-line stacking junctions are only used when creating in-line stacking conditions when adjacent panels are the same height.

▶ See page 356 to specify.


Build Your Own Stacking Junctions—Thin Trim, continued

Step 8: Stacking horizontal frame packages
Each stacking junction needs to be connected by at least one stacking horizontal frame package.

If one side of the panel section has two stacking junctions, and the other side has one, two stacking horizontal frame packages need to be specified.




If there is one stacking junction on both sides of the panel, specify one stacking horizontal frame package to be shared between the two stacking junctions.



▶ See page 372 to specify.

Step 9: Junction blocks
Junction blocks are required at the top of each junction whenever there are two or more junctions or stacking junctions adjacent to each other in a corner application.




▶ See page 367 to specify.

Step 10: Junction caps and aligners
Now that the application is constructed, trims need to be added (since ALL trims were omitted in step 2).

90° Applications (In-Line, L, T, and X)


Same height base application stacking to same height application
Change-of-height base application stacking to a change-of-height application
Change-of-height base application stacking to same height application
Same height base application stacking to change-of-height application

Same height base application stacking to same height application (see drawing)



Specify: Junction cap: 90° corner
Junction cap aligner: Number required is equal to the number of panels connecting to the junction cap


Change-of-height base application stacking to a change-of-height application (see drawing)



Specify: Junction cap: 90° corner change-of-height
Junction cap aligner: Number required is equal to the number of panels at the second tallest height


Step 10: Junction caps and aligners, continued

Change-of-height base application stacking to same height application (see drawing)



Specify: Junction cap: 90° corner
Junction cap aligner: Number required is equal to the number of panels connecting to the junction cap

Same height base application stacking to change-of-height application (see drawing)



Junction cap: 90° corner change-of-height
Junction cap aligner: Number required is equal to the number of panels at the second tallest height

120° applications (V or Y) - All 120° applications require:

Junction cap: 120° junction cap
Junction cap aligner: Number required is one less than the number of panels connecting to the junction cap

For complete list of style numbers:
Junction cap ▶See page 368.
Junction cap aligner ▶See page 368.

Step 11: Trim

90° Applications	**Required to Specify**
Level 1	
One panel at the tallest height	End-of-run/change-of-height trim = tallest height minus second height
Two panels at the tallest height in an "L" configuration	L trim = tallest height minus the third height (could be to the floor)
Two panels at the tallest height along the spine of a "T" configuration Look at both sides of the spine individually as two T trims (different heights) will need to be specified.	T trim = tallest height minus the third height (could be to the floor).
Three panels at the tallest height	T trim = tallest height minus the fourth height (could be the floor).
Level 2	
Two panels at the second height or higher in an "L" configuration	L trim - second height minus third height
Two panels at the second height along the spine of a "T" configuration	T trim = second height minus the third height (could be to the floor). Look at both sides of the spine individually as two T trims (different heights) will need to be specified.
Three panels at the second height or higher	T trim - second height minus third height
Level 3	
Three panels at third height	T trim - third height minus fourth height

120° Applications	**Required to Specify**
Level 1	
One panel at the tallest height	120° change-of-height trim = tallest height minus second height
Two panels at the tallest height in a "V" configuration	V trim = tallest height minus the third height (could be to the floor)
Level 2	
Two panels at the second height or higher in a "V" configuration	V trim = second height minus the third height (could be to the floor)

Step 12: Inside corner light seal

Specify Inside corner light seal to match the overall height of the lower panel in the application (used only on 90° applications).

Step 13: Change-of-height aligners

If you have both L and T aligners at one junction, an L/T aligner is needed.
If you have both 120° and V trims at one junction, a 120°/V aligner is needed.

Reconfiguring with Answer—General Guidelines

General Junction Guidelines

Junctions manufactured **before** 10/10/11 are purpose built and have specific features.
- Skin clip attachment locations every 12"
- Cannot accept 6" technology skin
- Cannot accept the open base trim
- Large opening for routing power and data is only at worksurface height
- Corner junctions are purpose built and cannot change configuration from one application to the next

Junctions manufactured **after** 10/10/11 are universal corner junctions.
- Skin clip attachment locations every 6"
- Can accept 6" technology skin
- Can accept the open base trim
- Large openings for routing power and data are located every 12" inside the panel
- Corner junctions are considered universal. The junction can easily be transformed from one configuration to another (i.e. turn an L- into a T-junction)

Purpose built and universal corner junctions can be used in the same application.

Junctions Manufactured Before and After 10/10/11

In-line junctions can be used with Oval, Square, or Thin panel trim. In-line junctions manufactured before OR after 10/10/11 can be used with Thin trim. The only differences between the junctions are those listed in the general guidelines above.

Corner Junctions
Same Height
- Same height are interchangeable between Oval, Square, or Thin panel trim.
- Same height corner junctions manufactured before OR after 10/10/11 can be used with Thin trim.

- **Universal junction configuration** (manufactured after 10/10/11)
  – Post and block configuration – all the posts are the same height.
  – Can be reconfigured to another style corner junctions.
  – Can accept Oval, Square, or Thin panel trims.

Examples:

❶ Change an L to a T
- Add one junction post
- Replace the L trim with a T trim
- Add a junction cap aligner
- Inventory L trim

❷ Change an L to an X
- Add one junction post
- Add two junction cap aligners
- Inventory L trim

❸ Change a T to an L
- Remove one junction post
- Remove one junction cap aligner
- Replace the T trim with an L trim

❹ Change an X to an L
- Remove two junction posts
- Remove two junction cap aligners
- Add an L trim

❺ Change an X to a T
- Remove one junction post
- Remove one junction cap aligner
- Add a T trim

Purpose Built Junction configuration (manufactured before 10/10/11)
- Cannot be reconfigured to be another style corner junction. If desire to change from an L- to a T-junction, the entire junction must be changed out.
- Can accept Oval, Square, or Thin panel trims.

Corner Junctions – Change-of-Height
Thin Trim
- Change-of-height corner junctions can only accept universal junctions manufactured after 10/10/11.
- Junction posts will **only go up to the height of the panels**

Example:

❶ 42/54" L-junction
- One junction post at 42"H
- One junction post at 54"H

- Cannot accept purpose built change-of-height junctions manufactured before 10/10/11.
- When reconfiguring from Square or Oval trim to Thin trim, purpose built corner junctions must be change to universal corner junctions.

Junctions Manufactured Before and After 10/10/11, continued

Corner Junctions – Change-of-Height, continued

Oval and Square Trim

- Can accept junctions manufactured before 10/10/11 (purpose built configuration).
- Can accept junctions manufactured after 10/10/11 (universal junction configuration).
- Junction posts will go up to the **highest** panel height

Example:

❶ 42/54" L-junction
- Two junction posts at 54"H

End-of-Run Junctions

Thin Trim

- Thin trim requires Thin end-of-run junctions
- When reconfiguring from Square or Oval trim to Thin trim, all end-of-run junctions must be changed to Thin end-of-run junctions

Square and Oval Trim

- The end-of-run junction utilized in a Square or Oval application is the same as the in-line junction.
- Square and Oval applications cannot use Thin end-of-run junctions.

Stacking Junctions

- Stacking junctions manufactured before 10/10/11 can be stacked on purpose built junctions (before 10/10/11) or universal junctions (after 10/10/11).
- Stacking junctions manufactured after 10/10/11 can be stacked on purpose built junctions (before 10/10/11) or universal junctions (after 10/10/11).

Trims

Trim style must be consistent across the entire application. Trim styles cannot be mixed and matched across applications.

Example:

❶ Square top caps cannot be used with Thin vertical trims. The entire application must be Thin trim (top caps and vertical trim) OR the entire application must be Square trim (top caps and vertical trim).

New Junctions (after 10/10/11) to New Junctions

End-of-Run Junctions

- **End-of-run junction** includes junction post plus an end-of-run trim and aligner.
  – When reconfiguring a junction post can be used at an end-of-run or as a post to make up a 90° or 120° corner.
  – End-of-run junctions are not the same as in-line junctions.

In-line Junctions


- **End-of-run junction** includes a junction and an in-line aligner.
  – In-line junctions cannot be used at an end-of-run with Thin trim.
  – In-line junctions can be used at an end-of-run with Square or Oval trim.
  – In-line junctions **cannot** be used at a corner junction.

Corner Junctions

- Universal corner junctions are made up of blocks and posts.
- Universal corner junctions can be changed from one configuration (i.e. L) to another configuration (i.e. T, X, V, or Y) by adding blocks and/or junction posts.
- When reconfiguring corner junctions, additional corner trim and aligner pieces will need to be ordered.

Reconfiguring with Answer—General Guidelines, continued

New Junctions (after 10/10/11) to New Junctions, continued



Current Style Number (Square before 10/10/11)			New Style Number (Thin after 10/10/11)			
Qty	**Style Number**	**Description**	**Qty**	**Style Number**	**Description**	
4	TS718SHF	Frame—Horizontal Package, Square, 18"W, change-of-height at one end of top cap	4	TS718THF	Frame—Horizontal Package, Thin, 18"W	
2	TS736SHF	Frame—Horizontal Package, Square, 36"W (omit top cap)	2	TS736THF	Frame—Horizontal Package, Thin, 36"W	
4	TS742SEPJ	Junction—End-of-Run, Square, 42"H	4	TS742TEPJ	Junction—End-of-Run, Thin, 42"H	
2	TS742SIPJ	Junction—In-Line, Square, 42"H	2	TS742TIPJ	Junction—In-Line, Thin, 42"H	
2	TS7454STPJ	Junction—T Junction	2	TS7454TCTJ	Junction -T, Change-of-Height, Thin, 42" to 54" to 42"	
4	TS712SCHS	Change-of-Height Trim, Square	N.A.	N.A.	N.A.	
2	TS748SHF	Frame—Horizontal Package, Square, 48"W	2	TS748THF	Frame—Horizontal Package, Thin, 48"W	
1	TS754SIPJ	Junction—In-Line, Square, 54"H	1	TS754TIPJ	Junction—In-Line, Thin, 54"H	
2	TS772STC	Spanning Top Cap—Square, 72"W	2	TS772TTC	Spanning Top Cap—Thin, 72"	
The following style numbers can be re-used in this configuration:						
4	TS73618TKF	Panel Skin—Tackable Acoustical, 40" x 18", Floor				
4	TS73636TK	Panel Skin—Tackable Acoustical, 36" x 36"				
4	TS73648TK	Panel Skin—Tackable Acoustical, 36" x 48"				
2	TS71284SPW	Window—Single Pane				
2	TS7SWS	Spanning Window In-Line Support				
4	WS2472S	Worksurface—Straight				
4	UTTRMN	Tray—Universal Worksurface, Modular				
4	TS7WKSPT	Reinforcing Channel, 57"W				
4	DSR 40	SOTO Rail, 40"W				
8	CQSF4212	Screen—Personal/Modesty Fixed				
4	UFC24	Leg—Universal Closed				
4	RLF18361AP	Lateral—Universal, Proud Front Steel, 1.5-High Open/Open				
4	RLF18361BP	Lateral—Universal, Proud Front Steel, 1.5-High Dwr/Dwr				
4	RPDC1836P	Cushion				
2	BFR36	Table—Round				
2	BX26	Base—X				
2	USSBR	Bracket—side support				

	Need To Order			Extra (to inventory)		
	Qty	**Style Number**	**Description**	**Qty**	**Style Number**	**Description**
	4	T521710SR	Thin Trim Top Cap—18"W – Service Part	4	N.A.	Square Trim Top Cap—18"W, change-of-height one end
	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	4	TS742TEPJ	Junction—End-of-Run, Thin, 42"H (includes junction and trim)	4	TS742SEPJ	Junction—End-of-Run, Square, 42"H (includes junction and trim)
	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	2	TS7454TCTJ	Junction—T, Change-of-Height, Thin, 42" to 54" to 42"	2	TS7454STPJ	Junction—T, Junction
	N.A.	N.A.	N.A.	4	TS712SCHS	Change-of-Height Trim, Square
	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	2	TS784TTC	Spanning Top Cap—Thin, 84"	2	TS784STC	Spanning Top Cap—Square, 84"

Reconfiguring with Answer—General Guidelines, continued

SmartTools Specification Tips

- Before 10/10/11 Oval and Square junctions were manufactured with purpose build junctions. Starting 10/10/11 Oval and Square junctions began being manufactured with universal junctions. The style number stayed the same but the junction construction changed.
- SmartTools designates new and old junctions. Old junctions are designated with an asterisk (*).
- SmartTools provides the ability to change between new and old junctions, as well as connect them together where applicable.
- For assistance in reconfigurations, SmartTools allows designers to create "alternatives". Alternatives will allow designers to create an original application (alternative one) and make a copy of it (alternative two). The designer can then make design changes to alternative two to reflect what the reconfigured space will look like.
- Once design changes are made, the designer will be able to use SmartTools outputs to compare alternative one to alternative two to determine the following information:
  - Bucket one: What product from alternative one can be used in alternative two.
  - Bucket two: What product from alternative one will not be needed in alternative two.
  - Bucket three: What additional product will be needed in alternative two.
  - Since universal junctions can be broken down into individual components (blocks, posts, light seals, and trim), to re-use the maximum number of parts a designer can manually determine if a match can be made between the parts left in bucket two and the parts needed in bucket three.


Base Horizontal Frame Packages—Thin Trim

Base horizontal frame packages include horizontal connecting bars that lock into vertical junctions and complete the structure of a panel. A top cap and pair of base trims are also included. Cable tray and base cable tray are available as options.
▶ Specifying, page 370

Top cap snaps onto top of panel skins. Top caps to accommodate change-of-height are also available. Wood veneer is available as an option.

Quick lock connects horizontal bars to vertical junctions for quick assembly.

Horizontal connecting bars lock into vertical junctions. The top bar can be lowered to a maximum of 24" from the top position. The bottom bar must always be positioned in the lowest slot in a junction.



Optional base cable tray can be used to support lay-in of cables.

Big open base option includes vertical trim.

Optional cable tray can be used for additional support of cables. Additional cable trays can be installed and arranged at various heights within the frame for communications access and cable routing.

Base trims, open base, or big open base trim styles are available on panels with Thin trim style.

Base trim with knockouts accommodates power and communication terminations. Top knockout is for power, bottom knockout is for communication. Filler to close unused openings is available from Service Parts **(TS7BTFSR)**.


Actual Dimensions

Width	17 13/16", 23 13/16", 29 13/16", 35 13/16", 41 13/16", 47 13/16", 59 13/16", and 71 13/16"
Base trim height	3 3/4"
Big open base height	9 11/16"


Receptacle Opening

Width of opening	2 5/8"
Height of opening	1 3/8"

Product Details




Horizontal frame packages are available when you want to build up your own panel. The package includes all the components of a panel except the skins so you can order the skins separately to mix combinations of skin surface materials and colors. These frame packages do not include vertical junctions. Options for big open base and open base are available. Cable trays and base cable trays are optional.




Two horizontal connecting bars must be used in each base panel.


Horizontal bars determine panel width. They are not dedicated to a specific panel height; any horizontal bar can be used or reused with any junction height.



Top horizontal bar may be lowered to allow for a 12"H, 18"H, or 24"H glass window to be placed at the top of the panel. Bottom horizontal bar in base panel must remain in lowest position.




Top caps are available in three styles - thin, square, and oval. This section covers Thin trims. Horizontal frame packages should be specified with Thin trim. Thin, square, and oval top caps can not be mixed between adjacent panels. *Tip: Change-of-height top cap option is only needed when using in-line change-of-height.*



Omit top cap option is available and should be selected when adding a frameless glass screen to the top of the panel, when spanning a single top cap across multiple panels, or when adding a Universal or Sarto screen to the top of the panel.


Spanning top caps are available for Thin trims.

When spanning a single top cap across multiple panels, select the omit top cap option and specify a spanning top cap separately. Top cap width must match total width of spanned panels.




Spanning top caps can only be used in an in-line condition. They cannot span over a corner junction.

Spanning top caps can be used on any panel height.




In-line spanning top cap lightseals should be specified separately for each in-line panel joint the top cap spans.

Omit base trim option should be selected when using skins to the floor.




Base trims are available with or without knockouts. Base trims with knockouts accommodate power and communication terminations.




Open base trims are available. They do not accommodate power and data routing or entry in the base. Open base trim can only be added on a junction manufactured on or after October 10, 2011.


Open base trims occupy the same space as the standard base trims. Open base trims occupy the bottom 3¾" of the panel; the height of the opening is 2½".



A panel with open base trim cannot serve as the spine panel in an off-module connection.



Big open base option is available on Thin trim panel. The horizontal frame package includes two inside vertical trims in addition to two horizontal connecting bars and a Thin trim top cap.




Big open base option provides a larger open base aesthetic for the panel. The opening is about 10"H.

When the big open base option is specified, big open base skins must be used.


When big open base is used, power is available only at 20"H or higher.

Big open base trim package is available for reconfiguring a panel segment to the big open base. The big open base trim package includes two inside vertical trims. The big open base reconfiguration package is **TSBBOBTRM**.




An off-module connector cannot be used on a spine wall with big open base.

For a power and data infeed cover for use with Answer panel or Answer Beam big open base trim, contact Specials.



Cable tray can be positioned every 6" vertically above the base to support cable routing.


Cable tray can accept added cable carriers attached below tray to expand horizontal cable management options. ▶See *Montage Specification Guide* for cable carrier (**ZCC**).



Base cable tray is used only in the base to support lay-in cable routing in the base. Base cable tray cannot be used if omit base trim option is selected for one or both sides of panel or if open base trim is used.


Base Horizontal Frame Packages—Thin Trim, continued

Connections




Quick lock on both ends of the panel's horizontal connecting bars engage the junction in a tight structural connection.


Wiring & Cabling




Vertical lay-in cable routing can be accommodated behind skins.




As an alternative to lay-in cable routing, vertical routing of power and cables through panel interior can be accommodated by openings in horizontal connecting bars. Also, see lay-in utility packages for vertical lay-in of power and cables.
▶Page 168




Power and data enter a panel with big open base from underneath the panel. Route power and data up through large vertical routing openings in the horizontal bar. Use a multipurpose infeed to bring power into a panel with big open base.



Feed-through horizontal connecting bar cable sleeves can be added in the field to finish the exposed metal edges of vertical cable pass-through openings.



Knockouts in base trim can be removed in the field where needed. Knockout dimensions are 1⅜"H by 2⅝"W.



Communication outlets attach to openings in panel base trim. Order communication outlets from an outside vendor. Knockouts for communication in base accommodate modular furniture size only.

Surface Materials

Top cap base trim, open base trim, and big open base vertical trim

- Paint color chosen on base trim will also apply to the top cap. They are not chosen independently.
- Wood veneer (option)

Tip: Answer panel wood trims are only available with quarter-cut finishes with the exception of maple finishes. Maple on wood trims is only available with flat-cut finishes. For ordering simplicity, both flat-cut and quarter-cut finishes can be specified on panel trims. However, for all finishes except maple, if a flat-cut finish is selected, the trims will have the coordinating quarter-cut finish. For maple finishes, if quarter-cut is selected, the trims will have the coordinating flat-cut finish. Blending panel trims with other wood products that have flat-cut finishes will be visually acceptable for most applications. If a more exact match is desired for non-maple finishes, please specify quarter-cut finishes for the entire project. If a more exact match is desired for maple finishes, please specify flat-cut finishes for the entire project.

Horizontal connecting bars

- Black paint

Tip: Components are hidden when properly installed.

Application Topics

Use a cable tray to provide extra support for 60"W and 72"W full skins where people may lean against the panel.


Base Horizontal
Frame Packages—
Thin Trim

Stacking Horizontal Frame Packages

Stacking horizontal frame package provides structural stability for stacking junctions.
▶ Specifying thin, page 372

Each stacking junction is specified separately.
▶ Page 355

When stacking, vertical trim must be specified separately to span the full-height of the base junctions plus the stacking junction.



Each stacking segment must have one horizontal connecting bar.
Exception: If a window is used with stacking junctions, a horizontal connecting bar is not needed.


Horizontal connecting bar is included with each stacking horizontal frame package.

Skins, ordered separately, are added to both sides of stacking frame.

Actual Dimensions

Width 17¼", 23¼", 29¼", 35¼", 41¼", 47¼", 59¼", and 71¼"


Product Details



Stacking horizontal frame package includes one horizontal connecting bar. Stacking junction is not included.

Stacking horizontal frame package is available in eight widths— 18", 24", 30", 36", 42", 48", 60", and 72"—to match panel width. These horizontal connecting bars are identical to those in horizontal frame packages and can be re-used with any type of junction.


Connections




Quick-lock mechanism on the horizontal connecting bar engages the stacking junction in a tight structural connection.

Base panel must always have two horizontal connecting bars.


Wiring & Cabling



Vertical lay-in cable routing can be accommodated behind skins.



Vertical routing of power and cables through panel interior is accommodated by openings in horizontal connecting bars.



Feed-through horizontal connecting bar cable sleeves can be added in the field to finish the exposed metal edges of vertical cable pass-through openings.

Power kit installation for stacking components is the same process as for installation in base panels.


Surface Materials

Stacking horizontal frame package


- Black

Tip: Components are hidden when properly installed.


Application Topics



When stacking a 12"H, 18"H, or 24"H window, a stacking horizontal frame package is not needed. Remember, the base panel always has two horizontal connecting bars for support.



When double stacking junctions, each stacking junction must have a horizontal beam.



No more than two windows can be stacked on top of each other.


Stacking horizontal frame package is used when additional horizontal bar is needed in off-module application. See off-module guidelines.

Stacking Stability Guidelines provides detailed information on applications.
▶ Page 142

Frameless Glass Screens with Recessed Attachment—Thin Trim

Frameless glass screen with recessed attachment can be added to the top of a panel to help define space and provide some privacy while still providing access to natural light and promoting communication between adjacent workers.

▶ Specifying, page 374



Actual Dimensions

Glass Width—standard: 23 7/8", 29 7/8", 35 7/8", 41 7/8", 47 7/8", 53 7/8", 59 7/8", 65 7/8", 71 7/8", 77 7/8", 83 7/8", 89 7/8", and 95 7/8"

Glass Width—change-of-height one end Thin trim: 23 7/16", 29 7/16", 35 7/16", 41 7/16", 47 7/16", 53 7/16", 59 7/16", 65 7/16", 71 7/16", 77 7/16", 83 7/16", 89 7/16", and 95 7/16"

Glass Height: 9 5/16", 15 1/2", 21 11/16", and 27 7/8"


Visible Glass Height Above Top Cap: 6 3/16", 12 3/8", 18 9/16", and 24 3/4"

Glass Thickness: 3/8"


Product Details

Frameless glass screen with recessed attachment is secured to horizontal connecting bar by supports below the top cap. Two brackets are used below the top cap to attach the glass to the panel on 24"–66"W panels. Three brackets are used on panels 72" and wider.

Frameless glass screens with recessed attachment can be used on panels with thin profile trim.



Frameless glass kit includes glass screen, supports, and top caps.



Gap between adjacent glass screens is 1/8".

Surface Materials

Glass

- 6500 Clear Glass
- 6530 Frosted Glass


Tip: Frosted glass for recessed frameless glass attachment is a laminated construction.There may be variation in color, texture, and finish between the sample of 6530 Frosted Glass and the actual product.

Top cap

- Paint
- Wood veneer


Application Topics

Frameless glass screen can be placed on the top of a panel only. Top beam in the panel must be located in the top position of the frame in order to support frameless glass. Frameless glass can be used on base panels or stacking panels.




Frameless glass screen cannot be used when a window is located in the top position of the panel.

Frameless glass screen cannot be added to a panel segment with a 6" stacker.




At an in-line change-of-height condition, a change-of-height top cap should be specified. Change-of-height top cap option is available to allow for positioning of glass next to change-of-height trim on one side only. Glass is shortened and top cap provided supports change-of-height on one end only. A change-of-height top cap is not needed at a corner change-of-height condition.




Frameless glass screen will not fit between two in-line change-of-height trims.

Frameless glass kit is available without glass screen to accommodate customer's own glass. See chart of field installed glass size requirements for specific dimensions required for glass to fit in frameless glass brackets. Steelcase recommends the use of safety glass meeting ANSI Z97.1 for field installed glass. Check with your local building authority for requirements in your area.



A single frameless glass screen can span over two or more in-line panels up to 96".

Frameless glass screens with recessed attachment cannot span a corner junction.



In-line spanning top cap lightseal must be specified separately when used in this application. Spanning top cap lightseal attaches to underside of top cap to fill space between skin lightseals. Specify one for each in-line junction the frameless glass screen spans.




Before November 2012



After November 2012

Plastic end-of-run and junction cap aligners manufactured after November 2012 will have features to accommodate recessed frameless glass. Aligners manufactured before November 2012 will not be able to accommodate recessed frameless glass and new aligners will need to be ordered.



Each Answer frameless glass with recessed attachment kit will come with two aligners to align top caps when two frameless glass kits are used in an in-line condition.

When specifying frameless glass or top cap mounted storage in a wall-start application or an off module fin panel, the wall-start option should be selected. A recessed frameless glass top cap connector **(TS7TFGRC)** must also be ordered for this application.




A recessed frameless glass top cap connector (TS7TFGRC) must be specified when a frameless glass screen is adjacent to a corner junction and the frameless glass top caps are located at a different (lower) height than the junction cap.

A recessed frameless glass top cap connector must be specified when recessed frameless glass is coming into an in-line change-of-height condition and the recessed frameless glass is located on the lower panel.


A recessed frameless glass top cap connector (TS7TFGRC) must be specified when a frameless glass screen is adjacent to a boundary screen that is the same or taller height as the panel.

A recessed frameless glass top cap connector must be specified when recessed, frameless glass is adjacent to a utility pole.


Frameless Glass Screens with Recessed Attachment—Thin Trim, continued



Recessed frameless glass cannot be used on a spine panel hosting the same height off-module connection. The off-module fin panel can use recessed frameless glass, but must have the wall-start option specified.



When omitting glass and using acrylic or 3 form material in place of glass additional support clamps may need to be ordered as service parts **(T522096SR** or **T522097SR)**. Frameless glass kits 54" to 66" will also require additional support clamps to be ordered. When installing the support clamps the maximum allowed distance between the clamps is 48".



Both ends of the frameless glass screen must be at a junction. The frameless screen cannot end in the middle of a panel segment.

Field-Installed Glass Size Requirements

Style Number	Heights	Maximum Width	Thickness Range (min-max)
Standard			
TS7624TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	23 7/8"	.350–.4500"
TS7630TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	29 7/8"	.350–.4500"
TS7636TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	35 7/8"	.350–.4500"
TS7642TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	41 7/8"	.350–.4500"
TS7648TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	47 7/8"	.350–.4500"
TS7654TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	53 7/8"	.350–.4500"
TS7660TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	59 7/8"	.350–.4500"
TS7666TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	65 7/8"	.350–.4500"
TS7672TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	71 7/8"	.350–.4500"
TS7678TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	77 7/8"	.350–.4500"
TS7684TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	83 7/8"	.350–.4500"
TS7690TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	89 7/8"	.350–.4500"
TS7696TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	95 7/8"	.350–.4500"
TS71224TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	23 7/8"	.350–.4500"
TS71230TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	29 7/8"	.350–.4500"
TS71236TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	35 7/8"	.350–.4500"
TS71242TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	41 7/8"	.350–.4500"
TS71248TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	47 7/8"	.350–.4500"
TS71254TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	53 7/8"	.350–.4500"
TS71260TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	59 7/8"	.350–.4500"
TS71266TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	65 7/8"	.350–.4500"
TS71272TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	71 7/8"	.350–.4500"
TS71278TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	77 7/8"	.350–.4500"
TS71284TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	83 7/8"	.350–.4500"
TS71290TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	89 7/8"	.350–.4500"
TS71296TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	95 7/8"	.350–.4500"
TS71824TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	23 7/8"	.350–.4500"
TS71830TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	29 7/8"	.350–.4500"
TS71836TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	35 7/8"	.350–.4500"
TS71842TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	41 7/8"	.350–.4500"
TS71848TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	47 7/8"	.350–.4500"
TS71854TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	53 7/8"	.350–.4500"
TS71860TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	59 7/8"	.350–.4500"
TS71866TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	65 7/8"	.350–.4500"
TS71872TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	71 7/8"	.350–.4500"
TS71878TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	77 7/8"	.350–.4500"
TS71884TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	83 7/8"	.350–.4500"
TS71890TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	89 7/8"	.350–.4500"
TS71896TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	95 7/8"	.350–.4500"


Field-Installed Glass Size Requirements

Style Number	Heights	Maximum Width	Thickness Range (min-max)
Change-of-Height—one end			
TS7624TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	23 7/16"	.350–.4500"
TS7630TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	29 7/16"	.350–.4500"
TS7636TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	35 7/16"	.350–.4500"
TS7642TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	41 7/16"	.350–.4500"
TS7648TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	47 7/16"	.350–.4500"
TS7654TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	53 7/16"	.350–.4500"
TS7660TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	59 7/16"	.350–.4500"
TS7666TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	65 7/16"	.350–.4500"
TS7672TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	71 7/16"	.350–.4500"
TS7678TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	77 7/16"	.350–.4500"
TS7684TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	83 7/16"	.350–.4500"
TS7690TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	89 7/16"	.350–.4500"
TS7696TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	95 7/16"	.350–.4500"
TS71224TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	23 7/16"	.350–.4500"
TS71230TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	29 7/16"	.350–.4500"
TS71236TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	35 7/16"	.350–.4500"
TS71242TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	41 7/16"	.350–.4500"
TS71248TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	47 7/16"	.350–.4500"
TS71254TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	53 7/16"	.350–.4500"
TS71260TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	59 7/16"	.350–.4500"
TS71266TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	65 7/16"	.350–.4500"
TS71272TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	71 7/16"	.350–.4500"
TS71278TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	77 7/16"	.350–.4500"
TS71284TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	83 7/16"	.350–.4500"
TS71290TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	89 7/16"	.350–.4500"
TS71296TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	95 7/16"	.350–.4500"
TS71824TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	23 7/16"	.350–.4500"
TS71830TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	29 7/16"	.350–.4500"
TS71836TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	35 7/16"	.350–.4500"
TS71842TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	41 7/16"	.350–.4500"
TS71848TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	47 7/16"	.350–.4500"
TS71854TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	53 7/16"	.350–.4500"
TS71860TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	59 7/16"	.350–.4500"
TS71866TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	65 7/16"	.350–.4500"
TS71872TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	71 7/16"	.350–.4500"
TS71878TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	77 7/16"	.350–.4500"
TS71884TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	83 7/16"	.350–.4500"
TS71890TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	89 7/16"	.350–.4500"
TS71896TFGR	9 5/16", 15 1/2", 21 11/16", and 27 7/8"	95 7/16"	.350–.4500"

Frameless Glass Screens with Clip Attachment—Thin Trim

Frameless glass screen with clip attachment can be added to the top of a panel to help define space and provide some privacy while still providing access to natural light and promoting communication between adjacent workers.


▶ Specifying, page 378




Product Details

Frameless glass screen with clip attachment is secured to horizontal connecting bar by supports below the top cap and brackets above the top cap. Two brackets are used above the top cap to attach the glass to the panel on 24"–60"W panels. Three brackets are used on panels 78" and wider.

Frameless glass screens with clip attachment can be used on panels with thin profile trim.



Frameless glass kit includes glass screen, brackets, supports, and top cap with holes to accommodate brackets.



Gap between adjacent glass screens is 1/4".

Actual Dimensions

Glass Width – standard: 23 3/4", 29 3/4", 35 3/4", 41 3/4", 47 3/4", 59 3/4", 71 3/4", 77 3/4", 83 3/4", 89 3/4", and 95 3/4"

Glass Width – change-of-height one end thin trim: 23 1/4", 29 1/4", 35 1/4", 41 1/4", 47 1/4", 59 1/4", 71 1/4", 77 1/4", 83 1/4", 89 1/4", and 95 1/4"

Glass Height: 11 3/4"

Glass Thickness: 3/8"

Note: Total height from top cap to top of glass is approximately 12 3/8" to account for clip attachment.

Surface Materials

Glass
- 6500 Clear Glass
- 6530 Frosted Glass


Tip: Frosted glass for clip attachment frameless glass is a double opaque glass construction. There may be variation in color, texture, and finish between the sample of 6530 Frosted Glass and the actual product.

Brackets
- Paint

Top cap
- Paint
- Wood veneer


Application Topics

Frameless glass screen can be placed on the top of a panel only. Top beam in the panel must be located in the top position of the frame in order to support frameless glass. Frameless glass can be used on base panels or stacking panels.




Frameless glass screen cannot be used when a window is located in the top position of the panel.

Frameless glass screen cannot be added to a panel segment with a 6" stacker.




Change-of-height top cap option is available to allow for positioning of glass next to change-of-height trim on one side only. Glass is shortened and top cap provided supports change-of-height on one end only.




Frameless glass screen will not fit between two change-of-height trims.


Frameless glass kit is available without glass screen to accommodate customer's own glass. See chart of field installed glass size requirements for specific dimensions required for glass to fit in frameless glass brackets. Steelcase recommends the use of safety glass meeting ANSI Z97.1 for field installed glass. Check with your local building authority for requirements in your area.



A single frameless glass screen can span over two or more panels.



90" and 96" wide frameless glass screen kits include three brackets. Two brackets attach to supports below the top cap. The third bracket attaches only to the top cap through a hole that is drilled in the top cap by the installer on site.




In-line spanning top cap lightseal must be specified separately when used in this application. Spanning top cap lightseal attaches to underside of top cap to fill space between skin lightseals. Specify one for each in-line junction the frameless glass screen spans.

A template tool is available from Service Parts **(T511082SR)** to assist in locating where holes are to be drilled on the beam of an existing panel to allow supports to be attached. This only applies to beams produced prior to September 2009. Beams produced after this date include holes to allow frameless glass supports to be attached.

Field-Installed Glass Size Requirements

Style Number	Maximum Height	Maximum Width	Thickness Range (min-max)
Standard			
TS71224TFG	11 3/4"	23 3/4"	.350-.400"
TS71230TFG	11 3/4"	29 3/4"	.350-.400"
TS71236TFG	11 3/4"	35 3/4"	.350-.400"
TS71242TFG	11 3/4"	41 3/4"	.350-.400"
TS71248TFG	11 3/4"	47 3/4"	.350-.400"
TS71260TFG	11 3/4"	59 3/4"	.350-.400"
TS71272TFG	11 3/4"	71 3/4"	.350-.400"
TS71278TFG	11 3/4"	77 3/4"	.350-.400"
TS71284TFG	11 3/4"	83 3/4"	.350-.400"
TS71290TFG	11 3/4"	89 3/4"	.350-.400"
TS71296TFG	11 3/4"	95 3/4"	.350-.400"
Change-of-Height – one end			
TS71224TFG	11 3/4"	23 1/4"	.350-.400"
TS71230TFG	11 3/4"	29 1/4"	.350-.400"
TS71236TFG	11 3/4"	35 1/4"	.350-.400"
TS71242TFG	11 3/4"	41 1/4"	.350-.400"
TS71248TFG	11 3/4"	47 1/4"	.350-.400"
TS71260TFG	11 3/4"	59 1/4"	.350-.400"
TS71272TFG	11 3/4"	71 1/4"	.350-.400"
TS71278TFG	11 3/4"	77 1/4"	.350-.400"
TS71284TFG	11 3/4"	83 1/4"	.350-.400"
TS71290TFG	11 3/4"	89 1/4"	.350-.400"
TS71296TFG	11 3/4"	95 1/4"	.350-.400"


Tip: Field installed glass should always be tempered. Laminated glass must not be used.



When using frameless glass on a spine panel with a same height off-module panel connections, the off-module cannot connect within 10" of an end-of-run or in-line junction connection.

Universal Screens with Answer Thin Trim Top Cap

Universal screens provide a tackable boundary element along the Answer panel. They are available in two heights to accommodate varying levels of privacy.
▶ Specifying, page 380




Actual Dimensions

Height	13½" or 19½"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"


Tip: 13½"H screen aligns with a 42" overall height from the floor, when installed to a 30"H panel. 19½" screen aligns with a 48" overall height from the floor, when installed to a 30"H panel.

Product Details


Universal screens with Answer top cap can only be used with thin profile trim.




Universal screens are tackable and available in 13½"H and 19½"H, and have widths from 24"W to 96"W.




The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide contrast or dark heather grey for a uniform visual.



Brackets are included with screens. Two brackets are used on all screens.




Universal screens include a thin trim top cap with slots for the screen brackets.



Universal screen and top cap slide onto brackets.

Screen brackets install on horizontal connecting bar prior to installation of skins and top cap.



When Universal screens are placed directly adjacent to each other in-line, a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.


Application Topics

Universal screen can be placed on the top of a panel only. Top bar in the panel must be located in the top position of the frame in order to support Universal screens. Universal screens can be used on base panels or stacking panels.


The Universal screen cannot be added to a panel segment with a 6" stacker.



Universal screens cannot be used when a window is located in the top position of the panel.




Universal screens on Answer panel cannot be added to the lower panel segment of an in-line change-of-height condition.



A single Universal screen can span over two or more in-line panels up to 96".

Universal screens for Answer panel cannot span a corner junction.



In-line spanning top cap lightseal must be specified separately when used in this application. Spanning top cap lightseal attaches to underside of top cap to fill space between skin lightseals. Specify one for each in-line junction the Universal screen spans.

Universal screens can be used on a spine panel hosting the same height off-module connection. The off-module panel cannot connect to the spine where the Universal screen bracket connects to the horizontal bar.

Surface Materials

Screen
- Fabric

▶See *Surface Materials,* page 671.

Brackets
- 7360 Merle

Edge (lower segment)
- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET


Top cap
- Paint

▶See *Surface Materials,* page 671.

Sarto Fence Screens with Answer Thin Trim Top Cap

Sarto screens provide a light scale tackable boundary element along the Answer panel. They are available in two heights to accommodate varying levels of privacy.

▶ Specifying, page 380




Actual Dimensions

Screen Height	12½" or 18½"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"


Tip: 13½"H screen aligns with a 42" overall height from the floor, when installed to a 30"H panel. 19½"H screen aligns with a 48" overall height from the floor, when installed to a 30"H panel.

Product Details


Sarto screens with Answer top cap can only be used with thin profile trim.




Sarto screens are tackable. They are available in two heights, 13½"H and 19½"H, and have widths ranging from 24"W to 96"W.



Brackets and hard stops are included with screens. Two brackets are used on screens 54"W and smaller. Three brackets are used on screens 60"W and larger.



Universal screens include a thin trim top cap with slots for the screen brackets



Sarto screen slides onto brackets after top cap and hard stops are installed on the brackets.

Screen brackets install on horizontal connecting bar prior to installation of skins and top cap.


Application Topics

Sarto screen can be placed on the top of a panel only. Top bar in the panel must be located in the top position of the frame in order to support Sarto screens. Sarto screens can be used on base panels or stacking panels.


The Sarto screen cannot be added to a panel segment with a 6" stacker.



Sarto screens cannot be used when a window is located in the top position of the panel.




Sarto screens on Answer panel cannot be added to the lower panel segment of an in-line change-of-height condition.



A single Sarto screen can span over two or more in-line panels up to 96".

A single Sarto screen that is 60"W or wider cannot span two panel sections of equal width. The middle bracket of the Sarto screen will interfere with the inline junction.

Sarto screens for Answer panel cannot span a corner junction.



In-line spanning top cap lightseal must be specified separately when used in this application. Spanning top cap lightseal attaches to underside of top cap to fill space between skin lightseals. Specify one for each in-line junction the Sarto screen spans.

Sarto screens can be used on a spine panel hosting the same height off-module connection. The off module panel cannot connect to the spine where the Universal screen bracket connects to the horizontal bar.

Surface Materials

Screen

- Fabric

▶ See *Surface Materials,* page 671.

Brackets

- 7360 Merle


Top Cap

- Paint


▶ See *Surface Materials,* page 671.

Top Cap Mounted Storage


Top cap mounted storage allows for existing Duo, Elective Elements, and Currency storage to be mounted on top of Answer panels.
▶Specifying, page 382



Duo, Currency, and Elective Elements storage can be mounted on top of Answer panels with thin trim.




Top cap mounted storage can be mounted both on- and off-module.



Top cap mounted storage can be specified for both center-mounted (shared) and aisleway applications.

Product Details


Top cap mounted storage utilizes existing Duo, Currency, and Elective Elements storage and secures it to the horizontal connecting bar using supports below the top cap. Storage units can be mounted both centered (shared) or in an aisleway condition (personal). There are unique brackets for each application. Two brackets are used below the top cap to attach storage units that are center mounted (all sizes) or in aisleway applications where the storage is between 30"W and 48"W. Three brackets are used in aisleway applications where the storage units are 54"W to 72"W.



The top cap mounted storage solution is comprised of three elements specified separately:

- standard Duo, Currency, or Elective Elements storage.
  ▶See complete listing for compatible storage, page 76.
- top cap mounted storage bracket.
- top cap and aligner packages.

Top cap mounted storage can be used on panels with thin trim only.



Front View

When installed, there is a ½" gap between the top cap and the bottom of the storage unit.


When mounting Elective Elements personal storage, a proud back should be specified. While inset is also an option, proud will provide you with a cleaner aesthetic.

The maximum storage unit length that can be used in a top cap mounted application is 72". Storage wider than 72" cannot be top cap mounted.


Application Topics

Top cap mounted storage can be placed on top of a thin trim panel only. It can be used with both painted and wood trims. The top beam in the panel must be located in the top position of the frame in order to support top cap mounted storage.

Top cap mounted storage can only be used on base panels. It cannot be used on stacking panels.



Top cap mounted storage can not be used in an in-line change-of-height condition when the storage is located on the lower panel and matches the panel width. It can be used if the storage width is smaller than the panel width.




Top cap mounted storage will not fit between two change-of-height trims if the storage is the same width as the panel it is mounted to. Storage must be narrower width than panel in this application.


Top cap and aligner packages are ordered together as one style number. The aligner package includes two end-of-run aligners, two in-line aligners, and one pair of recessed-to-recessed aligners.



In certain application conditions a top cap connector aligner (TS7TFGRC) will also need to be specified. These include when storage or frameless glass is used on-module next to a wall-start junction, adjacent to a boundary screen, on an off-module panel, or in a corner change-of-height where the storage is used on the lower panel.




Top cap mounted storage has the ability to be mounted on panel module, or in off-module conditions. When the storage matches the panel width, the standard top caps from the horizontal frame package can be omitted as the top cap mounted storage top caps will be sufficient.



When the top cap mounted storage does not match the panel width, standard top caps will need to remain specified with the horizontal frame packages. Center mounted top caps will be used under the storage. The standard top caps will be used to finish off the top of the panel where there is not storage present. The standard top caps will need to be field cut to size.


Top cap mounted storage has the ability to span both in-line and corner junctions.



In-line spanning top cap lightseal must be specified separately when used in this application. Spanning top cap light seal attaches to the underside of the top cap to fill space between skin lightseals. Specify one for each in-line junction the top cap mounted storage spans over.

End-of-run and junction cap aligners manufactured after November 2012 will have features to accommodate top cap mounted storage top caps. Aligners manufactured before November 2012 will not be able to accommodate top cap mounted storage top caps and new aligners will be needed.

Duo, Currency, and Elective Elements storage can be top cap mounted on Answer panels up to 48"H.



End View

When top cap mounted storage is used in an aisleway application the back of the storage unit will overhang the back of the panel 3½".

Connections

Both center and aisleway conditions can accept storage units up to 72"W. Center mounted conditions can accept storage up to 25"D. Aisleway mounted applications can accept storage up to 17"D.

Top cap mounted brackets should be mounted within 10" from the end of the storage unit. When possible, use the predrilled holes in the Answer horizontal bar. In some applications and in aisleway applications where the storage is larger than 48"W, additional holes will need to be drilled into the beam.

Both center and aisleway mounted storage units cannot overhang an end of run or corner junction more than 3½" due to ADA guidelines.

Surface Materials

Brackets
- Paint

Top cap
- Paint
- Wood veneer

Top Cap Mounted Storage, continued

Universal tie plates (TS7TIEPLATE) can be used to help align two storage units mounted in-line with no gap between them. Two tie plates should be used, one near each edge. When using with Duo, Currency, or Elective Elements storage, the hardware shipped with the plates can be used.

Surface Materials

Brackets
- Paint

Top cap
- Paint
- Wood veneer

Duo, Elective Elements, and Currency Storage Units That Can Be Used with Answer Top Cap Mounting Brackets

Duo

Duo Shared Tall Storage

BDTD54

BDTD66

Duo Individual Tall Storage

BDTS54

BDTS66

Elective Elements

Tip: Same Elective Elements storage units have different back options including inset, proud, or tackable.

Elective Elements Single-High Overhead with Hinged Door

E6OS153015H

E6OS153615H

E6OS154215H

E6OS154815H

E6OS155415H

E6OS156015H

E6OS156615H

E6OS157215H

E6OS183015H

E6OS183615H

E6OS184215H

E6OS184815H

E6OS185415H

E6OS186015H

E6OS186615H

E6OS187215H

Elective Elements, continued

Elective Elements Single-High Overhead with Sliding Door

E6OS153615S

E6OS154215S

E6OS154815S

E6OS155415S

E6OS156015S

E6OS156615S

E6OS157215S

E6OS183615S

E6OS184215S

E6OS184815S

E6OS185415S

E6OS186015S

E6OS186615S

E6OS187215S

Elective Elements Single-High Overhead Open

E6OS153015P

E6OS153615P

E6OS154215P

E6OS154815P

E6OS155415P

E6OS156015P

E6OS156615P

E6OS157215P

E6OS173015P

E6OS173615P

E6OS174215P

E6OS174815P

E6OS175415P

E6OS176015P

E6OS176615P

E6OS177215P

Elective Elements, continued

Elective Elements Personal for FrameOne

E6OA153015P

E6OA153615P

E6OA154215P

E6OA154815P

E6OA156015P

E6OA156615P

E6OA157215P

Elective Elements Shared for FrameOne

E6OF153015P

E6OF153615P

E6OF154215P

E6OF154815P

E6OF156015P

E6OF156615P

E6OF157215P

Elective Elements Personal for FrameOne with Sliding Door

E6OA153615S

E6OA154215S

E6OA154815S

E6OA156015S

E6OA156615S

E6OA157215S

Duo, Elective Elements, and Currency Storage Units That Can Be Used with Answer Top Cap Mounting Brackets

Elective Elements, continued

Elective Elements Shared for FrameOne with Sliding Door

E6OF153615S
E6OF154215S
E6OF154815S
E6OF156015S
E6OF156615S
E6OF157215S

Elective Elements Organizer

E6OO15307
E6OO15367
E6OO15427
E6OO15487
E6OO15547
E6OO15607
E6OO15667
E6OO15727
E6OO17307
E6OO17367
E6OO17427
E6OO17487
E6OO17547
E6OO17607
E6OO17667
E6OO17727

Elective Elements, continued

Elective Elements Personal Organizer for FrameOne

E6SA15307
E6SA15367
E6SA15427
E6SA15487
E6SA15607
E6SA15667
E6SA15727

Elective Elements Shared Organizer for FrameOne

E6SF15307
E6SF15367
E6SF15427
E6SF15487
E6SF15607
E6SF15667
E6SF15727

Currency

Currency Overhead

CROH

Currency Organizers

CROR

Panel Packages—Thin Trim

Panel packages include two monolithic fabric skins and a horizontal frame package. Answer panels always share a junction with adjacent panels. Order the style of junction you need separately.
▶ Specifying, page 384

Optional cable tray can be used for additional support of cables. Additional cable trays can be installed and arranged at various heights within the frame for communications access and cable routing.

Skins attach to frame without tools and can be removed and repositioned easily. They are not dedicated to a specific location.

Top cap snaps onto top of panel skins. Top caps are available in Thin trim. Change-of-height top caps, wood veneer top caps, and omit top caps are also available as options on Thin trim.

Power and communication can be accessed by cutting skin in the field. Templates for cutting both receptacle and communication cutouts are available from Service Parts (T500940SR). Filler to close unwanted cutout in a skin is available from Service Parts **(TS7STFSR)**.


Power can be field-installed every 12" vertically using powerkits.

Powerkits include powerblocks attached to a supporting power tray.
▶ Page 178

Base trim or open base trim styles are available on panels with Thin trim as standard.

Junctions, ordered separately, are always shared by adjacent panels. They are available for in-line, L, T, V, X, Y, and end-of-run configurations. Wall-start junctions and off-module connector brackets are also available.

Base cover has knockouts to accommodate power and communication terminations. Top knockout is for power, bottom knockout is for communication. Filler to close unwanted knockouts is available from Service Parts **(TS7BTFSR)**.



Horizontal connecting bars lock into the vertical junctions at the top and the bottom location to provide structural stability for the panels.


Optional base cable tray can be used to support lay-in of cables.

Actual Dimensions

Depth	3"
Width	$17\frac{51}{64}$", $23\frac{51}{64}$", $29\frac{51}{64}$", $35\frac{51}{64}$", $41\frac{51}{64}$", $47\frac{51}{64}$", $59\frac{51}{64}$", and $71\frac{51}{64}$"
Height	$41\frac{3}{4}$", $47\frac{15}{16}$", $54\frac{35}{64}$", and $66\frac{15}{32}$"


Order panel packages to create common panel configurations quickly and easily.

1. **Specify a panel package** of the width and height you need in thin top caps.




Note: Cable trays and base cable trays are optional.

2. **Order vertical junctions** to complete panel packages and to join panels in in-line, L, T, V, X, and Y configurations and to terminate an end-of-run. Junctions are available with trim.




3. **Specify powerkits where you will need power.** You can specify a powerkit as an option on the panel package, or you can order powerkits separately.



Answer Boundary Screens

Boundary screens provide light scale space division and privacy for a variety of worksettings.

Answer boundary screens attach to the Answer panel at the end-of-run as an alternative to a panel, when power and hang-on components are not required.
▶Specifying, pages 386 - 402




Answer boundary screens have a thickness of 1 3/16".

Screens are available in laminate or wood veneer.


Boundary screens come standard with adjustable glides, with a range of 1 1/2". The glides are located 1 1/2" from the outside of each edge.

Product Details


Boundary screens are available in two attachment versions – single-connect and dual-connect.



Single-connect boundary screens attach to the Answer panel using an end-of-run junction.
Tip: Single-connect boundary screens do not require any additional attachment for stability.



Dual-connect boundary screens have two attachment points: the end-of-run junction, and an adjacent worksurface or 1.5-H or higher storage unit.




Boundary screens with dual connections can be used in place of a leg to support a worksurface.

Actual Dimensions

Height	30", 36", 42", 48", and 54"
Single-Sided Width	27", 33", 39", 45", 51", 57", 63", 69", and 75"
Spanning Width	51", 57", 63", 69", and 75"
Split Width	25 1/2", 31 1/2", 37 1/2", 43 1/2", 49 1/2", 55 1/2", 61 1/2", 67 1/2", and 73 1/2"
Return Width	18", 24", and 30"
Thickness	1 3/16"


Note: Answer boundary screen widths can also be specified parametrically.




Boundary screen heights align with thin trim top cap panel heights at 30", 42", 48", and 54". 36"H boundary screens are also available.

Boundary screens have modular heights and widths. Parametric widths are allowed from 24"W to 75"W increasing in 1/16" increments. Boundary screen return widths are available at 18", 24", and 30", and are also available parametrically from 18"W to 75"W increasing in 1/16" increments.


Answer boundary screens are available in five different configurations.




1. Single-sided boundary screens provide boundary to one side of an Answer panel and are specified as either left or right. Right handed application is shown above.




Single-sided boundary screens will always include the 3" thickness of the Answer panel to which they attach. Minimum width for a single-sided boundary screen is 27" (24" inside, and 3" for the Answer panel thickness). The maximum width is 75" (72" inside, and 3" for Answer panel thickness). The above image is shown with a right handed application.
Note: The above image shows a 75" specified width. The planning width is 72".




2. Spanning boundary screens use one screen segment to provide boundary of equal widths to both sides of an Answer panel.



Spanning boundary screens always extend in equal dimension from the panel to which they attach and include the 3" thickness on the Answer panel. Minimum width for a spanning boundary screen is 51" (48" inside, and 3" for the Answer panel thickness). The maximum width is 75" (72" inside and 3" for Answer panel thickness).
Note: The above image shows a 75" specified width. The planning width is 72".




3. Split boundary screens use two screen segments to provide boundary to both sides of an Answer panel. Both sides of a split boundary screen are the same height.




Split boundary screens can either be equal or asymmetrical in dimension from the panel to which they attach and include the 3" thickness of the Answer panel. Minimum width for a split boundary screen is 25½" (24" inside, and 1½" for half of the Answer panel thickness) for each side of the panel. The maximum width is 73½" (72" inside, and 1½" for half of the Answer panel thickness) for each side of the panel.
Note: The above image shows a 25½" specified right width and a 73½" specified left width. The planning right width is 24" and the planning left width is 72".

Answer Boundary Screens, continued




4. Single-sided L return boundary screens provide boundary and additional privacy to one side of an Answer panel. Both screen segments (primary and return screen) are the same height and are specified as either left or right handed. Right handed application is shown above.




3" Answer
panel thickness

Single-sided L return boundary screens in modular widths have inside clearance in 6" increments to wrap standard width worksurfaces in 6" increments. Panel connected segments (the primary screens) are available in widths of 27" (24" inside, and 3" for Answer panel thickness) to 75" (72" inside, and 3" for Answer panel thickness).The inside width of modular returns are 18", 24", or 30". There is an additional 1 3/16" that will be added to the return width for the primary screen thickness. Both boundary screens have equal heights and are specified as either left or right handed. Right handed application is shown above.
Note: The above image shows a 75" specified width. The planning width is 72".




5. Split L return boundary screens consist of four segments to provide boundary and additional side privacy to both sides of an Answer panel. Split L configuration screens do not have to have symmetrical widths, but must have the same height.



3" Answer
panel thickness

Split L return boundary screens in modular widths have inside clearance in 6" increments to wrap standard width worksurfaces from 24" to 72" in 6" increments for each side of the split. The inside width of modular returns will be 18", 24", or 30". There is an additional 1 3/16" that will be added to the return width for the primary boundary screen thickness. Each panel connected segment is available in widths from 25½" (24" inside, and 1½" for half of the Answer panel thickness) to 73½" (72" inside, and 1½" for half of the Answer panel thickness).
Note: The above image shows a 61½" specified left width and a 73½" specified right width. The planning left width is 60" and the planning right width is 72".

Connections




Boundary screens can be attached to Answer panels that are of equal height to the screen, higher than the screen, or lower than the screen.


Boundary screens cannot be more than 18" taller than the Answer panel to which they connect.

Boundary screens may be shorter than connecting Answer panel in 6" increments between 12" and 36". In this situation, specify change-of-height trim separately.
Tip: When specifying a boundary screen equal to the height of the Answer panel, order a same height end-of-run junction for height of Answer panel with the "omit trim" option.
Tip: When specifying a boundary screen shorter than the height of the Answer panel, order a same height end-of-run junction for height of Answer panel with the "omit trim" option, and order a change-of-height trim.
Tip: When specifying a boundary screen taller than the height of the Answer panel, order a same height end-of-run junction for height of Answer panel with the "omit trim" option.


When boundary screen is shorter than connecting Answer panel in increments not supported with standard trim heights, order change-of-height trim through Specials.



When attaching to Answer panels with a stacking junction, boundary screens must be at least 6" lower than the start of the stacking segment.
Tip: Order change-of-height end-of-run trim separately.



On both single- and dual-connect boundary screens, there is a metal cover plate that covers the connection bracket that connects the boundary screen to the end-of-run junction. The cover is located 22" from the bottom of the screen and is 3"W and 14"H.



Return segments also have a second metal cover plate that covers the connection bracket that connects the return to the primary screen segment.

Surface Materials

Boundary screens
- Laminate
- Wood veneer

Edge on laminate
- Plastic

Bracket cover
- Paint

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate or veneer finish.

Open Line laminates with grain direction can only be applied vertically. Open Line laminates are not allowed on boundary screens that are 60" or wider, or have segments that are 60" or wider.

On single-sided boundary screens, horizontal wood grain laminates and veneers can be applied up to 75"W. Vertical wood grain laminates can be applied up to 59"W. Vertical wood grain veneers can be applied up to 75"W.

On spanning boundary screens, wood grain laminates and veneers can be horizontal grain direction up to 75"W. Vertical wood grain laminates can be applied up to 59"W. Vertical wood grain veneers can be applied up to 75"W.

On split boundary screens, horizontal wood grain laminates and veneers can be applied up to 73½"W. Vertical wood grain laminates can be applied up to 59"W. Vertical wood grain veneers can be applied up to 73½"W.


On split boundary screens with horizontal grain direction, the grain pattern of two screen segments may not align.

All boundary screen sides will have the same finish applied.


Application Topics

Answer boundary screens fulfill the same stability requirements as Answer panels of the same heights and widths. Answer boundary screens do not support hang-on components.
▶See *Stability Guidelines*, page 142

Boundary screens attach at the end-of-run location of an Answer panel panel with thin trim top detail.



Single-connect boundary screens are for use with height-adjustable or freestanding worksurfaces when storage is not available or is shorter than 1.5-High.
▶Page 80



Dual-connect boundary screens can be used as a support in place of a leg. They are not for use with height-adjustable worksurfaces.
▶Page 80


Applications using split boundary screens must use dual connections on both sides, or a single connection on each side.

Boundary screens cannot attach to an Answer end-of-run junction where an Answer panel and beam foot is being used.


Boundary screens can attach to panels with frameless glass application.
Tip: Use the base junction height as the connecting panel height.

Boundary screens are not for use with wall starts.

One single-sided boundary screen may be attached at the end of the Answer panel. If the intent is to have a boundary screen in both directions of the panel, use either spanning or split boundary screens.




Single-sided and split boundary screens are available left and right handed. This is determined by the user facing the attaching Answer panel. Left sided application is shown above.



Split boundary widths do not have to be symmetrical.


Dual-connect boundary screens of any configuration must always utilize both connection points to ensure stability.

Dual-connect split and spanning boundary screens must have a properly secured worksurface and/or storage units on each side of the Answer panel to make a second connection.



When dual-connect screens are attaching to a worksurface, the worksurface must attach to the panel in two points along the back or sides of the panel.
Tip: The second connection must be within 6" of the end of the panel-supported worksurface. Connection point to worksurface must have a flat back edge.

When using boundary screens with low storage, the storage must be attached to the panel using storage-to-panel connectors. Storage units must be 1.5-High or higher. The storage must be connected to the panel at the opposite end of the boundary screen.




Worksurface supports cannot overlap with the secondary dual-connect bracket.


If storage specified on one side of an Answer panel does not have a storage to panel connection, the boundary screen must be single-connect.

Side support bracket can be used adjacent to dual-connect boundary screens and Answer panel connections at the end-of-run junction.
Tip: Other panel-mounted supports such as a cantilever will not fit.

Answer Boundary Screens, continued



Applications that have a panel connected work-surface on one side and a freestanding table on the other side of the panel must use single-connect boundary screens.



All L return boundary screens have a step miter detail at the adjoining edge.

Understanding Panels—Square and Oval Trim

Statement of Line 86

Product Details

- Answer Panel Overview—Square and Oval Trim **90**
- Panel Buildups **91**
- Base Junctions—Square and Oval Trim **92**
- Change-of-Height—Square and Oval Trim **96**
- Off-Module Panel Connector—Square and Oval Trim **98**
- Stacking Junctions—Square and Oval Trim **100**
- Base Horizontal Frame Packages—Square and Oval Trim **104**
- Stacking Horizontal Frame Packages—Square and Oval Trim **106**
- Frameless Glass Screens—Square Trim Only **108**

Stability Guidelines **142**


Statement of Line



Understanding
▶ Page 92
Specifying
▶ Pages 412–420

Base Junctions—Square and Oval Trim


	In-Line Base Junctions	L-Base Junctions	T-Base Junctions	X-Base Junctions	End-of-Run Base Junctions	V-Base Junctions	Y-Base Junctions	Wall-Start Junctions
30"H	●	●	●	●	●	●	●	
42"H	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●
66"H	●	●	●	●	●	●	●	●
78"H	●	●	●	●	●	●	●	●



Understanding
▶ Page 100
Specifying
▶ Pages 423–427

Stacking Junctions—Square and Oval Trim


	Stacking In-Line Junctions	Stacking L Junctions	Stacking T Junctions	Stacking X Junctions	Stacking End-of-Run Junctions	Stacking V Junctions	Stacking Y Junctions	Wall-Start Junctions
12"H	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●
24"H	●	●	●	●	●	●	●	●



Understanding
▶ Page 96
Specifying
▶ Pages 434–436

Change-of-Height Trim—Square and Oval Trim


	Standard Slim Profile	Stacking Slim Profile	Standard Cable Routing	Stacking Cable Routing
12"H	●	●	●	●
18"H	●	●	●	●
24"H	●	●	●	●
30"H	●	●	●	●
36"H	●	●	●	●



Understanding
▶ Page 104
Specifying
▶ Pages 438 and 440

Base Horizontal Frame Packages—Square and Oval Trim

18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
●	●	●	●	●	●	●	●




Understanding
▶ Page 106
Specifying
▶ Page 441

Stacking Horizontal Frame Packages—Square and Oval Trim

18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
●	●	●	●	●	●	●	●


Statement of Line, continued



Understanding
▶ Page 104
Specifying
▶ Page 442

Spanning Top Caps—Square Trim

36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
●	●	●	●	●	●	●	●	●



Understanding
▶ Page 108
Specifying
▶ Page 443

Frameless Glass Screens—Square Trim Only


	24"W	30"W	36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
12"H	●	●	●	●	●	●	●	●	●	●	●

Answer Panel Overview—Square and Oval Trim


Panel buildups allow you to create unique configurations by mixing surface materials and colors on segmented panels. Order skins and horizontal frame packages separately.


Panel frame is made up of two major elements—vertical base junctions and base horizontal connecting bars. Vertical junctions are ordered separately.

Stacking components can be used on both panel buildups.




Standard change-of-height trim has either a rounded bottom edge to fit the curve of oval panel top caps or a straight edge to fit square panel top caps.
▶ Page 96





Leveling glides adjust to install panels on uneven floors. Range is 2 3/4".



Stacking change-of-height trim has a straight bottom edge to fit on top of standard change-of-height trim.
▶ Page 96

Stacking horizontal frame package must be used with stacking junctions.
▶ Page 106

Stacking junctions are always shared by adjacent panels and can be used in panel buildups. They are available for in-line, L, T, V, X, Y, and end-of-run configurations.
▶ Page 100

Skins attach to frame without tools and can be removed and repositioned easily.
▶ Page 118

Base junctions, are always shared by adjacent panels. They are available for in-line, L, T, V, X, Y, and end-of-run configurations. Wall-start junctions and off-module connectors are also available.
▶ Page 92

Base horizontal connecting bars lock into the vertical junctions at the top and the bottom location of base junction to provide structural stability for the panels.
▶ Page 104

Powerkits include powerblocks attached to a supporting power tray.
▶ Page 178

Alternate powerkit harness routing can be accommodated through the junction opening. In in-line applications installed on uneven floors, route harness through junction opening to prevent harness from being exposed.

Actual Dimensions


Height 29 3/8", 41 3/4", 47 15/16", 54 1/8", 66 15/32", and 78 27/32"

Note: Height is minimum from floor to top of top caps. Leveling glides can extend 2 3/4".


Panel Buildups

Order panel components separately
to create unique configurations.

1. Begin by planning your frames. Junctions determine height and horizontal connecting bars determine width.




1a. Corner junctions can easily be reconfigured by adding or removing a junction post (available on junctions shipped on or after October 10, 2011).




2. Order skins for both sides of panel.
Exception: Windows accommodate both sides of the panel.


Performance tackable acoustical fabric-covered skins




Tackable acoustical fabric-covered skins




Steel skins (12"H, 18"H, and 24"H have ribbed and perforated options)



Laminate skins




Wood skins





Tip: Wood skin sets are available for 42", 48", 54", and 66" panel heights.

Back painted glass skins




Markerboard skins






Slatwall




Windows



Technology skins


Answer allows a wide variety of skin arrangements to meet specific functional and aesthetic needs. Skins are not dedicated to a specific location and can be used anywhere on the face of the panel.



When planning skin segments, add skin heights together and add an additional 6" for total height.

Skins = 12" + 12" + 36" = 60"
Trim = 6"
Total = 66"H

3. Specify powerkits where you will need power.



Base Junctions—Square and Oval Trim

Base junctions complete the structure of panel buildups. Answer panels always share a junction with adjacent panels. You order the style of junction you need separately.

▶ Specifying square and oval, page 412

Junction cap is included with junction when needed. Caps are available in two styles: square or oval.

Corner junction cap aligners ensure correct fit with adjacent panel top caps.

Opening in top of junction allows lay-in cable routing beneath top caps.


Slots in junction accept the panel's horizontal bars every 12", cable trays every 6", and powerkits every 12" vertically.

Slotted channels in junction accommodate worksurface supports and overhead storage components at 1" increments.

Trim is included with L, T, V, and end-of-run junctions to finish exposed surfaces. Trim is standard with paint and available with a fabric wrapped option.

Large openings are used to route power through an L, T, X, V, or Y base junction.

Leveling glides adjust to install panels on uneven floors. Range is 2¾".



Skins attach to junction with concealed hardware.

Lay-in cable routing is accommodated in base area.


Actual Dimensions

Depth	3"
Height	28 7/16",* 40¾", 47", 53⅛", 65½", and 77⅜"


*Note: Wall-start junctions are not available 28 7/16".

Product Details


Answer is available with three styles of top trim - thin, square, and oval. Base junctions are specified with desired style. Styles can not be mixed between adjacent panels.




End-of-run base junction includes junction, vertical trim, and junction cap. Select square or oval style trim. End-of-run trim adds 1" to footprint.




In-line base junction includes junction and plastic top cap aligner. Select square or oval style trim.




L-base junction includes junction, vertical trim, junction cap, and plastic top cap aligner. Select square or oval style trim.




T-base junction includes junction, vertical trim, junction cap, and two plastic top cap aligners. Select square or oval style trim.




X-base junction includes junction, junction cap, and three plastic top cap aligners. Select square or oval style trim.




V-base junction includes junction, vertical trim, junction cap, and plastic top cap aligner. Select square or oval style trim.




Y-base junction includes junction, junction cap, and two plastic top cap aligners. Select square or oval style trim.



Posts can be added or removed from corner junctions to change from one corner to another.




Wall-start junction secures to the stud in a structural wall or drywall fasteners can be used. Vertical trim is not needed. Also used in off-module applications. Wall-start junction does not add any dimension to panel run.




An in-line top cap aligner is included with in-line junctions. Select square or oval style.


Connections




Quick lock on both ends of the panel's horizontal connecting bars engage the junction in a tight structural connection.



Base junctions can accept a stacking junction of the same type only. *Example: An L-base junction will accept an L-stacking junction.*



Floor anchor brackets are available to secure junctions to the floor to prevent panel movement. Brackets are intended for use in seismic zones and may require additional code approvals.




Junction stabilizer bracket can be used to add rigidity to a panel run or when using a Universal sliding door. Bracket must be bolted to a concrete floor. For junctions manufactured before October 10, 2011 use TS7SB. For junctions manufactured on or after October 10, 2011 use TS7SBNJ.


Bracket foot is visible on one side of panel when installed.

Junction stabilizer bracket blocks power routing in the panel base and just above the base areas. The bracket covers the slots on the junction where the powerkit connects in these two zones. It also blocks the ability for a powerkit harness, pass-through powerkit, or modular harness to route in the base area from an adjacent panel.

Junction stabilizer bracket also blocks lay in of cables in base area of panel.




Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.




Panels can support worksurfaces, shelves, and bins.

Wiring and Cabling




Lay-in cable routing is accommodated in the top of junctions. Lay-in cable and power routing is accommodated in base area.


Base Junctions—Square and Oval Trim, continued




As an alternative to lay-in cable routing, horizontal routing of power and cables can be accommodated through openings in junctions.



Junction tall sleeves can be ordered to cover the exposed metal edges in the large cable routing opening of junctions. Tall junction sleeve can only be used on junctions manufactured on or after October 10, 2011.



Lay-in junction cable sleeves can be added in the field to cover the exposed metal edges in lay-in cable space.



Modular harnesses that are 43" or 80" are available to change the height at which you are routing power kits or to route power from the panel base to different heights.

Surface Materials

Base junction
- Black paint

Tip: Junction is hidden when properly installed.

Junction cap—Square
- Paint

Junction cap—Oval
- Plastic

Vertical trim
- Paint

Application Topics

Stacking junctions can be used with any height base junction.

Stability Guidelines for application rules.
▶See page 142




Carpet gripper glide caps may be added to panel glides to help hold panel in place (used only on junctions manufactured on or after October 10, 2011).


Change-of-Height—Square and Oval Trim

Change-of-height trim is available for base panels and stacking panels. It is used in in-line and corner applications.
▶ Specifying square and oval, page 434


Stacking change-of-height trim has a straight bottom edge to fit on top of standard change-of-height trim.



Oval standard change-of-height trim has a rounded bottom edge to fit the curve of top caps.



Top cap on lower panel must be change-of-height. Remember to specify the change-of-height top cap option on the lower panel for either square or oval trim applications.





Square standard change-of-height trim has a square bottom edge to fit square top caps.

Junction cap is included with standard change-of-height trim. Cap is available in two styles - square and oval.


Top cap from base panel is used to trim the top of the stacked panel.

Plastic aligner is included with stacking change-of-height trim.






L-junction application square trim



L-junction application oval trim


Product Details



In-line application

Corner application


Square standard slim trim includes junction cap. In-line or corner application must be specified. Available in 12"H, 18"H, 24"H, 30"H, and 36"H.



In-line application

Corner application


Oval standard slim trim includes junction cap and top cap filler. Plastic filler is not the same filler that ships with cable-routing trim. In-line or corner application must be specified. Available in 12"H, 18"H, 24"H, 30"H, and 36"H.



Stacking slim trim includes plastic aligner and works with both square and oval trim styles. Available in 12"H, 18"H, and 24"H.


Actual Dimensions

	Standard slim profile	Stacking slim profile	Standard cable-routing	Stacking cable-routing
Depth	3"	3"	3"	3"
Width	1⅛"	1⅛"	2¼"	2¼"
Height	12 5/32", 18 5/16", 24½", 30 11/16", and 36 7/8"	12 5/32", 18 5/16", and 24½"	12 5/32", 18 5/16", 24½", 30 11/16", and 36 7/8"	12 5/32", 18 5/16", and 24½"



In-line application | Corner application

Square standard cable-routing trim includes junction cap. In-line or corner application must be specified. Available in 12"H, 18"H, 24"H, 30"H, and 36"H.



In-line application | Corner application


Oval standard cable-routing trim includes junction cap and top cap filler. Plastic filler is not the same filler that ships with slim trim. In-line or corner application must be specified. Available in 12"H, 18"H, 24"H, 30"H, and 36"H.




Stacking cable-routing trim includes plastic aligner and works with both square and oval trim styles. Available in 12"H, 18"H, and 24"H.

36"H standard change-of-height trim is the tallest trim available. If the area you need to trim is taller than 36"H, use stacking change-of-height trim.

Wiring & Cabling



Oval cable-routing trim allows lay-in cable routing in change-of-height applications.



Square cable-routing trim allows lay-in cable routing in change-of-height applications.

Surface Materials

Change-of-height trim
- Paint

Square junction cap
- Paint

Oval junction cap and filler
- Plastic


Aligner
- Black plastic only


Application Topics

Change-of-height top cap option must be specified on the lower panel.


Square trim top caps have a notch in one or both ends to accommodate change-of-height applications.

Oval trim top caps are shortened on one or both ends to accommodate change-of-height applications.







Specify change-of-height top caps at one end unless the panel is adjacent to taller panels on both sides. Then specify a top cap change-of-height on both ends.



Specify the tallest height junction to connect your panels. A 66"H junction would be shared between these panels.




When stacking only one panel on your base panel with square or oval trim, always use standard change-of-height trim.



When stacking more than one panel on your base panel, use standard change-of-height trim on the first tier. Only the second tier requires stacking change-of-height trim.

Off-Module Panel Connector—Square and Oval Trim

Off-module panel connectors allow a fin wall to be attached off-module to a spine wall in 1" increments.
▶ Specifying, page 422



Top brackets attach to top horizontal connecting beam and secure top of the wall-start junction. If fin wall is 12", 18", or 24" shorter than spine wall, the top horizontal connecting bar can be lowered to attach brackets.


Wall-start junction must be ordered separately.

Bottom bracket attaches to lower horizontal connecting beam and secures to lower portion of bottom channel.

Bottom channel has slots in 1" increments to attach panel off-module. Channel must match width of panel and be attached between two junctions.

Bottom bracket for wall-start junction attaches the junction and bottom channel to secure the lower portion of the wall-start junction.


Product Details



Wall-start junctions connect to the off-module panel connectors to start a panel run off from the spine. Available in 42"H, 48"H, 54"H, 66"H, and 78"H. Wall-start junction must match the height of the fin wall. Wall-start junctions are ordered separately.

Connections

Off-module fin wall must always be the same height, or shorter than the spine wall.




When fin wall is more than 24" shorter than the spine wall, an additional horizontal beam must be added to the spine wall at the same height as the fin wall. Order a stacking horizontal frame kit.

Spine wall skins must be segmented with a seam matching the height of the shorter fin wall. This allows access to the top bracket and the spine wall horizontal beam.

Actual Dimensions


Width 22½", 34½", 40½", 46½", 58½", and 70½"




When stacking on the fin panel, the spine wall skins must be segmented with a seam matching the height of the fin base panel.

When stacking wall-start junctions in an off-module application, the off-module panel connector connects to the base wall-start junction.

Two off-module panels can be connected back to back at the same location.




When connecting two off-module fins at different heights on either side of the spine panel, an additional horizontal beam must be ordered and installed at the same height of the shorter fin panel.



An off-module fin wall cannot connect flush to the end of a panel in the spine wall. The closest connection point will leave a 3" tail on the spine including the end-of-run trim.

An off-module fin wall cannot attach at a junction in the spine wall. There is a 2" area of dead space on either side of the junction rendering a total of 4" dead space.



An off-module fin wall cannot be installed over a window that is located at the top of a spine panel.

Wiring & Cabling

Wiring and cabling components cannot be routed internally from a spine wall to an off-module fin wall without cutting openings in the spine wall skin. *Tip: It is recommended that you route wiring and cabling through the spine wall.*


Modular power components should be used to bring power from the spine wall to the workstation.

Surface Materials

Off-module bracket

- Black paint

Tip: Bracket is hidden when properly installed.



Off-module installation requires field modification of the light seal on the top skin. Surface covering is not affected.

Application Topics

Stability Guidelines for Application Rules


▶ Page 142

Stacking junctions can be used with any height base junction.

Bins, shelves, and worksurfaces cannot be attached off-module.

Off-module panel connector works with both square and oval style trims. Top cap filler included in package is only used with oval style trims. Square style trims do not require a top cap filler.

When using a wall-start junction manufactured before October 10, 2011 with an off module panel connector manufactured on or after October 10, 2011 the "old" bottom bracket must be used. It can be ordered from Service Parts, part number T500938MP. If using an old off-module panel connector manufactured before October 10, 2011 with a wall-start junction manufactured on or after October 10, 2011 the bottom bracket included with the off module panel connector should be used.



When using frameless glass on a spine panel with a same height off-module panel connections, the off-module cannot connect within 10" of an end of run or in-line junction connection.

Stacking Junctions—Square and Oval Trim

Stacking junctions allow you to adjust the panel heights within a workstation.
▶ Specifying square and oval, page 423

Junction top cap is standard on base panel junctions. Use the same top cap in stacking configurations.


Stacking junctions are always shared by adjacent panels. They are available for in-line, L, T, V, X, Y, end-of-run, and wall-start configurations.

Stacking horizontal frame package, specified separately, must be used with stacking junctions. Each package includes one horizontal connecting bar.


Stacking junction trim is included with L, T, V, and end-of-run stacking junctions. Stacking end-of-run trim adds 1" to footprint.

Plastic aligner is included with L, T, V, and end-of-run stacking junctions.

Fork connectors are included with stacking junction for proper connection to the base panel.



Fork connector




Top cap and junction cap from base panel are used to trim the top of the panel.

Slots in stacking junctions are identical to base junctions to accept horizontal connecting bars, powerkits, and cable trays.

Cables can be laid into top of base panel. During initial installation, it is important to keep cabling loose so it can be temporarily moved aside to install stacking fork connector at a later date.

Base panel must always have two horizontal connecting bars. The bars must be in place prior to adding fork connectors into the junction.




Actual Dimensions

Depth	3"
Height	12⅜", 18½", and 24¾"


Product Details

All existing base panels can accept a stacking junction.


Aligner is included with fabric-wrapped vertical trim but may not be needed depending on the thickness of the fabric.




End-of-run stacking junction includes junction, fork connectors, vertical trim, and plastic trim aligner. End-of-run stacking trim adds 1" to footprint.




In-line stacking junction includes junction and fork connectors.




L-stacking junction includes junction, fork connectors, vertical trim, and plastic trim aligners.




T-stacking junction includes junction, fork connectors, vertical trim, and plastic trim aligners.



X-stacking junction includes junction and fork connectors.




V-stacking junction includes junction, fork connectors, vertical trim, and plastic trim aligners.



Y-stacking junction includes junction and fork connectors.

Full L, T, V, and end-of-run square and oval vertical trim is available through Service Parts in 30", 42", 48", 54", 66", and 78" heights if a segmented visual on the trim is not desired.




Stacking change-of-height trim is used when you stack on a change-of-height configuration. The bottom edge of stacking trim is straight so it can join with the top of the standard change-of-height trim. Oval standard change-of-height trim is rounded at the bottom to fit around the top cap of the lower panel. Square standard change-of-height trim has a straight bottom edge to fit with square top trim.
▶Page 436


Standard skins, cable trays, and powerkits are used in stackable solutions. To maximize the benefits of stackability, consider matching the skin height to the stacking junction height.

Connections

Skins on base panel do not need to be removed to install a stacking junction in most cases.




Fork connector is included with stacking junction for proper connection to the base panel. Two fork connectors are included with each in-line, end-of-run, L, and V stacking junctions, three are included with T and Y stacking junctions, and four are included with X stacking junctions. One fork connector is included with each wall-start stacking junction.




Fork connectors secure into the base junction. Stacking junction is bolted to fork connectors.


Wiring & Cabling



Lay-in cable routing is accommodated in top of stacking junctions.



Junction tall sleeve can be ordered to cover the exposed metal edges in the large cable routing openings of junctions manufactured on or after October 10, 2011.



As an alternative to lay-in cable routing, horizontal routing of power and cables can be accommodated through openings in stacking junctions.

Powerkit installation for stacking components is the same process as for installation in base panels.

Surface Materials

Stacking junction
- Black paint

Tip: Junction is hidden when properly installed.

Vertical trim
- Paint

Stacking Junctions—Square and Oval Trim, continued

Application Topics

Stacking Stability Guidelines provides detailed information on applications.
▶Page 142

Maximum height that can be stacked on a base panel is 36", consisting of one 24"H and one 12"H, or two 18"H stacking junctions.


Maximum height that an Answer panel configuration can reach is 90".

Maximum number of stacking junctions that can be added to a base panel is two.


Any height base panel can be used with stacking junctions.

Bins and shelves can hang from the first stacked tier only.

For initial installations order the appropriate top cap for your stacked segment, while you are specifying the base panel.



Change-of-Height Top Cap



Standard Top Cap

For retrofit installations you will have to order a new top cap through Service Parts based on application changes.

When adding stacking junctions to base panels made prior to January 2000, you must replace vertical trim on end-of-run base junction. We recommend replacement of L base junction trim and standard change-of-height trim because the new trim can be easily removed, while the existing trim will be trapped by the stacking junction. To determine if you have trim made prior to January 2000, remove trim piece. If there are hooks at the top of your trim, you need to replace it. Replacement trim is available through Service Parts.

Stacking Junctions—
Square and Oval Trim

Base Horizontal Frame Packages—Square and Oval Trim


Base horizontal frame packages include horizontal connecting bars that lock into vertical junctions and complete the structure of a panel. A top cap and pair of base trims are also included. Cable tray and base cable tray are available as options.

▶ Specifying square and oval, pages 438 and 440

Top cap snaps onto top of panel skins. Two styles of top cap are available - square and oval. Top caps to accommodate change-of-height are also available.

Quick lock connects horizontal bars to vertical junctions for quick assembly.

Horizontal connecting bars lock into vertical junctions. The top bar can be lowered in 12" increments to a maximum of 24" from the top position. The bottom bar must always be positioned in the lowest slot in a junction.



Optional cable tray can be used for additional support of cables. Additional cable trays can be installed and arranged at various heights within the frame for communications access and cable routing.

Base trim is available with or without knockouts. Knockout dimensions are 1⅜"H by 2⅝"W.


Base trim with knockouts accommodates power and communication terminations. Top knockout is for power, bottom knockout is for communication. Filler to close unused openings is available from Service Parts **(TS7BTFSR)**.

Optional base cable tray can be used to support lay-in of cables.


Actual Dimensions

Width	17 15/16", 23 15/16", 29 15/16", 35 15/16", 41 15/16", 47 15/16", 59 15/16", and 71 15/16"
Base trim height	3¾"
Receptacle Opening	
Width of opening	2⅝"
Height of opening	1⅜"

Product Details




Horizontal frame packages are available when you want to build up your own panel. The package includes all the components of a panel except the skins so you can order the skins separately to mix combinations of skin surface materials and colors. These frame packages do not include vertical junctions. Cable trays and base cable trays are optional.




Two horizontal connecting bars must be used in each base panel.


Horizontal bars determine panel width. They are not dedicated to a specific panel height; any horizontal bar can be used or reused with any junction height.



Top horizontal bar may be lowered to allow for a 12"H, 18"H, or 24"H glass window to be placed at the top of the panel. Bottom horizontal bar in base panel must remain in lowest position.




Top caps are available in three styles - thin, square, and oval. This section is about square and oval trims. Horizontal frame packages should be specified with square or oval trim. Thin, square, and oval top caps can not be mixed between adjacent panels.



Omit top cap option is available on square trims and should be selected when adding a frameless glass screen to the top of the panel or when spanning a single top cap across multiple panels.


Spanning top caps are available for square style trims.

When spanning a single top trim across multiple panels, select the omit top cap option and specify a spanning top cap separately. Top cap width must match total width of spanned panels.




Spanning top caps can only be used in an in-line condition. They cannot span over a corner junction.

Spanning top caps can be used on any panel height.




In-line spanning top cap lightseals should be specified separately for each in-line panel joint the top cap spans.

Omit base trim option should be selected when using skins to the floor or open base trim.




Base trims are available with or without knockouts. Base trims with knockouts accommodate power and communication terminations. Plain base trims with no knockouts do not.



Open base trims are available. They do not accommodate power and data routing or entry in the base. Open base trim can only be added on a junction manufactured on or after October 10, 2011.


Open base trims are specified by omitting base trims and ordering open base trim kit separately.

Open base trims occupy the same space as the standard base trims. Open base trims occupy the bottom 3¼" of the panel; the height of the opening is 2½".




Cable tray can be positioned every 6" vertically above the base to support cable routing.

Cable tray can accept added cable carriers attached below tray to expand horizontal cable management options.
▶ See *Montage Specification Guide* for cable carrier (ZCC).




Base cable tray is used only in the base to support lay-in cable routing in the base. Base cable tray cannot be used if omit base trim option is selected for one or both sides of panel or if open base trim is used.

Connections




Quick lock on both ends of the panel's horizontal connecting bars engage the junction in a tight structural connection.


Wiring & Cabling




Vertical lay-in cable routing can be accommodated behind skins.




As an alternative to lay-in cable routing, vertical routing of power and cables through panel interior can be accommodated by openings in horizontal connecting bars. Also, see lay-in utility packages for vertical lay-in of power and cables.
▶ Page 168



Feed-through horizontal connecting bar cable sleeves can be added in the field to finish the exposed metal edges of vertical cable pass-through openings.



Knockouts in base trim can be removed in the field where needed. Knockout dimensions are 1⅜"H by 2⅝"W.



Communication outlets attach to openings in panel base trim. Order communication outlets from an outside vendor. Knockouts for communication in base accommodate modular furniture size only.

Surface Materials

Top cap and base trim
- Paint color chosen on base trim will also apply to the top cap. They are not chosen independently.

Horizontal connecting bars
- Black paint


Tip: Components are hidden when properly installed.

Application Topics

Use a cable tray to provide extra support for 60"W and 72"W full skins where people may lean against the panel.

Stacking Horizontal Frame Packages—Square and Oval Trim

Stacking horizontal frame package provides structural stability for stacking junctions.
▶ Specifying, page 441



Horizontal connecting bar is included with each stacking horizontal frame package.

Each stacking segment must have one horizontal connecting bar.
Exception: If a window is used with stacking junctions, a horizontal connecting bar is not needed.


Each stacking junction is specified separately.
▶ Page 423

Skins, ordered separately, are added to both sides of stacking frame.

Actual Dimensions

Width 17¼", 23¼", 29¼", 35¼", 41¼", 47¼", 59¼", and 71¼"


Product Details



Stacking horizontal frame package includes one horizontal connecting bar. Stacking junction is not included.

Stacking horizontal frame package is available in eight widths— 18", 24", 30", 36", 42", 48", 60", and 72"—to match panel width. These horizontal connecting bars are identical to those in horizontal frame packages and can be re-used with any type of junction.


Connections




Quick-lock mechanism on the horizontal connecting bar engages the stacking junction in a tight structural connection.

Base panel must always have two horizontal connecting bars.


Wiring & Cabling



Vertical lay-in cable routing can be accommodated behind skins.



Vertical routing of power and cables through panel interior is accommodated by openings in horizontal connecting bars.



Feed-through horizontal connecting bar cable sleeves can be added in the field to finish the exposed metal edges of vertical cable pass-through openings.

Power kit installation for stacking components is the same process as for installation in base panels.


Surface Materials

Stacking horizontal frame package


- Black

Tip: Components are hidden when properly installed.


Application Topics



When stacking a 12"H, 18"H, or 24"H window, a stacking horizontal frame package is not needed. Remember, the base panel always has two horizontal connecting bars for support.



When double stacking junctions, each stacking junction must have a horizontal beam.



No more than two windows can be stacked on top of each other.


Stacking horizontal frame package is used when additional horizontal bar is needed in off-module application. See off-module guidelines.

Stacking Stability Guidelines provides detailed information on applications.
▶ Page 142

Frameless Glass Screens—Square Trim Only

Frameless glass screen can be added to the top of a panel to help define space and provide some privacy while still providing access to natural light and promoting communication between adjacent workers.


▶ Specifying, page 443




Product Details

Frameless glass screen is secured to horizontal connecting bar by supports below the top cap and brackets above the top cap. Two brackets are used above the top cap to attach the glass to the panel on 24"–60"W panels. Three brackets are used on panels 78" and wider.

Frameless glass can be used on panels with thin or square profile trim.



Frameless glass kit includes glass screen, brackets, supports, and top cap with holes to accommodate brackets.



Gap between adjacent glass screens is 1/4".

Actual Dimensions

Glass Width – standard: 23 3/4", 29 3/4", 35 3/4", 41 3/4", 47 3/4", 59 3/4", 71 3/4", 77 3/4", 83 3/4", 89 3/4", and 95 3/4"

Glass Width – change-of-height one end square trim: 22 1/2", 28 1/2", 34 1/2", 40 1/2", 46 1/2", 58 1/2", 70 1/2", 76 1/2", 82 1/2", 88 1/2", and 94 1/2"

Glass Height: 11 3/4"

Glass Thickness: 3/8"

Surface Materials

Glass
- 6500 Clear Glass
- 6530 Frosted Glass


Tip: Frosted glass is a laminated construction. There may be variation in color, texture, and finish between the sample of 6530 Frosted Glass and the actual product.

Brackets
- Paint


Top cap
- Paint
- Wood veneer

Application Topics

Frameless glass screen can be placed on the top of a panel only. Top beam in the panel must be located in the top position of the frame in order to support frameless glass. Frameless glass can be used on base panels or stacking panels.




Frameless glass screen cannot be used when a window is located in the top position of the panel.



Change-of-height top cap option is available to allow for positioning of glass next to change-of-height trim on one side only. Glass is shortened and top cap provided supports change-of-height slim one end only.




When using frameless glass on a 48"H panel in a change-of-height condition with a taller panel, the taller panel must use a 48"H base junction and stacking junction to achieve the taller height to allow correct upper horizontal beam placement.




Frameless glass screen will not fit between two change-of-height trims.


Frameless glass kit is available without glass screen to accommodate customer's own glass. See chart of field installed glass size requirements for specific dimensions required for glass to fit in frameless glass brackets. Steelcase recommends the use of safety glass meeting ANSI 297.1 for field installed glass. Check with your local building authority for requirements in your area.



A single frameless glass screen can span over two or more panels.



90" and 96" wide frameless glass screen kits include three brackets. Two brackets attach to supports below the top cap. The third bracket attaches only to the top cap through a hole that is drilled in the top cap by the installer on site.




In-line spanning top cap lightseal must be specified separately when used in this application. Spanning top cap lightseal attaches to underside of top cap to fill space between skin lightseals. Specify one for each in-line junction the frameless glass screen spans.

A template tool is available from Service Parts **(T511082SR)** to assist in locating where holes are to be drilled on the beam of an existing panel to allow supports to be attached. This only applies to beams produced prior to September 2009. Beams produced after this date include holes to allow frameless glass supports to be attached.

Field-Installed Glass Size Requirements

Style Number	Maximum Height	Maximum Width	Thickness Range (min-max)
Standard			
TS71224SFG	11¾"	23¾"	.350-.400"
TS71230SFG	11¾"	29¾"	.350-.400"
TS71236SFG	11¾"	35¾"	.350-.400"
TS71242SFG	11¾"	41¾"	.350-.400"
TS71248SFG	11¾"	47¾"	.350-.400"
TS71260SFG	11¾"	59¾"	.350-.400"
TS71272SFG	11¾"	71¾"	.350-.400"
TS71278SFG	11¾"	77¾"	.350-.400"
TS71284SFG	11¾"	83¾"	.350-.400"
TS71290SFG	11¾"	89¾"	.350-.400"
TS71296SFG	11¾"	95¾"	.350-.400"
Change-of-Height—one end slim			
TS71224SFG	11¾"	22½"	.350-.400"
TS71230SFG	11¾"	28½"	.350-.400"
TS71236SFG	11¾"	34½"	.350-.400"
TS71242SFG	11¾"	40½"	.350-.400"
TS71248SFG	11¾"	46½"	.350-.400"
TS71260SFG	11¾"	58½"	.350-.400"
TS71272SFG	11¾"	70½"	.350-.400"
TS71278SFG	11¾"	76½"	.350-.400"
TS71284SFG	11¾"	82½"	.350-.400"
TS71290SFG	11¾"	88½"	.350-.400"
TS71296SFG	11¾"	94½"	.350-.400"

Tip: Field installed glass should always be tempered. Laminated glass must not be used.



When using frameless glass on a spine panel with a same height off-module panel connections, the off-module cannot connect within 10" of an end-of-run or in-line junction connection.

Understanding Shared Components


Statement of Line 112

Product Details

- Fabric-Covered Panel Skins 118
- Steel Panel Skins 120
- Markerboard Surfaces for Steel Skins 124
- Markerboard Skins 125
- Slatwall Skins 126
- Laminate Skins 128
- Wood Skins and Wood Skin Sets 130
- Back Painted Glass Skins 132
- Technology Skins and Covers 134
- Glass Windows 136
- Sliding Panel Doors 138
- Panel and Beam Foot 140

Stability Guidelines 142

Statement of Line




Understanding
▶ Page 118
Specifying
▶ Pages 446–450

Tackable Acoustical Fabric-Covered Panel Skins

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
12"H	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●
19 3/16"H	●**B**	●**B**	●**B**	●**B**	●**B**	●**B**	●**B**	●**B**
24"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
42"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
48"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
60"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●

B = Big open base sizes
F = To the floor sizes




Understanding
▶ Page 118
Specifying
▶ Pages 446–450

Performance Tackable Acoustical Fabric-Covered Panel Skins

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
12"H	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●
24"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
42"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
48"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
60"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●

F = To the floor sizes



Note: 12"H, 18"H, and 24"H steel skins are available with ribbed and perforated steel option.


Understanding
▶ Page 120
Specifying
▶ Pages 452–456

Steel Panel Skins

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
12"H	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●
19 3/16"H	●**B**	●**B**	●**B**	●**B**	●**B**	●**B**	●**B**	●**B**
24"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**

B = Big open base sizes
F = To the floor sizes

Tip: Ribbed and perforated steel option not available on to the floor size skins or big open base size skins.




Understanding
▶ Page 124
Specifying
▶ Page 457

Modular Markerboard Surfaces for Steel Skins

	24"W	30"W	36"W	42"W	48"W
12"H	●	●	●	●	●
24"H	●	●	●	●	●
36"H	●	●	●	●	●

Tip: Available in parametric sizes ranging from 12"W to 96"W and 12"H to 36"H.




Understanding
▶ Page 125
Specifying
▶ Pages 458–459

Markerboard Skins

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
12"H	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●
24"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**

F = To the floor sizes


Statement of Line, continued



Understanding
▶ Page 126
Specifying
▶ Page 460

Slatwall Skins

	24"W	30"W	36"W	42"W	48"W
12"H	●	●	●	●	●
18"H	●	●	●	●	●
24"H	●	●	●	●	●




Understanding
▶ Page 128
Specifying
▶ Pages 462–463

Laminate Skins

	24"W	30"W	36"W	42"W	48"W
12"H	●	●	●	●	●
18"H	●	●	●	●	●
24"H	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**F**	●**F**	●**F**	●**F**	●**F**
42"H	●**F**	●**F**	●**F**	●**F**	●**F**
48"H	●**F**	●**F**	●**F**	●**F**	●**F**
60"H	●**F**	●**F**	●**F**	●**F**	●**F**

F = To the floor sizes



Understanding
▶ Page 130
Specifying
▶ Pages 464–472


Wood Skins and Wood Skin Sets

	24"W	30"W	36"W	42"W	48"W
12"H	●	●	●	●	●
18"H	●	●	●	●	●
24"H	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**SF**	●**SF**	●**SF**	●**SF**	●**SF**
42"H	●**SF**	●**SF**	●**SF**	●**SF**	●**SF**
48"H	●**SF**	●**SF**	●**SF**	●**SF**	●**SF**
60"H	●**SF**	●**SF**	●**SF**	●**SF**	●**SF**

S = Wood skin sets

F = To the floor sizes

Tip: Wood skin sets are available for 42", 48", 54", and 66" panel heights.




Understanding
▶ Page 132
Specifying
▶ Pages 476–478

Back Painted Glass Skins

	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
12"H	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●
24"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
30"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**
36"H	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**	●**F**

F = To the floor sizes




Understanding
▶ Page 134
Specifying
▶ Page 480

Steel Technology Skins

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
6"H	●	●	●	●	●	●	●
12"H	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●


Tip: 12"H and 18"H technology skins are available with ribbed steel.
Tip: Technology skins are available with fabric-covered option.



Understanding
▶ Page 134
Specifying
▶ Page 482

Slatwall Technology Skins

	24"	30"	36"	42"	48"
12"	●	●	●	●	●
18"	●	●	●	●	●




Understanding
▶ Page 134
Specifying
▶ Page 483

Markerboard Technology Skins

	24"	30"	36"	42"	48"
12"	●	●	●	●	●
18"	●	●	●	●	●


Statement of Line, continued



Understanding
▶ Page 136
Specifying
▶ Pages 485 and 486

Glass Windows—Single Pane and Single Pane Kits for use with Custom Glass


	24"W	30"W	36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
12"H	●	●	●	●	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●	●	●	●	●
24"H	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 138
Specifying
▶ Page 488

Sliding Panel Door

	36"W	42"W
66"H	●	●
78"H	●	●



Understanding
▶ Page 140
Specifying
▶ Page 490

Panel and Beam Foot

21"L

Fabric-Covered Panel Skins


Performance Tackable Acoustical Fabric-Covered Skins and Tackable Acoustical Fabric-Covered Skins

Performance tackable acoustical fabric-covered skins and tackable acoustical fabric-covered skins finish the appearance of a panel. Skin combinations can vary to accommodate a variety of appearances and functions of the workspace. *Note: A sound-blocking barrier is added to the back side of the performance tackable acoustical skins.*

▶ Specifying, page 446

Tip: When specifying skins, the total skin height will be 6" less than the panel height. For example if the panel is 54"H the total skin height will be 48"H. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.


▶ See Panel Buildups, page 18, for more information.



Fabric skins can be removed and repositioned.


Power and communication can be accessed by cutting skin in the field. Templates for cutting both receptacle and communication cutouts are available from Service Parts **(T500940SR)**. Filler to close unwanted cutout in a skin is available from Service Parts **(TS7STFSR)**.

Connections



Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.


Skins are available in standard heights, to the floor heights, and a big open base height. Standard height skins are not dedicated to a specific location.



Skins sized to go to the floor extend to the bottom of the panel. They can be used on one or both sides of the panel. They can only be used in the bottom position. *Tip: Omit base trim option should be selected on the panel frame when using a skin to the floor.*

Actual Dimensions


Width	17 53/64", 23 53/64", 29 53/64", 35 53/64", 41 53/64", 47 53/64", 59 53/64", and 71 53/64"
Height Standard Size	12 23/64", 18 7/16", 24 3/4", 30 13/16", 37 5/64", 43 1/4", 49 7/16", and 61 13/16"
Height to the Floor Size	28 33/64", 34 5/8", 40 7/8", 42", 47 1/16", 53 15/64", and 65 19/32"
Height for Big Open Base Size	19 3/16"



Big open base skins are sized to work in conjunction with big open base trims, leaving the bottom of the panel open. They must be used on both sides of a panel.
Tip: Select the big open base option on horizontal frames that are receiving big open base height skins.


Tackable acoustical skins are available in big open base sizes. Performance tackable skins are not available in big open base sizes.

Wiring & Cabling




Powerkits are available in widths that correspond to panel widths.

Faceplate is used to surround receptacle when field-cutting fabric skins.



Faceplate, ordered separately, is used to surround modular furniture size communication outlet when field-cutting fabric skins.



NEMA-size communication outlets can be installed on the face of a panel skin without using a faceplate, but just the screws. Order communication outlets from an outside vendor. NEMA-size communication outlets cannot be used in the base.

Surface Materials

Skins
- Fabric


Fabric application is standard in the warp horizontal direction. Warp vertical direction is available as an option.Exceptions to this include:
- 72" wide standard and to the floor skins can only accommodate fabric in the horizontal direction.
- 60" high to the floor skins can only accommodate fabric in the vertical direction.
- 48" high to the floor skins accommodate select fabrics in the vertical direction only.

▶ See *Specification Guidelines for Directional Fabrics*, page 678, for more information.


Application Topics

Panel buildups
▶ Page 18

Big open base skins are 19$\frac{3}{16}$"H and placed on the junctions just above the big open base vertical trim.




Big open base skins are sized to finish a 30"H panel.



Big open base skins can be added to panels taller than 30"H. Standard sized skins are used to finish the remaining panel height. For example a 42"H panel with big open base will need a big open base skin and a 12"H skin on each side of the panel.

Steel Panel Skins

Steel panel skins finish the appearance of a panel. Skin combinations can vary to accommodate a variety of appearances and functions of the workspace.
▶ Specifying, page 452
Tip: When specifying skins, the total skin height will be 6" less than the panel height. For example if the panel is 54"H the total skin height will be 48"H. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.
▶ See Panel Buildups, page 18, for more information.



Steel skins can be removed and repositioned.


Ribbed option is available on 12"H, 18"H, and 24"H panels only.

Perforated option is available on 12"H, 18"H, and 24"H panels only. Horizontal beam and back of opposite skin is visible through perforated skin.

Actual Dimensions


Width	17 53/64", 23 53/64", 29 53/64", 35 53/64", 41 53/64", 47 53/64", 59 53/64", and 71 53/64"
Height	12 9/32", 18 7/16", 24 41/64", 30 13/16", and 37"
Height to the Floor Size	28 29/64", 34 5/8", and 40 13/16"
Height for Big Open Base Size	19 3/16"

Connections




Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.

Skins are available in standard heights, to the floor heights, and a big open base height. Standard height skins are not dedicated to a specific location.




Skins sized to go to the floor extend to the bottom of the panel. They can be used on one or both sides of the panel. They can only be used in the bottom position.
Tip: Omit base trim option should be selected on the panel frame when using a skin to the floor.




Big open base skins are sized to work in conjunction with big open base trims, leaving the bottom of the panel open. They must be used on both sides of a panel.
Tip: Select the big open base option on horizontal frames that are receiving big open base height skins.

Wiring & Cabling



Power and data can be accessed in 24"H standard base, 24"H to the floor, and big open base steel skins by specifying power and data cutouts.

Steel skins with power and data cutouts are placed in the lowest skin position on the panel and provide power access at 20".



For power access in steel skins, specify **TS7RC** receptacles and **TS7RCT** trim rings for each cutout.

Receptacle fillers are available to fill unused receptacle openings in steel skins. Use **TSBRF**.

Data fillers are available to fill unused furniture style data openings. Use **TS7DF**.

For 24"W and 30"W steel skins, hardwire receptacle cutout option will always have a single centered hardwire cutout.

For 36"W and wider steel skins, hardwire receptacle cutout option will always come with a left and right hardwire cutout.

Data cutouts are available in furniture style data cutouts and NEMA data cutouts.

For USB power access in steel skins, specify **TS7USB** receptacles and **TS7RCT** trim rings for each cutout.

Surface Materials

Skins
- Painted steel
- Ribbed steel (option)
- Perforated steel (option)

Application Topics


Panel buildups
▶ Page 18

Horizontal connecting bars will be visible when perforated skins are used on the panel.


When specifying the perforated option, order perforated skins for both sides of the panel to maximize the visual aesthetic.

Perforated skins cannot be used in installation with steel or ribbed steel skins made prior to July 10, 2000.

Big open base skins are 19 3/16"H and are placed on the junctions just above the big open base vertical trim.



Big open base skins are sized to finish a 30"H panel.




Big open base skins can be added to panels taller than 30"H. Standard sized skins are used to finish the remaining panel height. For example a 42"H panel with big open base will need a big open base skin and a 12"H skin on each side of the panel.

Steel Panel Skins, continued


Application Topics, continued

Steel skins with modular power cutouts are available in the following cutout configurations.


24"W steel skins are available in the following modular power and data cutout configurations:




30"W steel skins are available in the following modular power and data cutout configurations:



36"W steel skins are available in the following modular power and data cutout configurations:





42"W and 48"W steel skins are available in the following modular power and data cutout configurations:





Application Topics, continued


60"W and 72"W steel skins are available in the following modular power and data cutout configurations:



No Cutouts



Right Data



Left Data



Left Power



Left Power and Left Data


Right Power


Right Power and Right Data



Left Power and Right Power



Left and Right Power and Right Data


Left and Right Power and Left Data


Steel skins with hardwire power cutouts are available in the following cutout configurations.


24"W and 30"W steel skins are available in the following hardwire power and data cutout configurations:


Center Power



Center Power and Right Data


36"W steel skins are available in the following power and data cutout configurations:



Center Power


Center Power and Right Data

42", 48", 60", 72"W steel skins are available in the following power and data cutout configurations:


Right and Left Power



Right and Left Power and Right Data


Right and Left Power and Left Data

Markerboard Surfaces for Steel Skins

Markerboard surface adheres to steel skins to provide a writing surface for dry erase markers.
▶ Specifying, page 457

Magnetic border on back of markerboard affixes to steel skin. Markerboard surface can be removed and repositioned.



Write on markerboard surface with dry erase markers only.

Actual Dimensions


Width	23 45/64", 29 45/64", 35 45/64", 41 45/64", and 47 45/64"
Height	12 5/32", 24 1/2", and 36 7/8"

Note: Markerboard heights and widths can also be specified parametrically.

Product Details

Not for use on steel panels with the ribbed surface.

For best adhesive performance, place magnetic markerboard on skin with the largest dimension horizontal.




Markerboard surface, can adhere to additional steel products such as universal steel storage.

Surface Materials

Markerboard
- White only


Markerboard Skins

Markerboard skins finish the appearance of a panel and provide a writing surface for dry erase markers.
Tip: When ordering skins to the floor an F suffix will be added to the end of the style number. The total height will still be 6" less than the panel height. Using the same example, if the panel is 54"H, 48" of skin height will need to be specified.
▶ Specifying, page 458



Markerboard skins can be removed and repositioned. They are not dedicated to a specific location.

Skin is steel construction and can accept magnets to display and share information.



Skins sized to go to the floor extend to the bottom of the panel. They can be used on one or both sides of the panel. They can only be used in the bottom position.
Tip: Omit base trim option should be selected on the panel frame when using a skin to the floor.

Wiring & Cabling

Power and communication cannot be accessed in markerboard skins.

Surface Materials

Markerboard skin
- White only


Application Topics

Panel buildups
▶ Page 18

Cleaning Instructions for Answer Markerboard Skins
1. Use clean dry eraser or microfiber cloth to remove as much ink as possible.
2. Use Expo cleaner or other markerboard cleaner with microfiber cloth. If the markerboards are used daily, cleaning may be required 2-3 times a week.
3. For heavily used boards and persistent markings, clean with 91% Isopropyl Alcohol (IPA) on a microfiber cloth. It is recommended that the markerboard skins be cleaned with 91% IPA once a week.

Note: Use of household cleaners on Answer markerboard skins is not recommended.

Connections




Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.

Actual Dimensions

Width	$17\frac{53}{64}$", $23\frac{53}{64}$", $29\frac{53}{64}$", $35\frac{53}{64}$", $41\frac{53}{64}$", $47\frac{53}{64}$",$59\frac{53}{64}$", and $71\frac{53}{64}$"
Height	$12\frac{9}{32}$", $18\frac{7}{16}$", $24\frac{41}{64}$", $30\frac{13}{16}$", and 37"
Height to the Floor Size	$28\frac{29}{64}$", $34\frac{5}{8}$", and $40\frac{13}{16}$"

Slatwall Skins

Slatwall skins have horizontal channels that support Steelcase worktools and accessories on 1" increments. Maximum load on skin is 80 pounds.
▶Specifying, page 460



Actual Dimensions

Width	$23\frac{13}{16}$", $29\frac{13}{16}$", $35\frac{13}{16}$", $41\frac{13}{16}$", and $47\frac{13}{16}$"
Height	$12\frac{5}{16}$", $18\frac{1}{2}$", and $24\frac{11}{16}$"

Product Details

Slatwall skins can be removed and repositioned. They are not dedicated to a specific location.

Wiring & Cabling


Power and cables cannot be accessed in a slatwall skin.

Back-to-back slatwall skins cannot be installed at the top of a panel when using a ceiling access lay-in utility package.


Surface Materials

- Paint


Application Topics



Accessories are available for use on slatwall skins.
▶For additional information, refer to *Steelcase Worktools Specification Guide*.




Slatwall channels will not align when the top of a 12"H slatwall skin is adjacent to the top of an 18"H or 24"H slatwall skin.



Slatwall channels will align when the bottom of a 12"H slatwall skin is adjacent to the bottom of an 18"H or 24"H slatwall skin.


Binder bin or shelf can be hung in front of a slatwall skin. If two bins on shelves are hung side by side in front of slatwall skins, the top hook must use either the third or fourth full slot down from the top. The first and second full slots from the top will not accept side-by-side shelves.


Binder bin or shelf can be upmounted on slatwall skin as long as there is not another bin or another slatwall skin on the adjacent in-line panel.



Slatwall skins cannot be hung next to a cantilever or on module end panel.

Slatwall skins cannot be used in the bottom 12" of an Answer panel.







Off-module worksurface to panel connector cannot be used in front of or on the adjacent panel at the same elevation as a 12"H or 24"H slatwall skin.

Slatwall skin brace package is required when mounting a flat panel monitor arm on an Answer slatwall skin.

One single or dual monitor arm can be mounted on 12"H slatwall skin that has an installed brace package.

Up to two single monitor arms can be mounted on 18"H or 24"H Answer slatwall skin that has an installed brace package. For optimal stability, the monitor arm should be mounted as shown below:






Slatwall skins cannot be placed on the spine panel when an off-module fin panel is positioned below it.

Laminate Skins


Laminate skins attach to frames to finish the appearance of a panel and can be used in combination with any other skin type.
▶ Specifying, page 462
Tip: When specifying skins, the total skin height will be 6" less than the panel height. For example if the panel is 54"H the total skin height will be 48"H. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but are taller in actual height to cover the base trim area.
▶ See *Panel Buildups,* page 18, for more information.



Actual Dimensions

Width	$23\frac{53}{64}$", $29\frac{53}{64}$", $35\frac{53}{64}$", $41\frac{53}{64}$", and $47\frac{53}{64}$"
Height Standard Size	$12\frac{7}{32}$", $18\frac{3}{8}$", $24\frac{37}{64}$", $30\frac{3}{4}$", $36\frac{15}{16}$", $43\frac{1}{8}$", $49\frac{19}{64}$", and $61\frac{21}{32}$"
Height to the Floor Size	$28\frac{27}{64}$", $34\frac{5}{8}$", $40\frac{25}{32}$", 47", $53\frac{9}{64}$", and $65\frac{1}{2}$"


Connections




Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.

Skins are available in standard heights and to the floor heights.

Standard heights are not dedicated to a specific location.



Skins sized to go to the floor extend to the bottom of the panel. They can be used on one or both sides of the panel. They can only be used in the bottom position.
Tip: Omit base trim option should be selected on the panel frame when using a skin to the floor.



Woodgrain and directional laminate patterns run vertical as standard with an option of running horizontally.
Tip: All 60"H skins are only available in vertical direction for woodgrain and directional laminates.

Grain direction pattern may not align on segmented laminate skins on a single frame.

Wiring & Cabling

Power and communication cannot be accessed in laminate skins.

Surface Materials

Laminate skins
- Laminate (standard)
- Open Line laminate (option)

Trim
- Paint

Price Group 1 (Smooth)
- 4238 Mocha
- 4239 Clay
- 4240 Chalk
- 4242 Milk

Price Group 2 (Textured)
- 7207 Black
- 7225 Sand
- 7237 Slate
- 7241 Arctic White
- 7243 Seagull
- 7250 Sterling Dark Solid
- 7360 Merle

Price Group 2 (Metallic)
- 4799 Platinum Metallic


Tip: Consider adjacent panel trim paint color.

Wood Skins and Wood Skin Sets

Wood skins and wood skin sets attach to frames to finish the appearance of a panel and can be used in combination with any other skin type.
▶Specifying, page 464
Tip: When specifying skins, the total skin height will be 6" less than the panel height. For example if the panel is 54"H the total skin height will be 48"H. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.
▶See *Panel Buildups*, page 18, for more information.

Wood skin sets contain specific combinations of sizes and are used when segmenting all wood skins on 42"H, 48"H, 54"H, or 66"H panels. The use of sets ensures the correct cathedral wood grain alignment of all segmented skins on a frame.

Wood skins consist of a wood veneer surface captured by a painted metal trim border on all sides.




Wood skins are non-tackable.

Skins can be removed and repositioned.

Grain of wood veneer cathedrals runs vertically. Horizontal grain direction is available as an option.

Individual wood skins are available for use in monolithic applications or in combination with other types of skins on the same frame.


Connections



Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.

Skins are available in standard heights and to the floor heights.

Standard heights are not dedicated to a specific location.



Skins sized to go to the floor extend to the bottom of the panel. They can be used on one or both sides of the panel. They can only be used in the bottom position.
Tip: Omit base trim option should be selected on the panel frame when using a skin to the floor.

Wood skin sets should be selected when grain pattern alignment of all segmented skins on a frame is desired.

Actual Dimensions

Width	$23\frac{53}{64}$", $29\frac{53}{64}$", $35\frac{53}{64}$", $41\frac{53}{64}$", and $47\frac{53}{64}$"
Height Standard Size	$12\frac{7}{32}$", $18\frac{3}{8}$", $24\frac{37}{64}$", $30\frac{3}{4}$", $36\frac{15}{16}$", $43\frac{1}{8}$", $49\frac{19}{64}$", and $61\frac{21}{32}$"
Height to the Floor	$28\frac{27}{64}$", $34\frac{5}{8}$", $40\frac{25}{32}$", 47", $53\frac{9}{64}$", and $65\frac{1}{2}$"

Wiring & Cabling

Power and communication cannot be accessed in wood skins.

Surface Materials

Wood skins and wood skin sets
- Natural wood veneer (standard)
- Customiz stain (option)

Trim
- Paint

Price Group 1 (Smooth)
- 4238 Mocha
- 4239 Clay
- 4240 Chalk
- 4242 Milk


Price Group 2 (Textured)
- 7207 Black
- 7225 Sand
- 7237 Slate
- 7241 Arctic White
- 7243 Seagull
- 7250 Sterling Dark Solid
- 7360 Merle

Price Group 2 (Metallic)
- 4799 Platinum Metallic

Tip: Consider adjacent panel trim paint color.

Back Painted Glass Skins

Back painted glass skins attach to frames to finish the appearance of a panel and can be used in combination with any other skin type.
▶Specifying, page 476
Tip: When specifying skins, the total skin height will be 6" less than the panel height. For example, if the panel is 42"H the total skin height will be 36"H. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.
▶See *Panel Buildups,* page 18, for more information.




Individual back painted glass skins are available for use in monolithic 30"H and 42"H panel applications or in combination with other types of skins on the same frame.

Skins can be removed and repositioned.

Back painted glass skins consist of a back painted glass surface captured by a painted metal trim border on all sides.

Back painted glass skins are non-tackable.


Connections



Skins extend onto junction and meet skin of adjacent panel. The slotted channel of the junction is accessible between these two skins.
Tip: Back painted glass skins do not attach to wall start junctions.

Skins are available in standard heights and to the floor heights.

Standard heights are not dedicated to a specific location.



Skins sized to go to the floor extend to the bottom of the panel. They can be used on one or both sides of the panel. They can only be used in the bottom position.
Tip: Omit base trim option should be selected on the panel frame when using a skin to the floor.

Actual Dimensions

Width	$17\frac{53}{64}$", $23\frac{53}{64}$", $29\frac{53}{64}$", $35\frac{53}{64}$", $41\frac{53}{64}$", $47\frac{53}{64}$", $59\frac{53}{64}$", and $71\frac{53}{64}$"
Height Standard Size	$12\frac{7}{32}$", $18\frac{3}{8}$", $24\frac{37}{64}$", $30\frac{3}{4}$", and $36\frac{15}{16}$"
Height to the Floor	$28\frac{27}{64}$", $34\frac{5}{8}$", and $40\frac{25}{32}$"

Application Topics

A magnetic backer is available as an option on all skin sizes. There is a 2 3/8" dead zone around edge with magnetic backer option.
Tip: Rare earth magnets should be used with the magnetic backer.

Wiring & Cabling

Power and communication cannot be accessed in glass skins.


Surface Materials

Glass skins
- Back painted glass

Trim
- Paint

Technology Skins and Covers

Technology skin provides easy access to power and cabling behind the skin.
▶ Specifying, page 480



Skin is made of steel, slatwall, or markerboard.

Cutout is positioned at receptacle location.

Technology cover is specified separately and can accommodate a receptacle and a NEMA or DECORA communication port.


Actual Dimensions

Width	23 53/64", 29 53/64", 35 53/64", 41 53/64", 47 53/64", 59 53/64", and 71 53/64"
Height	6 1/8", 12 9/32", and 18 7/16"
Thickness	13/32"


Product Details

Technology skins are available in 24" to 72" widths to match standard panel widths.


Technology skins are available in steel, ribbed steel, fabric over steel, slatwall, or markerboard. Not all materials are available on all skin heights or widths.



Technology skins 30" or under are available with all cutouts or with only right- or left-hand cutouts.




60"W and 72"W skins will have double cutouts and can be optioned to have them on both sides, right hand only or left hand only.



6"H technology skin has an option to omit all cutouts.

Slatwall technology skins include a painted trim for each cutout that is used behind the technology cover. It is painted to match the skin.

Slatwall technology skins must follow the same vertical placement rules as slatwall skins.
▶ See page 126 for Vertical Placement Rules.



Technology cover accommodates both power only and power communication. Technology cover includes all necessary adapters and fillers needed for both applications. When expressing communication only, receptacle covers are available through Service Parts (891700204MP).

Connections

Skin attaches to junctions with the same clip used on all Answer skins.

Technology covers snap on to the powerkit after receptacle is installed.

Wiring & Cabling

Standard modular powerkits must be used with technology skins and covers. They cannot be used with hardwire kits.

Top opening of cover accommodates a NEMA or modular communication port and have been designed around ANSI/TIA-569-C standards for furniture mounted communication faceplates that snap into furniture openings or knockouts. Communication ports can never be back-to-back. Cover also includes a filler if no communication is being used.

Receptacle cover is available through Service Parts (891700204MP) to cover the receptacle opening if no receptacle is specified.

Surface Materials


Technology skins–6"H
- Painted steel
- Fabric covered steel (option)

Technology skins–12"H and 18"H
- Painted steel
- Ribbed steel (option)
- Fabric covered steel (option)
- Slatwall–painted
- Markerboard

Fabric application is standard in the warp horizontal direction. Warp vertical direction is available as an option.
▶See *Specification Guidelines for Directional Fabrics*, page 678, for more information.


Technology covers
- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6654 Sand
- 6697 Fog

Application Topics




24"W skin


24"W technology skins have one cutout. Communication ports cannot be supported back to back, so in this skin width, communication can only be accommodated on one side of the panel at the same elevation.



36"W skin




42"W skin




48"W skin


All 36"W, 42"W, and 48"W technology skins have one or two cutouts. The right-hand cutout can accommodate power only or power and communication. Left-hand cutout can only accommodate the power.



30"W skin



60"W skin




72"W skin

All 30"W, 60"W, and 72"W technology skins have one or two cutouts. For each double cutout the right-hand opening can accommodate power only or power and communication. Left-hand cutout can only accommodate the power.

Number of technology covers specified must match the number of cutouts in a skin.


If using powerkits shipped prior to April 2000 in an existing application, power and communication cover must be placed on the left-hand side of the technology skin.



6"H technology skin can only be used in the position just above the worksurface. The skin includes powerkit brackets to be used to reposition the powerkit location on the junction.

When using a 6" technology skin on one side of the panel (only used at worksurface height) a 12" or 18" technology skin cannot be used on the opposite side of the panel at the same location as the 6"H skin.


6"H technology skins cannot be used on a 30" high panel.



6"H technology skins with no cutouts can be used in any 6" position on the panel with the exception of the bottom 12" of the panel.

18"H technology skins must be planned in 12"H increments from the bottom of the panel to align with powerkit locations.

Slatwall technology skins must follow applicable slatwall skin vertical placement rules.
▶See page 126 for rules.




Technology skin cover fillers are available to allow technology skin cover to work with technology skins manufactured before October 10, 2011. Fillers are available for single or double cutouts and are painted.

Slatwall skin brace package is required when mounting a flat panel monitor arm on an Answer slatwall technology skin.

One single monitor arm can be mounted on a 12"H or 18"H slatwall technology skin with a single cutout. The skin must have an installed brace package. When planning location of technology skins, factor in location of height-adjustable desk to avoid interference with cords.

Glass Windows

Glass windows provide a visual space definition, yet allow light to pass through the workstation. They are available in single pane. Also available is a single pane kit that ships without glass and is used with custom glass, ordered separately.
▶ Specifying, page 485



Safety glass is provided, unless custom glass window kit is ordered.

Metal frame is painted and fully assembled.

Actual Dimensions

Depth	2⅞" (single pane)
Width	23 51/64", 29 51/64", 35 51/64", 41 51/64", 47 51/64", 59 51/64", 71 51/64", 77 51/64", 83 51/64", 89 51/64", and 95 51/64"
Height	12 9/32", 18 7/16", and 24 41/64"

Product Details

Glass window is secured by brackets in the window frame.

Wiring & Cabling

Power and cables cannot be routed vertically or accessed in a glass window.

Top channel of a window used in the top position of a panel can accommodate lay-in cable routing beneath top cap.


Surface Materials

Frame
- Paint


Single-pane window
- 6500 Clear Glass
- 6530 Frosted Glass

Tip: Frosted glass is a laminated construction. There may be variation in color, texture, and finish between the sample of 6530 Frosted Glass and the actual product.


Application Topics



12"H, 18"H, and 24"H glass windows can be placed in the top position of a panel by either using stacking junctions, or by lowering the top horizontal connecting bar (24" maximum) in the base panel.
▶ See *Stability Guidelines* for rules regarding stacking and glass windows, page 142.




A 18"H or 24"H glass window installed in the top of a base panel cannot accommodate any windows stacked on top. Tackable acoustical skins and steel skins can be stacked. Only 12"H glass windows can be stacked on top of each other.




No more than two windows may be stacked on top of each other.


Glass windows cannot be placed in the top position of a panel segment that has a 6"H stacker.



Glass window cannot be used at the base of a panel.




When installing windows, you must consider ceiling height. Windows slide into junctions from the top and require clearance above the panel.




A single glass window can span over two or more in-line panels.

Spanning windows should be used in the top position only.




Spanning window in-line support must be specified separately when spanning windows. One support is used at each in-line junction to provide a light seal and help support the window.




Spanning windows of any width cannot be stacked on top of each other.

When a spanning window is used, it is recommended that the same size spanning top cap also be specified for use on the window.



When double stacking junctions, at least one of the stacking junctions must be connected with a horizontal beam.



When ordering a 72"W or wider single pane window kit to be used with steel or fabric skins located directly below it, two clips (890146001SR) should be ordered and installed on the top edge of the skins.

Field-Installed, Single-Pane Custom Glass
Kits will accommodate 4 mm – 6 mm glass

Frame Size		Style Number	Height	Width	Maximum Thickness
12"H	24"W	TS71224SCW	9.760"	21.280"	0.245"
	30"W	TS71230SCW	9.760"	27.280"	0.245"
	36"W	TS71236SCW	9.760"	33.280"	0.245"
	42"W	TS71242SCW	9.760"	39.280"	0.245"
	48"W	TS71248SCW	9.760"	45.280"	0.245"
	60"W	TS71260SCW	9.760"	57.280"	0.245"
	72"W	TS71272SCW	9.760"	69.280"	0.245"
	78"W	TS71278SCW	9.760"	75.280"	0.245"
	84"W	TS71284SCW	9.760"	81.280"	0.245"
	90"W	TS71290SCW	9.760"	87.280"	0.245"
	96"W	TS71296SCW	9.760"	93.280"	0.245"
18"H	24"W	TS71824SCW	15.940"	21.280"	0.245"
	30"W	TS71830SCW	15.940"	27.280"	0.245"
	36"W	TS71836SCW	15.940"	33.280"	0.245"
	42"W	TS71842SCW	15.940"	39.280"	0.245"
	48"W	TS71848SCW	15.940"	45.280"	0.245"
	60"W	TS71860SCW	15.940"	57.280"	0.245"
	72"W	TS71872SCW	15.940"	69.280"	0.245"
	78"W	TS71878SCW	15.940"	75.280"	0.245"
	84"W	TS71884SCW	15.940"	81.280"	0.245"
	90"W	TS71890SCW	15.940"	87.280"	0.245"
	96"W	TS71896SCW	15.940"	93.280"	0.245"
24"H	24"W	TS72424SCW	22.120"	21.280"	0.245"
	30"W	TS72430SCW	22.120"	27.280"	0.245"
	36"W	TS72436SCW	22.120"	33.280"	0.245"
	42"W	TS72442SCW	22.120"	39.280"	0.245"
	48"W	TS72448SCW	22.120"	45.280"	0.245"
	60"W	TS72460SCW	22.120"	57.280"	0.245"
	72"W	TS72472SCW	22.120"	69.280"	0.245"
	78"W	TS72478SCW	22.120"	75.280"	0.245"
	84"W	TS72484SCW	22.120"	81.280"	0.245"
	90"W	TS72490SCW	22.120"	87.280"	0.245"
	96"W	TS72496SCW	22.120"	93.280"	0.245"


Sliding Panel Doors

Sliding door is handed and can be added to workstations for additional privacy.
▶ Specifying, page 488

Door must be installed on the outside of the work station.

Door is attached to the host panel only; therefore, the stability of the door is closely related to the stability of the host panel.

Sliding door can be specified with lock option. Specify lock cylinder and key separately.



Host panel – height of the host panel must match the height of the door.

Sliding door frame and threshold are constructed from extruded aluminum and painted.


Lock mechanism is on the right-hand side for left-hand sliding door.

Door handle is integral and is ADA compliant.

Left-hand sliding door closes from right to left.

Receiving panel – height of receiving panel must match height of the door.

Door slides along threshold on wheels. Wheels have 1" adjustment for installation on uneven floors. Threshold is ADA compliant.



Right-hand sliding door closes from left to right.

Lock mechanism is on the left-hand side for right-hand sliding door.

Actual Dimensions	
Door Height	66" and 78"
Door Width	36" and 42"
Door Thickness	1¼"

Product Details

Sliding door is handed. Right-handed sliding door or left-handed sliding door must be specified.

Sliding door can be specified with lock option. Specify lock cylinder and key separately.

Door infill is standard in ribbed, translucent plastic. Clear tempered glass and white laminated glass are available as options.

Surface Materials


Frame and door track
- Paint

Door infill
- 6625 Translucent Plastic
- 6500 Clear glass
- 6541 White laminated

Application Topics

Sliding door is not free-standing. It must mount to panels.

Door is attached to the host panel only. Therefore, the stability of the door is closely related to the stability of the host panel.
▶See Guidelines for Sliding Door Applied to Answer, page 158.



Door track is attached to both host panel and opposite panel.

Height of door must match height of host panel – 66"H or 78"H.

Match the width of the host panel to the width of the door, if possible.

When attaching the sliding door to an Answer panel, a junction stabilizer bracket is available for added rigidity to the host panel. If a host and/or receiving panel run exceeds 4', a junction stabilizer bracket must be applied to the door end of the host and/or receiving panel run. On long runs, apply a junction stabilizer bracket or perpendicular panel every 8'.


Sliding panel door cannot attach to a stacking junction. Host panel must be a single base junction.

The doorway side of the host panel must be an end-of-run junction. The doorway end of the host panel cannot be an L junction.

Panel and Beam Foot

The panel and beam foot supports up to a 48"H panel run freestanding without additional support from fin panels, tethered worksurfaces, or support legs.
▶ Specifying, page 490

A panel and beam foot can also be used to make a panel run taller than 48"H feel more stable, but is not an alternative to a perpendicular panel or other panel support for stability purposes.
▶ See Stability Guidelines page 142, for more information.



Panel and Beam Foot


Actual Dimensions

Width	3¼"
Length	21"
Height	⅝"


Product Details

Panel and beam foot attaches to end-of-run and in-line junctions to support a freestanding panel run.


Vertical attachment post is offset on the panel and beam foot and allows for a choice of proud or inset installation at the end-of-run by rotating the panel and beam foot.



Panel and beam foot positioned proud of the end of run accommodates Ology, Migration, and Airtouch height adjustable desks. It is used parallel to the panel without overlapping table supports and panel feet.




Panel and beam foot positioned inset from the end-of-run provides a cleaner visual and accommodates Ology, Migration, and Airtouch desks.




Panel and beam foot will be centered on in-line junctions.


Panel and beam foot only attaches to junctions manufactured on or after October 10, 2011.



Glide for use with panel and beam foot is included in the hardware package and installs in the field to maintain standard panel height and minimize the gap between the panel and floor.



Standard glides can be used in conjunction with the panel and beam foot but will result in a 5/8" larger gap between the bottom of the panel and the floor.




Set screws in the end of the foot provide 1/4" of micro adjustment.

Surface Materials


Foot

- Paint


Application Topics




Open base trim cannot be used in conjunction with a panel and beam foot.




Big open base trim can be used in conjunction with a panel and beam foot.



Top cap mounted storage is not permitted on freestanding panel runs supported by panel feet.




Panel hung storage is not permitted on freestanding panel runs supported by feet.




Slatwall skins are not allowed on freestanding panel runs supported by panel feet.

Wiring & Cabling

Panel and beam foot blocks power routing in the panel base and just above the base areas. The vertical attachment post covers the slots on the junction where the powerkit connects in these two zones. It also blocks the ability for a powerkit harness, pass-through powerkit, or modular harness to route in the base area from an adjacent panel.



Multipurpose infeed connects power from the building floor into a panel run supported by panel feet. Conduit can be run under the panel or through a knockout in the basetrim, and must be attached to the bottom horizontal beam with 24206001SR strain relief bracket from service parts.



San Francisco power infeed can be used if liquid tight conduit is required. Plan to have a long enough infeed to attach to a modular power kit in the panel adjacent to the entry panel.

Power can be accessed in the third postion up from the base through field cut fabric skins or technology skins.


Stability Guidelines

Answer, when installed properly, is an exceptionally stable furniture system. That applies to workstations using panels alone, panel-supported components, or freestanding furniture.

Counterweight packages for storage products are required to ensure product stability.
▶ See page 273 for *Counterweight Requirements for Storage Products.*


The following section on panel stability gives some guidelines to be used with common system furniture configurations. Guidelines are given to panels with and without components. Consult your local dealer or Steelcase representative prior to deviating from these guidelines.

When panel height exceeds six feet in seismic geographical areas rated at a 3 or 4, floor plans must be submitted to a certified structural engineering firm to assure the product application complies with applicable building codes. Steelcase is not responsible for consultation fees. Maximum allowable stacked panel height is 90".




Change-of-height has no effect on these stability guidelines unless otherwise specified.


There are several ways to anchor the end of a panel run:



With a return panel.



With a pedestal, pedestal filler, or a lateral file with a storage-to-panel connector.



With an end panel.

Guidelines for Panel-Hung Components
▶ Page 143

Guidelines for "L" Configurations
▶ Page 144

Guidelines for "T" Configurations
▶ Page 145

Guidelines for Support Brackets: No Overheads or Panel-Hung Components
▶ Page 147

Guidelines for Support Brackets: Overheads or Panel-Hung Components
▶ Page 147

Guidelines for Support Brackets
▶ Page 148

Guidelines for "U" Configurations
▶ Page 148

Guidelines for "X" Configurations
▶ Page 149

Guidelines for "V" Configurations
▶ Page 150

Guidelines for "Y" Configurations
▶ Page 151

Guidelines for Bench Configurations without Top Cap Mounted Storage
▶ Page 152

Guidelines for Bench Configurations with Top Cap Mounted Storage
▶ Page 153

Guidelines for Wall-Start Junction Configurations
▶ Page 156

Guidelines for Answer Off-Module Bracket Configurations
▶ Page 157

Guidelines for Sliding Panel Door Applied to Answer
▶ Page 158


Guidelines for Freestanding Panels Supported by Panel and Beam Foot
▶ Page 157

Guidelines for Answer Panel-Hung Components


These guidelines treat shelves and bins as interchangeable.

- If bins or shelves are applied at an elevation higher than 66", a perpendicular panel of same height (or up to 24" lesser height) is required.
- Top of universal sliding door bin is not designed to support the weight of a seated person.
- When ganging bins or shelves, the use of a tie plate is required.
- When stacking bins, at least 2 inches of clearance from the bottom is required to access the lock.


In all cases, up to two panel-hung components may be used per panel, per side. These are some common applications:




Hanging one component on one side.



Hanging one component on each side.




Hanging two components on one side.




Hanging two components on each side.

When 24"W return panels are placed adjacent to each end of components, you may use up to four shelves or bins on a panel (without worksurfaces).



Three shelves or bins, 48" maximum vertical loading space including top.





Four shelves or bins, 60" maximum vertical loading space including top.


Guidelines for "L" Configurations

Panels with Panel-Hung Components


If A is up to 12' or less, you need to have either a pedestal with filler, a jetty or bubble jetty worksurface, or an end panel on end. Maximum 8' of shelves or bins per panel run.








Guidelines for "T" Configurations




An 8' run with no panel-hung component does not require a return panel. For additional stability or longer runs, apply a junction stabilizer bracket every 8' bolted to a concrete floor.

In change-of-height configuration when panel A height is shorter than panel B height, a junction stabilizer bracket must be applied to the panel A.

When back painted glass is located on the return panels, the return panel height must be equal to or shorter than the spine panel height.
Note: The minimum spine length is 6'.




For runs over 8' up to 18', you must use at least a 30"W return panel.





When back painted glass skins are used on the spine panels, a rear facing return panel is required.

Guidelines for "T" Configurations, continued

Panels without Panel-Hung Components









For runs over 18', you must locate a 48"W perpendicular panel every 12'.


Panels with Panel-Hung Components Counterbalanced on Both Sides




If A is 4' long and B is 6' long, you must use an end panel and a cantilever.



If B is 6' to 12', you must use one center support panel per side. Maximum 8' of shelves or bins per panel run.





If B is up to 6' long, you can use cantilevers to support adjoining worksurfaces.



If B is up to 6' long, you can use cantilevers to support adjoining worksurfaces. Maximum 8' of shelves or bins per panel run.

Guidelines for Support Brackets: No Overheads or Panel-Hung Components






One end of panel run must be supported by:
- Panel that is minimum 24" wide.
- Tower with tall storage-to-panel connector (24"D or 30"D)

Other end of panel run can be supported by:
- Open loop leg
- Closed loop leg
- Pedestal with filler
- End panel
- 1.5H or 2H storage with storage-to-panel connector
  - 18"D or 24"D cabinet in perpendicular application
  - 24"D cabinet in parallel application
- Tower with medium storage-to-panel connector


Worksurfaces 26"D or less:
- Can be completely supported by cantilever brackets or a combination of cantilever and side support brackets, pedestals, legs (post, open loop, closed loop), end panel support, and 1.5H storage with intermediate support.
- When using cantilevers to support a 26"D or less worksurface, minimum return panel width is 30". Panel width can be reduced to 24"D to match the worksurface depth of a 24"D worksurface if side support brackets are applied.

Worksurfaces greater than 26"D:
- Straight and transition worksurfaces require additional floor support along the front edge at each end, such as side support brackets, pedestal, or post leg.

Guidelines for Support Brackets: Overheads or Panel-Hung Components



Tip: Overhead bin or shelf cannot span over or be positioned over tower.



One end of panel run must be supported by:
- Panel that is minimum 24" wide.
- Tower with tall storage-to-panel connector (24"D or 30"D)


Other end of panel run can be supported by:
- Open loop leg
- Closed loop leg
- Pedestal with filler
- End panel
- 1.5H or 2H storage with storage-to-panel connector
  - 18"D or 24"D cabinet in perpendicular application
  - 24"D deep cabinet in parallel application
- Tower with medium storage-to-panel connector

Worksurfaces 26"D or less:
- Can be completely supported by cantilever brackets or a combination of cantilever and side support brackets, pedestals, legs (post, open loop, closed loop), end panel support, and 1.5H storage with intermediate support.
- When using cantilevers to support a 24"D worksurface, minimum return panel width is 30". Panel width can be reduced to 24"D to match the worksurface depth if side support brackets are applied.


Worksurfaces greater than 26"D:
- Straight and transition worksurfaces require additional floor support along the front edge at each end, such as side support brackets, pedestal, or post leg.

Stability Guidelines, continued

Guidelines for Support Brackets




If A is between 8' and 10', side support brackets are required at each end of the run. Both ends of loaded panel run must be supported by perpendicular panels.
Note: Panel fin on one side can be replaced by a tower with a tall storage-to-panel connector as long as the tower is not outside the panel run and the overhead bin or shelf is not spanning over or positioned over the tower.




If A is greater than 10', side support brackets are required at both ends of each worksurface. Full height perpendicular panels need to support the loaded panels every 8'.

Guidelines for "U" Configurations




If A is 12' or less, no floor support is required mid-run. Maximum 8' of shelves or bins per panel run.



If A is between 12' and 16', some type of floor support is required mid-run. Maximum 8' of shelves or bins per panel run.


Guidelines for "X" Configurations

Panels without Components




For additional stability or longer runs, apply a junction stabilizer bracket every 8' bolted to a concrete floor.

Panels with Components



If panel is 6' or less, no center support is needed.





Center support panel is needed every 6'. Cantilevers can be used to tie spanner in. Maximum 8' of shelves or bins per panel run.

Stability Guidelines, continued


Guidelines for "V" Configurations

Panels with Components





If A is up to 12' or less, you need to have either a pedestal with filler, a jetty or bubble jetty worksurface, or an end panel on end. 26"D or greater straight worksurfaces and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal or post leg. Maximum 8' of shelves or bins per panel run.




"U" configuration must have a cantilever with the 120° V junction. The other end needs to be supported with a full-height panel, end panel, or a pedestal with filler.

No components can be hung on back side of panel run unless in a "Y" configuration.

When back painted glass skins are used on the spine panels a rear facing return panel is required.


Guidelines for "Y" Configurations

Panels without Components




For additional stability or longer runs, apply a junction stabilizer bracket every 8' bolted to a concrete floor.


Panels with Components



If panel is 6' or less, no center support is needed.



Center support panel is needed every 6'. Cantilevers can be used to tie spanner in. Maximum 8' of shelves or bins per panel run.




"Y" configuration must have an end panel with a connector bracket with the 120° Y junction. The other end needs to be supported with a full-height panel, end panel, or a pedestal with filler. For worksurfaces 26"D or less, the center can be supported by a cantilever when bins and worksurfaces are used on both sides (as shown). 26"D or greater straight worksurfaces and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal or post leg.
Note: When using cantilevers to support a worksurface 26"D or less, minimum panel width is 30". Panel width can be reduced to 24" to match a 24"D worksurface if side support brackets are applied.


Stability Guidelines, continued

Guidelines for Bench Configurations without Top Cap Mounted Storage


Single Sided Bench




Tip: Single sided applications using half loop leg require a cantilever between the leg and the next support.



Double Sided Bench





End-of-run support options include:

- Post leg and cantilever
- Half loop leg
- Open loop leg
- Closed loop leg
- Worksurface end panel
- Pedestal with filler
- 1H, 1.5H, or 2H (18" on 24"D) cabinet with panel-to-storage connector in perpendicular application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- 1H, 1.5H, or 2H (24"D) cabinet with panel-to-storage connector in parallel application.
  Note: 1H and 1.5H cabinet requires intermediate support.

- Tower with medium storage-to-panel connector

Maximum worksurface depth is 26" with front support every 12'.


Worksurfaces greater than 26"D require legs in the front of each worksurface on both ends of the worksurface.


Center support panels cannot be used as supports.

Slim shelves and slatwall skins (including monitor arm attachment) can be applied, but bins and universal shelves are not allowed.

Guidelines for Bench Configurations with Top Cap Mounted Storage, continued

Single Sided Bench with Aisleway Top Cap Mounted Storage





For single sided bench with aisleway top cap mounted storage, worksurface support must include at least one of the following:

- Pedestal with filler
- 1H, 1.5H, or 2H (18" on 24"D) cabinet with panel-to-storage connector in perpendicular application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- 1H, 1.5H, or 2H (24"D) cabinet with panel-to-storage connector in parallel application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- Tower with medium storage-to-panel connector

1. *Tip: The maximum panel height with Duo, Currency storage, and Elective Elements storage is 48".*
2. *Tip: In aisleway applications, the back of the storage overhangs the panel 3.5".*
3. *Tip: Aisleway mounting can accept storage up to 17"D.*
4. *Tip: When using storage to panel connectors to support the panel application, the maximum distance between storage to panel connection is 6'.*

End-of-run support options include:

- Post leg and cantilever
- Half loop leg
- Open loop leg
- Closed loop leg
- Worksurface end panel
- Pedestal with filler
- 1H, 1.5H, or 2H (18" on 24"D) cabinet with panel-to-storage connector in perpendicular application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- 1H, 1.5H, or 2H (24"D) cabinet with panel-to-storage connector in parallel application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- Tower with medium storage-to-panel connector

For single sided bench applications with aisleway top cap mounted storage, worksurface depth must be 30"D.


30"D worksurfaces require legs in the front of each worksurface on both ends of the worksurface.

Center support panels cannot be used as supports.

Slim shelves and slatwall skins (including monitor arm attachment) can be applied, but bins and universal shelves are not allowed.

Guidelines for Bench Configurations with Top Cap Mounted Storage, continued

Double Sided Bench with Center Top Cap Mounted Storage



1. *Tip: The maximum panel height with Duo, Currency, and Elective Elements storage is 48".*
2. *Tip: 10' max between legs when using legs and cantilevers to support panel.*
3. *Tip: When top cap storage is center maintained, the storage is shared equally on top of the panel.*
4. *Tip: Center mounting can accept storage up to 25"D.*

End-of-run support options include:

- Post leg and cantilever
- Half loop leg
- Open loop leg
- Closed loop leg
- Worksurface end panel
- Pedestal with filler
- 1H, 1.5H, or 2H (18" on 24"D) cabinet with panel-to-storage connector in perpendicular application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- 1H, 1.5H, or 2H (24"D) cabinet with panel-to-storage connector in parallel application.
  Note: 1H and 1.5H cabinet requires intermediate support.
- Tower with medium storage-to-panel connector

Maximum worksurface depth is 26" with front support every 10'.


Worksurfaces greater than 26"D require legs in the front of each worksurface on both ends of the worksurface.

Center support panels cannot be used as supports.

Slim shelves and slatwall skins (including monitor arm attachment) can be applied, but bins and universal shelves are not allowed.

Guidelines for Wall-Start Junction Configurations

Panels with Components




When using a wall-start junction, an end panel must be used with the wall-start junction and the other end must be supported by a full panel, an end panel, or a pedestal with a filler. For worksurfaces 26"D or less, the center can be supported by a cantilever. 26"D or greater straight worksurfaces and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal or post leg.

Wall hang channels for shelves and overhead storage bins cannot be used with a wall-start junction.

Tip: Wall-start junctions must secure to the stud in a building wall or use drywall fasteners.

Guidelines for Answer Off-Module Bracket Configurations


Panels with Components



"U" configuration


When using an Answer off-modular connector bracket, a cantilever must be used with the connector bracket. The other end needs to be supported with a panel, end panel, or a pedestal with filler. For worksurfaces 26"D or less, the center can be supported by a cantilever. 26"D or greater straight worksurfaces and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal or post leg.

Note: When using cantilevers to support a worksurface 26"D or less, minimum panel width is 30". Panel width can be reduced to 24" to match a 24"D worksurface if side support brackets are applied.




"T" configuration

When using an Answer off-modular connector bracket, a cantilever must be used with the connector bracket. The other end needs to be supported with a panel, end panel, or a pedestal with filler. For worksurfaces 26"D or less, the center can be supported by a cantilever when bins and worksurfaces are used on both sides (as shown). 26"D or greater straight worksurfaces and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal or post leg.




Wall-start junction must match the fin panel height coming off the spine wall. Change-of-height trim is not available to cover exposed wall-start junction.



Loading on spine wall with change-of-height off-module fin is allowed with a maximum of 12" height difference between spine and fin. No loading on spine is permitted if the spine is 24"H or higher than the off-module fin. End panels or a pedestal with a filler is required to support a worksurface attached to spine.

Guidelines for Sliding Panel Door Applied to Answer




Host Panel
- Height of host panel must match height of door.
- Match the width of the host panel to the width of the door.
- If host panel run exceeds 4', a junction stabilizer bracket must be applied to the door end of the host panel run. On long host panel runs, apply a junction stabilizer bracket or perpendicular panel every 8'.


Receiving Panel
- Height of receiving panel must match height of door.
- If receiving panel run exceeds 4', a junction stabilizer bracket must be applied to the door end of the receiving panel run. On long receiving panel runs, apply a junction stabilizer bracket or perpendicular panel every 8'.

Guidelines for Freestanding Panels Supported by Panel Feet

Single Panel



Multiple Panel Run




Slim shelves, slatwall skins, and panel-hung or top cap mounted overhead storage bins are not allowed in panel and beam foot supported applications.


1. *Tip: The maximum panel height is 48"H with up to an additional 12"H frameless glass screen.*
2. *Tip: Single panels supported by panel feet must be at least four feet wide.*
3. *Tip: Freestanding panel runs with multiple panels must have a panel and beam foot every 10 feet.*
4. *Tip: A panel and beam foot is required within three feet of the end of run.*

Stability Guidelines, continued

Guidelines for media:scape Integration



For runs up to 12'6" that have return panels on the same side as the shared worksurface, use at least a 30"W return panel that matches the height of the spine wall. For spine walls that exceed 66"H, a 30"W rear facing return panel is required. The monitor mount is not to exceed 66"H.
Tip: Monitor not included with media:scape assembly.



For runs up to 12'6" that have return panels on the opposite side as the shared worksurface, use at least a 24"W return panel. The monitor mount is not to exceed 66"H.
Tip: Monitor not included with media:scape assembly.

Understanding Wiring and Cabling

All Answer electrical components are listed by Underwriters Laboratory (UL) and certified by the Canadian Standards Association (CSA).

Statement of Line 160

Product Details

Wiring Schematics 163

How to Calculate Power Needs 164

Cable Capacities 166

Interface Products

- Ceiling-Access Lay-In Utility Package 168
- Floor-Access Lay-In Utility Package 170
- Utility Pole—Thin Trim 172
- Junction with Utility Pole 174
- Base Power Infeed 176
- Special Requirements for New York City 177

Distribution Products

- Powerkits 178
- Pass-Through Powerkits 178
- Cable Trays 178
- Modular Harness 180
- Multipurpose Power Infeed 181
- Special Requirements for Hardwired Solution 182

Access Products

- Duplex Receptacles 183
- USB Receptacles 183
- Faceplate 183


Accessories

- Junction Tall Sleeve 185
- Lay-In Junction Cable Sleeve 185
- Feed-Through Horizontal Cable Sleeve 185
- Grommet for Horizontal Bar and Junction 186
- Grommet for Junction 186
- Duplex Cable Grommet 186


Statement of Line

Interface Products


The interface is the point at which the utilities within a panel connect to a building's power and communication network. All power components are field installed.




Ceiling-Access Lay-In Utility Package
Understanding
▶ Page 168
Specifying
▶ Pages 358 and 430




Floor-Access Lay-In Utility Package
Understanding
▶ Page 170
Specifying
▶ Pages 359 and 432




Utility Pole—Thin Trim
Understanding
▶ Page 172
Specifying
▶ Page 357



Junction with Utility Pole
Understanding
▶ Page 174
Specifying
▶ Page 428




Base Power Infeed
Understanding
▶ Page 176
Specifying
▶ Page 499




Base Power Infeed for Use in New York City
Understanding
▶ Page 177
Specifying
▶ Page 500

Distribution Products


Distribution refers to the way that power and communication networks are routed through a panel.




Cable Tray
Understanding
▶ Page 178
Specifying
▶ Page 491




Powerkit
Understanding
▶ Page 178
Specifying
▶ Page 492




Pass-Through Powerkit
Understanding
▶ Page 178
Specifying
▶ Page 493



Hardwire Solution for Chicago and Other Areas
Understanding
▶ Page 182
Specifying
▶ Page 501



Modular Harness
Understanding
▶ Page 180
Specifying
▶ Page 503



Multipurpose Power Infeed
Understanding
▶ Page 181
Specifying
▶ Page 502

Access Products


Access to power and communication networks is accommodated by power receptacles and communication outlets installed in a panel.



Duplex Receptacles
Understanding
▶ Page 183
Specifying
▶ Page 494



USB Receptacles
Understanding
▶ Page 183
Specifying
▶ Page 495



Faceplate
Understanding
▶ Page 183
Specifying
▶ Page 497



Receptacle Trim Ring
Understanding
▶ Page 184
Specifying
▶ Page 498



Receptacle Filler
Understanding
▶ Page 184
Specifying
▶ Page 498

Statement of Line, continued

Access Products, continued


Access to power and communication networks is accommodated by power receptacles and communication outlets installed in a panel.




Data Filler
Understanding
▶ Page 184
Specifying
▶ Page 498

Accessories

Accessories are used to help customize your wiring and cabling needs.




Junction Tall Sleeve
Understanding
▶ Page 185
Specifying
▶ Page 506



Lay-In Junction Cable Sleeve
Understanding
▶ Page 185
Specifying
▶ Page 507




Feed-Through Horizontal Cable Sleeve
Understanding
▶ Page 185
Specifying
▶ Page 507



Grommet for Horizontal Bar and Junction
Understanding
▶ Page 186
Specifying
▶ Page 507



Grommet for Junction
Understanding
▶ Page 186
Specifying
▶ Page 508



Duplex Cable Grommet
Understanding
▶ Page 186
Specifying
▶ Page 508


Wiring Schematics

Details for the Electrician


Answer offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan.
Tip: All the components in an electrical system must use the same wiring schematic. The components are keyed and color coded to make it impossible to connect mismatched parts.
Black = Four-circuit, 3+1
Brown = Four-circuit, 2+2
Rust = Three-circuit, separate neutrals (3SN)
Shared neutrals = 10 gauge
Non-shared neutrals = 12 gauge
Hot wires = 12 gauge

Four-Circuit, 3+1

Circuit Panel 1




Circuit Panel 2



In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.


Single 3-Phase
Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Four-Circuit, 2+2

Circuit Panel 1




Circuit Panel 2




In the four-circuit 2+2 schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and supported by their own shared neutral and ground.

Single 3-Phase
Circuit Panel



On a single 3-phase circuit panel, all four circuits are distributed as shown.


Split-Phase
Circuit Panel




On a split-phase circuit panel, all four circuits are distributed as shown.

Three-Circuit, Separate Neutrals

Circuit Panel 1




Circuit Panel 2




In the three-circuit, separate neutral schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.

Single 3-Phase
Circuit Panel



On a single 3-phase circuit panel, three circuits are distributed as shown.

Split-Phase
Circuit Panel



On a split-phase circuit panel, three circuits are distributed as shown.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:
The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

If your usage is known in advance:
Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.
▶See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate power consumption for common devices

• Device	• Wattage	• Amperage	• Voltage	• Number of Devices Supported on Single 20 Amp Circuit
Laptop (Low)	30	0.25	120	64
Laptop (High)	100	0.83	120	19
CPU/Desktop Computer (Low)	65	0.54	120	30
CPU/Desktop Computer (High)	150	1.25	120	13
Monitor (Low)	15	0.13	120	128
Monitor (High)	80	0.67	120	24
Phone	5	0.04	120	384
High Power Tablet	10	0.08	120	192
Lower Power Tablet	45	0.38	120	43
Desktop Printer	40	0.33	120	48
42" LCD Screen	120	1.00	120	16
Projector (Small)	50	0.42	120	38
Projector (Medium)	250	2.08	120	8
Projector (Large)	800	6.67	120	2
Desktop Lamp	20	0.17	120	96
Large Printer/Copier	1600	13.33	120	1
Small Printer/Copier	800	6.67	120	2
Paper Shredder (Small)	250	2.08	120	8
Paper Shredder (Large)	800	6.67	120	2
Desktop Fan	25	0.21	120	77
Standing Fan	125	1.04	120	15
Coffee Maker (Low)	500	4.17	120	4
Coffee Maker (High)	1500	12.50	120	1
Microwave (Low)	600	5.00	120	3
Microwave (High)	1000	8.33	120	2
Refrigerator (Low)	200	1.67	120	10
Refrigerator (High)	1500	12.50	120	1
Vacuum (Low)	200	1.67	120	10
Vacuum (High)	1500	12.50	120	1
Space Heater (Low)	400	3.33	120	5
Space Heater (High)	1500	12.50	120	1
Height-Adjustable Desk (Low Power Consumption)*	200	1.67	120	10
Height-Adjustable Desk (High Power Consumption)*	550	4.58	120	3

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.
** Refer to the* Height-Adjustable Desks Specification Guide *for specific product information.*

Cable Capacities

Test and verify capacities for your individual situation. We recommend that testing be conducted using your specific cable, as well as the furniture configuration you are considering. Cable capacities in this tabled are based on actual cable studies performed by an independent contractor following EIA/TIA codes and practices and can be taken as an accurate assessment of maximum practical capacity. Actual cable capacities may vary slightly depending on which manufacturer produced the cable and the specific field conditions.

Cable capacities are based on Category 6 and Category 6a cables at 55% fill capacity for cable study performed on junctions manufacturered on or after October 10, 2011.
Note: Tests were performed on junctions with tall sleeves installed.

Cables Tested

A CommScope Systimax Gigaspeed 1071E Series Category 6 Cable
OD=0.23"






B CommScope Systimax X10D 1091B Series Category 6A Cable
OD=0.285"








Power harnesses reduce cable capacity. An average of 10-15 cables will be reduced per harness used. However, this number varies according to installation practices and the type of cables used.









If glass window is used at the top of a panel, top cap lay-in cable capacity is 20 for category 6 cables.









When laying cables vertically behind skins, capacity is dependent on skin width.

When using stacking junctions, the fork connector does not reduce cable capacity.

Straight Horizontal Routing	A	B
 Lay-in cable routing at top of panel (in-line junction)	40	30
 Horizontal pass-through (straight) at cable routing opening (available every 12" inside frame)	12	7
 Horizontal pass-through (straight) at rectangular opening for modular power harness (available every 12" inside frame)	72	47
 Lay-in cable routing at base of panel **with** power	36	22
 Lay-in cable routing at base of panel **without** power or with power harness routed above ▶Page 90	48	30


Straight Vertical Routing	A	B
 Vertical cable routing through round openings of horizontal connecting bar; two locations per bar	11	7
 Vertical cable routing through rectangular openings of horizontal connecting bars; two locations per bar	24	16
 Vertical cable routing inside junction utility pole (used on square and oval in an end, L or T configuration or on thin in an end)	48	39
 Vertical cable routing inside thin trim utility pole and exiting via top cable lay-in area	42	34
 Vertical cable routing inside thin trim utility pole and exiting into the panel in openings below the top lay-in area	50	40
 Vertical cable lay-in in a ceiling-access lay-in utility package	100	98
 Vertical cable lay-in in a floor-access lay-in utility package	80	54

L, T, X, V, and Y Horizontal Routing	A	B
 Lay-in cable routing at top of panels in L or V configuration	16	11
 Lay-in cable routing at top of panels in T configuration	30	20
 Lay-in cable routing in top of panels in X or Y configuration	30	20
 Lay-in cable routing (around the corner) at the top of a panel in T or X configuration	16	11
 Horizontal pass-through at cable routing opening (available every 12" inside frames in L or V configuration)	8	5
 Horizontal pass-through (corner) at rectangular opening for modular power harness	48	26
 Horizontal pass-through (straight) at cable routing opening (available every 12" inside frames in T configuration)	12	7
 Horizontal pass-through (straight) at cable routing opening (available every 12" inside frames in X or Y configuration)	12	7

L, T, X, V, and Y Horizontal Routing	A	B
 Horizontal pass-through (straight) at rectangular opening for modular power harness (available every 12" inside frame)	72	47
 Horizontal pass-through (corner) at cable routing opening (available every 12" inside frames in T or X configuration)	8	5
 Lay-in cable routing (corner) at base of panel **with** power in L, T, or V configuration	14	9
 Lay-in cable routing (corner) at base of panel **without** power in L, T, or V configuration	14	9
 Lay-in cable routing (straight) at base of panel **with** power in X or Y configuration	36	22
 Lay-in cable routing (corner) at base of panel **with** power in X or Y configuration	11	6
 Lay-in cable routing (straight) at base of panel **without** power, or with power harness routed above in X or Y configuration ▶Page 93	48	30
 Lay-in cable routing (corner) at base of panel **without** power, or with power harness routed above in X or Y configuration ▶Page 93	14	9

Ceiling-Access Lay-In Utility Package

Ceiling-access lay-in utility packages allow panels to accommodate a large amount of power and cable brought in from the ceiling. Standard skins are used to finish the panel.
▶ Specifying, pages 358 and 431



Utility carrier and cover for thin is 96"H or can be field cut to size. Square and oval are adjustable from 60"H to 120"H. The pole's inside dimension is 3"D x 5⅝"W.

Utility carrier routes power and cables from the ceiling into the panel. Carrier is integrated within a panel run and does not exceed the width of the panel.

Top cap is shortened to accommodate utility carrier and cover. Wood veneer is available as an option. Top cap is available in three styles - thin, square, or oval.


Utility carrier and cover stop at top of junction so cables can go in either direction.

Narrow horizontal connecting bars allow modular harnesses and large bundles of cables to be routed vertically over the front of the bars.


Standard horizontal connecting bars are used on adjacent panels. Cables routed vertically can be laid behind panel skin or routed through the openings in the horizontal connecting bar. Power is routed vertically through the opening in the horizontal connecting bar.

Standard base trim is included with ceiling lay-in utility package.

Product Details




Ceiling-access lay-in utility package includes: utility carrier and cover with hardware, top cap, two lay-in horizontal connecting bars, and two base trims. Package is available in 30", 36", 42", and 48" widths to match standard panel widths. Package can be specified with thin, square, or oval top trim. Base cable trays are optional.




Ceiling attachment carrier and kit secures the top of the utility carrier and cover to the suspended ceiling grid. Hardwired connection to the building's power can be made in the junction box.

Ceiling-access lay-in utility package takes the place of a standard horizontal frame package. Don't double order.


Connections



Bracket attaches the utility carrier to the lay-in horizontal connecting bar.



Ceiling-access lay-in utility package can be installed in in-line, L, T, X, V, Y, and end-of-run panel configurations. End-of-run condition reduces cable capacity.




Quick-lock mechanism on the lay-in horizontal connecting bar engages the junction in a tight structural connection. Quick-lock mechanism is the same as on the standard horizontal connecting bars.

Wiring & Cabling

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Ceiling-access lay-in utility package was designed to be used with Answer power harnesses. If using any other type of conduit, the diameter of the conduit cannot be greater than ½". Skins will not install properly if conduit exceeds ½".



Square and oval change-of-height cable routing trim allows lay-in cable routing in change-of-height applications. Specify change-of-height top cap for the lower panel to allow clearance.

Power harness, ordered separately, acts as a shield to permit the ceiling-access lay-in utility package to accommodate power and communication cable routing at the same time.

Surface Materials

Utility carrier and cover, base trim, and top cap
- Paint
- Wood veneer (option on top cap only)

Lay-in horizontal connecting bars
- Black paint

Tip: Components are hidden when panel is properly installed.


Oval junction cap
- Plastic

Tip: Junction cap is included for end-of-run configurations.


Square junction cap
- Paint

Tip: Junction cap is included for end-of-run configurations.

Application Topics



Utility carrier and cover are designed to be located at either end of the panel. However, they can be installed in any location, but field cutting of the top cap will be required.



Utility carrier and cover cannot be located next to a taller panel.


For thin trim: ceiling-access lay-in utility package cannot be used on the taller panel in a 6" in-line change of height application. Ceiling access lay-in utility package cannot be used on a panel with 6" stacking junctions. For square and oval trim: ceiling access lay-in utility package cannot be used on a 36" or 48"H panel when that panel is used in an in-line change-of-height application with a taller panel.

Back-to-back slatwall skins cannot be installed at the top of a panel when using a ceiling access lay-in utility package. Slatwall can be used on one side only.

Windows cannot be installed in the top position of a lay-in frame.

Floor-Access Lay-In Utility Package

Floor-access lay-in utility packages allow panels to accommodate a large amount of power and cable brought in from the floor. Standard skins are used to finish the panel.
▶ Specifying, pages 359 and 432



Standard top cap is included with floor-access lay-in utility package. Top cap is available in three styles - thin, square, or oval. Wood veneer is available as an option.


Narrow horizontal connecting bars allow modular harnesses and large bundles of cables to be routed vertically over the front of the bars.

Standard base trim is included and used on the side of the panel opposite from the base utility box.


Modified base trim is included and consists of two pieces to allow attachment of base utility box.

Base utility box covers power and cables entering from the floor.

Product Details




Floor-access lay-in utility package includes: top cap, two lay-in horizontal connecting bars, base utility box with hardware, one standard base trim, and one modified base trim. Package can be specified with thin, square, or oval top trim. It is available in 30", 36", 42", and 48" widths to match standard panel widths.




Base utility box is positioned at the left-hand side of the modified base trim. Entry on the other end would be accomplished from the other side of the panel.

Floor-access lay-in utility package takes the place of a standard horizontal frame package. Don't double order.


Connections




Bracket attaches the base utility box to the lower lay-in horizontal connecting bar.



Floor-access lay-in utility package can be installed in in-line, L, T, X, V, Y, and end-of-run panel configurations. End-of-run condition reduces cable capacity.



Quick-lock mechanism on the lay-in horizontal connecting bar engages the junction in a tight structural connection. Quick-lock mechanism is the same as on the standard horizontal connecting bars.




Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

Wiring & Cabling

24"W powerkit, ordered separately, can be used in the base of 36"W, 42"W, and 48"W floor-access lay-in utility packages. Power kit must be located to the right of the base utility box. No powerkit can be used in 30"W floor-access lay-in utility packages.

Power harness, ordered separately, is shielded to permit the floor-access lay-in utility package to accommodate power and communication cable routing at the same time.



Base utility box routes cables and/or Answer harnesses into the panel from the floor. Base power infeeds are not intended for use with the floor-access lay-in utility package.

Floor-access lay-in utility package can accommodate up to 80 cat 6 cables. Deduct 10-15 cables for each power harness or modular connector routed through the base utility box.

Surface Materials

Base utility box, base trim, and top cap
- Paint
- Wood veneer (option on top cap only)

Lay-in horizontal connecting bars
- Black paint

Tip: Bars are hidden when panel is properly installed.

Application Topics


Base utility box protrudes 4" from the base trim on one side of the panel. When planning, locate the base utility box underneath a workstation instead of a hallway.

Specify change-of-height top cap on your lay-in utility package if it is the lower panel in a change-of-height configuration.

Base utility box is for routing of cable and power only. Not to be used as a termination point or for the routing of power cords.


Utility Pole—Thin Trim

Utility pole—thin trim brings power and cabling from the ceiling and introduces it into a panel with thin trim only through openings positioned vertically every 12". Junction is not included as utility pole connects into the existing panel junction (used with junctions manufactured on or after October 10, 2011).
▶ Specifying, page 357




Utility pole is flush with the footprint of the panel.


Product Details



Ceiling attachment kit secures the top of the utility pole to the suspended ceiling grid. Hardwired connection to the building's power can be made in the junction box.



Power harness for use with utility pole is available to bring power down from the ceiling and into the panel to make a modular connection to a power kit.
Tip: Power harnesses are ordered separately from the utility pole.




Utility pole can reach ceilings 7'6" higher than connection point (two panels at the highest height) of the panels.


Shield on power harness permits a utility pole to accommodate power and communication cable routing at the same time. For applications where more cable routing is needed, you can use the utility pole without a power harness or use a lay-in utility package.

Ceiling trim plate measures 7" x 7" when installed.


Connections




Utility pole—thin trim works with base and stacking junctions. It can be used at an L, T, or X configuration. It cannot be used in an end-of-run, V, Y, or in-line configuration. Utility pole is not shipped with a junction.



"L" application requires two panels at the same height. Utility pole is flush with the panel run.



"T" application requires at least two panels at the highest height. Utility pole is flush with the panel run.



"X" application requires two panels at the same height.

Wiring & Cabling

Three wiring schematics are available–3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.


All Answer electrical components are listed by Underwriters Laboratory (UL) and certified by the Canadian Standards Association (CSA).

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Chicago and New York have special requirements.


Junction with Utility Pole

Utility pole brings power and cabling from the ceiling and introduces it into the panel through openings positioned vertically every 12 inches. Includes a junction and replaces the need to order one separately.
▶ Specifying, page 428




Utility pole extends beyond the footprint of the panel.


Product Details



Ceiling attachment kit secures the top of the utility pole to the suspended ceiling grid. Hardwired connection to the building's power can be made in the junction box.




Power harness for use with utility pole is available to bring power down from the ceiling and into the panel to make a modular connection to a powerkit.
Tip: Power harnesses are ordered separately from the utility pole.




Ceiling heights up to 10' can be accommodated.

Shield on power harness permits a utility pole to accommodate power and communication cable routing at the same time. For applications where more cable routing is needed, you can use the utility pole without a power harness or use a lay-in utility package.
▶ Pages 358 and 430 for lay-in utility package.


Connections




Utility pole works with base and stacking junctions. It can only be used at an end-of-run, in-line, L- or T-configuration. It cannot be used in an X, V, or Y-configuration. Utility pole is always shipped with a junction, so don't double order.




End-of-run application uses an in-line junction. Utility pole extends 3" beyond the footprint of the panels. This works with thin, square, or oval trim.



In-line application uses T junction and adds 3" to panel run. This works with square or oval trim only.



"L" application uses T junction. Utility pole extends 3" beyond the footprint of the panels. This works with square or oval trim only.



"T" application uses X junction. Utility pole extends 3" beyond the footprint of the panels. This works with square or oval trim only.

Wiring & Cabling

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.
▶ Page 163


All Answer electrical components are listed by Underwriters Laboratory (UL) and certified by the Canadian Standards Association (CSA).

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Chicago and New York have special requirements.
▶ Pages 177 and 182

Base Power Infeed

Base power infeed connects power in the building floor to a powerkit in the base of a panel. Infeed occupies one receptacle opening.
▶Specifying, page 499



Connector on end of base power infeed harness occupies one receptacle location in power block.

Flexible harness makes hardwired connection to building monument. The harness must be backfed through the base trim prior to connection into the building monument.

Cover is included with base power infeed to conceal the connection.

Wiring & Cabling

Connector on base power infeed must be placed behind panel base trim and harness must be backfed through base trim opening prior to an electrician making the connection to power in the building floor.

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.
▶Page 163

All Answer electrical components are listed by Underwriters Laboratory (UL) and certified by the Canadian Standards Association (CSA).


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Panel segments with big open base cannot use base power infeed. Bring power in using a multi-purpose infeed.

Special requirements are needed for San Francisco.
▶See page 499 for specification.

Special Requirements for New York City

New York City electrical code requires modular power components to be field installed by the electrician. Because Answer power components are always field installed, they are okay for use in New York.




Order New York City power infeed of the width that corresponds to the width of the panel it will be installed in. *Tip: Remember that the panel with the New York City power infeed installed cannot accommodate any receptacles in the base because a powerkit cannot be installed. Install a powerkit higher in the panel to accommodate receptacles or use adjacent panels to install receptacles.*

Distribution Products


Powerkits are a combination of modular power blocks, harnesses, and connectors that attach to a power tray for installation inside an Answer panel. Powerkits are available in widths that correspond to panel widths.
▶ Specifying, page 492

Powerkits may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.




Pass-through powerkits are available for applications where you want to extend the power between panels but have no need for access in a specific panel.
▶ Specifying, page 493

Pass-through powerkits may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.




Cable trays can be installed every 6" vertically and rearranged at various heights within a panel for communications access and cable routing.
▶ Specifying, page 491
Exception: Cable tray cannot be used in the base of the panel.


Cable tray can accept added cable carriers attached below tray to expand horizontal cable management options.
▶ See *Montage Specification Guide* for cable carrier (ZCC).



Product Details




Powerkits can be installed every 12" vertically. Typically they are positioned in the panel base, at worksurface height, or in both locations.




Pass-through powerkits extend power between panels.

Standard Base Trim


Width of panel application determines how many receptacle and communication locations are available.



24"W with one power block. Communication opening is located below and to the right of the power block.



30"W with two power blocks. Communication opening is located below and to the right of the right-hand power block.



36"W to 48"W with two power blocks. Communication openings are located below and to the rightof each of the power blocks.




60"W to 72"W with four power blocks. Communication openings are located below and to the right of each right-hand power block of each power block pair.


Tip: For non-base locations, same power block locations apply, but communication openings line up above the right-hand power block.

Hardwired Base Trim


Width of panel application determines how many receptacle and communication locations are available.




24"W with one power block. Communication opening is located below and to the right of the power block.



30"W with two power blocks. Communication opening is located below and to the right of the right-hand power block.



36"W with two power blocks. Communication opening is located below and to the right of the right-hand power block.



42"W to 48"W with two power blocks. Communication openings are located below and to the right of each of the power blocks.




60"W to 72"W hardwire powerkit comes with two power blocks. The hardware base trim has two power knockout options on each end of the base trim. The power block can be installed at either knockout location. Communication openings are located below and to the right of each right-hand power block of each power block pair.

Tip: For non-base locations, same power block locations apply, but communication openings line up above the right-hand power block.

Tip: Communication openings are located 2½" further right than standard base trims to accommodate wider hardwired junction boxes.




15-amp or 20-amp duplex receptacles snap into powerkits on one side or both sides of the panel.




Controlled receptacle must be indicated when tying into the building management system. Duplex receptacles have an option for a factory permanent, pad stamp power icon symbol with the word controlled per compliance with the Energy Code.



USB receptacles available in three wiring schematics with multiple line options, snap into powerkits on one side or both sides of the panel. USB receptacles offer easy access to two charging ports. Each port provides 1 amperage of output. USB receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible.



Power and data can be accessed in 24"H standard base, 24"H to the floor, and big open base steel skins by specifying power and data cutouts.



For power access in steel skins, specify **TS7RC** receptacles and **TS7RCT** trim rings for each power cutout specified in steel skins.

For USB power access in steel skins, specify **TS7USB** receptacles and **TS7RCT** trim rings for each power cutout specified in steel skins.

Receptacle fillers are available to fill unused receptacle openings in steel skins. Use **TSBRF**.

Data fillers are available to fill unused furniture style data openings. Use **TS7DF**.


Install duplex or USB receptacles only where you want them. Add more receptacles in the future. *Exception: When using technology skins, receptacles are required in all power block locations. Tip: If receptacles are not specified for all power block locations, you must order filler through Service Parts (891500350MP, package of 20).*

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.

▶Page 163

Distribution Products, continued

Performance tackable acoustical skins and tackable acoustical skins can be cut in the field to allow access to duplex receptacles, USB receptacles, and communication outlets. Order cutting templates through Service Parts (T500940SR). Steel skins do not have cutouts and cannot accommodate receptacles. Install power receptacles and communication ports in the panel base cover below the steel skin or use a technology skin.




Knockouts and cut-outs for receptacles in the panel base trim and skins are always 10⅝" from the outside edges of the panel. Knockouts for communication in base accommodate modular furniture size only.

Filler to close unwanted openings in base trim is available from Service Parts.

Wire separators are not required. All electrical harnesses are shielded.


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Chicago and New York have special requirements.
▶ Pages 177 and 182




A pass-through harness is required when connecting powerkits in the top position of a 36"H or 48"H junction. A pass-through harness should be used for both in-line and corner applications.

Modular Harness




▶ Specifying, page 503

Product Details




Modular harnesses are available to connect powerkits at different heights. Available in 43" and 80" lengths.


Extra length modular harness is required when connecting two power kits located at different heights inside the panel in a corner or in-line application.



In an in-line application extra length modular harness is not required when a powerkit is in the bottom (not base) location in a panel with open base.




In a corner application extra length modular harness is required when a powerkit is in the bottom (not base) location in a panel with open base trim. In this circumstance, the modular harness will need to be routed through the first large opening in the junction located above the powerkit. The modular harness cannot be routed through the foot area of the panel due to the open base trim.




Harnesses plug into connection points on the powerkit. Every powerkit has multiple connection points to allow branching of power.

Modular harness may be specified in a non-PVC version.




T-connection is formed by connecting two harnesses to a power block.



X-connection is formed by connecting two harnesses to two successive power blocks.

Modular harness may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.


Multipurpose Power Infeed



▶ Specifying, page 502

Product Details

Multipurpose power infeed is shielded to allow power and communication routing side by side. Available in 6', 12', and 24' lengths.



Multipurpose power infeeds bring power into the panel and make a modular connection to a powerkit.


Multipurpose power infeeds can be used with ceiling- and floor-access lay-in utility packages and utility poles. Specify power harness separately.

Multipurpose power infeeds may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.

Special Requirements for Hardwired Solution

Chicago electrical code requires the power distribution network to be hardwired on site. These installations require hard-wired powerkits.
▶ Specifying, page 501
Tip: Any hardwired installation can use the components of the hardwired powerkit.


Order panel without power and order a hardwired power-kit of the corresponding width.
▶ Page 501




When power is placed in a non-base application, skins must be field-cut. Technology skins cannot be used with hardwired solution.
Tip: Hardwire powerkit applications in the base location require a hardwire base trim for correct alignment of power and data receptacles.

Connections

Powerkit can be installed in panel base or at 12" vertical increments.



Junction boxes are typically mounted below the power tray; however, they can be mounted above when power is routed in a location other than the panel base. A bracket is included for mounting junction boxes above the powertray.



When using a hard-wired solution with segmented skins, you may need to install junction boxes above the power tray to avoid interference with the steel frame of the skin. Approximately 3" of clearance is required when mounting junction boxes above the power tray. Keep in mind the upper horizontal connecting bar location to ensure enough space for mounting junction boxes above.
Tip: Don't forget to discuss junction box location and skin configuration prior to electrician installing the power.

Number of Junction Boxes is Determined by Panel Width

Panel width	Junction boxes
24"	1
30"	2
36"	2
42"	2
48"	2
60"	2
72"	2

Wiring & Cabling

Junction box can accommodate two receptacles back to back. Electrician can use Leviton 5325 or equivalent receptacles.

Order Chicago-version of shelf lights. These lights have a built-in circuit breaker.


Access Products

Duplex Receptacles




▶ Specifying, page 494


Product Details



15-amp or 20-amp receptacles, ordered separately, snap into both faces of power block in the field.



Orange triangle indicates to users the receptacles that are connected to isolated grounds.



Controlled receptacle must be indicated when tying into the building management system. Duplex receptacles have an option for a factory permanent, pad stamp power icon symbol with the word controlled per compliance with the Energy Code.

For power access in steel skins, specify **TS7RC** receptacles and **TS7RCT** trim rings for each cutout.

Surface Materials

Duplex receptacle


- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6651 Tungsten
- 6652 Titanium
- 6654 Sand
- 6697 Fog
- 6B03 Red

USB Receptacles




▶ Specifying, page 496

Product Details



USB receptacles, ordered separately, snap into both faces of power block in the field.

USB receptacles are type USB-A.



USB receptacles, are available in three wiring schematics with multiple line options. USB receptacles offer easy access to two charging ports. Each port provides one amperage of output. USB receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible.


For USB power access in steel skins, specify **TS7USB** receptacles and **TS7RCT** trim rings for each cutout.

Surface Materials

USB receptacle


- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6651 Tungsten
- 6652 Titanium
- 6654 Sand
- 6697 Fog
- 6B03 Red

Faceplate




▶ Specifying, page 497


Product Details



Faceplate, ordered separately, is used to surround receptacle when skin is field-cut. Templates for field cutting are available through Service Parts (T500940SR).



Faceplate is used to surround modular furniture size communication or DECORA outlets when installed in the face of a tackable acoustical panel skin. Templates for field cutting are available through Service Parts (T500940SR).



NEMA-size communication outlets (single gang) do not require a Steelcase faceplate. Cannot be used in base.

Surface Materials

Faceplate

- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6651 Tungsten
- 6652 Titanium
- 6654 Sand
- 6697 Fog

Access Products, continued

Receptacle Trim Ring



▶ Specifying, page 498

Product Details

Receptacle trim ring is used with each receptacle, receptacle cut-out cover, or USB on a steel skin to cover the edge of the cut-out and create a precise transition between the cut-out and the receptacle.

Trim ring will only work on receptacle **TS7RC**, **TS7USB**, and **TS7BCC**.

Only specify when using power cutouts in steel skins.

Surface Materials

Receptacle Trim Ring
- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6527 Merle
- 6654 Sand
- 6697 Fog

Receptacle Filler



▶ Specifying, page 498

Product Details

Receptacle fillers are available to fill unused receptacle openings in steel skins. They are offered in packages of 20.

Surface Materials

Receptacle Filler
- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6527 Merle
- 6654 Sand
- 6697 Fog

Data Filler



▶ Specifying, page 498


Product Details

Data fillers are available to fill unused furniture style data openings in steel skins.. They are offered in packages of 20.

Surface Materials


Data Filler
- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6527 Merle
- 6654 Sand
- 6697 Fog

Junction Tall Sleeve



▶ Specifying, page 506

Product Details




Junction tall sleeve can be added to vertical junctions to cover the exposed metal edges in the large cable routing openings of junctions manufactured on or after October 10, 2011.

Junction tall sleeves are ordered separate from vertical junctions and are available in packages of 10.

Surface Materials


- Red plastic only

Lay-In Junction Cable Sleeve



▶ Specifying, page 507

Product Details



Lay-in junction cable sleeves can be added in the field to cover the exposed metal edges in lay-in cable space.

Surface Materials

Lay-in junction cable sleeve


- Black plastic only

Feed-Through Horizontal Cable Sleeve



▶ Specifying, page 507

Product Details



Feed-through horizontal connecting bar cable sleeves can be added in the field to finish the exposed metal edges of vertical cable pass-through openings.


Surface Materials

Feed-through horizontal cable sleeve

- Black plastic only


Accessories, continued

Grommet for Horizontal Bar and Junctions (manufactured prior to October 2011) and Horizontal Bars




▶ Specifying, page 507

Product Details



Grommet for horizontal bar and junctions can be added in the field to finish the exposed metal edges of cable pass-through openings. For cable sleeves used with junctions manufactured after October 2011, use junction tall sleeve (TS7JTSLVE).




Grommets can also be used with power trays or cable trays.

Surface Materials


- Black plastic only

Grommet for Junction



▶ Specifying, page 508

Product Details




Grommet for junction can be added in the field to finish the exposed metal edges of horizontal cable pass-through openings.

Surface Materials


- Black plastic only

Duplex Cable Grommet



▶ Specifying, page 508

Product Details



Cable grommets can be inserted in receptacle openings to route cables from the panel base into the panel.

Surface Materials

Duplex cable grommet

- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6607 Woodrose
- 6608 Driftwood
- 6609 Smoke
- 6612 Grey V2
- 6655 Warm White
- 6697 Fog

Understanding Universal Systems Worksurfaces and Supports


Statement of Line 188

Worksurface Positioning 201
Panel-Mounted Worksurface Supports Integration Matrix 202
Worksurface Support Guidelines 204
Universal Worksurface Thought Starters 207
Universal Systems Worksurfaces 210
Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray 214
Universal Systems Worksurfaces with Power Access Door 218
Worksurface-Mounted Retractable Power and Data 220
Metal Center Drawers 221
Transaction Worksurfaces 222
Universal Panel-Mounted Worksurface Supports 224
Off-Module Worksurface-to-Panel Connector 226
FrameOne Legs and Supports for Universal Worksurfaces 228
Infills for FrameOne Legs for Universal Worksurfaces 231
Legs and Columns for Universal Systems Worksurfaces 232
Knife Edge Worksurface Application Guidelines 234

Statement of Line

All worksurface sizes and shapes are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in wood veneer with square edge. See Specifying pages for details.

Worksurface dimensions shown apply to both wood veneer and High-Pressure Laminate versions of each worksurface.



Understanding
▶ Page 210
Specifying
▶ Page 510

Straight Worksurfaces

With 1/2" Cord Drop

Tip: Worksurfaces greater than 30"D can only be used in free-standing applications.

Tip: Common dimensions displayed, parametric dimensions available in depths from 18" to 36" and widths from 18" to 120" in 1/16" increments both depth and width.

18 3/8"

24"	30"	36"	42"	48"	54"	60"	66"	72"
441 sq. in.	550 sq. in.	661 sq. in.	771 sq. in.	881 sq. in.	991 sq. in.	1102 sq. in.	1212 sq. in.	1323 sq. in.

78"	84"	90"	96"
1433 sq. in.	1543 sq. in.	1653 sq. in.	1764 sq. in.

23 1/2"

24"	30"	36"	42"	48"	54"	60"	66"	72"
563 sq. in.	704 sq. in.	845 sq. in.	986 sq. in.	1127 sq. in.	1268 sq. in.	1409 sq. in.	1550 sq. in.	1691 sq. in.

78"	84"	90"	96"
1832 sq. in.	1973 sq. in.	2114 sq. in.	2255 sq. in.

29 1/2"

24"	30"	36"	42"	48"	54"	60"	66"	72"
707 sq. in.	884 sq. in.	1061 sq. in.	1238 sq. in.	1415 sq. in.	1592 sq. in.	1769 sq. in.	1946 sq. in.	2123 sq. in.

35 1/2"

60"	66"	72"
2156 sq. in.	2371 sq. in.	2587 sq. in.

With Full Depth

Tip: Common dimensions displayed, parametric dimensions available in depths from 18" to 36" and widths from 18" to 120" in 1/16" increments both depth and width.

18 7/8"

24"	30"	36"	42"	48"	54"	60"	66"	72"
453 sq. in.	566 sq. in.	679 sq. in.	792 sq. in.	906 sq. in.	1019 sq. in.	1132 sq. in.	1245 sq. in.	1359 sq. in.

78"	84"	90"	96"
1472 sq. in.	1585 sq. in.	1697 sq. in.	1812 sq. in.


24"

24"	30"	36"	42"	48"	54"	60"	66"	72"
574 sq. in.	718 sq. in.	862 sq. in.	1005 sq. in.	1149 sq. in.	1293 sq. in.	1436 sq. in.	1580 sq. in.	1724 sq. in.

78"	84"	90"	96"
1867 sq. in.	2011 sq. in.	2155 sq. in.	2299 sq. in.

30"


24"	30"	36"	42"	48"	54"	60"	66"	72"
718 sq. in.	898 sq. in.	1077 sq. in.	1257 sq. in.	1437 sq. in.	1616 sq. in.	1796 sq. in.	1976 sq. in.	2155 sq. in.




Understanding
▶ Page 210
Specifying
▶ Page 518

Straight 120° Worksurfaces

With 1/2" Cord Drop




*Right-hand units shown.
Left-hand units available.




Understanding
▶ Page 210
Specifying
▶ Page 520

Transition Worksurfaces*

With 1/2" Cord Drop




With Full Depth



*Left-hand units shown.
Right-hand units available.


Statement of Line, continued




Understanding
▶ Page 210
Specifying
▶ Page 522

Tapered Worksurfaces*


With 1/2" Cord Drop



With Full Depth




*Left-hand units shown.
Right-hand units available.



Understanding
▶ Page 210
Specifying
▶ Page 523


Taper-Flat Worksurfaces*


With 1/2" Cord Drop



*Left-hand units shown.
Right-hand units available.

With Full Depth







Understanding
▶Page 210
Specifying
▶Page 524


Single-Tapered Worksurfaces*


With 1/2" Cord Drop






With Full Depth





*Left-hand units shown.
Right-hand units available.


Statement of Line, continued




Understanding
▶ Page 210
Specifying
▶ Page 525

Corner, Flat-Front Worksurfaces


Corner, Flat-Front Worksurfaces With ½" Cord Drop




1189 sq. in.




1561 sq. in.



1969 sq. in.




1651 sq. in.




2095 sq. in.


Corner, Flat-Front Worksurfaces with Full Depth




1221 sq. in.




1598 sq. in.



2012 sq. in.



1688 sq. in.




2138 sq. in.




Understanding
▶ Page 210
Specifying
▶ Page 526

Corner, Straight-Front Worksurfaces


Corner, Straight-Front Worksurfaces With ½" Cord Drop




1152 sq. in.




1378 sq. in.




1410 sq. in.




1410 sq. in.




1502 sq. in.




1614 sq. in.




1888 sq. in.



2036 sq. in.




2413 sq. in.




Understanding
▶ Page 210
Specifying
▶ Page 528

Corner, Curved-Front Worksurfaces


With 1/2" Cord Drop




993 sq. in.




1142 sq. in.




1257 sq. in.




1368 sq. in.




1368 sq. in.




1460 sq. in.




1604 sq. in.




1478 sq. in.



1750 sq. in.




1994 sq. in.




2314 sq. in.


With Full Depth




1027 sq. in.




1175 sq. in.




1297 sq. in.




1407 sq. in.




1407 sq. in.




1498 sq. in.




1642 sq. in.



1524 sq. in.




1793 sq. in.



2038 sq. in.

Statement of Line, continued




Understanding
▶ Page 210
Specifying
▶ Page 530

Extended Corner, Straight-Front Worksurfaces*

*Left-hand units shown.
Right-hand units available.

Extended Corner, Straight-Front Worksurfaces With 1/2" Cord Drop






Understanding
▶ Page 210
Specifying
▶ Page 532


Extended Corner, Curved-Front Worksurfaces*

With 1/2" Cord Drop

*Left-hand units shown.
Right-hand units available.



Statement of Line, continued




Understanding
▶ Page 210
Specifying
▶ Page 532

Extended Corner, Curved-Front Worksurfaces*

With Full Depth

*Left-hand units shown.
Right-hand units available.







Understanding
▶ Page 210
Specifying
▶ Page 535

Corner, 120° Worksurfaces

Corner, 120° Worksurfaces With 1/2" Cord Drop







Understanding
▶ Page 210
Specifying
▶ Page 536

Spanner Worksurfaces

For Use With 1/2" Cord Drop Worksurfaces





For Freestanding Applications



For Panel-Supported Applications


For Use With Full Depth Worksurfaces






For use with 3" Panels

Statement of Line, continued




Understanding
▶ Page 210
Specifying
▶ Page 537

Bullet Peninsula Worksurfaces




Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with ½" cord drop, or with full-depth worksurfaces.




Understanding
▶ Page 210
Specifying
▶ Page 538

Angled Peninsula Worksurfaces

With 1/2" Cord Drop



With Full Depth






Understanding
▶ Page 210
Specifying
▶ Page 539

Linking Peninsula Worksurfaces

With 1/2" Cord Drop



*Dimension includes notch width.




Understanding
▶ Page 210
Specifying
▶ Page 540


Jetty Worksurfaces*


*Left-hand units shown. Right-hand units available.

With 1/2" Cord Drop



With Full Depth






Understanding
▶ Page 210
Specifying
▶ Page 542


Bubble Jetty Worksurfaces*

*Left-hand units shown. Right-hand units available.

With 1/2" Cord Drop




Statement of Line, continued




Understanding
▶ Page 210
Specifying
▶ Page 544

Visitor Worksurfaces*

With 1/2" Cord Drop



With Full Depth



*Left-hand units shown. Right-hand units available.


Tip: 24"W and 30"W visitor worksurfaces are not available with cable scallops.



Understanding
▶ Page 210
Specifying
▶ Page 544


Linking Worksurfaces*


With 1/2" Cord Drop



*Dimension includes notch width.


With Full Depth






Understanding
▶ Page 222
Specifying
▶ Page 546

Transaction Worksurfaces—Thin





Understanding
▶ Page 222
Specifying
▶ Page 546

Transaction Worksurfaces—Square and Oval



Worksurface Positioning

Universal Worksurfaces

Universal Worksurfaces is a comprehensive solution of worksurfaces, supports, and privacy screens designed to deliver flexibility, mobility, and options to create inspiring spaces that support the different ways people work. A beautiful, light-scale aesthetic which gives designers new solutions across a broad spectrum of applications including the following: traditional panel-mounted systems, freestanding light-scale desking, panel wrapped desking, private office, conference, and teaming. Consists of Universal Systems Worksurfaces, U-Free Desks and Universal Tables.

Universal Systems Worksurfaces

Main worksurface solution for the four primary space division products: Answer, Montage, and Kick. Worksurfaces can be panel-mounted or freestanding.

- Extensive shape and size offering allows designers to meet a variety of planning applications.
- Worksurfaces feature a choice of curvilinear or straight-front shapes.
- User front edge available in 3 mm edge.
- Available with ½" cord drop in the back of the worksurface providing the most efficient routing of cords and an uncluttered desktop.
- Also available full depth, providing an uninterrupted working surface that fits flush to the panel and allows L-configuration planning.
- Standard scallops allow large cord heads to easily pass below the desktop. Scallops can be eliminated for freestanding applications.
- Available with full offering of Steelcase High-Pressure Laminates or veneers; specifiable 3 mm edge colors.
- Worksurfaces can be supported with cantilevers, center support panels, end panels, pedestals, legs, or desk supports.
- Straight worksurface available to specify parametrically from 18"D to 36"D and from 18"W to 120"W in 1⁄16" increments.

Answer Freestanding Desks

Main desk solution for use with the four primary space division products: Answer, Montage, and Kick. Desks are built up from Universal components ordered separately and assembled onsite.

- Flexible product offering allows a wide range of desk applications for private offices, reception areas, and open plan settings.
- Non-handed desk components are easy to assemble and easy to reconfigure.
- Compatible with a wide range of worksurface products, including Universal Systems Worksurfaces, and many others.
- Wide range of storage available, including universal pedestals, lateral files, and hutches.
- Full-height and half-height modesty panels available for desks and peninsulas.
- Visually compatible with Universal tables, towers, and other products.

Universal Tables

Versatile freestanding tables appropriate for teaming and conferencing environments or for individual work areas. Tables can be fixed or mobile for increased flexibility or ease of reconfiguration.

- High-Pressure Laminate tables are available with a 3 mm edge. Wood veneer tables are available with a square (3 mm) edge.
- User edge on all sides of the tables and rounded corners allow a user to work on any side.
- Wide range of sizes and shapes available, from small personal tables to large conference tables.
- Available with full offering of Steelcase High-Pressure Laminates or veneers; specifiable 3 mm edge colors.
- T and X bases, post legs, C-leg, and adjustable-height legs give designers many functional and aesthetic options.

Elective Elements Worksurfaces

(See Elective Elements Specification Guide.) Main worksurface solution for three primary space division products: Answer and Montage. Worksurfaces can be panel-mounted or built up into casegood solutions appropriate for private office solutions when combined with storage, end panels, and modesty panels.

- Extensive shape and size offering allows designers to meet a variety of planning applications.
- Worksurfaces feature a choice of curvilinear or straight-front shapes.
- Desk, bridge, return, peninsula, and desk return worksurfaces are also available for freestanding casegood applications in addition to the typical systems worksurface shapes.
- User-front edge is available in a choice of 3 mm plastic edges, wood edge profiles on laminate worksurfaces (square 5 mm), or wood edge profiles on wood worksurfaces (3 mm square, waterfall, or knife).
- Worksurfaces are depths 24" or 30".
- Scallops are optional, as well as round or square grommets, depending on power and cable management needs. Grommets are available, depending on the worksurface shape, typically in left, center, and right locations.
- Grommets must be used for worksurface cable or cord management to route cords below the desk top.
- Scallops are used for task light cord management only.
- Available with full offering of Steelcase laminates or veneers. Also available with Customiz stain or open line laminates.
- Worksurfaces can be supported with Elective Elements supports (center support panels, end panels, under-worksurface storage, or freestanding legs) as well as Universal cantilevers and side support brackets.
- Height adjustability is achievable by using the height-adjustable storage and/or legs. Range of maintenance adjustability is 29"H–32"H in ½" increments.

Panel-Mounted Worksurface Supports Integration Matrix

This matrix shows recommended panel-mounted supports for specific panel and worksurface combinations.

Refer to the appropriate Solutions Specification Guide (Answer or Montage) for detailed information.

	Answer Panel			Montage Panel			Kick Panel			V.I.A. Wall			Privacy Wall		
	Universal Systems Worksurfaces—with ½" Cord Drop	Universal Systems Worksurfaces—Full Depth		Universal Systems Worksurfaces—with ½" Cord Drop	Universal Systems Worksurfaces—Full Depth		Universal Systems Worksurfaces—with ½" Cord Drop	Universal Systems Worksurfaces—Full Depth		Universal Systems Worksurfaces—with ½" Cord Drop	Universal Systems Worksurfaces—Full Depth		Universal Systems Worksurfaces—with ½" Cord Drop	Universal Systems Worksurfaces—Full Depth	
Universal Systems on-module supports, U style numbers Example: UCANT ▶Page 554	●	●					●	●					●	●	
Universal Systems supports for Montage panels, Z style numbers Example: ZUCANT ▶See *Montage Solutions Specification Guide.*				●	●										
Universal Systems supports for V.I.A. walls, V style numbers Example: VUCANT ▶See *V.I.A. Specification Guide.*										●	●				


Legend

● = Recommended solution
Tip: Alignment tabs will need to be knocked down when full-depth worksurfaces are used.


Worksurface Support Guidelines

Worksurface spans greater than 54" require a brace or additional support to the floor. Spans greater than 72" wide cannot be supported only by a reinforcing channel, and require additional supports to the floor. Calculate span distance by measuring from edge of one end of worksurface to edge of other end of worksurface.
Exception: When using pedestals or lateral files to support a worksurface, measure from the inside edge of the storage unit.


Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a reinforcing channel is used. A light load application is less than 40 pounds placed on a worksurface. Reinforcing channel must be specified separately.
▶ Page 555
Exception: Knife edge worksurfaces require support on spans greater than 48"W.




Reinforcing channel is not required on worksurfaces with spans less than 54"W.



Reinforcing channel or additional support is required for worksurfaces with spans greater than 54"W and less than 72"W in light use applications and on worksurfaces with spans greater than 54"W and less than 60"W in heavy load applications.



Worksurface span cannot be supported solely by a reinforcing channel. Additional to the floor supports are required.
Tip: Reinforcing channels add 1"D below the worksurface.
Tip: For maximum effectiveness, place the reinforcing channel in the middle of the worksurface span.



Lightly loaded applications typically include a workstation with monitors, lighting, limited organizational tools, and personal items.

Calculate span distance by measuring from edge of one end of worksurface to edge of other end of worksurface. To determine size of reinforcing channel needed, deduct the amount listed in the matrix below from the measured span. Deduction in inches is based on combination of the left-hand and right-hand supports.
Example: 72"W measured span, with application of cantilever for left-hand support and end panel for right-hand support, has a span deduction of 6" for a reinforcing channel size of 66" (72"–6" = 66"). For this application, use reinforcing channel TS7WKSPT66.

Worksurface Span Deductions for Determining Reinforcing Channel Size		**Right-Hand Support**						
		End Panel	FrameOne Leg	FrameOne Leg-Table Application	Intermediate Support	DBL Post Leg	Cantilever	All other Legs/Supports
Left-Hand Support	End Panel	–6"	–6"	–9"	–9"	–6"	–6"	–6"
	FrameOne Leg	–6"	–6"	–9"	–9"	–6"	–6"	–6"
	FrameOne Leg-Table Application	–9"	–9"	–12"	–12"	–9"	–9"	–9"
	Intermediate Support	–9"	–9"	–12"	–12"	–9"	–9"	–9"
	DBL Post Leg	–6"	–6"	–9"	–9"	–6"	–6"	–6"
	Cantilever	–6"	–6"	–9"	–9"	–6"	–6"	–6"
	All other Legs/Supports	–6"	–6"	–9"	–9"	–6"	–6"	–6"

Reinforcing Channel Sizes		
Style Number	**Nominal**	**Actual**
TS7WKSPT39	39"W	39.231"W
TS7WKSPT48	48"W	47.547"W
TS7WKSPT51	51"W	50.547"W
TS7WKSPT54	54"W	53.547"W
TS7WKSPT	57"W	56.547"W
TS7WKSPT60	60"W	59.547"W
TS7WKSPT63	63"W	62.547"W
TS7WKSPT66	66"W	65.547"W
TS7WKSPT72	72"W	71.547"W

Note: If the deducted span distance falls between two reinforcing channel sizes, select the smaller of the two sizes.


Reinforcing Channel Size for Straight 120° Worksurfaces

To calculate the reinforcing channel size for a straight 120° worksurface, use the user edge length, subtract 6", and order the next shortest channel. See chart below.

Back Edge Width	**Worksurface Depth**	**User Edge Depth**	**Reinforcing Channel Size**
48"	23½"	61 1/16"	54"W
48"	29½"	65 1/16"	57"W
60"	23½"	73 9/16"	66"W
60"	29½"	77 1/16"	66"W
72"	23 ½"	85 9/16"	72"W
72"	29½"	89 1/16"	72"W

Worksurface Support Guidelines, continued

Support Requirements for Peninsula Worksurfaces



Peninsula worksurfaces smaller than 60"W do not require a reinforcing channel. Location of leg or column support, determined by pilot holes, meets the requirements for worksurface support every 54". Sizes 60"W or greater require a reinforcing channel. Determining brace size for peninsula worksurfaces: If worksurface is supported by a single column or legs, subtract 21" from span of worksurface to determine reinforcing channel size.
Example: 72"W measured span has a span deduction of 21" for a reinforcing channel size of 51" (72"–21" = 51"). For this application, use reinforcing channel TS7WKSPT51.


Universal Worksurface Thought Starters

Universal Worksurface Products provide a variety of traditional and non-traditional methods of applying worksurfaces and supports. Worksurfaces can be supported in on-module and off-module panel-supported applications, freestanding configurations, and many combinations of these applications. The thought starters included on the following pages can help leverage the benefits of the worksurfaces in new and unique ways.

Universal Worksurface Products provide significant planning flexibility:

- Systems Worksurfaces and Tables can be used together, and a wide range of worksurface shapes and sizes allow various footprints to be achieved.
- Systems Worksurfaces can be used with Answer and Kick panels, Montage frames, and V.I.A. walls. They can be panel-supported or freestanding. *Tip: Corner 120° Systems Worksurfaces may not be panel-supported with Montage panels due to the unique design of the Montage 120° junction.*
- Freestanding, mobile worksurfaces and tables allow user control of the workspace to provide either privacy or team collaboration.
- 26"H and 28½"H legs may be installed 3", 6", or 9" from the edge of most Tables to accommodate nesting and slip-fit capability.
- Adjustable-height legs are available on Systems Worksurfaces and Tables. Legs adjust 25½"H to 31½"H in ¾" increments.


Freestanding tables with legs installed 6" or 9" from the edge allow the worksurface to slip-fit over the panel-mounted Systems Worksurface. This configuration also allows the user to face the aisle while working at the computer.



U-Configuration with Large Footprint

Recommended Worksurfaces	
One 24"D x 72"W straight table	**BFS2472**
One 23½"D x 60"W straight worksurface	**USWS**
One 23½"D x 23½"D x 41½"W x 41½"W corner, curved-front worksurface	**UCC224242**
One 23½"D x 30"W visitor, curved-front worksurface	**UVC2430R**


Full depth systems worksurfaces allow L-configurations without uneven gaps. This configuration uses an angled peninsula worksurface to provide an aisle-facing place for active work and meetings. A 96" long straight worksurface creates a large, unbroken area to spread out work in progress. All the worksurfaces in this configuration are symmetrical, making it easy to plan mirror image applications.



L-Configuration with Large Footprint

Recommended Worksurfaces	
One 24"D x 24"D x 60"L angled peninsula worksurface	**WPA2460**
One 24"D x 24"W straight worksurface	**USWS**
One 24"D x 96"W straight worksurface	**USWS**


Systems worksurfaces with ½" cord drop allow easy cord management with uniform gaps whenever corner worksurfaces are used. This U-configuration uses 18⅜"D worksurfaces to create a spacious workstation in a 6x7 footprint.



U-Configuration with Medium Footprint

Recommended Worksurfaces	
Two 18⅜"D x 30"W straight worksurfaces	**USWS**
Two 18⅜"D x 18⅜"D x 41½"W x 41½"W corner, curved-front worksurfaces	**UCC114242**


Tapered worksurface shapes can maximize space for the user by providing extra depth for the computer only where it's needed. This configuration uses a taper-flat worksurface and an 18⅞"D return to give the user more space in a 6x6 footprint. The user can also face toward the aisle while working at the computer.



L-Configuration with Small Footprint A

Recommended Worksurfaces	
One 30"D x 24"D x 72"W taper-flat worksurface	**WTTF3272**
One 18⅞"D x 48"W straight worksurface	**USWS**


Freestanding tables with nesting-height legs allow tables to nest under panel-mounted Systems Worksurfaces. This configuration uses an 18"D Systems Worksurface and allows a small workstation to expand and decrease, giving users control over their space.



L-Configuration with Small Footprint B

Recommended Worksurfaces	
One 24"D x 48"W capsule table	**BFK2448**
One 18⅜"D x 60"W straight worksurface	**USWS**

Spacious U-configurations with a minimum number of panels and worksurfaces can be created with 60"W x 60"W corner, curved-front and linking peninsula Systems Worksurfaces.



Penta Cube

Recommended Worksurfaces	
Six 24"D x 60"W x 60"W x 24"D corner, curved-front worksurfaces (3 mm edge)	**UCC226060**
Five linking peninsula worksurfaces (3 mm edge)	**UPAC2748**
One straight worksurface (3 mm edge)	**USWS**


Tip: Size of linking peninsula worksurface to be used is determined by the panel system which it will be used with. Answer panels are shown at left.

Universal Systems Worksurfaces

Systems worksurfaces—with 1/2" Cord Drop feature built-in cable management flexibility, allowing cords to drop below the worksurface at any point along the back edge.
▶Specifying page 510

Systems worksurfaces—Full Depth feature a tighter fit to panels for a cleaner aesthetic.

Systems straight worksurfaces with 1/2" cord drop and full depth are available in a variety of widths and depths in parametric dimensions.




Full-depth worksurfaces fit flush against panels. Cords and cables are routed through cable scallops.

Front (user's) edge is available in three edge profiles on laminate worksurfaces. Wood veneer worksurfaces have a square (3 mm) edge profile only. Back and side edges are flat.

Cable scallops allow cords and plugs to pass behind the worksurface. Cable scallops can be omitted as an option.

Worksurface has a wood core with a High-Pressure Laminate or wood veneer surface and is 1 3/16" thick.

Edge Profiles




Edge profile is applied to front (user's) edge only.
**Tip: Straight worksurface width is available parametric from 18"W–120"W in 1/16" increments. Straight worksurface depth can be specified parametric from 18"D–36"D in 1/16" increments.*


Product Details

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in two shapes.



3 mm edge profile



Knife edge profile


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

▶ See surface material listing in this book for specific PVC-free availability.

Knife edge with 3 mm user edge is available on straight systems worksurfaces and on round tables.

Edge profile finishes are specified separately from laminate color.

Wood Veneer Worksurfaces




Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

Universal worksurfaces are undersized about 0.05 inches from ordered dimension to ensure fit in panel wrapped applications.


Straight worksurfaces are available to specify parametrically. The parametric dimensions available are from 18" to 36" deep and from 18" to 120" wide in 1/16" increments both depth and width.


Parametric straight worksurfaces are available in laminate with a 3 mm plastic edge, knife edge, or soft edge options and wood veneer with square edge or soft edge options.

Parametric straight worksurfaces have the option to specify a scallop, grommet cutouts, power and data access door and tray cutout, or power access door.




30"D straight, tapered, and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.







Taper-flat worksurfaces can be supported at the larger end with a side support bracket and a post leg. If the larger end is 30"D, a 24"D end panel can also be used.



Spanner worksurfaces with 3" notch accommodate Answer panels. Legs and cantilevers or column and cantilevers must be used for support.

Notch is not included on spanner worksurfaces for freestanding applications without panels.







3 mm edge bullet peninsula, jetty, and bubble jetty worksurfaces can be supported two ways:

- With a cantilever, a center support panel and a column
- With a cantilever, a side support bracket, and two post legs


In certain applications, a center support panel should not be used because the unfinished top edge of the support panel would be exposed. Use a cantilever, a side support bracket, and two post legs instead. These applications include:


- Angled peninsula with 3 mm edge and ½" cord drop





Linking peninsula worksurfaces and linking worksurfaces with 3" notch accommodates Answer panels. Legs and cantilevers or column and cantilevers must be used to support linking peninsula worksurfaces. One leg and two cantilevers must be used to support linking worksurfaces.






3 mm edge visitor worksurfaces must be supported by either a cantilever and a center support panel, or by a cantilever, a side support bracket, and a leg.

Universal Systems Worksurfaces, continued

Connections

Worksurfaces can be used freestanding or in panel-supported installations.


Supports are ordered separately and installed in the field.



For panel-supported applications you can use:
- Closed loop
- Open loop
- Half loop
- Intermediate support
- Off-module worksurface-to-panel connector
- Side support brackets
- Cantilever with tie plate
- End panel
- Standing-height end panel
- Support plate
- Center support panel with tie plate
- Standing-height center support panel with tie plate
- Columns or legs


▶See page 224 for *Panel-Mounted Universal Systems Worksurface Supports.*
- Universal pedestal with filler
- Universal lateral file with underworksurface lateral file filler

▶See *Storage Specification Guide.*




For Answer Freestanding desk applications you can use:
- End supports
- Peninsula supports
- Corner support
- Columns and legs
- Closed loop or open loop
- Modesty panels
- Pedestals
- Lateral files and storage cabinets

▶See *Answer Freestanding Specification Guide.*




For leg-based applications you can use:
- Closed loop
- Open loop
- Intermediate support
- Post legs
- Double post leg
- Double post C-leg
- Support plate

▶See page 232 for *Legs and Columns for Universal Systems Worksurfaces.*
Tip: Pedestal can also be used in leg-based freestanding installations.



Intermediate supports replace the need for other types of worksurface support when used with 1-High or 1.5-High Universal storage.




Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TS7WKSPT reinforcing channel is used. Reinforcing channel must be specified separately.

▶Page 555


Knife edge worksurfaces require reinforcement channels for spans greater than 48". Use TS7WKSPT39 for 54"W worksurfaces, TS7WKSPT for 60"W and 66"W worksurfaces, and TS7WKSPT72 for 72" worksurfaces.

Heavy load worksurfaces spanning greater than 60", or all worksurface spans wider than 72" require additional support of a cantilever, pedestal, intermediate support, or leg.


Wiring & Cabling



Worksurface depth is ½" less than nominal and allows cords and cables to pass over at any point. Cable scallops provide space for plugs to pass over the back edge of the worksurface.



Cable scallop allows cord plugs to easily pass below the worksurface. Worksurface wire managers are available to convert cable scallops into grommets in freestanding applications. Wire managers are included with wood veneer worksurfaces. Wire managers for use with laminate worksurface must be ordered separately.



Corner worksurfaces have scallops located 12½" from the rear corner of the worksurface to the center of the scallop. Taper-flat worksurfaces have a single scallop located 18½" from the larger end. Scallops are centered on the rear edge of all other worksurfaces that include them.

Cable scallop can be omitted for freestanding applications or panel-supported applications where plugs do not need to pass over the back edge of the worksurface.

Cable management devices are available to help manage conventional and fiber-optic cables beneath the worksurface.

▶See *Worksurface Power and Communication,* page 575.

Parametric straight worksurfaces have two grommet cutout options. The 2" round grommet cutout option fits the AWAG2 grommet which is specified separately.

▶See page 577


The 3" round grommet cutout option fits the TSAEGROM grommet which is specified separately.

▶See page 578


The grommet cutout option is not available on a worksurface when the power access door option is selected.

Grommet cutouts in parametric straight worksurfaces can be specified in the center, the left, or the right sides of the worksurface. Grommet cutouts are available in the below configurations.

Grommet Location on Worksurface	Minimum Worksurface Widths
Center, Right, or Left	All widths
Right and Left	At least 25"W
Right and Center	At least 34"W
Left and Center	At least 34"W
Center, Right, and Left	At least 34"W



FrameOne post legs will interfere with the left or right grommet cutouts on parametric Universal straight worksurfaces.



Grommet cutouts in parametric straight worksurfaces are located 3 5/16" from the back edge of the worksurface to the back edge of the grommet cutout. Left and right grommet cutouts are located 6 1/2" from the edge of the worksurface to the outside edge of the grommet cutout.

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate

▶ See *Surface Materials Reference Manual*.

- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶ See *Surface Materials Reference Manual*.

Front (user's) edge(s)
- Plastic

Back and side edges
- Plastic color default to match user's edge


Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) edge profile
- Wood veneer to match worksurface


Front (user's) edge(s)
- Wood edge band

Application Topics




Full-depth worksurfaces provide an uninterrupted working surface and are designed to allow traditional corner or L-configuration planning without creating uneven gaps.

Plan using worksurfaces actual dimensions when panel-wrapping worksurfaces because worksurface depths and widths vary by type. Straight and transition worksurfaces are full-width to correspond directly with panel width. Corner, extended corner, 120° corner, bullet peninsula, jetty, visitor, and linking worksurfaces are ½" less than panel width to allow for a consistent ½" cable-management gap when used in combination with straight worksurfaces.
Tip: To avoid uneven gaps in panel-supported applications, use full-depth worksurfaces to create L-configurations.



Screens mount to worksurfaces in privacy position or below the worksurface for modesty.
▶ See *Screens,* page 563.

Worksurfaces used in panel-supported installations must follow applicable panel stability guidelines.
▶ Page 142



Do not use a Universal Systems Worksurface as a top for storage that matches the worksurface width. Universal Systems Worksurfaces are slightly undersized for panel-wrapped applications and will not fit over full-width storage. Use field-installed storage tops for this type of application.
▶ See *Storage Specification Guide.*

Knife edge worksurfaces have limitations for support options and application restrictions.
▶ See page 234 for *Knife Edge Worksurface Application Guidelines*

Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5–50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

Soft edge provides a comfortable user experience reducing strain on wrists and forearms.
▶Specifying page 514


Power and data access door and tray provides desk top access and management of cords.
▶Specifying page 548

Soft edge and power and data access door and tray cutout are available in modular and parametric straight worksurfaces, both ½" cord drop and full depth.

Cutout is optional; power and data access door and tray is ordered separately. 24"W cutout is centered near the back of the worksurface.

Edge is soft to the touch and flexes to conform to the arm.

Power and data access door and tray is available with cord or with modular or hardwire connection.



Soft edge is 36" wide centered on the worksurface; balance of front edge is 3 mm radius. Back and side edges are flat.

Soft edge and power and data access door and tray are available on straight and taper Universal Systems Worksurfaces with ½" cord drop and full depth.

Tray includes six simplex receptacles and cutout for data access.

Soft Edge, Power and Data Access Door and Tray Worksurface Availability

Modular		48"W	54"W	60"W	65"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
Parametric		48"W-53 15/16"W	54"W-59 15/16"W	60"W-64 15/16"W	65"W-71 15/16"W	72"W-77 15/16"W	78"W-83 15/16"W	84"W-89 15/16"W	90"W-95 15/16"W	96"W-101 15/16"W"	102"W - 107 15/16"W	108"W-113 15/16"W	114"W-119 15/16"W	120"W
Modular Straights	**Parametric Straights**													
24", 30", and 36"D*	24"–36"D*	●	●	●	●	●	●	●	●	●	●	●	●	●


Modular Tapered	48"W	60"W	72"W
29½"D or 30"D to 23½"D or 24"D	●	●	●

● Only soft edge, only power & data access door & tray, or both
**Tip: Subract ½" for worksurfaces with cord drop.*

Dimensions

	Soft edge	Cutout for Door	Tray (below worksurface)
Width	36"	24"	27 1/8"
Depth	3"	4 5/8"	6"
Thickness	½" at front	N.A.	N.A.
Height	N.A.	N.A.	4 3/4"

Product Details



Soft edge profile is polyurethane.

High-Pressure Laminate Worksurfaces


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

3 mm front edge is specifiable. Back and side edges match 3 mm front edge.

Edge profile finish for 3 mm front edge is specified separately from laminate color.


Wood Veneer Worksurfaces

Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.



Scallops are omitted on worksurface when cutout for power and data access door and tray option is selected. **Power and data access door and tray cutouts** are 3 5/16" from the back edge of the worksurface and always centered on the width of the worksurface.


Power and data access door and tray cutouts are available on worksurfaces 24"D through 36"D.



Inner tray provides under the surface power and data connections and access and cord management.

Outer tray provides cover and management for harness, cord, and/or data cables to and from the panel.


Power and data access door and tray flips toward the user.



Modular, cord and plug, or hardwire options are available.


Corded version includes 10' cord with plug. Modular and hardwire versions each include 8' of harness.

Three wiring schematics are available in the modular version – 3+1, 2+2, and 3 separate neutrals (3SN). Each has a single circuit. 3+1 and 2+2 have the option for line 1, 2, 3, or 4 with either a system or isolated ground. 3SN has the option for line 1, 2, or 3 with either a system or isolated ground.



Data cutout in tray can accommodate either a single gang or a modular furniture communication faceplate. Tray includes adapter to accommodate modular faceplate.

Filler packages are available to fill unused data cutouts. Order separately in packages of 20.




With the modular and hardwire version, the harness enters the panel through a field cut opening in a fabric skin. A grommet is included to provide a finished edge to the field cut opening in the skin where the harness enters the panel. Inside the panel the harness can connect to a powerkit or it can use either a harness to harness connector or a branching harness to harness connector to connect to other modular harness trays or modular harnesses.


Cord and plug version has an integrated overload circuit breaker.

Non-PVC versions are available for each power solution.

Connections




Fixed storage can be used with worksurfaces with soft edge but must not encroach the 36" width of the edge.




Worksurfaces connected perpendicular should not encroach the 36" width of the soft edge.


Soft edge worksurfaces are available with the same support options and follow the same application rules as other Universal Systems worksurfaces.
▶See page 210 for Universal Systems Worksurfaces Understanding.
Exception: 48"W worksurface with soft edge used with the FrameOne post leg has some limitations.



In an end-of-run condition, the FrameOne post leg will not fit when used with 48"W soft edge worksurfaces, use half, open, or closed loop legs.



In shared applications, the FrameOne post leg can be angled and positioned at the front edge or for a square orientation it must be inset 1" from the front edge when used with 48"W soft edge worksurfaces.




Access holes in tray allow power and data to be routed straight back when worksurface is against the panel or routed to the sides when the worksurface is perpendicular to the panel.

Worksurfaces with power and data access door and tray are available with the same support options and follow the same application rules as other Universal Systems worksurfaces.
▶See page 210 for Universal Systems Worksurfaces Understanding.

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray, continued


Tray with cord and plug can be used in a free-standing table application.

Worksurfaces with power and data access door and tray with modular or hardwire power cannot be used in a freestanding application. The worksurface must either be attached to a panel on one end or if the worksurface is attached to low storage with an intermediate support on one end, the cabinet must be attached to the panel or ganged to another storage cabinet. This applies to both parallel or perpendicular to the panel applications.



Height of tray is 4 3/4" so lower storage height must be accounted for when used adjacent to tray.

Width of outer tray below the worksurface is 27 1/8" so adjacent lower storage dimensions must be accounted for on each worksurface width.




Tray with cord and plug includes two cord clips to help manage the cord below the worksurface.



Tray with modular harness or hardwire harness includes two harness clips to help manage the harness below the worksurface.

Soft edge worksurfaces and power and data access door and tray worksurfaces require reinforcement channel or other support on worksurfaces 60"W or larger.



Worksurfaces greater than 72"W require additional support such as cantilevers, pedestals, or legs beyond the brace.

Wiring & Cabling

Chicago, New York, and Los Angeles have special requirements.

Underwriter Laboratory (UL) listed. The power and data tray has been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate

▶See *Surface Materials Reference Manual.*

- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

Soft edge
- 6615 Grey V5 Plastic

3 mm front edge
- Plastic

Back and side edges
- Plastic color default to match 3 mm front edge

Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Soft edge
- 6615 Grey V5 Plastic

Square (3 mm) edge profile
- Wood veneer to match worksurface

Front (user's) edge(s)
- Wood edge band

Power and Data Access Door and Tray

Door
- Paint
- Anodized aluminum

Door bezel
- 6694 Slate Plastic

Inner and outer tray
- 7237 Slate Paint

End caps for outer tray
- 6694 Slate Plastic

Panel grommet
- Plastic:
  6000 Black
  6009 Arctic White
  6249 Platinum Solid
  6654 Sand
  6697 Fog

Pad
- 6615 Grey V5 Plastic

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray


Universal Systems Worksurfaces with Power Access Door

Power access door option on worksurfaces allows for convenient pass through access to panel outlets.
▶Specifying page 510

Systems straight worksurfaces with power access door are available in a variety of widths and depths in modular and parametric dimensions.

Power access door provides desk top access and management of cords.

Power access door is only available on worksurfaces with a ½" cord drop.



Actual Dimensions

Modular*	Parametric*	Centered	Left	Right	Left and Right	Left and Center	Right and Center	Left, Right, and Center
Straights – 18⅜", 23½", and 29½"D*	**Straights – 18"D - 36"D**							
30"W	30"W – 35 15/16"W	●						
36", 42", and 48"W	36"W – 53 15/16"W	●	●	●				
54", 60", and 66"W	54"W – 71 15/16"W	●	●	●	●			
72", 78", 84", 90", and 96"W	72"W – 120"W	●	●	●	●	●	●	●
Straight 120° Worksurfaces – 23½" and 29½"D								
48" and 60"W	N.A.	●	●	●				
72"W	N.A.	●	●	●	●	●	●	●
Square Edge Tops -18⅜" and 23½"D								
30", 36", and 42"W	N.A.	●						
48", 54", 60", and 66"W	N.A.	●	●	●				
72", 78", 84", 90", and 96"W	N.A.	●	●	●	●	●	●	●

Dimensions

	Cutout for Door
Width	16⅛"
Depth	4¼"

**Tip: Modular 29½"D worksurface is only available up to 72"W. Worksurface width is available parametric from 18"W–120"W in 1/16" increments. Worksurface depth can be specified parametric from 18 ⅜"D–36"D in 1/16" increments.*

Product Details

High-Pressure Laminate Worksurfaces


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶See *Surface Materials Reference Manual* for specific PVC-free availability.

3 mm front edge is specifiable. Back and side-edges match 3 mm front edge.


Edge profile finish for 3 mm front edge is specified separately from laminate color.

Wood Veneer Worksurfaces


Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.



Scallops are omitted on all worksurfaces with a power access door.





Power access door provides access to power outlets in the panel.



Currency storage with recessed back should be used when storage will be placed in front of a power outlet.

Recessed back storage features a 3 3/4" cavity to allow access to outlets below the worksurface.





Left and right configured power access doors will interfere with FrameOne post leg support and freestanding end panels (UE18, UE24, and UE30).

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate

▶See Surface Materials Reference Manual.

- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.
▶See *Surface Materials Reference Manual.*

3 mm front edge
- Plastic

Back and side edges
- Plastic color default to match 3 mm front edge

Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) edge profile
- Wood veneer to match worksurface


Front (user's) edge(s)
- Wood edge band

Power Access Door

Door
- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle
- 8043 Clear Anodized Aluminum

Door bezel
- 6527 Merle

Worksurface-Mounted Retractable Power and Data



Product Details

Standard with four power receptacles, two data openings and faceplates to accommodate customer supplied voice/data jacks.

Optional with two power/two data/one USB or three power/one data/one USB.

Includes 10' power cord with three-prong plug.

Can mount in any location on worksurface.

Requires a 4" x 11" hole with square corners be field cut in the worksurface.


Specify cord and cable management accessories separately to manage cords and cables back to panel.

Surface Materials

Housing
- Anodized aluminum

Receptacle
- Black

Metal Center Drawers



▶Specifying, page 550

Actual Dimensions

Depth	18⅛" or 23"
Inside depth	14½" or 19½"
Width	21½"
Inside width	19½"
Height	2⅜"
Inside height	2"

Product Details

Metal center drawer provides convenient personal storage beneath the worksurface.

Tray for pencils and paper clips is included.

Locks are not available on center drawers. For secure storage, use pedestals and other lower storage with locks.

Connections

Fits on all 24"D and 30"D panel-supported worksurfaces and 24"D, 30"D, and 36"D desks.
Tip: 24"D desk can only use the 18⅛"D center drawer.

Installation is in the field.

Drawer frame and attaching hardware are included for field installation.

Wiring & Cabling

Grommets cannot be used over center drawers.


Surface Materials

Center drawer
- Paint

Tip: Drawer will match the color of the supports. If you want a complementary color, you should order the drawer separately for field installation.

Application Topics

Drawer should be placed approximately 4" from the left or right end to allow for the attachment of cantilevers or end panels.




Kneespace clearance needed is 23"W.

Transaction Worksurfaces


Transaction worksurface provides a surface that can be used by standing visitors or serve as a shelf.
▶ Specifying, page 546


Worksurface has a wood core with a High-Pressure Laminate or wood veneer surface and is 1 3/16" thick.

Attachment brackets are included.



Shortened top caps are included with the transaction worksurface. Top caps are available in thin, square, or oval styles and are compatible with same-height or change-of-height applications.






Actual Dimensions

Square and Oval			Thin		
A	B		A	B	
15"	23"	for use on 30"W panel	15"	28"	for use on 30"W panel
15"	29"	for use on 36"W panel	15"	34"	for use on 36"W panel
15"	35"	for use on 42"W panel	15"	40"	for use on 42"W panel
15"	41"	for use on 48"W panel	15"	46"	for use on 48"W panel
15"	53"	for use on 60"W panel	15"	58"	for use on 60"W panel

Tip: Wood veneer transaction worksurfaces are not available in 23"W.

Product Details


High-Pressure Laminate Worksurfaces



3 mm edge profile

3 mm edge profile is plastic and is specified separately from laminate color.

Wood Veneer Worksurfaces




Edge profile is wood veneer with a square (3 mm) radius. Wood edge color matches finish specified for worksurface.



Edge profile is applied to all edges.

Connections




Transaction worksurface support brackets connect to the top of a horizontal connecting bar. Horizontal bar must be connected to junctions in top position.

Transaction worksurfaces cannot be used when a transparent window, pass-thru window, or consolidation point cabinet are assembled at the top of a panel.

A transaction top worksurface cannot be added to a panel segment with a 6" stacker.


In square and oval trim applications, a transaction top cannot be used on a 36" or 48"H panel when the panel is connected to a taller panel in a change-of-height condition.



A transaction top may be used on a 36" or 48"H panel connected to a taller panel in a change-of-height condition, but the taller panel must comprise of a 48"H base junction with a stacking junction to achieve the taller height.


For thin trim, a transaction top cannot be used on the taller panel in a 30" to 36" change-of-height, 36" to 42" change-of-height or a 42" to 48" change-of-height application.

Spanning two panels with thin trim is possible.




Exception: 58"W transaction worksurface cannot span multi-panels because it has an additional support bracket that conflicts with the junction between two 30"W panels.

Spanning two panels with square or oval trim is possible.



Exception: 53"W transaction worksurface cannot span multi-panels because it has an additional support bracket that conflicts with the junction between two 30"W panels.



Width of transaction worksurface with thin trim is 2" shorter than the width of corresponding panel to accommodate change-of-height applications.


Width of transaction worksurface with square and oval trim is 7" shorter than the width of corresponding panel to accommodate change-of-height applications.

Panels on one or on both sides of the transaction worksurface can be higher or lower than the panel that supports the transaction worksurface.


Transaction worksurfaces with thin or oval trim include top trim that accommodates all standard and change-of-height applications (one end or both ends).

Transaction worksurfaces with square trim include top trim that accommodates both standard and slim change-of-height applications (one end or both ends). Change-of-height option must be specified when used adjacent to cable management change-of-height (one end or both ends).

Recommended standing height for transaction worksurface is achieved by attaching it to 42"H panels.



Utility2 shelf lights can be installed beneath transaction worksurfaces using screws and keyhole slots in light fixture.



Transaction worksurface must be centered on the panel.

Wiring & Cabling

Transaction worksurface blocks cable routing in the top cable tray but cable routing is still available lower in the panel.

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate

▶See *Surface Materials Reference Manual*.

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual*.

Edges
- Plastic

Top caps
- Paint
- Wood

Support brackets
- Black paint only

Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) edge profile
- Wood veneer to match worksurface

Top caps
- Paint
- Wood


Support brackets
- Black paint only

Universal Panel-Mounted Worksurface Supports

For Answer Panel Applications

On-module supports can be used to panel support worksurfaces in various configurations.
▶ Specifying, page 554

Worksurface supports feature alignment tab used to set a depth for Universal Systems Worksurfaces—with ½" cord drop. This tab is bent down when installing full-depth worksurfaces.




End panel can be used to support the end of a worksurface.

Center support panel can be shared by two worksurfaces and may be required for longer runs of worksurfaces.


Cantilever can be used to panel-support a worksurface at any height.

Side support brackets can be used to support the ends of straight and corner worksurfaces and to support the back corner of any corner worksurface.


Product Details



On-module worksurface supports engage the slots in the vertical uprights of Answer panels.



Side support brackets support worksurfaces at any height in 1" increments. Brackets ship as a left- and right-hand pair and are ordered separately.




Side support brackets can be used to support the end of a worksurface that is wrapped by a panel with the same width dimension that matches the worksurface depth.


Actual Dimensions

	Cantilever	Center support panel	End panel
Height	12¼"	28½" or 40⅞"*	28½" or 40⅞"*
Depth	15½"	11"	23¾" or 29¾"
Glide Range	N.A.	1¼"	1¼"


*Height dimensions include the thickness of a worksurface.




Single side support bracket can be used to support the rear corner of corner, extended corner, and 120° corner worksurfaces. *Tip: For off-module fin wall applications, the single side support bracket must be handed appropriately for connection to the fin wall.*



Single side support bracket can be used to support the user's side rear corner of bullet peninsula, angled peninsula, visitor, jetty, and bubble jetty worksurfaces.




Cantilevers support worksurfaces at any height in 1" increments. Cantilever is non-handed and can be used to support either end of a worksurface, or shared to support two worksurfaces at the same height simultaneously. One tie plate ships with each cantilever.




30"D straight, tapered, and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

26 1/16"D – 30"D parametric straight cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.




Adjacent cantilevered worksurfaces must be the same height in order to connect with a tie plate and provide panel stability. *Tip: Answer panel junctions can accommodate only one support at each worksurface seam.*



Center support panel is an alternative to a cantilever in supporting longer runs of worksurfaces for additional panel stability. Refer to the applicable panel stability guidelines for specific requirements.


Center support panels are available in seated and standing heights, and cannot be used in freestanding applications or as a substitute for an end panel. One tie plate ships with each center support panel.




End panels can be used to support the end of a worksurface for additional panel stability. Refer to the applicable panel stability guidelines for specific requirements.

End panels are available in seated and standing heights, and cannot be used in freestanding applications.

All panel mounted supports can be removed and repositioned later without any permanent damage to panels or skins.



Pedestals and lateral files with a filler can be used to support the end of a worksurface in place of an end panel.
▶See *Storage Specification Guide.*



Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TS7WKSPT reinforcing channel is used. Reinforcing channel must be specified separately.
▶Specifying, page 555

Surface Materials

Side support bracket and reinforcing channel
- Black paint only

Cantilever, center support panel, and end panel
- Paint


Application Topics

Worksurfaces greater than 30"D can only be used in freestanding applications and cannot be panel mounted.


Worksurfaces used in panel-supported installations must follow applicable panel stability guidelines.
▶Page 142

Off-Module Worksurface-to-Panel Connector

Connector attaches into the slotted channels of the panel junctions.



Product Details



Connects 18"D to 30"D worksurfaces to wider panels eliminating the need to match panel width to worksurface depth. Replaces side supports, cantilevers, and the need for front edge support with worksurfaces greater than 26"D.

Actual Dimensions

Depth	½"
Width	34", 30", 36", 42", 48", 60", or 72"
Height	3"


Application Topics

Worksurface can be positioned anywhere along the width of the off-module connector.


Off-module worksurface to panel connector cannot be used at the same elevation on adjacent in-line panels.

Off-module worksurface-to-panel connector can be used to support the diagonal end of a Universal straight 120° worksurface.

Off-module worksurface to panel connector can support a single worksurface only.



Off-module worksurface to panel connector cannot replace cantilevers and side support brackets when worksurface is parallel to the panel.



Off-module worksurface to panel connector cannot be used in front of or on the adjacent panel next to a 12"H or a 24"H slatwall skin positioned in the second 12" skin module from the base of the panel.


Surface Materials

Connector


- Paint

FrameOne Legs and Supports for Universal Worksurfaces

Legs and supports share a common visual with FrameOne bench and support Universal worksurfaces in freestanding, storage-supported, or panel-supported applications.
▶Specifying page 558




Spacers between top of legs and worksurface provide a floating look to the worksurface and match visual of FrameOne bench.



Intermediate support is used with Universal One-High or 1.5-High storage as a worksurface support allowing for nesting of low storage.

Leveling glide allows worksurface height to be adjusted on uneven floors.



Post leg is square to provide a complementary visual to FrameOne legs. Post leg can be used as a column support.

Dimensions


	Closed, Open, and Half-Loop Legs	Post Leg	Intermediate Supports	
			For One-High storage	For 1.5-High storage
Height*	28½"	28½"	28½"	28½"
Height	N.A.	N.A.	11¼"	5¼"
Depth	24" or 30"	N.A.	16"	16"
Width	N.A.	N.A.	2 3/16"	2 3/16"
Glide range	2¼"	1"	N.A.	N.A.

*Height dimensions include the thickness of the worksurface.


Product Details




Closed, open, and half-loop legs are handed when panel supporting and must be specified left or right when facing the front of the worksurface. Freestanding tethered and table versions are non-handed.




Closed, open, and half-loop legs are available in panel supporting versions. They support the ends of worksurface; they are not shared supports between two worksurfaces.




Closed and open-loop legs are available in tethered versions in which one side of the worksurface is attached to a panel or storage.



Closed and open-loop legs are available in table versions in which both sides of the worksurface are supported by the legs. Post legs can also be used to create freestanding tables.




Half-loop leg is always panel supporting, however panels cannot exceed 48"H or support overhead storage above.




Closed, open, and half-loop legs do not align properly with knife-edge worksurfaces. Instead use cantilevers.


▶See page 234 for knife-edge worksurface application guidelines.




27"H mobile, freestanding, or fixed pedestals do not fit flush to the inside of the closed, open, or half-loop leg, there is a 3" gap due to the worksurface support plate. 25½"H freestanding pedestals or 21"H mobile pedestals will fit flush.




27"H mobile, freestanding, or fixed pedestals do not fit flush to the inside of the post leg, there is a 5¾" gap due to the worksurface support plate. 25½"H freestanding pedestals or 21"H mobile pedestals will fit flush.



Post leg can be shared between two worksurfaces.



Post leg in shared applications can be square or oriented angled to the front edge of the worksurface.




Intermediate supports replace the need for other types of worksurface support when used with One-High or 1.5-High Universal storage.


Steel top storage requires additional bracing inside the storage when used with an intermediate support. Bracing is an option to the intermediate support and is specified to match the width of the storage.

Bracing is field-installed.

Number of braces is determined by the orientation of the intermediate support to storage. It is not determined by the orientation of the worksurface to storage.




Side-to-side (parallel) orientation of intermediate support relative to storage requires one brace.




Front-to-back (perpendicular) orientation of intermediate support relative to storage requires two braces.


Storage with laminate or wood tops do not require additional bracing with intermediate support.




Side-to-side (parallel) application of intermediate support allows worksurface to be oriented perpendicular to storage.




Front-to-back (perpendicular) application of intermediate support allows worksurface to be oriented in-line with storage.




Intermediate support must be at least 1" from the front, back, or side edges of the storage unit to allow clearance for installation.




On cabinets with steel tops, in parallel applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in parallel applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.



On cabinets with steel tops, in perpendicular applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in perpendicular applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.




Worksurfaces 18"D to 24"D allow intermediate support to be positioned below the worksurface 1" from the front or back.




Worksurfaces 24 1/16"D to 30"D must be placed a minimum of 1" from the front or back edge, and a maximum of 7" from the front or back edge.

Intermediate support cannot support worksurfaces larger than 30"D.


FrameOne Legs and Supports for Universal Worksurfaces, continued



Worksurface may extend up to 10" maximum overhang of intermediate support as long as the other end of the worksurface is anchored to the panel.



FrameOne post legs will interfere with left and right oriented power access doors on Universal worksurfaces.



FrameOne post legs will interfere with left and right oriented grommet cutouts in parametric straight Universal worksurfaces.

Surface Materials

Legs and intermediate support
- Paint

Spacer caps for panel attached legs
- Black plastic only

Glide cap for legs
- 6694 Slate only

Shipping


Closed, open, and half-loop legs are packed in boxes of six when ordered on the same line item.

Bracing for intermediate supports ship separately from intermediate supports and are field installed into storage cases.

Infills for FrameOne Legs for Universal Worksurfaces

Infills are available in laminate and veneer and are used with open and closed loop FrameOne legs.
▶Specifying page 559

Infills provide added privacy.



Product Details

Infills can be used with both panel connected or freestanding versions of open and closed loop FrameOne legs for universal worksurfaces.

Connectors attach to the back side of the legs.

Surface Materials

Surfaces
- Laminate
- Veneer


Planning Dimension

Infills are available 24"W and 30"W.

Legs and Columns for Universal Systems Worksurfaces

Without Alignment Tab

Legs are available to support worksurfaces in free-standing or panel-supported applications.
▶ Specifying, page 560



Double post C-leg can be used on a single worksurface or in a shared application.

Support plate can be used with a double post leg to join and support two worksurfaces. Plate is 14"D or 20"D and 3 11/16"W.

Post leg can be used on a single worksurface. Non-locking caster and glide versions are available.

Leveling glide allows worksurface height to be adjusted on uneven floors.

Tapered post leg available in single or package of four.

Column is 4" in diameter and can be used as a column support on a single worksurface. Adjustable and non-adjustable versions are available.

Adjustable-height leg adjusts from 25 1/2"H to 31 1/2"H in 3/4" increments.

Double post leg can be used as a column support on a single worksurface or to support a shared application.

Adjustable-height leg can be used with a single worksurface. Locking caster and glide versions are available.

Actual Dimensions


	Column	Adjustable column	Double post leg	Post leg	Adjustable-height leg	Tapered post leg	Double post C-leg	Support plate
Height*	28 1/2"	28 1/2"–31 5/8"	28 1/2" or 40 7/8"	26", 28 1/2", or 40 7/8"	25 1/2"– 31 1/2"	28 1/2"	28 1/2"	N.A.
Glide range, for legs equipped with glides	1 1/2"	3 1/8"	3/4"	3/4"	3/4"	1/2"	3/4"	N.A.

*Height dimensions include the thickness of a worksurface.

Product Details


Legs support Systems Worksurfaces at 26"H nesting, 28½"H standard, 40⅞"H standing or 25½"H to 31½"H adjustable heights.

Legs for Systems Worksurfaces do not include alignment tabs. Pilot holes help the installer locate the proper leg position under the worksurface.





45° orientation

Post legs are always installed at a 45° orientation.




26"H nesting height legs allow worksurfaces to nest underneath an adjacent worksurface supported with 28½"H legs or a panel-supported worksurface.







Double post leg can be used in a shared application with a support plate, or it can be used as a column support for spanner, jetty, bubble jetty, bullet peninsula, angled peninsula, and linking peninsula worksurfaces in panel-mounted applications.




Post leg, in conjunction with two cantilevers or center support panels, can be used as column support for linking worksurfaces.




Post leg, in conjunction with a side support bracket, can be used to support the end of a visitor or taper-flat worksurface.



Two post legs can be used in place of one double post leg as column support for spanner, jetty, bubble jetty, bullet peninsula, and angled peninsula worksurfaces for added stability.




Standing-height post or double post legs can be used as column support in panel-mounted applications only.



Column can be used on spanner, bullet peninsula, angled peninsula, linking peninsula, jetty, and bubble jetty worksurfaces in panel supported applications.

For Answer Freestanding desk applications, column can be used on bullet peninsula and jetty worksurfaces. Adjustable and non-adjustable versions are available.

Column cannot be used in a shared application.





Bottom View Column



Bottom View Post Leg


Column is not recommended for applications that include post legs because it has a round shape, while post legs are more of an elliptical shape. Use single or double post legs as a column support in applications that include other post legs.






Adjustable-height legs adjust from 25½"H to 31½"H in ¾" increments. Legs can be used to support the primary worksurface, or legs can support a worksurface in a nesting application.

Legs with casters cannot support freestanding worksurfaces that are less than 24" deep.





Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TS7WKSPT reinforcing channel is used. Reinforcing channel must be specified separately.

▶ Specifying, page 555

Surface Materials

Post legs, C-leg, adjustable-height legs, and adjustable column

- Paint

Post leg caster

- Black plastic only

Support plate and reinforcing channel

- Black paint only


Application Topics

Stability Guidelines


▶ Page 142

Knife Edge Worksurface Application Guidelines


When planning an L-configuration, two UFB flat brackets should be used to support the worksurfaces. A cantilever is not wide enough to support the gap where the knife edge worksurface comes together.



Freestanding L-configuration should be avoided due to profile on the backside of the worksurface.




25 1/2"H Pedestal
(cantilever supported worksurface)




Boxfile
(cantilever supported worksurface)

Compatible storage includes 25 1/2"H pedestal with freestanding conversion kit, box/file mobile pedestals, and 1-high storage.



Knife Edge with 27"H Lateral and 27"H Pedestal



Knife Edge with 25 1/2"H Pedestal


Knife edge worksurface over 27"H storage can make files difficult to access. Use a 25 1/2"H pedestal that is flush with the front edge of the worksurface to avoid this issue.

Knife edge worksurfaces require reinforcement channels for unsupported spans greater than 48". Use TS7WKSPT39 for 54"W worksurfaces, TS7WKSPT for 60"W and 66"W worksurfaces, and TS7WKSPT72 for 72" worksurfaces.





Although a 25 1/2"H pedestal looks good when paired with knife edge, keep in mind that it does not align with other storage – drawers and base trim do not align. Use a box/file mobile pedestal instead.



End panels, 27"H standard pedestals, side support brackets and FrameOne legs for Universal do not align properly with knife edge worksurfaces. Instead, use cantilevers as shown.


**Side support brackets will work to support the back end of a worksurface; front end is where they won't align properly.

Understanding Worksurface Screens

Statement of Line 236

Universal Privacy/Modesty Screens 238
Universal Privacy Screens and Aligners 242
Sarto Privacy/Modesty Screens 244
Sarto Privacy Screens 248
Divisio Side Screen 250

Statement of Line




Understanding
▶ Page 238
Specifying
▶ Page 564

Universal Privacy/Modesty Screens

	Height Above Worksurface	42"W	48"W	54"W	60"W	66"W
Privacy Mount Height*	19 1/5"H	●	●	●	●	●
Privacy/Modesty Mount Height*	13"H	●	●	●	●	●


Tip: Overall screen height is 25 7/10"H.
**Privacy mount height measures 48" from the floor to the top of the screen and privacy/modesty mount height measures 42" from the floor to the top of the screen. Privacy mount shown.*



Understanding
▶ Page 242
Specifying
▶ Page 566

Universal Privacy Screens


	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 244
Specifying
▶ Page 568

Sarto Privacy/Modesty Screens


	24"W	29"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W
24"H	●	●	●	●	●	●	●	●	●	●
30"H	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 248
Specifying
▶ Page 570

Sarto Privacy Screens

	24"W	29"W	30"W	36"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W	72"W	78"W	84"W	90"W	96"W
13 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
24"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
36"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 244
Specifying
▶ Page 572

Sarto Alignment Bracket



Understanding
▶ Page 250
Specifying
▶ Page 573

Divisio Side Screen


	29 1/2"D
11 5/8"H	●

Universal Privacy/Modesty Screens

Universal privacy/modesty screen provides a boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 and 7 worksurfaces, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.
▶Specifying, page 564

Universal privacy/modesty screens are available in one height, 25 7/10", with two mount location options to provide either privacy or privacy/modesty.

Universal privacy/modesty screens cannot be used on surfaces that have intergrated rails or an additive SOTO rail.




Universal privacy/modesty screen is pin tackable.

The screen is attached to the worksurface using simple L-brackets and 1" screws.

Actual Dimensions

	Universal Privacy/Modesty Screen
Width	42", 48", 54", 60", or 66"
Height	25 7/10"
Weight	9.79 lb, 10.315 lb, 10.84 lb, 11.365 lb, 11.89 lb
Thickness	¾"

Product Details



The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

The screen may be used on ¾"–1½" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

Surface Materials

Screen
- Fabric


▶See *Surface Materials,* page 672.

Edge (upper segment)
- 7360 Merle

Edge (lower segment)
- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET


Brackets
- 7360 Merle

Application Topics




Universal privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3¾" in from each side of the screen.


Screen height attachment locations are determined when specifying privacy (top of screen will be at 48") or privacy/modesty (top of screen will be at 42"). The location cannot be changed in the field.



Privacy configuration provides 19⅕" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 48"H Answer panel.



Screen can be mounted with a 1⅛" cord drop or flush with no cord drop.



Privacy/modesty configuration provides 13" of screen above the worksurface and 11⁷⁄₁₀" of screen below the worksurace. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.

Both the privacy and privacy/modesty configurations allow the height-adjustable desks to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

Universal privacy/modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1 – Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2 – Tables with double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

Privacy/modesty screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

Privacy modesty screens must never be wider than the surface to which they are attached. *Tip: It is recommended that CET SmartTools Planning aid be used to ensure proper application of screen to worksurface or tables.*

When used with One-High integrated storage, Universal privacy/modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

Universal Privacy/Modesty Screens, continued

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.


Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Universal Privacy Screens and Aligners

Universal privacy screens provide a boundary and privacy element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 and 7, Elective Elements, panel-supported Universal worksurfaces, and TS Series worksurfaces.
▶ Specifying, page 566




Actual Dimensions


Height	12½" or 18½"
Overall Height	13½" or 19½"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"

Tip: 13½"H screen aligns with a 42" datum from the floor. 19½" screen aligns with a 48" datum from the floor.

Product Details




Universal privacy screens are tackable and available in 13½"H and 19½"H, and have widths from 24"W to 96"W.




The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

The screen may be used on ¾"–1½" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



When fabric screens are placed directly adjacent to each other, a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



Brackets are included with screens. Two brackets are used on all screens.

Universal privacy screen slides onto brackets.

Surface Materials

Screen
- Fabric

▶ See *Surface Materials,* page 672.

Edge (upper segment)
- 7360 Merle

Edge (lower segment)
- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

Brackets
- 4799 Platinum
- 7241 Textured Arctic White
- 7360 Textured Merle

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed


Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Sarto Privacy/Modesty Screens

Sarto privacy/modesty screen provides a light scale boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration Desking Collection, Elective Elements, universal tables, and universal panel-mount worksurfaces.
▶Specifying, page 568

Sarto privacy/modesty screens are available in overall heights from 24" to 30", with a privacy height option to provide varying levels of privacy and modesty.



Actual Dimensions

Width	23"–70"
Height	24"–30"
Thickness	9⁄16"

Product Details


The screen may be used on ¾"–1½" thick worksurfaces.

Screens are available in modular or parametric sizes.


The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

Weight of screens are calculated as follows:
Screen: 0.0044 lb per inch^2
Bracket: 0.2 lb per bracket.


Application Topics



Sarto privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3¾" in from each side of the screen. Two L-brackets are included with screens narrower than 60"W. Three or four L-brackets are included on screens 60"W and wider.




Worksurface type is available for screens 60" wide or wider, and allows the Sarto privacy/modesty screen to mount to a scalloped worksurface (for example Bivi Height-Adjustable Desk).



Screen can be mounted to the back edge of the worksurface with a 1⅛" cord drop or flush with no cord drop.

Screens 36"W and narrower can be mounted as side screens, and are always mounted flush to the edge of the worksurface. This application grows the footprint of the workstation by 9⁄16" per screen.

Screens are specified with a privacy height above the worksurface. A 1" thick worksurface is assumed. This privacy height sets the position of the brackets and cannot be changed in the field.



Screens are specified by first selecting an overall screen height (24"–30"), then specifying a privacy height. Privacy height is measured from the top of the screen to the top of the worksurface. Allowable privacy height selection changes based on the specified overall height.

All privacy heights allow a height adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

To match screens ordered on or before June 20, 2021, please consult the following information to determine proper privacy height.

- 24"H Screen, Privacy/ Modesty Configuration
  – Privacy Height = 13½"
- 24"H Screen, Privacy Configuration
  – Privacy Height = 16½"
- 30"H Screen, Privacy Configuration
  – Privacy Height = 22½"


Sarto privacy/modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1—Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2—Tables with double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

Sarto privacy/modesty screens cannot be used with Ology or Migration Pro and Intro modesty panels.

Privacy/modesty screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

Privacy/modesty screens must never be wider than the surface to which they are attached.
Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.



Sarto privacy/modesty screens can be installed with the Migration metal cable tray. When specifying a Sarto screen equal to or greater than 60"W to use with the cable tray, select the "with tray application" option. The metal tray is an option with the desk or can be ordered separately.
Tip: Screen width must be 10½" wider than the metal cable tray.

Surface Materials

Screen

- Fabric

▶See *Surface Materials,* page 672.

Brackets

- 7360 Merle

Sarto Privacy/Modesty Screens, continued

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed


Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Sarto Privacy Screens

Sarto privacy screens provide a light scale boundary and privacy element for height-adjustable desks and fixed worksurfaces. It can be used with Ology, Migration Desking Collection, Elective Elements, universal worksurfaces, and TS Series worksurfaces.

▶ Specifying, page 570




Actual Dimensions

Screen Height	12½"–34½"
Overall Height	13½"–35½"
Width	24"–96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.


Product Details



Sarto privacy screens are tackable. They are available in four modular heights, 13½"H, 19½"H, 23½"H, and 35½"H, and have widths ranging from 24"W to 96"W. Screens can also be specified parametrically.

The screen may be used on ¾"–1½" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.
Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.



Brackets and hard stops are included with screens. Screens narrower than 60"W use two brackets, while screens 60"W and larger utilize three brackets. The third bracket is centered on the width of the screen.

Offset brackets are included with 29"W screens, to help maintain appropriate pinch points between the screen and adjacent objects. Side screen option is available for screens 36"W and narrower.

Sarto privacy screen slides onto brackets.

Alignment brackets are available to help eliminate gapping and misalignment between back and side screens. Alignment brackets are available as their own style (**PSCB**).

Weight of screens are calculated as follows:
Screen: 0.0044 lb per inch^2
Bracket: 1.2 lb per bracket.

Surface Materials

Screen
- Fabric

▶ See *Surface Materials,* page 672.

Brackets and hard stops
- 7360 Merle

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.


Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Divisio Side Screen

Divisio side screen is magnetic and provides a territorial boundary between users. The user-movable functionality allows users to decide when and where they need additional privacy. The screens may be used on any ¾"- to 1½"-thick worksurface.
▶ Specifying, page 573



Magnetic body accommodates magnets for visual display.

21½" of the screen sits on the worksurface. The depth allows the side screen to work on any 24"D or deeper worksurface.

Finger trigger makes it simple for the end user to move the screen to allow for expansion, compression, increased privacy, or collaboration.


Overhang provides greater peripheral privacy.

Clamp can accommodate ¾"- to 1½"-thick worksurfaces.

Actual Dimensions

Depth	29½" (total), 21½" (sits on worksurface)
Width	1¼"
Height	14¼" (total), 11⅝" (above worksurface)

Product Details



Divisio side screen can be made more permanent by adding two screws through the clamp. For ¾" thick worksurfaces and FrameOne, a #10 x ¾" countersunk screw is recommended. For worksurfaces over ¾" thick, a #10 x ⅞" countersunk wood screw is recommended.

Understanding Universal Tables

Statement of Line **252**

Product Details

Universal Tables **256**

Bases for Universal Tables **259**

Legs for Universal Tables **260**

Application Topics

Table and Base Combinations **262**


Table and Leg Combinations **263**

Table Leg Positions **264**

Statement of Line


All table sizes and shapes are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in wood veneer with square edge. See Specifying pages for details.


Table dimensions shown apply to both wood veneer and High-Pressure Laminate versions of each table.



Understanding
▶ Page 256
Specifying
▶ Page 582


Straight Tables





Understanding
▶ Page 256
Specifying
▶ Page 584

Capsule Tables




Tip: Wood veneer capsule tables are available in 72"W, 84"W, and 96"W only.



Understanding
▶ Page 256
Specifying
▶ Page 585


Spanner Tables






Understanding
▶ Page 256
Specifying
▶ Page 586


Peninsula Table





Understanding
▶ Page 256
Specifying
▶ Page 587


Tapered Peninsula Tables





Understanding
▶ Page 256
Specifying
▶ Page 588


Round Tables






Understanding
▶ Page 256
Specifying
▶ Page 589

Square Tables




Tip: Wood veneer square tables are available in 30"W, 42"W, 48"W, and 54"W only.

Statement of Line, continued



Understanding
▶ Page 256
Specifying
▶ Page 590


Rectangle Tables






Understanding
▶ Page 256
Specifying
▶ Page 591

Oval Tables




Tip: Oval tables are available in 3 mm edge High-Pressure Laminate only.



Understanding
▶ Page 256
Specifying
▶ Page 592


Hex Conference Tables




Tip: Hex conference tables are available in 3 mm edge High-Pressure Laminate only.

Bases for Universal Tables

Understanding
▶ Page 259
Specifying
▶ Page 593




T-Base




X-Base

Legs for Universal Tables


Understanding
▶ Page 260
Specifying
▶ Page 594



Adjustable-Height Legs with Casters or Glides



Post Legs with Casters or Glides




Double Post C-Legs

Tip: Height dimensions include the thickness of a table.

Universal Tables

Universal tables can be used in a variety of individual and team settings.
▶ Specifying tables, page 582



Radius corner eliminates sharp edges and is appropriate for freestanding, mobile furniture.


Edge profile is continuous around all edges of the table.

Table top has a wood core with a High-Pressure Laminate or wood veneer surface and is 1 3/16" thick.


Product Details

High-Pressure Laminate Tables

Continuous edge profile is available in two shapes.



3 mm edge profile



Knife edge profile


PVC-free, 3 mm edge profiles are a proprietary polyolefin blend for all solid colors and seven woodgrain finishes. See surface material listing in this book for specific PVC-free availability.

Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables.


Edge profile finishes are specified separately from laminate color.

Wood Veneer Tables

Edges of worksurfaces are available in square (3 mm) profile.




Square (3 mm) edge profile




Square (3 mm) edge profile is achieved by adding wood veneer surfaces to table core. This technique can be applied to tables that are straight or curved.

Connections


Universal tables are supported by bases or legs, which are ordered separately and installed in the field.




Use the Table and Base Combinations matrix to determine the type and number of bases you need to order for the tables you choose.
Tip: Not all sizes and shapes of tables can be supported by bases.
▶Page 262



Use the Table and Legs Combinations matrix to determine the type and number of legs you need to order for the table you choose.
Tip: Not all sizes and shapes of tables can be supported by legs.
▶Page 262




Reinforcing channels are available to support tables that are wider than 60"W and supported by legs. When installed, the channels add 1" below the table. Channels are available as an option on larger tables and are field installed. Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table is 96" or smaller and will be supported by T- or X-bases. Channels are required and are always included with tables 120" and larger.



Underside of table has inset locations that support slip-fit and nesting applications.
▶See *Table Leg Positions,* page 264.




90° orientation




45° orientation

Legs installed in a 90° orientation allow for greater storage and kneespace below the table.

45° leg orientation is a preferred aesthetic for many customers.



Legs may be installed inset from the edge of the table to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the table to the edge of the leg. Amount of slip-fit varies by table shape and size.
▶See *Table Leg Positions*, page 264.



Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications.







Table with 28½"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.







Adjustable-height legs adjust 25½"H to 31½"H in ¾" increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 28½"H legs or a panel-mounted worksurface.



Spanner table enables conferencing at the end of two tables that are placed back-to-back.



52"W or 64"W spanners should be used when tables are separated by a panel.

Surface Materials

High-Pressure Laminate Tables

- Laminate

▶See *Surface Materials Reference Manual.*

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

3 mm profile

- Plastic

Wood Veneer Tables


- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)


Square (3 mm) edge profile

- Wood veneer to match table


Application Topics

Table Fit in Panel Environments:





Dimensions on straight tables are ¼" less than nominal dimension. This allows for an easy fit of freestanding tables in panel-wrapped environments and allows tables to move in and out of the area with ease.



Mobile pedestals up to 24½"H will fit under 26"H tables without reinforcing channels.

Mobile pedestals up to 27"H will fit under 28½"H tables without reinforcing channels.

Tables with reinforcing channel will reduce the available space by 1".

Table and Base Combinations
▶Page 262

Table and Leg Combinations
▶Page 263

Table Leg Positions
▶Page 264

Universal Tables, continued


Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.


Bases for Universal Tables

Pedestal-base tables fill a variety of needs for conference and work tables in general offices, institutions, and educational work spaces. Tables and bases are ordered separately.
▶ Specifying, page 593



Adjustable leveling glides allow tables to remain level when installed on uneven floors.


T-base




X-base

Column support includes a cylindrical steel column and a base with feet.

Product Details



26"W or 36"W



26"W or 36"W

Bases are available 26"W and 36"W and are 27 9/16"H.

Surface Materials

Column support
- Paint (standard)
- 8046 Polished Aluminum

Base
- Paint (standard)
- 8046 Polished Aluminum

Application Topics


Table and Base Combinations
▶ Page 262

Shipping

Bases are shipped knocked down (K.D.) and will require assembly.

Legs for Universal Tables

Legs attach to a table to make it freestanding.
▶ Specifying, page 594



Post legs are available with non-locking casters or glides.

Alignment tab helps installers locate proper leg position under the table.

Leveling glides, included, allow table height to be adjusted on uneven floors.

Adjustable-height leg adjusts from 25½"H to 31½"H in ¾" increments.

Actual Dimensions

	Adjustable-height leg	Post leg
Height* (standard)	25½"–31½"	28½"
Glide range, for legs equipped with glides	¾"	¾"

*Height dimensions include the thickness of a table.

Product Details

Legs support tables at 28½"H overall, including table thickness.

Table legs are ordered separately and installed on site.
▶See *Table and Leg Combinations,* page 263.

Table legs are non-handed to accommodate left- and right-hand applications.






Table legs cannot be used in a shared application with two tables. Radius corners do not provide enough attachment space for leg plate. When a shared leg application is required, order Universal Systems Worksurfaces.



Single post legs can only be installed in a 45° orientation.
▶See *Table Leg Positions,* page 264.




90° orientation




45° orientation

Legs installed in a 90° orientation allow for greater storage and kneespace below the worksurface.

45° leg orientation is a preferred aesthetic for many customers.



Legs may be installed inset from the edge of the worksurface to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the worksurface to the edge of the leg.



Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications.

Alignment tab corresponds to under worksurface alignment slots in tables. Alignment features ensure legs are installed in the proper 45° or 90° orientation and slip-fit position.







Table with 28½"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.





Adjustable-height legs adjust 25½"H to 31½"H in ¾" increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 28½"H legs or a panel-mounted worksurface.

Surface Materials

Adjustable-height legs, post, and post with caster
- Paint

Post leg caster
- Black plastic

Application Topics

Table and Leg Combinations
▶Page 263

Table Leg Positions
▶Page 264

Table and Base Combinations

	26"W T-Base	36"W T-Base	26"W X-Base	36"W X-Base
Straight Tables				
24"D x 36"W			❶	
30"D x 36"W–42"W				❶
30"D x 48"W–78"W	❷			
Capsule Tables				
24"D x 48"W			❷	
30"D x 60"W 36"D x 72"W	❷			
42"D x 84"W 48"D x 96"W		❷		
Round Tables				
30" diameter 36" diameter			❶	
42" diameter 48" diameter 54" diameter				❶
Square Tables				
30"D x 30"W			❶	
36"D x 36"W 42"D x 42"W				❶
48"D x 48"W 54"D x 54"W		❷		
Rectangle Tables				
36"D x 60"W 36"D x 66"W 36"D x 72"W	❷			
42"D x 84"W 48"D x 96"W		❷		
Oval Tables				
30"D x 42"W			❶	
36"D x 48"W				❶
30"D x 60"W 36"D x 72"W 42"D x 78"W	❷			
48"D x 96"W		❷		
Hex Conference Tables				
36"D x 60"W 36"D x 66"W 36"D x 72"W	❷			
42"D x 96"W		❷		
48"D x 120"W 48"D x 150"W 48"D x 180"W		❸		

❶ = Number of bases to order.
Blank spaces in matrix designate table and base combinations that are not valid.

Table and Leg Combinations

	Adjustable-Height Leg or Post Leg 
Straight Tables	❹ 
Round Tables	❹ 
Square Tables	❹ 
Rectangle Tables	❹ 
Spanner Tables	❹ 
Capsule Tables	❹ 
Peninsula Tables	❹ 
Tapered Peninsula Tables	❹ 
Oval Tables, up to 36"D x 72"W *Tip: Oval tables 21"D x 42"W and 30"D x 42"W may only use legs with glides. Legs with casters may **not** be used on these table sizes.*	❹ 

Tip: Hex conference tables and oval tables 42"D x 78"W and larger, can only be supported with T-bases.

Tip: Legs with casters cannot support freestanding worksurfaces that are less than 24" deep.

❶ = Number of legs to order.
Blank spaces in matrix designate table and leg combinations that are not valid.

Table Leg Positions

Table leg positions allow for slip-fit and nesting capabilities. Both 45° and 90° angled leg positions are available on most tables. However, certain tables accommodate either 45° or 90° angled positions only. Leg positions on the underside of tables are shown at right.

Legs installed in positions 1, 2, or 3 will vary in their distance from the worksurface edge:


Position 1 is 3" from edge
Position 2 is 6" from edge
Position 3 is 9" from edge
Tip: Positions 2 and 3 are not available on every table.

Position 1




Straight Table
24"D x 30"W

Position 1 2




Straight Table
24"D x 36"W
24"D x 42"W
30"D x 36"W
30"D x 42"W

Position 1 2 3




Straight Table
24"D x 48"W 30"D x 48"W
24"D x 54"W 30"D x 54"W
24"D x 60"W 30"D x 60"W
24"D x 66"W 30"D x 66"W
24"D x 72"W 30"D x 72"W
24"D x 78"W 30"D x 78"W

Position 1



Round Table
30" Diameter
36" Diameter
42" Diameter
48" Diameter

Position 1 2




Round Table
54" Diameter

Position 1



Square Table
24"D x 24"W
30"D x 30"W

Position 12




Square Table
36"D x 36"W
42"D x 42"W
48"D x 48"W
54"D x 54"W

Position 1 2




Rectangle Table

Position 1




Spanner Table

Position 1



Capsule Table
24"D x 48"W
30"D x 60"W

Position 12




Capsule Table
36"D x 72"W
42"D x 84"W
48"D x 96"W

Position 1




Peninsula Table

Position 1 2 3 1



Tapered Peninsula Table

Position 1



Oval Table
21"D x 42"W 30"D x 60"W
30"D x 42"W 36"D x 72"W
36"D x 48"W

Legend

◑ = Both 45° and 90°
◖ = Either 45° or 90°

Understanding Answer Monitor Mount Integration


Statement of Line 266

Product Details

Answer Monitor Mount 268

Statement of Line

media:scape Integration




Understanding
Page 268
Specifying
Page 598

Answer Monitor Mount

Answer Monitor Mount

Answer monitor mount attaches to Answer panels. It provides a clean aesthetic and can be used to project information in various applications. It is not used in conjunction with media:scape.
▶ Specifying, page 598




Monitor attachment brackets are used to attach monitor display to monitor mount.

Monitor mount connects to a 30"W panel only. Fabric skins are required when using the monitor mount.

Power strip is included in the monitor mount assembly, providing four receptacles.


Product Details

The monitor mount will affix to a 30" wide panel only. When using the monitor mount, fabric skins must be located behind monitor mount.




Power strip cord is routed in the interior of the panel and exits under the base trim. Plugging into the base is recommended. Monitor mount cord length is 10'.

Power strip included with monitor mount has IEC C13 receptacles.
Tip: If the monitor has a NEMA plug, a C14 to NEMA adapter will be required. C14 to NEMA adapters are commonly available. A C14 to NEMA adapter is also available as service part ***11M0465SR****.*




Answer monitor mount can accommodate 40" and 42" monitors or a maximum of 75 pounds.


Application Topics



It is possible to place two monitors on an Answer panel run. Monitors will overhang adjacent panels.




Single monitors cannot be placed directly adjacent to one another. It is recommended to place a 30" panel between the two monitors.




Monitor mount can be used on panels 54"H and taller. Maximum height that the monitor mount can be installed at is 66"H. Minimum height that the monitor can be installed at is 24"H.

A horizontal seam between two skins cannot fall directly behind the monitor mount.



Monitor mount brackets must connect into in-line junctions. They cannot connect to L, T, or X junctions.

Stability Guidelines



For runs over 8' and up to 12'6", must use at least a 30"W return panel when using monitor mount or media:scape integration. The monitor mount is not to exceed 66"H.

Surface Materials

Monitor mount
- 7237 Slate

Understanding Counterweights


Counterweights 272

Counterweight Requirements for Storage Products 273

Counterweights


Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.
▶See *Counterweight Requirements for Storage Products,* page 273.

Counterweight Packages for Lateral Files and Cabinets



▶Specifying, page 663

Product Details




Surface Materials

Counterweight plates
- Black only

Actual Dimensions


Depth	3⅛" or 2⅜"
Width	25½"
Height	18"

Counterweight Package for Towers



▶Specifying, page 663

Product Details




Surface Materials

Counterweight
- Black only


Actual Dimensions

Depth	1¼"
Width	12"
Height	1¼"

Counterweight Packages for Bookcases



Product Details



Counterweight packages attach to the inside of the bottom shelf. A cover is included to conceal the counterweight.

Surface Materials

Counterweight
- Black

Cover
- Paint

Actual Dimensions

Counterweight	
Depth	1¼"
Width	19", 25", 31", or 37"
Height	1¼"
Cover	
Depth	1⅜"
Width	23¾", 29¾", 35¾", 41¾"
Height	1¼"

Counterweight Requirements for Storage Products

WARNING

Follow these requirements to reduce the risk of storage products tipping and causing injury.

Requirements for Lateral Files, Towers, Cabinets, and Bookcases Applications

Specification Information

Dimensions D Flush Steel Front	Dimensions D Proud Steel/ Wood Front	W	H	Counterweight Package	Style Number
Three 12"H Drawers					
18"	18⅞"	30"	40"	Package 3	**RLF18303_**
18"	18⅞"	36"	40"	Package 3	**RLF18363_**
18"	18⅞"	42"	40"	Package 3	**RLF18423_**
23⅛"	24"	30"	40"	Package 2	**RLF24303_**
23⅛"	24"	36"	40"	Package 2	**RLF24363_**

Product specification pages indicate proper counterweight package for each style number.

Specification Information

Dimensions D Flush Steel Front	Dimensions D Proud Steel/ Wood Front	W	H	Counterweight Package	Style Number
65½"H Tower with Door Hinged on Left, continued					
Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and					
23⅛"	24"	24"	65½"	Not required	**RFF24245LW__**


If a counterweight is not required in any condition for a particular style number, the product specification page will indicate not required.

Counterweight Requirements for Storage Products, continued


Requirements for Freestanding Applications

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:


1. Counterweights are not required for lateral files, towers, cabinets, pedestals, and bookcases anchored to the floor.



Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet.
Note: **Local seismic requirements vary.** *Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials.*
Tip: Anchor bracket cannot be used with pedestals.




Floor anchor brackets for Universal with FrameOne foot secure lateral files and towers to the floor for stability or in seismic zones to reduce the risk of hazards during earthquakes.
Note: **Local seismic requirements vary.** *Compliance with local code requirements is the responsibility of the customer or their authorized agent.*




2. Counterweights are not required for lateral files, towers, cabinets, and bookcases anchored to the wall.

For wall anchoring of lateral files, towers, cabinets and bookcases, consult with the building's designated design professional (architect or engineer) and work with local codes authorities for approvals to ensure adequate support when product is fully loaded.



3. Counterweights are not required for lateral files, towers, cabinets, and bookcases ganged back-to-back with ganging hardware.

TS Series towers which do not include ganging hardware, order *8425808SR* from Service Parts.




Units ganged side-by-side **require** counterweights.

Requirements for Panel Applications


Panel stability guidelines must be met prior to determining counterweight requirements.
▶ See *Panel Stability Guidelines* in the appropriate panel specification guide. (Storage may support panel stability)

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




1. Counterweights are not required for Two Drawer lateral files installed right below a worksurface attached to the panel system when the application is mirrored back-to-back (a two-pack minimum).


TS Series underworksurface lateral files are only intended for use under a panel-mounted worksurface and cannot be used as freestanding.



2. Counterweights are not required for One-High and 1.5-High lateral files and cabinets used with an intermediate support, when the application is mirrored back-to-back (a two-pack minimum).
Note: This includes storage either perpendicular or parallel to the panel.



3. Counterweights are not required for One-High, 1.5-High, and Two Drawer lateral files and cabinets used with a storage-to-panel bracket to support the panel run if the application is mirrored back-to-back (a two-pack minimum) and the panel run is equal to or greater than 6'.




4. Counterweights are not required for towers used with a storage-to-panel connector to support the panel run, if the application is mirrored back-to-back (a two-pack minimum) and the panel is equal to or greater than 5'.

Counterweight Requirements for Storage Products, continued


Requirements for Answer Freestanding Desk Applications

Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.
▶ See *Answer Freestanding Desk Stability Guidelines* in the *Answer Freestanding Specification Guide*.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




1. A counterweight is not required for a single Two Drawer lateral file attached to desks connected in an L-configuration.




L-configurations with two or more lateral files **require** counterweights in each file.




Counterweights are **required** for all lateral files in stand-alone desk or credenza applications.



Hutch kit applications with lateral files always **require** counterweights in the lateral files.




2. A counterweight is not required for a single Two Drawer lateral file attached to a desk made with corner, extended corner, or 120° corner worksurfaces.



Configurations with two or more lateral files **require** counterweights in each file.

Requirements for Pedestals in Freestanding Applications

Counterweights are required for all freestanding applications.




1. Universal fixed pedestals converted to freestanding pedestals require a counterweight.

Universal fixed to freestanding pedestal conversion kit includes ⅛"H steel top and counterweight package.

Fixed pedestals, converted to freestanding with a laminate or veneer top, require a counterweight.

TS Series fixed pedestals are only intended for use under a panel-mounted worksurface and cannot be converted to freestanding.

Laminate fixed pedestals can never be freestanding.




2. Mobile pedestals include counterweight as standard.


Requirements for Pedestals in Panel Applications

Panel stability guidelines must be met prior to determining counterweight requirements.

▶ See *Panel Stability Guidelines* in the appropriate panel specification guide.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:






Counterweights are not required for fixed pedestals installed below a worksurface attached in a panel spine application. Single workstation applications **require** a counterweight in each pedestal.

Counterweight Requirements for Storage Products, continued


Requirements for Pedestals in Answer Freestanding Desk Applications

Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.
▶ See *Answer Freestanding Desk Stability Guidelines* in the *Answer Freestanding Specification Guide*.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:





1. Single pedestal desks less require an interlock. Minimum width for the single pedestal desks is 42"W. (Rules apply to pedestals produced after February 2026.)
Tip: Interlock is available as a service part for Universal pedestals, 1043575SR for box/box/file and file/file configurations.




2. Double pedestal desks 54"W and wider only require one pedestal with counterweight. (Rule applies to pedestals produced after February 2026.)









All other desk applications with multiple pedestals **require** a counterweight for each pedestal.






3. Counterweights are not required for a single fixed pedestal in desk with hutch kit applications. Any additional pedestals within the application **require** counterweights.

Requirements for Pedestals in Answer Freestanding Desk Applications, continued



4. A counterweight is not required for a single fixed pedestal attached to a desk attached to another worksurface in an L-configuration. Any additional pedestals within the application require counterweights.



5. A counterweight is not required for a single fixed pedestal attached to desks made with corner, extended corner, or 120° corner worksurfaces. Any additional pedestals within the application require counterweights.


Understanding Universal Steel Storage Products

Statement of Line 282

Universal Pedestals 286
Universal Sliding Door Bins 290
Universal Over the Case and In The Case Bins 294
Dimensions for Custom Field-Installed Picture Frame Door Inserts 297
Universal Shelves and Universal Personal Shelves 298
Dividers 300
Wall Hang Channels and Horizontal Braces 301
Slim Shelves 302
Bracket Application Rules for Bins and Shelves 304
Application Rules for Overhead Storage on Answer and Kick Panels 306
Universal One-High, 1.5-High, and Two Drawer Lateral Files 308
Universal Towers 312
Connectors 315


Statement of Line

For the full Universal Storage offering, see *Storage Specification Guide*.



17½"D, 22⅝"D, or 28⅝"D

Flush steel front




18⅜"D, 23½"D, or 29½"D

Proud steel, laminate, or wood front

Understanding
▶ Page 286
Specifying
▶ Page 600


Universal Fixed Pedestals

	15"W
25½"H	●
27"H	●



17½"D or 22⅝"D

Flush steel front




18⅜"D or 23½"D

Proud steel, laminate, or wood front

Understanding
▶ Page 286
Specifying
▶ Page 606

Universal Mobile Pedestals

	15"W
21"H	●
27"H	●



36"W to 72"W


16¼"H

Understanding
▶ Page 290
Specifying
▶ Page 610

Universal Sliding Door Bins

For Use with Answer


	36"W	42"W	48"W	60"W	66"W	72"W
15¾"D	●	●	●	●	●	●



24"W to 48"W

16¼"H

Flat steel, laminate, or wood front



60"W to 72"W

16¼"H

Flat steel, laminate, or wood front


Understanding
▶ Pages 294
Specifying
▶ Pages 612 and 614

Universal Over the Case and In the Case Bins with Flat, Laminate, and Wood Flat Fronts


For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
15¾"D	●	●	●	●	●	●	●	●

For the full Universal Storage offering, see *Storage Specification Guide.*



Universal Shelf




Universal Personal Shelf

Understanding
▶ Page 298
Specifying
▶ Page 617

Universal Shelves and Universal Personal Shelves

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
Universal Personal Shelves 13 11/16"D	●	●	●	●	●		
Universal Shelves 14 3/4"D	●	●	●	●	●	●	●




Understanding
▶ Page 302
Specifying
▶ Page 623


Slim Shelves

	24"W	30"W	36"W	42"W	48"W	60"W	72"W	96"W
6"D	●	●	●	●	●	●	●	●


Universal One-High




Flush steel front



Proud steel, laminate, or wood front




Flush steel open front




Proud steel open front


Universal 1.5-High




Flush steel front



Proud steel, laminate, or wood front



Flush steel open front



Proud steel open front

Understanding
▶ Page 308
Specifying
▶ Page 624


Universal One-High and 1.5-High Lateral Files

	30"W	36"W	42"W
One-High 16"H	●	●	●
1.5-High 22"H	●	●	●


Tip: 42"W lateral files are available 18"D and 18 7/8"D only.

Statement of Line, continued

For the full Universal Storage offering, see *Storage Specification Guide*.



Flush steel front




Proud steel, laminate, or wood front

Understanding
▶ Page 312
Specifying
▶ Page 632


Universal Open Side Towers

	24"W
47½"H	●
52"H	●
65½"H	●

Drawings show door hinged left.
Units are also available with door hinged right.



Flush steel front



Proud steel, laminate, or wood front

Understanding
▶ Page 312
Specifying
▶ Page 636

Universal Dual Door Towers

	24"W
47½"H	●
52"H	●
65½"H	●

Drawings show door hinged left.
Units are also available with door hinged right.


Universal Pedestals

27"H fixed pedestals are floor-standing and can support worksurfaces at 28½"H.
▶Specifying, page 600
▶Specifying *Storage Accessories,* page 658

Top is open and accommodates attachment to a worksurface. Attachment hardware is included.

Lock is standard on pedestals and secures all drawers. Lock is located in the top drawer. Locks are standard factory-installed, keyed random.
▶*Lock and Keying*, page 690

Leveling glides adjust to install pedestals on uneven floors. 25½"H pedestals have a ⅞" adjustable glide range, and 27"H pedestals have a 1⅞" adjustable glide range.



Drawer fronts are available in steel, laminate, or wood veneer. Mobile pedestals maintain drawer pull and drawer front alignment with other storage components that have a 3" base.


Pull on proud-front pedestal is available in a variety of shapes.

3"H base is integral to 27"H pedestal case.

Pull on flush-front pedestal is full width and integral. This pull is available on steel drawer fronts only.

Drawers open their full depth for total access to the contents. Box and file drawers are available.


Mobile pedestals fit under a worksurface and can be moved wherever storage is needed. They provide an auxiliary worksurface when you need more space to spread out your work.
▶Specifying, page 606
▶Specifying *Storage Accessories,* page 658



Top on mobile pedestal is ⅛"H steel. Additional top options are available.


Finished back and sides are standard.

Four casters are hard composition and non-locking, with a full-rotation swivel mechanism. Casters are exposed at the base of box/file pedestals and concealed with the base of box/box/file and file/file pedestals.




Mobile pedestal cushion top provides a temporary seat ideal for informal gatherings. Optional handle can be extended to easily transport mobile pedestal. Available factory- or field-installed.
▶Specifying, page 631

Product Details




Box drawers are a welded steel construction and available with proud or flush fronts. One divider is included with each box drawer.



File drawers are a welded steel construction and available with proud or flush fronts. Drawer body sides are full height and accommodate front-to-back filing of hanging letter-size file folders.


Optional rails accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. *Exception: Legal-size file folders cannot be filed in 17⅛"D or 18⅜"D pedestals.*




Drawer fronts can be removed and changed in the field to create a different aesthetic or to replace damaged drawer fronts.

Actual Dimensions

	Fixed	Box/File	Box/Box/File and File/File
Depth with flush steel front	17½", 22⅝", and 28⅝"	17½" and 22⅝"	17½" and 22⅝"
Depth with proud steel, laminate, or wood front	18⅜", 23½", and 29½"	18⅜" and 23½"	18⅜" and 23½"
Width	15"	15"	15"
Height	25½" and 27"	N.A.	N.A.
Overall height with ⅛"H top	N.A.	21"	27"




Pencil tray to hold small office supplies is included with each box/box/file pedestal.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 128 mm and available on steel or wood veneer drawers.


Label holders are available through Service Parts. Label holder fits inside the integral pull of flush-front drawers and over the top edge of drawer front on proud-front drawers.

Safety interlock system allows only one drawer to be opened at a time for added stability.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶*Lock and Keying,* page 690


Non-locking pedestal is available as an option.



27"H fixed pedestals have base alignment with other Universal Storage components that have a 3"H base.




Steel, laminate, and wood veneer tops are available in place of standard 1/8"H steel tops. 1"H steel tops, 1 3/16"H laminate with square edge profile, and 1 3/16"H wood veneer with square edge profile.



Handle of mobile pedestal cushion top is retractable. In the stowed position, handle is flush with mobile pedestal front. In the travel position, handle is completely extended and articulates upward for longer distance transport. Cushion top is also available without a handle.

Mobile pedestal cushion top for field-installation can be used with mobile pedestals **RPM2421CP, RPM2421CF,** and **RPM2421CW** only.




Basic cushion enhanced is ordered separately for use on Universal mobile pedestals with metal, laminate, or veneer top. Basic cushion enhanced is field-installed and attaches to the existing top with hook and loop fastener.


Basic cushion enhanced for field installation can be used with mobile pedestals **RPM1821CF, RPM1821CP, RPM1821CW, RPM2421CF, RPM2421CP,** and **RPM2421CW** only.

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

Connections




Fixed pedestals will be freestanding or attach under a worksurface. Three pedestal depths are available to correspond with Universal Worksurface depths. Proud-front pedestals exactly match the depth of Universal Worksurfaces. Flush-front pedestals are 7/8" shorter.



Filler conceals the gap that may exist between the face of a panel and the back of a 27"H pedestal. Fillers are also used to provide stability for pedestal and worksurface configurations that are not panel-wrapped.
Tip: Fillers for proud front pedestals conceal a 1/2" gap. Fillers for flush front pedestals conceal a 1 3/8" gap.

Freestanding pedestals that don't require attachment to a worksurface should be used with a conversion kit that includes a steel top, counterweight package, and components to convert the locking system to a safety interlock system.
▶Page 604



Field-installed accessories are available, including pencil trays, stationery trays, dividers, and rails.
▶Page 658

Wiring & Cabling

Fixed pedestals do not accommodate cable-routing. Plan accordingly when installing pedestals underneath worksurfaces with grommets or other cable-routing accessories.

Universal Pedestals, continued

Surface Materials

Pedestal, steel drawer fronts, and integral pulls
- Paint

Contemporary, handle, jazz, and bar pulls
- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

Wood veneer top and drawer fronts
- Wood veneer—Open pore finishes
- Customiz stain (option)

Lock
- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, drawer suspensions, rails, dividers, and glides
- Black

Laminate top and drawer fronts
- Laminate
- Open Line laminate (option)

Square edge profile on laminate top
- Plastic

Cushion top
- Fabric
- Leather

Basic cushion enhanced
- Fabric

Tip: For both cushion top and basic cushion enhanced: fabric patterns with a linear design will always be applied from the front to back of the unit or the depth of the unit. Pattern matching will not be done on COM.

Application Topics

Storage Capacities and Dimensions
▶See *Storage Specification Guide*

Counterweight Requirements for Storage Products
▶Pages 273–280

Shipping

Fixed pedestals are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


Mobile pedestals are shipped in corrugated board to minimize damage during transport.

Universal Sliding Door Bins

For Use with Answer

Universal sliding door bins attach to panels with an on-module bracket and provide overhead storage in the work space. Door is available in steel or wood.
▶Specifying, page 610

Safety catch locks overhead storage unit to frame to prevent accidental removal.



Metal backstop prevents notebooks and equipment from damaging panel surface.


On-module attachment brackets are used to mount bins on panels of the same width as bins and are included with the bin as a standard component.

Lock is standard on bins to secure the door. The door can be locked in the closed position on either the right- or left-hand side of the bin. Lock is located underneath the center of the shelf. Lock is standard factory- installed, keyed random. A no-lock option is available.
▶*Lock and Keying*, page 690

Steel, laminate, and wood front doors glide smoothly from one side of the case to the other.

Bin ships assembled.

Recess beneath unit can accommodate a shelf light.
▶For lighting, see *Answer Freestanding Specification Guide*.




Actual Dimensions

Depth	15 3/4"
Width	36", 42", 48", 60", 66", and 72"
Height	16 1/4"


Product Details

On-module attachment brackets are independent of the storage bin and unique to the panel system they are used on. If the storage bin needs to be attached to a different panel in the future, additional on-module attachment brackets can be purchased through Service Parts.




Vertical off-module brackets, optional, can be used to mount one or two sides of an overhead bin off-module on Answer, Kick, and Montage with vertical slot patterned panels. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin.

Vertical off-module brackets are used with bins up to 12" wider than the panel, allowing them to overhang the panel seam.




Upmount brackets, optional, are for use on Answer, Kick, and Montage. Brackets enable overhead storage to be used on lower panel heights. Bins using an upmount bracket must be installed on a panel of the same width.




Two upmount bin brackets can be hung side-by-side in an in-line, T-, or X- application. Bin can be upmounted on slatwall skin as long as there is not another bin or another slatwall skin on the adjacent in-line panel.

Omit brackets option must be specified when bin is being used in hutch kit application, or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately.




Lock in bin is concealed from view beneath the shelf. Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

▶*Lock and Keying*, page 690




Shelf lights are available for use beneath bins. Lights recess into the bottom of the overhead storage unit.

▶For lighting, see *Answer Freestanding Specification Guide*.



Dividers are available as an option for use on bins. Dividers ship in a package of four.




Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.


Overhead storage bin height accepts standard and A4 binders.

When mounting on Answer or Kick panels, top of bin cannot be loaded.


Connections




Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.



Width of overhead bin must match the width of the panel or panels that it is attached to when using an on-module bracket. Bin may span up to two frames.




Universal sliding door bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.



Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as separate style number. *Tip: Select the omit brackets option when ordering the bin.*

Wiring & Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.

▶For lighting, see *Answer Freestanding Specification Guide*.

Surface Materials

Overhead bin
- Paint
- Wood door (optional)

Locks
- 9201 Polished Chrome
- 9250 Ember Chrome (optional)


On-module and vertical off-module attachment brackets
- Black paint only

Upmount brackets
- Paint

Dividers
- White plastic


Universal Sliding Door Bins for Use with Answer, continued

Application Topics




Clearance between Universal Systems Worksurfaces or Universal tables and bottom of overhead bins is 21⅜" when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.

Storage Capacities and Dimensions
▶See *Storage Specification Guide*



Overhead bins can be hung in front of slatwall skins.




Two bins cannot be hung side by side if one or both bins are in front of a slatwall skin.

Bracket Application Rules
▶Page 304


Stability Guidelines
▶Page 142

Guidelines for Answer Panel-Hung Components
▶Page 143

Guidelines for Stackable Components



Correct



Incorrect

TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.


Universal Over The Case and In The Case Bins

For Use with Answer

Universal over the case bins can be attached to panels with an on-module bracket and provide overhead storage in the work space.
▶Specifying, page 612

Safety catch locks overhead storage unit to frame to prevent accidental removal.

On-module attachment brackets are used to mount bins on panels of the same width as bins and are included with the bin as a standard component.




Flat-front lift-up doors open and close quietly. When up, the doors rest on top of the case to provide more storage space inside.

Locks are standard on bins to secure the door(s). Lock is located underneath the center of the shelf. Locks are standard factory-installed, keyed random. Two-door units are keyed alike. A no-lock option is available.
▶*Lock and Keying*, page 690


Backstop prevents notebooks and equipment from damaging the surface of the panels or walls.

Bin is steel and ships assembled.




Recess beneath unit can accommodate a shelf light.
▶For lighting, see *Answer Freestanding Specification Guide*.

Universal in the case bins, attach to panels with an on-module bracket and provide overhead storage in the work space. Door is available in steel, laminate, or wood.
▶Specifying, page 614



Flat-front lift-up doors (steel, laminate, or wood) recess into the overhead storage bin.



Actual Dimensions


Depth 15¾"

Width 24", 30", 36", 42", 48", 60", 66", and 72"

Height 16¼"


Product Details

On-module attachment brackets are independent of the storage bins and unique to the panel system they are used on. The following style number suffixes indicate the panels they attach to:
TAK = Answer and Kick
MON = Montage
If the storage bin needs to be attached to a different panel in the future, additional on-module attachment brackets can be purchased through Service Parts.




Vertical off-module brackets, optional, can be used to mount one or two sides of an overhead bin off-module on Answer, Kick, and Montage with vertical slot patterned panels. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin.

Vertical off-module brackets are used with bins up to 12" wider than the panel, allowing them to overhang the panel seam.



Upmount brackets are optional for use on Answer, Kick, and Montage. Brackets attach the bin near the top of 54"H panel to enable overhead storage to be used on lower panel heights. Bins using an upmount bracket must be installed on a panel of the same width.




Two upmount bin brackets can be hung side by side in an in-line, T-, or X-application. Bin can be upmounted on slatwall skin as long as there is not another bin or another slatwall skin on the adjacent in-line panel.


Omit brackets option must be specified when bin is being used in hutch kit application, or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately.

Picture frame door—omit insert, optional, is available on Universal in the case bins with flat steel fronts only. An omit insert option allows custom material to be field installed in the aluminum door frame.


The omit insert custom material must be ordered from a material vendor. If an omit insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin. Custom materials being installed in a door insert must comply with local building codes. Consult with local authorities to determine compliance requirements. The use of safety glass is required if installing custom glass in a door insert. To install customer provided material in a picture frame door with the insert omitted, make sure the material is cut precisely to the sizes listed on the dimensions matrix.
▶See *Dimensions for Custom Field-Installed Picture Frame Door Inserts*, page 297




Door assist mechanism, optional, consist of a gas cylinder and spring that provides an assisted open and close of the door. When opening the door, the spring pulls the door to the fully recessed position. When closing the door, the assist mechanism will slowly close the door. Universal bins ship with two assist mechanisms per door when specified.




Lock in bin is concealed from view beneath the shelf. Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Two-door units are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶*Lock and Keying*, page 690



Shelf lights are available for use beneath bins. Lights recess into the bottom of overhead bins.
▶For lighting, see *Answer Freestanding Specification Guide*.



Divider is available as an option on overhead bins. Dividers ship in a package of four.
▶Page 300




Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.


Overhead storage bin height accepts standard and A4 binders.

When mounting on Answer or Kick panels, top of bin cannot be loaded.


Connections



Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.




Width of overhead bin must match the width of the panel or panels that it is attached to when using an on-module bracket. Bin may span up to two frames.




Universal over the case bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.


Universal Over The Case and In The Case Bins for Use with Answer, continued



Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as a separate style number. *Tip: Select the omit brackets option when ordering the bin.*




Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.



Wall channel horizontal brace is required with wall channels to support bins that are wider than 48".

Wiring & Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.

▶ For lighting, see *Answer Freestanding Specification Guide*.

Surface Materials

Overhead bin
- Paint

Lock
- 9201 Polished Chrome
- 9250 Ember Chrome (optional)


On-module and vertical off-module attachment brackets
- Black paint only

Horizontal off-module attachment brackets for Montage
- Paint to match bin

Upmount brackets
- Paint

Dividers
- White plastic


Application Topics




Clearance between worksurfaces and bottom of overhead bins is 21⅜" when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.

Storage Capacities and Dimensions

▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide.*



Overhead bins can be hung in front of slatwall skins.



Two bins cannot be hung side by side if one or both bins are in front of a slatwall skin.

Bracket Application Rules

▶ Page 304


Stability Guidelines

▶ Page 142


Guidelines for Answer Panel-Hung Components

▶ Page 143

Guidelines for Stackable Components



Correct



Incorrect

TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.

Dimensions For Custom Field-Installed Picture Frame Door Inserts

For Universal In the Case Bins

Bin Width	Door Width	Custom Picture Frame Door Inserts Height +/–0.02"	Width +/–0.02"	Thickness +/–0.02"
24"	24"	15.000"	23.164"	0.138"
25"	25"	15.000"	24.164"	0.138"
30"	30"	15.000"	29.164"	0.138"
35"	35"	15.000"	34.164"	0.138"
36"	36"	15.000"	35.164"	0.138"
42"	42"	15.000"	41.164"	0.138"
45"	45"	15.000"	44.164"	0.138"
48"	48"	15.000"	47.164"	0.138"
60"	30" (per door)	15.000"	29.164"	0.138"
66	33" (per door)	15.000"	32.164"	0.138"
70"	35" (per door)	15.000"	34.164"	0.138"
72"	36" (per door)	15.000"	35.164"	0.138"
75"	37½" (per door)	15.000"	36.664"	0.138"


Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

Universal Shelves and Universal Personal Shelves

For Use with Answer

Universal shelves—supported by Answer, Kick, and Montage—provide overhead storage in the work space.
▶Specifying, page 617

Universal personal shelves provide a wall-supported surface that attaches to Answer and Kick
▶Specifying, page 618




Metal backstop on Universal shelves prevents notebooks and equipment from damaging panel surface. Universal personal shelves do not have a backstop.

On-module attachment hooks are integral to the end supports and are used to mount shelves on panels of the same width as bins.

Safety catch locks shelf units to frame to prevent accidental removal.


Shelves are steel and ship ready to assemble.




Actual Dimensions

	Universal shelves	Universal personal shelves
Depth	14¾"	13 11/16"
Width	24", 30", 36", 42", 48", 60", and 72"	24", 30", 36", 42", and 48"
Height	7½" (Kick and Answer)	1 11/16" (thickness of shelf)

Product Details



Shelf lights are available for use beneath shelves. Lights recess into the bottom of the overhead storage unit.
▶For lighting, see *Answer Freestanding Specification Guide*.




Dividers are available field installed for use on Universal shelves. Dividers ship in a package of four. Dividers cannot attach to Universal personal shelves.


A 1 1/2" gap exists between the personal shelf and the panel to allow for cable routing.

The height dimension of the bracket (from top of personal shelf to the bottom of the bracket) is 6 1/2" H.

Connections




Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.




Universal shelf may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.

On-module attachment hooks cannot be attached to upmount brackets.



Width of shelf must match the width of the panel or panels that it is attached to with the on-module brackets. Shelves may span up to two frames.

Wiring & Cabling



Vertical wire managers conceal cords and cables that are routed vertically outside of the panels.

▶ For lighting, see *Answer Freestanding Specification Guide*.

Surface Materials

Shelf

- Paint

Application Topics

Storage Capacities and Dimensions

▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.


Bracket Application Rules

▶ Page 304


Stability Guidelines

▶ Page 142

Guidelines for Stackable Components



Correct




Incorrect

TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.


Dividers

Dividers



▶Specifying, page 618

Product Details



Divides space in panel-supported bins and Universal shelves. Dividers will not work in bins and shelves introduced prior to March 2007.

Divider can be used on hutch kit.

Specifying

A carton of four dividers is available as an option on overhead bins and Universal shelves.


Surface Materials

Divider
- White plastic only

Actual Dimensions


Depth	7½"
Width	¼" 1½" at the back
Height	6½"

Dividers for Overhead Storage Bins and Shelves Introduced prior to March 2007



▶Specifying, page 619

Product Details



Divides space in bins and shelves.

Surface Materials

Divider
- Clear textured plastic only

Actual Dimensions

Depth	10¾"
Width	4" at the back ½" at the front
Height	4½"


Wall Hang Channels and Horizontal Braces

For Use with Overhead Storage Bins and Shelves


Slotted steel channel can attach to wall of building to accept shelves, overhead storage bins, worksurfaces, or tackboards. Channel will accept all universal bins and shelves, TS Series bins and bins and shelves introduced prior to March 2007.

▶Specifying, page 620

Tip: Must specify bin or shelf with Answer, Kick, or Avenir bracket to hang on wall channel.




Screw hole positions
64 3/8"H



Actual Dimensions

	Wall hang channels and horizontal braces
Depth	1 1/8" (28 mm)
Width	15/16" (24 mm)
Height	66" (1676 mm)

Product Details




Wall channel can be positioned on wall at height needed.

Connections


Wall channels can be used to support shelves, overhead storage bins, worksurfaces, and tackboards. Wall channels can be shared.

Field install:
- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5/8" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw.
- Steel or wood studs with #10 sheet metal or wood screws of appropriate length with countersunk flat head screw.


Anchors must be used in each screw hole location on the wall channel.




Components attach at 1" increments, but screws block some slot locations.



Component limits for each pair of wall channels are as follows:
- Two bins or shelves
- One worksurface and two shelves
- One worksurface and one bin



Horizontal brace is available to reinforce vertical wall channels that support storage bins, shelves, or worksurfaces that are attached to walls. Bins and shelves that are 48"W or less do not require a horizontal brace. All worksurfaces require horizontal braces.




Wall channel horizontal brace is required for EACH storage bin or shelf that is wider than 48". The brace should be placed at the position along the vertical wall channel where the top of the bin or shelf will be placed.

Width of horizontal brace must match width of shelf or storage bin.

Wall channel horizontal brace is also available in 42" and 48" widths and can be used in applications where there is concern regarding the strength of the wall. These braces must also be used with wall-mounted worksurfaces.

Wall hang channels for shelves, overhead storage bins, or tackboards cannot be used with a wall start junction.



Worksurfaces may be attached to wall channels with cantilevers, subject to the following application guidelines:
- All worksurfaces must be 24"D or less.
- Worksurfaces must be supported by a cantilever or legs every 42" or 48". Cantilevers can be shared when worksurfaces are adjacent.
- Wall channel horizontal braces must be installed directly behind all wall-mounted worksurfaces, and also at the top of the wall channels.
- Worksurface-supported pedestals cannot be hung from a wall-mounted worksurface.

Surface Materials


Wall channel
- Paint

Horizontal brace
- Paint

Application Topics

Reinforce wall by positioning studs where wall channels will be attached. See dimensions below.

Distance between center lines of reinforced wall channels matches width of overhead storage unit.




Tip: Wall channels can be shared.

Wall channels (TS7BSWHC) will not support two slim shelves installed end to end.

Slim Shelves

Slim shelves provide a panel- supported surface that attaches to Answer, Kick, and Montage with panel-specific brackets.
▶Specifying, page 623

Slim shelf is an extruded aluminum shelf that provides storage for small items.




Actual Dimensions


Depth	6⅜"
Width	24", 30", 36", 42", 48", 60", 72", 96"

Product Details

Slim shelves attach to Answer, Kick, and Montage with panel-specific brackets.




Gap at back of slim shelf allows routing of shelf light cord.



Slim shelves can be mounted off-module. No more than 12" overhang on either side of panel is recommended. Brackets attach on vertical seams of panel, while the shelf adjusts off-module on the brackets.

Two attachment brackets are included with shelves less than or equal to 48"W. Two attachment brackets and a mid-span support are included with shelves wider than 48"W.



Answer will not support two shelves installed end to end.

Wall channels (***TS7BSWHC***) will not support two slim shelves installed end to end.

Surface Materials

Slim shelves
- Paint

Attachment brackets
- Painted to match shelf


Bracket Application Rules for Bins and Shelves

For TS Series Bins, Universal Sliding Door Bins, Universal Over the Case Bins, Universal In the Case Bins, and Universal Shelves

Bracket Application Matrix


Panels	TS Series Bins, Universal Bins, and Universal Shelves—On-Module	Universal Bins—Single Side Vertical Off-Module	Universal Bins—Two Sided Vertical Off-Module	Universal Bins—Horizontal Off-Module (for use with and Montage only)	Universal Bins—Upmount
Answer	•	•	•		•
Kick	•	•	•		•
Montage	•	•	•	•	•

On-Module Brackets and Hooks




On-module brackets and hooks are used to mount overhead bins and Universal shelves to panels with vertical slot patterns. Answer, Kick, and Montage panels can support on-module attachment brackets.

Universal personal shelves can attach on-module to all panels except Montage.



Width of overhead storage unit must match the width of the panel or panels that it is attached to. Storage bins or shelves may span up to two panels.

Additional support for stability may be required when shelves and overhead storage bins are attached to panels. Counterbalancing loads on the opposite sides of the panels increases stability. *Tip: See* Stability Guidelines *in each corresponding specification guide.*




On-module attachment brackets install in panel seams.


On-module brackets can be used above and adjacent to slatwall on Answer and Montage Panels.

On-module brackets can be used with a panel stacker on Answer, Kick, and Montage panels. Follow standard panel stacker guidelines for each panel.

Off-module brackets are used with bins up to 12" larger then the panel, allowing them to overhang the panel seam.

Off-Module Brackets






Vertical off-module brackets, optional, can be used to mount one or two sides of the overhead bin off-module on Answer, Kick, and Montage with vertical-slot-patterned panels. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin. Vertical off-module brackets allow bins to be installed a maximum of 12" off-module. Vertical off-module brackets can be used with 30"W to 60"W Montage bins only.

Vertical off-module brackets can be used above and adjacent to slatwall on Answer and Montage panels.

Vertical off-module brackets can be used with a panel stacker on Answer, Kick, and Montage panels. Follow standard panel stacker guidelines for each panel.




Horizontal off-module brackets, optional, accommodate off-module installations of overhead storage bins on panels with horizontal slot patterns. Enhanced off-module Montage frames can support horizontal off-module brackets. Horizontal off-module brackets can be used with 24"W to 48"W Montage bins only.

Horizontal off-module brackets can be used above and adjacent to slatwall on Montage panels.

Horizontal off-module brackets can be used with a panel stacker on Montage panels. Follow standard panel stacker guidelines for each panel.


Enhanced off-module Montage frames have horizontal slot patterns and must be specified for horizontal off-module Montage configurations.

Horizontal off-module brackets push bin out from panel 5⁄8" on enhanced off-module Montage panels.



Horizontal off-module brackets cannot span a vertical or joint where two frames come together on enhanced off-module Montage panels. Shift the bin to avoid the joint.

Only two pairs of off-module brackets and associated storage can be mounted per frame.



Upmount brackets, optional, can be used with Universal sliding door, Universal over the case, and Universal in the case bins. Brackets attach bins near the top of 54"H panels. TS Series bins and Universal shelves cannot be attached to upmount brackets.

Upmount bin width must match the width of the panel or panels that it attaches to. Upmounted bins and shelves cannot be supported off-module.

Upmount brackets can be used with a panel stacker on Answer, Kick, and Montage panels. Follow standard panel stacker guidelines for each panel.


Omit Brackets

Omit brackets option must be specified when bin is used in hutch kit or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately. Hutch kit supports bin at 66" height.

Application Rules for Overhead Storage on Answer and Kick Panels

Tip: For complete panel specific stability guidelines, see the corresponding panel specification guide.

Answer Panel



Guidelines for Universal Bins. Applies to universal sliding door bin or universal in the case bin on Answer and Kick panels.


The following application restrictions must be complied with when hanging universal overhead bins on Answer and Kick panels. Otherwise, standard Answer and Kick application guidelines apply.


- If bins or shelves are applied at an elevation higher than 66", a perpendicular panel of same height (or up to 24" lesser height) is required.
- The maximum panel run length when using a universal overhead bin on Answer or Kick panels is 12'.
- Top of bins and shelves are not designed to support the weight of a seated person. Bins and shelves may be mounted at 38"H or lower only if another panel-mounted component prevents it from being seated upon.
- When ganging binder bins, the use of a tie plate is required.

⚠WARNING

Failure to comply to these guidelines may result in personal injury.

Kick Panel





Universal One-High, 1.5-High, and Two Drawer Lateral Files

One-High and Two Drawer lateral files serve a dual purpose as high-density storage and as an inviting space for guests.
▶Specifying, page 624


1.5-high lateral files provide multi-zone storage for binders, hanging folders, and piling surfaces at a height which allows for comfortable guest seating in collaborative environments.
▶Specifying, page 624

Label holders are included with each drawer. Label holder fits inside the integral pull or can be affixed to the front of the drawer or door. Perforated labels are included and can be created using the template available on *www.steelcase.com/label*.

Finished back is standard.

Three base options are available: the universal 3" base, FrameOne foot, and c:scape glide. All three bases have the same overall height.

Lock is standard on lateral files and is located at top left corner of drawer. Locks are standard factory-installed, keyed random.
▶*Lock and Keying*, page 690



Pulls on flush-front lateral files are full width and integral.

Pulls on proud-front lateral files are available in a variety of shapes.

Top is standard 1"H steel on units with steel fronts and standard 1 3/16"H wood veneer on units with wood fronts. Other top options are available.

Drawer fronts are available in steel, laminate, or wood veneer.

Leveling glides adjust up to 3/4" for universal 3" base and up to 1" for c:scape glide and FrameOne foot base to install lateral file on uneven floors.


Drawers are standard 12"H and open full depth for total access to the contents.

Actual Dimensions


Depth with flush steel or open front	18" and 23 1/8"
Depth with proud steel, laminate, or wood front	18 7/8" and 24"
Width	30", 36", and 42"
Height	16", 22", and 28"

Product Details


Base options



Universal 3" Base




c:scape Glide Base



FrameOne Foot Base

Tip: All base options have same overall height.
Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.




Flush-front pull is full width and integral with the drawer. Pull is available on steel drawers only.




Contemporary pull



Handle pull




Jazz pull




Bar pull


Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer drawers.




Drawer interiors include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.



Hanging folder bar accommodates side-to-side filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.
▶Page 659




Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See *Storage Capacities* for additional details. Additional rails are available and must be specified separately.
▶For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide.*




Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers per drawer, 12"H file drawers also include one hanging folder bar per drawer. Additional dividers are available and must be specified separately.
▶Page 660

Safety interlock system allows only one drawer to be opened at a time.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶*Lock and Keying*, page 690

Individual drawer locks are available as an option for an application that would limit access to each drawer. Lateral files include a security shield between drawers to prevent unauthorized access. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying are available. Field-installed lock cylinders must be specified separately.
▶*Lock and Keying*, page 690



No-top lateral files are available for use with cushion top or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




Steel top
1"H


Veneer top
$1\frac{3}{16}$"H

Laminate top
$1\frac{3}{16}$"H

Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are $\frac{3}{16}$" taller than steel tops and will add that dimension to the overall height of the lateral file.



Security top is available as an option for installations where the file will be installed beneath a worksurface, but not physically attached. Thin steel top prevents unauthorized access to the contents of the cabinet. Security top is not structural and can be specified on 28"H files only. Security top reduces overall height of file to approximately 27"H.




Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.


Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

Universal One-High, 1.5-High, and Two Drawer Lateral Files, continued


Connections




Intermediate support is used with Universal One-High or 1.5-High storage as a worksurface support allowing for nesting of low storage.




Cushion top is ordered separately for use on One-High, 1.5-High, and Two Drawer lateral files without top.




Basic cushion enhanced is ordered separately for use on Universal One-High, 1.5-High, and Two Drawer laterals with metal, laminate, or veneer top. Basic cushion enhanced is field-installed and attaches to the existing top with hook and loop fastener. *Tip: Basic cushion enhanced is available on Universal lateral files with a top only.*




When applying the basic cushion enhanced on 30"W or 36"W Universal laterals with an open configuration, a support brace must also be specified.



Storage to panel bracket connects One-High, 1.5-High, 2-High, 3-High laterals and cabinets to panel to provide added stability to panels and eliminate the need for return panels.
▶See page 652




Wood veneer with square edge profile




Laminate with square

Field-installed tops are available in two choices—wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.
▶Page 654



Field-installed accessories are available, including drawer accessories and counterweight packages.
▶Page 658

Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. *Note: **Local seismic requirements vary.** Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.*
▶Page 664



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.
▶See *Storage Specification Guide*

Surface Materials

Lateral, including steel top, fixed shelf, and integral pulls
- Paint

Contemporary, handle, jazz, and bar pulls
- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

Wood veneer top, lift-up door, and drawer fronts
- Wood veneer—Open pore finishes
- Customiz stain (option)
- Full-fill finish (option) is available on field-installed wood veneer tops only.

Tip: Specify file with no top option.

Laminate top, lift-up door, and drawer fronts
- Laminate
- Open Line laminate (option)


Lock
- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, hanging folder bars, rails, and dividers
- Black


Cushion top
- Fabric
- Leather

Basic cushion enhanced
- Fabric


Tip: For both cushion top and basic cushion enhanced: fabric patterns with a linear design will always be applied from the front to back of the unit or the depth of the unit. Pattern matching will not be done on COM.



Cushion top will be manufactured in a four seam pattern in all standard solid color seating upholstery, leather, vinyls, COM leathers, and COM vinyls. These upholsteries are:
- Brisa
- Buzz2
- Cogent: Connect
- Dovetail by Designtex
- Era
- Elmosoft Leather
- Foundation
- Gaja
- Café Leather
- Leather
- Select Surfaces leather
- SoftNext
- Stand In
- Vinyl



Cushion top will be manufactured in a two seam pattern for all approved standard patterned seating upholstery, leather, vinyl, COM leathers, and COM vinyls. All approved standard textured upholsteries will also be manufactured in a two seam pattern including leather, vinyl, COM leathers, and COM vinyls.



Basic cushion enhanced will be manufactured in a two seam pattern for all approved standard seating upholstery and Customer's Own Materials (COMs).
Note: Leathers and vinyls are not approved for basic cushion enhanced.

Application Topics

Storage Capacities and Dimensions
▶See *Storage Specification Guide*

Counterweight Requirements for Storage Products
▶Pages 273–280


Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field-installed.

Universal Towers

Towers provide storage of a variety of work and personal items for an individual, including paper, binders, books, and coats.
▶Specifying, page 632



Top is standard 1"H steel. Other top options are available.

Door is available in steel, laminate, or wood veneer. Hinges are European-style and allow doors to open to 110° for full access to the interior. Door is available hinged on left or right.

Finished back is standard.

Interior of tower is available in a variety of configurations combining coat storage, fixed and adjustable shelves, and file drawers.

Locker space is 9" wide and standard with a coat rod.

Pull on flush-front tower is integral and full height on doors and full width on drawers.

Locks are standard on door and drawers. Locks are standard factory-installed, keyed random. Door and drawer locks are keyed alike.
▶*Lock and Keying*, page 690

Pull on proud-front tower is available in a variety of shapes.

Drawer fronts are available in steel, laminate, or wood veneer.

Three base options are available: the universal 3" base, FrameOne foot, and c:scape glide. All three bases have the same overall height. All other universal towers are available with the universal 3" base only.

Drawers open their full depth for total access to the contents.


Leveling glides adjust up to ¾" for universal 3" base and up to 1" for c:scape glide and FrameOne foot base to install tower on uneven floors.

Actual Dimensions


Depth with Flush Steel Front	18", 23⅛", and 29⅛"
Depth with Proud Steel, Laminate, or Wood Front	18⅞", 24", and 30"
Width	24"
Height	47½", 52", and 65½"

Product Details


Base options



Universal 3" Base




c:scape Glide Base




FrameOne Foot Base

All base options have same overall height. FrameOne foot base and c:scape glide base are only available on 18"D and 24"D openside towers.


Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.



Interior of tower combines coat storage, box and file drawers, fixed and adjustable shelves.




Flush-front pull is integral and full height on the door and full width on the drawers. Pull is available on steel doors and drawers only.




Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Door pull is 192 mm and drawer pulls are 128 mm. Proud-front pulls are available on steel, laminate, or wood veneer doors and drawers.

Adjustable shelves on 52"H and 65½"H open side towers are recessed from the front and side of the tower. Shelves adjust in 2½" vertical increments. Opening on 47½"H tower is 13½"H and does not come with an adjustable shelf.

Post on open side towers supports adjustable shelves and is painted to match the case.




Adjustable shelves in dual door can be positioned in the interior of the tower in ¾" vertical increments using a reversible bracket. The first shelf above a file drawer is a fixed shelf.



Drawer accessories include one divider and one pencil tray in each box drawer. File drawers can accommodate front-to-back filing of letter-size hanging folders without the use of additional accessories.


Safety interlock system allows only one drawer to be opened at a time.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Door and drawer locks are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶*Lock and Keying*, page 690

Drawer lock in open side tower is located in the top file drawer.


Drawer lock in dual door tower is located approximately 36" from the floor and also secures the lift-up door on 65½"H units.



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the tower.




Top will default to steel on towers with proud wood fronts since the door overlaps and partially conceals the top. Wood top is available as an option.




Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

Connections




High storage to panel connector provides added stability to panels and eliminates the need for return panels.
▶See page 652



Worksurface to tower connector eliminates the need for other worksurface supports such as legs or end supports next to the tower.
▶See page 652

Worksurface to tower alignment. Proud front towers align with 23½"D, 24"D, 29½"D, and 30"D worksurfaces. Flush front towers extend ⅞" beyond 24"D and 30"D worksurfaces, and ⅛" beyond 23½"D and 29½"D worksurfaces.



Field-installed accessories are available, including drawer accessories and shelf bookends.
▶Page 658

Universal Towers, continued

Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. *Note: **Local seismic requirements vary.** Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials.*
Tip: Anchor bracket cannot be used with pedestals.
▶Page 664

Surface Materials

Tower, including steel top, hinged door, integral pulls, drawer fronts, and adjustable shelves
- Paint

Post
- Paint to match tower (default)

Contemporary, handle, jazz, and bar pulls
- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

Wood veneer top, hinged doors, and drawer fronts
- Wood veneer—Open pore finishes
- Customiz stain (option)

Laminate top, hinged doors, and drawer fronts
- Laminate
- Open Line laminate (option)

Glass adjustable shelves
- Frosted tempered glass

Lock
- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, pencil tray, and box drawer divider
- Black

Coat rod
- Black with black supports

Application Topics

Storage Capacities and Dimensions
▶See *Storage Specification Guide*

Counterweight Requirements for Storage Products
▶Pages 273–280


Shipping

Towers are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field installed.

Connectors


Worksurface-to-Tower Connectors



▶Specifying page 652

Tip: Cannot be used with Currency storage.

Product Details



Connects worksurface to tower eliminating the need for other worksurface supports such as legs or end supports next to the tower.
▶See *Application Rules for Panel Stability,* page 142.
Tip: When used with TS Series Tower Too in Answer applications, worksurface must be placed at 28½" height (floor to top of worksurface).
Tip: When using the worksurface-to-tower connector, the depth of the worksurface must match the depth of the tower.

Worksurface-to-tower connectors only support 24"D or 30"D (full depth and ½" cord drop) worksurfaces.


Surface Materials

Connector
- Paint

Actual Dimensions

Depth: 20", 26"


Storage-to-Panel Connectors



▶Specifying page 652


Tip: For use with universal steel storage only.

Product Details




Low storage-to-panel connector connects One-High laterals and cabinets to panel to provide added stability to panels and eliminate the need for return panels.

Overhead storage or panels over 48"H can not be used in conjunction with low storage-to-panel connector.



Medium storage-to-panel connector connects 1.5-High, 2-High, 3-High laterals and cabinets to panels to provide added stability to panels and eliminate the need for return panels.



Tall storage-to-panel connector connects towers to panels to provide added stability to panels and eliminate the need for return panels. Tall storage-to-panel connector can be used with 48"H, 4-high, and 5-high towers.

Tall storage-to-panel connectors can only be used on 48"H or taller panels.
Note: Medium storage-to-panel connectors can be used on towers connected to panels shorter than 48"H, but must follow application guidelines for medium connectors.

Application Topics

Storage-to-panel connector can be positioned on the back or side of the cabinet. Connector must be located only on the ends of the back or side of the cabinet. It cannot be positioned anywhere else on the case side or back.

Storage-to-panel connectors can only be used with select storage products:
–Universal lateral files and towers manufactured on or after November 2005
–TS Series Tower Too manufactured on or after January 2009.

Surface Materials

Connector
- Black paint only

Actual Dimensions

Height: 8¾", 16", 39⅝"

Understanding High-Density Storage Products

Statement of Line 318


High-Density Storage 320

High-Density Storage—Value Package 322

Statement of Line

High-Density Storage Products

24" or 30"D




Understanding
▶ Page 320
Specifying
▶ Page 644

High-Density Storage

	12"W	15"W
42"H	●	●
48"H	●	●

24" or 30"D



Understanding
▶ Page 322
Specifying
▶ Page 648


High-Density Storage—Value Package

	12"W	15"W
42"H	●	●
48"H	●	●

High-Density Storage

High-density storage is a personal storage product that provides ample organizational space with the added benefit of extendable privacy. Two configurations are available, shelf and bag drop. Resident workers are supported with room for their piles, files, and supplies to support their work flow in the high-density storage with shelf versions. Mobile workers have temporary storage and ease of access for all their belongings in the high-density storage with bag drop versions.

▶ Specifying, page 644




Front is available in laminate or veneer.

Contrasting front is available as an option.

Coat closet, available as an option, is 7"W on 24"D units and 8"W on 30"D units and standard with two coat hooks.

Leveling glides adjust to install case on uneven floors and have a ½" adjustable range.

Shelf liners provide a soft landing pad for personal objects and are standard in the bag drop configuration.



Locks are standard on door. Locks are standard factory-installed, keyed random.


▶ *Lock and Keying*, page 690

Case is available in laminate or veneer.


Actual Dimensions

Depth	24" and 30"
Width	12" and 15"
Height	42" and 48"

Product Details




Two configurations are available on the 15"W version, the shelf configuration or the bag drop configuration. Only the shelf configuration is available on the 12"W version.



Coat closet is available as an option.


Left-hand configuration



Right-hand configuration

Left-hand and right-hand configurations are available.

Mirrors are standard in all cases.



Light is available as an option on the bag drop configuration only.



Nile pull



Bar pull




Contemporary pull




Jazz pull

Pull on high-density storage defaults with a nile pull. Bar, contemporary, and jazz pull are available as an option.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶ *Lock and Keying*, page 690




Contrasting fronts and horizontal grain direction are available options for laminate front/laminate case, veneer front/laminate case, or laminate front/veneer case.


Application Topics




Magnetic boards, available as an option, are fabric-wrapped steel providing a place for visual display. The size of the magnetic board is determined by high-density case height and depth. Magnetic boards are field installed.
Tip: Magnetic board is not available on 12"W unit.



Panel connector bracket is available to connect to an Answer panel. Connector bracket provides added stability to panels and eliminates the need for return panels.



Worksurface support bracket can be used to mount a worksurface off one side of the high-density storage eliminating the need for other worksurface supports such as legs or end supports next to the case.



Worksurface support bracket can be used to support one side of a worksurface only.

Surface Materials

Case, including front
- Laminate
- Veneer

Case interior and worksurface support bracket
- Paint

Shelf
- 7360 Merle

Contemporary, jazz, and bar pulls
- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

Nile pulls
- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

Magnetic board
- Cogent: Connect
- Billiard Multi-Use by Designtex

Panel connector bracket
- 0835 Black

Lock
- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Application Topics

Storage Capacities and Dimensions
▶ See *Storage Specification Guide.*


Counterweight Requirements for Storage Products
▶ See *Storage Specification Guide.*

Shipping

High-density storage is normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

High-Density Storage—Value Package

The high-density storage value package is a simplified configuration of high-density storage that solves organizational needs at a lower pricepoint. It is available with a laminate case with steel interior and limited specification options.
▶ Specifying, page 648



Locks are standard on door. Locks are standard factory-installed, keyed random.
▶ *Lock and Keying*, page 690

Front is laminate.

Contrasting front is available as an option.

Coat closet, available as an option, attaches to inside panel.

Case is available in laminate.


Leveling glides adjust to install case on uneven floors and have a ½" adjustable range.

Two fixed shelves are standard.

Actual Dimensions

Depth	24" and 30"
Width	12" and 15"
Height	42" and 48"

Product Details



Coat closet is available as an option.
Tip: Coat hook is unique to the value package and will be visually different than in high-density storage.

Left-hand and right-hand configurations are available.

Value package does not include mirror, lock cover, or upper shelves found in high-density storage units.



Nile pull



Bar pull




Contemporary pull




Jazz pull

Pull on high-density storage defaults with a nile pull. Bar, contemporary, and jazz pull are available as an option.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶ *Lock and Keying*, page 690




Contrasting fronts and horizontal grain direction are available options.


Application Topics



Panel connector bracket is available to connect to an Answer panel. Connector bracket provides added stability to panels and eliminates the need for return panels.



Worksurface support bracket can be used to mount a worksurface off one side of the high-density storage eliminating the need for other worksurface supports such as legs or end supports next to the case.



Worksurface support bracket can be used to support one side of a worksurface only.

Surface Materials

Case, including front
- Laminate

Case interior and worksurface support bracket
- Paint

Shelf
- 7360 Merle

Contemporary, jazz, and bar pulls
- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

Nile pulls
- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

Panel connector bracket
- 0835 Black

Lock
- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Application Topics

Storage Capacities and Dimensions
▶ See *Storage Specification Guide.*

Counterweight Requirements for Storage Products
▶ See *Storage Specification Guide.*

Shipping

High-density storage is normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


Understanding Duo Storage Products


Statement of Line 326

Duo Tall Storage 328

Stability Guidelines 330

Statement of Line







Understanding
▶ Page 328
Specifying
▶ Page 668

Duo Tall Storage

	15"H
54"W	●
66"W	●
78"W	●






Understanding
▶ Page 328
Specifying
▶ Page 669

Duo Tall and Slim Storage (For Use with Answer Top Cap Mounted Storage)


	Tall Individual	Tall Shared
54"W	●	●
66"W	●	●

Duo Tall Storage

Duo tall storage can be used to attach to Answer in-line, L,T, and end-of-run junctions.




Duo tall storage can be used to attach to the top of Answer panels with thin trim. Attachment brackets and trims are sold separately.




Actual Dimensions

	Tall Storage
Box exterior height	15"
Box exterior depth	18"
Box exterior width	54", 66", and 78"
Box interior height	13⅜"
Box interior depth	13⅝" (binder storage area)
Box interior depth (ledge)	3½"
Box interior width	52⅜", 64⅜", and 76⅜"
Leg height	29⅞"


Product Details



Two interior configurations of Tall Storage are available. Individual box has a ledge on one side and space for binder storage on the opposite side. Shared box is divided down the center with half ledge and half binder storage on each side.




66"W and 78"W individual boxes have a center divider on the binder storage side for additional support.



Column height at shortest level is 29⅞"H. Column will then adjust upward 3" for leveling.

Height from floor to top of box is approximately 45".

Connections




Attaches perpendicular (90°) to Answer panel at in-line, end-of-run, L or T junction. Works with 42"H or taller panels only. Attaches on-module only.


Panel-mounted worksurfaces are required when connecting Duo Tall Storage to Answer panels at an in-line, L, T, or end-of-run junction. Worksurface brackets are included to attach to Duo Tall Storage worksurfaces to improve stability.

In seismic zones 3 and 4, consult with local building code officials for specific code requirements applicable to your installation.

Duo Tall cannot be installed with case in front of slatwall skin.

When mounting Duo Tall Storage on top of an Answer panel, top cap mounting brackets and additional panel top caps will need to be specified separately.
▶Page 382





For right-handed Duo end-of-run configurations, the panel bracket will be visible.

Surface Materials


Box
- Laminate

Interior divider cover
- Paint

Brackets and leg
- 4799 Platinum paint


Stability Guidelines

Stability Guidelines for Answer and Duo Tall Storage




Duo Tall Storage cannot be mounted off-module.

A minimum 30"W Answer panel return at 90° or 36"W at 120° must be used with Duo Tall Storage.




If Duo Tall Storage is mounted in an end-of-run application, a 30"W minimum panel return must be used on the other end of the run.



Duo Tall Storage cannot be mounted off-module.

A minimum 30"W Answer panel return at 90° or 120° must be used with Duo Tall Storage.



A 30"W minimum panel return is required when Duo Tall Storage is used on a panel that is supporting additional components.

Stability Guidelines for Duo Tall Storage-to-Answer Panel Application in Seismic Zones

- Follow traditional planning guidelines.
- Tall Storage leg base must be bolted to the floor per local building code.
- Worksurface brackets included must be installed.


Specifying Panels—Thin Trim

In-Line Base Panel Junctions—Thin Trim 332
L and T Same Height Base Panel Junctions —Thin Trim 333
X Same Height Base Panel Junctions —Thin Trim 334
End-of-Run Base Panel Junctions—Thin Trim 335
V and Y Same Height Base Panel Junctions —Thin Trim 336
In-Line Change-of-Height Junctions—Thin Trim 337
L Change-of-Height Junctions—Thin Trim 338
T Change-of-Height Junctions—Thin Trim 340
X Change-of-Height Junctions—Thin Trim 344
V Change-of-Height Junctions—Thin Trim 348
Y Change-of-Height Junctions—Thin Trim 350
Wall-Start Junctions 352
Brackets 353
Off-Module Panel Connectors 354
Stacking In-Line Panel Junctions—Thin Trim 355
Stacking End-of-Run Panel Junctions —Thin Trim 355
Stacking Wall-Start Junctions 355
Stacking L, T, X, V, and Y Panel Junctions —Thin Trim 356
Utility Pole–L,T, and X—Thin Trim 357
Utility Packages 358
End-of-Run Vertical Trims—Thin Trim 360
L and T Vertical Trims—Thin Trim 361
V Vertical Trims—Thin Trim 362
End-of-Run/In-Line Change-of-Height Trims —Thin Trim 363
90° Corner Application Change-of-Height Trims—Thin Trim 364
120° Corner Application Change-of-Height Trims—Thin Trim 365
Build Your Own Junction Components —Thin Trim 366
Base Horizontal Frame Packages—Thin Trim and Big Open Base Trim Package 370
Stacking Horizontal Frame Packages 372
Spanning Top Caps—Thin Trim 373
Frameless Glass Screens with Recessed Attachment—Thin Trim 374
Recessed Frameless Glass Top Cap Connector—Thin Trim 377
Junction Grommets for Frameless Glass—Thin Trim 377
Frameless Glass Screens with Clip Attachment—Thin Trim 378
Universal and Sarto Screens with Answer Thin Trim Top Cap 380
Top Cap Mount Storage 382
Panel Packages—Thin Trim 384
Answer Boundary Screens 386
Base Trims and Open Base Conversion Kits 409

In-Line Base Panel Junctions—Thin Trim



Tip: In-line base panel junctions do not require junction cap and trim.



Standard Includes	Required to Specify
▶ Need help? Product details, page 20 • Junction • Aligner	Style number

Specification Information

Corresponding Panel Height	Style Number	U.S. Price
30"	**TS730TIPJ**	$119
36"	**TS736TIPJ**	$119
42"	**TS742TIPJ**	$119
48"	**TS748TIPJ**	$119
54"	**TS754TIPJ**	$119
66"	**TS766TIPJ**	$119
78"	**TS778TIPJ**	$168

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

L and T Same Height Base Panel Junctions—Thin Trim


Standard Includes	Required to Specify
▶Need help? Product details, page 20	• Junction • Inside corner light seal(s) • Vertical trim and junction cap on L and T junction: paint price group 1 or wood group 1 • Aligner(s)	1 Style number 2 Paint or wood color number for trim and junction cap 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*

Tip: Omit trim option is used when stacking on base panel junctions. Vertical trim should be specified separately to span the full height of the base panel junction plus the stacking junction.


Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Specification Information

	L Base Panel Junctions with Thin Trim			T Base Panel Junctions with Thin Trim		
						
Corresponding Panel Height	**Style Number**	**U.S. Base Price**	**Option** (Add $ to Base Price) Omit Trim	**Style Number**	**U.S. Base Price**	**Option** (Add $ to Base Price) Omit Trim
Painted Trim						
30"	**TS730TLPJ**	$263	–$107	**TS730TTPJ**	$263	–$107
36"	**TS736TLPJ**	$263	–$107	**TS736TTPJ**	$263	–$107
42"	**TS742TLPJ**	$263	–$107	**TS742TTPJ**	$263	–$107
48"	**TS748TLPJ**	$263	–$107	**TS748TTPJ**	$263	–$107
54"	**TS754TLPJ**	$263	–$107	**TS754TTPJ**	$263	–$107
66"	**TS766TLPJ**	$263	–$107	**TS766TTPJ**	$263	–$107
78"	**TS778TLPJ**	$366	–$130	**TS778TTPJ**	$366	–$130
Wood Trim						
30"	**TS730TLPJW**	$710	–$500	**TS730TTPJW**	$710	–$500
36"	**TS736TLPJW**	$710	–$500	**TS736TTPJW**	$710	–$500
42"	**TS742TLPJW**	$710	–$500	**TS742TTPJW**	$710	–$500
48"	**TS748TLPJW**	$710	–$500	**TS748TTPJW**	$710	–$500
54"	**TS754TLPJW**	$710	–$500	**TS754TTPJW**	$710	–$500
66"	**TS766TLPJW**	$727	–$500	**TS766TTPJW**	$727	–$500
78"	**TS778TLPJW**	$899	–$596	**TS778TTPJW**	$899	–$596

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

In-Line Base Panel Junctions—Thin Trim



Tip: Omit trim option is used when stacking on base panel junctions.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Standard Includes	Required to Specify
▶ Need help? Product details, page 20	1 Style number 2 Paint or wood color number for junction cap 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Junction • Inside corner light seals • Trim/junction cap: paint or wood group 1 • Aligners	

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*

Specification Information

Painted Trim

Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
30"	**TS730TXPJ**	$263	–$ 18
36"	**TS736TXPJ**	$263	–$ 18
42"	**TS742TXPJ**	$263	–$ 18
48"	**TS748TXPJ**	$263	–$ 18
54"	**TS754TXPJ**	$263	–$ 18
66"	**TS766TXPJ**	$263	–$ 18
78"	**TS778TXPJ**	$366	–$ 18

Wood Trim

30"	**TS730TXPJW**	$367	–$117
36"	**TS736TXPJW**	$367	–$117
42"	**TS742TXPJW**	$367	–$117
48"	**TS748TXPJW**	$367	–$117
54"	**TS754TXPJW**	$367	–$117
66"	**TS766TXPJW**	$367	–$117
78"	**TS778TXPJW**	$474	–$117

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

End-of-Run Base Panel Junctions—Thin Trim



Tip: End-of-run trim adds 1/2" to footprint.

Tip: Omit trim option is used when stacking on base panel junctions. Vertical trim should be specified separately to span the full height of the base panel junction plus the stacking junction.

Standard Includes	Required to Specify
▶Need help? Product details, page 20 • Junction • Trim on end-of-run junction: paint price group 1 or wood group 1 • Aligner	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add $ to Base Price)
			Omit Trim

Painted Trim

30"	**TS730TEPJ**	$168	–$ 89
36"	**TS736TEPJ**	$168	–$ 89
42"	**TS742TEPJ**	$168	–$ 89
48"	**TS748TEPJ**	$168	–$ 89
54"	**TS754TEPJ**	$168	–$ 89
66"	**TS766TEPJ**	$168	–$ 89
78"	**TS778TEPJ**	$237	–$115

Wood Trim

30"	**TS730TEPJW**	$519	–$385
36"	**TS736TEPJW**	$519	–$385
42"	**TS742TEPJW**	$519	–$385
48"	**TS748TEPJW**	$519	–$385
54"	**TS754TEPJW**	$519	–$385
66"	**TS766TEPJW**	$519	–$385
78"	**TS778TEPJW**	$680	–$482

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

V and Y Same Height Base Panel Junctions—Thin Trim

Standard Includes	Required to Specify
▶ Need help? Product details, page 20	• Junction • Vertical trim and junction cap on V junction: paint price group 1 or wood group 1 • Trim/junction cap on Y junction: paint price group 1 or wood group 1 • Aligner(s)	1 Style number 2 Paint or wood color number for trim and junction cap 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*

Tip: Omit trim option is used when stacking on base panel junctions. Vertical trim should be specified separately to span the full height of the base panel junction plus the stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Specification Information






Corresponding Panel Height	V Base Panel Junctions with Thin Trim: Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Y Base Panel Junctions with Thin Trim: Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim						
30"	**TS730TVPJ**	$ 398	–$129	**TS730TYPJ**	$398	–$ 18
36"	**TS736TVPJ**	$ 398	–$129	**TS736TYPJ**	$398	–$ 18
42"	**TS742TVPJ**	$ 398	–$129	**TS742TYPJ**	$398	–$ 18
48"	**TS748TVPJ**	$ 398	–$129	**TS748TYPJ**	$398	–$ 18
54"	**TS754TVPJ**	$ 398	–$129	**TS754TYPJ**	$398	–$ 18
66"	**TS766TVPJ**	$ 398	–$129	**TS766TYPJ**	$398	–$ 18
78"	**TS778TVPJ**	$ 550	–$153	**TS778TYPJ**	$550	–$ 18
Wood Trim						
30"	**TS730TVPJW**	$ 863	–$543	**TS730TYPJW**	$509	–$117
36"	**TS736TVPJW**	$ 863	–$543	**TS736TYPJW**	$509	–$117
42"	**TS742TVPJW**	$ 863	–$543	**TS742TYPJW**	$509	–$117
48"	**TS748TVPJW**	$ 863	–$543	**TS748TYPJW**	$509	–$117
54"	**TS754TVPJW**	$ 863	–$543	**TS754TYPJW**	$509	–$117
66"	**TS766TVPJW**	$ 890	–$543	**TS766TYPJW**	$509	–$117
78"	**TS778TVPJW**	$1107	–$645	**TS778TYPJW**	$659	–$117

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

In-Line Change-of-Height Junctions—Thin Trim



Tip: ***Junction includes:***
- *In-line base junction*
- *End-of-run stacking junction*
- *Stacking fork*
- *End-of-run change-of-height trim*
- *Aligner*

Tip: Remember to specify a stacking horizontal frame package with this application, unless there is a window in the top position of the taller panel.

Tip: Omit trim option omits change-of-height trim. This option is used when stacking on base panel junctions. Change-of-height trims should be specified separately to span the full height of the base panel junction plus the stacking junction.

Standard Includes	Required to Specify
▶Need help? Product details, page 24 • Junction • Change-of-height trim: paint price group 1 or wood group 1 • Aligner	1 Style number 2 Paint or wood color number for trim ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*


Specification Information

Corresponding Panel Height A	Corresponding Panel Height B	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim				
30"	36"	**TS73QTCIJ**	$305	–$84
30"	42"	**TS734TCIJ**	$305	–$84
30"	48"	**TS738TCIJ**	$310	–$84
30"	54"	**TS735TCIJ**	$317	–$84
30"	66"	**TS736TCIJ**	$342	–$89
36"	42"	**TS7Q4TCIJ**	$305	–$84
36"	48"	**TS7Q8TCIJ**	$310	–$84
36"	54"	**TS7Q5TCIJ**	$317	–$84
36"	66"	**TS7Q6TCIJ**	$342	–$89
42"	48"	**TS748TCIJ**	$305	–$84
42"	54"	**TS745TCIJ**	$305	–$84
42"	66"	**TS746TCIJ**	$317	–$84
42"	78"	**TS747TCIJ**	$392	–$89
48"	66"	**TS786TCIJ**	$310	–$84
48"	54"	**TS785TCIJ**	$310	–$84
54"	66"	**TS756TCIJ**	$305	–$84
54"	78"	**TS757TCIJ**	$365	–$84
54"	90"	**TS759TCIJ**	$450	–$84
66"	78"	**TS767TCIJ**	$351	–$84
66"	90"	**TS769TCIJ**	$437	–$84
78"	90"	**TS779TCIJ**	$430	–$84

Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Wood Trim		
TS73QTCIJW	$600	–$304
TS734TCIJW	$600	–$304
TS738TCIJW	$607	–$304
TS735TCIJW	$615	–$304
TS736TCIJW	$634	–$308
TS7Q4TCIJW	$600	–$304
TS7Q8TCIJW	$607	–$304
TS7Q5TCIJW	$615	–$304
TS7Q6TCIJW	$634	–$308
TS748TCIJW	$600	–$304
TS745TCIJW	$600	–$304
TS746TCIJW	$615	–$304
TS747TCIJW	$682	–$308
TS786TCIJW	$607	–$304
TS785TCIJW	$607	–$304
TS756TCIJW	$600	–$304
TS757TCIJW	$661	–$304
TS759TCIJW	$745	–$304
TS767TCIJW	$647	–$304
TS769TCIJW	$732	–$304
TS779TCIJW	$723	–$304

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

L Change-of-Height Junctions—Thin Trim



Tip: ***Junction includes:***
- *L change-of-height junction*
- *Inside corner light seal*
- *L vertical trim*
- *End-of-run change-of-height trim*
- *Change-of-height junction cap*
- *Aligners*

Tip: Omit trim option omits all vertical and change-of-height trim. This option is used when stacking on base junctions. Vertical and change-of-height trim should be specified separately to span the full height of the base junction plus the stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Tip: Change-of-height junction ships right-handed. For a left-handed junction a post will need to be moved during installation.

▶ Need help? Product details, page 24

Standard Includes	Required to Specify
• Junction • Inside corner light seal • Change-of-height trim and junction cap: paint price group 1 or wood group 1 • Aligner	1 Style number 2 Paint or wood color number for trim and junction cap 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*

Specification Information

Corresponding Panel Height A	Corresponding Panel Height B	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
		Painted Trim			**Wood Trim**		
30"	36"	**TS73QTCLJ**	$359	–$192	**TS73QTCLJW**	$1068	–$804
30"	42"	**TS734TCLJ**	$359	–$192	**TS734TCLJW**	$1068	–$804
30"	48"	**TS738TCLJ**	$359	–$192	**TS738TCLJW**	$1068	–$804
30"	54"	**TS735TCLJ**	$369	–$192	**TS735TCLJW**	$1080	–$804
30"	66"	**TS736TCLJ**	$397	–$195	**TS736TCLJW**	$1112	–$809
36"	42"	**TS7Q4TCLJ**	$359	–$192	**TS7Q4TCLJW**	$1068	–$804
36"	48"	**TS7Q8TCLJ**	$359	–$192	**TS7Q8TCLJW**	$1068	–$804
36"	54"	**TS7Q5TCLJ**	$369	–$192	**TS7Q5TCLJW**	$1080	–$804
36"	66"	**TS7Q6TCLJ**	$397	–$195	**TS7Q6TCLJW**	$1112	–$809
42"	48"	**TS748TCLJ**	$359	–$192	**TS748TCLJW**	$1068	–$804
42"	54"	**TS745TCLJ**	$359	–$192	**TS745TCLJW**	$1068	–$804
42"	66"	**TS746TCLJ**	$369	–$192	**TS746TCLJW**	$1080	–$804
42"	78"	**TS747TCLJ**	$499	–$195	**TS747TCLJW**	$1202	–$809
48"	54"	**TS785TCLJ**	$369	–$192	**TS785TCLJW**	$1080	–$804
48"	66"	**TS786TCLJ**	$369	–$192	**TS786TCLJW**	$1080	–$804
48"	78"	**TS787TCLJ**	$494	–$195	**TS787TCLJW**	$1202	–$809
54"	66"	**TS756TCLJ**	$369	–$192	**TS756TCLJW**	$1080	–$804
54"	78"	**TS757TCLJ**	$494	–$192	**TS757TCLJW**	$1202	–$804
66"	78"	**TS767TCLJ**	$494	–$192	**TS767TCLJW**	$1202	–$804

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

T Change-of-Height Junctions—Thin Trim



*Tip: **Junction includes:***
- *T change-of-height junction*
- *Inside corner light seal(s)*
- *T vertical trim*
- *End-of-run change-of-height trim*
- *Change-of-height junction cap*
- *Aligners*

Tip: Omit trim option omits all vertical and change-of-height trim. This option is used when stacking on base junctions. Vertical and change-of-height trim should be specified separately to span the full height of the base junction plus the stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Standard Includes	Required to Specify
▶ Need help? Product details, page 24	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Junction • Inside corner light seals • Change-of-height trim and junction cap: paint price group 1 or wood group 1 • Aligners	

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below and at right	Specify *with omit trim.*

Specification Information

Corresponding Panel Height A	B	C	Style Number	U.S. Base Price	Option (Add $ to Base Price)	Style Number	U.S. Base Price	Option (Add $ to Base Price)
					Omit Trim			Omit Trim
Painted Trim						**Wood Trim**		
30"	36"	30"	**TS73Q3TCTJ**	$433	–$192	**TS73Q3TCTJW**	$1182	–$804
30"	42"	30"	**TS7343TCTJ**	$433	–$192	**TS7343TCTJW**	$1182	–$804
30"	48"	30"	**TS7383TCTJ**	$433	–$192	**TS7383TCTJW**	$1182	–$804
30"	54"	30"	**TS7353TCTJ**	$467	–$192	**TS7353TCTJW**	$1195	–$804
30"	66"	30"	**TS7363TCTJ**	$516	–$195	**TS7363TCTJW**	$1209	–$809
36"	42"	36"	**TS7Q4QTCTJ**	$433	–$192	**TS7Q4QTCTJW**	$1182	–$804
36"	48"	36"	**TS7Q8QTCTJ**	$433	–$192	**TS7Q8QTCTJW**	$1182	–$804
36"	54"	36"	**TS7Q5QTCTJ**	$467	–$192	**TS7Q5QTCTJW**	$1195	–$804
36"	66"	36"	**TS7Q6QTCTJ**	$516	–$195	**TS7Q6QTCTJW**	$1209	–$809
42"	48"	42"	**TS7484TCTJ**	$467	–$192	**TS7484TCTJW**	$1195	–$804
42"	54"	42"	**TS7454TCTJ**	$467	–$192	**TS7454TCTJW**	$1195	–$804
42"	66"	42"	**TS7464TCTJ**	$516	–$192	**TS7464TCTJW**	$1209	–$804
42"	78"	42"	**TS7474TCTJ**	$618	–$195	**TS7474TCTJW**	$1304	–$809
48"	54"	48"	**TS7858TCTJ**	$516	–$192	**TS7858TCTJW**	$1209	–$804
48"	66"	48"	**TS7868TCTJ**	$516	–$192	**TS7868TCTJW**	$1209	–$804
48"	78"	48"	**TS7878TCTJ**	$618	–$195	**TS7878TCTJW**	$1304	–$809
54"	66"	54"	**TS7565TCTJ**	$516	–$192	**TS7565TCTJW**	$1209	–$804
54"	78"	54"	**TS7575TCTJ**	$618	–$192	**TS7575TCTJW**	$1304	–$804
66"	78"	66"	**TS7676TCTJ**	$618	–$192	**TS7676TCTJW**	$1304	–$804

▶ **Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Corresponding Panel Height A	B	C	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim						**Wood Trim**		
36"	30"	36"	**TS7Q3QTCTJ**	$433	–$192	**TS7Q3QTCTJW**	$1182	–$804
42"	30"	42"	**TS7434TCTJ**	$433	–$192	**TS7434TCTJW**	$1182	–$804
48"	30"	48"	**TS7838TCTJ**	$433	–$192	**TS7838TCTJW**	$1182	–$804
48"	42"	48"	**TS7848TCTJ**	$467	–$192	**TS7848TCTJW**	$1195	–$804
54"	30"	54"	**TS7535TCTJ**	$467	–$192	**TS7535TCTJW**	$1195	–$804
66"	30"	66"	**TS7636TCTJ**	$516	–$195	**TS7636TCTJW**	$1209	–$809
42"	36"	42"	**TS74Q4TCTJ**	$433	–$192	**TS74Q4TCTJW**	$1182	–$804
48"	36"	48"	**TS78Q8TCTJ**	$433	–$192	**TS78Q8TCTJW**	$1182	–$804
54"	36"	54"	**TS75Q5TCTJ**	$467	–$192	**TS75Q5TCTJW**	$1195	–$804
66"	36"	66"	**TS76Q6TCTJ**	$516	–$195	**TS76Q6TCTJW**	$1209	–$809
54"	42"	54"	**TS7545TCTJ**	$467	–$192	**TS7545TCTJW**	$1195	–$804
54"	48"	54"	**TS7585TCTJ**	$516	–$192	**TS7585TCTJW**	$1209	–$804
66"	42"	66"	**TS7646TCTJ**	$516	–$192	**TS7646TCTJW**	$1209	–$804
78"	42"	78"	**TS7747TCTJ**	$618	–$195	**TS7747TCTJW**	$1304	–$809
66"	48"	66"	**TS7686TCTJ**	$516	–$192	**TS7686TCTJW**	$1209	–$804
78"	48"	78"	**TS7787TCTJ**	$618	–$195	**TS7787TCTJW**	$1304	–$809
66"	54"	66"	**TS7656TCTJ**	$516	–$192	**TS7656TCTJW**	$1209	–$804
78"	54"	78"	**TS7757TCTJ**	$618	–$192	**TS7757TCTJW**	$1304	–$804
78"	66"	78"	**TS7767TCTJ**	$618	–$192	**TS7767TCTJW**	$1304	–$804

▶**Specification Information, continued on next page**



Tip: ***Junction includes:***


- *T change-of-height junction*
- *Inside corner light seals*
- *T vertical trim*
- *T change-of-height trim*
- *90° junction cap*
- *Aligners*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

T Change-of-Height Junctions—Thin Trim, continued

▶**Specification Information, continued from previous page**

Specification Information



Tip: ***Junction includes:***
- *T change-of-height junction*
- *Inside corner light seals*
- *T vertical trim*
- *End-of-run change-of-height trim*
- *Change-of-height junction cap*
- *Aligners*

Tip: When A and C are different heights, the junction is shipped right-handed. For a left-handed junction a post will need to be moved during installation.


Corresponding Panel Height A	B	C	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim						**Wood Trim**		
30"	30"	36"	**TS733QTCTJ**	$433	–$192	**TS733QTCTJW**	$1182	–$804
30"	30"	42"	**TS7334TCTJ**	$433	–$192	**TS7334TCTJW**	$1182	–$804
30"	30"	48"	**TS7338TCTJ**	$433	–$192	**TS7338TCTJW**	$1182	–$804
30"	30"	54"	**TS7335TCTJ**	$467	–$192	**TS7335TCTJW**	$1195	–$804
30"	30"	66"	**TS7336TCTJ**	$516	–$195	**TS7336TCTJW**	$1209	–$809
36"	36"	42"	**TS7QQ4TCTJ**	$433	–$192	**TS7QQ4TCTJW**	$1182	–$804
36"	36"	48"	**TS7QQ8TCTJ**	$433	–$192	**TS7QQ8TCTJW**	$1182	–$804
36"	36"	54"	**TS7QQ5TCTJ**	$467	–$192	**TS7QQ5TCTJW**	$1195	–$804
36"	36"	66"	**TS7QQ6TCTJ**	$516	–$195	**TS7QQ6TCTJW**	$1209	–$809
42"	42"	48"	**TS7448TCTJ**	$467	–$192	**TS7448TCTJW**	$1195	–$804
42"	42"	54"	**TS7445TCTJ**	$467	–$192	**TS7445TCTJW**	$1195	–$804
42"	42"	66"	**TS7446TCTJ**	$516	–$192	**TS7446TCTJW**	$1209	–$804
42"	42"	78"	**TS7447TCTJ**	$618	–$195	**TS7447TCTJW**	$1304	–$809
48"	48"	54"	**TS7885TCTJ**	$516	–$192	**TS7885TCTJW**	$1209	–$804
48"	48"	66"	**TS7886TCTJ**	$516	–$192	**TS7886TCTJW**	$1209	–$804
48"	48"	78"	**TS7887TCTJ**	$618	–$195	**TS7887TCTJW**	$1304	–$809
54"	54"	66"	**TS7556TCTJ**	$516	–$192	**TS7556TCTJW**	$1209	–$804
54"	54"	78"	**TS7557TCTJ**	$618	–$192	**TS7557TCTJW**	$1304	–$804
66"	66"	78"	**TS7667TCTJ**	$618	–$192	**TS7667TCTJW**	$1304	–$804

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information



Tip: ***Junction includes:***
- *T change-of-height junction*
- *Inside corner light seals*
- *T vertical trim*
- *L change-of-height trim*
- *90º junction cap*
- *Aligners*

Tip: When A and C are different heights, the junction is shipped right-handed. For a left-handed junction a post will need to be moved during installation.

Corresponding Panel Height A	B	C	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim						**Wood Trim**		
36"	36"	30"	**TS7QQ3TCTJ**	$433	–$192	**TS7QQ3TCTJW**	$1182	–$804
42"	42"	30"	**TS7443TCTJ**	$433	–$192	**TS7443TCTJW**	$1182	–$804
42"	42"	36"	**TS744QTCTJ**	$433	–$192	**TS744QTCTJW**	$1182	–$804
48"	48"	36"	**TS788QTCTJ**	$433	–$192	**TS788QTCTJW**	$1182	–$804
54"	54"	36"	**TS755QTCTJ**	$467	–$192	**TS755QTCTJW**	$1195	–$804
66"	66"	36"	**TS766QTCTJ**	$516	–$195	**TS766QTCTJW**	$1209	–$809
48"	48"	30"	**TS7883TCTJ**	$433	–$192	**TS7883TCTJW**	$1182	–$804
48"	48"	42"	**TS7884TCTJ**	$467	–$192	**TS7884TCTJW**	$1195	–$804
54"	54"	30"	**TS7553TCTJ**	$467	–$192	**TS7553TCTJW**	$1195	–$804
66"	66"	30"	**TS7663TCTJ**	$516	–$195	**TS7663TCTJW**	$1209	–$809
54"	54"	42"	**TS7554TCTJ**	$467	–$192	**TS7554TCTJW**	$1195	–$804
54"	54"	48"	**TS7558TCTJ**	$516	–$192	**TS7558TCTJW**	$1209	–$804
66"	66"	42"	**TS7664TCTJ**	$516	–$192	**TS7664TCTJW**	$1209	–$804
78"	78"	42"	**TS7774TCTJ**	$618	–$195	**TS7774TCTJW**	$1304	–$809
66"	66"	48"	**TS7668TCTJ**	$516	–$192	**TS7668TCTJW**	$1209	–$804
78"	78"	48"	**TS7778TCTJ**	$618	–$195	**TS7778TCTJW**	$1304	–$809
66"	66"	54"	**TS7665TCTJ**	$516	–$192	**TS7665TCTJW**	$1209	–$804
78"	78"	54"	**TS7775TCTJ**	$618	–$192	**TS7775TCTJW**	$1304	–$804
78"	78"	66"	**TS7776TCTJ**	$618	–$192	**TS7776TCTJW**	$1304	–$804

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


X Change-of-Height Junctions—Thin Trim

Standard Includes	Required to Specify
▶Need help? Product details, page 24	1 Style number 2 Paint or wood color number for junction cap 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Junction • Inside corner light seals • Trim/junction cap: paint price group 1 or wood group 1 • Aligners	

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below and at right	Specify *with omit trim.*

Tip: Omit trim option omits all change-of-height trim. This option is used when stacking on base junctions. Change-of-height trim should be specified separately to span the full height of the base junction plus stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.



Tip: ***Junction includes:***
- *X change-of-height junction*
- *Two T change-of-height trims*
- *90° junction cap*
- *Aligners*

Specification Information


Corresponding Panel Height A	B	C	D	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
				Painted Trim			**Wood Trim**		
30"	36"	30"	36"	**TS73Q3QTCXJ**	$456	–$187	**TS73Q3QTCXJW**	$1079	–$727
30"	42"	30"	42"	**TS73434TCXJ**	$456	–$187	**TS73434TCXJW**	$1079	–$727
30"	48"	30"	48"	**TS73838TCXJ**	$456	–$187	**TS73838TCXJW**	$1079	–$727
30"	54"	30"	54"	**TS73535TCXJ**	$485	–$187	**TS73535TCXJW**	$1113	–$727
30"	66"	30"	66"	**TS73636TCXJ**	$534	–$195	**TS73636TCXJW**	$1165	–$735
36"	42"	36"	42"	**TS7Q4Q4TCXJ**	$456	–$187	**TS7Q4Q4TCXJW**	$1079	–$727
36"	48"	36"	48"	**TS7Q8Q8TCXJ**	$456	–$187	**TS7Q8Q8TCXJW**	$1079	–$727
36"	54"	36"	54"	**TS7Q5Q5TCXJ**	$485	–$187	**TS7Q5Q5TCXJW**	$1113	–$727
36"	66"	36"	66"	**TS7Q6Q6TCXJ**	$534	–$195	**TS7Q6Q6TCXJW**	$1165	–$735
42"	48"	42"	48"	**TS74848TCXJ**	$485	–$187	**TS74848TCXJW**	$1113	–$727
42"	54"	42"	54"	**TS74545TCXJ**	$485	–$187	**TS74545TCXJW**	$1113	–$727
42"	66"	42"	66"	**TS74646TCXJ**	$534	–$187	**TS74646TCXJW**	$1165	–$727
42"	78"	42"	78"	**TS74747TCXJ**	$618	–$195	**TS74747TCXJW**	$1244	–$735
48"	54"	48"	54"	**TS78585TCXJ**	$534	–$187	**TS78585TCXJW**	$1165	–$727
48"	66"	48"	66"	**TS78686TCXJ**	$534	–$187	**TS78686TCXJW**	$1165	–$727
48"	78"	48"	78"	**TS78787TCXJ**	$618	–$195	**TS78787TCXJW**	$1244	–$735
54"	66"	54"	66"	**TS75656TCXJ**	$534	–$187	**TS75656TCXJW**	$1165	–$727
54"	78"	54"	78"	**TS75757TCXJ**	$618	–$187	**TS75757TCXJW**	$1244	–$727
66"	78"	66"	78"	**TS76767TCXJ**	$618	–$187	**TS76767TCXJW**	$1244	–$727

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information



Tip: ***Junction includes:***
- *X change-of-height junction*
- *Inside corner light seals*
- *L change-of-height trim*
- *90° junction cap*
- *Aligners*

Corresponding Panel Height A	B	C	D	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim							**Wood Trim**		
30"	30"	36"	36"	**TS733QQTCXJ**	$456	–$102	**TS733QQTCXJW**	$825	–$421
30"	30"	42"	42"	**TS73344TCXJ**	$456	–$102	**TS73344TCXJW**	$825	–$421
30"	30"	48"	48"	**TS73388TCXJ**	$456	–$102	**TS73388TCXJW**	$825	–$421
30"	30"	54"	54"	**TS73355TCXJ**	$485	–$102	**TS73355TCXJW**	$856	–$421
30"	30"	66"	66"	**TS73366TCXJ**	$534	–$107	**TS73366TCXJW**	$902	–$425
36"	36"	42"	42"	**TS7QQ44TCXJ**	$456	–$102	**TS7QQ44TCXJW**	$825	–$421
36"	36"	48"	48"	**TS7QQ88TCXJ**	$456	–$102	**TS7QQ88TCXJW**	$825	–$421
36"	36"	54"	54"	**TS7QQ55TCXJ**	$485	–$102	**TS7QQ55TCXJW**	$856	–$421
36"	36"	66"	66"	**TS7QQ66TCXJ**	$534	–$107	**TS7QQ66TCXJW**	$902	–$425
42"	42"	48"	48"	**TS74488TCXJ**	$485	–$102	**TS74488TCXJW**	$856	–$421
42"	42"	54"	54"	**TS74455TCXJ**	$485	–$102	**TS74455TCXJW**	$856	–$421
42"	42"	66"	66"	**TS74466TCXJ**	$534	–$102	**TS74466TCXJW**	$902	–$421
42"	42"	78"	78"	**TS74477TCXJ**	$618	–$107	**TS74477TCXJW**	$985	–$425
48"	48"	54"	54"	**TS78855TCXJ**	$534	–$102	**TS78855TCXJW**	$902	–$421
48"	48"	66"	66"	**TS78866TCXJ**	$534	–$102	**TS78866TCXJW**	$902	–$421
48"	48"	78"	78"	**TS78877TCXJ**	$618	–$107	**TS78877TCXJW**	$985	–$425
54"	54"	66"	66"	**TS75566TCXJ**	$534	–$102	**TS75566TCXJW**	$902	–$421
54"	54"	78"	78"	**TS75577TCXJ**	$618	–$102	**TS75577TCXJW**	$985	–$421
66"	66"	78"	78"	**TS76677TCXJ**	$618	–$102	**TS76677TCXJW**	$985	–$421

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

X Change-of-Height Junctions—Thin Trim, continued

▶**Specification Information, continued from previous page**

Specification Information

Corresponding Panel Height				Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
A	B	C	D						
				Painted Trim			**Wood Trim**		
30"	30"	30"	36"	**TS7333QTCXJ**	$456	–$102	**TS7333QTCXJW**	$825	–$421
30"	30"	30"	42"	**TS73334TCXJ**	$456	–$102	**TS73334TCXJW**	$825	–$421
30"	30"	30"	48"	**TS73338TCXJ**	$456	–$102	**TS73338TCXJW**	$825	–$421
30"	30"	30"	54"	**TS73335TCXJ**	$485	–$102	**TS73335TCXJW**	$856	–$421
30"	30"	30"	66"	**TS73336TCXJ**	$534	–$107	**TS73336TCXJW**	$902	–$425
36"	36"	36"	42"	**TS7QQQ4TCXJ**	$456	–$102	**TS7QQQ4TCXJW**	$825	–$421
36"	36"	36"	48"	**TS7QQQ8TCXJ**	$456	–$102	**TS7QQQ8TCXJW**	$825	–$421
36"	36"	36"	54"	**TS7QQQ5TCXJ**	$485	–$102	**TS7QQQ5TCXJW**	$856	–$421
36"	36"	36"	66"	**TS7QQQ6TCXJ**	$534	–$107	**TS7QQQ6TCXJW**	$902	–$425
42"	42"	42"	48"	**TS74448TCXJ**	$485	–$102	**TS74448TCXJW**	$856	–$421
42"	42"	42"	54"	**TS74445TCXJ**	$485	–$102	**TS74445TCXJW**	$856	–$421
42"	42"	42"	66"	**TS74446TCXJ**	$534	–$102	**TS74446TCXJW**	$902	–$421
42"	42"	42"	78"	**TS74447TCXJ**	$618	–$107	**TS74447TCXJW**	$985	–$425
48"	48"	48"	54"	**TS78885TCXJ**	$534	–$102	**TS78885TCXJW**	$902	–$421
48"	48"	48"	66"	**TS78886TCXJ**	$534	–$102	**TS78886TCXJW**	$902	–$421
48"	48"	48"	78"	**TS78887TCXJ**	$618	–$107	**TS78887TCXJW**	$985	–$425
54"	54"	54"	66"	**TS75556TCXJ**	$534	–$102	**TS75556TCXJW**	$902	–$421
54"	54"	54"	78"	**TS75557TCXJ**	$618	–$102	**TS75557TCXJW**	$985	–$421
66"	66"	66"	78"	**TS76667TCXJ**	$618	–$102	**TS76667TCXJW**	$985	–$421




Tip: ***Junction includes:***
- *X change-of-height junction*
- *Inside corner light seals*
- *End-of-run change-of-height trim*
- *Change-of-height junction cap*
- *Aligners*

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information




Tip: ***Junction includes:***
- *X change-of-height junction*
- *Inside corner light seals*
- *T change-of-height trim*
- *90° junction cap*
- *Aligners*

Corresponding Panel Height A	B	C	D	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim							**Wood Trim**		
36"	36"	36"	30"	**TS7QQQ3TCXJ**	$456	–$102	**TS7QQQ3TCXJW**	$825	–$421
42"	42"	42"	30"	**TS74443TCXJ**	$456	–$102	**TS74443TCXJW**	$825	–$421
42"	42"	42"	36"	**TS7444QTCXJ**	$456	–$102	**TS7444QTCXJW**	$825	–$421
48"	48"	48"	36"	**TS7888QTCXJ**	$456	–$102	**TS7888QTCXJW**	$825	–$421
54"	54"	54"	36"	**TS7555QTCXJ**	$485	–$102	**TS7555QTCXJW**	$856	–$421
66"	66"	66"	36"	**TS7666QTCXJ**	$534	–$107	**TS7666QTCXJW**	$902	–$425
48"	48"	48"	30"	**TS78883TCXJ**	$456	–$102	**TS78883TCXJW**	$825	–$421
48"	48"	48"	42"	**TS78884TCXJ**	$485	–$102	**TS78884TCXJW**	$856	–$421
54"	54"	54"	30"	**TS75553TCXJ**	$485	–$102	**TS75553TCXJW**	$856	–$421
54"	54"	54"	42"	**TS75554TCXJ**	$485	–$102	**TS75554TCXJW**	$856	–$421
54"	54"	54"	48"	**TS75558TCXJ**	$534	–$102	**TS75558TCXJW**	$902	–$421
66"	66"	66"	30"	**TS76663TCXJ**	$534	–$107	**TS76663TCXJW**	$902	–$425
66"	66"	66"	42"	**TS76664TCXJ**	$534	–$102	**TS76664TCXJW**	$902	–$421
66"	66"	66"	48"	**TS76668TCXJ**	$534	–$102	**TS76668TCXJW**	$902	–$421
66"	66"	66"	54"	**TS76665TCXJ**	$534	–$102	**TS76665TCXJW**	$902	–$421
78"	78"	78"	42"	**TS77774TCXJ**	$618	–$107	**TS77774TCXJW**	$985	–$425
78"	78"	78"	48"	**TS77778TCXJ**	$618	–$107	**TS77778TCXJW**	$985	–$425
78"	78"	78"	54"	**TS77775TCXJ**	$618	–$102	**TS77775TCXJW**	$985	–$421
78"	78"	78"	66"	**TS77776TCXJ**	$618	–$102	**TS77776TCXJW**	$985	–$421

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

V Change-of-Height Junctions—Thin Trim



Tip: ***Junction includes:***
- *V change-of-height junction*
- *V vertical trim*
- *120° change-of-height trim*
- *120° junction cap*
- *Aligner*

Tip: Omit trim option omits all vertical and change-of-height trim. This option is used when stacking on base junctions. Vertical and change-of-height trim should be specified separately to span the full height of the base junction plus stacking junction.

Tip: Remember to specify necessary junction caps and aligners if the omit trim option is selected.

Tip: Change-of-height junction ships right-handed. For a left-handed junction, a post will need to be moved during installation.

Standard Includes	Required to Specify
▶ Need help? Product details, page 24	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Junction • Change-of-height trim and junction cap: paint price group 1 or wood group 1 • Aligners	

Options		U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below	Specify *with omit trim.*

Specification Information

Corresponding Panel Height A	Corresponding Panel Height B	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
		Painted Trim			**Wood Trim**		
30"	36"	**TS73QTCVJ**	$382	–$212	**TS73QTCVJW**	$1099	–$849
30"	42"	**TS734TCVJ**	$382	–$212	**TS734TCVJW**	$1099	–$849
30"	48"	**TS738TCVJ**	$382	–$212	**TS738TCVJW**	$1099	–$849
30"	54"	**TS735TCVJ**	$397	–$212	**TS735TCVJW**	$1112	–$849
30"	66"	**TS736TCVJ**	$425	–$218	**TS736TCVJW**	$1189	–$856
36"	42"	**TS7Q4TCVJ**	$382	–$212	**TS7Q4TCVJW**	$1099	–$849
36"	48"	**TS7Q8TCVJ**	$382	–$212	**TS7Q8TCVJW**	$1099	–$849
36"	54"	**TS7Q5TCVJ**	$397	–$212	**TS7Q5TCVJW**	$1112	–$849
36"	66"	**TS7Q6TCVJ**	$425	–$218	**TS7Q6TCVJW**	$1189	–$856
42"	48"	**TS748TCVJ**	$382	–$212	**TS748TCVJW**	$1099	–$849
42"	54"	**TS745TCVJ**	$382	–$212	**TS745TCVJW**	$1099	–$849
42"	66"	**TS746TCVJ**	$397	–$212	**TS746TCVJW**	$1112	–$849
42"	78"	**TS747TCVJ**	$517	–$218	**TS747TCVJW**	$1228	–$856
48"	54"	**TS785TCVJ**	$397	–$212	**TS785TCVJW**	$1112	–$849
48"	66"	**TS786TCVJ**	$397	–$212	**TS786TCVJW**	$1112	–$849
48"	78"	**TS787TCVJ**	$517	–$218	**TS787TCVJW**	$1228	–$856
54"	66"	**TS756TCVJ**	$397	–$212	**TS756TCVJW**	$1112	–$849
54"	78"	**TS757TCVJ**	$517	–$212	**TS757TCVJW**	$1228	–$849
66"	78"	**TS767TCVJ**	$517	–$212	**TS767TCVJW**	$1228	–$849

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


Y Change-of-Height Junctions—Thin Trim

Standard Includes	Required to Specify
▶ Need help? Product details, page 24	• Junction • Change-of-height trim and junction cap: paint price group 1 or wood group 1 • Aligners	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
	• Omit trim	Prices below and at right	Specify *with omit trim.*

Tip: Omit trim option omits all change-of-height trim. This option is used when stacking on base junctions. Change-of-height trim should be specified separately to span the full height of the base junction plus stacking junction.

Tip: Remember to specify necessary junction caps and aligners if the omit trim option is selected.



Tip: ***Junction includes:***
- *Y change-of-height junction*
- *120° change-of-height trim*
- *120° junction cap*

Specification Information


Corresponding Panel Height			Style Number	U.S. Base Price	Option (Add $ to Base Price)	Style Number	U.S. Base Price	Option (Add $ to Base Price)
A	B	C			Omit Trim			Omit Trim
			Painted Trim			**Wood Trim**		
36"	30"	30"	**TS7Q33TCYJ**	$483	–$102	**TS7Q33TCYJW**	$ 853	–$421
42"	30"	30"	**TS7433TCYJ**	$483	–$102	**TS7433TCYJW**	$ 853	–$421
42"	36"	36"	**TS74QQTCYJ**	$483	–$102	**TS74QQTCYJW**	$ 853	–$421
48"	36"	36"	**TS78QQTCYJ**	$483	–$102	**TS78QQTCYJW**	$ 853	–$421
54"	36"	36"	**TS75QQTCYJ**	$513	–$102	**TS75QQTCYJW**	$ 881	–$421
66"	36"	36"	**TS76QQTCYJ**	$561	–$107	**TS76QQTCYJW**	$ 932	–$425
48"	30"	30"	**TS7833TCYJ**	$483	–$102	**TS7833TCYJW**	$ 853	–$421
48"	42"	42"	**TS7844TCYJ**	$513	–$102	**TS7844TCYJW**	$ 881	–$421
54"	30"	30"	**TS7533TCYJ**	$513	–$102	**TS7533TCYJW**	$ 881	–$421
54"	48"	48"	**TS7588TCYJ**	$561	–$102	**TS7588TCYJW**	$ 932	–$421
66"	30"	30"	**TS7633TCYJ**	$561	–$107	**TS7633TCYJW**	$ 932	–$425
54"	42"	42"	**TS7544TCYJ**	$513	–$102	**TS7544TCYJW**	$ 881	–$421
66"	42"	42"	**TS7644TCYJ**	$561	–$102	**TS7644TCYJW**	$ 932	–$421
78"	42"	42"	**TS7744TCYJ**	$600	–$107	**TS7744TCYJW**	$ 967	–$421
66"	48"	48"	**TS7688TCYJ**	$561	–$102	**TS7688TCYJW**	$ 932	–$421
78"	48"	48"	**TS7788TCYJ**	$645	–$107	**TS7788TCYJW**	$1014	–$425
66"	54"	54"	**TS7655TCYJ**	$561	–$102	**TS7655TCYJW**	$ 932	–$421
78"	54"	54"	**TS7755TCYJ**	$645	–$102	**TS7755TCYJW**	$1014	–$421
78"	66"	66"	**TS7766TCYJ**	$645	–$102	**TS7766TCYJW**	$1014	–$421

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information



Tip: ***Junction includes:***
- *Y change-of-height junction*
- *V change-of-height trim*
- *120° junction cap*
- *Aligner*

Corresponding Panel Height A	B	C	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim	Style Number	U.S. Base Price	Option (Add $ to Base Price) Omit Trim
Painted Trim						**Wood Trim**		
30"	36"	36"	**TS73QQTCYJ**	$483	–$102	**TS73QQTCYJW**	$ 853	–$421
30"	42"	42"	**TS7344TCYJ**	$483	–$102	**TS7344TCYJW**	$ 853	–$421
30"	48"	48"	**TS7388TCYJ**	$483	–$102	**TS7388TCYJW**	$ 853	–$421
30"	54"	54"	**TS7355TCYJ**	$513	–$102	**TS7355TCYJW**	$ 881	–$421
30"	66"	66"	**TS7366TCYJ**	$561	–$107	**TS7366TCYJW**	$ 932	–$425
36"	42"	42"	**TS7Q44TCYJ**	$483	–$102	**TS7Q44TCYJW**	$ 853	–$421
36"	48"	48"	**TS7Q88TCYJ**	$483	–$102	**TS7Q88TCYJW**	$ 853	–$421
36"	54"	54"	**TS7Q55TCYJ**	$513	–$102	**TS7Q55TCYJW**	$ 881	–$421
36"	66"	66"	**TS7Q66TCYJ**	$561	–$107	**TS7Q66TCYJW**	$ 932	–$425
42"	48"	48"	**TS7488TCYJ**	$513	–$102	**TS7488TCYJW**	$ 881	–$421
42"	54"	54"	**TS7455TCYJ**	$513	–$102	**TS7455TCYJW**	$ 881	–$421
42"	66"	66"	**TS7466TCYJ**	$561	–$102	**TS7466TCYJW**	$ 932	–$421
42"	78"	78"	**TS7477TCYJ**	$600	–$107	**TS7477TCYJW**	$ 967	–$421
48"	54"	54"	**TS7855TCYJ**	$561	–$102	**TS7855TCYJW**	$ 932	–$421
48"	66"	66"	**TS7866TCYJ**	$561	–$102	**TS7866TCYJW**	$ 932	–$421
48"	78"	78"	**TS7877TCYJ**	$645	–$107	**TS7877TCYJW**	$1014	–$425
54"	66"	66"	**TS7566TCYJ**	$561	–$102	**TS7566TCYJW**	$ 932	–$421
54"	78"	78"	**TS7577TCYJ**	$645	–$102	**TS7577TCYJW**	$1014	–$421
66"	78"	78"	**TS7677TCYJ**	$645	–$102	**TS7677TCYJW**	$1014	–$421

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Wall-Start Junctions



Tip: When using in an off-module application, off-module panel connector must be ordered separately.
▶Page 98

Standard Includes	Required to Specify
▶Need help? Product details, page 30 • Junction	Style number


Specification Information

Height	Style Number	U.S. Price
30"	**TS730WPJ**	$350
36"	**TS736WPJ**	$350
42"	**TS742WPJ**	$350
48"	**TS748WPJ**	$350
54"	**TS754WPJ**	$350
66"	**TS766WPJ**	$350
78"	**TS778WPJ**	$486

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Brackets

Floor Anchor Bracket



Tip: Floor anchor bolts are not included.

Standard Includes	Required to Specify
• Two-piece floor anchor bracket: black paint only	Style number

▶Need help? Product details, page 21

Specification Information

Style Number	U.S. Price
CBRKTS	$70

Junction Stabilizer Brackets


Tip: Junction stabilizer bracket blocks power routing in the base and just above the base areas. Lay-in cable routing in the base is also blocked by the bracket.

Standard Includes	Required to Specify
• Bracket: black paint only	Style number

▶Need help? Product details, page 21


Specification Information

Height	Style Number	U.S. Price
10½"	**TS7SBNJ**	$122



*Tip: Junctions manufactured on or after October 10, 2011 will only work with **TS7SBNJ** junction stabilizer bracket.*


10½"	**TS7SB**	$122



*Tip: Junctions manufactured before October 10, 2011 will only work with **TS7SB** junction stabilizer bracket.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Off-Module Panel Connectors



Tip: Must be used with wall-start junctions, ordered separately.
▶Page 355

Tip: Off-module panel connector works with thin, square, and oval style trims. Top cap filler included in package is only used with oval style trims. Thin and square style trims do not require a top cap filler.

Tip: Wall-start junctions manufactured before October 2002 will not work with off-module panel connectors.

Tip: When using with wall-start junction manufactured before October 10, 2011, the bottom bracket must be replaced with part number ***T500938MP*** *from Service Parts.*

Standard Includes	Required to Specify
▶Need help? Product details, page 98	• Top and bottom bracket • Bottom channel • Top cap filler (oval style): plastic	1 Style number 2 Plastic color number for filler ▶See *Surface Materials,* page 672.

Specification Information

• Width	• Style Number	• U.S. Price
24"	**TS724BKT**	$443
30"	**TS730BKT**	$443
36"	**TS736BKT**	$443
42"	**TS742BKT**	$443
48"	**TS748BKT**	$443
60"	**TS760BKT**	$443
72"	**TS772BKT**	$443

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking Junctions

Stacking In-Line Panel Junctions–Thin Trim



Tip: Stacking in-line junctions do not require junction cap and trim.

Standard Includes	Required to Specify
▶Need help? Product details, page 32	Style number
• Junction • Fork connectors	

Specification Information

Height	Style Number	U.S. Price
6"	**TS76IPJS**	$193
12"	**TS712IPJS**	$193
18"	**TS718IPJS**	$193
24"	**TS724IPJS**	$193

Stacking End-of-Run Panel Junctions–Thin Trim



Tip: Stacking end-of-run junctions do not include trim. Trim is specified separately to span entire height of base junction plus stacking junction.

Tip: 36" stacker is only used in build your own change-of-height applications. It should never be used as an end-of-run stacking junction.

Standard Includes	Required to Specify
▶Need help? Product details, page 32	Style number
• Junction • Fork connector	

Specification Information

Height	Style Number	U.S. Price
6"	**TS76TEPJS**	$263
12"	**TS712TEPJS**	$263
18"	**TS718TEPJS**	$263
24"	**TS724TEPJS**	$263
36"	**TS736TEPJS**	$263

Stacking Wall-Start Junctions



Standard Includes	Required to Specify
▶Need help? Product details, page 32	Style number
• Junction • Fork connector	

Specification Information

Height	Style Number	U.S. Price
6"	**TS76WPJS**	$526
12"	**TS712WPJS**	$526
18"	**TS718WPJS**	$526
24"	**TS724WPJS**	$526

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking L, T, X, V, and Y Panel Junctions—Thin Trim

Tip: Stacking corner junctions do not include trim. Trim is specified separately to span entire height of base junction plus stacking junction.

Tip: Junction cap is not included and must be specified separately.

Standard Includes	Required to Specify
▶Need help? Product details, page 32 • Junction • Fork connectors	Style number

Specification Information



L Panel Junctions

Height	Style Number	U.S. Price
6"	**TS76TLPJS**	$487
12"	**TS712TLPJS**	$487
18"	**TS718TLPJS**	$487
24"	**TS724TLPJS**	$487



T Panel Junctions

Height	Style Number	U.S. Price
6"	**TS76TTPJS**	$487
12"	**TS712TTPJS**	$487
18"	**TS718TTPJS**	$487
24"	**TS724TTPJS**	$487



X Panel Junctions

Height	Style Number	U.S. Price
6"	**TS76XPJS**	$500
12"	**TS712XPJS**	$500
18"	**TS718XPJS**	$526
24"	**TS724XPJS**	$533



V Panel Junctions

Height	Style Number	U.S. Price
6"	**TS76TVPJS**	$617
12"	**TS712TVPJS**	$617
18"	**TS718TVPJS**	$617
24"	**TS724TVPJS**	$617




Y Panel Junctions

Height	Style Number	U.S. Price
6"	**TS76YPJS**	$661
12"	**TS712YPJS**	$661
18"	**TS718YPJS**	$661
24"	**TS724YPJS**	$689

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Utility Pole – L, T, and X—Thin Trim



Tip: Works with L, T, or X base junctions of any height and T or X change-of-height junctions as long as at least two panels are at the tallest height.

Tip: For end-of-run utility pole application, the square trim junction utility pole may be used.
Note: this will add 3" of dimension to the application.
▶Page 428

Tip: Cannot be used with L change-of-height junctions.

Tip: Can only be used with junctions manufactured on or after October 10, 2011.

Tip: Does not include junction. Junction is ordered separately.

Tip: Order multipurpose power infeed separately.
▶Page 502

Standard Includes	Required to Specify
▶Need help? Product details, page 172 • Utility pole: paint price group 1 • Ceiling trim plate: white paint only • Mounting brackets	1 Style number 2 Paint color number for utility pole 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.


Specification Information

Configuration	Style Number	U.S. Base Price
L, T, or X junctions	**TS7TJUP**	$292

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Utility Packages

Ceiling-Access Lay-In Utility Packages—Thin Trim



Tip: Order multipurpose power infeed separately.
▶Page 502

	Standard Includes	Required to Specify
▶Need help? Product details, page 168	• Utility carrier and cover, one top cap, and two standard base trims: paint price group 1 • Two lay-in horizontal connecting bars: black paint only • Ceiling attachment hardware • Junction cap for end-of-run applications: paint	1 Style number 2 Paint color number for utility carrier and cover, top cap, base trim, and junction cap 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.
	Top cap		
	• Wood group 1	+$301	Specify *with wood top cap* and select wood color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim	+$ 7	Specify *with change-of-height, one end slim.*
	• Change-of-height at one end of top cap, cable management	+$ 7	Specify *with change-of-height, one end cable management.*
Base Cable Tray	• Base cable tray	+$ 5	Specify *with base cable tray.*

Specification Information

Width	Style Number	U.S. Base Price
30"	**TS730TSUC**	$1335
36"	**TS736TSUC**	$1409
42"	**TS742TSUC**	$1538
48"	**TS748TSUC**	$1679

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Floor-Access Lay-In Utility Packages—Thin Trim



Tip: 30"W lay-in utility package with floor-access is only available with change-of-height top cap at one end.

Tip: Order multipurpose power infeed separately.
▶Page 502

	Standard Includes	Required to Specify
▶Need help? Product details, page 170	• One top cap, one standard base trim, one modified base trim, and one base utility box: paint price group 1 • Two lay-in horizontal connecting bars: black paint only	1 Style number 2 Paint color number for top cap, base trim, and base utility box 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.
	Top cap		
	• Wood group 1	+$301	Specify *with wood top cap* and select wood color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim	+$ 7	Specify *with change-of-height, one end slim.*
	• Change-of-height at one end of top cap, cable management	+$ 7	Specify *with change-of-height, one end cable management.*
	• Change-of-height at both ends of top cap on 36" - 48"W packages, slim	+$ 7	Specify *with change-of-height, both ends slim.*
	• Change-of-height at both ends of top cap on 36" - 48"W packages, cable management	+$ 7	Specify *with change-of-height, both ends cable management.*
	• Change-of-height at both ends of top cap on 36" - 48"W packages, 1 end slim and one end cable management	+$ 7	Specify *with change-of-height, one end slim, one end cable management.*

Specification Information

Width	Style Number	U.S. Base Price
30"	**TS730TSUF**	$ 813
36"	**TS736TSUF**	$ 863
42"	**TS742TSUF**	$ 934
48"	**TS748TSUF**	$1022

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

End-of-Run Vertical Trims—Thin Trim



Tip: When ordering vertical trim for a stacking application remember to specify it to span the full height of the base junction plus the stacking junction.

Tip: Thin vertical trim cannot be mixed with square and oval trim on an application. Thin trim must be used on the entire application.

Standard Includes	Required to Specify
▶Need help? Product details, page 37	• Trim: paint price group 1 or wood group 1 • Aligner	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain*.

Specification Information

Corresponding Panel Height	Painted Trim Style Number	Painted Trim U.S. Base Price	Wood Trim Style Number	Wood Trim U.S. Base Price
30"	**TS730TEVT**	$106	**TS730TEVTW**	$446
36"	**TS736TEVT**	$106	**TS736TEVTW**	$446
42"	**TS742TEVT**	$106	**TS742TEVTW**	$446
48"	**TS748TEVT**	$106	**TS748TEVTW**	$446
54"	**TS754TEVT**	$106	**TS754TEVTW**	$446
60"	**TS760TEVT**	$106	**TS760TEVTW**	$446
66"	**TS766TEVT**	$106	**TS766TEVTW**	$446
72"	**TS772TEVT**	$131	**TS772TEVTW**	$561
78"	**TS778TEVT**	$131	**TS778TEVTW**	$561
84"	**TS784TEVT**	$143	**TS784TEVTW**	$633
90"	**TS790TEVT**	$143	**TS790TEVTW**	$633

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

L and T Vertical Trims—Thin Trim

Tip: When ordering vertical trim for a stacking application remember to specify it to span the full height of the base junction plus the stacking junction.

Tip: Thin vertical trim cannot be mixed with square or oval trim on an application. Thin trim must be used on the entire application.

▶Need help? Product details, page 37

Standard Includes	Required to Specify
• Trim: paint price group 1 or wood group 1	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*

Specification Information



Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
	Painted L Vertical Trim		**Wood L Vertical Trim**	
30"	**TS730TLVT**	$106	**TS730TLVTW**	$446
36"	**TS736TLVT**	$106	**TS736TLVTW**	$446
42"	**TS742TLVT**	$106	**TS742TLVTW**	$446
48"	**TS748TLVT**	$106	**TS748TLVTW**	$446
54"	**TS754TLVT**	$106	**TS754TLVTW**	$446
60"	**TS760TLVT**	$106	**TS760TLVTW**	$446
66"	**TS766TLVT**	$106	**TS766TLVTW**	$446
72"	**TS772TLVT**	$131	**TS772TLVTW**	$561
78"	**TS778TLVT**	$131	**TS778TLVTW**	$561
84"	**TS784TLVT**	$143	**TS784TLVTW**	$633
90"	**TS790TLVT**	$143	**TS790TLVTW**	$633



	Painted T Vertical Trim		**Wood T Vertical Trim**	
30"	**TS730TTVT**	$106	**TS730TTVTW**	$446
36"	**TS736TTVT**	$106	**TS736TTVTW**	$446
42"	**TS742TTVT**	$106	**TS742TTVTW**	$446
48"	**TS748TTVT**	$106	**TS748TTVTW**	$446
54"	**TS754TTVT**	$106	**TS754TTVTW**	$446
60"	**TS760TTVT**	$106	**TS760TTVTW**	$446
66"	**TS766TTVT**	$106	**TS766TTVTW**	$446
72"	**TS772TTVT**	$131	**TS772TTVTW**	$561
78"	**TS778TTVT**	$131	**TS778TTVTW**	$561
84"	**TS784TTVT**	$143	**TS784TTVTW**	$633
90"	**TS790TTVT**	$143	**TS790TTVTW**	$633

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

V Vertical Trims—Thin Trim



Tip: When ordering vertical trim for a stacking application remember to specify it to span the full height of the base junction plus the stacking junction.

Tip: Thin vertical trim cannot be mixed with square and oval trim on an application. Thin trim must be used on the entire application.

Standard Includes	Required to Specify
▶ Need help? Product details, page 38	• Trim: paint price group 1 or wood group 1	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain*.

Specification Information

• Corresponding Panel Height	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
	Painted Trim		**Wood Trim**	
30"	**TS730TVVT**	$130	**TS730TVVTW**	$499
36"	**TS736TVVT**	$130	**TS736TVVTW**	$499
42"	**TS742TVVT**	$130	**TS742TVVTW**	$499
48"	**TS748TVVT**	$130	**TS748TVVTW**	$499
54"	**TS754TVVT**	$130	**TS754TVVTW**	$499
60"	**TS760TVVT**	$130	**TS760TVVTW**	$499
66"	**TS766TVVT**	$130	**TS766TVVTW**	$499
72"	**TS772TVVT**	$158	**TS772TVVTW**	$615
78"	**TS778TVVT**	$158	**TS778TVVTW**	$615
84"	**TS784TVVT**	$168	**TS784TVVTW**	$683
90"	**TS790TVVT**	$168	**TS790TVVTW**	$683

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

End-of-Run/In-Line Change-of-Height Trims—Thin Trim



Tip: Thin change-of-height trim cannot be used with square or oval top trim.

Standard Includes	Required to Specify
▶ Need help? Product details, page 38	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Trim: paint price group 1 or wood group 1 • Aligner	

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price
Painted Trim		
6"	**TS76TICHT**	$ 97
12"	**TS712TICHT**	$ 97
18"	**TS718TICHT**	$ 97
24"	**TS724TICHT**	$ 97
30"	**TS730TICHT**	$106
36"	**TS736TICHT**	$106
Wood Trim		
6"	**TS76TICHTW**	$354
12"	**TS712TICHTW**	$354
18"	**TS718TICHTW**	$354
24"	**TS724TICHTW**	$354
30"	**TS730TICHTW**	$360
36"	**TS736TICHTW**	$360

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

90° Corner Application Change-of-Height Trims—Thin Trim

Tip: Thin change-of-height trim cannot be used with square or oval top trim.

Standard Includes	Required to Specify
▶ Need help? Product details, pages 38–39 • Trim: paint price group 1 or wood group 1	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*

Specification Information

Corresponding Panel Height	Painted Trim Style Number	Painted Trim U.S. Base Price	Wood Trim Style Number	Wood Trim U.S. Base Price
L Corner Change-of-Height Trim				
6"	**TS76TCLCHT**	$ 97	**TS76TCLCHTW**	$354
12"	**TS712TCLCHT**	$ 97	**TS712TCLCHTW**	$354
18"	**TS718TCLCHT**	$ 97	**TS718TCLCHTW**	$354
24"	**TS724TCLCHT**	$ 97	**TS724TCLCHTW**	$354
30"	**TS730TCLCHT**	$106	**TS730TCLCHTW**	$360
36"	**TS736TCLCHT**	$106	**TS736TCLCHTW**	$360
T Corner Change-of-Height Trim				
6"	**TS76TCTCHT**	$ 97	**TS76TCTCHTW**	$354
12"	**TS712TCTCHT**	$ 97	**TS712TCTCHTW**	$354
18"	**TS718TCTCHT**	$ 97	**TS718TCTCHTW**	$354
24"	**TS724TCTCHT**	$ 97	**TS724TCTCHTW**	$354
30"	**TS730TCTCHT**	$106	**TS730TCTCHTW**	$360
36"	**TS736TCTCHT**	$106	**TS736TCTCHTW**	$360

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

120° Corner Application Change-of-Height Trims—Thin Trim

Tip: Thin change-of-height trim cannot be used with square or oval top trim.

Standard Includes	Required to Specify
▶Need help? Product details, page 39	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Trim: paint price group 1 or wood group 1	

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
	Painted Trim		Wood Trim	
120° Corner Change-of-Height Trim				
6"	**TS76T120CHT**	$ 97	**TS76T120CHTW**	$354
12"	**TS712T120CHT**	$ 97	**TS712T120CHTW**	$354
18"	**TS718T120CHT**	$ 97	**TS718T120CHTW**	$354
24"	**TS724T120CHT**	$ 97	**TS724T120CHTW**	$354
30"	**TS730T120CHT**	$106	**TS730T120CHTW**	$360
36"	**TS736T120CHT**	$106	**TS736T120CHTW**	$360
V Corner Change-of-Height Trim				
6"	**TS76TVCHT**	$ 97	**TS76TVCHTW**	$354
12"	**TS712TVCHT**	$ 97	**TS712TVCHTW**	$354
18"	**TS718TVCHT**	$ 97	**TS718TVCHTW**	$354
24"	**TS724TVCHT**	$ 97	**TS724TVCHTW**	$354
30"	**TS730TVCHT**	$106	**TS730TVCHTW**	$360
36"	**TS736TVCHT**	$106	**TS736TVCHTW**	$360

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Build Your Own Junction Components—Thin Trim

Junction Posts



Tip: Junction post can be used at an end-of-run configuration or to change a junction application between an L,T, X, V, or Y.

*Tip: Junction block to post fasteners are included with junction blocks. For additional fasteners order part number **T521882MP** (quantity 50).*

Standard Includes	Required to Specify
• Junction post	Style number

▶ Need help? Product details, page 35

Specification Information

Height	Style Number	U.S. Price
30"	**TS730JP**	$ 79
36"	**TS736JP**	$ 79
42"	**TS742JP**	$ 79
48"	**TS748JP**	$ 79
54"	**TS754JP**	$ 79
66"	**TS766JP**	$ 79
78"	**TS778JP**	$111

Gripper Glide Caps



Tip: Gripper glide caps only work on glides of junctions that were manufactured on or after October 10, 2011.

Standard Includes	Required to Specify
• Package of 10 gripper glide caps: soft black plastic only	Style number

Specification Information

Style Number	U.S. Price
TS7GGC10	$70

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Junction Blocks

Standard Includes	Required to Specify
▶Need help? Product details, page 35 • Junction blocks • Fasteners	Style number

Tip: When determining the number of junction blocks needed in a same-height corner, start with your lowest panel height. If the lowest height is 48" or less, start with 2 blocks. If the lowest height is 54" to 78" start with 3 blocks.

Tip: When determining the number of blocks needed in a change-of-height corner, please see page 41, How to Build Your Own Change-of-Height Applications.





Specification Information

Application	Package Quantity	Style Number	U.S. Price
90°	3	**TS790JB3**	$ 52
90°	4	**TS790JB4**	$ 69
90°	5	**TS790JB5**	$ 88
120°	3	**TS7120JB3**	$ 79
120°	4	**TS7120JB4**	$106
120°	5	**TS7120JB5**	$130

Inside Corner Light Seals

Standard Includes	Required to Specify
▶Need help? Product details, page 35 • Inside corner light seal, package of four: black plastic	Style number

Specification Information

Height	Style Number	U.S. Price
54"	**TS754ICLS**	$34
66"	**TS766ICLS**	$34
78"	**TS778ICLS**	$34

Tip: Inside corner light seals can be field cut for use on shorter panels.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Build Your Own Junction Components—Thin Trim, continued

Junction Caps

Tip: Aligners are specified separately.

Tip: 90° corner and 90° change-of-height corner junction cap include no aligners. All are specified separately.

Tip: 120° corner junction cap includes one integral aligner. Additional aligners are specified separately.

Standard Includes	Required to Specify
▶ Need help? Product details, page 36 • Junction cap: paint or wood group 1	1 Style number 2 Paint or wood color number for junction cap 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	No cost	Specify paint color number.
	• Paint price group 3	No cost	Specify paint color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*

Specification Information

Corresponding Panel Application	Painted Junction Cap: Style Number	Painted Junction Cap: U.S. Price	Wood Junction Cap: Style Number	Wood Junction Cap: U.S. Price
90° corner	**TS790JC**	$18	**TS790JCW**	$134
120° corner	**TS7120JC**	$18	**TS7120JCW**	$134
90° change-of-height corner	**TS790COHJC**	$18	**TS790COHJCW**	$134

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Junction Cap and Trim Aligners

Standard Includes	Required to Specify
▶ Need help? Product details, page 36	• Junction cap aligner or vertical trim aligner	Style number


Specification Information

Description	Package Quantity	Style Number	U.S. Price
Junction Cap Aligner			
Corner aligner	10	**TS7CJCA10**	$120
Vertical Trim Aligners			
L to T aligner	4	**TS7LTA4**	$ 34
120° to V aligner	4	**TS7120VA4**	$ 34

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Base Horizontal Frame Packages—Thin Trim and Big Open Base Trim Package

For Panel Buildups



Tip: You must order vertical junctions separately to complete your frame.
▶See page 332.

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Change-of-height top caps are only required in an in-line change-of-height application.

Tip: Remember to omit base trim(s) when using skins to the floor.

Tip: Omit base trim and separately specify hardwire base trims when accessing hardwire power in the base.

Tip: When open base trim or big open base option is selected, both base trims are omitted.

Tip: Base cable tray cannot be used if open base or big open base is selected, or if omit base trim is selected for one or both sides of panel.


Tip: Remember to order skins to complete the panel.
▶See page 446.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

	Standard Includes	Required to Specify
▶Need help? Product details, page 58	• Standard length top cap: color default determined by base trim paint color • Base trim with no knockouts (on 18"W): paint price group 1 • Base trim with knockouts (24"W to 72"W): paint price group 1 • Two horizontal connecting bars: black paint only	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.
	Top cap		
	• Omit top cap	No cost	Specify *omit top cap.*
	• Wood	Prices at right	Specify *with wood top cap* and select wood color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap	+$ 7	Specify *with change-of-height, one end.*
	• Change-of-height at both ends of top cap on 36"W and wider packages	+$ 7	Specify *with change-of-height, both ends.*
Base Trim	• Knockouts one side, plain one side (24"W to 72"W only)	No cost	Specify *with knockouts one side, plain one side.*
	• Plain both sides (24"W to 72"W only)	No cost	Specify *with plain both sides.*
	• Omit one side, knockouts one side, 24"W to 36"W	–$ 3	Specify *with omit one side, knockouts one side.*
	• Omit one side, knockouts one side, 42"W to 48"W	–$ 4	Specify *with omit one side, knockouts one side.*
	• Omit one side, knockouts one side, 60"W to 72"W	–$ 5	Specify *with omit one side, knockouts one side.*
	• Omit one side, plain one side, 18"W to 36"W	–$ 3	Specify *with omit one side, plain one side.*
	• Omit one side, plain one side, 42"W to 48"W	–$ 4	Specify *with omit one side, plain one side.*
	• Omit one side, plain one side, 60"W to 72"W	–$ 5	Specify *with omit one side, plain one side.*
	• Omit both sides, 18"W to 36"W	–$ 6	Specify *with omit both sides.*
	• Omit both sides, 42"W to 48"W	–$ 8	Specify *with omit both sides.*
	• Omit both sides, 60"W to 72"W	–$ 10	Specify *with omit both sides.*
Open Base Trim	• Open base	No cost	Specify *with open base.*
Big Open Base	• Big open base	+$107	Specify *with big open base.*
Cable Tray	• Cable tray	No cost	Specify *with cable tray.*
Base Cable Tray	• Base cable tray	+$ 5	Specify *with base cable tray.*

Base Horizontal Frame Packages—Thin Trim and Big Open Base Trim Package



Specification Information			
Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Wood Top Cap
18"	**TS718THF**	$122	+$301
24"	**TS724THF**	$130	+$301
30"	**TS730THF**	$139	+$301
36"	**TS736THF**	$148	+$301
42"	**TS742THF**	$170	+$301
48"	**TS748THF**	$178	+$301
60"	**TS760THF**	$227	+$396
72"	**TS772THF**	$312	+$396

Big Open Base Trim Package



Standard Includes	Required to Specify
▶ Need help? Product details, page 58	• Two inside vertical trim: paint price group 1	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information	
Style Number	U.S. Base Price
TSBBOBTRM	$115

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Stacking Horizontal Frame Packages

For Panel Buildups



Tip: You must order vertical stacking junctions separately to complete your frame.
▶Page 412

Tip: Top cap is not included. Use the top cap from the base panel you are stacking on.

Tip: If stacking a window kit, stacking horizontal frame package is not needed.

Tip: Remember to order skins to complete the panel.
▶Page 446

Standard Includes	Required to Specify
▶Need help? Product details, page 62 • One horizontal connecting bar: black paint only	Style number


Specification Information

Width	Style Number	U.S. Price
18"	**TS718HFS**	$28
24"	**TS724HFS**	$34
30"	**TS730HFS**	$35
36"	**TS736HFS**	$37
42"	**TS742HFS**	$40
48"	**TS748HFS**	$47
60"	**TS760HFS**	$55
72"	**TS772HFS**	$81

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Spanning Top Caps—Thin Trim

For Panel Buildups



Tip: In-line spanning top cap lightseals should be specified for each in-line joint top cap it is spanning across.
▶See page 487.

Standard Includes	Required to Specify
▶Need help? Product details, page 59	• Top cap: paint or wood group 1	1 Style number 2 Paint or wood color number for top cap 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap	+$7	Specify *with change-of-height, one end.*
	• Change-of-height at both ends of top cap	+$7	Specify *with change-of-height, both ends.*

Specification Information

Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price
	Painted Top Cap		**Wood Top Cap**	
36"	**TS736TTC**	$ 31	**TS736TTCW**	$332
42"	**TS742TTC**	$ 37	**TS742TTCW**	$338
48"	**TS748TTC**	$ 47	**TS748TTCW**	$348
54"	**TS754TTC**	$ 53	**TS754TTCW**	$449
60"	**TS760TTC**	$ 54	**TS760TTCW**	$450
66"	**TS766TTC**	$ 61	**TS766TTCW**	$457
72"	**TS772TTC**	$ 63	**TS772TTCW**	$459
78"	**TS778TTC**	$ 79	**TS778TTCW**	$475
84"	**TS784TTC**	$ 92	**TS784TTCW**	$488
90"	**TS790TTC**	$106	**TS790TTCW**	$502
96"	**TS796TTC**	$118	**TS796TTCW**	$514

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Frameless Glass Screens with Recessed Attachment—Thin Trim

Tip: These screens are only to be used on panels with thin trims.

Tip: Remember to specify in-line spanning top cap lightseals if frameless glass screen is spanning two or more panels.
▶See page 487.

Tip: Wall start application should be specified when using a wall start junction to attach to a wall or to be used in an off-module condition.

*Tip: For spanning glass widths less than 72", two additional junction grommets will be needed per each in-line junction being spanned over. For spanning glass widths of 72" and greater, if spanning more than one in-line junction, two extra grommets should be ordered per each additional in-line junction being spanned over. Order service part package **892050001MP** for a package of 20 grommets.*



▶Need help? Product details, page 64

Standard Includes	Required to Specify
• Glass screen: 6500 Clear Glass • Two supports for 24"–66" wide • Three supports for 72"–96" wide • Two top caps—thin trim: paint	1 Style number 2 Paint color number for top caps 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Top cap**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Wood group 1	Prices below and at right	Specify *with wood top cap* and select wood color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap	+$ 7	Specify *with change-of-height, one end.*
Wall Start Application	• Wall start application	No cost	Specify *with wall start application.*
Glass Screen	• Omit glass screen	Prices below and at right	Specify *with omit screen.*
	• Frosted glass	Prices below and at right	Specify *with 6530 Frosted Laminated Glass.*

Specification Information

6"H Recessed Frameless Glass

• Width	• Style Number	• U.S. Base Price	• Options (Add $ to Base Price)		
			Wood Top Cap	Omit Glass	Frosted Glass
24"	**TS7624TFGR**	$ 538	+$301	–$ 96	+$ 50
30"	**TS7630TFGR**	$ 570	+$301	–$110	+$ 66
36"	**TS7636TFGR**	$ 605	+$301	–$114	+$115
42"	**TS7642TFGR**	$ 632	+$301	–$118	+$175
48"	**TS7648TFGR**	$ 661	+$301	–$126	+$192
54"	**TS7654TFGR**	$ 706	+$396	–$130	+$219
60"	**TS7660TFGR**	$ 755	+$396	–$136	+$248
66"	**TS7666TFGR**	$ 793	+$396	–$142	+$270
72"	**TS7672TFGR**	$ 828	+$396	–$147	+$291
78"	**TS7678TFGR**	$ 917	+$396	–$157	+$303
84"	**TS7684TFGR**	$1006	+$396	–$166	+$310
90"	**TS7690TFGR**	$1095	+$396	–$175	+$337
96"	**TS7696TFGR**	$1179	+$396	–$186	+$349


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**


Specification Information

12"H Recessed Frameless Glass



Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Wood Top Cap	Omit Glass	Frosted Glass
24"	**TS71224TFGR**	$ 671	+$301	–$121	+$ 93
30"	**TS71230TFGR**	$ 720	+$301	–$136	+$122
36"	**TS71236TFGR**	$ 774	+$301	–$146	+$187
42"	**TS71242TFGR**	$ 827	+$301	–$152	+$275
48"	**TS71248TFGR**	$ 874	+$301	–$167	+$307
54"	**TS71254TFGR**	$ 941	+$396	–$173	+$349
60"	**TS71260TFGR**	$1009	+$396	–$181	+$394
66"	**TS71266TFGR**	$1067	+$396	–$191	+$434
72"	**TS71272TFGR**	$1126	+$396	–$196	+$473
78"	**TS71278TFGR**	$1252	+$396	–$214	+$499
84"	**TS71284TFGR**	$1377	+$396	–$227	+$514
90"	**TS71290TFGR**	$1503	+$396	–$243	+$568
96"	**TS71296TFGR**	$1632	+$396	–$257	+$596

18"H Recessed Frameless Glass



24"	**TS71824TFGR**	$ 741	+$301	–$134	+$142
30"	**TS71830TFGR**	$ 819	+$301	–$154	+$181
36"	**TS71836TFGR**	$ 891	+$301	–$167	+$266
42"	**TS71842TFGR**	$ 968	+$301	–$176	+$378
48"	**TS71848TFGR**	$1035	+$301	–$196	+$422
54"	**TS71854TFGR**	$1130	+$396	–$209	+$476
60"	**TS71860TFGR**	$1225	+$396	–$225	+$533
66"	**TS71866TFGR**	$1308	+$396	–$233	+$584
72"	**TS71872TFGR**	$1393	+$396	–$245	+$631
78"	**TS71878TFGR**	$1559	+$396	–$267	+$664
84"	**TS71884TFGR**	$1726	+$396	–$285	+$692
90"	**TS71890TFGR**	$1897	+$396	–$303	+$761
96"	**TS71896TFGR**	$2067	+$396	–$328	+$798


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Frameless Glass Screens with Recessed Attachment—Thin Trim, continued

▶**Specification Information, continued from previous page**

Specification Information



24"H Recessed Frameless Glass

• Width	• Style Number	• U.S. Base Price	• Options (Add $ to Base Price) Wood Top Cap	Omit Glass	Frosted Glass
24"	**TS72424TFGR**	$ 844	+$301	–$186	+$185
30"	**TS72430TFGR**	$ 941	+$301	–$226	+$232
36"	**TS72436TFGR**	$1035	+$301	–$249	+$340
42"	**TS72442TFGR**	$1135	+$301	–$283	+$431
48"	**TS72448TFGR**	$1219	+$301	–$320	+$506
54"	**TS72454TFGR**	$1342	+$396	–$362	+$578
60"	**TS72460TFGR**	$1464	+$396	–$397	+$651
66"	**TS72466TFGR**	$1568	+$396	–$428	+$721
72"	**TS72472TFGR**	$1724	+$396	–$461	+$786
78"	**TS72478TFGR**	$1828	+$396	–$492	+$829
84"	**TS72484TFGR**	$2040	+$396	–$560	+$867
90"	**TS72490TFGR**	$2256	+$396	–$631	+$937
96"	**TS72496TFGR**	$2464	+$396	–$684	+$979

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Recessed Frameless Glass Top Cap Connector and Junction Grommets for Frameless Glass—Thin Trim

Recessed Frameless Glass Top Connector—Thin Trim



Tip: Recessed frameless glass top cap connector needs to be ordered in the following situations:

- *when using a wall start junction and putting frameless glass with recessed attachment on the panel directly adjacent to the wall*
- *when using frameless glass with recessed attachment on an off-module fin panel*
- *when recessed frameless glass is adjacent to a corner junction and the recessed frameless glass top caps are located at a lower height than the junction cap*
- *when recessed frameless glass is coming into an in-line change-of-height condition and the recessed frameless glass top caps are located on the lower panel height*
- *when recessed, frameless glass is adjacent to a utility pole*
- *when frameless glass or top cap mounted storage is used on a panel that is adjacent to a boundary screen*

▶Need help? Product details, page 65

Standard Includes	Required to Specify
• One recessed frameless glass top cap connector	Style number

Specification Information

Style Number	U.S. Price
TS7TFGRC	$27

Junction Grommets for Frameless Glass—Thin Trim


Standard Includes	Required to Specify
• Two standard junction grommets	Style number

Specification Information

Style Number	U.S. Price
TS7FGJG	$5

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Frameless Glass Screens with Clip Attachment—Thin Trim



▶Need help? Product details, page 68

Tip: These screens are only to be used on panels with thin trims.

Tip: Remember to specify in-line spanning top cap lightseals if frameless glass screen is spanning two or more panels.
▶See page 487.

Standard Includes	Required to Specify
• Glass screen: 6500 Clear Glass • Two brackets, 24"W to 84"W: paint • Three brackets, 90"W to 96"W: paint • Two supports • Thin profile top cap with holes: paint	1 Style number 2 Paint color number for brackets 3 Paint color number for top cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Top cap**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	• Wood group 1	Prices below	Specify *with wood top cap* and select wood color number.
	• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap	+$7	Specify *with change-of-height, one end.*
Glass Screen	• Omit glass screen	Prices below	Specify *with omit screen.*
	• Frosted glass	Prices below	Specify *with 6530 Frosted Tempered Glass.*

Specification Information

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)		
			Wood Top Cap	Omit Glass	Frosted Glass
24"	**TS71224TFG**	$ 671	+$301	–$121	+$ 93
30"	**TS71230TFG**	$ 720	+$301	–$136	+$122
36"	**TS71236TFG**	$ 774	+$301	–$146	+$187
42"	**TS71242TFG**	$ 827	+$301	–$152	+$275
48"	**TS71248TFG**	$ 874	+$301	–$167	+$307
60"	**TS71260TFG**	$1009	+$396	–$181	+$394
72"	**TS71272TFG**	$1126	+$396	–$196	+$473
78"	**TS71278TFG**	$1252	+$396	–$214	+$499
84"	**TS71284TFG**	$1377	+$396	–$227	+$514
90"	**TS71290TFG**	$1503	+$396	–$243	+$568
96"	**TS71296TFG**	$1632	+$396	–$257	+$596

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Frameless Glass Screens with Clip Attachment—Thin Trim

Universal and Sarto Screens with Answer Thin Trim Top Cap

For Panel Buildups


Tip: In-line spanning top cap lightseals should be specified for each in-line joint top cap it is spanning across.
▶See page 382.


Tip: Spanning top caps can also be used on individual panels.

Standard Includes	Required to Specify
▶Need help? Product details, page 70	1 Style number 2 Paint color number for top cap 3 Fabric color number for screen 4 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 5 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Top cap: paint price group 1 • Screen: fabric price group 1 • Edge on Universal screen: PET	

Options		U.S. Price	Required to Specify
Surface Materials	**Top cap**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3		
	– 24"W to 72"W	+$ 37	Specify paint color number.
	– 78"W to 96"W	+$ 36	Specify paint color number.
	Screen		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 53	Specify fabric color number.
	• Fabric price group 3	+$142	Specify fabric color number.
	• Fabric price group 4	+$178	Specify fabric color number.
	• Fabric price group 5	+$218	Specify fabric color number.
	• Fabric price group 6	+$256	Specify fabric color number.
	• Fabric price group 7	+$296	Specify fabric color number.
	• Fabric price group 8	+$332	Specify fabric color number.
	• Fabric price group 9	+$371	Specify fabric color number.
	• Fabric price group 10	+$408	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶See *Surface Materials Reference Manual.*

Specification Information





Universal Screens with Answer Thin Trim Top Cap

• Dimensions W	H	• Style Number	• U.S. Base Price
24"	13½"	**TS71324TUSC**	$ 702
30"	13½"	**TS71330TUSC**	$ 750
36"	13½"	**TS71336TUSC**	$ 805
42"	13½"	**TS71342TUSC**	$ 864
48"	13½"	**TS71348TUSC**	$ 918
54"	13½"	**TS71354TUSC**	$ 973
60"	13½"	**TS71360TUSC**	$1023
66"	13½"	**TS71366TUSC**	$1078
72"	13½"	**TS71372TUSC**	$1134


Sarto Screens with Answer Thin Trim Top Cap


• Style Number	• U.S. Base Price
TS71324TSSC	$523
TS71330TSSC	$562
TS71336TSSC	$602
TS71342TSSC	$646
TS71348TSSC	$686
TS71354TSSC	$730
TS71360TSSC	$768
TS71366TSSC	$806
TS71372TSSC	$852

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued on next page**

▶**Specification Information, continued from previous page**





Universal Screens with Answer Thin Trim Top Cap

Dimensions W	Dimensions H	Style Number	U.S. Base Price
78"	13½"	**TS71378TUSC**	$1191
84"	13½"	**TS71384TUSC**	$1253
90"	13½"	**TS71390TUSC**	$1312
96"	13½"	**TS71396TUSC**	$1375
24"	19½"	**TS71924TUSC**	$ 799
30"	19½"	**TS71930TUSC**	$ 880
36"	19½"	**TS71936TUSC**	$ 958
42"	19½"	**TS71942TUSC**	$1042
48"	19½"	**TS71948TUSC**	$1130
54"	19½"	**TS71954TUSC**	$1210
60"	19½"	**TS71960TUSC**	$1289
66"	19½"	**TS71966TUSC**	$1370
72"	19½"	**TS71972TUSC**	$1454
78"	19½"	**TS71978TUSC**	$1538
84"	19½"	**TS71984TUSC**	$1627
90"	19½"	**TS71990TUSC**	$1715
96"	19½"	**TS71996TUSC**	$1800

Sarto Screens with Answer Thin Trim Top Cap

Style Number	U.S. Base Price
TS71378TSSC	$ 897
TS71384TSSC	$ 946
TS71390TSSC	$1030
TS71396TSSC	$1046
TS71924TSSC	$ 595
TS71930TSSC	$ 656
TS71936TSSC	$ 713
TS71942TSSC	$ 778
TS71948TSSC	$ 841
TS71954TSSC	$ 902
TS71960TSSC	$ 961
TS71966TSSC	$1022
TS71972TSSC	$1081
TS71978TSSC	$1154
TS71984TSSC	$1223
TS71990TSSC	$1338
TS71996TSSC	$1362

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Top Cap Mount Storage—Brackets

Tip: Top cap mounted storage can only be used with thin trim panels.

Tip: Brackets will be visible on the bottom of the storage unit. They can be painted to match the panel trim or storage unit.

Standard Includes	Required to Specify
▶Need help? Product details, page 74	• Two support brackets for centered mounted applications, if selected: paint price group 1 • Two support brackets for aisleway applications, for use with 30"W to 48" storage units, if selected: paint price group 1 • Three support brackets for aisle way applications, for use with 54"W to 72"W storage units, if selected: paint price group 1	1 Style number 2 Paint color number for bracket ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

- **Style Number**
- **U.S. Base Price**





Center Mounted Applications

TS7CMB2	$514

Tip: Center mounted applications can accept storage units up to 25"D.





Tip: Aisleway applications can accept storage units up to 17"D.

Tip: Top caps and storage to complete the solution are specified separately.

Aisleway Applications

For Use with 30"W to 48"W Storage Units


TS7CMBA2	$514

For Use with 54"W to 72"W Storage Units

TS7CMBA3	$710

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Top Cap Mounted Storage—Top Caps and Aligner Packages



Tip: Top caps should be specified to match the width of the storage unit that is being top cap mounted. They do not necessarily match the width of the panel.

Tip: When top cap mounted storage units are on module with the panel, standard top caps from the horizontal frame package can be omitted. If the top cap mounted storage is being mounted off-module, standard top caps should NOT be omitted from the horiztonal frame package.

Tip: Mounting brackets and storage to complete the solution are specified separately.

Standard Includes	Required to Specify
▶ Need help? Product details, page 74	1 Style number 2 Paint or wood color number for top cap 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Two top caps – thin trim: paint or wood group 1 • Aligner package: – Two end-of-run aligners – Two in-line aligners – One recessed-to-recessed aligner	

	Options	U.S. Price	Required to Specify
Surface Materials	**Top cap**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

- **Width**
- **Style Number**
- **U.S. Base Price**

Top Cap and Aligner Packages—Painted

30"	**TS730TTCR**	$ 81
36"	**TS736TTCR**	$ 89
42"	**TS742TTCR**	$ 92
48"	**TS748TTCR**	$ 94
54"	**TS754TTCR**	$ 95
60"	**TS760TTCR**	$ 97
66"	**TS766TTCR**	$101
72"	**TS772TTCR**	$114


Top Cap and Aligner Packages—Wood

30"	**TS730TTCWR**	$382
36"	**TS736TTCWR**	$390
42"	**TS742TTCWR**	$393
48"	**TS748TTCWR**	$395
54"	**TS754TTCWR**	$396
60"	**TS760TTCWR**	$398
66"	**TS766TTCWR**	$402
72"	**TS772TTCWR**	$415

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Panel Packages—Thin Trim

For Panel Buildups



Side 1 Side 2

Tip: You must order junctions separately to connect adjacent panels.
▶See page 332.

Tip: Remember to order receptacles and faceplates.
▶See page 494.

Tip: For further information about fabric direction, see page 678.

Tip: 72"W panels accommodate fabric in the horizontal application only.

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Change-of-height top cap option should be specified only when using an in-line change-of-height application.

Tip: When open base trim option is selected, both base trims are omitted.

Tip: Base cable tray cannot be used if open base trim is selected.

Tip: 18"W panels can accommodate pass-through power only.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶Need help? Product details, page 78

Standard Includes	Required to Specify
• Tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1 • Performance tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1 • Standard length top cap: color default determined by trim paint color • Base trim with no knockouts (18"W): painted steel • Base trim with knockouts (24"W to 72"W): painted steel • Two horizontal connecting bars	1 Style number 2 Fabric color number for side 1 3 Fabric color number for side 2 4 Paint color number for trim 5 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials		
Skin surface		
• Fabric price group A each side	–$ 5	Specify fabric color number.
• Fabric price group 1 each side	No cost	Specify fabric color number.
• Fabric price group 2 each side	+$ 42	Specify fabric color number.
• Fabric price group 3 each side	+$ 78	Specify fabric color number.
• Fabric price group 4 each side	+$121	Specify fabric color number.
• Fabric price group 5 each side	+$188	Specify fabric color number.
• Fabric price group 6 each side	+$260	Specify fabric color number.
• Fabric price group 7 each side	+$329	Specify fabric color number.
• Fabric price group 8 each side	+$689	Specify fabric color number.
• Fabric price group 9 each side	+$807	Specify fabric color number.
• Fabric price group 10 each side	+$932	Specify fabric color number.
• Fabric price group COM each side	+$ 25	Specify fabric color number.
Fabric direction on 18"W to 60"W panels		
• Vertical application, side 1	No cost	Specify *with vertical application.*
• Vertical application, side 2	No cost	Specify *with vertical application.*
Trim		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 17	Specify paint color number.
• Paint price group 3	+$ 37	Specify paint color number.
Top cap		
• Omit top cap	No cost	Specify *omit top cap.*
• Wood group 1 (18"W to 48"W)	+$301	Specify *with wood top cap* and select wood color number.
• Wood group 1 (60"W to 72"W)	+$396	Specify *with wood top cap* and select wood color number.
• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Top Cap		
• Change-of-height at one end of top cap	+$ 7	Specify *with change-of-height, one end.*
• Change-of-height at both ends of top cap	+$ 7	Specify *with change-of-height, both ends.*
Base Trim		
• Knockouts one side, plain one side (24"W to 72"W only)	No cost	Specify *with knockouts one side, plain one side.*
• Plain both sides (24"W to 72"W only)	No cost	Specify *with plain both sides.*
• Open base	No cost	Specify *with omit open base.*
Cable Tray		
• Cable tray	No cost	Specify *with cable tray.*
Base Cable Tray		
• Base cable tray	+$ 5	Specify *with base cable tray.*

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Power with 3+1, 2+2, or Three Separate Neutrals (3SN) Wiring Schematics	• One pass-through power harness 18"W to 48"W	+$270	Specify *with one pass-through harness* and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One pass-through power harness 60"W to 72"W	+$302	Specify *with one pass-through harness* and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One powerkit 24"W to 48"	+$337	Specify *with one powerkit* and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One powerkit 60"W or 72"	+$509	Specify *with one powerkit* and indicate wiring schematic type (3+1, 2+2, or 3SN).

Specification Information

Full Skin Tackable Acoustical Panel Packages

Width	42"H Style Number	42"H U.S. Base Price	48"H Style Number	48"H U.S. Base Price	54"H Style Number	54"H U.S. Base Price	66"H Style Number	66"H U.S. Base Price
18"	**TS74218TTF**	$ 614	**TS74818TTF**	$ 625	**TS75418TTF**	$ 646	**TS76618TTF**	$ 755
24"	**TS74224TTF**	$ 666	**TS74824TTF**	$ 674	**TS75424TTF**	$ 685	**TS76624TTF**	$ 803
30"	**TS74230TTF**	$ 709	**TS74830TTF**	$ 715	**TS75430TTF**	$ 732	**TS76630TTF**	$ 848
36"	**TS74236TTF**	$ 755	**TS74836TTF**	$ 776	**TS75436TTF**	$ 787	**TS76636TTF**	$ 897
42"	**TS74242TTF**	$ 843	**TS74842TTF**	$ 847	**TS75442TTF**	$ 870	**TS76642TTF**	$ 976
48"	**TS74248TTF**	$ 961	**TS74848TTF**	$ 970	**TS75448TTF**	$ 989	**TS76648TTF**	$1098
60"	**TS74260TTF**	$1128	**TS74860TTF**	$1143	**TS75460TTF**	$1168	**TS76660TTF**	$1261
72"	**TS74272TTF**	$1304	**TS74872TTF**	$1317	**TS75472TTF**	$1346	**TS76672TTF**	$1437


Full Skin Performance Tackable Acoustical Panel Packages

18"	**TS74218TPF**	$ 669	**TS74818TPF**	$ 692	**TS75418TPF**	$ 701	**TS76618TPF**	$ 829
24"	**TS74224TPF**	$ 725	**TS74824TPF**	$ 737	**TS75424TPF**	$ 761	**TS76624TPF**	$ 868
30"	**TS74230TPF**	$ 779	**TS74830TPF**	$ 798	**TS75430TPF**	$ 814	**TS76630TPF**	$ 926
36"	**TS74236TPF**	$ 838	**TS74836TPF**	$ 850	**TS75436TPF**	$ 865	**TS76636TPF**	$ 973
42"	**TS74242TPF**	$ 908	**TS74842TPF**	$ 927	**TS75442TPF**	$ 944	**TS76642TPF**	$1069
48"	**TS74248TPF**	$1046	**TS74848TPF**	$1067	**TS75448TPF**	$1092	**TS76648TPF**	$1210
60"	**TS74260TPF**	$1229	**TS74860TPF**	$1248	**TS75460TPF**	$1275	**TS76660TPF**	$1381
72"	**TS74272TPF**	$1422	**TS74872TPF**	$1441	**TS75472TPF**	$1456	**TS76672TPF**	$1570

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens

Straight, Single-Connect For Use with Thin Trim Panels



Tip: Additional hardware upcharge is applied only when single-connect straight split style number is specified.

Tip: When specifying a boundary screen equal to or taller than an Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option.

Tip: When attaching boundary screen to Answer panel with stacking segment, order a boundary screen, end-of-run junction, omit trim, add a change-of-height trim, and stacking junction.

Tip: When specifying a boundary screen shorter than Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option, and order a change-of-height trim.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate or veneer finish.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: When specifying a split boundary screen, two screen widths will need to be specified.

Tip: Full-fill finish codes can be used to simplify specification of veneer boundary screens being used in settings with full-fill veneer products. The screen will not have the final fill coat applied, but the finish color will be consistent with the full-fill products.

▶ Need help? Product details, page 80

Standard Includes

- Screen: High-Pressure Laminate price group 1 or composite veneer price group 1
- Edge on laminate screen, if selected: plastic
- Height: 30"H–54"H
- Width:
  – Single-sided: 27"W–75"W
  – Spanning : 51"W–75"W
  – Split left and right: 25½"W–73½"W
- Connecting panel cover: paint price group 1
- 1½" adjustable glides
- Attachment hardware

Required to Specify

1 Style number
2 Screen size type (see below under Required Selections)
3 Screen height(s)
4 Height of connecting panel (see below under Required Selections)
5 Screen width(s)
6 Handedness: on single-sided screens, if selected (see below under Required Selections)
7 High-Pressure Laminate or composite veneer color for screen
8 Plastic color number for edge on laminate screen, if selected
9 Grain direction
10 Paint color number for connecting panel cover
11 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

	Required Component	U.S. Price
Additional Hardware	• Single-connect straight split	+$ 31

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	• Modular	No cost	Specify *with modular.*
	• Parametric	No cost	Specify *with parametric.*
Height of Connecting Panel	• 30"H	No cost	Specify *with 30"H.*
	• 36"H	No cost	Specify *with 36"H.*
	• 42"H	No cost	Specify *with 42"H.*
	• 48"H	No cost	Specify *with 48"H.*
	• 54"H	No cost	Specify *with 54"H.*
	• 60"H	No cost	Specify *with 60"H.*
	• 66"H	No cost	Specify *with 66"H.*
	• 72"H	No cost	Specify *with 72"H.*
	• 78"H	No cost	Specify *with 78"H.*
	• 84"H	No cost	Specify *with 84"H.*
	• 90"H	No cost	Specify *with 90"H.*
Handedness (Single-Sided Screens Only)	• Right handed	No cost	Specify *with single-sided right.*
	• Left handed	No cost	Specify *with single-sided left.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Screen**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$217 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$212	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$233	Specify wood color number.
	• Wood group 3	+$827	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
	• Full-fill finish on wood group 1	No cost	Specify full-fill finish number.
	Connecting panel cover		
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.


▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Laminate wood grain direction**		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*
	Wood veneer grain direction		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – $32^{15}/_{16}$"W	33"W – $38^{15}/_{16}$"W	39"W – $44^{15}/_{16}$"W	45"W – $50^{15}/_{16}$"W	51"W – $56^{15}/_{16}$"W	57"W – $62^{15}/_{16}$"W	63"W – $68^{15}/_{16}$"W	69"W – $74^{15}/_{16}$"W	75"W



Straight Single-Connect Boundary Screen—Single-Sided

High-Pressure Laminate										
TS7SCSSD	30"H	$ 774	$ 923	$1076	$1226	$1379	$1530	$1683	$1833	$1984
	36"H	$ 787	$ 956	$1124	$1288	$1455	$1622	$1789	$1954	$2121
	42"H	$ 804	$ 985	$1166	$1346	$1530	$1711	$1892	$2075	$2259
	48"H	$ 819	$1015	$1213	$1408	$1606	$1803	$2000	$2195	$2395
	54"H	$ 835	$1046	$1257	$1470	$1683	$1892	$2106	$2320	$2530
Composite Veneer										
TS7SCSSD	30"H	$1046	$1318	$1592	$1862	$2136	$2409	$2683	$2957	$3228
	36"H	$1136	$1433	$1730	$2024	$2318	$2614	$2913	$3204	$3500
	42"H	$1227	$1545	$1863	$2181	$2498	$2816	$3136	$3454	$3775
	48"H	$1319	$1659	$2000	$2340	$2682	$3023	$3364	$3703	$4046
	54"H	$1412	$1773	$2136	$2501	$2867	$3226	$3591	$3955	$4319
Wood Veneer										
TS7SCSSD	30"H	$1074	$1357	$1644	$1925	$2212	$2496	$2783	$3069	$3352
	36"H	$1171	$1480	$1790	$2098	$2405	$2713	$3027	$3330	$3638
	42"H	$1269	$1601	$1933	$2264	$2596	$2926	$3260	$3592	$3927
	48"H	$1369	$1723	$2079	$2432	$2790	$3145	$3500	$3853	$4212
	54"H	$1470	$1846	$2223	$2604	$2985	$3358	$3740	$4119	$4499


▶**Specification Information, continued on next page**

Answer Boundary Screens Straight, Single-Connect For Use with Thin Trim Panels, continued

Specification Information, continued from previous page

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69"W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



Straight Single-Connect Boundary Screen—Spanning

High-Pressure Laminate										
TS7SCSPN	30"H	N.A.	N.A.	N.A.	N.A.	$1379	$1530	$1683	$1833	$1984
	36"H	N.A.	N.A.	N.A.	N.A.	$1455	$1622	$1789	$1954	$2121
	42"H	N.A.	N.A.	N.A.	N.A.	$1530	$1711	$1892	$2075	$2259
	48"H	N.A.	N.A.	N.A.	N.A.	$1606	$1803	$2000	$2195	$2395
	54"H	N.A.	N.A.	N.A.	N.A.	$1683	$1892	$2106	$2320	$2530
Composite Veneer										
TS7SCSPN	30"H	N.A.	N.A.	N.A.	N.A.	$2136	$2409	$2683	$2957	$3228
	36"H	N.A.	N.A.	N.A.	N.A.	$2318	$2614	$2913	$3204	$3500
	42"H	N.A.	N.A.	N.A.	N.A.	$2498	$2816	$3136	$3454	$3775
	48"H	N.A.	N.A.	N.A.	N.A.	$2682	$3023	$3364	$3703	$4046
	54"H	N.A.	N.A.	N.A.	N.A.	$2867	$3226	$3591	$3955	$4319
Wood Veneer										
TS7SCSPN	30"H	N.A.	N.A.	N.A.	N.A.	$2212	$2496	$2783	$3069	$3352
	36"H	N.A.	N.A.	N.A.	N.A.	$2405	$2713	$3025	$3330	$3638
	42"H	N.A.	N.A.	N.A.	N.A.	$2596	$2926	$3260	$3592	$3927
	48"H	N.A.	N.A.	N.A.	N.A.	$2790	$3145	$3500	$3853	$4212
	54"H	N.A.	N.A.	N.A.	N.A.	$2985	$3358	$3740	$4119	$4499


Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



Straight Single-Connect Boundary Screens—Split


High-Pressure Laminate										
TS7SCSPT	30"H	$ 774	$ 923	$1076	$1226	$1379	$1530	$1683	$1833	$1984
	36"H	$ 787	$ 956	$1124	$1288	$1455	$1622	$1789	$1954	$2121
	42"H	$ 804	$ 985	$1166	$1346	$1530	$1711	$1892	$2075	$2259
	48"H	$ 819	$1015	$1213	$1408	$1606	$1803	$2000	$2195	$2395
	54"H	$ 835	$1046	$1257	$1470	$1683	$1892	$2106	$2320	$2530
Composite Veneer										
TS7SCSPT	30"H	$1048	$1318	$1592	$1862	$2136	$2409	$2683	$2957	$3228
	36"H	$1136	$1433	$1730	$2024	$2318	$2614	$2913	$3204	$3500
	42"H	$1227	$1545	$1863	$2181	$2498	$2816	$3136	$3454	$3775
	48"H	$1319	$1659	$2000	$2340	$2682	$3023	$3364	$3703	$4046
	54"H	$1412	$1773	$2136	$2501	$2867	$3224	$3591	$3955	$4319
Wood Veneer										
TS7SCSPT	30"H	$1074	$1357	$1644	$1925	$2212	$2496	$2783	$3069	$3352
	36"H	$1171	$1480	$1790	$2098	$2405	$2713	$3025	$3330	$3638
	42"H	$1269	$1601	$1933	$2264	$2596	$2928	$3260	$3592	$3927
	48"H	$1369	$1723	$2079	$2432	$2790	$3145	$3500	$3853	$4212
	54"H	$1470	$1846	$2223	$2604	$2985	$3358	$3740	$4119	$4499

Tip: When specifying a split boundary screen, two screen widths need to be specified. The final price will include the price of both individual screen segments.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens

Straight, Dual-Connect For Use with Thin Trim Panels



Tip: Additional hardware upcharge is applied only when single-connect straight split style number is specified.

Tip: When specifying a boundary screen equal to or taller than an Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option.

Tip: When attaching boundary screen to Answer panel with stacking segment, order a boundary screen, end-of-run junction, omit trim, add a change-of-height trim, and stacking junction.

Tip: When specifying a boundary screen shorter than Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option, and order a change-of-height trim.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate or veneer finish.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: When specifying a split boundary screen, two screen widths will need to be specified.

Tip: Full-fill finish codes can be used to simplify specification of veneer boundary screens being used in settings with full-fill veneer products. The screen will not have the final fill coat applied, but the finish color will be consistent with the full-fill products.

▶ Need help? Product details, page 80

Standard Includes

- Screen: High-Pressure Laminate price group 1 or composite veneer price group 1
- Edge on laminate screen: plastic, if selected
- Height: 30"H–54"H
- Width:
  – Single-sided: 27"W–75"W
  – Spanning : 51"W–75"W
  – Split left and right: 25½"W–73½"W
- Connecting panel cover: paint price group 1
- 1½" adjustable glides
- Attachment hardware

Required to Specify

1 Style number
2 Screen size type (see below under Required Selections)
3 Screen height(s)
4 Height of connecting panel (see below under Required Selections)
5 Screen width(s)
6 Handedness: on single-sided screens, if selected (see below under Required Selections)
7 High-Pressure Laminate or composite veneer color for screen
8 Plastic color number for edge on laminate screen, if selected
9 Grain direction
10 Paint color number for connecting panel cover
11 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

	Required Component	U.S. Price
Additional Hardware	• Dual-connect straight split	+$ 31

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	• Modular	No cost	Specify *with modular.*
	• Parametric	No cost	Specify *with parametric.*
Height of Connecting Panel	• 30"H	No cost	Specify *with 30"H.*
	• 36"H	No cost	Specify *with 36"H.*
	• 42"H	No cost	Specify *with 42"H.*
	• 48"H	No cost	Specify *with 48"H.*
	• 54"H	No cost	Specify *with 54"H.*
	• 60"H	No cost	Specify *with 60"H.*
	• 66"H	No cost	Specify *with 66"H.*
	• 72"H	No cost	Specify *with 72"H.*
	• 78"H	No cost	Specify *with 78"H.*
	• 84"H	No cost	Specify *with 84"H.*
	• 90"H	No cost	Specify *with 90"H.*
Handedness (Single-Sided Screens Only)	• Right handed	No cost	Specify *with single-sided right.*
	• Left handed	No cost	Specify *with single-sided left.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Screen**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$217 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$212	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$233	Specify wood color number.
	• Wood group 3	+$827	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
	• Full-fill finish on wood group 1	No cost	Specify full-fill finish number.
	Connecting panel cover		
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.
	Laminate wood grain direction		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*


▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Wood veneer grain direction**		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



Straight Dual-Connect Boundary Screen—Single-Sided

High-Pressure Laminate										
TS7DCSSD	30"H	$ 455	$ 546	$ 636	$ 727	$ 819	$ 908	$1000	$1093	$1184
	36"H	$ 471	$ 568	$ 666	$ 766	$ 863	$ 962	$1062	$1159	$1257
	42"H	$ 485	$ 591	$ 697	$ 804	$ 908	$1015	$1124	$1226	$1334
	48"H	$ 500	$ 614	$ 727	$ 841	$ 956	$1070	$1184	$1294	$1408
	54"H	$ 516	$ 636	$ 757	$ 879	$1000	$1124	$1244	$1364	$1485
Composite Veneer										
TS7DCSSD	30"H	$ 834	$1062	$1288	$1514	$1742	$1970	$2196	$2427	$2654
	36"H	$ 956	$1197	$1440	$1684	$1925	$2168	$2408	$2651	$2892
	42"H	$1076	$1334	$1591	$1850	$2104	$2361	$2624	$2877	$3137
	48"H	$1197	$1471	$1742	$2014	$2290	$2562	$2835	$3104	$3378
	54"H	$1320	$1604	$1893	$2183	$2470	$2759	$3047	$3334	$3620
Wood Veneer										
TS7DCSSD	30"H	$ 872	$1114	$1353	$1593	$1835	$2077	$2316	$2559	$2800
	36"H	$1005	$1260	$1517	$1776	$2032	$2288	$2543	$2800	$3056
	42"H	$1135	$1406	$1680	$1954	$2224	$2496	$2774	$3043	$3317
	48"H	$1267	$1556	$1843	$2131	$2422	$2711	$3001	$3286	$3575
	54"H	$1400	$1702	$2007	$2314	$2616	$2923	$3227	$3531	$3833

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens Straight, Dual-Connect For Use with Thin Trim Panels, continued

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69"W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



Straight Dual-Connect Boundary Screen—Spanning

High-Pressure Laminate										
TS7DCSPN	30"H	N.A.	N.A.	N.A.	N.A.	$ 819	$ 908	$1000	$1093	$1184
	36"H	N.A.	N.A.	N.A.	N.A.	$ 863	$ 962	$1062	$1159	$1257
	42"H	N.A.	N.A.	N.A.	N.A.	$ 908	$1015	$1124	$1226	$1334
	48"H	N.A.	N.A.	N.A.	N.A.	$ 956	$1070	$1184	$1294	$1408
	54"H	N.A.	N.A.	N.A.	N.A.	$1000	$1124	$1244	$1364	$1485
Composite Veneer										
TS7DCSPN	30"H	N.A.	N.A.	N.A.	N.A.	$1742	$1970	$2196	$2427	$2654
	36"H	N.A.	N.A.	N.A.	N.A.	$1925	$2168	$2408	$2651	$2892
	42"H	N.A.	N.A.	N.A.	N.A.	$2104	$2361	$2624	$2877	$3137
	48"H	N.A.	N.A.	N.A.	N.A.	$2290	$2562	$2835	$3104	$3378
	54"H	N.A.	N.A.	N.A.	N.A.	$2470	$2759	$3047	$3334	$3620
Wood Veneer										
TS7DCSPN	30"H	N.A.	N.A.	N.A.	N.A.	$1835	$2077	$2316	$2559	$2800
	36"H	N.A.	N.A.	N.A.	N.A.	$2032	$2288	$2543	$2800	$3056
	42"H	N.A.	N.A.	N.A.	N.A.	$2224	$2496	$2774	$3043	$3317
	48"H	N.A.	N.A.	N.A.	N.A.	$2422	$2711	$3001	$3286	$3575
	54"H	N.A.	N.A.	N.A.	N.A.	$2616	$2923	$3227	$3531	$3833

Tip: When specifying a boundary screen shorter than Answer panel, order a boundary screen, end-of-run junction for height of Answer panel, omit trim, and add a change-of-height trim.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	



Straight Dual-Connect Boundary Screens—Split


High-Pressure Laminate										
TS7DCSPT	30"H	$ 455	$ 546	$ 636	$ 727	$ 819	$ 908	$1000	$1093	$1184
	36"H	$ 471	$ 568	$ 666	$ 766	$ 863	$ 962	$1062	$1159	$1257
	42"H	$ 485	$ 591	$ 697	$ 804	$ 908	$1015	$1124	$1226	$1334
	48"H	$ 500	$ 614	$ 727	$ 841	$ 956	$1070	$1184	$1294	$1408
	54"H	$ 516	$ 636	$ 757	$ 879	$1000	$1124	$1244	$1364	$1485
Composite Veneer										
TS7DCSPT	30"H	$ 834	$1062	$1288	$1514	$1742	$1971	$2196	$2427	$2654
	36"H	$ 956	$1197	$1440	$1685	$1925	$2168	$2408	$2651	$2892
	42"H	$1076	$1334	$1591	$1850	$2104	$2361	$2624	$2877	$3137
	48"H	$1197	$1471	$1742	$2014	$2290	$2562	$2835	$3104	$3378
	54"H	$1320	$1604	$1893	$2183	$2470	$2759	$3047	$3334	$3620
Wood Veneer										
TS7DCSPT	30"H	$ 872	$1114	$1353	$1593	$1835	$2077	$2316	$2559	$2800
	36"H	$1005	$1260	$1517	$1776	$2032	$2288	$2543	$2800	$3056
	42"H	$1135	$1408	$1680	$1954	$2224	$2496	$2774	$3043	$3317
	48"H	$1267	$1556	$1843	$2131	$2422	$2711	$3001	$3286	$3575
	54"H	$1400	$1702	$2007	$2314	$2616	$2923	$3227	$3531	$3833

Tip: When specifying a split boundary screen, two screen widths need to be specified. The final price will include the price of both individual screen segments.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Answer Boundary Screens

L Return, Single-Connect For Use with Thin Trim Panels



Need help? Product details, page 80

Standard Includes

- Primary and return screen: High-Pressure Laminate price group 1 or composite veneer price group 1
- Edge on laminate screen: plastic, if selected
- Height: 30"H–54"H
- Width:
  – Single-sided: 27"W–75"W
  – Split left and right: 25½"W–73½"W
- Connecting panel cover: paint price group 1
- 1½" adjustable glides
- Attachment hardware

Required to Specify

1 Style number
2 Screen size type (see below under Required Selections)
3 Screen height(s)
4 Height of connecting panel (see below under Required Selections)
5 Screen width(s)
6 Handedness: on single-sided screens, if selected (see below under Required Selections)
7 High-Pressure Laminate or composite veneer color for screen
8 Plastic color number for edge on laminate screen, if selected
9 Grain direction
10 Paint color number for connecting panel cover
11 Options, if selected (see below)

See *Surface Materials,* page 672.

Tip: Additional hardware upcharges are applied only when single-connect single-sided L return, or single-connect split L style numbers are specified.

Tip: When specifying a boundary screen equal to or taller than an Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option.

Tip: When attaching boundary screen to Answer panel with stacking segment, order a boundary screen, end-of-run junction, omit trim, add a change-of-height trim, and stacking junction.

Tip: When specifying a boundary screen shorter than Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option, and order a change-of-height trim.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate or veneer finish.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: When specifying a split L return boundary screen, four screen widths will need to be specified.

Tip: Full-fill finish codes can be used to simplify specification of veneer boundary screens being used in settings with full-fill veneer products. The screen will not have the final fill coat applied, but the finish color will be consistent with the full-fill products.

	Required Component	U.S. Price
Additional Hardware	• Single-connect single-sided L return	+$ 61
	• Single-connect split L return	+$ 91

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	• Modular	No cost	Specify *with modular.*
	• Parametric	No cost	Specify *with parametric.*
Height of Connecting Panel	• 30"H	No cost	Specify *with 30"H.*
	• 36"H	No cost	Specify *with 36"H.*
	• 42"H	No cost	Specify *with 42"H.*
	• 48"H	No cost	Specify *with 48"H.*
	• 54"H	No cost	Specify *with 54"H.*
	• 60"H	No cost	Specify *with 60"H.*
	• 66"H	No cost	Specify *with 66"H.*
	• 72"H	No cost	Specify *with 72"H.*
	• 78"H	No cost	Specify *with 78"H.*
	• 84"H	No cost	Specify *with 84"H.*
	• 90"H	No cost	Specify *with 90"H.*
Handedness (Single-Sided Screens Only)	• Right handed	No cost	Specify *with single-sided right.*
	• Left handed	No cost	Specify *with single-sided left.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Screen**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$217 plus cost of laminate	See *Surface Materials Reference Manual.*
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$212	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$233	Specify wood color number.
	• Wood group 3	+$827	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
	• Full-fill finish on wood group 1	No cost	Specify full-fill finish number.
	Connecting panel cover		
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.
	Laminate wood grain direction		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*


Options, continued on next page

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Wood veneer grain direction**		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



L Return Single-Connect Boundary Screens—Single-Sided

High-Pressure Laminate — Primary Screen

TS7SCLSSD	30"H	$774	$ 923	$1076	$1226	$1379	$1530	$1683	$1833	$1984
	36"H	$787	$ 956	$1124	$1288	$1455	$1622	$1789	$1954	$2121
	42"H	$804	$ 985	$1166	$1346	$1530	$1711	$1892	$2075	$2259
	48"H	$819	$1015	$1213	$1408	$1606	$1803	$2000	$2195	$2395
	54"H	$835	$1046	$1257	$1470	$1683	$1892	$2106	$2320	$2530

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

High-Pressure Laminate — Return Screen

TS7SCLSSD	30"H	+$697	+$774	+$ 923
	36"H	+$705	+$787	+$ 956
	42"H	+$713	+$804	+$ 985
	48"H	+$720	+$819	+$1015
	54"H	+$727	+$835	+$1046

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens L Return, Single-Connect For Use with Thin Trim Panels, continued

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69"W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



L Return Single-Connect Boundary Screens—Single Sided

Composite Veneer — Primary Screen

TS7SCLSSD	30"H	$1046	$1318	$1592	$1862	$2136	$2409	$2683	$2957	$3228
	36"H	$1136	$1433	$1730	$2026	$2318	$2614	$2913	$3204	$3500
	42"H	$1227	$1545	$1863	$2181	$2498	$2816	$3136	$3454	$3775
	48"H	$1319	$1659	$2000	$2340	$2682	$3023	$3364	$3703	$4046
	54"H	$1412	$1773	$2136	$2501	$2867	$3226	$3591	$3955	$4319

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Composite Veneer — Return Screen

TS7SCLSSD	30"H	+$ 910	+$1046	+$1318
	36"H	+$ 991	+$1136	+$1433
	42"H	+$1070	+$1227	+$1545
	48"H	+$1150	+$1319	+$1659
	54"H	+$1227	+$1412	+$1773

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69"W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



L Return Single-Connect Boundary Screens—Single Sided

Wood Veneer — Primary Screen

TS7SCLSSD	30"H	$1074	$1357	$1644	$1925	$2212	$2496	$2783	$3069	$3352
	36"H	$1171	$1480	$1790	$2098	$2405	$2713	$3025	$3330	$3638
	42"H	$1269	$1601	$1933	$2264	$2596	$2926	$3260	$3592	$3927
	48"H	$1369	$1723	$2079	$2432	$2790	$3145	$3500	$3853	$4212
	54"H	$1470	$1846	$2223	$2604	$2985	$3358	$3740	$4119	$4499

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Wood Veneer — Return Screen

TS7SCLSSD	30"H	+$ 931	+$1074	+$1357
	36"H	+$1019	+$1171	+$1480
	42"H	+$1105	+$1269	+$1601
	48"H	+$1194	+$1369	+$1723
	54"H	+$1277	+$1470	+$1846

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens L Return, Single-Connect For Use with Thin Trim Panels, continued

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



L Return Single-Connect Boundary Screens—Split

High-Pressure Laminate — Primary Screen

TS7SCLSPT	30"H	$774	$ 923	$1076	$1226	$1379	$1530	$1683	$1833	$1984
	36"H	$787	$ 956	$1124	$1288	$1455	$1622	$1789	$1954	$2121
	42"H	$804	$ 985	$1166	$1346	$1530	$1711	$1892	$2075	$2259
	48"H	$819	$1015	$1213	$1408	$1606	$1803	$2000	$2195	$2395
	54"H	$835	$1046	$1257	$1470	$1683	$1892	$2106	$2320	$2530

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

High-Pressure Laminate — Return Screen

TS7SCLSPT	30"H	+$697	+$774	+$ 923
	36"H	+$705	+$787	+$ 956
	42"H	+$713	+$804	+$ 985
	48"H	+$720	+$819	+$1015
	54"H	+$727	+$835	+$1046

Tip: When specifying a split L return boundary screen, primary and return screen widths (four total) need to be specified. The final price will include the price of all four individual screen segments.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



L Return Single-Connect Boundary Screens—Split

Composite Veneer — Primary Screen

TS7SCLSPT	30"H	$1046	$1318	$1592	$1862	$2136	$2409	$2683	$2957	$3228
	36"H	$1136	$1433	$1730	$2024	$2318	$2614	$2913	$3204	$3500
	42"H	$1227	$1545	$1863	$2181	$2498	$2816	$3136	$3454	$3775
	48"H	$1319	$1659	$2000	$2340	$2682	$3023	$3364	$3703	$4046
	54"H	$1412	$1773	$2136	$2501	$2867	$3226	$3591	$3955	$4319

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Composite Veneer — Return Screen

TS7SCLSPT	30"H	+$ 910	+$1046	+$1318
	36"H	+$ 991	+$1136	+$1433
	42"H	+$1070	+$1227	+$1545
	48"H	+$1150	+$1319	+$1659
	54"H	+$1227	+$1412	+$1773

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens L Return, Single-Connect For Use with Thin Trim Panels, continued

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



L Return Single-Connect Boundary Screens—Split

Wood Veneer — Primary Screen

TS7SCLSPT	30"H	$1074	$1357	$1644	$1925	$2212	$2496	$2783	$3069	$3352
	36"H	$1171	$1480	$1790	$2098	$2405	$2713	$3025	$3330	$3638
	42"H	$1269	$1601	$1933	$2264	$2596	$2926	$3260	$3592	$3927
	48"H	$1369	$1723	$2079	$2432	$2790	$3145	$3500	$3853	$4212
	54"H	$1470	$1846	$2223	$2604	$2985	$3358	$3740	$4119	$4499

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Wood Veneer — Return Screen


TS7SCLSPT	30"H	+$ 931	+$1074	+$1357
	36"H	+$1019	+$1171	+$1480
	42"H	+$1105	+$1269	+$1601
	48"H	+$1194	+$1369	+$1723
	54"H	+$1277	+$1470	+$1846

Tip: When specifying a split L return boundary screen, primary and return screen widths (four total) need to be specified. The final price will include the price of all four individual screen segments.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens

L Return, Dual-Connect For Use with Thin Trim Panels



▶ Need help? Product details, page 80

Standard Includes

- Primary and return screen: High-Pressure Laminate price group 1 or composite veneer price group 1
- Edge on laminate screen: plastic, if selected
- Height: 30"H–54"H
- Width:
  – Single-sided: 27"W–75"W
  – Split left and right: 25½"W–73½"W
- Connecting panel cover: paint price group 1
- 1½" adjustable glides
- Attachment hardware

Required to Specify

1 Style number
2 Screen size type (see below under Required Selections
3 Screen height(s)
4 Height of connecting screen (see below under Required Selections)
5 Screen width(s)
6 Handedness: on single-sided screens, if selected (see below under Required Selections)
7 High-Pressure Laminate or composite veneer color for screen
8 Plastic color number for edge on laminate screen, if selected
9 Grain direction
10 Paint color number for connecting panel cover
11 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

Tip: Additional hardware upcharges are applied only when dual-connect single-sided L return, or dual-connect split L return style numbers are specified.

Tip: When specifying a boundary screen equal to or taller than an Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option.

Tip: When attaching boundary screen to Answer panel with stacking segment, order a boundary screen, end-of-run junction, omit trim, add a change-of-height trim, and stacking junction.

Tip: When specifying a boundary screen shorter than Answer panel, order a same height end-of-run junction for height of Answer panel with the omit trim option, and order a change-of-height trim.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate or veneer finish.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: When specifying a split L return boundary screen, four screen widths will need to be specified.

Tip: Full-fill finish codes can be used to simplify specification of veneer boundary screens being used in settings with full-fill veneer products. The screen will not have the final fill coat applied, but the finish color will be consistent with the full-fill products.

	Required Component	U.S. Price
Additional Hardware	• Dual-connect single-sided L return	+$ 61
	• Dual-connect split L return	+$ 91

	Required Selections	U.S. Price	Required to Specify
Screen Size Type	• Modular	No cost	Specify *with modular.*
	• Parametric	No cost	Specify *with parametric.*
Height of Connecting Panel	• 30"H	No cost	Specify *with 30"H.*
	• 36"H	No cost	Specify *with 36"H.*
	• 42"H	No cost	Specify *with 42"H.*
	• 48"H	No cost	Specify *with 48"H.*
	• 54"H	No cost	Specify *with 54"H.*
	• 60"H	No cost	Specify *with 60"H.*
	• 66"H	No cost	Specify *with 66"H.*
	• 72"H	No cost	Specify *with 72"H.*
	• 78"H	No cost	Specify *with 78"H.*
	• 84"H	No cost	Specify *with 84"H.*
	• 90"H	No cost	Specify *with 90"H.*
Handedness (Single-Sided Screens Only)	• Right handed	No cost	Specify *with single-sided right.*
	• Left handed	No cost	Specify *with single-sided left.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Screen**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$217 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$212	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$233	Specify wood color number.
	• Wood group 3	+$827	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
	• Full-fill finish on wood group 1	No cost	Specify full-fill finish number.
	Connecting panel cover		
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 37	Specify paint color number.
	Laminate wood grain direction		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*


▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Wood veneer grain direction**		
	• No direction	No cost	Specify *with no direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



L Return Dual-Connect Boundary Screens—Single-Sided

High-Pressure Laminate — Primary Screen

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W
TS7DCLSSD	30"H		$455	$546	$636	$727	$ 819	$ 908	$1000	$1093	$1184
	36"H		$471	$568	$666	$766	$ 863	$ 962	$1062	$1159	$1257
	42"H		$485	$591	$697	$804	$ 908	$1015	$1124	$1226	$1334
	48"H		$500	$614	$727	$841	$ 956	$1070	$1184	$1294	$1408
	54"H		$516	$636	$757	$879	$1000	$1124	$1244	$1364	$1485

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

High-Pressure Laminate — Return Screen

TS7DCLSSD	30"H	+$365	+$455	+$546
	36"H	+$370	+$471	+$568
	42"H	+$379	+$485	+$591
	48"H	+$385	+$500	+$614
	54"H	+$395	+$516	+$636

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.


▶**Specification Information, continued on next page**

Answer Boundary Screens L Return, Dual-Connect For Use with Thin Trim Panels, continued

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



L Return Dual-Connect Boundary Screens—Single-Sided

Composite Veneer — Primary Screen

TS7DCLSSD	30"H	$ 834	$1062	$1288	$1514	$1742	$1970	$2196	$2427	$2654
	36"H	$ 956	$1197	$1440	$1684	$1925	$2168	$2408	$2651	$2892
	42"H	$1076	$1334	$1591	$1850	$2104	$2361	$2624	$2877	$3137
	48"H	$1197	$1471	$1742	$2014	$2290	$2562	$2835	$3104	$3378
	54"H	$1320	$1604	$1893	$2183	$2470	$2759	$3047	$3334	$3620

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Composite Veneer — Return Screen

TS7DCLSSD	30"H	+$ 674	+$ 834	+$1062
	36"H	+$ 834	+$ 956	+$1197
	42"H	+$ 947	+$1076	+$1334
	48"H	+$1059	+$1197	+$1471
	54"H	+$1175	+$1320	+$1604

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	27"W	33"W	39"W	45"W	51"W	57"W	63"W	69" W	75"W
		Parametric Width	27"W – 32 15/16"W	33"W – 38 15/16"W	39"W – 44 15/16"W	45"W – 50 15/16"W	51"W – 56 15/16"W	57"W – 62 15/16"W	63"W – 68 15/16"W	69"W – 74 15/16"W	75"W



L Return Dual-Connect Boundary Screens—Single-Sided

Wood Veneer — Primary Screen

TS7DCLSSD	30"H	$ 872	$1114	$1353	$1593	$1835	$2077	$2316	$2559	$2800
	36"H	$1005	$1260	$1517	$1776	$2032	$2288	$2543	$2800	$3056
	42"H	$1135	$1408	$1680	$1954	$2224	$2496	$2774	$3043	$3317
	48"H	$1267	$1556	$1843	$2131	$2422	$2711	$3001	$3286	$3575
	54"H	$1400	$1702	$2007	$2314	$2616	$2923	$3227	$3531	$3833

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Wood Veneer — Return Screen

TS7DCLSSD	30"H	+$ 705	+$ 872	+$1114
	36"H	+$ 881	+$1005	+$1260
	42"H	+$1004	+$1135	+$1408
	48"H	+$1127	+$1267	+$1556
	54"H	+$1253	+$1400	+$1702

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens L Return, Dual-Connect For Use with Thin Trim Panels, continued

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



L Return Dual-Connect Boundary Screens—Split

High-Pressure Laminate — Primary Screen

TS7DCLSPT	30"H	$455	$546	$636	$727	$ 819	$ 908	$1000	$1093	$1184
	36"H	$471	$568	$666	$766	$ 863	$ 962	$1062	$1159	$1257
	42"H	$485	$591	$697	$804	$ 908	$1015	$1124	$1226	$1334
	48"H	$500	$614	$727	$841	$ 956	$1070	$1184	$1294	$1408
	54"H	$516	$636	$757	$879	$1000	$1124	$1244	$1364	$1485

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

High-Pressure Laminate — Return Screen

TS7DCLSPT	30"H	+$365	+$455	+$546
	36"H	+$370	+$471	+$568
	42"H	+$379	+$485	+$591
	48"H	+$385	+$500	+$614
	54"H	+$395	+$516	+$636

Tip: When specifying a split L return boundary screen, primary and return screen widths (four total) need to be specified. The final price will include the price of all four individual screen segments.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices							
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



L Return Dual-Connect Boundary Screens—Split

Composite Veneer — Primary Screen

TS7DCLSPT	30"H	$ 834	$1062	$1288	$1514	$1742	$1970	$2196	$2427	$2654
	36"H	$ 956	$1197	$1440	$1684	$1925	$2168	$2408	$2651	$2892
	42"H	$1076	$1334	$1591	$1850	$2104	$2361	$2624	$2877	$3137
	48"H	$1197	$1471	$1742	$2014	$2290	$2562	$2835	$3104	$3378
	54"H	$1320	$1604	$1893	$2183	$2470	$2759	$3047	$3334	$3620

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Composite Veneer — Return Screen

TS7DCLSPT	30"H	+$ 674	+$ 834	+$1062
	36"H	+$ 834	+$ 956	+$1195
	42"H	+$ 947	+$1076	+$1334
	48"H	+$1059	+$1197	+$1471
	54"H	+$1175	+$1320	+$1604

Tip: When specifying a split L return boundary screen, primary and return screen widths (four total) need to be specified. The final price will include the price of all four individual screen segments.

▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Answer Boundary Screens L Return, Dual-Connect For Use with Thin Trim Panels, continued

Specification Information, continued from previous page

Specification Information

Style Number	Dimensions H	Screen Type	U.S. Base Prices								
		Modular Width	25½"W	31½"W	37½"W	43½"W	49½"W	55½"W	61½"W	67½"W	73½"W
		Parametric Width	25½"W – 31 7/16"W	31½"W – 37 7/16"W	37½"W – 43 7/16"W	43½"W – 49 7/16"W	49½"W – 55 7/16"W	55½"W – 61 7/16"W	61½"W – 67 7/16"W	67½"W – 73 7/16"W	73½"W



L Return Dual-Connect Boundary Screens—Split

Wood Veneer — Primary Screen

TS7DCLSPT	30"H	$ 872	$1114	$1353	$1593	$1835	$2077	$2316	$2559	$2800
	36"H	$1005	$1260	$1517	$1776	$2032	$2288	$2543	$2800	$3056
	42"H	$1135	$1408	$1680	$1954	$2224	$2496	$2774	$3043	$3317
	48"H	$1267	$1556	$1843	$2131	$2422	$2711	$3001	$3286	$3575
	54"H	$1400	$1702	$2007	$2314	$2616	$2923	$3227	$3531	$3833

Style Number	Dimensions H	Screen Type	U.S. Base Prices		
		Modular Width	18"W	24"W	30"W
		Parametric Width	18"W – 23 15/16"W	24"W – 29 15/16"W	30"W

Wood Veneer — Return Screen


TS7DCLSPT	30"H	+$ 705	+$ 872	+$1114
	36"H	+$ 881	+$1005	+$1260
	42"H	+$1004	+$1135	+$1408
	48"H	+$1127	+$1267	+$1556
	54"H	+$1253	+$1400	+$1702

Tip: When specifying a split L return boundary screen, primary and return screen widths (four total) need to be specified. The final price will include the price of all four individual screen segments.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Base Trims and Open Base Conversion Kits

Base Trims



Tip: 18"W base trim is only available in plain (no knockouts).


Standard Includes	Required to Specify
▶Need help? Product details, page 59 • Base trim with knockouts: paint	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Base Trim	• Plain (24"W to 72"W only)	No cost	Specify *with no knockouts.*

Specification Information

Width	Style Number	U.S. Price
18"	**TS718BT**	$31
24"	**TS724BT**	$32
30"	**TS730BT**	$35
36"	**TS736BT**	$37
42"	**TS742BT**	$38
48"	**TS748BT**	$39
60"	**TS760BT**	$47
72"	**TS772BT**	$51

Open Base Conversion Kits



Tip: Open base trim can only be used on junctions manufactured on or after October 10, 2011.

Standard Includes	Required to Specify
▶Need help? Product details, page 59 • Trim: paint	1 Style number 2 Paint color number for trim ▶See *Surface Materials,* page 672.

Specification Information

Width	Style Number	U.S. Price
18"	**TS718OBK**	$56
24"	**TS724OBK**	$62
30"	**TS730OBK**	$65
36"	**TS736OBK**	$69
42"	**TS742OBK**	$72
48"	**TS748OBK**	$78
60"	**TS760OBK**	$82
72"	**TS772OBK**	$90

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Specifying Panels—Square and Oval Trim

In-Line Base Panel Junctions—Square Trim 412
In-Line Base Panel Junctions—Oval Trim 413
L, T, and X Base Panel Junctions—Square Trim 414
L, T, and X Base Panel Junctions—Oval Trim 415
End-of-Run Base Panel Junctions—Square Trim 416
End-of-Run Base Panel Junctions—Oval Trim 417
V and Y Base Panel Junctions—Square Trim 418
V and Y Base Panel Junctions—Oval Trim 419
Wall-Start Junctions 420
Brackets 421
Off-Module Panel Connectors 422
Stacking In-Line Panel Junctions—Square and Oval Trims 423
Stacking L, T, and X Panel Junctions—Square and Oval Trims 424
Stacking End-of-Run Panel Junctions—Square and Oval Trims 425
Stacking V and Y Panel Junctions—Square and Oval Trims 426
Stacking Wall-Start Junctions 427
Junctions with Utility Pole—Square Trim 428
Junctions with Utility Pole—Oval Trim 429
Utility Packages 430
Standard Change-of-Height Trims—Square Trim 434
Standard Change-of-Height Trims—Oval Trim 435
Stacking Change-of-Height Trims—Square and Oval Trims 436
Base Horizontal Frame Packages—Square Trim 438
Base Horizontal Frame Packages—Oval Trim 440
Stacking Horizontal Frame Packages 441
Spanning Top Caps—Square Trim 442
Frameless Glass Screens—Square Trim 443

In-Line Base Panel Junctions—Square Trim



Tip: In-line base panel junctions do not require junction cap and trim.



Standard Includes	Required to Specify
▶Need help? Product details, page 92 • Junction • Aligner	Style number

Specification Information


Corresponding Panel Height	Style Number	U.S. Price
30"	**TS730SIPJ**	$146
42"	**TS742SIPJ**	$146
48"	**TS748SIPJ**	$146
54"	**TS754SIPJ**	$146
66"	**TS766SIPJ**	$146
78"	**TS778SIPJ**	$208

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

In-Line Base Panel Junctions—Oval Trim



Tip: In-line base panel junctions do not require junction cap and trim.



Standard Includes	Required to Specify
▶Need help? Product details, page 92 • Junction • Aligner	Style number

Specification Information

Corresponding Panel Height	Style Number	U.S. Price
30"	**TS730IPJ**	$146
42"	**TS742IPJ**	$146
48"	**TS748IPJ**	$146
54"	**TS754IPJ**	$146
66"	**TS766IPJ**	$146
78"	**TS778IPJ**	$208



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

L, T, and X Base Panel Junctions—Square Trim

Standard Includes	Required to Specify
▶Need help? Product details, page 92	1 Style number 2 Paint color number for trim 3 Paint color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Junction • Trim on L and T junction: paint price group 1 • Junction cap on L, T, and X junction: paint price group 1 • Aligners	

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

	L Base Panel Junctions with Square Trim		T Base Panel Junctions with Square Trim		X Base Panel Junctions with Square Trim	
						
• Corresponding Panel Height	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price

Painted Junction Cap

30"	**TS730SLPJ**	$317	**TS730STPJ**	$317	**TS730SXPJ**	$317
42"	**TS742SLPJ**	$317	**TS742STPJ**	$317	**TS742SXPJ**	$317
48"	**TS748SLPJ**	$317	**TS748STPJ**	$317	**TS748SXPJ**	$317
54"	**TS754SLPJ**	$317	**TS754STPJ**	$317	**TS754SXPJ**	$317
66"	**TS766SLPJ**	$317	**TS766STPJ**	$317	**TS766SXPJ**	$317
78"	**TS778SLPJ**	$454	**TS778STPJ**	$454	**TS778SXPJ**	$454

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

L, T, and X Base Panel Junctions—Oval Trim

Standard Includes	Required to Specify
▶Need help? Product details, page 92 • Junction • Trim on L and T junction: paint price group 1 • Junction cap on L, T, and X junction: plastic price group 1 • Aligners	1 Style number 2 Paint color number for trim 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

	L Base Panel Junctions with Oval Trim		T Base Panel Junctions with Oval Trim		X Base Panel Junctions with Oval Trim	
						
Corresponding Panel Height	**Style Number**	**U.S. Base Price**	**Style Number**	**U.S. Base Price**	**Style Number**	**U.S. Base Price**
Plastic Junction Cap						
30"	**TS730LPJ**	$378	**TS730TPJ**	$378	**TS730XPJ**	$378
42"	**TS742LPJ**	$378	**TS742TPJ**	$378	**TS742XPJ**	$378
48"	**TS748LPJ**	$378	**TS748TPJ**	$378	**TS748XPJ**	$378
54"	**TS754LPJ**	$378	**TS754TPJ**	$378	**TS754XPJ**	$378
66"	**TS766LPJ**	$378	**TS766TPJ**	$378	**TS766XPJ**	$378
78"	**TS778LPJ**	$526	**TS778TPJ**	$526	**TS778XPJ**	$526

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

End-of-Run Base Panel Junctions—Square Trim



Tip: End-of-run trim adds 1" to footprint.

Standard Includes	Required to Specify
▶Need help? Product details, page 92 • Junction • Trim on end-of-run junction: paint price group 1 • Junction cap on end-of-run junction: paint price group 1	1 Style number 2 Paint color number for trim 3 Paint color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price

Painted Junction Cap

30"	**TS730SEPJ**	$208
42"	**TS742SEPJ**	$208
48"	**TS748SEPJ**	$208
54"	**TS754SEPJ**	$208
66"	**TS766SEPJ**	$208
78"	**TS778SEPJ**	$294

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

End-of-Run Base Panel Junctions—Oval Trim



Tip: End-of-run trim adds 1" to footprint.

Standard Includes	Required to Specify
▶Need help? Product details, page 92	1 Style number 2 Paint color number for trim 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Junction • Trim on end-of-run junction: paint price group 1 • Junction cap on end-of-run junction: plastic price group 1	

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

- **Corresponding Panel Height**
- **Style Number**
- **U.S. Base Price**

Plastic Junction Cap

30"	**TS730EPJ**	$238
42"	**TS742EPJ**	$238
48"	**TS748EPJ**	$238
54"	**TS754EPJ**	$238
66"	**TS766EPJ**	$238
78"	**TS778EPJ**	$348



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

V and Y Base Panel Junctions—Square Trim

Standard Includes	Required to Specify
▶Need help? Product details, page 92	• Junction • Trim on V junction: paint price group 1 • Junction cap on V and Y junction: paint price group 1 • Aligners	1 Style number 2 Paint color number for trim 3 Paint color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

	V Base Panel Junctions with Square Trim		Y Base Panel Junctions with Square Trim	
				
Corresponding Panel Height	**Style Number**	**U.S. Base Price**	**Style Number**	**U.S. Base Price**
Painted Junction Cap				
30"	**TS730SVPJ**	$492	**TS730SYPJ**	$492
42"	**TS742SVPJ**	$492	**TS742SYPJ**	$492
48"	**TS748SVPJ**	$492	**TS748SYPJ**	$492
54"	**TS754SVPJ**	$492	**TS754SYPJ**	$492
66"	**TS766SVPJ**	$492	**TS766SYPJ**	$492
78"	**TS778SVPJ**	$676	**TS778SYPJ**	$676



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

V and Y Base Panel Junctions—Oval Trim

Standard Includes	Required to Specify
▶Need help? Product details, page 92	• Junction • Trim on V junction: paint price group 1 • Junction cap on V and Y junction: plastic price group 1 • Aligners	1 Style number 2 Paint color number for trim 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials	**Trim**	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$17	Specify paint color number.
• Paint price group 3	+$37	Specify paint color number.

Specification Information

	V Base Panel Junctions with Oval Trim		Y Base Panel Junctions with Oval Trim	
				
• Corresponding Panel Height	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price

Plastic Junction Cap

30"	**TS730VPJ**	$573	**TS730YPJ**	$573
42"	**TS742VPJ**	$573	**TS742YPJ**	$573
48"	**TS748VPJ**	$573	**TS748YPJ**	$573
54"	**TS754VPJ**	$573	**TS754YPJ**	$573
66"	**TS766VPJ**	$573	**TS766YPJ**	$573
78"	**TS778VPJ**	$801	**TS778YPJ**	$801

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Wall-Start Junctions



Tip: When using in an off-module application, off-module panel connector must be ordered separately.
▶Page 422

Standard Includes	Required to Specify
▶Need help? Product details, page 93 • Junction	Style number


Specification Information

• Height	• Style Number	• U.S. Price
42"	**TS742WPJ**	$350
48"	**TS748WPJ**	$350
54"	**TS754WPJ**	$350
66"	**TS766WPJ**	$350
78"	**TS778WPJ**	$486

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Brackets

Floor Anchor Bracket



Tip: Floor anchor bolts are not included.

Standard Includes	Required to Specify
• Two-piece floor anchor bracket: black paint only	Style number

▶Need help? Product details, page 93

Specification Information

Style Number	U.S. Price
CBRKTS	$70

Junction Stabilizer Brackets


Standard Includes	Required to Specify
• Bracket: black paint only	Style number

▶Need help? Product details, page 93

Tip: Junction stabilizer bracket blocks power routing in the base and just above the base areas. Lay-in cable routing in the base is also blocked by the bracket.


Specification Information

Height	Style Number	U.S. Price
10½"	**TS7SBNJ**	$122



Tip: Junctions manufactured on or after October 10, 2011 will only work with TS7SBNJ junction stabilizer bracket.


10½"	**TS7SB**	$122



Tip: Junctions manufactured before October 10, 2011 will only work with TS7SB junction stabilizer bracket.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Off-Module Panel Connectors



Tip: Must be used with wall-start junctions, ordered separately.
▶Page 420

Tip: Off-module panel connector works with thin, square, and oval style trims. Top cap filler included in package is only used with oval style trims. Thin and square style trims do not require a top cap filler.

Tip: Wall-start junctions manufactured before October 2002 will not work with off-module panel connectors.

*Tip: When using with wall-start junction manufactured before October 10, 2011, the bottom bracket must be replaced with part number **T500938MP** from Service Parts.*

Standard Includes	Required to Specify
▶Need help? Product details, page 98	• Top and bottom bracket • Bottom channel • Top cap filler (oval style): plastic	1 Style number 2 Plastic color number for filler ▶See *Surface Materials,* page 672.

Specification Information

Width	Style Number	U.S. Price
24"	**TS724BKT**	$443
30"	**TS730BKT**	$443
36"	**TS736BKT**	$443
42"	**TS742BKT**	$443
48"	**TS748BKT**	$443
60"	**TS760BKT**	$443
72"	**TS772BKT**	$443

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking In-Line Panel Junctions—Square and Oval Trims



Tip: Stacking in-line junctions do not require junction cap and trim.

Standard Includes	Required to Specify
▶Need help? Product details, page 100 • Junction • Fork connectors	Style number

Specification Information

Height	Style Number	U.S. Price
12"	**TS712IPJS**	$193
18"	**TS718IPJS**	$193
24"	**TS724IPJS**	$193

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking L, T, and X Panel Junctions—Square and Oval Trims

Tip: Junction cap is not included. Use the junction cap from the base junction you are stacking on.

Standard Includes	Required to Specify
▶Need help? Product details, page 100	• Junction • Trim on L and T junctions: paint price group 1 • Fork connectors • Stacking trim aligner on L and T junctions: black plastic only	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information







Steel Trim

Height	L Panel Junctions Style Number	L Panel Junctions U.S. Base Price	T Panel Junctions Style Number	T Panel Junctions U.S. Base Price	X Panel Junctions Style Number	X Panel Junctions U.S. Base Price
12"	**TS712LPJS**	$571	**TS712TPJS**	$571	**TS712XPJS**	$500
18"	**TS718LPJS**	$600	**TS718TPJS**	$600	**TS718XPJS**	$526
24"	**TS724LPJS**	$571	**TS724TPJS**	$571	**TS724XPJS**	$533

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking End-of-Run Panel Junctions—Square and Oval Trims



Tip: Junction cap is not included. Use the junction cap from the base junction you are stacking on.

Standard Includes	Required to Specify
▶Need help? Product details, page 100	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Junction • Trim on end-of-run junction: paint price group 1 • Fork connectors • Stacking trim aligner: black plastic only	

	Options	U.S. Price	Required to Specify
Surface Materials	**Trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

- **Height**
- **Style Number**
- **U.S. Base Price**

Steel Trim

12"	**TS712EPJS**	$317
18"	**TS718EPJS**	$317
24"	**TS724EPJS**	$317

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking V and Y Panel Junctions—Square and Oval Trims

Tip: Junction cap is not included. Use the junction cap from the base junction you are stacking on.

▶Need help? Product details, page 100

Standard Includes	Required to Specify
• Junction • Trim on V junctions: paint price group 1 • Fork connectors • Stacking trim aligner on V junctions: black plastic only	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials	**Trim**	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$17	Specify paint color number.
• Paint price group 3	+$37	Specify paint color number.

Specification Information





Steel Trim

Height	V Panel Junctions Style Number	V Panel Junctions U.S. Base Price	Y Panel Junctions Style Number	Y Panel Junctions U.S. Base Price
12"	**TS712VPJS**	$755	**TS712YPJS**	$661
18"	**TS718VPJS**	$755	**TS718YPJS**	$661
24"	**TS724VPJS**	$755	**TS724YPJS**	$689

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking Wall-Start Junctions




Standard Includes	Required to Specify
• Junction • Fork connector	Style number

Specification Information

Height	Style Number	U.S. Price
12"	**TS712WPJS**	$526
18"	**TS718WPJS**	$526
24"	**TS724WPJS**	$526

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Junctions with Utility Pole—Square Trim



Tip: Order multipurpose power infeed separately.
▶Page 502

Standard Includes	Required to Specify
▶Need help? Product details, page 174	• Junction • Upright vertical trim on L and in-line: paint price group 1 • Junction cap on L, in-line, and T junctions: paint • Utility pole: paint price group 1 • Ceiling trim plate: white paint only • Mounting brackets	1 Style number 2 Paint color number for upright and utility pole 3 Paint color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information		
• **Corresponding Panel Height**	• **Style Number**	• **U.S. Base Price**

L and In-Line Panel Junctions with Utility Pole

42"	**TS742SLUP**	$1161
48"	**TS748SLUP**	$1106
54"	**TS754SLUP**	$1161
66"	**TS766SLUP**	$1161
78"	**TS778SLUP**	$1278

T Panel Junctions with Utility Pole

42"	**TS742STUP**	$1161
48"	**TS748STUP**	$1106
54"	**TS754STUP**	$1161
66"	**TS766STUP**	$1161
78"	**TS778STUP**	$1278


Tip: End-of-run junctions with utility pole can be used with thin trim also.

End-of-Run Junctions with Utility Pole

42"	**TS742SERUP**	$ 707
48"	**TS748SERUP**	$ 644
54"	**TS754SERUP**	$ 707
66"	**TS766SERUP**	$ 707
78"	**TS778SERUP**	$ 736

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Junctions with Utility Pole—Oval Trim



Tip: Order multipurpose power infeed separately.
▶Page 502

Standard Includes	Required to Specify
▶Need help? Product details, page 174	1 Style number 2 Paint color number for upright and utility pole 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Junction • Upright vertical trim on L and in-line: paint price group 1 • Junction cap on L, in-line, and T junctions: plastic • Utility pole: paint price group 1 • Ceiling trim plate: white paint only • Mounting brackets	

Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price

L and In-Line Panel Junctions with Utility Pole

42"	**TS742LUP**	$1364
48"	**TS748LUP**	$1300
54"	**TS754LUP**	$1364
66"	**TS766LUP**	$1364
78"	**TS778LUP**	$1503

T Panel Junctions with Utility Pole

42"	**TS742TUP**	$1364
48"	**TS748TUP**	$1300
54"	**TS754TUP**	$1364
66"	**TS766TUP**	$1364
78"	**TS778TUP**	$1503

Tip: End-of-run junctions with utility pole can be used with thin trim also.


End-of-Run Junctions with Utility Pole

42"	**TS742ERUP**	$ 829
48"	**TS748ERUP**	$ 792
54"	**TS754ERUP**	$ 829
66"	**TS766ERUP**	$ 829
78"	**TS778ERUP**	$ 869

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Utility Packages

Ceiling-Access Lay-In Utility Packages—Square Trim



Tip: Order multipurpose power infeed separately.
▶Page 502

	Standard Includes	Required to Specify
▶Need help? Product details, page 168	• Utility carrier and cover, one top cap, and two standard base trims: paint price group 1 • Two lay-in horizontal connecting bars: black paint only • Ceiling attachment hardware • Junction cap for end-of-run applications: paint	1 Style number 2 Paint color number for utility carrier and cover, top cap, base trim, and junction cap 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +$17 +$37	Specify paint color number. Specify paint color number. Specify paint color number.
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim • Change-of-height at one end of top cap, cable management	+$ 7 +$ 7	Specify *with change-of-height, one end slim.* Specify *with change-of-height, one end cable management.*
Base Cable Tray	• Base cable tray	+$ 5	Specify *with base cable tray.*

Specification Information

Width	Style Number	U.S. Base Price
30"	**TS730SSUC**	$1406
36"	**TS736SSUC**	$1488
42"	**TS742SSUC**	$1620
48"	**TS748SSUC**	$1765

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Ceiling-Access Lay-In Utility Packages—Oval Trim



Tip: Order multipurpose power infeed separately.
▶Page 502

Standard Includes	Required to Specify
▶Need help? Product details, page 168	1 Style number 2 Paint color number for utility carrier and cover, top cap, and base trim 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

- Utility carrier and cover, one top cap, and two standard base trims: paint price group 1
- Two lay-in horizontal connecting bars: black paint only
- Ceiling attachment hardware
- Junction cap for end-of-run applications: plastic

Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$17	Specify paint color number.
• Paint price group 3	+$37	Specify paint color number.
Change-of-Height Shortened Top Cap		
• Change-of-height cable routing at one end of top cap	+$ 7	Specify *with change-of-height, one end.*
Base Cable Tray		
• Base cable tray	+$ 5	Specify *with base cable tray.*


Specification Information

Width	Style Number	U.S. Base Price
30"	**TS730SUC**	$1650
36"	**TS736SUC**	$1750
42"	**TS742SUC**	$1905
48"	**TS748SUC**	$2075

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Utility Packages, continued

Floor-Access Lay-In Utility Packages—Square Trim



Tip: 30"W lay-in utility package with floor-access is only available with change-of-height top cap at one end.

Tip: Order multipurpose power infeed separately.
▶Page 502

	Standard Includes	Required to Specify
▶Need help? Product details, page 170	• One top cap, one standard base trim, one modified base trim, and one base utility box: paint price group 1 • Two lay-in horizontal connecting bars: black paint only	1 Style number 2 Paint color number for top cap, base trim, and base utility box 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim	+$ 7	Specify *with change-of-height, one end slim.*
	• Change-of-height at one end of top cap, cable management	+$ 7	Specify *with change-of-height, one end cable management.*
	• Change-of-height at both ends of top cap on 36" - 48"W packages, slim	+$ 7	Specify *with change-of-height, both ends slim.*
	• Change-of-height at both ends of top cap on 36" - 48"W packages, cable management	+$ 7	Specify *with change-of-height, both ends cable management.*
	• Change-of-height at both ends of top cap on 36" - 48"W packages, 1 end slim and one end cable management	+$ 7	Specify *with change-of-height, one end slim, one end cable management.*

Specification Information

Width	Style Number	U.S. Base Price
30"	**TS730SSUF**	$ 859
36"	**TS736SSUF**	$ 912
42"	**TS742SSUF**	$ 987
48"	**TS748SSUF**	$1076

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Floor-Access Lay-In Utility Packages—Oval Trim



Tip: 30"W lay-in utility package with floor-access is only available with change-of-height shortened top cap at one end.

Tip: Order multipurpose power infeed separately.
▶Page 502

	Standard Includes	Required to Specify
▶Need help? Product details, page 170	• One top cap, one standard base trim, one modified base trim, and one base utility box: paint price group 1 • Two lay-in horizontal connecting bars: black paint only	1 Style number 2 Paint color number for top cap, base trim, and base utility box 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
Change-of-Height Shortened Top Cap	• Change-of-height cable routing at one end of top cap	+$ 7	Specify *with change-of-height, one end.*
	• Change-of-height cable routing at both ends of top cap on 36", 42", and 48"W packages	+$ 7	Specify *with change-of-height, both ends.*


Specification Information

Width	Style Number	U.S. Base Price
30"	**TS730SUF**	$1012
36"	**TS736SUF**	$1067
42"	**TS742SUF**	$1157
48"	**TS748SUF**	$1270

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Standard Change-of-Height Trims—Square Trim





Tip: Cable-routing trim provides cable routing capacity.
▶See page 166 for capacities.

Tip: Remember to specify the change-of-height top cap option for the lower panels in change-of-height configurations when using either type of change-of-height trim.
▶Page 96

Standard Includes	Required to Specify
▶Need help? Product details, page 96	1 Style number 2 Junction cap application 3 Paint color number for trim 4 Paint color number for junction cap 5 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Change-of-height trim: paint price group 1 • One change-of-height junction cap: must specify corner application or in-line application	

Options	U.S. Price	Required to Specify
Surface Materials	**Change-of-height trim**	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$17	Specify paint color number.
• Paint price group 3	+$37	Specify paint color number.

Specification Information


- **Application**
- **Style Number**
- **U.S. Base Price**


Painted Junction Cap

Slim Profile		
12"	**TS712SCHS**	$120
18"	**TS718SCHS**	$129
24"	**TS724SCHS**	$138
30"	**TS730SCHS**	$154
36"	**TS736SCHS**	$170
Cable-Routing Capability		
12"	**TS712SCH**	$120
18"	**TS718SCH**	$129
24"	**TS724SCH**	$138
30"	**TS730SCH**	$154
36"	**TS736SCH**	$170

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Standard Change-of-Height Trims—Oval Trim





Tip: Cable-routing trim provides cable routing capacity.
▶See page 166 for capacities.

Tip: Remember to specify the shortened top cap option for the lower panels in change-of-height configurations when using either type of change-of-height trim.
▶Page 96

Standard Includes	Required to Specify
▶Need help? Product details, page 96	1 Style number 2 Junction cap application 3 Paint color number for trim 4 Plastic color number for junction caps and bottom filler 5 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Change-of-height trim: paint price group 1 • One change-of-height junction cap: must specify corner application or in-line application • One bottom filler: plastic	

Options	U.S. Price	Required to Specify
Surface Materials	**Change-of-height trim**	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$17	Specify paint color number.
• Paint price group 3	+$37	Specify paint color number.

Specification Information


- **Application**
- **Style Number**
- **U.S. Base Price**


Painted Junction Cap

Slim Profile		
12"	**TS712CHS**	$143
18"	**TS718CHS**	$154
24"	**TS724CHS**	$164
30"	**TS730CHS**	$181
36"	**TS736CHS**	$202
Cable-Routing Capability		
12"	**TS712CH**	$143
18"	**TS718CH**	$154
24"	**TS724CH**	$164
30"	**TS730CH**	$181
36"	**TS736CH**	$202

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking Change-of-Height Trims—Square and Oval Trims





Tip: Stacking change-of-height trim is only used on the second tier in a change-of-height configuration.

Tip: Change-of-height junction cap is not included with stacking change-of-height trim. Use the change-of-height junction cap from the standard change-of-height trim you are stacking on.

Tip: Cable-routing trim provides cable routing capacity.

Tip: Stacking change-of-height trim works with square and oval top trim styles but not with thin top trim style.

Standard Includes	Required to Specify
▶Need help? Product details, page 96 • Change-of-height trim: paint price group 1 • Stacking trim aligner: black plastic only	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Change-of-height trim**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price


Steel Trim

Stacking Change-of-Height Trim with Slim Profile		
12"	**TS712CHST**	$104
18"	**TS718CHST**	$117
24"	**TS724CHST**	$120
Stacking Change-of-Height Trim with Cable Routing Capability		
12"	**TS712CHT**	$104
18"	**TS718CHT**	$117
24"	**TS724CHT**	$120

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Base Horizontal Frame Packages—Square Trim

For Panel Buildups



Tip: You must order vertical junctions separately to complete your frame.
▶Page 412

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Remember to specify an optional change-of-height top cap on any panel in a change-of-height configuration. Exception: The tallest panel in the configuration never needs a change-of-height top cap.

Tip: Remember to omit base trim(s) when using skins to the floor or when using an open base trim conversion kit.

Tip: Base cable tray cannot be used if omit base trim is selected for one or both sides of panel.

Tip: Remember to order skins to complete the panel.
▶Page 446


Tip: Omit standard base trim and specify separate hardwire base trim when accessing hardwire power in the base.

	Standard Includes	Required to Specify
▶Need help? Product details, page 104	• Standard length top cap: color default determined by base trim paint color • Base trim with knockouts: paint price group 1 • Two horizontal connecting bars: black paint only	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
	Top cap		
	• Omit top cap	No cost	Specify *omit top cap.*
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim	+$ 7	Specify *with change-of-height, one end slim.*
	• Change-of-height at one end of top cap, cable management	+$ 7	Specify *with change-of-height, one end cable management.*
	• Change-of-height at both ends of top cap on 36"W and wider packages, slim	+$ 7	Specify *with change-of-height, both ends slim.*
	• Change-of-height at both ends of top cap on 36"W and wider packages, cable management	+$ 7	Specify *with change-of-height, both ends cable management.*
	• Change-of-height at both ends of top cap on 36"W and wider packages, 1 end slim and one end cable management	+$ 7	Specify *with change-of-height one end slim, one end cable management.*
Base Trim	• Knockouts one side, plain one side (24"-72"W only)	No cost	Specify *with knockouts one side, plain one side.*
	• Plain both sides, (24"-72"W only)	No cost	Specify *with plain both sides.*
	• Omit one side, knockouts one side, 18"W to 36"W	−$ 3	Specify *with omit one side, knockouts one side.*
	• Omit one side, knockouts one side, 42"W to 48"W	−$ 4	Specify *with omit one side, knockouts one side.*
	• Omit one side, knockouts one side, 60"W to 72"W	−$ 5	Specify *with omit one side, knockouts one side.*
	• Omit one side, plain one side, 18"W to 36"W	−$ 3	Specify *with omit one side, plain one side.*
	• Omit one side, plain one side, 42"W to 48"W	−$ 4	Specify *with omit one side, plain one side.*
	• Omit one side, plain one side, 60"W to 72"W	−$ 5	Specify *with omit one side, plain one side.*
	• Omit both sides, 18"W to 36"W	−$ 6	Specify *with omit both sides.*
	• Omit both sides, 42"W to 48"W	−$ 8	Specify *with omit both sides.*
	• Omit both sides, 60"W to 72"W	−$10	Specify *with omit both sides.*
Cable Tray	• Cable tray	No cost	Specify *with cable tray.*
Base Cable Tray	• Base cable tray	+$ 5	Specify *with base cable tray.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Base Horizontal Frame
Packages—Square Trim




Specification Information

Width	Style Number	U.S. Base Price
18"	**TS718SHF**	$152
24"	**TS724SHF**	$157
30"	**TS730SHF**	$171
36"	**TS736SHF**	$181
42"	**TS742SHF**	$209
48"	**TS748SHF**	$218
60"	**TS760SHF**	$281
72"	**TS772SHF**	$384

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Base Horizontal Frame Packages—Oval Trim

For Panel Buildups



Tip: You must order vertical junctions separately to complete your frame.
▶Page 413

Tip: Remember to specify an optional shortened change-of-height top cap on any panel in a change-of-height configuration.
Exception: The tallest panel in the configuration never needs a shortened change-of-height top cap.

Tip: Remember to omit base trim(s) when using skins to the floor or when using an open base trim conversion kit.

Tip: Base cable tray cannot be used if omit base trim is selected for one or both sides of panel.

Tip: Remember to order skins to complete the panel.
▶Page 446

Tip: Omit standard base trim and specify separate hardwire base trim when accessing hardwire power in the base.

	Standard Includes	Required to Specify
▶Need help? Product details, page 104	• Standard length top cap: color default determined by base trim paint color • Base trim with knockouts: paint price group 1 • Two horizontal connecting bars: black paint only	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
Change-of-Height Shortened Top Cap	• Change-of-height at one end of top cap	+$ 7	Specify *with change-of-height, one end.*
	• Change-of-height at both ends of top cap on 36"W and wider frame packages	+$ 7	Specify *with change-of-height, both ends.*
Base Trim	• Knockouts one side, plain one side (24"-72"W only)	No cost	Specify *with knockouts one side, plain one side.*
	• Plain both sides, (24"-72"W only)	No cost	Specify *with plain both sides.*
	• Omit one side, knockouts one side, 18"W to 36"W	–$ 3	Specify *with omit one side, knockouts one side.*
	• Omit one side, knockouts one side, 42"W to 48"W	–$ 4	Specify *with omit one side, knockouts one side.*
	• Omit one side, knockouts one side, 60"W to 72"W	–$ 5	Specify *with omit one side, knockouts one side.*
	• Omit one side, plain one side, 18"W to 36"W	–$ 3	Specify *with omit one side, plain one side.*
	• Omit one side, plain one side, 42"W to 48"W	–$ 4	Specify *with omit one side, plain one side.*
	• Omit one side, plain one side, 60"W to 72"W	–$ 5	Specify *with omit one side, plain one side.*
	• Omit both sides, 18"W to 36"W	–$ 6	Specify *with omit both sides.*
	• Omit both sides, 42"W to 48"W	–$ 8	Specify *with omit both sides.*
	• Omit both sides, 60"W to 72"W	–$10	Specify *with omit both sides.*
Cable Tray	• Cable tray	No cost	Specify *with cable tray.*
Base Cable Tray	• Base cable tray	+$ 5	Specify *with base cable tray.*


Specification Information

Width	Style Number	U.S. Base Price
18"	**TS718HF**	$174
24"	**TS724HF**	$183
30"	**TS730HF**	$205
36"	**TS736HF**	$213
42"	**TS742HF**	$242
48"	**TS748HF**	$258
60"	**TS760HF**	$325
72"	**TS772HF**	$444

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Stacking Horizontal Frame Packages

For Panel Buildups



Tip: You must order vertical stacking junctions separately to complete your frame.
▶ Page 423

Tip: Top cap is not included. Use the top cap from the base panel you are stacking on.

Tip: If stacking a window kit, stacking horizontal frame package is not needed.

Tip: Remember to order skins to complete the panel.
▶ Page 446


Standard Includes	Required to Specify
▶ Need help? Product details, page 106	Style number
• One horizontal connecting bar: black paint only	

Specification Information

Width	Style Number	U.S. Price
18"	**TS718HFS**	$28
24"	**TS724HFS**	$34
30"	**TS730HFS**	$35
36"	**TS736HFS**	$37
42"	**TS742HFS**	$40
48"	**TS748HFS**	$47
60"	**TS760HFS**	$55
72"	**TS772HFS**	$81

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Spanning Top Caps—Square Trim



Tip: In-line spanning top cap lightseals should be specified for each in-line joint top cap is spanning across.
▶Page 487

Standard Includes	Required to Specify
▶Need help? Product details, page 105	1 Style number 2 Paint color number for top cap 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Top cap: paint group 1	

	Options	U.S. Price	Required to Specify
Change-of-Height Shortened Top Cap	• Change-of-height at one end of top cap, slim	+$7	Specify *with change-of-height, one end slim.*
	• Change-of-height at one end of top cap, cable management	+$7	Specify *with change-of-height, one end cable management.*
	• Change-of-height at both ends of top cap, slim	+$7	Specify *with change-of-height, both ends slim.*
	• Change-of-height at both ends of top cap, cable management	+$7	Specify *with change-of-height, both ends cable management.*
	• Change-of-height at both ends of top cap, one end slim and one end cable management	+$7	Specify *with change-of-height, one end slim, one end cable management.*

Specification Information


- **Width**
- **Style Number**
- **U.S. Base Price**

Painted Top Caps

Width	Style Number	U.S. Base Price
36"	**TS736STC**	$ 37
42"	**TS742STC**	$ 49
48"	**TS748STC**	$ 55
60"	**TS760STC**	$ 62
72"	**TS772STC**	$ 77
78"	**TS778STC**	$ 88
84"	**TS784STC**	$104
90"	**TS790STC**	$120
96"	**TS796STC**	$134

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Frameless Glass Screens—Square Trim



Tip: These screens are only available for use on panels with square trim.

Tip: Remember to specify in-line top cap lightseals if frameless glass screen is spanning two or more panels.
▶Page 487

▶Need help? Product details, page 108

Standard Includes	Required to Specify
• Glass screen, 6500 Clear Glass • Two brackets – 24"-84" wide: paint • Three brackets – 90"-96" wide: paint • Two supports • Square profile top cap with holes: paint	1 Style Number 2 Paint color number for brackets 3 Paint color number for top cap 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options		U.S. Price	Required to Specify
Surface Materials	**Top cap**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim	+$ 7	Specify *with change-of-height, one end slim.*
Glass Screen	• Omit glass screen	Prices below	Specify *with omit screen.*
	• Frosted glass	Prices below	Specify *with 6530 Frosted Tempered Glass.*

Specification Information

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)	
			Omit Glass	Frosted Glass
24"	**TS71224SFG**	$ 774	–$121	+$ 93
30"	**TS71230SFG**	$ 827	–$136	+$122
36"	**TS71236SFG**	$ 894	–$146	+$187
42"	**TS71242SFG**	$ 955	–$152	+$275
48"	**TS71248SFG**	$1008	–$167	+$307
60"	**TS71260SFG**	$1162	–$181	+$394
72"	**TS71272SFG**	$1296	–$196	+$473
78"	**TS71278SFG**	$1442	–$214	+$499
84"	**TS71284SFG**	$1588	–$227	+$514
90"	**TS71290SFG**	$1734	–$243	+$568
96"	**TS71296SFG**	$1878	–$257	+$596

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specifying Shared Components and Wiring and Cabling

(Thin, Square, and Oval)


Shared Components

- Fabric Covered Panel Skins **446**
- Fabric Covered Panel Skins To The Floor **448**
- Fabric Covered Panel Skins Big Open Base **450**
- Steel Panel Skins **452**
- Steel To The Floor Skins **454**
- Markerboard Surfaces for Steel Skins **457**
- Markerboard Skins **458**
- Markerboard To The Floor Skins **459**
- Slatwall Skins and Slatwall Skin Brace Packages **460**
- Laminate Skins **462**
- Laminate To The Floor Skins **463**
- Wood Skins **464**
- Wood To The Floor Skins **466**
- Wood Skin Sets **468**
- Wood To The Floor Skin Sets **472**
- Back Painted Glass Skins **476**
- Back Painted Glass To The Floor Skins **478**
- Steel Technology Skins **480**
- Slatwall Technology Skins **482**
- Markerboard Technology Skins **483**
- Technology Skin Cover and Fillers **484**
- Glass Windows **485**
- Single-Pane Glass Window Kits for Use with Custom Glass **486**
- Spanning Window In-Line Support and In-Line Spanning Top Cap Lightseal **487**
- Sliding Panel Doors **488**
- Hardwire Base Trim **489**
- Panel and Beam Foot **490**

Wiring and Cabling **491**

Fabric Covered Panel Skins

For Panel Buildups



Tip: 72"W fabric-covered panel skins accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction, see page 678.

Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.

▶ Need help? Product details, page 118

Standard Includes	Required to Specify
• Tackable acoustical panel skin, fabric direction with horizontal application, if selected: fabric price group 1 • Performance tackable acoustical panel skin, fabric direction with horizontal application, if selected: fabric price group 1	1 Style number 2 Paint color number for skin surface. 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

Options	U.S. Price 12"H and 18"H	U.S. Price 24"H and 30"H	U.S. Price 36"H to 60"H	Required to Specify
Surface Materials				
• Fabric price group A	–$ 3	–$ 4	–$ 5	Specify fabric color number.
• Fabric price group 1	No cost	No cost	No cost	Specify fabric color number.
• Fabric price group 2	+$ 23	+$ 35	+$ 42	Specify fabric color number.
• Fabric price group 3	+$ 42	+$ 59	+$ 78	Specify fabric color number.
• Fabric price group 4	+$ 61	+$ 88	+$121	Specify fabric color number.
• Fabric price group 5	+$ 94	+$ 39	+$188	Specify fabric color number.
• Fabric price group 6	+$130	+$186	+$260	Specify fabric color number.
• Fabric price group 7	+$168	+$239	+$329	Specify fabric color number.
• Fabric price group 8	+$288	+$435	+$689	Specify fabric color number.
• Fabric price group 9	+$337	+$510	+$807	Specify fabric color number.
• Fabric price group 10	+$389	+$589	+$932	Specify fabric color number.
• Fabric price group COM	+$ 25	+$ 25	+$ 25	Specify fabric color number.
Fabric direction on 18"W to 60"W panels				
• Vertical application	No cost			Specify *with vertical application.*

Specification Information

Tackable Acoustical Skins

• Width	12"H • Style Number	12"H • U.S. Base Price	18"H • Style Number	18"H • U.S. Base Price	24"H • Style Number	24"H • U.S. Base Price	30"H • Style Number	30"H • U.S. Base Price
18"	**TS71218TK**	$122	**TS71818TK**	$152	**TS72418TK**	$167	**TS73018TK**	$215
24"	**TS71224TK**	$134	**TS71824TK**	$166	**TS72424TK**	$183	**TS73024TK**	$234
30"	**TS71230TK**	$146	**TS71830TK**	$177	**TS72430TK**	$197	**TS73030TK**	$250
36"	**TS71236TK**	$152	**TS71836TK**	$186	**TS72436TK**	$206	**TS73036TK**	$272
42"	**TS71242TK**	$159	**TS71842TK**	$198	**TS72442TK**	$218	**TS73042TK**	$293
48"	**TS71248TK**	$172	**TS71848TK**	$210	**TS72448TK**	$235	**TS73048TK**	$335
60"	**TS71260TK**	$198	**TS71860TK**	$238	**TS72460TK**	$271	**TS73060TK**	$380
72"	**TS71272TK**	$217	**TS71872TK**	$273	**TS72472TK**	$301	**TS73072TK**	$421

Performance Tackable Acoustical Skins

• Width	12"H • Style Number	12"H • U.S. Base Price	18"H • Style Number	18"H • U.S. Base Price	24"H • Style Number	24"H • U.S. Base Price	30"H • Style Number	30"H • U.S. Base Price
18"	**TS71218TA**	$136	**TS71818TA**	$159	**TS72418TA**	$181	**TS73018TA**	$228
24"	**TS71224TA**	$146	**TS71824TA**	$172	**TS72424TA**	$197	**TS73024TA**	$248
30"	**TS71230TA**	$154	**TS71830TA**	$183	**TS72430TA**	$211	**TS73030TA**	$267
36"	**TS71236TA**	$167	**TS71836TA**	$193	**TS72436TA**	$222	**TS73036TA**	$285
42"	**TS71242TA**	$176	**TS71842TA**	$204	**TS72442TA**	$234	**TS73042TA**	$302
48"	**TS71248TA**	$189	**TS71848TA**	$226	**TS72448TA**	$258	**TS73048TA**	$347
60"	**TS71260TA**	$211	**TS71860TA**	$251	**TS72460TA**	$294	**TS73060TA**	$397
72"	**TS71272TA**	$233	**TS71872TA**	$281	**TS72472TA**	$329	**TS73072TA**	$438

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Specification Information, continued on next page**

Specification Information, continued from previous page


Specification Information

Width	36"H Style Number	36"H U.S. Base Price	42"H Style Number	42"H U.S. Base Price	48"H Style Number	48"H U.S. Base Price	60"H Style Number	60"H U.S. Base Price
Tackable Acoustical Skins								
18"	**TS73618TK**	$246	**TS74218TK**	$251	**TS74818TK**	$262	**TS76018TK**	$317
24"	**TS73624TK**	$268	**TS74224TK**	$272	**TS74824TK**	$277	**TS76024TK**	$337
30"	**TS73630TK**	$285	**TS74230TK**	$288	**TS74830TK**	$296	**TS76030TK**	$354
36"	**TS73636TK**	$304	**TS74236TK**	$314	**TS74836TK**	$320	**TS76036TK**	$375
42"	**TS73642TK**	$337	**TS74242TK**	$339	**TS74842TK**	$350	**TS76042TK**	$403
48"	**TS73648TK**	$391	**TS74248TK**	$396	**TS74848TK**	$405	**TS76048TK**	$460
60"	**TS73660TK**	$450	**TS74260TK**	$458	**TS74860TK**	$471	**TS76060TK**	$517
72"	**TS73672TK**	$496	**TS74272TK**	$502	**TS74872TK**	$517	**TS76072TK**	$562
Performance Tackable Acoustical Skins								
18"	**TS73618TA**	$277	**TS74218TA**	$285	**TS74818TA**	$289	**TS76018TA**	$353
24"	**TS73624TA**	$298	**TS74224TA**	$304	**TS74824TA**	$315	**TS76024TA**	$369
30"	**TS73630TA**	$320	**TS74230TA**	$329	**TS74830TA**	$338	**TS76030TA**	$394
36"	**TS73636TA**	$345	**TS74236TA**	$351	**TS74836TA**	$359	**TS76036TA**	$413
42"	**TS73642TA**	$369	**TS74242TA**	$379	**TS74842TA**	$387	**TS76042TA**	$449
48"	**TS73648TA**	$434	**TS74248TA**	$444	**TS74848TA**	$457	**TS76048TA**	$516
60"	**TS73660TA**	$501	**TS74260TA**	$511	**TS74860TA**	$524	**TS76060TA**	$577
72"	**TS73672TA**	$555	**TS74272TA**	$564	**TS74872TA**	$572	**TS76072TA**	$629

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Fabric Covered Panel Skins To The Floor

For Panel Buildups



Tip: Remember to omit base trim(s) on a horizontal frame package when using a skin to the floor.

Tip: 48"H fabric covered panel skins to the floor accommodate select fabrics in the vertical direction only.

Tip: 48"H and 60"H fabric covered panel skins accommodate fabric in the vertical direction only.

Tip: 72"W fabric covered panel skins accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction, see page 678.

Tip: 30"H and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.

▶ See *Panel Buildups,* page 18, for more information.

Standard Includes	Required to Specify
▶Need help? Product details, page 118 • Panel skins, fabric direction application, if selected: fabric price group 1	1 Style number 2 Fabric color number for skin surface 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options	U.S. Price 24" and 30"H	U.S. Price 36" to 60"H	Required to Specify
Surface Materials			
• Fabric price group A	–$ 4	–$ 5	Specify fabric color number.
• Fabric price group 1	No cost	No cost	Specify fabric color number.
• Fabric price group 2	+$ 35	+$ 42	Specify fabric color number.
• Fabric price group 3	+$ 59	+$ 78	Specify fabric color number.
• Fabric price group 4	+$ 88	+$121	Specify fabric color number.
• Fabric price group 5	+$139	+$188	Specify fabric color number.
• Fabric price group 6	+$186	+$260	Specify fabric color number.
• Fabric price group 7	+$239	+$329	Specify fabric color number.
• Fabric price group 8	+$435	+$689	Specify fabric color number.
• Fabric price group 9	+$510	+$807	Specify fabric color number.
• Fabric price group 10	+$589	+$932	Specify fabric color number.
• Fabric price group COM	+$ 25	+$ 25	Specify fabric color number.
Fabric direction on 18"W to 60"W skins			
• Vertical application	No cost		Specify *with vertical application.*

Specification Information

Tackable Acoustical Skins

• Width	24"H • Style Number	24"H • U.S. Base Price	30"H • Style Number	30"H • U.S. Base Price	36"H • Style Number	36"H • U.S. Base Price
18"	**TS72418TKF**	$180	**TS73018TKF**	$233	**TS73618TKF**	$267
24"	**TS72424TKF**	$198	**TS73024TKF**	$247	**TS73624TKF**	$281
30"	**TS72430TKF**	$210	**TS73030TKF**	$271	**TS73630TKF**	$298
36"	**TS72436TKF**	$220	**TS73036TKF**	$284	**TS73636TKF**	$320
42"	**TS72442TKF**	$234	**TS73042TKF**	$310	**TS73642TKF**	$352
48"	**TS72448TKF**	$250	**TS73048TKF**	$350	**TS73648TKF**	$404
60"	**TS72460TKF**	$284	**TS73060TKF**	$396	**TS73660TKF**	$463
72"	**TS72472TKF**	$318	**TS73072TKF**	$437	**TS73672TKF**	$510

Performance Tackable Acoustical Skins

18"	**TS72418TAF**	$189	**TS73018TAF**	$254	**TS73618TAF**	$289
24"	**TS72424TAF**	$207	**TS73024TAF**	$279	**TS73624TAF**	$315
30"	**TS72430TAF**	$220	**TS73030TAF**	$293	**TS73630TAF**	$334
36"	**TS72436TAF**	$232	**TS73036TAF**	$315	**TS73636TAF**	$360
42"	**TS72442TAF**	$241	**TS73042TAF**	$338	**TS73642TAF**	$386
48"	**TS72448TAF**	$267	**TS73048TAF**	$386	**TS73648TAF**	$450
60"	**TS72460TAF**	$301	**TS73060TAF**	$438	**TS73660TAF**	$514
72"	**TS72472TAF**	$331	**TS73072TAF**	$486	**TS73672TAF**	$567

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued on next page**

▶Specification Information, continued from previous page


Specification Information

Width	42"H Style Number	42"H U.S. Base Price	48"H Style Number	48"H U.S. Base Price	60"H Style Number	60"H U.S. Base Price
Tackable Acoustical Skins						
18"	**TS74218TKF**	$271	**TS74818TKF**	$276	**TS76018TKF**	$330
24"	**TS74224TKF**	$285	**TS74824TKF**	$290	**TS76024TKF**	$352
30"	**TS74230TKF**	$302	**TS74830TKF**	$315	**TS76030TKF**	$367
36"	**TS74236TKF**	$328	**TS74836TKF**	$335	**TS76036TKF**	$389
42"	**TS74242TKF**	$354	**TS74842TKF**	$364	**TS76042TKF**	$418
48"	**TS74248TKF**	$409	**TS74848TKF**	$420	**TS76048TKF**	$478
60"	**TS74260TKF**	$472	**TS74860TKF**	$483	**TS76060TKF**	$534
72"	**TS74272TKF**	$532	**TS74872TKF**	$534		
Performance Tackable Acoustical Skins						
18"	**TS74218TAF**	$298	**TS74818TAF**	$304	**TS76018TAF**	$367
24"	**TS74224TAF**	$320	**TS74824TAF**	$330	**TS76024TAF**	$386
30"	**TS74230TAF**	$342	**TS74830TAF**	$351	**TS76030TAF**	$408
36"	**TS74236TAF**	$363	**TS74836TAF**	$369	**TS76036TAF**	$427
42"	**TS74242TAF**	$394	**TS74842TAF**	$402	**TS76042TAF**	$465
48"	**TS74248TAF**	$460	**TS74848TAF**	$471	**TS76048TAF**	$531
60"	**TS74260TAF**	$524	**TS74860TAF**	$538	**TS76060TAF**	$596
72"	**TS74272TAF**	$574	**TS74872TAF**	$593		

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Fabric Covered Panel Skins Big Open Base

For Panel Buildups



Tip: 72"W fabric-covered panel skins accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction, see page 678.

Standard Includes	Required to Specify
▶ Need help? Product details, page 118	• 19 3/16"H tackable acoustical panel skin, fabric direction with horizontal application, if selected: fabric price group 1	1 Style number 2 Paint color number for skin surface. 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group A	–$ 3	Specify fabric color number.
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 23	Specify fabric color number.
	• Fabric price group 3	+$ 42	Specify fabric color number.
	• Fabric price group 4	+$ 61	Specify fabric color number.
	• Fabric price group 5	+$ 94	Specify fabric color number.
	• Fabric price group 6	+$130	Specify fabric color number.
	• Fabric price group 7	+$168	Specify fabric color number.
	• Fabric price group 8	+$288	Specify fabric color number.
	• Fabric price group 9	+$337	Specify fabric color number.
	• Fabric price group 10	+$389	Specify fabric color number.
	• Fabric price group COM	+$ 25	Specify fabric color number.
	Fabric direction on 18"W to 60"W panels		
	• Vertical application	No cost	Specify *with vertical application.*

Specification Information

Width	Style Number	U.S. Base Price
18"	**TS718TKBOB**	$152
24"	**TS724TKBOB**	$166
30"	**TS730TKBOB**	$177
36"	**TS736TKBOB**	$186
42"	**TS742TKBOB**	$198
48"	**TS748TKBOB**	$210
60"	**TS760TKBOB**	$238
72"	**TS772TKBOB**	$273

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Fabric Covered Panel Skins
Big Open Base

Steel Panel Skins

For Panel Buildups

Tip: Steel skins cannot accommodate power receptacles or communication outlets. Use the base or fabric skin for power access.

Tip: Horizontal beam and the back of the opposite skin is visible through a perforated skin.

Tip: The perforated steel option will be culled April 18, 2027.

Tip: 18"H and 30"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: Data and modular receptacle cutouts are available on 24"H steel skins only.

Tip: Data cutout can be placed on the left or the right side of a steel beam skin. Data cutouts cannot be placed on both left and right side of steel beam skins.

Tip: Data cutout is an option under receptacle location. Specify data cutout location under the appropriate receptacle selection. Data cutout price is added to the receptacle cutout price.

Tip: On 24"W and 30"W steel skins, hardwire receptacle cutout option will always be with a centered hardwire cutout.

Tip: On 36"W and wider steel skins, hardwire receptacle cutout option will always come with a left and a right hardwire cutout.

Tip: No data or modular receptacle cutouts are available on 18"W steel skins.

Tip: Data or modular receptacle cutouts are NOT available on perforated or ribbed steel skins.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Standard Includes	Required to Specify
▶Need help? Product details, page 120 • Steel panel skin: paint price group 1	1 Style number 2 Paint color number for skin surface 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options	U.S. Price			Required to Specify
Surface Materials	**12"H–24"H**	**30"H**	**36"H**	
• Paint price group 1	No cost	No cost	No cost	Specify paint color number.
• Paint price group 2	+$38	+$38	+$ 75	Specify paint color number.
• Paint price group 3	+$63	+$63	+$123	Specify paint color number.
• Ribbed steel on 12"H to 24"H panel skins only	+$36	N.A.	N.A.	Specify *with ribbed steel.*
• Perforated steel on 12"H to 24"H panel skins only Ⓧ4/27	Prices at right	N.A.	N.A.	Specify *with perforated steel.*
Data Cutout Only (24"H only)	**24"W–30"W**	**36"W**	**42"W–72"W**	
• Left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$ 13	Specify *with left modular furniture data cutout or left NEMA data cutout.*
• Right modular furniture data cutout or right NEMA data cutout	+$13	+$13	+$ 13	Specify *with right modular furniture data cutout or right NEMA data cutout.*
Modular Receptacle Cutout (24"H only)				
• Center receptacle cutout	+$13	N.A.	N.A.	Specify *with center receptacle cutout.*
• Center receptacle cutout with right modular furniture data cutout or right NEMA data cutout	+$26	N.A.	N.A.	Specify *with center receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
• Left receptacle cutout	N.A.	+$13	+$ 13	Specify *with left receptacle cutout.*
• Left receptacle cutout with left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$ 26	Specify *with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
• Right receptacle cutout	N.A.	+$13	+$ 13	Specify *with right receptacle cutout.*
• Right receptacle cutout with right modular furniture data cutout or right NEMA data cutout	N.A.	+$26	+$ 26	Specify *with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
• Left and right receptacle cutout	N.A.	+$26	+$ 26	Specify *with left and right receptacle cutout.*
• Left and right receptacle cutout with left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$ 39	Specify *with left and right receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
• Left and right receptacle cutout with right modular furniture data cutout or right NEMA data cutout	N.A.	+$39	+$ 39	Specify *with left and right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
Hardwire Power/Data Cutouts (24"H only)				
• Hardwired with receptacle cutout	+$13	+$13	+$ 13	Specify *with receptacle cutout.*
• Hardwired with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$ 26	Specify *with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
• Hardwired with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout	+$26	+$26	+$ 26	Specify *with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*

Ⓧ4/27 = Last order entry
April 18, 2027

Specification Information

12"H



Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Perforated Steel X4/27
18"	**TS71218HS**	$ 96	+$ 56
24"	**TS71224HS**	$107	+$ 63
30"	**TS71230HS**	$118	+$ 68
36"	**TS71236HS**	$122	+$ 72
42"	**TS71242HS**	$130	+$ 78
48"	**TS71248HS**	$146	+$ 84
60"	**TS71260HS**	$159	+$ 97
72"	**TS71272HS**	$179	+$115

18"H



Style Number	U.S. Base Price	Option (Add $ to Base Price) Perforated Steel X4/27
TS71818HS	$126	+$ 93
TS71824HS	$135	+$110
TS71830HS	$153	+$116
TS71836HS	$160	+$120
TS71842HS	$169	+$128
TS71848HS	$181	+$141
TS71860HS	$207	+$155
TS71872HS	$232	+$176

24"H




Style Number	U.S. Base Price	Option (Add $ to Base Price) Perforated Steel X4/27
TS72418HS	$158	+$ 93
TS72424HS	$168	+$110
TS72430HS	$186	+$116
TS72436HS	$197	+$120
TS72442HS	$207	+$128
TS72448HS	$222	+$141
TS72460HS	$258	+$155
TS72472HS	$286	+$176

30"H



Width	Style Number	U.S. Base Price
18"	**TS73018HS**	$192
24"	**TS73024HS**	$208
30"	**TS73030HS**	$227
36"	**TS73036HS**	$245
42"	**TS73042HS**	$260
48"	**TS73048HS**	$285
60"	**TS73060HS**	$319
72"	**TS73072HS**	$356

36"H




Style Number	U.S. Base Price
TS73618HS	$228
TS73624HS	$248
TS73630HS	$273
TS73636HS	$289
TS73642HS	$312
TS73648HS	$342
TS73660HS	$379
TS73672HS	$423

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

X4/27 = Last order entry April 18, 2027

Steel To The Floor Skins

For Panel Buildups



Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: Steel skins cannot accommodate power receptacles or communication outlets. Use a fabric skin for power access.

Tip: 30"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.

▶See *Panel Buildups,* page 18, for more information.

Tip: Data and modular receptacle cutouts are available on 24"H steel skins only.

Tip: Data cutouts can be placed on the left or the right side of a steel beam skin. Data cutouts cannot be placed on both left and right side of steel beam skins.

Tip: Data cutout is an option under receptacle location. Specify data cutout location under the appropriate receptacle selection. Data cutout price is added to the receptacle cutout price.

Tip: On 24"W and 30"W steel skins, hardwire receptacle cutout option will always be with a centered hardwire cutout.

Tip: On 36"W and wider steel skins, hardwire receptacle cutout option will always come with a left and a right hardwire cutout.

Standard Includes	Required to Specify
▶Need help? Product details, page 120	1 Style number 2 Paint color number for skin surface 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Steel panel skin: paint price group 1	

	Options	U.S. Price			Required to Specify
Surface Materials		**24"H–30"H**	**36"H**		
	• Paint price group 1	No cost	No cost		Specify paint color number.
	• Paint price group 2	+$38	+$ 75		Specify paint color number.
	• Paint price group 3	+$63	+$123		Specify paint color number.
Data Cutout Only (24"H only)		**24"W–30"W**	**36"W**	**42"W–72"W**	
	• Left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$13	Specify *with left modular furniture data cutout or left NEMA data cutout.*
	• Right modular furniture data cutout or right NEMA data cutout	+$13	+$ 13	+$13	Specify *with right modular furniture data cutout or right NEMA data cutout.*
Modular Receptacle Cutout (24"H only)	• Center receptacle cutout	+$13	N.A.	N.A.	Specify *with center receptacle cutout.*
	• Center receptacle cutout with right modular furniture data cutout or right NEMA data cutout	+$26	N.A.	N.A.	Specify *with center receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
	• Left receptacle cutout	N.A.	+$ 13	+$13	Specify *with left receptacle cutout.*
	• Left receptacle cutout with left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$26	Specify *with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
	• Right receptacle cutout	N.A.	+$ 13	+$13	Specify *with right receptacle cutout.*
	• Right receptacle cutout with right modular furniture data cutout or right NEMA data cutout	N.A.	+$ 26	+$26	Specify *with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
	• Left and right receptacle cutout	N.A.	+$ 26	+$26	Specify *with left and right receptacle cutout.*
	• Left and right receptacle cutout with left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$39	Specify *with left and right receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
	• Left and right receptacle cutout with right modular furniture data cutout or right NEMA data cutout	N.A.	+$ 39	+$39	Specify *with left and right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
Hardwire Power/Data Cutouts (24"H only)	• Hardwired with receptacle cutout	+$13	+$ 13	+$13	Specify *with receptacle cutout.*
	• Hardwired with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$26	Specify *with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
	• Hardwired with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout	+$26	+$ 26	+$26	Specify *with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*

Tip: No data or modular receptacle cutouts are available on 18"W steel skins.

Tip: Data or modular receptacle cutouts are NOT available on perforated or ribbed steel skins.


Specification Information

Width	24"H Style Number	24"H U.S. Base Price	30"H Style Number	30"H U.S. Base Price	36"H Style Number	36"H U.S. Base Price
18"	**TS72418HSF**	$173	**TS73018HSF**	$207	**TS73618HSF**	$241
24"	**TS72424HSF**	$181	**TS73024HSF**	$222	**TS73624HSF**	$268
30"	**TS72430HSF**	$202	**TS73030HSF**	$241	**TS73630HSF**	$286
36"	**TS72436HSF**	$211	**TS73036HSF**	$260	**TS73636HSF**	$305
42"	**TS72442HSF**	$222	**TS73042HSF**	$276	**TS73642HSF**	$326
48"	**TS72448HSF**	$236	**TS73048HSF**	$298	**TS73648HSF**	$360
60"	**TS72460HSF**	$274	**TS73060HSF**	$333	**TS73660HSF**	$394
72"	**TS72472HSF**	$299	**TS73072HSF**	$368	**TS73672HSF**	$438

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Steel Panel Skins Big Open Base

For Panel Buildups



▶Need help? Product details, page 120

Standard Includes

- 19 3/16"H steel panel skin: paint price group 1

Required to Specify

1 Style number
2 Paint color number for skin surface
3 Options, if selected (see below)
▶See *Surface Materials,* page 672.

	Options	U.S. Price			Required to Specify
Surface Materials	• Paint price group 1	No cost			Specify paint color number.
	• Paint price group 2	+$38			Specify paint color number.
	• Paint price group 3	+$63			Specify paint color number.
Data Cutout Only		**24"W–30"W**	**36"W**	**42"W–72"W**	
	• Left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$13	Specify *with left modular furniture data cutout or left NEMA data cutout.*
	• Right modular furniture data cutout or right NEMA data cutout	+$13	+$13	+$13	Specify *with right modular furniture data cutout or right NEMA data cutout.*
Modular Receptacle Cutout	• Center receptacle cutout	+$13	N.A.	N.A.	Specify *with center receptacle cutout.*
	• Center receptacle cutout with right modular furniture data cutout or right NEMA data cutout	+$26	N.A.	N.A.	Specify *with center receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
	• Left receptacle cutout	N.A.	+$13	+$13	Specify *with left receptacle cutout.*
	• Left receptacle cutout with left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$26	Specify *with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
	• Right receptacle cutout	N.A.	+$13	+$13	Specify *with right receptacle cutout.*
	• Right receptacle cutout with right modular furniture data cutout or right NEMA data cutout	N.A.	+$26	+$26	Specify *with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
	• Left and right receptacle cutout	N.A.	+$26	+$26	Specify *with left and right receptacle cutout.*
	• Left and right receptacle cutout with left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$39	Specify *with left and right receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
	• Left and right receptacle cutout with right modular furniture data cutout or right NEMA data cutout	N.A.	+$39	+$39	Specify *with left and right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*
Hardwire Power/Data Cutouts (24"H only)	• Hardwired with receptacle cutout	+$13	+$13	+$13	Specify *with receptacle cutout.*
	• Hardwired with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout	N.A.	N.A.	+$26	Specify *with left receptacle cutout and left modular furniture data cutout or left NEMA data cutout.*
	• Hardwired with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout	+$26	+$26	+$26	Specify *with right receptacle cutout and right modular furniture data cutout or right NEMA data cutout.*

Tip: Data cutouts can be placed on the left or the right side of a steel panel skin. Data cutouts cannot be placed on both left and right side of steel panel skins.

Tip: Data cutouts is an option under receptacle location. Specify data cutout location under the appropriate receptacle selection. Data cutout price is additive to the receptacle cutout price.

Tip: No data or modular receptacle cutouts are available on 18"W steel skins.

Tip: On 24"W and 30"W steel skins, hardwire receptacle cutout option will always be with a centered hardwire cutout.

Tip: On 36"W and wider steel skins, hardwire receptacle cutout option will always come with a left and a right hardwire cutout.

Specification Information

Width	Style Number	U.S. Base Price
18"	**TS718HSBOB**	$126
24"	**TS724HSBOB**	$135
30"	**TS730HSBOB**	$153
36"	**TS736HSBOB**	$160
42"	**TS742HSBOB**	$169
48"	**TS748HSBOB**	$181
60"	**TS760HSBOB**	$207
72"	**TS772HSBOB**	$232

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Markerboard Surfaces for Steel Skins

For Panel Buildups


Modular Markerboard Surface for Steel Skins


Tip: Remember to order steel skin of the same size to support markerboard surface.
▶ Page 452

Standard Includes	Required to Specify
▶ Need help? Product details, page 124	Style number
• Flexible, magnetic markerboard panel surface to attach to steel skin: white plastic	

Specification Information








Width	12"H Style Number	12"H U.S. Price	24"H Style Number	24"H U.S. Price	36"H Style Number	36"H U.S. Price
24"	**TS71224MBS**	$149	**TS72424MBS**	$186	**TS73624MBS**	$228
30"	**TS71230MBS**	$155	**TS72430MBS**	$195	**TS73630MBS**	$239
36"	**TS71236MBS**	$161	**TS72436MBS**	$202	**TS73636MBS**	$250
42"	**TS71242MBS**	$175	**TS72442MBS**	$210	**TS73642MBS**	$265
48"	**TS71248MBS**	$186	**TS72448MBS**	$220	**TS73648MBS**	$280

Parametric Markerboard Surface for Steel Skins



Standard Includes	Required to Specify
▶ Need help? Product details, page 124	1 Style number 2 Height 3 Width
• Flexible, magnetic markerboard panel surface to attach to steel skin: white plastic • Height: 12"H–36"H • Width: 12"W–96"W	

Specification Information

Style Number	Width	U.S. Prices 12"H–16 3/16"H	16 1/4"H–23 15/16"H	24"H–35 15/16"H	36"H
TS7MBSP	12"W–17 15/16"W	$136	$152	$167	$198
	18"W–23 15/16"W	$143	$160	$174	$211
	24"W–29 15/16"W	$149	$172	$186	$228
	30"W–35 15/16"W	$155	$183	$195	$241
	36"W–41 15/16"W	$161	$197	$203	$251
	42"W–47 15/16"W	$176	$204	$211	$265
	48"W–53 15/16"W	$186	$215	$220	$281
	54"W–59 15/16"W	$192	$228	$232	$294
	60"W–65 15/16"W	$202	$238	$239	$309
	66"W–71 15/16"W	$207	$248	$260	$320
	72"W–77 15/16"W	$215	$260	$272	$338
	78"W–83 15/16"W	$226	$268	$286	$353
	84"W–89 15/16"W	$236	$281	$302	$368
	90"W–95 15/16"W	$246	$293	$315	$389
	96"W	$260	$318	$331	$413

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Markerboard Skins

For Panel Buildups

Tip: 18"H and 30"H skins only work on junctions manufactured on or after October 10, 2011.

Standard Includes

▶Need help? Product details, page 125

- Markerboard skin: white

Required to Specify

Style number

Specification Information

Width	12"H Style Number	12"H U.S. Price	18"H Style Number	18"H U.S. Price	24"H Style Number	24"H U.S. Price	30"H Style Number	30"H U.S. Price	36"H Style Number	36"H U.S. Price
18"	**TS71218MB**	$241	**TS71818MB**	$291	**TS72418MB**	$339	**TS73018MB**	$400	**TS73618MB**	$466
24"	**TS71224MB**	$260	**TS71824MB**	$312	**TS72424MB**	$361	**TS73024MB**	$425	**TS73624MB**	$496
30"	**TS71230MB**	$279	**TS71830MB**	$334	**TS72430MB**	$390	**TS73030MB**	$461	**TS73630MB**	$526
36"	**TS71236MB**	$291	**TS71836MB**	$352	**TS72436MB**	$408	**TS73036MB**	$485	**TS73636MB**	$558
42"	**TS71242MB**	$315	**TS71842MB**	$372	**TS72442MB**	$430	**TS73042MB**	$513	**TS73642MB**	$593
48"	**TS71248MB**	$337	**TS71848MB**	$396	**TS72448MB**	$460	**TS73048MB**	$545	**TS73648MB**	$637
60"	**TS71260MB**	$360	**TS71860MB**	$420	**TS72460MB**	$484	**TS73060MB**	$588	**TS73660MB**	$677
72"	**TS71272MB**	$383	**TS71872MB**	$445	**TS72472MB**	$512	**TS73072MB**	$616	**TS73672MB**	$710

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Markerboard To The Floor Skins

For Panel Buildups

Tip: 18"H and 30"H skins only work on junctions manufactured on or after October 10, 2011.

▶Need help?
Product details, page 125


Standard Includes


- Markerboard skin: white


Required to Specify

Style number

Specification Information







Width	24"H Style Number	24"H U.S. Price	30"H Style Number	30"H U.S. Price	36"H Style Number	36"H U.S. Price
18"	**TS72418MBF**	$376	**TS73018MBF**	$443	**TS73618MBF**	$503
24"	**TS72424MBF**	$392	**TS73024MBF**	$462	**TS73624MBF**	$535
30"	**TS72430MBF**	$420	**TS73030MBF**	$497	**TS73630MBF**	$568
36"	**TS72436MBF**	$443	**TS73036MBF**	$521	**TS73636MBF**	$603
42"	**TS72442MBF**	$466	**TS73042MBF**	$555	**TS73642MBF**	$637
48"	**TS72448MBF**	$484	**TS73048MBF**	$578	**TS73648MBF**	$679
60"	**TS72460MBF**	$505	**TS73060MBF**	$618	**TS73660MBF**	$709
72"	**TS72472MBF**	$537	**TS73072MBF**	$657	**TS73672MBF**	$746

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Slatwall Skins and Slatwall Skin Brace Packages




Slatwall Skins

Standard Includes	Required to Specify
▶Need help? Product details, page 126	• Skin with slatwall channels to accommodate work tools: paint • Attachment hardware	1 Style number 2 Paint color number ▶See *Surface Materials,* page 672.

Tip: 18"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: Slatwall skins cannot be used in the bottom 12" of an Answer panel.

Specification Information

	12"H		18"H		24"H	
						
• Width	• Style Number	• U.S. Price	• Style Number	• U.S. Price	• Style Number	• U.S. Price
24"	**TS71224SW**	$399	**TS71824SW**	$487	**TS72424SW**	$574
30"	**TS71230SW**	$461	**TS71830SW**	$548	**TS72430SW**	$637
36"	**TS71236SW**	$548	**TS71836SW**	$646	**TS72436SW**	$737
42"	**TS71242SW**	$580	**TS71842SW**	$675	**TS72442SW**	$762
48"	**TS71248SW**	$616	**TS71848SW**	$707	**TS72448SW**	$798

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Slatwall Skin Brace Packages

For Use with Answer Slatwall Skins

Standard Includes	Required to Specify
▶Need help? Product details, page 126 • Brace packages: black only • Attachment hardware	Style number

Specification Information







Width	12"H Style Number	12"H U.S. Price	18"H Style Number	18"H U.S. Price	24"H Style Number	24"H U.S. Price
24"	**TS71224SBP**	$121	**TS71824SBP**	$152	**TS72424SBP**	$167
30"	**TS71230SBP**	$121	**TS71830SBP**	$152	**TS72430SBP**	$167
36"	**TS71236SBP**	$149	**TS71836SBP**	$161	**TS72436SBP**	$167
42"	**TS71242SBP**	$149	**TS71842SBP**	$189	**TS72442SBP**	$222
48"	**TS71248SBP**	$149	**TS71848SBP**	$189	**TS72448SBP**	$222

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Laminate Skins

Standard Includes	Required to Specify
▶Need help? Product details, page 128	1 Style number 2 Laminate color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Skin: laminate price group 1 • Vertical grain direction for woodgrain and directional laminates • Trim: paint • Attachment hardware	

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Options	U.S. Price	Required to Specify
Surface Materials		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost ▶ of laminate	See *Surface Materials Reference Manual.*
Grain direction (for all skins up to 48"H only)		
• Horizontal	No cost	Specify *with horizontal grain direction.*

Specification Information

Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.


	12"H		18"H		24"H		30"H	
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price
24"	**TS71224LS**	$497	**TS71824LS**	$533	**TS72424LS**	$569	**TS73024LS**	$606
30"	**TS71230LS**	$513	**TS71830LS**	$556	**TS72430LS**	$600	**TS73030LS**	$655
36"	**TS71236LS**	$529	**TS71836LS**	$574	**TS72436LS**	$627	**TS73036LS**	$685
42"	**TS71242LS**	$560	**TS71842LS**	$607	**TS72442LS**	$657	**TS73042LS**	$717
48"	**TS71248LS**	$574	**TS71848LS**	$631	**TS72448LS**	$686	**TS73048LS**	$751

Tip: All 60"H skins are only available in vertical direction for woodgrain and directional laminates.

	36"H		42"H		48"H		60"H	
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price
24"	**TS73624LS**	$636	**TS74224LS**	$658	**TS74824LS**	$684	**TS76024LS**	$ 782
30"	**TS73630LS**	$709	**TS74230LS**	$712	**TS74830LS**	$715	**TS76030LS**	$ 819
36"	**TS73636LS**	$735	**TS74236LS**	$754	**TS74836LS**	$780	**TS76036LS**	$ 867
42"	**TS73642LS**	$781	**TS74242LS**	$802	**TS74842LS**	$817	**TS76042LS**	$ 902
48"	**TS73648LS**	$829	**TS74248LS**	$859	**TS74848LS**	$890	**TS76048LS**	$1003

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Laminate To The Floor Skins



Standard Includes	Required to Specify
▶Need help? Product details, page 128	1 Style number 2 Laminate color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

- Skin: laminate price group 1
- Vertical grain direction for woodgrain and directional laminates
- Trim: paint
- Attachment hardware

	Options	U.S. Price	Required to Specify
Surface Materials	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost ▶ of laminate	See *Surface Materials Reference Manual.*
	Grain direction (for all skins up to 48"H only)		
	• Horizontal	No cost	Specify *with horizontal grain direction.*

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: 30"H and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.
▶See *Panel Buildups,* page 18, for more information.

Specification Information


Width	24"H Style Number	24"H U.S. Base Price	30"H Style Number	30"H U.S. Base Price	36"H Style Number	36"H U.S. Base Price
24"	**TS72424LSF**	$600	**TS73024LSF**	$632	**TS73624LSF**	$667
30"	**TS72430LSF**	$629	**TS73030LSF**	$686	**TS73630LSF**	$737
36"	**TS72436LSF**	$656	**TS73036LSF**	$709	**TS73636LSF**	$762
42"	**TS72442LSF**	$688	**TS73042LSF**	$748	**TS73642LSF**	$812
48"	**TS72448LSF**	$712	**TS73048LSF**	$782	**TS73648LSF**	$853

Tip: All 60"H skins are only available in vertical direction for woodgrain and directional laminates.

Width	42"H Style Number	42"H U.S. Base Price	48"H Style Number	48"H U.S. Base Price	60"H Style Number	60"H U.S. Base Price
24"	**TS74224LSF**	$689	**TS74824LSF**	$709	**TS76024LSF**	$ 814
30"	**TS74230LSF**	$740	**TS74830LSF**	$743	**TS76030LSF**	$ 847
36"	**TS74236LSF**	$783	**TS74836LSF**	$811	**TS76036LSF**	$ 898
42"	**TS74242LSF**	$830	**TS74842LSF**	$842	**TS76042LSF**	$ 928
48"	**TS74248LSF**	$888	**TS74848LSF**	$914	**TS76048LSF**	$1032

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Wood Skins



Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: Vertical grain cathedral direction will point up. The cathedral direction for horizontal grain is random.

Standard Includes	Required to Specify
▶Need help? Product details, page 130	1 Style number 2 Composite veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

- Skin: composite veneer price group 1
- Vertical grain direction
- Trim: paint
- Attachment hardware

	Options	U.S. Price	Required to Specify
Surface Materials	• Composite veneer group 1	No cost	Specify composite veneer color number.
	• Composite veneer group 2	Prices below and at right	Specify composite veneer color number.
	• Wood group 1	Prices below and at right	Specify wood color number.
	• Wood group 2	Prices below and at right	Specify wood color number.
	• Wood group 3	Prices below and at right	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
			▶See *Surface Materials Reference Manual.*
Grain direction			
	• Horizontal	No cost	Specify *with horizontal grain direction.*

Specification Information

12"H

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS71224WS**	$598	+$85	+$17	+$94	+$334
30"	**TS71230WS**	$637	+$85	+$17	+$94	+$334
36"	**TS71236WS**	$684	+$85	+$17	+$94	+$334
42"	**TS71242WS**	$728	+$85	+$17	+$94	+$334
48"	**TS71248WS**	$775	+$85	+$17	+$94	+$334

18"H

Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS71824WS	$689	+$ 85	+$17	+$ 94	+$334
TS71830WS	$731	+$ 85	+$17	+$ 94	+$334
TS71836WS	$779	+$145	+$37	+$159	+$561
TS71842WS	$832	+$145	+$37	+$159	+$561
TS71848WS	$875	+$145	+$37	+$159	+$561

24"H

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS72424WS**	$775	+$ 85	+$17	+$ 94	+$334
30"	**TS72430WS**	$823	+$ 85	+$17	+$ 94	+$334
36"	**TS72436WS**	$870	+$145	+$37	+$159	+$561
42"	**TS72442WS**	$924	+$145	+$37	+$159	+$561
48"	**TS72448WS**	$977	+$145	+$37	+$159	+$561

30"H

Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS73024WS	$ 904	+$145	+$37	+$159	+$561
TS73030WS	$ 956	+$145	+$37	+$159	+$561
TS73036WS	$1010	+$145	+$37	+$159	+$561
TS73042WS	$1071	+$215	+$49	+$236	+$831
TS73048WS	$1144	+$215	+$49	+$236	+$831

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specification Information, continued from previous page


Specification Information

36"H




Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS73624WS**	$1032	+$145	+$37	+$159	+$561
30"	**TS73630WS**	$1090	+$145	+$37	+$159	+$561
36"	**TS73636WS**	$1148	+$145	+$37	+$159	+$561
42"	**TS73642WS**	$1209	+$215	+$49	+$236	+$831
48"	**TS73648WS**	$1313	+$215	+$49	+$236	+$831

42"H



Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS74224WS	$1093	+$145	+$37	+$159	+$561
TS74230WS	$1150	+$145	+$37	+$159	+$561
TS74236WS	$1208	+$215	+$49	+$236	+$831
TS74242WS	$1271	+$215	+$49	+$236	+$831
TS74248WS	$1375	+$215	+$49	+$236	+$831

48"H



Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS74824WS**	$1156	+$145	+$37	+$159	+$561
30"	**TS74830WS**	$1209	+$145	+$37	+$159	+$561
36"	**TS74836WS**	$1268	+$215	+$49	+$236	+$831
42"	**TS74842WS**	$1335	+$215	+$49	+$236	+$831
48"	**TS74848WS**	$1436	+$215	+$49	+$236	+$831


60"H



Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS76024WS	$1338	+$145	+$37	+$159	+$ 561
TS76030WS	$1386	+$215	+$49	+$236	+$ 831
TS76036WS	$1442	+$215	+$49	+$236	+$ 831
TS76042WS	$1508	+$303	+$55	+$333	+$1161
TS76048WS	$1614	+$303	+$55	+$333	+$1161

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Wood To The Floor Skins



Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.

▶See *Panel Buildups,* page 18, for more information.

Standard Includes	Required to Specify
▶Need help? Product details, page 130 • Skin: composite veneer price group 1 • Vertical grain direction • Trim: paint • Attachment hardware	1 Style number 2 Composite veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Composite veneer group 1	No cost	Specify composite veneer color number.
	• Composite veneer group 2	Prices below and at right	Specify composite veneer color number.
	• Wood group 1	Prices below and at right	Specify wood color number.
	• Wood group 2	Prices below and at right	Specify wood color number.
	• Wood group 3	Prices below and at right	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
			▶See *Surface Materials Reference Manual.*
	Grain direction		
	• Horizontal	No cost	Specify *with horizontal grain direction.*


Specification Information

24"H



Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS72424WSF**	$ 807	+$ 85	+$17	+$ 94	+$334
30"	**TS72430WSF**	$ 849	+$ 85	+$17	+$ 94	+$334
36"	**TS72436WSF**	$ 903	+$145	+$37	+$159	+$561
42"	**TS72442WSF**	$ 956	+$145	+$37	+$159	+$561
48"	**TS72448WSF**	$1008	+$145	+$37	+$159	+$561

30"H



Style Number	U.S. Base Price	Options (Add $ to Base Price) Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS73024WSF	$ 932	+$145	+$37	+$159	+$561
TS73030WSF	$ 984	+$145	+$37	+$159	+$561
TS73036WSF	$1039	+$145	+$37	+$159	+$561
TS73042WSF	$1096	+$215	+$49	+$236	+$831
TS73048WSF	$1175	+$215	+$49	+$236	+$831


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ Specification Information, continued from previous page


Specification Information

36"H




Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS73624WSF**	$1062	+$145	+$37	+$159	+$561
30"	**TS73630WSF**	$1119	+$145	+$37	+$159	+$561
36"	**TS73636WSF**	$1177	+$145	+$37	+$159	+$561
42"	**TS73642WSF**	$1241	+$215	+$49	+$236	+$831
48"	**TS73648WSF**	$1341	+$215	+$49	+$236	+$831

42"H



Style Number	U.S. Base Price	Options (Add $ to Base Price)			
		Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS74224WSF	$1123	+$145	+$37	+$159	+$561
TS74230WSF	$1181	+$145	+$37	+$159	+$561
TS74236WSF	$1239	+$215	+$49	+$236	+$831
TS74242WSF	$1299	+$215	+$49	+$236	+$831
TS74248WSF	$1404	+$215	+$49	+$236	+$831

48"H



Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS74824WSF**	$1192	+$145	+$37	+$159	+$561
30"	**TS74830WSF**	$1241	+$145	+$37	+$159	+$561
36"	**TS74836WSF**	$1293	+$215	+$49	+$236	+$831
42"	**TS74842WSF**	$1363	+$215	+$49	+$236	+$831
48"	**TS74848WSF**	$1465	+$215	+$49	+$236	+$831

60"H



Style Number	U.S. Base Price	Options (Add $ to Base Price)			
		Comp Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
TS76024WSF	$1365	+$145	+$37	+$159	+$ 561
TS76030WSF	$1414	+$215	+$49	+$236	+$ 831
TS76036WSF	$1469	+$215	+$49	+$236	+$ 831
TS76042WSF	$1539	+$303	+$55	+$333	+$1161
TS76048WSF	$1642	+$303	+$55	+$333	+$1161

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Wood Skin Sets

Tip: Wood skin sets should be selected when grain pattern alignment of all segmented skins on a frame is desired.


▶Need help? Product details, page 130

Standard Includes	Required to Specify
• Skin: composite veneer price group 1 • Vertical grain direction • Trim: paint • Attachment hardware	1 Style number 2 Composite veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Composite veneer group 1	No cost	Specify composite veneer color number.
	• Composite veneer group 2	Prices below and at right	Specify composite veneer color number.
	• Wood group 1	Prices below and at right	Specify wood color number.
	• Wood group 2	Prices below and at right	Specify wood color number.
	• Wood group 3	Prices below and at right	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
	Grain direction		
	• Horizontal	No cost	Specify *with horizontal grain direction.*

Specification Information


42"H Wood Skin Sets



Set A = One 12"H Skin and One 24"H Skin


Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS74224AWSS**	$1412	+$170	+$43	+$187	+$ 652
30"	**TS74230AWSS**	$1502	+$170	+$43	+$187	+$ 652
36"	**TS74236AWSS**	$1603	+$234	+$51	+$257	+$ 896
42"	**TS74242AWSS**	$1703	+$234	+$51	+$257	+$ 896
48"	**TS74248AWSS**	$1807	+$234	+$51	+$257	+$ 896

48"H Wood Skin Sets



Set A = One 12"H Skin and One 30"H Skin

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS74824AWSS**	$1550	+$234	+$51	+$257	+$ 896
30"	**TS74830AWSS**	$1642	+$234	+$51	+$257	+$ 896
36"	**TS74836AWSS**	$1745	+$234	+$51	+$257	+$ 896
42"	**TS74842AWSS**	$1848	+$303	+$55	+$333	+$1161
48"	**TS74848AWSS**	$1979	+$303	+$55	+$333	+$1161



Set B = One 18"H Skin and One 24"H Skin

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price) Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
24"	**TS74824BWSS**	$1550	+$241	+$52	+$265	+$ 924
30"	**TS74830BWSS**	$1642	+$241	+$52	+$265	+$ 924
36"	**TS74836BWSS**	$1745	+$241	+$52	+$265	+$ 924
42"	**TS74842BWSS**	$1848	+$315	+$56	+$347	+$1205
48"	**TS74848BWSS**	$1979	+$315	+$56	+$347	+$1205

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


▶**Specification Information, continued on next page**

▶Specification Information, continued from previous page

Specification Information


Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3

54"H Wood Skin Sets




Set A = Two 24"H Skins

24"	**TS75424AWSS**	$1598	+$170	+$43	+$187	+$ 652
30"	**TS75430AWSS**	$1702	+$170	+$43	+$187	+$ 652
36"	**TS75436AWSS**	$1799	+$292	+$54	+$322	+$1123
42"	**TS75442AWSS**	$1900	+$292	+$54	+$322	+$1123
48"	**TS75448AWSS**	$2010	+$292	+$54	+$322	+$1123



Set B = Two 12"H Skins and One 24"H Skin


24"	**TS75424BWSS**	$2025	+$255	+$53	+$281	+$ 989
30"	**TS75430BWSS**	$2170	+$255	+$53	+$281	+$ 989
36"	**TS75436BWSS**	$2308	+$320	+$57	+$351	+$1227
42"	**TS75442BWSS**	$2455	+$320	+$57	+$351	+$1227
48"	**TS75448BWSS**	$2606	+$320	+$57	+$351	+$1227



Set C = One 12"H Skin and One 36"H Skin

24"	**TS75424CWSS**	$1681	+$234	+$51	+$257	+$ 896
30"	**TS75430CWSS**	$1782	+$234	+$51	+$257	+$ 896
36"	**TS75436CWSS**	$1886	+$234	+$51	+$257	+$ 896
42"	**TS75442CWSS**	$1994	+$303	+$55	+$333	+$1161
48"	**TS75448CWSS**	$2153	+$303	+$55	+$333	+$1161

66"H Wood Skin Sets



Set A = Three 12"H Skins and One 24"H Skin

24"	**TS76624AWSS**	$2648	+$343	+$58	+$378	+$1320
30"	**TS76630AWSS**	$2828	+$343	+$58	+$378	+$1320
36"	**TS76636AWSS**	$3007	+$400	+$61	+$440	+$1545
42"	**TS76642AWSS**	$3201	+$400	+$61	+$440	+$1545
48"	**TS76648AWSS**	$3399	+$400	+$61	+$440	+$1545

▶Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Wood Skin Sets, continued

▶ **Specification Information, continued from previous page**

Specification Information


Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3

66"H Wood Skin Sets, continued



Set B = One 12"H Skin and Two 24"H Skins

24"	**TS76624BWSS**	$2211	+$255	+$53	+$281	+$ 989
30"	**TS76630BWSS**	$2359	+$255	+$53	+$281	+$ 989
36"	**TS76636BWSS**	$2500	+$380	+$59	+$418	+$1458
42"	**TS76642BWSS**	$2652	+$380	+$59	+$418	+$1458
48"	**TS76648BWSS**	$2808	+$380	+$59	+$418	+$1458



Set C = Two 12"H Skins and One 36"H Skin

24"	**TS76624CWSS**	$2300	+$320	+$57	+$351	+$1227
30"	**TS76630CWSS**	$2443	+$320	+$57	+$351	+$1227
36"	**TS76636CWSS**	$2588	+$320	+$57	+$351	+$1227
42"	**TS76642CWSS**	$2745	+$385	+$60	+$424	+$1480
48"	**TS76648CWSS**	$2949	+$385	+$60	+$424	+$1480

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Wood To The Floor Skin Sets

Tip: Wood skin sets should be selected when grain pattern alignment of all segmented skins on a frame is desired.

Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.


▶See *Panel Buildups,* page 18, for more information.

Standard Includes	Required to Specify
▶Need help? Product details, page 130	1 Style number 2 Composite veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Skin: composite veneer price group 1 • Vertical grain direction • Trim: paint • Attachment hardware	

	Options	U.S. Price	Required to Specify
Surface Materials	• Composite veneer group 1	No cost	Specify composite veneer color number.
	• Composite veneer group 2	Prices below and at right	Specify composite veneer color number.
	• Wood group 1	Prices below and at right	Specify wood color number.
	• Wood group 2	Prices below and at right	Specify wood color number.
	• Wood group 3	Prices below and at right	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
	Grain direction		
	• Horizontal	No cost	Specify *with horizontal grain direction.*

Specification Information


Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3



42"H Wood Skin Sets

Set A = One 12"H Skin and One 24"H Skin


24"	**TS74224AWSF**	$1443	+$170	+$43	+$187	+$ 652
30"	**TS74230AWSF**	$1537	+$170	+$43	+$187	+$ 652
36"	**TS74236AWSF**	$1631	+$234	+$51	+$257	+$ 896
42"	**TS74242AWSF**	$1733	+$234	+$51	+$257	+$ 896
48"	**TS74248AWSF**	$1835	+$234	+$51	+$257	+$ 896



48"H Wood Skin Sets

Set A = One 12"H Skin and One 30"H Skin

24"	**TS74824AWSF**	$1577	+$234	+$51	+$257	+$ 896
30"	**TS74830AWSF**	$1671	+$234	+$51	+$257	+$ 896
36"	**TS74836AWSF**	$1771	+$234	+$51	+$257	+$ 896
42"	**TS74842AWSF**	$1879	+$303	+$55	+$333	+$1161
48"	**TS74848AWSF**	$2008	+$303	+$55	+$333	+$1161



Set B = One 18"H Skin and One 24"H Skin

24"	**TS74824BWSF**	$1577	+$241	+$52	+$265	+$ 924
30"	**TS74830BWSF**	$1671	+$241	+$52	+$265	+$ 924
36"	**TS74836BWSF**	$1771	+$241	+$52	+$265	+$ 924
42"	**TS74842BWSF**	$1879	+$315	+$56	+$347	+$1205
48"	**TS74848BWSF**	$2008	+$315	+$56	+$347	+$1205


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


▶**Specification Information, continued on next page**


▶Specification Information, continued from previous page


Specification Information

Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3
54"H Wood Skin Sets						
Set A = Two 24"H Skins						
24"	**TS75424AWSF**	$1627	+$170	+$43	+$187	+$ 652
30"	**TS75430AWSF**	$1730	+$170	+$43	+$187	+$ 652
36"	**TS75436AWSF**	$1827	+$292	+$54	+$322	+$1123
42"	**TS75442AWSF**	$1931	+$292	+$54	+$322	+$1123
48"	**TS75448AWSF**	$2037	+$292	+$54	+$322	+$1123
Set B = Two 12"H Skins and One 24"H Skin						
24"	**TS75424BWSF**	$2065	+$255	+$53	+$281	+$ 989
30"	**TS75430BWSF**	$2198	+$255	+$53	+$281	+$ 989
36"	**TS75436BWSF**	$2336	+$320	+$57	+$351	+$1227
42"	**TS75442BWSF**	$2478	+$320	+$57	+$351	+$1227
48"	**TS75448BWSF**	$2633	+$320	+$57	+$351	+$1227
Set C = One 12"H Skin and One 36"H Skin						
24"	**TS75424CWSF**	$1710	+$234	+$51	+$257	+$ 896
30"	**TS75430CWSF**	$1815	+$234	+$51	+$257	+$ 896
36"	**TS75436CWSF**	$1915	+$234	+$51	+$257	+$ 896
42"	**TS75442CWSF**	$2022	+$303	+$55	+$333	+$1161
48"	**TS75448CWSF**	$2180	+$303	+$55	+$333	+$1161
66"H Wood Skin Sets						
Set A = Three 12"H Skins and One 24"H Skin						
24"	**TS76624AWSF**	$2674	+$343	+$58	+$378	+$1320
30"	**TS76630AWSF**	$2858	+$343	+$58	+$378	+$1320
36"	**TS76636AWSF**	$3038	+$400	+$61	+$440	+$1545
42"	**TS76642AWSF**	$3230	+$400	+$61	+$440	+$1545
48"	**TS76648AWSF**	$3431	+$400	+$61	+$440	+$1545









▶Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Wood To The Floor Skin Sets, continued

▶ **Specification Information, continued from previous page**

Specification Information


Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)			
			Composite Veneer Group 2	Wood Group 1	Wood Group 2	Wood Group 3

66"H Wood Skin Sets, continued



Set B = One 12"H Skin and Two 24"H Skins

24"	**TS76624BWSF**	$2249	+$255	+$53	+$281	+$ 989
30"	**TS76630BWSF**	$2382	+$255	+$53	+$281	+$ 989
36"	**TS76636BWSF**	$2527	+$380	+$59	+$418	+$1458
42"	**TS76642BWSF**	$2681	+$380	+$59	+$418	+$1458
48"	**TS76648BWSF**	$2841	+$380	+$59	+$418	+$1458



Set C = Two 12"H Skins and One 36"H Skin

24"	**TS76624CWSF**	$2327	+$320	+$57	+$351	+$1227
30"	**TS76630CWSF**	$2469	+$320	+$57	+$351	+$1227
36"	**TS76636CWSF**	$2619	+$320	+$57	+$351	+$1227
42"	**TS76642CWSF**	$2773	+$385	+$60	+$424	+$1480
48"	**TS76648CWSF**	$2980	+$385	+$60	+$424	+$1480

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Back Painted Glass Skins

Standard Includes	Required to Specify
▶ Need help? Product details, page 132	• Skin: back painted glass • Trim: paint • Attachment hardware	1 Style number 2 Back painted glass color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Magnetic Backer	• Magnetic backer	Prices below and at right	Specify *with backer.*

Tip: Rare earth magnets should be used with magnetic backer.

Specification Information

Tip: Back painted glass skins only work on junctions manufactured on or after October 10, 2011.

Tip: Back painted glass skins do not attach to wall start junctions.

12"H

Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Magnetic Backer
18"	**TS71218GS**	$ 829	+$ 348
24"	**TS71224GS**	$ 917	+$ 389
30"	**TS71230GS**	$1016	+$ 427
36"	**TS71236GS**	$1161	+$ 487
42"	**TS71242GS**	$1331	+$ 563
48"	**TS71248GS**	$1423	+$ 598
60"	**TS71260GS**	$1696	+$ 714
72"	**TS71272GS**	$1932	+$ 813

18"H

Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Magnetic Backer
18"	**TS71818GS**	$ 924	+$ 390
24"	**TS71824GS**	$1064	+$ 448
30"	**TS71830GS**	$1201	+$ 510
36"	**TS71836GS**	$1396	+$ 588
42"	**TS71842GS**	$1624	+$ 685
48"	**TS71848GS**	$1754	+$ 739
60"	**TS71860GS**	$2128	+$ 898
72"	**TS71872GS**	$2445	+$1030

24"H

18"	**TS72418GS**	$1025	+$ 434
24"	**TS72424GS**	$1207	+$ 511
30"	**TS72430GS**	$1394	+$ 588
36"	**TS72436GS**	$1631	+$ 686
42"	**TS72442GS**	$1918	+$ 805
48"	**TS72448GS**	$2089	+$ 880
60"	**TS72460GS**	$2557	+$1078
72"	**TS72472GS**	$2961	+$1246

30"H


18"	**TS73018GS**	$1130	+$ 475
24"	**TS73024GS**	$1354	+$ 571
30"	**TS73030GS**	$1583	+$ 667
36"	**TS73036GS**	$1861	+$ 787
42"	**TS73042GS**	$2210	+$ 932
48"	**TS73048GS**	$2421	+$1021
60"	**TS73060GS**	$2989	+$1260
72"	**TS73072GS**	$3474	+$1463

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶Specification Information, continued from previous page

Specification Information



36"H

Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Magnetic Backer
18"	**TS73618GS**	$1229	+$ 517
24"	**TS73624GS**	$1501	+$ 633
30"	**TS73630GS**	$1769	+$ 748
36"	**TS73636GS**	$2098	+$ 884
42"	**TS73642GS**	$2500	+$1054
48"	**TS73648GS**	$2754	+$1161
60"	**TS73660GS**	$3416	+$1442
72"	**TS73672GS**	$3987	+$1681

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Back Painted Glass To The Floor Skins

Tip: When specifying skins, the total skin height will be 6" less than the panel height. Skins to the floor are indicated by an F suffix. Plan 6" shorter than panel height, but skins to the floor are taller in actual height to cover the base trim area.

Tip: Rare earth magnets should be used with magnetic backer.

Standard Includes	Required to Specify
▶ Need help? Product details, page 132	• Skin: back painted glass • Trim: paint • Attachment hardware	1 Style number 2 Back painted glass color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Magnetic Backer	• Magnetic backer	Prices below	Specify *with backer.*

Specification Information


Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: Back painted glass skins only work on junctions manufactured on or after October 10, 2011.




24"H

Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Magnetic Backer
18"	**TS72418GSF**	$1117	+$ 471
24"	**TS72424GSF**	$1317	+$ 557
30"	**TS72430GSF**	$1517	+$ 639
36"	**TS72436GSF**	$1777	+$ 749
42"	**TS72442GSF**	$2090	+$ 882
48"	**TS72448GSF**	$2277	+$ 959
60"	**TS72460GSF**	$2786	+$1174
72"	**TS72472GSF**	$3226	+$1361



30"H

Width	Style Number	U.S. Base Price	Option (Add $ to Base Price) Magnetic Backer
18"	**TS73018GSF**	$1228	+$ 517
24"	**TS73024GSF**	$1475	+$ 624
30"	**TS73030GSF**	$1726	+$ 726
36"	**TS73036GSF**	$2034	+$ 859
42"	**TS73042GSF**	$2411	+$1017
48"	**TS73048GSF**	$2640	+$1111
60"	**TS73060GSF**	$3258	+$1374
72"	**TS73072GSF**	$3787	+$1595




36"H

18"	**TS73618GSF**	$1341	+$ 565
24"	**TS73624GSF**	$1634	+$ 688
30"	**TS73630GSF**	$1932	+$ 813
36"	**TS73636GSF**	$2289	+$ 964
42"	**TS73642GSF**	$2726	+$1148
48"	**TS73648GSF**	$2998	+$1265
60"	**TS73660GSF**	$3725	+$1569
72"	**TS73672GSF**	$4346	+$1830

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Back Painted Glass
To The Floor Skins

Steel Technology Skins



Tip: Remember to order technology covers to fill the cutouts. Only ***TS7TSCOVER*** *style covers can be used with this skin.*

Tip: A modular powerkit must always be located behind the technology skin.

Tip: 72"W technology skins accommodate fabric in the horizontal application only.

Tip: Ribbed steel technology skins cannot be fabric covered.

Tip: For further information about fabric direction, see page 678.

Tip: Technology skins are available with all cutouts or handed cutouts on just the right side or just the left side of the skin.

Standard Includes	Required to Specify
▶ Need help? Product details, page 134	1 Style number 2 Paint color number for skin surface 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Technology skin: paint price group 1	

	Options	U.S. Price	Required to Specify
Surface Materials	**Paint**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 38	Specify paint color number.
	• Paint price group 3	+$ 63	Specify paint color number.
	Fabric		
	• Fabric on steel technology skins	+$ 81 plus the cost of fabric price group	Specify *with fabric.*
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 23	Specify fabric color number.
	• Fabric price group 3	+$ 42	Specify fabric color number.
	• Fabric price group 4	+$ 61	Specify fabric color number.
	• Fabric price group 5	+$ 94	Specify fabric color number.
	• Fabric price group 6	+$130	Specify fabric color number.
	• Fabric price group 7	+$168	Specify fabric color number.
	• Fabric price group 8	+$288	Specify fabric color number.
	• Fabric price group 9	+$337	Specify fabric color number.
	• Fabric price group 10	+$389	Specify fabric color number.
	• Fabric price group COM	+$ 25	Specify fabric color number.
	Ribbed steel		
	• Ribbed steel on 12"H and 18"H skins only	+$ 36	Specify *with ribbed steel.*
	Fabric direction		
	• Horizontal application (standard)	No cost	Specify *with horizontal application.*
	• Vertical application	No cost	Specify *with vertical application.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Width	All Cutouts Style Number	All Cutouts U.S. Base Price	Right Hand Cutout Only Style Number	Right Hand Cutout Only U.S. Base Price	Left Hand Cutout Only Style Number	Left Hand Cutout Only U.S. Base Price	No Cutouts Style Number	No Cutouts U.S. Base Price
6"H Steel Technology Skins								
24"	**TS7624TSS**	$122					**TS7624HS**	$ 90
30"	**TS7630TSS**	$152	**TS7630RTSS**	$121	**TS7630LTSS**	$121	**TS7630HS**	$ 96
36"	**TS7636TSS**	$158	**TS7636RTSS**	$130	**TS7636LTSS**	$130	**TS7636HS**	$107
42"	**TS7642TSS**	$161	**TS7642RTSS**	$135	**TS7642LTSS**	$135	**TS7642HS**	$113
48"	**TS7648TSS**	$179	**TS7648RTSS**	$153	**TS7648LTSS**	$153	**TS7648HS**	$122
60"	**TS7660TSS**	$206	**TS7660RTSS**	$179	**TS7660LTSS**	$179	**TS7660HS**	$146
72"	**TS7672TSS**	$226	**TS7672RTSS**	$198	**TS7672LTSS**	$198	**TS7672HS**	$161
12"H Steel Technology Skins								
24"	**TS71224TSS**	$168						
30"	**TS71230TSS**	$202	**TS71230RTSS**	$173	**TS71230LTSS**	$173		
36"	**TS71236TSS**	$210	**TS71236RTSS**	$184	**TS71236LTSS**	$184		
42"	**TS71242TSS**	$216	**TS71242RTSS**	$189	**TS71242LTSS**	$189		
48"	**TS71248TSS**	$236	**TS71248RTSS**	$210	**TS71248LTSS**	$210		
60"	**TS71260TSS**	$277	**TS71260RTSS**	$247	**TS71260LTSS**	$247		
72"	**TS71272TSS**	$298	**TS71272RTSS**	$274	**TS71272LTSS**	$274		
18"H Steel Technology Skins								
24"	**TS71824TSS**	$213						
30"	**TS71830TSS**	$251	**TS71830RTSS**	$226	**TS71830LTSS**	$226		
36"	**TS71836TSS**	$268	**TS71836RTSS**	$237	**TS71836LTSS**	$237		
42"	**TS71842TSS**	$280	**TS71842RTSS**	$251	**TS71842LTSS**	$251		
48"	**TS71848TSS**	$302	**TS71848RTSS**	$279	**TS71848LTSS**	$279		
60"	**TS71860TSS**	$342	**TS71860RTSS**	$318	**TS71860LTSS**	$318		
72"	**TS71872TSS**	$383	**TS71872RTSS**	$359	**TS71872LTSS**	$359		

Tip: 6"H technology skins with cutouts includes a pair of powerkit brackets that attach the powerkit to the junction to correctly position it within the panel.

Tip: 6"H technology skin can only attach to junctions manufactured on or after October 10, 2011.


Tip: When using technology skin on one side of the panel (only used at worksurface height) a 12" or 18" skin can not be used on the opposite side of the panel at the same location as the 6"H skin.

Tip: 18"H technology skin can only attach to junctions manufactured on or after October 10, 2011.

Tip: 18"H technology skins must be planned in 12"H increments from the bottom of the panel to align with powerkit locations.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Slatwall Technology Skins



*Tip: Remember to order technology covers to fill the cutouts. Only **TS7TSCOVER** style covers can be used with this skin.*

Tip: A modular powerkit must always be located behind the technology skin.

Tip: Technology skins are available with all cutouts or handed cutouts on just the right side or just the left side of the skin.

Tip: 18"H technology skin can only attach to junctions manufactured on or after October 10, 2011.

Tip: Slatwall skins cannot be used in the bottom 12" of an Answer panel.

Standard Includes	Required to Specify
▶ Need help? Product details, page 134	• Technology skin with slatwall channels to accommodate worktools: paint • Trim ring: painted steel	1 Style number 2 Paint color number for skin surface and trim ring ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$38	Specify paint color number.

Specification Information

Width	All Cutouts Style Number	All Cutouts U.S. Base Price	Right-Hand Cutout Only Style Number	Right-Hand Cutout Only U.S. Base Price	Left-Hand Cutout Only Style Number	Left-Hand Cutout Only U.S. Base Price
12" Slatwall Technology Skins						
24"	**TS71224TSSW**	$437				
30"	**TS71230TSSW**	$549	**TS71230RTSSW**	$521	**TS71230LTSSW**	$521
36"	**TS71236TSSW**	$635	**TS71236RTSSW**	$609	**TS71236LTSSW**	$609
42"	**TS71242TSSW**	$672	**TS71242RTSSW**	$647	**TS71242LTSSW**	$647
48"	**TS71248TSSW**	$701	**TS71248RTSSW**	$675	**TS71248LTSSW**	$675
18" Slatwall Technology Skins						
24"	**TS71824TSSW**	$543				
30"	**TS71830TSSW**	$659	**TS71830RTSSW**	$632	**TS71830LTSSW**	$632
36"	**TS71836TSSW**	$750	**TS71836RTSSW**	$725	**TS71836LTSSW**	$725
42"	**TS71842TSSW**	$782	**TS71842RTSSW**	$752	**TS71842LTSSW**	$752
48"	**TS71848TSSW**	$818	**TS71848RTSSW**	$788	**TS71848LTSSW**	$788

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Markerboard Technology Skins



*Tip: Remember to order technology covers to fill the cutouts. Only **TS7TSCOVER** style covers can be used with this skin.*

Tip: A modular powerkit must always be located behind the technology skin.

Tip: Technology skins are available with all cutouts or handed cutouts on just the right side or just the left side of the skin.

Tip: 18"H technology skin can only attach to junctions manufactured on or after October 10, 2011.

Standard Includes	Required to Specify
• Markerboard skin: white	Style number

▶ Need help? Product details, page 134

Specification Information

12"H Markerboard Technology Skins

Width	All Cutouts Style Number	All Cutouts U.S. Price	Right-Hand Cutout Only Style Number	Right-Hand Cutout Only U.S. Price	Left-Hand Cutout Only Style Number	Left-Hand Cutout Only U.S. Price
24"	**TS71224TSMB**	$301				
30"	**TS71230TSMB**	$372	**TS71230RTSMB**	$347	**TS71230LTSMB**	$347
36"	**TS71236TSMB**	$390	**TS71236RTSMB**	$363	**TS71236LTSMB**	$363
42"	**TS71242TSMB**	$405	**TS71242RTSMB**	$381	**TS71242LTSMB**	$381
48"	**TS71248TSMB**	$429	**TS71248RTSMB**	$402	**TS71248LTSMB**	$402

18"H Markerboard Technology Skins

24"	**TS71824TSMB**	$365				
30"	**TS71830TSMB**	$439	**TS71830RTSMB**	$413	**TS71830LTSMB**	$413
36"	**TS71836TSMB**	$462	**TS71836RTSMB**	$434	**TS71836LTSMB**	$434
42"	**TS71842TSMB**	$482	**TS71842RTSMB**	$456	**TS71842LTSMB**	$456
48"	**TS71848TSMB**	$504	**TS71848RTSMB**	$481	**TS71848LTSMB**	$481

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Technology Skin Cover and Fillers

Technology Skin Cover




*Tip: Receptacle filler to close unused openings is available through Service Parts (**891700204MP**, package of 20).*

Standard Includes	Required to Specify
▶ Need help? Product details, page 135 • Technology skin cover: plastic	1 Style number 2 Plastic color number for technology skin cover: 6000 Black 6009 Arctic White 6249 Platinum Solid 6654 Sand 6697 Fog

Specification Information

Style Number	U.S. Price
TS7TSCOVER	$13

Technology Skin Cover Fillers



*Tip: Technology skin cover filler is required when using a **TS7TSCOVER** technology skin cover on skins manufactured before November 21, 2011.*

Tip: This technology skin cover filler is also included as standard with slatwall technology skins and can be used for replacement part needs on that skin as well.

Standard Includes	Required to Specify
▶ Need help? Product details, page 135 • Technology skin cover filler: paint	1 Style number 2 Paint color number for filler ▶ See *Surface Materials,* page 672.

Specification Information

Style Number	Description	U.S. Price
TS7TSCFS	Single cutout	$5
TS7TSCFD	Double cutout	$5

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Windows

For Panel Buildups

Tip: Remember to specify spanning window in-line supports if window is spanning two or more panels.

Tip: When specifying a window span over two or more panels, it is recommended that the same size spanning top cap also be specified for use with the window.

*Tip: When ordering a 72"W or wider single pane window kit to be used with steel or fabric skins located directly below it, two clips (**890146001SR**) should be ordered and installed.*

Standard Includes	Required to Specify
▶Need help? Product details, page 136 • Single-pane glass window, if selected: 6500 Clear Glass • Frame: paint	1 Style number 2 Paint color number for frame 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Frame**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 38	Specify paint color number.
	• Paint price group 3	+$ 63	Specify paint color number.
	Glass window		
	• Frosted glass in 12"H window	+$ 92	Specify *with 6530 Frosted Glass.*
	• Frosted glass in 18"H window	+$139	Specify *with 6530 Frosted Glass.*
	• Frosted glass in 24"H window	+$181	Specify *with 6530 Frosted Glass.*

Specification Information

Single Pane

Width	12"H Style Number	12"H U.S. Base Price	18"H Style Number	18"H U.S. Base Price	24"H Style Number	24"H U.S. Base Price
24"	**TS71224SPW**	$ 707	**TS71824SPW**	$ 827	**TS72424SPW**	$ 943
30"	**TS71230SPW**	$ 755	**TS71830SPW**	$ 882	**TS72430SPW**	$ 998
36"	**TS71236SPW**	$ 816	**TS71836SPW**	$ 936	**TS72436SPW**	$1058
42"	**TS71242SPW**	$ 870	**TS71842SPW**	$ 997	**TS72442SPW**	$1118
48"	**TS71248SPW**	$ 917	**TS71848SPW**	$1071	**TS72448SPW**	$1226
60"	**TS71260SPW**	$1063	**TS71860SPW**	$1215	**TS72460SPW**	$1366
72"	**TS71272SPW**	$1187	**TS71872SPW**	$1369	**TS72472SPW**	$1556
78"	**TS71278SPW**	$1356	**TS71878SPW**	$1531	**TS72478SPW**	$1707
84"	**TS71284SPW**	$1490	**TS71884SPW**	$1674	**TS72484SPW**	$1859
90"	**TS71290SPW**	$1623	**TS71890SPW**	$1815	**TS72490SPW**	$2009
96"	**TS71296SPW**	$1750	**TS71896SPW**	$1959	**TS72496SPW**	$2160

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Single-Pane Glass Window Kits for Use with Custom Glass

For Panel Buildups

Tip: Custom glass must be ordered separately.
▶See page 137 for the dimensions of custom inserts.

Tip: Glass window kits are available for single pane only.

Tip: Remember to specify spanning window in-line supports if window is spanning two or more panels.

Tip: When specifying a window to span over two or more panels, it is recommended that the same size spanning top cap also be specified for use with the window.

*Tip: When ordering a 72"W or wider single pane window kit to be used with steel or fabric skins located directly below it, two clips (**890146001SR**) should be ordered and installed on the top edge of the skins.*

Standard Includes	Required to Specify
▶Need help? Product details, page 136 • Frame: paint	1 Style number 2 Paint color number for frame 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$38	Specify paint color number.
	• Paint price group 3	+$63	Specify paint color number.

Specification Information


Single Pane

• Width	12"H • Style Number	12"H • U.S. Base Price	18"H • Style Number	18"H • U.S. Base Price	24"H • Style Number	24"H • U.S. Base Price
24"	**TS71224SCW**	$ 550	**TS71824SCW**	$ 646	**TS72424SCW**	$ 736
30"	**TS71230SCW**	$ 593	**TS71830SCW**	$ 685	**TS72430SCW**	$ 778
36"	**TS71236SCW**	$ 630	**TS71836SCW**	$ 729	**TS72436SCW**	$ 827
42"	**TS71242SCW**	$ 675	**TS71842SCW**	$ 775	**TS72442SCW**	$ 876
48"	**TS71248SCW**	$ 713	**TS71848SCW**	$ 832	**TS72448SCW**	$ 951
60"	**TS71260SCW**	$ 837	**TS71860SCW**	$ 948	**TS72460SCW**	$1058
72"	**TS71272SCW**	$ 937	**TS71872SCW**	$1076	**TS72472SCW**	$1208
78"	**TS71278SCW**	$1057	**TS71878SCW**	$1194	**TS72478SCW**	$1332
84"	**TS71284SCW**	$1163	**TS71884SCW**	$1303	**TS72484SCW**	$1450
90"	**TS71290SCW**	$1264	**TS71890SCW**	$1417	**TS72490SCW**	$1567
96"	**TS71296SCW**	$1367	**TS71896SCW**	$1529	**TS72496SCW**	$1689

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Spanning Window In-Line Support and In-Line Spanning Top Cap Lightseal

Spanning Window In-Line Support



Tip: Spanning window in-line support is needed when spanning a single window across two or more panels. Specify one support for each in-line junction window spans.

Standard Includes	Required to Specify
▶Need help? Product details, page 137	• Spanning window in-line support: black	Style number

Specification Information

Style Number	U.S. Price
TS7SWS	$78

In-Line Spanning Top Cap Lightseal



Tip: These lightseals are only needed when spanning two or more panels with a single top cap or frameless glass screen.


Standard Includes	Required to Specify
▶Need help? Product details, page 109	• In-line top cap lightseal: black	Style number

Specification Information

Style Number	Quantity	U.S. Price
TS7STLS1	1	$ 27
TS7STLS10	10	$270

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Sliding Panel Doors



Tip: The sliding door is located outside of the panel system when installed in the standard position.

Tip: Door infill is standard in ribbed translucent plastic.

Tip: The standard door is handed and non-locking. When a lock option is specified, the lock will be on the trail end of the door. The illustation above shows a left-handed sliding door. If a lock option is specified, the lock will be on the right (trail) side of the door.

Tip: Width of host panel should always be equal to the width of sliding door.

Tip: Height of host and receiving panels must match height of door.

Tip: Remember to specify lock cylinder and key.
▶*Lock Cylinders*, page 690.

Tip: When attaching the sliding door to an Answer panel, a junction stabilizer bracket is available for added rigidity to the host panel. If a host and/or receiving panel run exceeds 4', a junction stabilizer bracket must be applied to the door end of the host and/or receiving panel run. On long runs, apply a junction stabilizer bracket or perpendicular panel every 8'.
▶Page 421

Standard Includes	Required to Specify
▶Need help? Product details, page 138	1 Style number 2 Paint color number for panel door frame, door track, floor track, and attachment bracket 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Panel door frame and door track: paint price group 1 • Panel door infill: 6625 Translucent plastic • Floor track • Attachment bracket	


Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 17	Specify paint color number.
Door Hand		
• Left-hand sliding door	No cost	Specify *with left-hand door.*
• Right-hand sliding door	No cost	Specify *with right-hand door.*
Door panel		
• 6500 Clear tempered glass	+$409	Specify *with 6500 Clear glass.*
• 6541 White laminated glass	+$642	Specify *with 6541 White laminated glass.*
Door Lock		
• Lock	+$524	Specify *with lock.* ▶See Lock and Keying, page 690.

Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price
1¼"	36"	66"	**TSAPDSA6636**	$3886
1¼"	42"	66"	**TSAPDSA6642**	$4117
1¼"	36"	78"	**TSAPDSA7836**	$4235
1¼"	42"	78"	**TSAPDSA7842**	$4459

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Hardwire Base Trim



Standard Includes

- Base trim with knockouts for hardwired power kit: paint

Required to Specify


1 Style number
2 Paint color number from trim
▶ See *Surface Materials*, page 672.

Specification Information

Width	Style Number	U.S. Price
24"	**TS724BTH**	$32
30"	**TS730BTH**	$35
36"	**TS736BTH**	$37
42"	**TS742BTH**	$38
48"	**TS748BTH**	$39
60"	**TS760BTH**	$47
72"	**TS772BTH**	$51

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Panel and Beam Foot



Standard Includes	Required to Specify
▶ Need help? Product details, page 140 • Panel and beam foot: paint price group 1 • Attachment hardware	1 Style number 2 Paint color number for panel and beam foot ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$37	Specify paint color number.


Specification Information

• Style Number	• U.S. Base Price
TS7PF	$411

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Wiring and Cabling

Cable Trays



Tip: Cables may also be routed in top of powerkit.

Tip: One cable tray can be optioned at no cost when ordering base horizontal frame or panel packages.

Tip: Cable carriers can be added to 24"–72" wide trays.
▶ See *Montage Specification Guide* for style number ZCC.


Standard Includes	Required to Specify
▶Need help? Product details, page 178 • Cable tray: black paint only	Style number

Specification Information

Dimensions W	Dimensions H	Style Number	U.S. Price
18"	2"	**TS718CT**	$ 39
24"	2"	**TS724CT**	$ 50
30"	2"	**TS730CT**	$ 52
36"	2"	**TS736CT**	$ 65
42"	2"	**TS742CT**	$ 70
48"	2"	**TS748CT**	$ 82
60"	2"	**TS760CT**	$ 92
72"	2"	**TS772CT**	$113

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Powerkits



▶Need help? Product details, page 178

Standard Includes	Required to Specify
• Powerkit to accommodate modular duplex and USB receptacles on both sides: black plastic • Supporting powertray: black paint • Harness with modular connectors	Style number


Tip: Remember to order receptacles and faceplates.
▶Pages 494 and 496

Specification Information

		Powerkits		Non-PVC Powerkits	
• Width	• Number of Duplex Receptacles Per Side	• Style Number	• U.S. Price	• Style Number	• U.S. Price
4-Circuit, 3+1 Wiring Schematic					
24"	1	**TS7PK24X**	$338	**TS7PK24XN**	$354
30"	2	**TS7PK30X**	$338	**TS7PK30XN**	$354
36"	2	**TS7PK36X**	$338	**TS7PK36XN**	$354
42"	2	**TS7PK42X**	$338	**TS7PK42XN**	$354
48"	2	**TS7PK48X**	$338	**TS7PK48XN**	$354
60"	4	**TS7PK60X**	$510	**TS7PK60XN**	$526
72"	4	**TS7PK72X**	$510	**TS7PK72XN**	$526
4-Circuit, 2+2 Wiring Schematic					
24"	1	**TS7PK24Y**	$338	**TS7PK24YN**	$354
30"	2	**TS7PK30Y**	$338	**TS7PK30YN**	$354
36"	2	**TS7PK36Y**	$338	**TS7PK36YN**	$354
42"	2	**TS7PK42Y**	$338	**TS7PK42YN**	$354
48"	2	**TS7PK48Y**	$338	**TS7PK48YN**	$354
60"	4	**TS7PK60Y**	$510	**TS7PK60YN**	$526
72"	4	**TS7PK72Y**	$510	**TS7PK72YN**	$526
3-Circuit, Separate Neutrals (3SN) Wiring Schematic					
24"	1	**TS7PK24Z**	$338	**TS7PK24ZN**	$354
30"	2	**TS7PK30Z**	$338	**TS7PK30ZN**	$354
36"	2	**TS7PK36Z**	$338	**TS7PK36ZN**	$354
42"	2	**TS7PK42Z**	$338	**TS7PK42ZN**	$354
48"	2	**TS7PK48Z**	$338	**TS7PK48ZN**	$354
60"	4	**TS7PK60Z**	$510	**TS7PK60ZN**	$526
72"	4	**TS7PK72Z**	$510	**TS7PK72ZN**	$526

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Pass-Through Powerkits



Standard Includes	Required to Specify
• Powerkit to accommodate modular receptacles on both sides: black plastic • Harness with modular connectors	Style number


▶Need help? Product details, page 178

Specification Information

Width	Number of Duplex Receptacles Per Side	Pass-Through Powerkits Style Number	Pass-Through Powerkits U.S. Price	Non-PVC Pass-Through Powerkits Style Number	Non-PVC Pass-Through Powerkits U.S. Price
4-Circuit, 3+1 Wiring Schematic					
18"	0	**TS7PT18X**	$271	**TS7PT18XN**	$286
24"	0	**TS7PT24X**	$271	**TS7PT24XN**	$286
30"	0	**TS7PT30X**	$271	**TS7PT30XN**	$286
36"	0	**TS7PT36X**	$271	**TS7PT36XN**	$286
42"	0	**TS7PT42X**	$271	**TS7PT42XN**	$286
48"	0	**TS7PT48X**	$271	**TS7PT48XN**	$286
60"	0	**TS7PT60X**	$303	**TS7PT60XN**	$320
72"	0	**TS7PT72X**	$303	**TS7PT72XN**	$320
4-Circuit, 2+2 Wiring Schematic					
18"	0	**TS7PT18Y**	$271	**TS7PT18YN**	$286
24"	0	**TS7PT24Y**	$271	**TS7PT24YN**	$286
30"	0	**TS7PT30Y**	$271	**TS7PT30YN**	$286
36"	0	**TS7PT36Y**	$271	**TS7PT36YN**	$286
42"	0	**TS7PT42Y**	$271	**TS7PT42YN**	$286
48"	0	**TS7PT48Y**	$271	**TS7PT48YN**	$286
60"	0	**TS7PT60Y**	$303	**TS7PT60YN**	$320
72"	0	**TS7PT72Y**	$303	**TS7PT72YN**	$320
3-Circuit, Separate Neutrals (3SN) Wiring Schematic					
18"	0	**TS7PT18Z**	$271	**TS7PT18ZN**	$286
24"	0	**TS7PT24Z**	$271	**TS7PT24ZN**	$286
30"	0	**TS7PT30Z**	$271	**TS7PT30ZN**	$286
36"	0	**TS7PT36Z**	$271	**TS7PT36ZN**	$286
42"	0	**TS7PT42Z**	$271	**TS7PT42ZN**	$286
48"	0	**TS7PT48Z**	$271	**TS7PT48ZN**	$286
60"	0	**TS7PT60Z**	$303	**TS7PT60ZN**	$320
72"	0	**TS7PT72Z**	$303	**TS7PT72ZN**	$320

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Duplex Receptacles



▶Need help?
Product details, page 183

Standard Includes	Required to Specify
• Receptacle: plastic	1 Style number 2 Plastic color number for receptacle: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red 3 Options, if selected (see below)

Options		U.S. Price	Required to Specify
Controlled Stamp	• No stamp	No cost	Specify *with no stamp.*
	• Controlled stamp	+$5	Specify *with controlled stamp.*

Specification Information

15-Amp Receptacles

Line	Style Number	U.S. Base Price	Style Number	U.S. Base Price

20-Amp Receptacles

Style Number	U.S. Base Price	Style Number	U.S. Base Price

4-Circuit, 3+1 Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	**TS71SSX**	$69	**TS71SGX**	$88	**ZB1R1SGH**	$119	**ZB1R1IGH**	$153
Line 2	**TS72SSX**	$69	**TS72SGX**	$88	**ZB1R2SGH**	$119	**ZB1R2IGH**	$153
Line 3	**TS73SSX**	$69	**TS73SGX**	$88	**ZB1R3SGH**	$119	**ZB1R3IGH**	$153
Line 4	**TS74SSX**	$69	**TS74SGX**	$88	**ZB1R4SGH**	$119	**ZB1R4IGH**	$153

4-Circuit, 2+2 Wiring Schematic


	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	**TS71SSY**	$69	**TS71SGY**	$88	**ZB2R1SGH**	$119	**ZB2R1IGH**	$153
Line 2	**TS72SSY**	$69	**TS72SGY**	$88	**ZB2R2SGH**	$119	**ZB2R2IGH**	$153
Line 3	**TS73SSY**	$69	**TS73SGY**	$88	**ZB2R3SGH**	$119	**ZB2R3IGH**	$153
Line 4	**TS74SSY**	$69	**TS74SGY**	$88	**ZB2R4SGH**	$119	**ZB2R4IGH**	$153

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	**TS71SSZ**	$69	**TS71SGZ**	$88	**ZB3R1SGH**	$119	**ZB3R1IGH**	$153
Line 2	**TS72SSZ**	$69	**TS72SGZ**	$88	**ZB3R2SGH**	$119	**ZB3R2IGH**	$153
Line 3	**TS73SSZ**	$69	**TS73SGZ**	$88	**ZB3R3SGH**	$119	**ZB3R3IGH**	$153

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

USB Receptacles



Standard Includes	Required to Specify
▶Need help? Product details, page 183	1 Style number 2 Plastic color number for USB receptacle: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red
• USB receptacle: plastic	


Specification Information

Line	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
Line 1	**TS71USBX**	$172
Line 2	**TS72USBX**	$172
Line 3	**TS73USBX**	$172
Line 4	**TS74USBX**	$172
4-Circuit, 2+2 Wiring Schematic		
Line 1	**TS71USBY**	$172
Line 2	**TS72USBY**	$172
Line 3	**TS73USBY**	$172
Line 4	**TS74USBY**	$172
3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
Line 1	**TS71USBZ**	$172
Line 2	**TS72USBZ**	$172
Line 3	**TS73USBZ**	$172


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Receptacles

For Use with Power Cutouts in Steel Skins



15 amp



20 amp

Tip: Specify when using steel skins with power cutouts.

Tip: For power access in steel skins with power cutouts, receptacle trim ring is required for each power cutout location specified (ordered separately).

Standard Includes	Required to Specify
• Receptacle: plastic	1 Style number 2 Plastic color number for receptacle 3 Wiring schematic (see below under Required Selections) 4 Line (see below under Required Selections) 5 Ground type (see below under Required Selections) 6 Amp type (see below under Required Selections) 7 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Wiring Schematic	• 3+1	No cost	Specify *with 3+1.*
	• 2+2	No cost	Specify *with 2+2.*
	• 3SN	No cost	Specify *with 3SN.*
Line	• Line 1	No cost	Specify *with line 1.*
	• Line 2	No cost	Specify *with line 2.*
	• Line 3	No cost	Specify *with line 3.*
	• Line 4	No cost	Specify *with line 4.*
Ground Type	• System	No cost	Specify *with system ground.*
	• Isolated	No cost	Specify *with isolated ground.*
Amp Type	• 15 amp	No cost	Specify *with 15 amp.*
	• 20 amp	+$38	Specify *with 20 amp.*

	Options	U.S. Price	Required to Specify
Controlled Stamp	• No stamp	No cost	Specify *with no stamp.*
	• Controlled stamp	+$ 5	Specify *with controlled stamp.*

Specification Information

• Style Number	• U.S. Base Price
TS7RC	$69

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

USB Receptacles

For Use with Power Cutouts in Steel Skins



Tip: Specify when using steel skins with power cutouts.

Tip: For power access in steel skins with power cutouts, receptacle trim ring is required for each power cutout location specified (ordered separately).


Standard Includes	Required to Specify
• USB receptacle: plastic	1 Style number 2 Plastic color number for receptacle 3 Wiring schematic (see below under Required Selections) 4 Line (see below under Required Selections) ▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Wiring Schematic	• 3+1	No cost	Specify *with 3+1.*
	• 2+2	No cost	Specify *with 2+2.*
	• 3SN	No cost	Specify *with 3SN.*
Line	• Line 1	No cost	Specify *with line 1.*
	• Line 2	No cost	Specify *with line 2.*
	• Line 3	No cost	Specify *with line 3.*
	• Line 4 (Available in 3+1 and 2+2 only)	No cost	Specify *with line 4.*

Specification Information

• Style Number	• U.S. Price
TS7USB	$162

Faceplate



Standard Includes	Required to Specify
▶ Need help? Product details, page 183	• One faceplate: plastic • Ordered individually	1 Style number 2 Plastic color number for faceplate: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red

Specification Information

• Style Number	• U.S. Price

Faceplate for Duplex Receptacle and Communications

TS7UFPLATE	$5

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Receptacle Trim Ring



Tip: Receptacle trim ring required for each power cut-out location on steel panel skins.

Standard Includes	Required to Specify
• Receptacle trim ring: plastic	1 Style number 2 Plastic color number for receptacle trim ring ▶ See *Surface Materials,* page 672.

Specification Information

Style Number	U.S. Price
TS7RCT	$17

Receptacle Filler



Tip: Receptacle filler package fills unused receptacle openings in steel skins with power cutouts.

Standard Includes	Required to Specify
• Package of 20 receptacle fillers: plastic	1 Style number 2 Plastic color number for receptacle fillers ▶ See *Surface Materials,* page 672.

Specification Information

Style Number	U.S. Price
TSBRF	$148

Data Filler



Tip: Data filler package fills unused data openings in steel skins with data cutouts.


Standard Includes	Required to Specify
• Package of 20 data fillers: plastic	1 Style number 2 Plastic color number for data fillers ▶ See *Surface Materials,* page 672.

Specification Information

Style Number	U.S. Price
TS7DF	$121

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Base Power Infeeds



Tip: Power infeed occupies one receptacle location on powerkit.

Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

▶Need help? Product details, page 176

Standard Includes

- Power infeed cover: plastic
- 7/8"-diameter conduit: black plastic only

Required to Specify


1 Style number
2 Plastic color number for power infeed assembly cover:
6000 Black
6009 Arctic White
6249 Platinum Solid
6651 Tungsten
6652 Titanium
6654 Sand
6697 Fog
6B03 Red

Specification Information

Length	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
6'	**TS76BPX**	$421
12'	**TS712BPX**	$449
For Use in San Francisco		
6'	**TS76BPSFX**	$421
12'	**TS712BPSFX**	$449
4-Circuit, 2+2 Wiring Schematic		
6'	**TS76BPY**	$421
12'	**TS712BPY**	$449
For Use in San Francisco		
6'	**TS76BPSFY**	$421
12'	**TS712BPSFY**	$449
3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
6'	**TS76BPZ**	$421
12'	**TS712BPZ**	$449
For Use in San Francisco		
6'	**TS76BPSFZ**	$421
12'	**TS712BPSFZ**	$449

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Base Power Infeeds for Use in New York City



Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

Standard Includes	Required to Specify
▶Need help? Product details, page 177 • Power infeed assembly • ½"-diameter conduit • Power infeed tray: black paint only • Power infeed cover: black paint only	Style number

Specification Information


Non-PVC

Corresponding Panel Width	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
24"	**TS7BPNY24X**	$421
30"	**TS7BPNY30X**	$421
36"	**TS7BPNY36X**	$421
42"	**TS7BPNY42X**	$421
48"	**TS7BPNY48X**	$421
60"	**TS7BPNY60X**	$421
72"	**TS7BPNY72X**	$421
4-Circuit, 2+2 Wiring Schematic		
24"	**TS7BPNY24Y**	$421
30"	**TS7BPNY30Y**	$421
36"	**TS7BPNY36Y**	$421
42"	**TS7BPNY42Y**	$421
48"	**TS7BPNY48Y**	$421
60"	**TS7BPNY60Y**	$421
72"	**TS7BPNY72Y**	$421
3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
24"	**TS7BPNY24Z**	$421
30"	**TS7BPNY30Z**	$421
36"	**TS7BPNY36Z**	$421
42"	**TS7BPNY42Z**	$421
48"	**TS7BPNY48Z**	$421
60"	**TS7BPNY60Z**	$421
72"	**TS7BPNY72Z**	$421

Corresponding Panel Width	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
24"	**TS7BPNY24XN**	$438
30"	**TS7BPNY30XN**	$438
36"	**TS7BPNY36XN**	$438
42"	**TS7BPNY42XN**	$438
48"	**TS7BPNY48XN**	$438
60"	**TS7BPNY60XN**	$438
72"	**TS7BPNY72XN**	$438
4-Circuit, 2+2 Wiring Schematic		
24"	**TS7BPNY24YN**	$438
30"	**TS7BPNY30YN**	$438
36"	**TS7BPNY36YN**	$438
42"	**TS7BPNY42YN**	$438
48"	**TS7BPNY48YN**	$438
60"	**TS7BPNY60YN**	$438
72"	**TS7BPNY72YN**	$438
3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
24"	**TS7BPNY24ZN**	$438
30"	**TS7BPNY30ZN**	$438
36"	**TS7BPNY36ZN**	$438
42"	**TS7BPNY42ZN**	$438
48"	**TS7BPNY48ZN**	$438
60"	**TS7BPNY60ZN**	$438
72"	**TS7BPNY72ZN**	$438

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Hardwired Powerkits



Tip: Specify hardwire base trims when accessing a hard-wire powerkit in the base.


Standard Includes	Required to Specify
▶Need help? Product details, page 182 • Power tray • Junction box(es) • Cover plate(s)	Style number

Specification Information

Corresponding Panel Width	Number of Junction Boxes	Style Number	U.S. Price
24"	1	**TS7CPK24**	$162
30"	2	**TS7CPK30**	$162
36"	2	**TS7CPK36**	$162
42"	2	**TS7CPK42**	$162
48"	2	**TS7CPK48**	$162
60"	2	**TS7CPK60**	$205
72"	2	**TS7CPK72**	$205

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Multipurpose Power Infeeds



Tip: Utility poles must be specified separately.
▶ Page 429

Standard Includes	Required to Specify
▶ Need help? Product details, page 180 • Multipurpose power infeed with modular connector • Insulated color-coded wires for hardwired connection to building power source	Style number

Specification Information

4-Circuit, 3+1 Wiring Schematic

Length	Style Number	U.S. Price
6'	**TS76UPHX**	$426
12'	**TS712UPHX**	$549
24'	**TS724UPHX**	$797

4-Circuit, 2+2 Wiring Schematic

Length	Style Number	U.S. Price
6'	**TS76UPHY**	$426
12'	**TS712UPHY**	$549
24'	**TS724UPHY**	$797

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

Length	Style Number	U.S. Price
6'	**TS76UPHZ**	$426
12'	**TS712UPHZ**	$549
24'	**TS724UPHZ**	$797

Non-PVC

4-Circuit, 3+1 Wiring Schematic

Length	Style Number	U.S. Price
6'	**TS76UPHXN**	$426
12'	**TS712UPHXN**	$565
24'	**TS724UPHXN**	$819

4-Circuit, 2+2 Wiring Schematic


Length	Style Number	U.S. Price
6'	**TS76UPHYN**	$426
12'	**TS712UPHYN**	$565
24'	**TS724UPHYN**	$819

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

Length	Style Number	U.S. Price
6'	**TS76UPHZN**	$426
12'	**TS712UPHZN**	$565
24'	**TS724UPHZN**	$819

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Modular Harnesses



Standard Includes	Required to Specify
• Conduit with two modular connectors: black	Style number

▶Need help? Product details, page 180

Specification Information


Non-PVC

Length	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
43"	**TS743MHX**	$245
80"	**TS780MHX**	$325
4-Circuit, 2+2 Wiring Schematic		
43"	**TS743MHY**	$245
80"	**TS780MHY**	$325
3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
43"	**TS743MHZ**	$245
80"	**TS780MHZ**	$325

Length	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
43"	**TS743MHXN**	$263
80"	**TS780MHXN**	$377
4-Circuit, 2+2 Wiring Schematic		
43"	**TS743MHYN**	$263
80"	**TS780MHYN**	$377
3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
43"	**TS743MHZN**	$263
80"	**TS780MHZN**	$377

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Modular Harnesses



Tip: Remember to order connectors, which are required to connect two modular harnesses or to connect a modular harness to a hub harness.

▶ Page 506

Standard Includes	Required to Specify
• Harness	Style number

▶ Need help? Product details, page 180

Specification Information

4-Circuit, 3+1

Length	Style Number	U.S. Price	Non-PVC Length	Non-PVC Style Number	Non-PVC U.S. Price
12"	**GSGUH12X**	$239	12"	**GSGUH12XN**	$261
22"	**GSGUH22X**	$239	22"	**GSGUH22XN**	$261
28"	**GSGUH28X**	$239	28"	**GSGUH28XN**	$261
32"	**GSGUH32X**	$239	32"	**GSGUH32XN**	$261
38"	**GSGUH38X**	$239	38"	**GSGUH38XN**	$261
44"	**GSGUH44X**	$274	44"	**GSGUH44XN**	$294
50"	**GSGUH50X**	$274	50"	**GSGUH50XN**	$294
54"	**GSGUH54X**	$289	54"	**GSGUH54XN**	$305
64"	**GSGUH64X**	$318	64"	**GSGUH64XN**	$350
76"	**GSGUH76X**	$347	76"	**GSGUH76XN**	$377
88"	**GSGUH88X**	$396	88"	**GSGUH88XN**	$418
100"	**GSGUH100X**	$427	100"	**GSGUH100XN**	$448
120"	**GSGUH120X**	$503	120"	**GSGUH120XN**	$524
144"	**GSGUH144X**	$571	144"	**GSGUH144XN**	$594

4-Circuit, 2+2

12"	**GSGUH12Y**	$239	12"	**GSGUH12YN**	$261
22"	**GSGUH22Y**	$239	22"	**GSGUH22YN**	$261
28"	**GSGUH28Y**	$239	28"	**GSGUH28YN**	$261
32"	**GSGUH32Y**	$239	32"	**GSGUH32YN**	$261
38"	**GSGUH38Y**	$239	38"	**GSGUH38YN**	$261
44"	**GSGUH44Y**	$274	44"	**GSGUH44YN**	$294
50"	**GSGUH50Y**	$274	50"	**GSGUH50YN**	$294
54"	**GSGUH54Y**	$289	54"	**GSGUH54YN**	$305
64"	**GSGUH64Y**	$318	64"	**GSGUH64YN**	$350
76"	**GSGUH76Y**	$347	76"	**GSGUH76YN**	$377
88"	**GSGUH88Y**	$396	88"	**GSGUH88YN**	$418
100"	**GSGUH100Y**	$427	100"	**GSGUH100YN**	$448
120"	**GSGUH120Y**	$503	120"	**GSGUH120YN**	$524
144"	**GSGUH144Y**	$571	144"	**GSGUH144YN**	$594


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

▶ Specification Information, continued from previous page

Specification Information



3-Circuit, Separate Neutrals

Length	Style Number	U.S. Price	Length	Style Number	U.S. Price
			Non-PVC		
12"	**GSGUH12Z**	$239	12"	**GSGUH12ZN**	$261
22"	**GSGUH22Z**	$239	22"	**GSGUH22ZN**	$261
28"	**GSGUH28Z**	$239	28"	**GSGUH28ZN**	$261
32"	**GSGUH32Z**	$239	32"	**GSGUH32ZN**	$261
38"	**GSGUH38Z**	$239	38"	**GSGUH38ZN**	$261
44"	**GSGUH44Z**	$274	44"	**GSGUH44ZN**	$294
50"	**GSGUH50Z**	$274	50"	**GSGUH50ZN**	$294
54"	**GSGUH54Z**	$289	54"	**GSGUH54ZN**	$305
64"	**GSGUH64Z**	$318	64"	**GSGUH64ZN**	$350
76"	**GSGUH76Z**	$347	76"	**GSGUH76ZN**	$377
88"	**GSGUH88Z**	$396	88"	**GSGUH88ZN**	$418
100"	**GSGUH100Z**	$427	100"	**GSGUH100ZN**	$448
120"	**GSGUH120Z**	$503	120"	**GSGUH120ZN**	$524
144"	**GSGUH144Z**	$571	144"	**GSGUH144ZN**	$594

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Connectors




Tip: Branching harness-to-harness connectors can be used to connect two modular harness together.

Standard Includes	Required to Specify
▶Need help? Product details, page 180	• Connector: black plastic only	Style number

Specification Information

• Description	• Style Number	• U.S. Price
4-Circuit, 3+1		
Harness-to-harness	**BHHCX**	$ 90
Branching harness-to-harness	**GQTUHCX**	$137
4-Circuit, 2+2		
Harness-to-harness	**BHHCY**	$ 90
Branching harness-to-harness	**GQTUHCY**	$137
3-Circuit, Separate Neutrals		
Harness-to-harness	**BHHCZ**	$ 90
Branching harness-to-harness	**GQTUHCZ**	$137

Junction Tall Sleeve




Standard Includes	Required to Specify
▶Need help? Product details, page 185	• Package of ten sleeves: red only	Style number

Specification Information

• Style Number	• U.S. Price
TS7JTSLVE	$116

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Lay-In Junction Cable Sleeve



Standard Includes	Required to Specify
▶Need help? Product details, page 185	• 5' roll of lay-in junction cable sleeve	Style number

Specification Information

Style Number	U.S. Price
TS7LSLVE	$162

Feed-Through Horizontal Cable Sleeves




Standard Includes	Required to Specify
▶Need help? Product details, page 185	• Package of 25: black plastic	Style number

Specification Information

Style Number	U.S. Price
TS7FSLVE	$162

Grommets for Vertical Junctions (manufactured prior to October 2011) and Horizontal Bars



Tip: Grommets can be used on power trays and cable trays.

Standard Includes	Required to Specify
▶Need help? Product details, page 186	• Package of 25: black plastic	Style number

Specification Information

Style Number	U.S. Price
TS7HSLVE	$166

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Grommets for Junction




Standard Includes	Required to Specify
• Package of 25: black plastic only	Style number

▶Need help? Product details, page 186

Specification Information

Style Number	U.S. Price
TS7JSLVE	$166

Duplex Cable Grommets



Standard Includes	Required to Specify
• Carton of five cable grommets: plastic	1 Style number 2 Plastic color number for grommets ▶See *Surface Materials,* page 672.

▶Need help? Product details, page 186

Specification Information

Style Number	U.S. Price
98863	$52

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specifying Universal Systems Worksurfaces and Supports

Worksurfaces

- Parametric Straight Worksurfaces 510
- Parametric Straight Worksurfaces with Soft Edge Profile 514
- 120° Straight Worksurface 518
- Transition Worksurfaces 520
- Tapered Worksurfaces 522
- Taper-Flat Worksurfaces 523
- Single-Tapered Worksurfaces 524
- Corner, Flat-Front Worksurfaces 525
- Corner, Straight-Front Worksurfaces 527
- Corner, Curved-Front Worksurfaces 528
- Extended Corner, Straight-Front Worksurfaces 530
- Extended Corner, Curved-Front Worksurfaces 532
- Corner, 120° Worksurfaces 535
- Spanner Worksurfaces 536
- Bullet Peninsula Worksurfaces 537
- Angled Peninsula Worksurfaces 538
- Linking Peninsula Worksurfaces 539
- Jetty Worksurfaces 540
- Bubble Jetty Worksurfaces 542
- Visitor and Linking Worksurfaces 544
- Transaction Worksurfaces 546

Power and Data Access Door & Tray 548

Metal Center Drawers 550

Connectors 551

Filler Package—Data 552

Worksurface-Mounted Retractable Power and Data 553

Panel-Mounted Universal Systems Worksurface Supports 554

Off-Module Worksurface-to-Panel Connector 557


FrameOne Legs and Supports for Universal Worksurfaces 558

Infills for FrameOne Legs for Universal Worksurfaces 559

Legs and Columns for Universal Systems Worksurfaces 560

Parametric Straight Worksurfaces

High-Pressure Laminate or Composite Veneer



▶ Need help? Product details, page 211

Standard Includes	Required to Specify
• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: – Plastic 3 mm edge profile or knife edge profile on front edge – Plastic default flat profile on side and back edges • Composite veneer worksurface: – Composite veneer square edge profile on front edge – Matching veneer flat profile on side and back edges • Depth: 18"D – 36"D • Width: 18"W – 120"W	1 Style number 2 Worksurface size type (see below under Required Selections) 3 Depth (see below under Required Selections) 4 Width (see below under Required Selections) 5 User edge profile 6 High-Pressure Laminate or composite veneer color number for worksurface 7 Plastic color number for front edge on laminate worksurface, if selected 8 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Required Selections		U.S. Price	Required to Specify
Worksurface Size Type	• Modular • Parametric		No cost No cost	Specify *with modular.* Specify *with parametric.*
Depth	**Modular**	**Parametric**		
	• 18⅞"D	18"D–23⅞"D	Prices at right	Specify depth.
	• 24"D	23½"D–29⅞"D	Prices at right	Specify depth.
	• 30"D	29½"D–35⅞"D	Prices at right	Specify depth.
	• 36"D	35½"D–36"D	Prices at right	Specify depth.
Width	**Modular**	**Parametric**		
	• 18"W	18"W–23 15/16"W	Prices at right	Specify width.
	• 24"W	24"W–29 15/16"W	Prices at right	Specify width.
	• 30"W	30"W–35 15/16"W	Prices at right	Specify width.
	• 36"W	36"W–41 15/16"W	Prices at right	Specify width.
	• 42"W	42"W–47 15/16"W	Prices at right	Specify width.
	• 48"W	48"W–53 15/16"W	Prices at right	Specify width.
	• 54"W	54"W–59 15/16"W	Prices at right	Specify width.
	• 60"W	60"W–65 15/16"W	Prices at right	Specify width.
	• 66"W	66"W–71 15/16"W	Prices at right	Specify width.
	• 72"W	72"W–77 15/16"W	Prices at right	Specify width.
	• 78"W	78"W–83 15/16"W	Prices at right	Specify width.
	• 84"W	84"W–89 15/16"W	Prices at right	Specify width.
	• 90"W	90"W–95 15/16"W	Prices at right	Specify width.
	• 96"W	96"W–101 15/16"W	Prices at right	Specify width.
	• 102"W	102"W–107 15/16"W	Prices at right	Specify width.
	• 108"W	108"W–113 15/16"W	Prices at right	Specify width.
	• 114"W	114"W–119 15/16"W	Prices at right	Specify width.
	• 120"W	120"W	Prices at right	Specify width.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 211.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
	Wood grain direction		
	• No direction	No cost	Specify *with no direction.*
	• Long grain	No cost	Specify *with long grain direction.*
	• Short grain	No cost	Specify *with short grain direction.*

For composite veneer price group 2, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Short grain laminate is only available on surfaces 60"W or less.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Door**		
	• Paint	No cost	Specify paint color number.
	• Anodized aluminum	+$ 14	Specify *with 8043 Clear Anodized Aluminum.*
Cord Drop	• No cord drop	No cost	Specify *without cord drop.*
	• ½" cord drop	No cost	Specify *with ½" cord drop.*
Scallop	• Scallop	No cost	Specify *with scallop.*
	• Omit scallop	No cost	Specify *with no scallop.*
Cutout for Power and Data Access Door and Tray	**Applies to 48"W to 120"W**		
	• Cutout	No cost	Specify *with cutout for power and data access door.*
Power Access Door	**Applies to 30"W to 35 15/16"W**		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	Applies to 36"W to 51 15/16"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	Applies to 52"W to 71 15/16"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	• Power access door left and right	+$296	Specify *with power access door left and right.*
	Applies to 72"W to 120"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	• Power access door left and right	+$296	Specify *with power access door left.*
	• Power access door left and center	+$296	Specify *with power access door left and center.*
	• Power access door right and center	+$296	Specify *with power access door right and center.*
	• Power access door left, right, and center	+$444	Specify *with power access door left, right, and center.*
Grommet Cutout	• No grommet cutout	No cost	Specify *with no grommet cutout.*
	• 2" grommet cutout	No cost	Specify *with 2" grommet cutout.*
	• 3" grommet cutout	No cost	Specify *with 3" grommet cutout.*
Grommet Location	**Applies to 18"W to 24 15/16"W**		
	• Center	No cost	Specify *with center grommet.*
	Applies to 25"W to 33 15/16"W		
	• Center	No cost	Specify *with center grommet.*
	• Left	No cost	Specify *with left grommet.*
	• Right	No cost	Specify *with right grommet.*
	• Right and left	No cost	Specify *with right and left grommet.*
	Applies to 34"W to 120"W		
	• Center	No cost	Specify *with center grommet.*
	• Left	No cost	Specify *with left grommet.*
	• Right	No cost	Specify *with right grommet.*
	• Right and left	No cost	Specify *with right and left grommet.*
	• Left and center	No cost	Specify *with left and center grommet.*
	• Right and center	No cost	Specify *with right and center grommet.*
	• Right, left, and center	No cost	Specify *with right, left, and center grommet.*

Tip: When selecting with cord drop, subract ½" from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will deault to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

▶Page 548

▶See page 214 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with ½" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will deault to no grommet.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

▶See page 1 for details.

▶**Options, continued on next page**

Parametric Straight Worksurfaces High-Pressure Laminate or Wood Veneer, continued


▶ **Options, continued from previous page**

Related Products

- Panel-mounted Universal Systems worksurface supports ▶ Page 554
- Reinforcing channel ▶ Page 555
- Legs and columns for Universal Systems Worksurfaces ▶ Page 560
- Worksurface screens ▶ Page 573
- Worksurface power and communication components ▶ Page 575
- 2½" round grommet ▶ Page 577
- Grommet package ▶ Page 578

Specification Information

Style Number	Dimensions			U.S. Base Prices					
			Modular Width	18"W	24"W	30"W	36"W	42"W	48"W
	Modular Depth	Parametric Depth	Parametric Width	18"W–23 15/16"W	24"W–29 15/16"W	30"W–35 15/16"W	36"W–41 15/16"W	42"W–47 15/16"W	48"W–53 15/16"W
3 mm Edge Profile–Laminate									
USWS	18 7/8"D	18"D–23 7/16"D		$ 253	$ 275	$ 299	$ 320	$ 346	$ 418
	24"D	23½"D–29 7/16"D		$ 287	$ 306	$ 330	$ 346	$ 376	$ 444
	30"D	29½"D–35 7/16"D		$ 411	$ 433	$ 448	$ 481	$ 503	$ 573
	36"D	35½"D–36"D		$ 494	$ 513	$ 536	$ 557	$ 583	$ 654
Knife Edge Profile–Laminate									
USWSK	18 7/8"D	18"D–23 7/16"D		$ 385	$ 405	$ 428	$ 450	$ 509	$ 578
	24"D	23½"D–29 7/16"D		$ 418	$ 436	$ 463	$ 478	$ 536	$ 607
	30"D	29½"D–35 7/16"D		$ 543	$ 562	$ 579	$ 614	$ 665	$ 735
	36"D	35½"D–36"D		$ 625	$ 646	$ 665	$ 686	$ 744	$ 813
Square Edge Profile–Composite Veneer									
USWSSW	18 7/8"D	18"D–23 7/16"D		$1016	$1070	$1090	$1115	$1271	$1343
	24"D	23½"D–29 7/16"D		$1048	$1102	$1123	$1142	$1299	$1370
	30"D	29½"D–35 7/16"D		$1172	$1227	$1242	$1274	$1432	$1502
	36"D	35½"D–36"D		$1416	$1472	$1491	$1530	$1715	$1802
Square Edge Profile–Wood									
USWSSW	18 7/8"D	18"D–23 7/16"D		$1096	$1150	$1170	$1195	$1364	$1436
	24"D	23½"D–29 7/16"D		$1128	$1182	$1203	$1222	$1392	$1463
	30"D	29½"D–35 7/16"D		$1252	$1307	$1322	$1354	$1525	$1595
	36"D	35½"D–36"D		$1512	$1568	$1587	$1626	$1830	$1917



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

▶ **Specifying, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


▶**Specifying, continued from previous page**

54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
54"W– 59 15/16"W	60"W– 65 15/16"W	66"W– 71 15/16"W	72"W– 77 15/16"W	78"W– 83 15/16"W	84"W– 89 15/16"W	90"W– 95 15/16"W	96"W– 101 15/16"W	102"W– 107 15/16"W	108"W– 113 15/16"W	114"W– 119 15/16"W	120"W
$ 446	$ 481	$ 559	$ 625	$ 798	$ 841	$ 891	$ 933	$ 977	$1022	$1064	$1107
$ 477	$ 503	$ 564	$ 631	$ 845	$ 941	$ 971	$1039	$1085	$1133	$1179	$1224
$ 616	$ 654	$ 710	$ 778	$1002	$1048	$1092	$1134	$1176	$1221	$1263	$1309
$ 685	$ 710	$ 770	$ 835	$1048	$1258	$1309	$1361	$1413	$1465	$1515	$1570
$ 608	$ 675	$ 756	$ 819	$1011	$1052	$1101	$1144	$1202	$1248	$1289	$1334
$ 635	$ 702	$ 764	$ 828	$1055	$1147	$1184	$1251	$1311	$1357	$1404	$1453
$ 775	$ 852	$ 907	$ 975	$1215	$1259	$1300	$1344	$1402	$1446	$1492	$1533
$ 848	$ 907	$ 962	$1033	$1259	$1466	$1519	$1573	$1639	$1692	$1742	$1795
$1373	$1571	$1652	$1715	$1850	$2084	$2128	$2179	$2256	$2299	$2342	$2421
$1402	$1597	$1658	$1723	$1868	$2118	$2210	$2246	$2345	$2395	$2441	$2521
$1541	$1747	$1804	$1871	$2028	$2288	$2334	$2376	$2455	$2499	$2541	$2621
$1850	$2095	$2166	$2249	$2434	$2746	$2802	$2853	$2945	$2998	$3054	$3146
$1466	$1681	$1762	$1825	$1960	$2208	$2252	$2303	$2384	$2427	$2470	$2549
$1495	$1707	$1768	$1833	$1978	$2242	$2334	$2370	$2473	$2523	$2569	$2649
$1634	$1857	$1914	$1981	$2138	$2412	$2458	$2500	$2583	$2627	$2669	$2749
$1965	$2236	$2307	$2390	$2575	$2895	$2951	$3002	$3098	$3151	$3207	$3299

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Parametric Straight Worksurfaces with Soft Edge Profile

High-Pressure Laminate or Composite Veneer



▶ Need help? Product details, page 211

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1
- Laminate worksurface:
  - – Plastic soft edge profile centered on worksurface
  - – Plastic 3 mm edge profile on front edge
  - – Plastic default flat profile on side and back edges
- Composite veneer worksurface:
  - – Plastic soft edge centered on worksurface
  - – Composite veneer square edge profile on front edge
  - – Matching veneer flat profile on side and back edges
- Depth: 18"D – 36"D
- Width: 18"W – 120"W

Required to Specify

1 Style number
2 Worksurface size type (see below under Required Selections)
3 Depth (see below under Required Selections)
4 Width (see below under Required Sections)
5 User edge profile (see below)
6 High-Pressure Laminate or composite veneer color number for worksurface
7 Plastic color number for front edge on laminate worksurface, if selected
8 Options, if selected (see below)
▶ See *Surface Materials,* page 672

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page *213*.

Required Selections		U.S. Price	Required to Specify
Worksurface Size Type			
• Modular		No cost	Specify *with modular.*
• Parametric		No cost	Specify *with parametric.*
Depth	**Modular**	**Parametric**	
• 18⅞"D	18"D–23 7/16"D	Prices at right	Specify depth.
• 24"D	23½"D–29 7/16"D	Prices at right	Specify depth.
• 30"D	29½"D–35 7/16"D	Prices at right	Specify depth.
• 36"D	35½"D–36"D	Prices at right	Specify depth.
Width	**Modular**	**Parametric**	
• 48"W	48"W–53 15/16"W	Prices at right	Specify width.
• 54"W	54"W–59 15/16"W	Prices at right	Specify width.
• 60"W	60"W–65 15/16"W	Prices at right	Specify width.
• 66"W	66"W–71 15/16"W	Prices at right	Specify width.
• 72"W	72"W–77 15/16"W	Prices at right	Specify width.
• 78"W	78"W–83 15/16"W	Prices at right	Specify width.
• 84"W	84"W–89 15/16"W	Prices at right	Specify width.
• 90"W	90"W–95 15/16"W	Prices at right	Specify width.
• 96"W	96"W–101 15/16"W	Prices at right	Specify width.
• 102"W	102"W–107 15/16"W	Prices at right	Specify width.
• 108"W	108"W–113 15/16"W	Prices at right	Specify width.
• 114"W	114"W–119 15/16"W	Prices at right	Specify width.
• 120"W	120"W	Prices at right	Specify width.

For composite veneer price group 2, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate worksurfaces		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Composite veneer worksurfaces		
• Composite veneer group 1	Prices at right	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
Wood veneer worksurfaces		
• Wood group 1	Prices at right	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Wood grain direction		
• No direction	No cost	Specify *with no direction.*
• Long grain	No cost	Specify *with long grain direction.*
• Short grain	No cost	Specify *with short grain direction.*
Door		
• Paint	No cost	Specify paint color number.
• Anodized aluminum	+$ 14	Specify *with 8043 Clear Anodized Aluminum.*

Tip: Short grain laminate is only available on surfaces 60"W or less.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Cord Drop	• No cord drop	No cost	Specify *without cord drop.*
	• ½" cord drop	No cost	Specify *with ½" cord drop.*
Scallop	• Scallop	No cost	Specify *with scallop.*
	• Omit scallop	No cost	Specify *with no scallop.*
Cutout for Power and Data Access Door and Tray	**Applies to 48"W to 120"W**		
	• Cutout	No cost	Specify *with cutout for power and data access door.*
Power Access Door	**Applies to 48"W to 51 15/16"W**		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	Applies to 52"W to 71 15/16"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	• Power access door left and right	+$296	Specify *with power access door left and right.*
	Applies to 72"W to 120"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	• Power access door left and right	+$296	Specify *with power access door left and right.*
	• Power access door left and center	+$296	Specify *with power access door left and center.*
	• Power access door right and center	+$296	Specify *with power access door right and center.*
	• Power access door left, right, and center	+$444	Specify *with power access door left, right, and center.*
Grommet Cutout	• No grommet cutout	No cost	Specify *with no grommet cutout.*
	• 2" grommet cutout	No cost	Specify *with 2" grommet cutout.*
	• 3" grommet cutout	No cost	Specify *with 3" grommet cutout.*
Grommet Location	**Applies to 48"W to 120"W**		
	• Center	No cost	Specify *with center grommet.*
	• Left	No cost	Specify *with left grommet.*
	• Right	No cost	Specify *with right grommet.*
	• Right and left	No cost	Specify *with right and left grommet.*
	• Left and center	No cost	Specify *with left and center grommet.*
	• Right and center	No cost	Specify *with right and center grommet.*
	• Right, left, and center	No cost	Specify *with right, left, and center grommet.*

Related Products	• Panel-mounted Universal Systems worksurface supports	▶Page 554
	• Reinforcing channel	▶Page 555
	• Legs and columns for Universal Systems Worksurfaces	▶Page 560
	• Worksurface screens	▶Page 573
	• Worksurface power and communication components	▶Page 575
	• 2½" round grommet	▶Page 577
	• Grommet package	▶Page 578

Tip: When selecting with cord drop, subract ½" from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will deault to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.
▶Page 548
▶See page 214 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with ½" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will deault to no grommet.

▶**Specification Information, on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Parametric Straight Worksurfaces with Soft Edge Profile High-Pressure Laminate or Wood Veneer, continued

▶**Options, on previous page**

Specification Information

Style Number	Dimensions			U.S. Base Prices				
			Modular Width	48"W	54"W	60"W	66"W	72"W
	Modular Depth	Parametric Depth	Parametric Width	48"W–53 15/16"W	54"W–59 15/16"W	60"W–65 15/16"W	66"W–71 15/16"W	72"W–77 15/16"W
3 mm Edge Profile–Laminate								
USWSS	18 7/8"D	18"D–23 7/16"D		$ 944	$ 971	$1006	$1081	$1147
	24"D	23 1/2"D–29 7/16"D		$ 967	$1000	$1030	$1093	$1156
	30"D	29 1/2"D–35 7/16"D		$1099	$1139	$1179	$1232	$1303
	36"D	35 1/2"D–36"D		$1257	$1287	$1320	$1380	$1446
Square Edge Profile–Composite Veneer								
USWSSWS	18 7/8"D	18"D–23 7/16"D		$1871	$1899	$2101	$2183	$2246
	24"D	23 1/2"D–29 7/16"D		$1897	$1931	$2125	$2189	$2253
	30"D	29 1/2"D–35 7/16"D		$2029	$2071	$2277	$2334	$2402
	36"D	35 1/2"D–36"D		$2329	$2377	$2624	$2692	$2776
Square Edge Profile–Wood								
USWSSWS	18 7/8"D	18"D–23 7/16"D		$1962	$1992	$2211	$2293	$2356
	24"D	23 1/2"D–29 7/16"D		$1990	$2024	$2234	$2299	$2363
	30"D	29 1/2"D–35 7/16"D		$2122	$2164	$2387	$2444	$2512
	36"D	35 1/2"D–36"D		$2437	$2485	$2755	$2823	$2907

▶**Specifying, continued on next page**



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


▶**Specifying, continued from previous page**

78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
78"W– 83 15/16"W	84"W– 89 15/16"W	90"W– 95 15/16"W	96"W– 101 15/16"W	102"W– 107 15/16"W	108"W– 113 15/16"W	114"W– 119 15/16"W	120"W
$1323	$1366	$1417	$1458	$1504	$1546	$1589	$1630
$1370	$1461	$1497	$1564	$1611	$1657	$1703	$1751
$1529	$1573	$1615	$1658	$1702	$1746	$1789	$1836
$1573	$1782	$1836	$1883	$1938	$1992	$2045	$2093
$2377	$2611	$2659	$2706	$2784	$2826	$2872	$2947
$2399	$2648	$2741	$2774	$2875	$2922	$2972	$3054
$2556	$2817	$2860	$2908	$2985	$3028	$3069	$3149
$2965	$3276	$3330	$3380	$3474	$3526	$3581	$3672
$2487	$2735	$2783	$2830	$2913	$2955	$3001	$3076
$2509	$2772	$2865	$2898	$3004	$3051	$3101	$3183
$2666	$2941	$2984	$3032	$3114	$3157	$3198	$3278
$3096	$3426	$3480	$3530	$3628	$3680	$3735	$3826

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

120° Straight Worksurfaces

High-Pressure Laminate



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 212

Tip: Power and data access door and tray is ordered separately to be used with cutout.
▶ See page 548
▶ See page 214 for worksurface size availability matrix.

Tip: When facing the user edge, the side the diagonal is on is the handed side.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.


	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges • Cable scallop on back edge	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Door		
	• Paint price group 1	No cost	Specify paint color number.
	• Anodized aluminum	+$ 14 per door	Specify *with 8043 Clear Anodized Aluminum.*
Scallop	• Omit scallop	No cost	Specify *omit scallop.*
Power Access Door	**Applies to 48"W**		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	Applies to 60"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$148	Specify *with power access door left.*
	• Power access door right	+$148	Specify *with power access door right.*
	• Power access door left and right	+$296	Specify *with power access door left and right.*
	Applies to 72"W		
	• No power access	No cost	Specify *with no power access.*
	• Power access door center	+$148	Specify *with power access door center.*
	• Power access door left	+$143	Specify *with power door left.*
	• Power access door right	+$148	Specify *with power door right.*
	• Power access door left right	+$296	Specify *with power access door left* and *and right.*
	• Power access door left and center	+$296	Specify *with power access door left and center.*
	• Power access door right and center	+$296	Specify *with power access door right and center.*
	• Power access door left, right, and center	+$444	Specify *with power access door left, right, and center.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Reinforcing channel		▶ Page 555
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


Specification Information

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge



Left-Hand With ½" Cord Drop

23½"	27⅛"	48"	61 1/16"	**USE2448LH**	$437
23½"	27⅛"	60"	73 9/16"	**USE2460LH**	$497
23½"	27⅛"	72"	85 9/16"	**USE2472LH**	$622
29½"	34 1/16"	48"	65 1/16"	**USE3048LH**	$563
29½"	34 1/16"	60"	77 1/16"	**USE3060LH**	$646
29½"	34 1/16"	72"	89 1/16"	**USE3072LH**	$768




Right-Hand With ½" Cord Drop

23½"	27⅛"	48"	61 1/16"	**USE2448RH**	$437
23½"	27⅛"	60"	73 9/16"	**USE2460RH**	$497
23½"	27⅛"	72"	85 9/16"	**USE2472RH**	$622
29½"	34 1/16"	48"	65 1/16"	**USE3048RH**	$563
29½"	34 1/16"	60"	77 1/16"	**USE3060RH**	$646
29½"	34 1/16"	72"	89 1/16"	**USE3072RH**	$768

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Transition Worksurfaces

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports for freestanding and panel-mounted applications must be specified separately.


For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 212

Standard Includes	Required to Specify
▶ Need help? Product details, page 210	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallop on back edge	


Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallop		
• Omit scallop	No cost	Specify *omit scallop.*
Related Products		
• Panel-mounted Universal Systems worksurface supports		▶ Page 554
• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575

Specification Information



Left-Hand With ½" Cord Drop

• Dimensions A	B	C	D	• Style Number	• Plastic 3 mm Edge (U.S. Base Price High-Pressure Laminate)
23½"	18⅜"	36"	14"	**UT2136L**	$573
23½"	18⅜"	42"	20"	**UT2142L**	$609
23½"	18⅜"	48"	26"	**UT2148L**	$708
23½"	18⅜"	54"	32"	**UT2154L**	$759
23½"	18⅜"	60"	38"	**UT2160L**	$805
29½"	23½"	36"	14"	**UT3236L**	$678
29½"	23½"	42"	20"	**UT3242L**	$711
29½"	23½"	48"	26"	**UT3248L**	$830
29½"	23½"	54"	32"	**UT3254L**	$893
29½"	23½"	60"	38"	**UT3260L**	$947




Left-Hand With Full Depth

• Dimensions A	B	C	D	• Style Number	• Plastic 3 mm Edge (U.S. Base Price High-Pressure Laminate)
30"	24"	36"	18"	**WT3236**	$678
30"	24"	42"	24"	**WT3242**	$711
30"	24"	48"	30"	**WT3248**	$830
30"	24"	54"	36"	**WT3254**	$893
30"	24"	60"	42"	**WT3260**	$947


Specification Information

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge



Right-Hand With ½" Cord Drop

A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅜"	23½"	36"	14"	**UT1236R**	$573
18⅜"	23½"	42"	20"	**UT1242R**	$609
18⅜"	23½"	48"	26"	**UT1248R**	$708
18⅜"	23½"	54"	32"	**UT1254R**	$759
18⅜"	23½"	60"	38"	**UT1260R**	$805
23½"	29½"	36"	14"	**UT2336R**	$678
23½"	29½"	42"	20"	**UT2342R**	$711
23½"	29½"	48"	26"	**UT2348R**	$830
23½"	29½"	54"	32"	**UT2354R**	$893
23½"	29½"	60"	38"	**UT2360R**	$947



Right-Hand With Full Depth

A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	30"	36"	18"	**WT2336**	$678
24"	30"	42"	24"	**WT2342**	$711
24"	30"	48"	30"	**WT2348**	$830
24"	30"	54"	36"	**WT2354**	$893
24"	30"	60"	42"	**WT2360**	$947

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tapered Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 211

Tip: Power and data access door and tray is ordered separately to be used with cutout.
▶ See page 548

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*


Exception: Power and data access door and tray only fits on tapered worksurfaces that are 24" to 30" and 30" to 24" deep.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges • Cable scallop on back edge	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallop	• Omit scallop	No cost	Specify *omit scallop.*
Cutout for Power and Data Access Door and Tray	• Cutout	No cost	Specify *with cutout for power and data access door.*

Related Products	• Panel-mounted Universal Systems worksurface supports	▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces	▶ Page 560
	• Worksurface screens	▶ Page 573
	• Worksurface power and communication components	▶ Page 575

Specification Information




Left-Hand With ½" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
23½"	18⅜"	48"	**UTT2148**	$ 708
23½"	18⅜"	60"	**UTT2160**	$ 805
23½"	18⅜"	72"	**UTT2172**	$ 902
29½"	23½"	48"	**UTT3248**	$ 830
29½"	23½"	60"	**UTT3260**	$ 947
29½"	23½"	72"	**UTT3272**	$1061

Left-Hand With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	18⅞"	48"	**WTT2148**	$ 708
24"	18⅞"	60"	**WTT2160**	$ 805
24"	18⅞"	72"	**WTT2172**	$ 902
30"	24"	48"	**WTT3248**	$ 830
30"	24"	60"	**WTT3260**	$ 947
30"	24"	72"	**WTT3272**	$1061



Right-Hand With ½" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅜"	23½"	48"	**UTT1248**	$ 708
18⅜"	23½"	60"	**UTT1260**	$ 805
18⅜"	23½"	72"	**UTT1272**	$ 902
23½"	29½"	48"	**UTT2348**	$ 830
23½"	29½"	60"	**UTT2360**	$ 947
23½"	29½"	72"	**UTT2372**	$1061

Right-Hand With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅞"	24"	48"	**WTT1248**	$ 708
18⅞"	24"	60"	**WTT1260**	$ 805
18⅞"	24"	72"	**WTT1272**	$ 902
24"	30"	48"	**WTT2348**	$ 830
24"	30"	60"	**WTT2360**	$ 947
24"	30"	72"	**WTT2372**	$1061

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Taper-Flat Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 211


Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges • Cable scallop on back edge	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallop	• Omit scallop	No cost	Specify *omit scallop.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: To specify 3 mm edge profile, no suffix is required.

Specification Information




Left-Hand With ½" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
23½"	18⅜"	60"	**UTTF2160**	$ 805
23½"	18⅜"	72"	**UTTF2172**	$ 902
29½"	18⅜"	60"	**UTTF3160**	$ 947
29½"	18⅜"	72"	**UTTF3172**	$1061
29½"	23½"	60"	**UTTF3260**	$ 947
29½"	23½"	72"	**UTTF3272**	$1061

Left-Hand With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	18⅞"	60"	**WTTF2160**	$ 805
24"	18⅞"	72"	**WTTF2172**	$ 902
30"	18⅞"	60"	**WTTF3160**	$ 947
30"	18⅞"	72"	**WTTF3172**	$1061
30"	24"	60"	**WTTF3260**	$ 947
30"	24"	72"	**WTTF3272**	$1061



Right-Hand With ½" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅜"	23½"	60"	**UTTF1260**	$ 805
18⅜"	23½"	72"	**UTTF1272**	$ 902
18⅜"	29½"	60"	**UTTF1360**	$ 947
18⅜"	29½"	72"	**UTTF1372**	$1061
23½"	29½"	60"	**UTTF2360**	$ 947
23½"	29½"	72"	**UTTF2372**	$1061

Right-Hand With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅞"	24"	60"	**WTTF1260**	$ 805
18⅞"	24"	72"	**WTTF1272**	$ 902
18⅞"	30"	60"	**WTTF1360**	$ 947
18⅞"	30"	72"	**WTTF1372**	$1061
24"	30"	60"	**WTTF2360**	$ 947
24"	30"	72"	**WTTF2372**	$1061

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Single-Tapered Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 211


For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Standard Includes	Required to Specify
▶ Need help? Product details, page 210	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges • Cable scallop on back edge	

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallop		
• Omit scallop	No cost	Specify *omit scallop.*
Related Products		
• Panel-mounted Universal Systems worksurface supports		▶ Page 554
• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575

Tip: To specify 3 mm edge profile, no suffix is required.

Specification Information




Left-Hand With ½" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
23½"	18⅜"	60"	**UST2160**	$ 805
23½"	18⅜"	72"	**UST2172**	$ 902
29½"	23½"	60"	**UST3260**	$ 947
29½"	23½"	72"	**UST3272**	$1061

Left-Hand With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	18⅞"	60"	**WST2160**	$ 805
24"	18⅞"	72"	**WST2172**	$ 902
30"	24"	60"	**WST3260**	$ 947
30"	24"	72"	**WST3272**	$1061



Right-Hand With ½" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅜"	23½"	60"	**UST1260**	$ 805
18⅜"	23½"	72"	**UST1272**	$ 902
23½"	29½"	60"	**UST2360**	$ 947
23½"	29½"	72"	**UST2372**	$1061


Right-Hand With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18⅞"	24"	60"	**WST1260**	$ 805
18⅞"	24"	72"	**WST1272**	$ 902
24"	30"	60"	**WST2360**	$ 947
24"	30"	72"	**WST2372**	$1061

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Corner, Flat-Front Worksurfaces

High-Pressure Laminate



Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes	Required to Specify
▶ Need help? Product details, page 210	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges • Cable scallops on back edges	

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallops		
• Omit scallops	No cost	Specify *omit scallops.*
Related Products		
• Panel-mounted Universal Systems worksurface supports		▶ Page 554
• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575

Specification Information

With ½" Cord Drop

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
23½"	23½"	35½"	35½"	**UCF223636**	$607
23½"	23½"	41½"	41½"	**UCF224242**	$661
23½"	23½"	47½"	47½"	**UCF224848**	$749
29½"	29½"	41½"	41½"	**UCF334242**	$727
29½"	29½"	47½"	47½"	**UCF334848**	$824


With Full Depth

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	24"	36"	36"	**WCF223636**	$607
24"	24"	42"	42"	**WCF224242**	$661
24"	24"	48"	48"	**WCF224848**	$749
30"	30"	42"	42"	**WCF334242**	$727
30"	30"	48"	48"	**WCF334848**	$824

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Corner, Straight-Front Worksurfaces

High-Pressure Laminate



Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Standard Includes	Required to Specify
▶ Need help? Product details, page 210	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallops on back edges	

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallops		
• Omit scallops	No cost	Specify *omit scallops.*
Related Products		
• Panel-mounted Universal Systems worksurface supports		▶ Page 554
• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575

Specification Information


With ½" Cord Drop

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
18"	18"	42"	42"	**UC114242**	$ 632
18⅜"	23½"	41½"	41½"	**UC124242**	$ 698
23½"	18⅜"	41½"	41½"	**UC214242**	$ 698
23½"	23½"	35½"	35½"	**UC223636**	$ 607
23½"	23½"	41½"	41½"	**UC224242**	$ 661
23½"	23½"	47½"	47½"	**UC224848**	$ 749
23½"	23½"	59½"	59½"	**UC226060**	$1389
29½"	29½"	41½"	41½"	**UC334242**	$ 727
29½"	29½"	47½"	47½"	**UC334848**	$ 824

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Corner, Curved-Front Worksurfaces

High-Pressure Laminate or Composite Veneer



Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Composite veneer worksurface: – Composite veneer 3 mm edge profile on front edge – Matching veneer flat profile on side and back edges • Cable scallops on back edges	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*


	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Scallops	• Omit scallops	No cost	Specify *omit scallops.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Dimensions A	B	C	D	Style Number	U.S. Base Prices High-Pressure Laminate: Plastic 3 mm Edge — No Suffix	Composite Veneer Square Edge — Suffix SW	Wood Square Edge — Suffix SW

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate: Plastic 3 mm Edge



With ½" Cord Drop

A	B	C	D	Style Number	Plastic 3 mm Edge — No Suffix	Composite Veneer Square Edge — Suffix SW	Wood Square Edge — Suffix SW
18⅜"	18⅜"	35½"	35½"	**UCC113636**	$ 705	N.A.	N.A.
18⅜"	18⅜"	41½"	41½"	**UCC114242**	$ 749	$1790	$1894
18⅜"	18⅜"	47½"	47½"	**UCC114848**	$ 837	N.A.	N.A.
18⅜"	23½"	41½"	41½"	**UCC124242**	$ 805	$1846	$1950
23½"	18⅜"	41½"	41½"	**UCC214242**	$ 805	$1846	$1950
23½"	23½"	35½"	35½"	**UCC223636**	$ 712	$1753	$1857
23½"	23½"	41½"	41½"	**UCC224242**	$ 778	$1819	$1923
23½"	23½"	47½"	47½"	**UCC224848**	$ 864	$1905	$2009
23½"	23½"	59½"	59½"	**UCC226060**	$1389	N.A.	N.A.
29½"	29½"	41½"	41½"	**UCC334242**	$ 841	$1882	$1986
29½"	29½"	47½"	47½"	**UCC334848**	$ 941	$1982	$2086

With Full Depth


A	B	C	D	Style Number	Plastic 3 mm Edge
18⅞"	18⅞"	36"	36"	**WCC113636**	$705
18⅞"	18⅞"	42"	42"	**WCC114242**	$749
18⅞"	18⅞"	48"	48"	**WCC114848**	$837
18⅞"	24"	42"	42"	**WCC124242**	$805
24"	18⅞"	42"	42"	**WCC214242**	$805
24"	24"	36"	36"	**WCC223636**	$712
24"	24"	42"	42"	**WCC224242**	$778
24"	24"	48"	48"	**WCC224848**	$864
30"	30"	42"	42"	**WCC334242**	$841
30"	30"	48"	48"	**WCC334848**	$941

*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UCC114242** becomes **UCC114242SW** for composite veneer or wood with square edge profile.)*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Extended Corner, Straight-Front Worksurfaces

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 212

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallops on back edges	1 Style number 2 High-Pressure Laminate number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Scallops	• Omit scallops	No cost	Specify *omit scallops.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Reinforcing channel		▶ Page 555
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

U.S. Base Prices
High-Pressure Laminate

Dimensions A	B	C	D	Style Number	Plastic 3 mm Edge
Left-Hand With 1/2" Cord Drop					
23½"	23½"	59½"	41½"	**UE2202L**	$1147
23½"	23½"	65½"	41½"	**UE2262L**	$1255
23½"	23½"	71½"	41½"	**UE2222L**	$1359
23½"	23½"	59½"	47½"	**UE2208L**	$1179
23½"	23½"	65½"	47½"	**UE2268L**	$1279
23½"	23½"	71½"	47½"	**UE2228L**	$1381
23½"	29½"	59½"	47½"	**UE2308L**	$1287
23½"	29½"	65½"	47½"	**UE2368L**	$1389
23½"	29½"	71½"	47½"	**UE2328L**	$1500
29½"	23½"	59½"	47½"	**UE3208L**	$1287
29½"	23½"	65½"	47½"	**UE3268L**	$1389
29½"	23½"	71½"	47½"	**UE3228L**	$1500
29½"	29½"	59½"	47½"	**UE3308L**	$1346
29½"	29½"	65½"	47½"	**UE3368L**	$1456
29½"	29½"	71½"	47½"	**UE3328L**	$1558
Right-Hand With 1/2" Cord Drop					
23½"	23½"	41½"	59½"	**UE2220R**	$1147
23½"	23½"	41½"	65½"	**UE2226R**	$1255
23½"	23½"	41½"	71½"	**UE2222R**	$1359
23½"	23½"	47½"	59½"	**UE2280R**	$1179
23½"	23½"	47½"	65½"	**UE2286R**	$1279
23½"	23½"	47½"	71½"	**UE2282R**	$1381
23½"	29½"	47½"	59½"	**UE2380R**	$1287
23½"	29½"	47½"	65½"	**UE2386R**	$1389
23½"	29½"	47½"	71½"	**UE2382R**	$1500
29½"	23½"	47½"	59½"	**UE3280R**	$1287
29½"	23½"	47½"	65½"	**UE3286R**	$1389
29½"	23½"	47½"	71½"	**UE3282R**	$1500
29½"	29½"	47½"	59½"	**UE3380R**	$1346
29½"	29½"	47½"	65½"	**UE3386R**	$1456
29½"	29½"	47½"	71½"	**UE3382R**	$1558







For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Extended Corner, Curved-Front Worksurfaces

High-Pressure Laminate or Composite Veneer



Left-Hand



Right-Hand

Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 212

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Composite veneer worksurface: –Composite veneer 3 mm edge profile on front edge –Matching veneer flat profile on side and back edges • Cable scallops on back edges	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Scallops	• Omit scallops	No cost	Specify *omit scallops.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Dimensions A	B	C	D	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge	Composite Veneer Square Edge Suffix SW	Wood Square Edge Suffix SW

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge



Left-Hand

Left-Hand With ½" Cord Drop

23½"	23½"	59½"	41½"	**UEC2202L**	$1147	$2438	$2567
23½"	23½"	65½"	41½"	**UEC2262L**	$1255	$2546	$2675
23½"	23½"	71½"	41½"	**UEC2222L**	$1359	$2650	$2779
23½"	23½"	59½"	47½"	**UEC2208L**	$1179	$2470	$2600
23½"	23½"	65½"	47½"	**UEC2268L**	$1279	$2570	$2699
23½"	23½"	71½"	47½"	**UEC2228L**	$1381	$2672	$2801
23½"	29½"	59½"	47½"	**UEC2308L**	$1287	$2578	$2707
23½"	29½"	65½"	47½"	**UEC2368L**	$1389	$2680	$2809
23½"	29½"	71½"	47½"	**UEC2328L**	$1500	$2791	$2920
29½"	23½"	59½"	47½"	**UEC3208L**	$1287	$2578	$2707
29½"	23½"	65½"	47½"	**UEC3268L**	$1389	$2680	$2809
29½"	23½"	71½"	47½"	**UEC3228L**	$1500	$2791	$2920
29½"	29½"	59½"	47½"	**UEC3308L**	$1346	$2637	$2766
29½"	29½"	65½"	47½"	**UEC3368L**	$1456	$2747	$2876
29½"	29½"	71½"	47½"	**UEC3328L**	$1558	$2849	$2978

With Full Depth

24"	24"	60"	42"	**WEC226042**	$1147
24"	24"	72"	42"	**WEC227242**	$1359
24"	24"	60"	48"	**WEC226048**	$1179
24"	24"	72"	48"	**WEC227248**	$1381
24"	30"	60"	42"	**WEC236042**	$1202
24"	30"	72"	42"	**WEC237242**	$1425
24"	30"	60"	48"	**WEC236048**	$1287
24"	30"	72"	48"	**WEC237248**	$1500
30"	24"	60"	42"	**WEC326042**	$1202
30"	24"	72"	42"	**WEC327242**	$1425
30"	24"	60"	48"	**WEC326048**	$1287
30"	24"	72"	48"	**WEC327248**	$1500
30"	30"	60"	42"	**WEC336042**	$1272
30"	30"	72"	42"	**WEC337242**	$1481
30"	30"	60"	48"	**WEC336048**	$1346
30"	30"	72"	48"	**WEC337248**	$1558

*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UEC2202L** becomes **UEC2202LSW** for composite veneer or wood with square edge profile.)*


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Extended Corner, Curved-Front Worksurfaces, High-Pressure Laminate or Composite Veneer, continued

▶**Specification Information, continued from previous page**

Specification Information



Right-Hand

Right-Hand With ½" Cord Drop

Dimensions A	B	C	D	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Square Edge Suffix SW	Wood Square Edge Suffix SW
23½"	23½"	41½"	59½"	**UEC2220R**	$1147	$2438	$2567
23½"	23½"	41½"	65½"	**UEC2226R**	$1255	$2546	$2675
23½"	23½"	41½"	71½"	**UEC2222R**	$1359	$2650	$2779
23½"	23½"	47½"	59½"	**UEC2280R**	$1179	$2470	$2599
23½"	23½"	47½"	65½"	**UEC2286R**	$1279	$2570	$2699
23½"	23½"	47½"	71½"	**UEC2282R**	$1381	$2672	$2801
23½"	29½"	47½"	59½"	**UEC2380R**	$1287	$2578	$2707
23½"	29½"	47½"	65½"	**UEC2386R**	$1389	$2680	$2809
23½"	29½"	47½"	71½"	**UEC2382R**	$1500	$2791	$2920
29½"	23½"	47½"	59½"	**UEC3280R**	$1287	$2578	$2707
29½"	23½"	47½"	65½"	**UEC3286R**	$1389	$2680	$2809
29½"	23½"	47½"	71½"	**UEC3282R**	$1500	$2791	$2920
29½"	29½"	47½"	59½"	**UEC3380R**	$1346	$2637	$2766
29½"	29½"	47½"	65½"	**UEC3386R**	$1456	$2747	$2876
29½"	29½"	47½"	71½"	**UEC3382R**	$1558	$2849	$2978

With Full Depth


Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	24"	42"	60"	**WEC224260**	$1147
24"	24"	42"	72"	**WEC224272**	$1359
24"	24"	48"	60"	**WEC224860**	$1179
24"	24"	48"	72"	**WEC224872**	$1381
24"	30"	42"	60"	**WEC234260**	$1202
24"	30"	42"	72"	**WEC234272**	$1425
24"	30"	48"	60"	**WEC234860**	$1287
24"	30"	48"	72"	**WEC234872**	$1500
30"	24"	42"	60"	**WEC324260**	$1202
30"	24"	42"	72"	**WEC324272**	$1425
30"	24"	48"	60"	**WEC324860**	$1287
30"	24"	48"	72"	**WEC324872**	$1500
30"	30"	42"	60"	**WEC334260**	$1272
30"	30"	42"	72"	**WEC334272**	$1481
30"	30"	48"	60"	**WEC334860**	$1346
30"	30"	48"	72"	**WEC334872**	$1558

*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UEC2220R** becomes **UEC2220RSW** for composite veneer or wood with square edge profile.)*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Corner, 120° Worksurfaces

High-Pressure Laminate or Composite Veneer



Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

▶ Need help? Product details, page 210

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1
- Laminate worksurface:
  - – Plastic 3 mm edge profile on front edge
  - – Plastic default flat profile on side and back edges
- Composite veneer worksurface:
  - – Composite veneer 3 mm edge profile on front edge
  - – Matching veneer flat profile on side and back edges
- Cable scallops on back edges

Required to Specify

1 Style number with appropriate edge profile suffix
SW Composite veneer or wood with square edge
▶ See edge profiles below.
2 High-Pressure Laminate or composite veneer color number for worksurface
3 Plastic color number for front edge on laminate worksurface, if selected
4 Options, if selected (see below)
▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces		
	• Composite veneer group 1	Prices below	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces		
	• Wood group 1	Prices below	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
			▶ See *Surface Materials Reference Manual.*
Scallops	• Omit scallops	No cost	Specify *omit scallops.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Specification Information

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, ***UB223636*** *becomes* ***UB223636SW*** *for composite veneer or wood with square edge profile.)*


Freestanding or Panel-Mounted With ½" Cord Drop

Dimensions A	B	C	D	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Square Edge Suffix SW	Wood Square Edge Suffix SW
23½"	23½"	35½"	35½"	**UB223636**	$1224	$2403	$2521
23½"	23½"	41½"	41½"	**UB224242**	$1273	$2452	$2570
23½"	23½"	47½"	47½"	**UB224848**	$1320	$2499	$2617
29½"	29½"	35½"	35½"	**UB333636**	$1273	$2452	$2571
29½"	29½"	41½"	41½"	**UB334242**	$1320	$2499	$2617
29½"	29½"	47½"	47½"	**UB334848**	$1366	$2545	$2663

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Spanner Worksurfaces

High-Pressure Laminate



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*

Related Products	• Panel-mounted Universal Systems worksurface supports	▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces	▶ Page 560
	• Columns	▶ Page 562
	• Worksurface screens	▶ Page 573
	• Worksurface power and communication components	▶ Page 575

Specification Information

For Freestanding Applications without Panels With ½" Cord Drop

Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
29½"	47"	**USPC47**	$682
35½"	59"	**USPC59**	$869

Full Depth

Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	48"	**WSPC4824**	$682
30"	60"	**WSPC6030**	$869


With 3" Notch for Use with Answer Panels

Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
25½"	51"	**WSPC5126**	$682
31½"	51"	**USPC51**	$682
31½"	63"	**WSPC6332**	$869
37½"	63"	**USPC63**	$869

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Bullet Peninsula Worksurfaces

High-Pressure Laminate or Composite Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 211

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Bullet peninsula worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.
▶ Page 528

Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with ½" cord drop or with full depth worksurfaces.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: – Plastic 3 mm edge profile front edge – Plastic default flat profile on side and back edges • Composite veneer worksurface: – Composite veneer 3 mm edge profile on front edge – Matching veneer flat profile on side and back edges • Cable scallop on back edge	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces		
	• Composite veneer group 1	Prices below	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces		
	• Wood group 1	Prices below	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Scallop	• Omit scallop	No cost	Specify *omit scallop.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Columns		▶ Page 562
	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575

Specification Information


*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UPBC3060** becomes **UPBC3060SW** for composite veneer or wood with square edge profile.)*

Dimensions A	Dimensions B	Style Number	U.S. Base Prices High-Pressure Laminate: Plastic 3 mm Edge — No Suffix	Composite Veneer: Composite Veneer Square Edge — Suffix SW	Wood: Wood Square Edge — Suffix SW
24"	47½"	**UPBC2448**	$798	N.A.	N.A.
24"	59½"	**UPBC2460**	$811	N.A.	N.A.
24"	65½"	**UPBC2466**	$836	N.A.	N.A.
24"	71½"	**UPBC2472**	$853	N.A.	N.A.
30"	47½"	**UPBC3048**	$927	N.A.	N.A.
30"	59½"	**UPBC3060**	$945	$2032	$2141
30"	65½"	**UPBC3066**	$963	$2050	$2159
30"	71½"	**UPBC3072**	$984	$2071	$2180

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Angled Peninsula Worksurfaces

High-Pressure Laminate



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes	Required to Specify
▶ Need help? Product details, page 210	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges	

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*

Related Products	• Panel-mounted Universal Systems worksurface supports	▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces	▶ Page 560
	• Columns	▶ Page 562
	• Worksurface power and communication components	▶ Page 575

Specification Information

With 1/2" Cord Drop

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
23½"	23½"	48"	**UPA2448**	$1014
23½"	23½"	60"	**UPA2460**	$1061
29½"	29½"	48"	**UPA3048**	$1014
29½"	29½"	60"	**UPA3060**	$1061


With Full Depth

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
24"	24"	48"	**WPA2448**	$1014
24"	24"	60"	**WPA2460**	$1061
30"	30"	48"	**WPA3048**	$1014
30"	30"	60"	**WPA3060**	$1061

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Linking Peninsula Worksurfaces

High-Pressure Laminate



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Linking peninsula worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.
▶ Page 528

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶ Page 560
	• Columns		▶ Page 562
	• Worksurface power and communication components		▶ Page 575


Specification Information

• Dimensions A	B	C	• Style Number	• U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
With 3" Notch for Use with Answer Panels With ½" Cord Drop				
27"	27"	50"	**UPAC2748**	$1014

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Jetty Worksurfaces

High-Pressure Laminate or Composite Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 210

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Jetty worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.
▶ Page 528

	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Composite veneer worksurface: – Composite veneer 3 mm edge profile on front edge – Matching veneer flat profile on side and back edges • Cable scallop on back edge	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
			▶ See *Surface Materials Reference Manual.*
Scallop	• Omit scallop	No cost	Specify *omit scallop.*


Related Products	• Panel-mounted Universal Systems worksurface supports	▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces	▶ Page 560
	• Columns	▶ Page 562
	• Worksurface screens	▶ Page 573
	• Worksurface power and communication components	▶ Page 575

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Dimensions A	B	C	D	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Square Edge Suffix SW	Wood Square Edge Suffix SW

Dimensions A	B	C	D	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge




Left-Hand With ½" Cord Drop

30"	23½"	65½"	48"	**UJC3268L**	$1343	$2430	$2539
30"	23½"	71½"	48"	**UJC3228L**	$1389	$2747	$2883
30"	23½"	77½"	48"	**UJC3288L**	$1436	$2842	$2982
30"	29½"	65½"	48"	**UJC3368L**	$1388	$2475	$2584
30"	29½"	71½"	48"	**UJC3328L**	$1436	$2794	$2930
30"	29½"	77½"	48"	**UJC3388L**	$1485	$2891	$3031

Left-Hand With Full Depth

30"	24"	66"	48"	**WJ326648L**	$1343		
30"	24"	72"	48"	**WJ327248L**	$1389		
30"	24"	78"	48"	**WJ327848L**	$1436		
30"	30"	66"	48"	**WJ336648L**	$1388		
30"	30"	72"	48"	**WJ337248L**	$1436		
30"	30"	78"	48"	**WJ337848L**	$1485		



Right-Hand With ½" Cord Drop

23½"	30"	48"	65½"	**UJC2386R**	$1343	$2430	$2539
23½"	30"	48"	71½"	**UJC2382R**	$1389	$2747	$2883
23½"	30"	48"	77½"	**UJC2388R**	$1436	$2842	$2982
29½"	30"	48"	65½"	**UJC3386R**	$1388	$2475	$2584
29½"	30"	48"	71½"	**UJC3382R**	$1436	$2794	$2930
29½"	30"	48"	77½"	**UJC3388R**	$1485	$2891	$3031

Right-Hand With Full Depth


24"	30"	48"	66"	**WJ234866R**	$1343		
24"	30"	48"	72"	**WJ234872R**	$1389		
24"	30"	48"	78"	**WJ234878R**	$1436		
30"	30"	48"	66"	**WJ334866R**	$1388		
30"	30"	48"	72"	**WJ334872R**	$1436		
30"	30"	48"	78"	**WJ334878R**	$1485		

*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UJC3268L** becomes **UJC3268LSW** for composite veneer or wood with square edge profile.)*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Bubble Jetty Worksurfaces

High-Pressure Laminate or Composite Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*


Standard Includes	Required to Specify
▶ Need help? Product details, page 210	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer number for worksurface 3 Plastic color number for front edge 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Composite veneer worksurface: – Composite veneer 3 mm edge profile on front edge – Matching veneer flat profile on side and back edges	

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer worksurfaces	
• Composite veneer group 1	Prices at right	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer worksurfaces	
• Wood group 1	Prices at right	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*

Related Products	• Panel-mounted Universal Systems worksurface supports	▶ Page 554
	• Legs and columns for Universal Systems Worksurfaces	▶ Page 560
	• Columns	▶ Page 562
	• Worksurface power and communication components	▶ Page 575

Specification Information

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, ***UJBC2430L*** *becomes* ***UJBC2430LSW*** *for composite veneer or wood with square edge profile.*




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Left-Hand With 1/2" Cord Drop

Dimensions A	Dimensions B	Style Number	U.S. Base Prices High-Pressure Laminate — Plastic 3 mm Edge — No Suffix	U.S. Base Prices Composite Veneer — Composite Veneer Square Edge — Suffix SW	U.S. Base Prices Wood — Wood Square Edge — Suffix SW
23½"	30"	**UJBC2430L**	$1262	$2349	$2458
23½"	36"	**UJBC2436L**	$1339	$2426	$2535
23½"	42"	**UJBC2442L**	$1419	$2506	$2615
23½"	48"	**UJBC2448L**	$1496	$2583	$2692

Specification Information

*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UJBC2430L** becomes **UJBC2430LSW** for composite veneer or wood with square edge profile.*



Dimensions A	Dimensions B	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Composite Veneer Square Edge Suffix SW	Wood Wood Square Edge Suffix SW
Right-Hand With 1/2" Cord Drop					
23½"	30"	**UJBC2430R**	$1262	$2349	$2458
23½"	36"	**UJBC2436R**	$1339	$2426	$2535
23½"	42"	**UJBC2442R**	$1419	$2506	$2615
23½"	48"	**UJBC2448R**	$1496	$2583	$2692

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Visitor and Linking Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Visitor and linking worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.
▶Page 528


For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Scallops are available only on visitor worksurfaces 36"W and wider.

	Standard Includes	Required to Specify
	▶Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallop on back edge of visitor worksurfaces 36"W and wider	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate worksurfaces**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
Scallop	• Omit scallop	No cost	Specify *omit scallop.*
Related Products	• Panel-mounted Universal Systems worksurface supports		▶Page 554
	• Legs and columns for Universal Systems Worksurfaces		▶Page 560

Specification Information



Visitor Worksurfaces With ½" Cord Drop

Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
Left-Hand Worksurfaces			
23½"	24"	**UVC2424L**	$656
23½"	30"	**UVC2430L**	$705
23½"	36"	**UVC2436L**	$753
23½"	42"	**UVC2442L**	$801
23½"	48"	**UVC2448L**	$842
29½"	30"	**UVC3030L**	$724
29½"	36"	**UVC3036L**	$778
29½"	42"	**UVC3042L**	$824
29½"	48"	**UVC3048L**	$874



With Full Depth

Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
Left-Hand Worksurfaces			
24"	24"	**WVC2424L**	$656
24"	30"	**WVC2430L**	$705
30"	30"	**WVC3030L**	$724


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶Specification Information, continued from previous page

Specification Information


Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge



Visitor Worksurfaces With ½" Cord Drop

Right-Hand Worksurfaces


23½"	24"	**UVC2424R**	$656
23½"	30"	**UVC2430R**	$705
23½"	36"	**UVC2436R**	$753
23½"	42"	**UVC2442R**	$801
23½"	48"	**UVC2448R**	$842
29½"	30"	**UVC3030R**	$724
29½"	36"	**UVC3036R**	$778
29½"	42"	**UVC3042R**	$824
29½"	48"	**UVC3048R**	$874



With Full Depth

Right-Hand Worksurfaces

24"	24"	**WVC2424R**	$656
24"	30"	**WVC2430R**	$705
30"	30"	**WVC3030R**	$724



Linking Worksurfaces

With 3" Notch for Use with Answer Panels

27"	27"	**ULC2727**	$853



With Full Depth


With 3" Notch for Use with Answer Panels

24"	27"	**WLC2727**	$853
30"	33"	**WLC3333**	$917

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Transaction Worksurfaces

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 222	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles at right. 2 High-Pressure Laminate or composite veneer color number for worksurface 3 Plastic color number for edges on laminate worksurface, if selected 4 Paint color number for top caps, if selected 5 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Worksurface: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate worksurface: — Plastic 3 mm edge profile on all edges • Composite veneer worksurface: — Composite veneer 3 mm edge profile on all edges • Top caps for use with Answer panels, if selected: paint • Support brackets: black paint only	

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*


Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate worksurfaces		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Composite veneer worksurfaces		
• Composite veneer group 1	Prices at right	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
Wood veneer worksurfaces		
• Wood group 1	Prices at right	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Top caps on laminate worksurfaces for use with Answer panels		
• Wood	+$186	Specify *with wood top cap* and select wood color number.
• Customiz stain on wood	No cost	Specify *with Customiz stain.*
Change-of-Height Cable Management Top Cap		
For use with Answer panels with square trim		
• Change-of-height at both ends, cable management	+$ 7	Specify *with change-of-height, both ends cable management.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

*Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, **UTR1636ATA** becomes **UTR1636ATASW** for composite veneer or wood with square edge profile.)*

Specification Information

Dimensions A	Dimensions B	Panel Width	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Composite Veneer Square Edge Suffix SW	Wood Wood Square Edge Suffix SW
With Brackets and Top Caps for Use with Answer Panels with Thin Trim						
15"	28"	30"	**UTR1630TA**	$513	N.A.	N.A.
15"	34"	36"	**UTR1636TA**	$556	$1625	$1732
15"	40"	42"	**UTR1642TA**	$598	$1667	$1774
15"	46"	48"	**UTR1648TA**	$635	$1704	$1811
15"	58"	60"	**UTR1660TA**	$688	$1871	$1989
With Brackets and Top Caps for Use with Answer Panels with Square Trim						
15"	23"	30"	**UTR1630SA**	$520	N.A.	N.A.
15"	29"	36"	**UTR1636SA**	$562	$1631	$1738
15"	35"	42"	**UTR1642SA**	$608	$1677	$1784
15"	41"	48"	**UTR1648SA**	$648	$1717	$1824
15"	53"	60"	**UTR1660SA**	$702	$1885	$2003
With Brackets and Top Caps for Use with Answer Panels with Oval Trim						
15"	23"	30"	**UTR1630A**	$520	N.A.	N.A.
15"	29"	36"	**UTR1636A**	$562	$1649	$1758
15"	35"	42"	**UTR1642A**	$608	$1695	$1804
15"	41"	48"	**UTR1648A**	$648	$1735	$1844
15"	53"	60"	**UTR1660A**	$702	$1892	$2011




Tip: Actual width of Answer transaction worksurface using thin trim is 2" shorter than the nominal planning dimension to accommodate change of panel height applications.

Tip: Actual width of Answer transaction worksurface, using square and oval trim, is 7" shorter than the nominal planning dimension to accommodate change of panel height applications.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Power and Data Access Door & Tray





Tip: Remember to specify cutout for power and data tray on the worksurface style number.


Standard Includes	Required to Specify
▶ Need help? Product details, page 214	1 Style number 2 Paint color for door 3 Plastic color for grommet 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Door: paint • Door bezel: 6694 Slate • Inner tray with six simplex receptacles: 7237 Slate • Outer tray with end caps: 7237 Slate and 6694 Slate • Grommet (modular and hardwire only): plastic • Two cord clips or harness clips	

	Options	U.S. Price	Required to Specify
Surface Materials	**Door**		
	• Paint	No cost	Specify paint color.
	• Anodized aluminum	+$37	Specify *with 8043 Clear Anodized Aluminum.*
Power Schematics, Line Options, and Ground Options	**3+1**		
	• Line 1		
	– System ground	No cost	Specify *with 3+1, line 1, system ground.*
	– Isolated ground	No cost	Specify *with 3+1, line 1, isolated ground.*
	• Line 2		
	– System ground	No cost	Specify *with 3+1, line 2, system ground.*
	– Isolated ground	No cost	Specify *with 3+1, line 2, isolated ground.*
	• Line 3		
	– System ground	No cost	Specify *with 3+1, line 3, system ground.*
	– Isolated ground	No cost	Specify *with 3+1, line 3, isolated ground.*
	• Line 4		
	– System ground	No cost	Specify *with 3+1, line 4, system ground.*
	– Isolated ground	No cost	Specify *with 3+1, line 4, isolated ground.*
	2+2		
	• Line 1		
	– System ground	No cost	Specify *with 2+2, line 1, system ground.*
	– Isolated ground	No cost	Specify *with 2+2, line 1, isolated ground.*
	• Line 2		
	– System ground	No cost	Specify *with 2+2, line 2, system ground.*
	– Isolated ground	No cost	Specify *with 2+2, line 2, isolated ground.*
	• Line 3		
	– System ground	No cost	Specify *with 2+2, line 3, system ground.*
	– Isolated ground	No cost	Specify *with 2+2, line 3, isolated ground.*
	• Line 4		
	– System ground	No cost	Specify *with 2+2, line 4, system ground.*
	– Isolated ground	No cost	Specify *with 2+2, line 4, isolated ground.*
	3SN		
	• Line 1		
	– System ground	No cost	Specify *with 3SN, line 1, system ground.*
	– Isolated ground	No cost	Specify *with 3SN, line 1, isolated ground.*
	• Line 2		
	– System ground	No cost	Specify *with 3SN, line 2, system ground.*
	– Isolated ground	No cost	Specify *with 3SN, line 2, isolated ground.*
	• Line 3		
	– System ground	No cost	Specify *with 3SN, line 3, system ground.*
	– Isolated ground	No cost	Specify *with 3SN, line 3, isolated ground.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.








Specification Information			
Style Number	U.S. Base Price	Style Number Non-PVC	U.S. Base Price
Modular Power			
UTTRM	$1706	**UTTRMN**	$1723
Hardwire Power			
UTTRHW	$1706	**UTTRHWN**	$1723
Cord and Plug			
UTTRC	$1706	**UTTRCN**	$1723

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Metal Center Drawers



Standard Includes	Required to Specify
▶ Need help? Product details, page 221	1 Style number
• Center drawer: all paint price groups	2 Paint color number for center drawer
• Mounting frame: Grey V2 paint only	▶ See *Surface Materials,* page 672.

Specification Information

Dimensions D	W	H	Style Number	U.S. Price
23"	21½"	2⅜"	**FCD20**	$394
18⅛"	21½"	2⅜"	**FSCD20**	$399

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Connectors



Standard Includes		Required to Specify
▶ Need help? Product details, page 215	• Connector: black plastic only	Style number

Tip: Branching harness-to-harness connectors can be used to connect two modular harness together.

Specification Information

Description	Style Number	U.S. Price
4-Circuit, 3+1		
Harness-to-harness	**BHHCX**	$ 90
Branching harness-to-harness	**GQTUHCX**	$137
4-Circuit, 2+2		
Harness-to-harness	**BHHCY**	$ 90
Branching harness-to-harness	**GQTUHCY**	$137
3-Circuit, Separate Neutrals		
Harness-to-harness	**BHHCZ**	$ 90
Branching harness-to-harness	**GQTUHCZ**	$137



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Filler Package–Data



Standard Includes	Required to Specify
▶ Need help? Product details, page 215	• Package of 20 fillers: black	Style number


Specification Information

• Style Number	• U.S. Price
FMVF	$55

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Worksurface-Mounted Retractable Power and Data

Field-Installed Cut-Out



Tip: Worksurface-mounted retractable power and data requires a 4" x 11" hole with square corners in the worksurface.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 220	• Worksurface-mounted power and data openings • 10' power cord with three-prong plug: black plastic • Four power receptacles, two data openings, and faceplates provided to accommodate customer-supplied voice/data jacks • Duplex receptacles: black plastic only • Surrounding housing: anodized aluminum	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power/Data/ USB Hub	• 2 power, 2 data, and 1 USB Hub	+$150	Specify *with 2 power + 2 data + 1 USB hub.*
	• 3 power, 1 data, and 1 USB Hub	+$198	Specify *with 3 power + 1 data + 1 USB hub.*

Specification Information


• Style Number	• U.S. Base Price
TSTERPDWR	$746

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Panel-Mounted Universal Systems Worksurface Supports

For Use with Answer Panels

Cantilevers



Tip: Answer panel junctions can accommodate only one cantilever at a seam.

Tip: Cantilevered straight worksurfaces greater than 26"D and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

Standard Includes	Required to Specify
▶ Need help? Product details, page 224 • Cantilever: paint • Tie plate • Attachment hardware	1 Style number 2 Paint color number for cantilever ▶ See *Surface Materials,* page 672.

Specification Information

Style Number	U.S. Price
UCANT	$176

On-Module Cantilever

Side Support Brackets




Tip: Side support bracket includes a pair of handed brackets, only one of which is required for rear corner support of panel-mounted corner worksurfaces. Specify one for every two corner worksurfaces in on-module applications. Order an additional supply for off-module fin wall applications.

Standard Includes	Required to Specify
▶ Need help? Product details, page 224 • Pair of handed side support brackets: black paint only • Attachment hardware	Style number

Specification Information

Style Number	U.S. Price
USSBR	$63

Support Plate



Tip: Support plate can also be used in freestanding applications.

Standard Includes	Required to Specify
▶ Need help? Product details, page 224 • Support plate: black paint only • Attachment hardware	Style number

Specification Information

Dimensions	Style Number	U.S. Price
14"D	**TS714WSP**	$122
20"D	**TS720WSP**	$122

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tie Plates




Standard Includes	Required to Specify
• Package of six tie plates: black paint only • Attachment hardware	Style number

Specification Information

Dimensions	Style Number	U.S. Price
3¾"L	**TS7TIEPLATE**	$176

Reinforcing Channels



Tip: Reinforcing channel can also be used in free-standing applications.

Standard Includes	Required to Specify
▶ Need help? Product details, page 204	• Reinforcing channel: black paint only • Attachment hardware	Style number


Specification Information

Width	Style Number	U.S. Price
39"	**TS7WKSPT39**	$82
48"	**TS7WKSPT48**	$82
51"	**TS7WKSPT51**	$82
54"	**TS7WKSPT54**	$82
57"	**TS7WKSPT**	$82
60"	**TS7WKSPT60**	$82
63"	**TS7WKSPT63**	$82
66"	**TS7WKSPT66**	$82
72"	**TS7WKSPT72**	$82

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Panel-Mounted Universal Systems Worksurface Supports For Use with Answer Panels, continued

Center Support Panels



Standard Includes	Required to Specify
▶ Need help? Product details, page 224	1 Style number 2 Paint color number for center support panel 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

- Center support panel: paint price group 1
- Tie plate
- Attachment hardware

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$20	Specify paint color number.
	• Paint price group 3	+$36	Specify paint color number.


Specification Information

Dimensions D	Dimensions H	Style Number	U.S. Base Price

On-Module Center Support Panel

11"	28½"	**UCSP**	$228
Standing Height			
11"	40⅞"	**UCSPS**	$266

End Panels



Standard Includes	Required to Specify
▶ Need help? Product details, page 224	1 Style number 2 Paint color number for end panel 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

- End panel: paint price group 1
- Attachment hardware

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$49	Specify paint color number.
	• Paint price group 3	+$80	Specify paint color number.

Specification Information

Dimensions D	Dimensions H	Style Number	U.S. Base Price

On-Module End Panel

24"	28½"	**UEP24**	$622
30"	28½"	**UEP30**	$708
Standing Height			
24"	40⅞"	**UEP24S**	$736
30"	40⅞"	**UEP30S**	$826

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Off-Module Worksurface-to-Panel Connector



Standard Includes	Required to Specify
▶ Need help? Product details, page 226 • Connector: paint • Attachment hardware	1 Style number 2 Paint color number for connector 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color.
	• Paint price group 2	+$17	Specify paint color.
	• Paint price group 3	+$37	Specify paint color.

Specification Information

• Width	• Style Number	• U.S. Base Price
24"	**UFS24ANS**	$197
30"	**UFS30ANS**	$218
36"	**UFS36ANS**	$234
42"	**UFS42ANS**	$250
48"	**UFS48ANS**	$267
60"	**UFS60ANS**	$417
72"	**UFS72ANS**	$437

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


FrameOne Legs and Supports for Universal Worksurfaces

Standard Includes	Required to Specify
▶ Need help? Product details, page 228	• Legs and intermediate support: paint • Attachment hardware	1 Style number 2 Paint color number for legs and support 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**For legs**		
	• Paint price group 1	No cost	Specify paint color.
	• Paint price group 2	+$31 per leg	Specify paint color.
	• Paint price group 3	+$55 per leg	Specify paint color.
	For intermediate support		
	• Paint price group 1	No cost	Specify paint color.
	• Paint price group 2	+$20 per leg	Specify paint color.
	• Paint price group 3	+$36 per leg	Specify paint color.
Intermediate Support bracing	**For laminate or wood storage tops**		
	• No brace	No cost	Specify *with no brace.*
	For steel storage tops		
	• One brace (30", 36", or 42"W)	+$83	Specify *with one brace.*
	• Two braces (30", 36", or 42"W)	+$83	Specify *with two braces.*

Specification Information

Closed Loop



• Dimensions D	H	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
		Panel Supporting Left-Hand		Panel Supporting Right-Hand		Tethered Application		Table Application	
24"	28½"	**UFC24LHANS**	$973	**UFC24RHANS**	$973	**UFC24**	$973	**UFC24T**	$1057
30"	28½"	**UFC30LHANS**	$973	**UFC30RHANS**	$973	**UFC30**	$973	**UFC30T**	$1057

Open Loop



24"	28½"	**UFQ24LHANS**	$709	**UFQ24RHANS**	$709	**UFQ24**	$709	**UFQ24T**	$ 793
30"	28½"	**UFQ30LHANS**	$709	**UFQ30RHANS**	$709	**UFQ30**	$709	**UFQ30T**	$ 793

Half Loop



24"	28½"	**UFH24LHANS**	$617	**UFH24RHANS**	$617
30"	28½"	**UFH30LHANS**	$617	**UFH30RHANS**	$617

Post Leg



N.A.	28½"	**UFP**	$279

Intermediate Support





For Use with One-High Universal Storage

16"	11⅛"	**UFS1610H**	$430

For Use with 1.5-High Universal Storage

16"	5⅛"	**UFS1615H**	$395

Infills for FrameOne Legs for Universal Worksurfaces



Standard Includes	Required to Specify
▶ Need help? Product details, page 231	1 Style number 2 Laminate color number for infill 3 Plastic color number for edge on laminate infill, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• High-Pressure Laminate price group 1 infills • Edge on laminate infill, if selected: plastic • Brackets and caps	

For composite veneer, laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer		
	• Composite veneer group 1	Prices below	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer		
	• Wood group 1	Prices below	Specify *with wood veneer* and indicate wood color number.
	• Wood group 2	+$177	Specify wood color number.
	• Wood group 3	+$619	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*

Specification Information

Planning Width	Style Number	U.S. Base Price	Options (Add $ to Base Price)	
			High-Pressure Laminate Group 1	Composite Veneer Group 1	Wood Veneer Group 1
For Closed Loop Legs					
24"W	**UFC24NF**	$ 953	+$306	+$337
30"W	**UFC30NF**	$1061	+$334	+$368
For Open Loop Legs					
24"W	**UFQ24NF**	$ 953	+$306	+$337
30"W	**UFQ30NF**	$1061	+$334	+$368

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Legs and Columns for Universal Systems Worksurfaces

Without Alignment Tab

Post Legs and Double Post Legs

Tip: Height dimensions listed are nominal and include the thickness of a worksurface.

Tip: Standing height legs can be used as column support in panel-mounted applications only.

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Legs with casters cannot support freestanding worksurfaces that are less than 24" deep.

Standard Includes	Required to Specify
▶Need help? Product details, page 232	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Legs: paint • Attachment hardware • Non-locking caster, if selected: black plastic only	

Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$32 per leg	Specify paint color number.
• Paint price group 3	+$55 per leg	Specify paint color number.

Specification Information

Post Leg with Glide



• Planning Height	• Style Number	• U.S. Base Price
26"	**UNPL**	$206
28½"	**UPL**	$206
40⅞"	**UHPL**	$260

Package of Four Post Legs with Glides

• Planning Height	• Style Number	• U.S. Base Price
26"	**UNPL4**	$824
28½"	**UPL4**	$824

Post Leg with Caster




• Planning Height	• Style Number	• U.S. Base Price
26"	**UNPLC**	$234
28½"	**UPLC**	$234

Package of Four Post Legs with Casters

• Planning Height	• Style Number	• U.S. Base Price
26"	**UNPL4C**	$936
28½"	**UPL4C**	$936

Package of Four Post Legs with Two Glides and Two Casters




• Planning Height	• Style Number	• U.S. Base Price
26"	**UNPL4M**	$880
28½"	**UPL4M**	$880

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶Specification Information, continued from previous page


Specification Information		
Planning Height	Style Number	U.S. Base Price



Double Post Leg with Glides

28½"	**UDPL**	$578
40⅞"	**UHDPL**	$678

Tip: Double post legs can be used as a shared or column support in applications with other post legs.



Double Post C-Leg with Glides

28½"	**UCL**	$657

Adjustable-Height Legs

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per worksurface.
▶Page 263

Tip: Height dimensions listed include the thickness of a worksurface.

Tip: Legs with casters cannot support freestanding worksurfaces that are less than 24" deep.

	Standard Includes	Required to Specify
▶Need help? Product details, page 232	• Worksurface legs: paint • Glides, if selected: paint to match legs • Locking casters, if selected: paint to match legs • Attachment hardware	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2	No cost +$32 per leg	Specify paint color number. Specify paint color number.

Specification Information		
Planning Height	Style Number	U.S. Base Price




Adjustable-Height Leg with Glide

25½"–31½"	**UADJ**	$339



Adjustable-Height Leg with Caster

25½"–31½"	**UADJC**	$379



Planning Height	Style Number	U.S. Base Price

Package of Four Adjustable-Height Legs with Glides

25½"–31½"	**UADJ4**	$1354

Package of Four Adjustable-Height Legs with Casters


25½"–31½"	**UADJ4C**	$1516

Package of Four Adjustable-Height Legs with Two Glides and Two Casters

25½"–31½"	**UADJ4M**	$1436

Legs and Columns for Universal Systems Worksurfaces without Alignment Tab, continued

Columns



Tip: Columns have a different aesthetic than post legs (round vs. elliptical). Columns can be used as column supports in applications without post legs.

Tip: Height dimensions listed include the thickness of a worksurface.

Standard Includes	Required to Specify
▶Need help? Product details, page 232 • Column: paint • Attachment hardware	1 Style number 2 Paint color number for column 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$32 per leg	Specify paint color number.
	• Paint price group 3	+$55 per leg	Specify paint color number.

Specification Information

Planning Height	Style Number	U.S. Base Price
28½"	**UCOL**	$456
28½"–31⅝"	**UADJCOL**	$560

Tapered Post Legs

Standard Includes	Required to Specify
▶Need help? Product details, page 232 • Tapered leg: paint • Leveling glides • Attachment hardware	1 Style number 2 Paint color number for tapered legs 3 Options, if selected (see below) ▶See *Surface Materials*, page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2		
	– Single	+$18	Specify paint color number.
	– Package of 4	+$59	Specify paint color number.

Specification Information


Planning Height	Style Number	U.S. Base Price

Tapered Leg



28½"	**TSTT27M**	$238

Package of Four Tapered Legs




28½"	**TSTT27M4**	$843

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specifying Worksurface Screens

Universal Privacy/Modesty Screens 564
Universal Privacy Screens and Aligners 566
Sarto Privacy/Modesty Screens 568
Sarto Privacy Screens 570
Sarto Alignment Bracket 572
Worksurface Screens 573

Universal Privacy/Modesty Screens



Tip: Universal privacy/modesty screens can be attached to ¾"–1½" thick worksurface, including height adjustable worksurfaces, universal worksurfaces, and Elective Elements worksurfaces.

Tip: The screens weigh between 9.79 lb and 11.89 lb. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The universal privacy/modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1⅛" cord drop or no cord drop. See understanding pages for product specific application guidelines.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 238	• Screen: fabric price group 1 • Brackets: 7360 Merle • Edge: PET	1 Style number 2 Width (see below under Required Selections) 3 Mount location (see below under Required Selections) 4 Fabric color number for screen 5 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 6 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Width	• 42"W	Prices below	Specify width.
	• 48"W	Prices below	Specify width.
	• 54"W	Prices below	Specify width.
	• 60"W	Prices below	Specify width.
	• 66"W	Prices below	Specify width.
Mount Location	• Privacy (19⅕" above the worksurface, 5½" below the worksurface)	No cost	Specify *with privacy application.*
	• Privacy/modesty (13" above the worksurface, 11 7/10" below the worksurface)	No cost	Specify *with privacy/modesty application.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 61	Specify fabric color number.
	• Fabric price group 3	+$174	Specify fabric color number.
	• Fabric price group 4	+$222	Specify fabric color number.
	• Fabric price group 5	+$266	Specify fabric color number.
	• Fabric price group 6	+$311	Specify fabric color number.
	• Fabric price group 7	+$361	Specify fabric color number.
	• Fabric price group 8	+$405	Specify fabric color number.
	• Fabric price group 9	+$450	Specify fabric color number.
	• Fabric price group 10	+$496	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶ See *Surface Materials Reference Manual.*


Specification Information

Style Number	Width	U.S. Base Price
UFPM	42"	$734
	48"	$780
	54"	$829
	60"	$880
	66"	$929

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Privacy Screens and Aligners

Universal Privacy Screens




Standard Includes	Required to Specify
▶ Need help? Product details, page 242	1 Style number 2 Width (see below under Required Selections) 3 Height (see below under Required Selections) 4 Fabric color number for screen 5 Bracket finish color number 6 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 7 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Screen: fabric price group 1 • Brackets: paint price group 1 • Edge: PET	

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices at right	Specify width.
	• 30"W	Prices at right	Specify width.
	• 36"W	Prices at right	Specify width.
	• 42"W	Prices at right	Specify width.
	• 48"W	Prices at right	Specify width.
	• 54"W	Prices at right	Specify width.
	• 60"W	Prices at right	Specify width.
	• 66"W	Prices at right	Specify width.
	• 72"W	Prices at right	Specify width.
	• 78"W	Prices at right	Specify width.
	• 84"W	Prices at right	Specify width.
	• 90"W	Prices at right	Specify width.
	• 96"W	Prices at right	Specify width.
Height	• 13½"H	Prices at right	Specify height.
	• 19½"H	Prices at right	Specify height.

Tip: 13½"H screen will align at a 42" datum. 19½"H screen will align at a 48" datum.

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 53	Specify fabric color number.
	• Fabric price group 3	+$142	Specify fabric color number.
	• Fabric price group 4	+$178	Specify fabric color number.
	• Fabric price group 5	+$219	Specify fabric color number.
	• Fabric price group 6	+$256	Specify fabric color number.
	• Fabric price group 7	+$296	Specify fabric color number.
	• Fabric price group 8	+$332	Specify fabric color number.
	• Fabric price group 9	+$371	Specify fabric color number.
	• Fabric price group 10	+$408	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶ See *Surface Materials Reference Manual.*
	Bracket		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
Related Products	• Aligners		▶ See page 567

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.




Specification Information

Style Number	Height	U.S. Base Prices 24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W
UFPS	13½"	$480	$515	$548	$586	$619	$656	$691	$726
	19½"	$548	$603	$659	$713	$773	$827	$882	$935

▶ **Specification Information, continued from above**

Style Number	Height	U.S. Base Prices 72"W	78"W	84"W	90"W	96"W
UFPS	13½"	$763	$ 797	$ 830	$ 865	$ 901
	19½"	$992	$1047	$1099	$1154	$1206

Aligners



Tip: Aligners are for use with Universal screens only.


	Standard Includes	Required to Specify
▶ Need help? Product details, page 242	• Aligner, package of 10: 6527 Merle	Style number

Specification Information

Style Number	U.S. Price
UFAL	$39

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Sarto Privacy/Modesty Screens



Tip: Sarto privacy/modesty screens can be attached to ¾"–1½" thick worksurface, including Ology, Migration, Elective Elements, universal tables, and universal panel-mount worksurfaces.

Tip: The screens weigh between 3.51 and 11.64 lb. Take this into consideration when planning for use on height-adjustable worksurfaces. See understanding pages to calculate screen weight.

Tip: Worksurface type option adds a fourth worksurface bracket and repositions brackets to avoid worksurface scallops.

Tip: Side screen option changes brackets to smaller L-brackets, mounting the screen mount flush to the side of the worksurface. Side screen option is only available on screens 36"W and narrower.

▶ Need help? Product details, page 244

Standard Includes

- Screen: fabric price group 1
- Brackets: 7360 Merle

Required to Specify

1 Style number
2 Size option (see below under Required Selections)
3 Width (see below under Required Selections)
4 Height (see below under Required Selections)
5 Privacy height (see below under Required Selections)
6 Worksurface type (see below under Required Selections)
7 Screen type (see below under Required Selections)
8 Fabric color number for screen
9 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

	Required Selections			U.S. Price	Required to Specify
Size Option	• Modular			No cost	Specify *with modular.*
	• Parametric			No cost	Specify *with parametric.*
Width	**Modular**	**Parametric**			
	• N.A.	23"W –28 15/16"		Prices at right	Specify width.
	• 24"W	N.A.		Prices at right	Specify width.
	• 29"W	29"W		Prices at right	Specify width.
	• N.A.	29 1/16"W–36"W		Prices at right	Specify width.
	• 42"W	36 1/16"W–42"W		Prices at right	Specify width.
	• 46"W	N.A.		Prices at right	Specify width.
	• 48"W	42 1/16"W–48"W		Prices at right	Specify width.
	• 54"W	48 1/16"W–54"W		Prices at right	Specify width.
	• 58"W	N.A.		Prices at right	Specify width.
	• 60"W	54 1/16"W–60"W		Prices at right	Specify width.
	• 66"W	60 1/16"W–66"W		Prices at right	Specify width.
	• 70"W	66 1/16"W–70"W		Prices at right	Specify width.
Height	**Modular**	**Parametric**			
	• 24"H	24"H		Prices at right	Specify height.
	• 30"H	24½"H–30"H		Prices at right	Specify height.
Privacy Height	**Screen Height**	**Minimum Privacy Height**	**Maximum Privacy Height**		
	• 24"H	9"H	16½"H	No cost	Specify privacy height.
	• 24½"H	9½"H	17"H	No cost	Specify privacy height.
	• 25"H	10"H	17½"H	No cost	Specify privacy height.
	• 25½"H	10½"H	18"H	No cost	Specify privacy height.
	• 26"H	11"H	18½"H	No cost	Specify privacy height.
	• 26½"H	11½"H	19"H	No cost	Specify privacy height.
	• 27"H	12"H	19½"H	No cost	Specify privacy height.
	• 27½"H	12½"H	20"H	No cost	Specify privacy height.
	• 28"H	13"H	20½"H	No cost	Specify privacy height.
	• 28½"H	13½"H	21"H	No cost	Specify privacy height.
	• 29"H	14"H	21½"H	No cost	Specify privacy height.
	• 29½"H	14½"H	22"H	No cost	Specify privacy height.
	• 30"H	15"H	22½"H	No cost	Specify privacy height.
Worksurface Type	**For screens 60"W or greater**				
	• Without scallop			No cost	Specify *without scallop.*
	• With scallop			+$59	Specify *with scallop.*
Screen Type	• Rear screen			No cost	Specify *with rear screen.*
	• Side screen			No cost	Specify *with side screen.*

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1⅛" cord drop or no cord drop when mounted to the rear of a worksurface. See understanding pages for product specific application guidelines.


*Tip: To install 24"–30"W side screens on the Migration Pro desks (**HA2** or **HA3**) with knife edge, the Migration side knife attachment bracket option must be specified.*

*Tip: Metal cable tray, ordered as an option on Migration desks (**HA1**, **HA2**, or **HA3**) or separately (**HACTM**) can be installed with Sarto privacy/modesty screens. When specifying a Sarto screen 60"W or wider, specify "with tray application" option.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 2	+$ 61	Specify fabric color number.
	• Fabric price group 3	+$174	Specify fabric color number.
	• Fabric price group 4	+$222	Specify fabric color number.
	• Fabric price group 5	+$266	Specify fabric color number.
	• Fabric price group 6	+$311	Specify fabric color number.
	• Fabric price group 7	+$361	Specify fabric color number.
	• Fabric price group 8	+$405	Specify fabric color number.
	• Fabric price group 9	+$450	Specify fabric color number.
	• Fabric price group 10	+$496	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶ See *Surface Materials Reference Manual*.
Attachment Brackets	• No brackets	No cost	Specify *with no brackets.*
	• Migration side knife attachment bracket	+$ 16	Specify *with Migration side knife attachment bracket.*
Metal Cable Tray Application	• No tray application	No cost	Specify *with no tray application.*
	• With tray application	No cost	Specify *with tray application.*

Specification Information


• Style Number	• Parametric Height		• U.S. Base Prices								
		Modular width	24"W	29"W	N.A.	42"W	46"W or	54"W 48"W	58"W or	66"W 60"W	70"W
		Parametric width	23"W –28 15/16"W	29"W	29 1/16"W –36"W	36 1/16"W –42"W	42 1/16"W –48"W	48 1/16"W –54"W	54 1/16"W –60"W	60 1/16"W –66"W	66 1/16"W –70"W



PSPM	24"	$463	$519	$554	$587	$620	$656	$691	$728	$763
	24½"–30"	$632	$697	$730	$763	$798	$835	$871	$907	$940

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Sarto Privacy Screens



▶ Need help? Product details, page 248

Standard Includes	Required to Specify
• Screen: fabric price group 1 • Brackets and hard stops: 7360 Merle	1 Style number 2 Size option (see below under Required Selections) 3 Width (see below under Required Selections) 4 Height (see below under Required Selections) 5 Screen type (see below under Required Selections) 6 Fabric color number for screen 7 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Required Selections		U.S. Price	Required to Specify
Size Option	• Modular		No cost	Specify *with modular.*
	• Parametric		No cost	Specify *with parametric.*
Width	**Modular**	**Parametric**		
	• 24"W	24"W	Prices at right	Specify width.
	• 29"W	N.A.	Prices at right	Specify width.
	• 30"W	24 1/16"W–30"W	Prices at right	Specify width.
	• 36"W	30 1/16"W–36"W	Prices at right	Specify width.
	• 42"W	36 1/16"W–42"W	Prices at right	Specify width.
	• 46"W	N.A.	Prices at right	Specify width.
	• 48"W	42 1/16"W–48"W	Prices at right	Specify width.
	• 54"W	48 1/16"W–54"W	Prices at right	Specify width.
	• 58"W	N.A.	Prices at right	Specify width.
	• 60"W	54 1/16"W–60"W	Prices at right	Specify width.
	• 66"W	60 1/16"W–66"W	Prices at right	Specify width.
	• 70"W	N.A.	Prices at right	Specify width.
	• 72"W	66 1/16"W–72"W	Prices at right	Specify width.
	• 78"W	72 1/16"W–78"W	Prices at right	Specify width.
	• 84"W	78 1/16"W–84"W	Prices at right	Specify width.
	• 90"W	84 1/16"W–90"W	Prices at right	Specify width.
	• 96"W	90 1/16"W–96"W	Prices at right	Specify width.
Height	**Modular**	**Parametric**		
	• 13 1/2"H	13 1/2"H	Prices at right	Specify height.
	• 19 1/2"H	14"H–19 1/2"H	Prices at right	Specify height.
	• 23 1/2"H	20"H–24"H	Prices at right	Specify height.
	• N.A.	24 1/2"H–30"H	Prices at right	Specify height.
	• 35 1/2"H	30 1/2"H–35 1/2"H	Prices at right	Specify height.
Screen Type	• Rear screen		No cost	Specify *with rear screen.*
	• Side screen		No cost	Specify *with side screen.*


Tip: Side screen option changes brackets to offset bayonet brackets maintaining adequate side to side pinch points. Side screen option is only available on screens 36"W and narrower.

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 2	+$ 53	Specify fabric color number.
	• Fabric price group 3	+$142	Specify fabric color number.
	• Fabric price group 4	+$178	Specify fabric color number.
	• Fabric price group 5	+$219	Specify fabric color number.
	• Fabric price group 6	+$256	Specify fabric color number.
	• Fabric price group 7	+$296	Specify fabric color number.
	• Fabric price group 8	+$332	Specify fabric color number.
	• Fabric price group 9	+$371	Specify fabric color number.
	• Fabric price group 10	+$408	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶ See *Surface Materials Reference Manual.*
Attachment Brackets	• No brackets	No cost	Specify *with no brackets.*
	• Migration side knife attachment bracket	+$ 16	Specify *with Migration side knife attachment bracket.*

*Tip: To install 24"–30"W side screens on the Migration Pro desks (**HA2** or **HA3**) with knife edge, the Migration side knife attachment bracket option must be specified.*

Specification Information


Style Number	Parametric Height		U.S. Base Prices												
		Modular Width	24"W	29"W or 30"W	36"W	42"W	46"W or 48"W	54"W	58"W or 60"W	66"W	70"W or 72"W	78"W	84"W	90"W	96"W
		Paramtric Width	24"W	24 1/16"W –30"W	30 1/16"W –36"W	36 1/16"W –42"W	42 1/16"W –48"W	48 1/16"W –54"W	54 1/16"W –60"W	60 1/16"W –66"W	66 1/16"W –72"W	72 1/16"W –78"W	78 1/16"W –84"W	84 1/16"W –90"W	90 1/16"W –96"W



PSPS	13½"	$348	$373	$400	$424	$450	$479	$504	$530	$ 556	$ 601	$ 626	$ 653	$ 678
	14"–19½"	$397	$438	$479	$519	$559	$599	$639	$678	$ 723	$ 789	$ 826	$ 871	$ 909
	20"–24"	$485	$519	$554	$587	$620	$656	$691	$728	$ 763	$ 807	$ 850	$ 894	$ 937
	24½"–30"	$663	$697	$730	$763	$798	$835	$871	$907	$ 940	$ 987	$1041	$1095	$1159
	30½"–35½"	$752	$788	$820	$853	$887	$922	$958	$993	$1031	$1074	$1121	$1170	$1219

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Sarto Alignment Bracket



Tip: Alignment bracket is for use with Sarto privacy or Sarto privacy/modesty screens.

Tip: Alignment bracket is for Sarto screens in perpendicular applications.

Standard Includes	Required to Specify
▶ Need help? Product details, page 244	• Alignment bracket: translucent plastic	Style number

Specification Information

• Style Number	• U.S. Price
PSCB	$7

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Worksurface Screens

Divisio Side Screen



Tip: The Divisio side screen can be used on any 3/4"- to 1 1/2"-thick worksurface.

Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.

Tip: The Divisio side screen weighs approximately 14 1/2 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The Divisio side screen is intended for use on the front of a worksurface.

Tip: The Divisio side screen does not work on knife edge profiles.

Standard Includes	Required to Specify
▶ Need help? Product details, page 250	1 Style number 2 Fabric color number ▶ See *Surface Materials Reference Manual.*
• Screen: fabric price group A • Top cap and clamp: 4799 Platinum paint	

	Options	U.S. Price	Required to Specify
Surface Materials	**Fabric**		
	• Fabric price group A	No cost	Specify fabric color number.
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 23	Specify fabric color number.
	• Fabric price group 3	+$ 42	Specify fabric color number.
	• Fabric price group 4	+$ 61	Specify fabric color number.
	• Fabric price group 5	+$ 94	Specify fabric color number.
	• Fabric price group 6	+$ 425	Specify fabric color number.
	• Fabric price group 7	+$ 573	Specify fabric color number.
	• Fabric price group 8	+$ 730	Specify fabric color number.
	• Fabric price group 9	+$ 868	Specify fabric color number.
	• Fabric price group 10	+$1015	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶ See *Surface Materials Reference Manual.*

Specification Information

Dimensions D	Dimensions H	Style Number	U.S. Base Price
29 1/2"	11 5/8"	**DVSS2912**	$552


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specifying Worksurface Power and Communication

Power Sphere	**576**
Power and Communication Sphere	**576**
Power and Communication Port	**576**
Power/Power Box	**577**
2½" Round Grommet	**577**
Universal Worksurface Wire Managers	**578**
Cable and Fiber Reels	**578**
Termination Plate	**578**
Cord Reels	**579**
Wire Clips	**579**
Wire Manager	**579**

Wiring and Cabling Accessories

Power Sphere



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Standard Includes

- Sphere with four simplex electrical outlets: black plastic only
- Two 6' power cords (each rated at 15 amps), if selected: black plastic only

Required to Specify


Style number

Specification Information

Four Electrical Outlets with Two 6' Power Cords

Dimensions D	W	H	Style Number	U.S. Price
3 3/8"	3 3/8"	3"	**PTDMGB1**	$401

Power and Communication Sphere



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Faceplates in sphere accommodates standard voice/data jacks.

Standard Includes

- Sphere with two simplex electrical outlets: black plastic only
- Faceplates to accommodate two customer-supplied voice/data jacks: black plastic only
- 6' power cord with plug rated at 15 amps, if selected: black plastic only

Required to Specify


Style number

Specification Information

Sphere with One 6' Power Cord

Dimensions D	W	H	Style Number	U.S. Price
3 3/8"	3 3/8"	3"	**PTDMGB3**	$401

Power and Communication Port



Tip: Port is field installed. Use a 3½"-diameter drill to cut mounting hole at desired location.

Standard Includes

- Port with two electrical outlets: black plastic only
- 6' power cord with plug rated at 15 amps: black plastic only
- Adapters for two customer-supplied data couplers/jacks


Required to Specify

Style number

Specification Information

Dimensions D	W	H	Style Number	U.S. Price
4 1/4"	4 1/4"	4 5/16"	**PTRSGB1**	$586

Power/Power Box



Standard Includes	Required to Specify
• Power/power box	Style number

Specification Information

Dimensions D	W	H	Style Number	U.S. Price
3"	3"	1"	**AWVBP**	$373

2½" Round Grommet



*Tip: Grommet **AWAG2** is for use on worksurfaces only.*

*Tip: When using **AWAG2** in the Universal parametric straight worksurface, specify the 2" grommet cutout option. Actual diameter of cutout is 2¼".*

Standard Includes	Required to Specify
• Grommet: paint or metal • Installation instructions	1 Style number 2 Paint or metal color number ▶ See *Surface Materials,* page 672.

Specification Information

Dimensions D	W	Style Number	U.S. Price
2½"	2½"	**AWAG2**	$110

3" Grommet Package



*Tip: When using **TSAEGROM** in the Universal parametric straight worksurface, specify the 3" grommet cutout.*


Standard Includes	Required to Specify
• Package of 10 grommets: black plastic	Style number

Specification Information

Style Number	U.S. Price
TSAEGROM	$91

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Worksurface Wire Managers




Standard Includes	Required to Specify
▶ Need help? Product details, page 213	1 Style number 2 Plastic color number for worksurface wire manager: 6000 Black 6009 Arctic White 6052 Milk 6053 Seagull 6249 Platinum Solid 6654 Sand 6695 Midnight 6697 Fog
• Set of six field installed worksurface wire managers: plastic • Attachment hardware	

Specification Information

Style Number	U.S. Price
TS7WWM	$244

Cable and Fiber Reels




Standard Includes	Required to Specify
• Package of four reels: black plastic only	Style number

Specification Information

Style Number	U.S. Price
98766	$265

Termination Plate




Standard Includes	Required to Specify
• Termination plate: black paint only	Style number

Specification Information

Dimensions D	W	H	Style Number	U.S. Price
¾"	7⅛"	7⅛"	**98765**	$38

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Cord Reels



Standard Includes	Required to Specify
• Carton of six cord reels: black paint only	Style number

Specification Information

Style Number	U.S. Price
98767	$116

Wire Clips



Standard Includes	Required to Specify
• Carton of six: black plastic only • Foam tape • Mounting screws	Style number

Specification Information

Style Number	U.S. Price
999CHT	$118

Wire Manager



Standard Includes	Required to Specify
• 25" wire manager with double-sided tape: black plastic	Style number

Specification Information

Dimensions D	W	H	Style Number	U.S. Price
1"	¾"	25"	**AWVW**	$24

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specifying Universal Tables

Tables


- Straight Tables **582**
- Capsule Tables **584**
- Spanner Tables **585**
- Peninsula Table **586**
- Tapered Peninsula Tables **587**
- Round Tables **588**
- Square Tables **589**
- Rectangle Tables **590**
- Oval Tables **591**
- Hex Conference Tables **592**

Bases for Universal Tables **593**

Legs for Universal Tables **594**

Straight Tables

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles at right. 2 High-Pressure Laminate or composite veneer color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

- Table: High-Pressure Laminate price group 1 or composite veneer price group 1
- Laminate table: plastic 3 mm edge profile on all sides
- Composite veneer table: composite veneer square 3 mm edge profile on all sides

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer tables	
• Composite veneer group 1	Prices at right	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer tables	
• Wood group 1	Prices at right	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Reinforcing Channel		
• Reinforcing channel (available on 66"W and wider tables)	No cost	Specify *with reinforcing channel.*
Related Products		
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575
• Bases for Universal Tables		▶ Page 593
• Legs for Universal Tables		▶ Page 594

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*


Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, ▶ Page 262
Table and Leg Combinations, ▶ Page 263

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

*Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, **BFS2430** becomes **BFS2430SW** for composite veneer or wood square edge profile.)*




Specification Information

Dimensions A	Dimensions B	Style Number	U.S. Base Prices High-Pressure Laminate — Plastic 3 mm Edge — No Suffix	Composite Veneer — Composite Veneer Square Edge — Suffix SW	Wood — Wood Square Edge — Suffix SW
24"	29¾"	**BFS2430**	$ 391	$1232	$1316
24"	35¾"	**BFS2436**	$ 418	$1269	$1354
24"	41¾"	**BFS2442**	$ 449	$1409	$1505
24"	47¾"	**BFS2448**	$ 533	$1527	$1626
24"	53¾"	**BFS2454**	$ 573	$1576	$1676
24"	59¾"	**BFS2460**	$ 615	$1733	$1845
24"	65¾"	**BFS2466**	$ 675	$1828	$1943
24"	71¾"	**BFS2472**	$ 763	$1941	$2059
24"	77¾"	**BFS2478**	$ 832	$2044	$2165
30"	35¾"	**BFS3036**	$ 577	$1492	$1584
30"	41¾"	**BFS3042**	$ 625	$1638	$1739
30"	47¾"	**BFS3048**	$ 691	$1742	$1848
30"	53¾"	**BFS3054**	$ 740	$1816	$1924
30"	59¾"	**BFS3060**	$ 795	$1977	$2095
30"	65¾"	**BFS3066**	$ 857	$2076	$2198
30"	71¾"	**BFS3072**	$ 928	$2182	$2308
30"	77¾"	**BFS3078**	$1008	$2284	$2412

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Capsule Tables

High-Pressure Laminate



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	• Tables: High-Pressure Laminate price group 1 with plastic 3 mm edge profile	1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge on laminate table 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Reinforcing Channel	• Reinforcing channel (available on 66"W and wider tables)	No cost	Specify *with reinforcing channel.*
Related Products	• Worksurface screens		▶ Page 573
	• Worksurface power and communication components		▶ Page 575
	• Bases for Universal Tables		▶ Page 593
	• Legs for Universal Tables		▶ Page 594

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see
Table and Base Combinations,
▶ Page 262
Table and Leg Combinations,
▶ Page 263

Specification Information

U.S. Base Prices
High-Pressure Laminate




Dimensions A	Dimensions B	Style Number	Plastic 3 mm Edge No Suffix
24"	48"	**BFK2448**	$ 910
30"	60"	**BFK3060**	$1022
36"	72"	**BFK3672**	$1209
42"	84"	**BFK4284**	$1825
48"	96"	**BFK4896**	$2161

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Spanner Tables

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶Need help? Product details, page 256	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge 2 High-Pressure Laminate or composite veneer color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Table: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Composite veneer table: composite veneer square 3 mm edge profile on all sides	

Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate tables		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
Composite veneer tables		
• Composite veneer group 1	Prices below	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
Wood veneer tables		
• Wood group 1	Prices below	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
Related Products		
• Worksurface screens		▶Page 573
• Worksurface power and communication components		▶Page 575
• Legs for Universal Tables		▶Page 594

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 263

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, ***BFSP48*** *becomes* ***BFSP48SW*** *for composite veneer or wood square edge profile.*


Specification Information

Dimensions A	Dimensions B	Style Number	U.S. Base Prices: High-Pressure Laminate — Plastic 3 mm Edge — No Suffix	Composite Veneer — Composite Veneer Square Edge — Suffix SW	Wood — Wood Square Edge — Suffix SW
30"	48"	**BFSP48**	$799	$1961	$2072
30"	52"	**BFSP52**	$851	$1961	$2072
36"	60"	**BFSP60**	$894	$2430	$2579
36"	64"	**BFSP64**	$941	$2431	$2580

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Peninsula Table

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Tables: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Composite veneer table: composite veneer square 3 mm edge profile on all sides	

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer tables		
	• Composite veneer group 1	Price below	Specify composite veneer color number.
	• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer tables		
	• Wood group 1	Price below	Specify wood color number.
	• Wood group 2	See information at left	Specify wood color number.
	• Wood group 3	See information at left	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Related Products	• Worksurface screens		▶ Page 573
	• Legs for Universal Tables		▶ Page 594

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 263

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, ***BFP2736*** *becomes* ***BFP2736SW*** *for composite veneer or wood square edge profile.)*

Specification Information


Dimensions A	Dimensions B	Style Number	U.S. Base Prices: High-Pressure Laminate — Plastic 3 mm Edge — No Suffix	U.S. Base Prices: Composite Veneer — Composite Veneer Square Edge — Suffix SW	U.S. Base Prices: Wood — Wood Square Edge — Suffix SW
27"	36"	**BFP2736**	$780	$1828	$1932

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tapered Peninsula Tables

High-Pressure Laminate or Composite Veneer

Tapered Peninsula Table



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Table: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Composite veneer table: composite veneer square 3 mm edge profile on all sides	

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 263

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, ***BFTP48*** *becomes* ***BFTP48SW*** *for composite veneer or wood square edge profile.)*

Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate tables		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Composite veneer tables		
• Composite veneer group 1	Prices below	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
Wood veneer tables		
• Wood group 1	Prices below	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.*
		▶ See *Surface Materials Reference Manual.*
Related Products		
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575
• Legs for Universal Tables		▶ Page 594

Specification Information

• Dimensions A	B		• Style Number	U.S. Base Prices High-Pressure Laminate • Plastic 3 mm Edge No Suffix	Composite Veneer • Composite Veneer Square Edge Suffix SW	Wood • Wood Square Edge Suffix SW
27"	32"	48"	**BFTP48**	$1090	$2472	$2610
33"	40"	60"	**BFTP60**	$1112	$2567	$2713

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Round Tables

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	• Table: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Composite veneer table: composite veneer square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix **K** Laminate with knife edge **SW** Composite veneer or wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or composite veneer color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Composite veneer tables		
• Composite veneer group 1	Prices below	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
Wood veneer tables		
• Wood group 1	Prices below	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.*
		▶ See *Surface Materials Reference Manual.*
Related Products	• Bases for Universal Tables	▶ Page 593
	• Legs for Universal Tables	▶ Page 594

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see
Table and Base Combinations,
▶ Page 262
Table and Leg Combinations,
▶ Page 263

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, ***BFR36*** *becomes* ***BFR36SW*** *for composite veneer or wood square edge profile.)*


Specification Information

		U.S. Base Prices			
		High-Pressure Laminate		Composite Veneer	Wood
• Diameter	• Style Number	• Plastic 3 mm Edge No Suffix	• Plastic Knife Edge Suffix K	• Composite Veneer Square Edge Suffix SW	• Wood Square Edge Suffix SW
30"	**BFR30**	$ 693	$ 981	N.A.	N.A.
36"	**BFR36**	$ 741	$1029	$2454	$2625
42"	**BFR42**	$ 823	$ 1111	$2582	$2758
48"	**BFR48**	$ 898	$1186	$2875	$3072
54"	**BFR54**	$1078	$1366	$3176	$3386

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Square Tables

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	1 Style number with appropriate edge profile suffix **SW** Composite veneer or wood with square edge ▶ See edge profiles below.
• Table: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Composite veneer table: composite veneer square 3 mm edge profile on all sides	2 High-Pressure Laminate or composite veneer color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer tables	
• Composite veneer group 1	Prices below	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer tables	
• Wood group 1	Prices below	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Related Products	• Worksurface screens • Worksurface power and communication components • Bases for Universal Tables • Legs for Universal Tables	▶ Page 573 ▶ Page 575 ▶ Page 593 ▶ Page 594

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ▶ Page 262 Table and Leg Combinations, ▶ Page 263

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, ***BFRQ30*** *becomes* ***BFRQ30SW*** *for composite veneer or wood square edge profile.)*


Specification Information

Dimensions A	Dimensions B	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Composite Veneer Square Edge Suffix SW	Wood Wood Square Edge Suffix SW
24"	24"	**BFRQ24**	$ 368	N.A.	N.A.
30"	30"	**BFRQ30**	$ 542	$1478	$1572
36"	36"	**BFRQ36**	$ 764	N.A.	N.A.
42"	42"	**BFRQ42**	$ 843	$2012	$2129
48"	48"	**BFRQ48**	$ 927	$2227	$2357
54"	54"	**BFRQ54**	$1112	$2492	$2630

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Rectangle Tables

High-Pressure Laminate or Composite Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 256	• Table: High-Pressure Laminate price group 1 or composite veneer price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Composite veneer table: composite veneer square 3 mm edge profile on all sides

1 Style number with appropriate edge profile suffix
SW Composite veneer or wood with square edge
▶ See edge profiles below
2 High-Pressure Laminate or composite veneer color number for table
3 Plastic color number for edge on laminate table, if selected
4 Options, if selected (see below)
▶ See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer tables	
• Composite veneer group 1	Prices below	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer tables	
• Wood group 1	Prices below	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain	No cost	Specify *with Customiz stain.*
		▶ See *Surface Materials Reference Manual.*
Reinforcing Channel		
• Reinforcing channel (available on 66"W and wider tables)	No cost	Specify *with reinforcing channel.*
Related Products		
• Worksurface screens		▶ Page 573
• Worksurface power and communication components		▶ Page 575
• Bases for Universal Tables		▶ Page 593
• Legs for Universal Tables		▶ Page 594

For composite veneer, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ▶ Page 262 Table and Leg Combinations, ▶ Page 263

*Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, **BFRR3672** becomes **BFRR3672SW** for composite veneer or wood square edge profile.)*


Specification Information

Dimensions A	Dimensions B	Style Number	U.S. Base Prices High-Pressure Laminate Plastic 3 mm Edge No Suffix	Composite Veneer Square Edge Suffix SW	Wood Square Edge Suffix SW
36"	60"	**BFRR3660**	$1068	N.A.	N.A.
36"	66"	**BFRR3666**	$1133	N.A.	N.A.
36"	72"	**BFRR3672**	$1209	$3550	$3784
42"	84"	**BFRR4284**	$1825	$3824	$4024
48"	96"	**BFRR4896**	$2161	$3928	$4105

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Oval Tables

High-Pressure Laminate



Standard Includes	Required to Specify
▶Need help? Product details, page 256	1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge on laminate table 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Tables: High-Pressure Laminate price group 1 • Laminate table: plastic 3 mm edge profile on all sides	

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
Related Products		
• Bases for Universal Tables		▶Page 593
• Legs for Universal Tables		▶Page 594

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see
Table and Base Combinations,
▶Page 262
Table and Leg Combinations,
▶Page 263

Tip: To specify 3 mm edge profile, no suffix is required.


Specification Information

Dimensions A	Dimensions B	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
21"	42"	**BEL2142**	$ 816
30"	42"	**BEL3042**	$ 889
36"	48"	**BEL3648**	$ 964
30"	60"	**BEL3060**	$1194
36"	72"	**BEL3672**	$1209
42"	78"	**BEL4278**	$1800
48"	96"	**BEL4896**	$2161

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Hex Conference Tables

High-Pressure Laminate



Tip: Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Bases to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ▶Page 262

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes	Required to Specify
▶Need help? Product details, page 256	1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge on laminate table 4 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Tables: High-Pressure Laminate price group 1 • Laminate table: plastic 3 mm edge profile on all sides • Reinforcing channels, for tables 120"W or wider • Tight-joint fasteners for tables 150"W or wider	

Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate tables**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
Related Products	• Bases for Universal Tables	▶Page 593

Specification Information

Dimensions A	B	C	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
30"	36"	60"	**BHEX3660**	$1068
30"	36"	66"	**BHEX3666**	$1133
30"	36"	72"	**BHEX3672**	$1209
36"	42"	96"	**BHEX4296**	$2067
38"	48"	120"	**BHEX48120**	$4993
38"	48"	150"	**BHEX48150**	$7292
38"	48"	180"	**BHEX48180**	$7583

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Bases for Universal Tables

Standard Includes	Required to Specify
▶ Need help? Product details, page 259	• Column: paint • Base: paint • Adjustable leveling glides: black plastic	1 Style number 2 Paint color number for column 3 Paint color number for base 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Base**		
	• Paint price group 1	No cost	Specify paint color number
	• Paint price group 2	+$ 31	Specify paint color number.
	• Paint price group 3	+$ 55	Specify paint color number.
	• Polished Aluminum column and base	+$256	Specify *with 8046 Polished Aluminum column and base.*
	• Polished Aluminum base with painted column	+$256	Specify *with 8046 Polished Aluminum base only* and select paint color number for column.


Tip: When specifying a 8046 Polished Aluminum base only, specify a paint color number for the column.

Specification Information



T-Bases

• Width	• Column Diameter	• Style Number	• U.S. Base Price
26"	2¼"	**BT26**	$511
36"	2¼"	**BT36**	$631



X-Bases

26"	2¼"	**BX26**	$576
36"	2¼"	**BX36**	$743

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Legs for Universal Tables

Adjustable-Height Legs

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per table.
▶Page 263

Tip: Dimensions listed are nominal and include the thickness of a table.

Standard Includes	Required to Specify
▶Need help? Product details, page 260 • Table legs: paint • Glides, if selected: paint to match legs • Locking casters, if selected: paint to match legs • Attachment hardware	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$32 per leg	Specify paint color number.

Specification Information



Adjustable-Height Leg with Glide

• Planning Height	• Style Number	• U.S. Base Price
25½"–31½"	**BADJ**	$356

Package of Four Adjustable-Height Legs with Glides

• Planning Height	• Style Number	• U.S. Base Price
25½"–31½"	**BADJ4**	$1424



Adjustable-Height Leg with Caster

• Planning Height	• Style Number	• U.S. Base Price
25½"–31½"	**BADJC**	$396

Tip: Legs with casters cannot support freestanding worksurfaces that are less than 24" deep.

Package of Four Adjustable-Height Legs with Casters

• Planning Height	• Style Number	• U.S. Base Price
25½"–31½"	**BADJ4C**	$1584

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Post Legs

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per worksurface.
▶Page 263

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Height dimensions listed are nominal and include the thickness of a table.





Tip: Legs with casters cannot support freestanding worksurfaces that are less than 24" deep.

Standard Includes	Required to Specify
▶Need help? Product details, page 260 • Table legs: paint • Attachment hardware • Non-locking caster, if selected: black plastic only	1 Style number 2 Paint color number for legs. 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$32 per leg	Specify paint color number.
	• Paint price group 3	+$55 per leg	Specify paint color number.

Specification Information

Post Leg with Glide

• Planning Height	• Style Number	• U.S. Base Price
28½"	**BPL**	$231

Package of Four Post Legs with Glides

• Planning Height	• Style Number	• U.S. Base Price
28½"	**BPL4**	$ 924

Post Leg with Caster

• Planning Height	• Style Number	• U.S. Base Price
28½"	**BPLC**	$259

Package of Four Post Legs with Casters


• Planning Height	• Style Number	• U.S. Base Price
28½"	**BPL4C**	$1036

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specifying Answer Monitor Mount Integration

Answer Monitor Mount **598**

Answer Monitor Mount



Tip: Use of a 40" or 42" monitor is recommended.

Standard Includes	Required to Specify
▶ Need help? Product details, page 268	Style number
• Monitor mount • Mounting brackets • Hardware package • Power strip	

Specification Information

Dimensions D	Dimensions W	Style Number	U.S. Price
21"	40"	**TS7MTRMNT**	$4317

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specifying Universal Steel Storage Products

Universal Pedestals

- Universal Fixed Pedestals **600**
- Universal Pedestal Fillers and Counterweights **602**
- Universal Fixed to Freestanding Pedestal Conversion Kits **604**
- Universal Mobile Pedestals **606**
- Basic Cushions Enhanced **609**

Universal Bins and Shelves

- Universal Sliding Door Bins with Steel, Laminate, or Wood Front **610**
- Universal Over the Case Bins with Flat Fronts **612**
- Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts **614**
- Universal Shelves **617**
- Accessories for Overhead Bins and Shelves **618**

Slim Shelves **623**

Universal One-High, 1.5-High, and Two Drawer Lateral Files **624**

Low Storage-to-Beam Tether Bracket **629**

Cushion Tops **630**


Basic Cushions Enhanced **631**

Universal Towers

- Universal Open Side Towers **632**
- Universal Dual Door Towers **636**

Universal Fixed Pedestals

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



*Tip: When using a Universal fixed pedestal for a single pedestal desk interlocks are required (**RPXFTINT**). Minimum width for the single pedestal desks is 42"W. (Rules apply to pedestals produced after February 2026.)*

*Tip: For Universal pedestals produced before February 2026: when using a Universal pedestal with a single pedestal desk, desks below 48"W require an interlock and a counterweight. Single pedestal desks with 30"D pedestals also require an interlock (Service Part **1043575SR**) and counterweight (**RPCW**).*

*Tip: When using a Universal pedestal with a double pedestal desks, one counterweight is required (**RAACW15**). Minimum width for the double pedestal desks must be 54"W. (Rules apply to pedestals produced after February 2026.)*

For composite veneer, wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, *please refer to the electronic catalog or SmartTools.*

*Tip: For Universal pedestals produced before February 2026: when using a Universal pedestal with a double pedestal desks, one counterweight is required (**RPCW**). Minimum width for the double pedestal desks must be 54"W.*

▶ Need help? Product details, page 286

Standard Includes

- Pedestal: paint price group 1
- Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate front selected, or composite veneer price group 1 if proud wood front selected
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Full drawer interiors: black only
  - – One pencil tray and two box drawer dividers per box/box/file
- Lock, keyed random: 9201 Polished Chrome
- Mounting hardware
- Four adjustable leveling glides

Required to Specify


1 Style number with appropriate front style suffix in the space provided
- **F** Flush steel front
- **P** Proud steel front
- **L** Proud laminate front
- **W** Proud composite veneer or wood front

2 Paint color number for pedestal
3 Laminate color number for drawer fronts, if proud laminate front selected
4 Wood color number for drawer fronts, if proud wood front selected
5 Pull (see below under Required Selections)
6 Metal color number for pulls, if proud steel or proud wood front selected
7 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

Required Selections

Pulls



Contemporary Handle Jazz Bar

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 71	Specify paint color number.
	• Paint price group 3	+$120	Specify paint color number.
	• Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	• Laminate price group 2 on proud laminate drawer fronts	See information at left	Specify laminate color number.
	• Laminate price group 3 on proud laminate drawer fronts	See information at left	Specify laminate color number.
	• Open Line laminate on proud laminate drawer fronts	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1 on proud wood drawer fronts	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2 on proud wood drawer fronts	No cost	Specify composite veneer color number.
	• Wood group 1 on proud wood drawer fronts	Prices at right	Specify wood color number.
	• Wood group 2 on proud wood drawer fronts	+$ 47	Specify wood color number.
	• Wood group 3 on proud wood drawer fronts	+$160	Specify wood color number.
	• Customiz stain on proud wood drawer fronts	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Pulls	**Proud steel, laminate, or wood fronts**		
	• Contemporary	No cost	Specify *with contemporary pull.*
	• Handle	No cost	Specify *with handle pull.*
	• Jazz	+$ 31 per pull	Specify *with jazz pull.*
	• Bar	+$ 46 per pull	Specify *with bar pull.*
Drawer Accessories	**Rails**		
	• Two side-to-side hanging rails per file drawer	No cost	Specify *with rails.*

▶ **Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Lock and Keying	**Lock** • Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying • Factory- and field-installed keying		▶Page 690
Related Products	• Universal fixed to freestanding pedestal conversion kits • Steel storage accessories		▶Page 604 ▶Page 658

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

▶See *Counterweight Requirements for Storage Products,* pages 273–280.

*Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, **RPF1827A__** becomes **RPF1827AP** for proud steel front).*



Tip: Use 27"H pedestals to align with Universal Storage with 3" base. 27"H pedestals support worksurfaces at 28½"H.

Tip: Only 22⅝"D, 23½"D, 28⅝"D, and 29½"D pedestals can accommodate legal-size filing.

Tip: Counterweight package is application dependent.

Specification Information


27"H Fixed Pedestals with 3" Base

• Dimensions D		W	H	• Style Number	• U.S. Base Prices				
Flush Steel Front	Proud Steel/ Lam/ Comp Ven/ Wood Front				Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W
Two Box Drawers and One File Drawer									
17½"	18⅜"	15"	27"	**RPF1827A__**	$ 984	$1092	$1420	$1502	$1510
22⅝"	23½"	15"	27"	**RPF2427A__**	$1074	$1182	$1510	$1592	$1600
28⅝"	29½"	15"	27"	**RPF3027A__**	$1290	$1398	$1726	$1808	$1816
Two File Drawers									
17½"	18⅜"	15"	27"	**RPF1827B__**	$ 953	$1060	$1388	$1471	$1479
22⅝"	23½"	15"	27"	**RPF2427B__**	$1042	$1150	$1478	$1560	$1568
28⅝"	29½"	15"	27"	**RPF3027B__**	$1259	$1366	$1694	$1777	$1785

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Pedestal Fillers and Counterweights


Universal Pedestal Fillers for 27"H Fixed Pedestals with Flush and Proud Fronts



Standard Includes	Required to Specify
▶ Need help? Product details, page 287 • Filler: all paint price groups • Installation hardware	1 Style number 2 Paint color number for filler ▶ See *Surface Materials,* page 672.

Specification Information						
Dimensions D		H	On- or Off-Module	Application	Style Number	U.S. Price
Flush Steel Front	Proud Steel/Wood Front					
Pedestal Fillers for 27"H Fixed Pedestals with Flush Steel Fronts						
1⅜"	N.A.	27"	On-Module	Answer and Kick Panels	**RPXFTAKFP**	$116
Pedestal Fillers for 27"H Fixed Pedestals with Proud Fronts						
N.A.	½"	27"	On-Module	Answer and Kick Panels	**RPXFTAKPP**	$116

Universal Pedestal Counterweights



Standard Includes	Required to Specify
▶ Need help? Product details, page 287 • Pedestal counterweight: black	Style number

Specification Information	
Style Number	U.S. Price
RPCW	$239
RAACW15	$239

*When using a Universal pedestal with a double pedestal desks, one counterweight is required (**RAACW15**). Minimum width for the double pedestal desks must be 54"W. (Rules apply to pedestals produced after February 2026.)*

Tip: For Universal pedestals produced before February 2026: when using a Universal pedestal with a single pedestal desk, desks below 48"W require an interlock and a counterweight.

*Tip: Single pedestal desks with 30"D pedestals also require an interlock (Service Part **1043575SR**) and counterweight (**RPCW**).*

*Tip: For Universal pedestals produced before February 2026: when using a Universal pedestal with a double pedestal desks, one counterweight is required (**RPCW**). Minimum width for the double pedestal desks must be 54"W.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Pedestal Interlock

For Use with 27"H Fixed Pedestals




*Tip: Use interlock **104357SR** with fixed pedestals produced before February 2026. After February 2026, use **RPXFTINT**.*


Standard Includes	Required to Specify
▶ Need help? Product details, page 287 • Interlock	Style number

Specification Information

Style Number	U.S. Price
RPXFTINT	$75

Universal Fixed to Freestanding Pedestal Conversion Kits





Tip: Flush and proud front pedestals require different conversion kits. Be sure to order the correct style number for your application.

Tip: Specify ***RPXCK2718P****,* ***RPXCK2724P****,* ***RPXCK2730P****,* ***RPXCK2718F****,* ***RPXCK2724F****, or* ***RPXCK2730F*** *with fixed pedestals produced before February 2026. For fixed pedestals produced after February 2026, specify* ***RPXCK22718P****,* ***RPXCK22724P****,* ***RPXCK22730P****,* ***RPXCK22724F****, or* ***RPXCK22730F****.*

Standard Includes	Required to Specify
▶ Need help? Product details, page 287	1 Style number 2 Paint color number for top ▶ See *Surface Materials,* page 672.
• 1⁄8"H steel top: all paint price groups • Counterweight package • Installation hardware	

Specification Information


Dimensions D	Dimensions H	Style Number	U.S. Price
For 27"H Proud Steel or Proud Wood Front Pedestals			
18 3⁄8"	27"	**RPXCK22718P** or **RPXCK2718P**	$332
23 1⁄2"	27"	**RPXCK22724P** or **RPXCK2724P**	$366
29 1⁄2"	27"	**RPXCK22730P** or **RPXCK2730P**	$405
For 27"H Flush Steel Front Pedestals			
17 1⁄2"	27"	**RPXCK22718F** or **RPXCK2718F**	$332
22 5⁄8"	27"	**RPXCK22724F** or **RPXCK2724F**	$366
28 5⁄8"	27"	**RPXCK22730F** or **RPXCK2730F**	$405

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Fixed to
Freestanding Pedestal
Conversion Kits

Universal Mobile Pedestals

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



Tip: 1⁄8"H steel top is non-structural.

Tip: Counterweight packages for mobile pedestals are required to ensure product stability and are included.
▶See *Counterweight Requirements for Storage Products,* pages 273–280.

Standard Includes

▶Need help? Product details, page 286

- Pedestal: paint price group 1
- 1⁄8"H steel top: paint to match pedestal
- Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate selected, composite veneer group 1 if proud wood front selected, or wood group 1 veneer if proud wood front selected
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Full drawer interiors: black only
  - One pencil tray per box/file or box/box/file and box drawer dividers
- Lock, keyed random: 9201 Polished Chrome
- Four hard-composition, non-locking casters: black only
- Safety interlock mechanism
- Counterweight package


Required to Specify

1 Style number with appropriate front style suffix in the space provided
- **F** Flush steel front
- **P** Proud steel front
- **L** Proud laminate front
- **W** Proud composite veneer or wood front

2 Paint color number for pedestal
3 Laminate color number for drawer fronts, if proud laminate front selected
4 Wood color number for drawer fronts, if proud wood front selected
5 Pull (see below under required selections)
6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
7 Options, if selected (see below)
▶See *Surface Materials,* page 672.

Required Selections

Pulls



Contemporary Handle | Jazz | Bar

Options

Tip: Composite veneer, laminate and wood price group 2 and 3 upcharges for drawer fronts are in addition to laminate and wood price group 1.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 71	Specify paint color number.
	• Paint price group 3	+$120	Specify paint color number.
	• Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	• Laminate price group 2 on proud laminate drawer fronts	+$ 13	Specify laminate color number.
	• Laminate price group 3 on proud laminate drawer fronts	+$ 28	Specify laminate color number.
	• Open Line laminate on proud laminate drawer fronts	+$ 111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	• Composite veneer group 1 on proud wood drawer fronts	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2 on proud wood drawer fronts	No cost	Specify composite veneer color number.
	• Wood group 1 on proud wood drawer fronts	Prices at right	Specify wood color number.
	• Wood group 2 on proud wood drawer fronts	+$ 47	Specify wood color number.
	• Wood group 3 on proud wood drawer fronts	+$160	Specify wood color number.
	• Customiz stain on proud wood drawer fronts	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
Tops	• 1"H square edge steel top	+$113	Specify *with steel square top.*
	Laminate top		
	• 1 3⁄16"H square edge laminate price group 1 top	+$473	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• 1 3⁄16"H square edge laminate price group 2 top	+$480	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.

Tip: Optional tops will increase the overall pedestal height.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Tops continued	**Laminate top, continued**		
	• 1 3/16"H square edge laminate price group 3 top	+$ 491	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+$ 111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• 1 3/16"H composite veneer group 1 veneer top	+$ 639	Specify *with composite veneer top* and indicate composite veneer color number.
	• 1 3/16"H composite veneer group 2 veneer top	+$ 683	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• 1 3/16"H wood price group 1 veneer top	+$ 656	Specify *with wood veneer top* and indicate wood color number.
	• 1 3/16"H wood group 2 veneer top	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• 1 3/16"H wood group 3 veneer top	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain on wood veneer top	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
	Cushion top for factory installation on RPM2421C__ only		
	• Cushion top without handle	+$ 584	Specify *with cushion top* and indicate fabric color number.
	• Cushion top with black handle	+$ 735	Specify *with cushion top and handle* and indicate fabric color number.
	Upholstery on pedestal cushion top		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 13	Specify fabric color number.
	• Fabric price group 3	+$ 63	Specify fabric color number.
	• Fabric price group 4	+$ 79	Specify fabric color number.
	• Fabric price group 5	+$ 99	Specify fabric color number.
	• Fabric price group 6	+$ 139	Specify fabric color number.
	• Fabric price group 7	+$ 167	Specify fabric color number.
	• Fabric price group 8	+$ 242	Specify fabric color number.
	• Fabric price group 9	+$ 309	Specify fabric color number.
	• Fabric price group 10	+$ 377	Specify fabric color number.
	• Leather price group	+$ 966	Specify leather color number.
	• Elmosoft leather price group	+$1114	Specify Elmosoft leather color number. ▶See *Surface Materials,* page 672.
	• Customer's Own Material (COM) or Customer's Own Leather (COL)	+$ 25	▶See *Surface Materials Reference Manual* to specify.
Pulls	**Flush steel fronts**		
	• Full-width wood veneer pull	+$ 423	Specify *with wood pull* and indicate wood color number.
	• Customiz stain on wood veneer pull	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
	Proud steel, laminate, or wood fronts		
	• Contemporary	No cost	Specify *with contemporary pull.*
	• Handle	No cost	Specify *with handle pull.*
	• Jazz	+$ 31 per pull	Specify *with jazz pull.*
	• Bar	+$ 46 per pull	Specify *with bar pull.*
Drawer Accessories	**Rails**		
	• Two side-to-side hanging rails per file drawer	No cost	Specify *with rails.*

▶**Options, continued on next page**

Tip: If wood veneer top option is selected, finishes must be selected for both the wood veneer top and the wood veneer fronts.

For laminate and wood price group 2 and 3 pricing, *please refer to the online catalog or SmartTools.*

Tip: For both cushion top and basic cushion enhanced: fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion enhanced: pattern matching will not be done on COM.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Mobile Pedestals with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued


▶**Options, continued from previous page**


	Options	U.S. Price	Required to Specify
Basic Drawer Interiors	**Box/file and box/box/file pedestals** • No rails, pencil trays, or box drawer dividers	–$ 87	Specify *with basic drawers.*
Lock and Keying	**Lock** • Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Individual locking drawers • File/file pedestals only	+$207	Specify *with individual drawer lock.*
	Keying • Factory- and field-installed keying		▶Page 690
Related Products	• Steel storage accessories		▶Page 658


*Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, **RPM1821C__** becomes **RPM1821CP** for proud steel front).*

Specification Information

• Dimensions D Flush Steel Front	D Proud Steel/ Lam/ Comp Ven/ Wood Front	W	H	• Counter-weight Package	• Style Number	• U.S. Base Prices Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W
Box/File										
17½"	18⅜"	15"	21"	Included	**RPM1821C__**	$1326	$1446	$1775	$1857	$1865
22⅝"	23½"	15"	21"	Included	**RPM2421C__**	$1459	$1566	$1895	$1977	$1985
Box/Box/File										
17½"	18⅜"	15"	27"	Included	**RPM1827A__**	$1530	$1586	$1917	$1999	$2007
22⅝"	23½"	15"	27"	Included	**RPM2427A__**	$1630	$1681	$2012	$2094	$2102
File/File										
17½"	18⅜"	15"	27"	Included	**RPM1827B__**	$1454	$1556	$1887	$1969	$1977
22⅝"	23½"	15"	27"	Included	**RPM2427B__**	$1602	$1650	$1981	$2063	$2071







Specification Information

• Actual Dimensions D	W	H	• Style Number	• U.S. Base Price

Pedestal Cushion Top for Field Installation on RPM2421C__ only






*Tip: If used with a Universal mobile pedestal manufactured before 12/20/2011, you will need to order service part **1072962001SR** for attachment hardware.*

Cushion Top without Handle					
22⅝"	15"	2¼"	**RPXTC24F**	$523	(For use with RPM2421CF only)
23½"	15"	2¼"	**RPXTC24P**	$523	(For use with RPM2421CP, RPM2421CL, and RPM2421CW only)
Cushion Top with Black Handle					
22⅝"	15"	2¼"	**RPXTCH24F**	$704	(For use with RPM2421CF only)
23½"	15"	2¼"	**RPXTCH24P**	$704	(For use with RPM2421CP, RPM2421CL, and RPM2421CW only)

Basic Cushions Enhanced

For Universal Mobile Pedestals



Tip: Basic cushion enhanced is field-installed and supplies to attach are included.

*Tip: Basic cushion enhanced is available on Universal mobile pedestals **RPM1821CF**, **RPM1821CP**, **RPM1821CL**, **RPM1821CW**, **RPM2421CF**, **RPM2421CP**, **PRM2421CL**, and **RPM2421CW** with a top only.*

Tip: Basic cushion enhanced is constructed with a thin solid base.

Tip: For both cushion top and basic cushion enhanced: Fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion enhanced: Pattern matching will not be done on COM.

Standard Includes	Required to Specify
▶Need help? Product details, page 286	1 Style number 2 Fabric color number for cushion top 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.
• Enhanced cushion top: fabric price group 1 • Attachment supplies: hook and loop fastener	

	Options	U.S. Price	Required to Specify
Surface Materials	**Upholstery**		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 13	Specify fabric color number.
	• Fabric price group 3	+$ 63	Specify fabric color number.
	• Fabric price group 4	+$ 79	Specify fabric color number.
	• Fabric price group 5	+$ 99	Specify fabric color number.
	• Fabric price group 6	+$139	Specify fabric color number.
	• Fabric price group 7	+$167	Specify fabric color number.
	• Fabric price group 8	+$242	Specify fabric color number.
	• Fabric price group 9	+$309	Specify fabric color number.
	• Fabric price group 10	+$377	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶See *Surface Materials Reference Manual.*
Related Products	• Universal mobile pedestals		▶Page 606


Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price
17½"	15"	1"	**RCHE1715**	$299
22⅝"	15"	1"	**RCHE2315**	$313

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Sliding Door Bins with Steel, Laminate, or Wood Front

For Use with Answer



▶ Need help? Product details, page 290


Standard Includes	Required to Specify
• Overhead bin: paint price group 1 • Sliding door: paint price group 1, laminate price group 1, or composite veneer price group 1 • Recess beneath unit to accommodate shelf light • Shelf backstop • On-module attachment brackets with safety catch: black paint only • Vertical off-module attachment brackets, if selected: black paint only • Lock, keyed random: 9201 Polished Chrome	1 Style number 2 Paint color number for overhead bin 3 Paint, laminate, or composite veneer color number for door 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Overhead bin with one steel door**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 71	Specify paint color number.
	• Paint price group 3	+$120	Specify paint color number.
	Overhead bin with one laminate or wood door		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 71	Specify paint color number.
	• Paint price group 3	+$110	Specify paint color number.
	• Laminate price group 1 on laminate door	Prices at right	Specify laminate color number.
	• Laminate price group 2 on laminate door	See information at left	Specify laminate color number.
	• Laminate price group 3 on laminate door	See information at left	Specify laminate color number.
	• Open Line laminate on laminate door	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1 on wood door	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2 on wood door	See information at left	Specify composite veneer color number.
	• Wood group 1 on wood door	Prices at right	Specify wood color number.
	• Wood group 2 on wood door	See information at left	Specify wood color number.
	• Wood group 3 on wood door	See information at left	Specify wood color number.
	• Customiz stain on wood door	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Brackets	**Off-module attachment brackets**		
	• One vertical off-module bracket	+$108	Specify *with one vertical off-module bracket.*
	• Two vertical off-module brackets	+$216	Specify *with two vertical off-module brackets.*
	Upmount brackets		
	• Upmount kit	+$317	Specify *with upmount kit.*
	No brackets		
	• Omit brackets	−$ 34	Specify *omit brackets.*
Shelf Accessories	• Four dividers: white plastic	+$ 84	Specify *with dividers.*
Lock and Keying	**Lock**		
	• No lock	−$116	Specify *with no lock.*
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying		
	• Factory- and field-installed keying		▶ Page 690
Related Products	• Accessories		▶ Page 618

For composite veneer, wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Upmount brackets include steel back to enclose storage bin.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.



*Tip: Overhead storage bins with a "**TAK**" suffix can be used with Privacy Wall as well.*


▶See *Architectural Solutions Specification Guide* for attachment information.

Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price	Style Number	U.S. Base Price
Steel Fronts					**Laminate Fronts**	
15¾"	36"	16¼"	**RSB36TAK**	$1156	**RSB36LTAK**	$1763
15¾"	42"	16¼"	**RSB42TAK**	$1198	**RSB42LTAK**	$1805
15¾"	48"	16¼"	**RSB48TAK**	$1232	**RSB48LTAK**	$1839
15¾"	60"	16¼"	**RSB60TAK**	$1864	**RSB60LTAK**	$2963
15¾"	66"	16¼"	**RSB66TAK**	$1963	**RSB66LTAK**	$3062
15¾"	72"	16¼"	**RSB72TAK**	$2038	**RSB72LTAK**	$3137
Composite Veneer Fronts					**Wood Fronts**	
15¾”	36”	16¼”	**RSB36WTAK**	$1812	**RSB36WTAK**	$1817
15¾”	42”	16¼”	**RSB42WTAK**	$1854	**RSB42WTAK**	$1859
15¾”	48”	16¼”	**RSB48WTAK**	$1888	**RSB48WTAK**	$1893
15¾”	60”	16¼”	**RSB60WTAK**	$3012	**RSB60WTAK**	$3017
15¾”	66”	16¼”	**RSB66WTAK**	$3111	**RSB66WTAK**	$3116
15¾”	72”	16¼”	**RSB72WTAK**	$3186	**RSB72WTAK**	$3191

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Over the Case Bins with Flat Fronts



▶ Need help? Product details, page 294


Standard Includes	Required to Specify
• Overhead bin with lift-up door: paint price group 1 • Recess beneath unit to accommodate shelf light • Shelf backstop • On-module attachment brackets with safety catch: black paint only • Off-module attachment brackets, if selected: black paint only • Lock, keyed random: 9201 Polished Chrome	1 Style number 2 Paint color number for overhead bin 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Overhead bin with one door**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 71	Specify paint color number.
	• Paint price group 3	+$120	Specify paint color number.
	Overhead bin with two doors		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 95	Specify paint color number.
	• Paint price group 3	+$168	Specify paint color number.
Brackets	**Off-module attachment brackets**		
	• One vertical off-module bracket	+$108	Specify *with one vertical off-module bracket.*
	• Two vertical off-module brackets	+$216	Specify *with two vertical off-module brackets.*
	Upmount brackets		
	• Upmount kit	+$317	Specify *with upmount kit.*
	No brackets		
	• Omit brackets	−$ 34	Specify *omit brackets.*
Door Mechanism	• Assist mechanism	+$314 per door	Specify *with assist mechanism.*
Shelf Accessories	• Four dividers: white plastic	+$ 84	Specify *with dividers.*
Lock and Keying	**Lock**		
	• No lock	−$116 per door	Specify *with no lock.*
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying		
	• Factory- and field-installed keying		▶ Page 690
Related Products	• Accessories		▶ Page 618

Tip: Upmount brackets include steel back to enclose storage bin.

Tip: Overhead storage bins and shelves with a **"TAK"** *suffix can be used with Privacy Wall as well.*
▶ See *Architectural Solutions Specification Guide* for attachment information.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.



Tip: Overhead storage bins and shelves with a ***"TAK"*** *suffix can be used with Privacy Wall as well.*
▶ See *Architectural Solutions Specification Guide* for attachment information.


Specification Information

Bins with Flat Fronts

Dimensions D	W	H	Number of Doors	Style Number	U.S. Base Price
15¾"	24"	16¼"	1	**RBB24QTAK**	$1037
15¾"	30"	16¼"	1	**RBB30QTAK**	$1078
15¾"	36"	16¼"	1	**RBB36QTAK**	$1130
15¾"	42"	16¼"	1	**RBB42QTAK**	$1171
15¾"	48"	16¼"	1	**RBB48QTAK**	$1209
15¾"	60"	16¼"	2	**RBB60QTAK**	$1940
15¾"	66"	16¼"	2	**RBB66QTAK**	$2036
15¾"	72"	16¼"	2	**RBB72QTAK**	$2110

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts



▶ Need help? Product details, page 294

Standard Includes

- Overhead bin with lift-up door: paint price group 1
- Door on units with laminate door fronts: laminate price group 1
- Door on units with wood door fronts: composite veneer price group 1
- Recess beneath unit to accommodate shelf light
- Shelf backstop
- On-module attachment brackets with safety catch: black paint only
- Off-module attachment brackets, if selected: black paint only
- Lock, keyed random: 9201 Polished Chrome

Required to Specify

1 Style number
2 Paint color number for overhead bin
3 Laminate color number for door, if laminate door selected
4 Composite veneer or composite veneer color number for door, if selected
5 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

Options	U.S. Price	Required to Specify
Surface Materials		
Overhead bin with one steel door		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 71	Specify paint color number.
• Paint price group 3	+$120	Specify paint color number.
Overhead bin with two steel doors		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 95	Specify paint color number.
• Paint price group 3	+$168	Specify paint color number.
Overhead bin with one laminate or wood door		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 71	Specify paint color number.
• Paint price group 3	+$110	Specify paint color number.
• Laminate price group 1 on laminate door	Prices at right	Specify laminate color number.
• Laminate price group 2 on laminate door	See information at left	Specify laminate color number.
• Laminate price group 3 on laminate door	See information at left	Specify laminate color number.
• Open Line laminate on laminate door	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
• Composite veneer group 1 on wood door	Prices at right	Specify composite veneer color number.
• Composite veneer group 2 on wood door	See information at left	Specify composite veneer color number.
• Wood group 1 on wood door	Prices at right	Specify wood color number.
• Wood group 2 on wood door	See information at left	Specify wood color number.
• Wood group 3 on wood door	See information at left	Specify wood color number.
• Customiz stain on wood door	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*
Overhead bin with two laminate or wood doors		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 95	Specify paint color number.
• Paint price group 3	+$146	Specify paint color number.
• Laminate price group 1 on laminate doors	Prices at right	Specify laminate color number.
• Laminate price group 2 on laminate doors	See information at left	Specify laminate color number.
• Laminate price group 3 on laminate doors	See information at left	Specify laminate color number.
• Open Line laminate on laminate doors	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
• Composite veneer group 1 on wood doors	Prices at right	Specify composite veneer color number.
• Composite veneer group 2 on wood doors	See information at left	Specify composite veneer color number.
• Wood group 1 on wood door	Prices at right	Specify wood color number.
• Wood group 2 on wood doors	See information at left	Specify wood color number.
• Wood group 3 on wood doors	See information at left	Specify wood color number.
• Customiz stain on wood doors	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*

For composite veneer, wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Brackets	**Off-module attachment brackets**		
	• One vertical off-module bracket	+$108	Specify *with one vertical off-module bracket.*
	• Two vertical off-module brackets	+$216	Specify *with two vertical off-module brackets.*
	Upmount brackets		
	• Upmount kit	+$317	Specify *with upmount kit.*
	No brackets		
	• Omit brackets	–$ 34	Specify *omit brackets.*
Picture Frame Door on Flat Fronts	• Omit insert	Prices below	Specify *omit insert.*
Door Mechanism	• Assist mechanism for standard door or omit insert	+$314 per door	Specify *with assist mechanism.*
Shelf Accessories	• Four dividers: white plastic	+$ 84	Specify *with dividers.*
Lock and Keying	**Lock**		
	• No lock	–$116 per door	Specify *with no lock.*
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying		
	• Factory- and field-installed keying		▶Page 690
Related Products	• Accessories		▶Page 618


Tip: Upmount brackets include steel back to enclose storage bin.

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: Overhead storage bins and shelves with a **"TAK"** *suffix can be used with Privacy Wall as well.*
▶See *Architectural Solutions Specification Guide* for attachment information.

Specification Information

Bins with Steel Flat Fronts



Tip: Overhead storage bins and shelves with a **"TAK"** *suffix can be used with Privacy Wall as well.*
▶See *Architectural Solutions Specification Guide* for attachment information.

Dimensions D	W	H	Number of Doors	Style Number	U.S. Base Price	Option (Add $ to Base Price) Picture Frame Door —Omit Insert
15¾"	24"	16¼"	1	**RBB24TAK**	$1037	+$440
15¾"	30"	16¼"	1	**RBB30TAK**	$1078	+$464
15¾"	36"	16¼"	1	**RBB36TAK**	$1130	+$488
15¾"	42"	16¼"	1	**RBB42TAK**	$1171	+$506
15¾"	48"	16¼"	1	**RBB48TAK**	$1209	+$529
15¾"	60"	16¼"	2	**RBB60TAK**	$1940	+$868
15¾"	66"	16¼"	2	**RBB66TAK**	$2036	+$887
15¾"	72"	16¼"	2	**RBB72TAK**	$2110	+$907


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts, continued


▶**Specification Information, continued from previous page**

Specification Information




Bins with Laminate Flat Fronts

Dimensions D	W	H	Number of Doors	Style Number	U.S. Base Price
15¾"	24"	16¼"	1	**RBB24LTAK**	$1644
15¾"	30"	16¼"	1	**RBB30LTAK**	$1685
15¾"	36"	16¼"	1	**RBB36LTAK**	$1737
15¾"	42"	16¼"	1	**RBB42LTAK**	$1778
15¾"	48"	16¼"	1	**RBB48LTAK**	$1816
15¾"	60"	16¼"	2	**RBB60LTAK**	$3039
15¾"	66"	16¼"	2	**RBB66LTAK**	$3135
15¾"	72"	16¼"	2	**RBB72LTAK**	$3209



Bins with Composite Veneer Flat Fronts

15¾"	24"	16¼"	1	**RBB24WTAK**	$1693
15¾"	30"	16¼"	1	**RBB30WTAK**	$1734
15¾"	36"	16¼"	1	**RBB36WTAK**	$1786
15¾"	42"	16¼"	1	**RBB42WTAK**	$1827
15¾"	48"	16¼"	1	**RBB48WTAK**	$1865
15¾"	60"	16¼"	2	**RBB60WTAK**	$3088
15¾"	66"	16¼"	2	**RBB66WTAK**	$3184
15¾"	72"	16¼"	2	**RBB72WTAK**	$3258




Bins with Wood Flat Fronts

15¾"	24"	16¼"	1	**RBB24WTAK**	$1698
15¾"	30"	16¼"	1	**RBB30WTAK**	$1739
15¾"	36"	16¼"	1	**RBB36WTAK**	$1791
15¾"	42"	16¼"	1	**RBB42WTAK**	$1832
15¾"	48"	16¼"	1	**RBB48WTAK**	$1870
15¾"	60"	16¼"	2	**RBB60WTAK**	$3093
15¾"	66"	16¼"	2	**RBB66WTAK**	$3189
15¾"	72"	16¼"	2	**RBB72WTAK**	$3263

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Shelves

Universal Shelves



Standard Includes	Required to Specify
▶Need help? Product details, page 298	• Shelf: paint price group 1 • Recess beneath unit to accommodate shelf light • Shelf backstop • On-module attachment hooks with safety catch	1 Style number 2 Paint color number for shelf 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +$24 +$39	Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	• Accessories		▶Page 618

Tip: Overhead storage bins and shelves with a **"TAK"** *suffix can be used with Privacy Wall as well.*
▶See *Architectural Solutions Specification Guide* for attachment information.


Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price
14¾"	24"	7½"	**RSH24TAK**	$338
14¾"	30"	7½"	**RSH30TAK**	$354
14¾"	36"	7½"	**RSH36TAK**	$373
14¾"	42"	7½"	**RSH42TAK**	$398
14¾"	48"	7½"	**RSH48TAK**	$430
14¾"	60"	7½"	**RSH60TAK**	$478
14¾"	72"	7½"	**RSH72TAK**	$533

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Accessories for Overhead Bins and Shelves

Universal Personal Shelves



Tip: Overhead storage bins and shelves with a **"TAK"** *suffix can be used with Privacy Wall as well.*
▶ See *Architectural Solutions Specification Guide* for attachment information.

Standard Includes	Required to Specify
▶ Need help? Product details, page 298	1 Style number 2 Paint color number for personal shelf 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Personal shelf: paint price group1 • Recess beneath unit to accommodate shelf light • On-module attachment hooks	

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$24	Specify paint color number.
	• Paint price group 3	+$39	Specify paint color number.

Specification Information

Dimensions D	Dimensions W	Style Number	U.S. Base Price
13 11/16"	24"	**RDS24TAK**	$338
13 11/16"	30"	**RDS30TAK**	$354
13 11/16"	36"	**RDS36TAK**	$373
13 11/16"	42"	**RDS42TAK**	$398
13 11/16"	48"	**RDS48TAK**	$430

Dividers

For Use with Universal Sliding Door, Universal Over the Case, Universal In the Case, and Universal Shelves
For Use with Hutch Kit



Standard Includes	Required to Specify
▶ Need help? Product details, page 300	Style number
• Package of four dividers: white plastic only	

Specification Information

Style Number	U.S. Price
RDIV	$83

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Dividers for Overhead Bin and Full-Height Shelf

For Use with Overhead Storage Products Introduced prior to March 2007



Standard Includes	Required to Specify
▶ Need help? Product details, page 300 • Carton of four dividers: clear textured plastic	Style number

Specification Information

Dimensions D	W	H	Style Number	U.S. Price
10¾"	4"	4½"	**TS7STDIV**	$95

Universal Vertical Off-Module Bracket

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Standard Includes	Required to Specify
▶ Need help? Product details, page 294 • Vertical off-module bracket with safety catch: black paint only	Style number

Tip: For two-sided, off-module application, order two vertical off-module brackets.

Tip: Vertical off-module brackets are used with panels which have vertical slot patterns including Answer, Kick, and Montage.

Tip: For Montage, vertical off-module brackets can be used with 30"W to 60"W bins only.


Specification Information

Style Number	U.S. Price
RBKVOFM	$104

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Accessories for Overhead Bins and Shelves, continued

Wall Channels for TS Series Bins, Universal Bins, and Universal Shelves



Standard Includes	Required to Specify
▶Need help? Product details, page 301	1 Style number 2 Paint color number for channels ▶See *Surface Materials,* page 672.
• Pair of channels: paint	


Related Products

• Tackboard for use with wall channels	▶Page 622

Specification Information

Height	Style Number	U.S. Price
66"	**TS7BSWHC**	$205

Wall Channel Horizontal Braces



Standard Includes	Required to Specify
▶Need help? Product details, page 301	1 Style number 2 Paint color number for horizontal brace ▶See *Surface Materials,* page 672.
• Brace: paint	

Specification Information

Width	Style Number	U.S. Price
42"	**TS742HB**	$149
48"	**TS748HB**	$149
60"	**TS760HB**	$149
72"	**TS772HB**	$149

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Standard Overhead Upmount Packages

For Use on Answer Panels
For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Standard Includes	Required to Specify
▶ Need help? Product details, page 295	• Pair of steel upmount brackets: paint price group 1 • Steel back to enclose storage bin	1 Style number 2 Paint color number for brackets and back 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$24	Specify paint color number.
	• Paint price group 3	+$39	Specify paint color number.

Specification Information

Width	Style Number	U.S. Base Price
24"	**RUK24TAK**	$314
30"	**RUK30TAK**	$314
36"	**RUK36TAK**	$314
42"	**RUK42TAK**	$314
48"	**RUK48TAK**	$314
60"	**RUK60TAK**	$314
72"	**RUK72TAK**	$314

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tackboards for Use with Wall Channels



Standard Includes	Required to Specify
• Tackboard, fabric direction with horizontal application: fabric price group 1	1 Style number 2 Fabric color number 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 23	Specify fabric color number.
	• Fabric price group 3	+$ 42	Specify fabric color number.
	• Fabric price group 4	+$ 61	Specify fabric color number.
	• Fabric price group 5	+$ 94	Specify fabric color number.
	• Fabric price group 6	+$130	Specify fabric color number.
	• Fabric price group 7	+$168	Specify fabric color number.
	• Fabric price group 8	+$288	Specify fabric color number.
	• Fabric price group 9	+$337	Specify fabric color number.
	• Fabric price group 10	+$389	Specify fabric color number.
	• Fabric price group COM	+$ 59	Specify fabric color number.
	Fabric direction on 24"W to 60"W tackboards		
	• Vertical application	No cost	Specify *with vertical application.*

Tip: 72"W tackboards accommodate fabric in the horizontal direction only.


Tip: For further information about fabric direction, ▶ *Page 678.*

Specification Information

Dimensions W	Dimensions H	Style Number	U.S. Base Price
24"	18"	**TS71824TB**	$231
30"	18"	**TS71830TB**	$256
36"	18"	**TS71836TB**	$281
42"	18"	**TS71842TB**	$308
48"	18"	**TS71848TB**	$343
60"	18"	**TS71860TB**	$435
72"	18"	**TS71872TB**	$534

Flexible Markerboard Surface

For Use with Universal Over the Case Bins




Standard Includes	Required to Specify
• Flexible, magnetic markerboard surface to attach to door of overhead storage bin: white plastic	Style number

Tip: To order the flexible markerboard surface parametrically, please use style number ***TS7MBSP****.* ▶ Page 457

Specification Information

Dimensions W	Dimensions H	Style Number	U.S. Price
30"	16¼"	**R30MBB**	$195
36"	16¼"	**R36MBB**	$206
42"	16¼"	**R42MBB**	$212
48"	16¼"	**R48MBB**	$226

Slim Shelves



Standard Includes	Required to Specify
▶Need help? Product details, page 302	1 Style number
• Shelf: paint price group 1	2 Paint color number for shelf
• Attachment brackets: paint to match shelf	3 Options, if selected (see below)
	▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$24	Specify paint color number.
	• Paint price group 3	+$39	Specify paint color number.

Specification Information


Dimensions D	Dimensions W	Style Number	U.S. Base Price
6"	24"	**RSS24TAK**	$351
6"	30"	**RSS30TAK**	$373
6"	36"	**RSS36TAK**	$400
6"	42"	**RSS42TAK**	$430
6"	48"	**RSS48TAK**	$458
6"	60"	**RSS60TAK**	$573
6"	72"	**RSS72TAK**	$627
6"	96"	**RSS96TAK**	$739

Tip: Slim shelves with a **"TAK"** *suffix can attach to Privacy Wall.*
▶See *Architectural Solutions Specification Guide* for attachment information.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal One-High, 1.5-High, and Two Drawer Lateral Files

with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts



Tip: Service part Y30291SR, (paintable black plug), can be ordered to cover the glide adjustment holes in the front of the lateral file.

▶ Need help? Product details, page 308

Standard Includes

- Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- Drawer fronts on units with proud laminate fronts: laminate price group 1
- Drawer fronts on units with proud wood fronts: composite veneer price group 1
- Base (see below under Required Selections)
- Pulls: metal
- Integral pulls on units with flush steel fronts
- Central lock, keyed random: 9201 Polished Chrome
- One label holder per drawer: clear plastic
- Drawer body: black only
- Drawer suspensions: black only
- One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- Four adjustable leveling glides
- Ganging hardware
- Counterweight package, if selected

Required to Specify

1 Style number with appropriate front style suffix in the space provided
- **F** Flush steel front
- **P** Proud steel front
- **L** Proud laminate front
- **W** Proud composite veneer or wood front


2 Paint color number for file
3 Laminate color number for drawer fronts, if proud laminate front selected
4 Wood color number for drawer fronts, if proud wood front selected
5 Base (see below under Required Selections)
6 Pull (see below under Required Selections)
7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
8 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

	Required Selections	U.S. Price	Required to Specify
Bases	• Universal 3" base	No cost	Specify *with Universal 3" base,* painted to match tower.
	• FrameOne foot base	+$158	Specify *with FrameOne foot base,* painted to match tower.
	• c:scape glide base	+$158	Specify *with c:scape glide base,* 4799 Platinum only.

Pulls



Contemporary Handle Jazz Bar

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$120	Specify paint color number.
	• Paint price group 3	+$208	Specify paint color number.
	• Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	• Laminate price group 2 on proud laminate drawer fronts	See information at left	Specify laminate color number.
	• Laminate price group 3 on proud laminate drawer fronts	See information at left	Specify laminate color number.
	• Open Line laminate on proud laminate drawer fronts	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1 on proud wood drawer fronts	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2 on proud wood drawer fronts	See information at left	Specify composite veneer color number.
	• Wood group 1 on proud wood drawer fronts	Prices at right	Specify wood color number.
	• Wood group 2 on proud wood drawer fronts	See information at left	Specify wood color number.
	• Wood group 3 on proud wood drawer fronts	See information at left	Specify wood color number.
	• Customiz stain on proud wood drawer fronts	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*

For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

Tip: Security top reduces overall height by approximately 1".

Tip: Laminate and wood veneer tops are 3⁄16" taller than other tops and will add 3⁄16" to overall case height.

For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

	Options	U.S. Price	Required to Specify
Tops for Flush Steel Front and Proud Steel Front	**Security top**		
	• For use on 28"H lateral files only	No cost	Specify *with security top.*
	No top		
	• For use with a cushion top or beneath a common top	–$159	Specify *with no top.*
	Laminate top		
	• Square edge laminate price group 1 top	+$223	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 2 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 3 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1	+$671	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1	+$709	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 3	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain on wood veneer top	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
Tops for Proud Wood Front	**Security top**		
	• For use on 28"H lateral files only	–$671	Specify *with security top.*
	No top		
	• For use with a cushion top or beneath a common top	–$830	Specify *with no top.*
	Laminate top		
	• Square edge laminate price group 1 top	–$448	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 2 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 3 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1 veneer top	Prices at right	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2 veneer top	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1 on proud wood top	Prices at right	Specify wood color number.
	• Wood group 2 on proud wood top	See information at left	Specify wood color number.
	• Wood group 3 on proud wood top	See information at left	Specify wood color number.
	• Customiz stain on proud wood top	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Options, continued on next pages**

Universal One-High, 1.5-High, and Two Drawer Lateral Files with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Tip: 6"H box drawers come standard with a divider package.	**Tops for Proud Laminate Front**		
	Security top		
	• For use on 28"H lateral files only	–$227	Specify *with security top.*
	No top		
	• For use with a cushion top or beneath a common top	–$456	Specify *with no top.*
For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*	**Laminate top**		
	• Laminate price group 2 on laminate top	See information at left	Specify laminate color number.
	• Laminate price group 3 on laminate top	See information at left	Specify laminate color number.
	• Open Line laminate on laminate top	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1 veneer top	+$387	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2 veneer top	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood veneer 1 top	+$425	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2 top	See information at left	Specify wood color number.
	• Wood group 3 top	See information at left	Specify wood color number.
	• Customiz stain top	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
Tip: 6"H box drawers come standard with a divider package.	**Drawer Interiors**		
	• HF bar for use on 24"D units only	+$ 24	Specify *with HF bar.*
	• Divider package	+$ 43	Specify *with divider package.*
	• Rails for use on 18"D units only	+$ 55	Specify *with rails.*
	Pulls		
	Proud steel, laminate, or wood fronts		
	• Contemporary	No cost	Specify *with contemporary pull.*
	• Handle	No cost	Specify *with handle pull.*
	• Jazz	+$ 31 per pull	Specify *with jazz pull.*
	• Bar	+$ 46 per pull	Specify *with bar pull.*
Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required. ▶See *Counterweight Requirements for Storage Products,* pages 273–280.	**Counterweights**		
	One-High and 1.5-High lateral files with Universal 3" base		
	• Package 30	+$362	Specify *with counterweight.*
	• Package 36	+$362	Specify *with counterweight.*
	• Package 42	+$362	Specify *with counterweight.*
	• Package D	+$195	Specify *with counterweight.*
	• Package E	+$255	Specify *with counterweight.*
	• Package F	+$362	Specify *with counterweight.*
	One-High and 1.5-High lateral files with c:scape glide and FrameOne foot bases		
	• Package 30	+$362	Specify *with counterweight.*
	• Package 36	+$362	Specify *with counterweight.*
	• Package 42	+$362	Specify *with counterweight.*
	Two Drawer with Universal 3" bases		
	• Package 3	+$195	Specify *with counterweight.*
	• Package 4	+$255	Specify *with counterweight.*
	Two Drawer with c:scape glide and FrameOne foot bases		
	• Package 7	+$362	Specify *with counterweight.*
	• Package 8	+$362	Specify *with counterweight.*

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, ***RLF18301__*** *becomes* ***RLF18301F*** *for flush steel front).*

▶**Options, continued on next pages**


▶**Options, continued from previous page**


	Options	U.S. Price	Required to Specify
Lock and Keying	**Lock**		
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Individual locking drawers		
	• 18"D with two drawers	+$212	Specify *with individual lock.*
	• 24"D with two drawers	+$238	Specify *with individual lock.*
	Keying		
	• Factory- and field-installed keying		▶Page 690
Related Products	• Cushion tops		▶Page 630
	• Field-installed tops		▶Page 654
	• Steel storage accessories		▶Page 658
	• Bookends		▶Page 661
	• Counterweight packages		▶Page 663
	• Low storage-to-beam tether bracket		▶Page 629
	• Basic cushions enhanced		▶Page 631


*Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, **RLF18301__** becomes **RLF18301F** for flush steel front).*

Specification Information

• Dimensions D		W	H	• Counterweight Packages		• Style Number	• U.S. Base Prices				
Flush Steel	Proud Steel/ Lam/ Comp Ven/ Wood			Universal 3" Base	FrameOne Foot and c:scape Glide Bases		Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Comp Ven Front	Proud Wood Front
							Suffix F	Suffix P	Suffix L	Suffix W	Suffix W
One 12"H Drawer											
18"	18⅞"	30"	16"	Package 30	Package 30	**RLF18301__**	$1342	$1382	$1835	$2701	$2788
18"	18⅞"	36"	16"	Package 36	Package 36	**RLF18361__**	$1487	$1549	$1993	$2859	$2946
18"	18⅞"	42"	16"	Package 42	Package 42	**RLF18421__**	$1635	$1705	$2140	$3006	$3093
Open Configurations											
18"	18⅞"	30"	16"	Not required	Not required	**RSC18301A__**	$1153	$1249	N.A.	N.A.	N.A.
18"	18⅞"	36"	16"	Not required	Not required	**RSC18361A__**	$1350	$1468	N.A.	N.A.	N.A.
18"	18⅞"	42"	16"	Not required	Not required	**RSC18421A__**	$1534	$1663	N.A.	N.A.	N.A.
Open–Open Configurations											
One 6"H Opening with Fixed Shelf and One 12"H Opening with Fixed Shelf											
18"	18⅞"	30"	22"	Not required	Not required	**RLF18301A__**	$1212	$1314	N.A.	N.A	N.A.
18"	18⅞"	36"	22"	Not required	Not required	**RLF18361A__**	$1457	$1582	N.A.	N.A	N.A.
18"	18⅞"	42"	22"	Not required	Not required	**RLF18421A__**	$1690	$1830	N.A.	N.A	N.A.
23⅛"	24"	30"	22"	Not required	Not required	**RLF24301A__**	$1601	$1731	N.A.	N.A	N.A.
23⅛"	24"	36"	22"	Not required	Not required	**RLF24361A__**	$1912	$2064	N.A.	N.A	N.A.







Tip: For open-open units, the shelf is affixed with screws. The screws can be removed to adjust the clips/shelf to a different height.

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal One-High, 1.5-High, and Two Drawer Lateral Files with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued


▶ **Specification Information, continued from previous page**

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

*Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, **RLF18301__** becomes **RLF18301F** for flush steel front).*

Specification Information


• Dimensions D Flush Steel	Proud Steel/ Lam/ Comp Ven/ Wood	W	H	• Counterweight Packages Universal 3" Base	FrameOne Foot and c:scape Glide Bases	• Style Number	• U.S. Base Prices Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W



Drawer–Drawer Configurations

One 6"H Drawer and One 12"H Drawer


18"	18⅞"	30"	22"	Package 30	Package 30	**RLF18301B__**	$1449	$1553	$2246	$3112	$3199
18"	18⅞"	36"	22"	Package 36	Package 36	**RLF18361B__**	$1700	$1818	$2474	$3340	$3427
18"	18⅞"	42"	22"	Package 42	Package 42	**RLF18421B__**	$1927	$2069	$2923	$3789	$3876
23⅛"	24"	30"	22"	Package 30	Package 30	**RLF24301B__**	$1843	$1968	$2881	$3747	$3834
23⅛"	24"	36"	22"	Package 36	Package 36	**RLF24361B__**	$2153	$2308	$3167	$4033	$4120



Drawer–Open Configurations

One 6"H Drawer and One 12"H Opening with Fixed Shelf


18"	18⅞"	30"	22"	Package D	Package D	**RLF18301C__**	$1342	$1443	$1987	$2853	$2940
18"	18⅞"	36"	22"	Package E	Package E	**RLF18361C__**	$1585	$1701	$2215	$3081	$3168
18"	18⅞"	42"	22"	Package F	Package F	**RLF18421C__**	$1808	$1948	$2660	$3526	$3613
23⅛"	24"	30"	22"	Package D	Package D	**RLF24301C__**	$1719	$1847	$2624	$3490	$3577
23⅛"	24"	36"	22"	Package E	Package E	**RLF24361C__**	$2019	$2166	$2909	$3775	$3862



Open–Drawer Configurations

One 6"H Opening with Fixed Shelf and One 12"H Drawer

18"	18⅞"	30"	22"	Package 30	Package 30	**RLF18301D__**	$1341	$1443	$1987	$2853	$2940
18"	18⅞"	36"	22"	Package 36	Package 36	**RLF18361D__**	$1585	$1701	$2215	$3081	$3168
18"	18⅞"	42"	22"	Package 42	Package 42	**RLF18421D__**	$1808	$1948	$2660	$3526	$3613
23⅛"	24"	30"	22"	Package 30	Package 30	**RLF24301D__**	$1719	$1847	$2624	$3490	$3577
23⅛"	24"	36"	22"	Package 36	Package 36	**RLF24361D__**	$2019	$2166	$2909	$3775	$3862



Two 12"H Drawers

18"	18⅞"	30"	28"	Package 3	Package 30	**RLF18302__**	$1486	$1588	$2230	$3096	$3183
18"	18⅞"	36"	28"	Package 4	Package 30	**RLF18362__**	$1740	$1858	$2462	$3328	$3415
18"	18⅞"	42"	28"	Package 4	Package 30	**RLF18422__**	$1967	$2111	$2906	$3772	$3859
23⅛"	24"	30"	28"	Package 3	Package 30	**RLF24302__**	$1827	$1952	$2864	$3730	$3817
23⅛"	24"	36"	28"	Package 4	Package 30	**RLF24362__**	$2193	$2341	$3152	$4018	$4105

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Low Storage-to-Beam Tether Bracket





Standard Includes	Required to Specify
▶ Need help? Product details, page 310 • Pair of tether brackets: black • Attachment hardware	Style number


Specification Information

Style Number	U.S. Price
UFSTB	$26

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Cushion Tops

For Universal One-High and 1.5-High Lateral Files



Tip: Seam pattern is determined by upholstery selected.

*Tip: Your specification is not complete until you add a suffix to the style number to define the front style of the lateral (for example, **RPDC1830__** becomes **RPDC1830F** for cushion top for flush steel front).*

Standard Includes	Required to Specify
▶ Need help? Product details, page 311	1 Style number with appropriate front style suffix in the space provided **F** Flush steel front **P** Proud steel/wood front 2 Fabric color number 3 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Cushion top: fabric • Attachment hardware	

	Options	U.S. Price	Required to Specify
Surface Materials	**Upholstery**		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 13	Specify fabric color number.
	• Fabric price group 3	+$ 63	Specify fabric color number.
	• Fabric price group 4	+$ 79	Specify fabric color number.
	• Fabric price group 5	+$ 99	Specify fabric color number.
	• Fabric price group 6	+$ 139	Specify fabric color number.
	• Fabric price group 7	+$ 167	Specify fabric color number.
	• Fabric price group 8	+$ 242	Specify fabric color number.
	• Fabric price group 9	+$ 309	Specify fabric color number.
	• Fabric price group 10	+$ 377	Specify fabric color number.
	• Leather price group	+$ 966	Specify leather color number.
	• Select Surfaces leather price group 1	+$ 966	▶ See *Surface Materials Reference Manual.*
	• Elmosoft leather price group	+$1114	Specify Elmosoft leather color number.
	• Select Surfaces leather price group 2	+$1114	▶ See *Surface Materials Reference Manual.*
	• Vinyl	+$ 13	Specify vinyl color number.
	• Customer's Own Material (COM) or Customer's Own Leather (COL)	+$ 25	▶ See *Surface Materials Reference Manual.*
Related Products	• Universal One-High lateral files		▶ Page 624
	• Universal 1.5-High lateral files		▶ Page 624

Specification Information


Cushion Tops

D Flush Steel Front	D Proud Steel/Wood Front	W	H	Style Number	U.S. Base Price Flush Steel Front Suffix F	U.S. Base Price Proud Steel/Wood Front Suffix P
18"	18⅞"	30"	1½"	**RPDC1830__**	$1030	$1030
18"	18⅞"	36"	1½"	**RPDC1836__**	$1050	$1050
18"	18⅞"	42"	1½"	**RPDC1842__**	$1068	$1068
23⅛"	24"	30"	1½"	**RPDC2430__**	$1093	$1093
23⅛"	24"	36"	1½"	**RPDC2436__**	$1112	$1112

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Basic Cushions Enhanced

For Universal Lateral Files



Tip: Basic cushion enhanced is field-installed and supplies to attach are included.

Tip: Basic cushion enhanced is constructed with a thin solid base.

Tip: Basic cushion enhanced is available on Universal laterals with a top only.

Standard Includes	Required to Specify
▶Need help? Product details, page 308	• Enhanced cushion top: fabric price group 1 • Attachment supplies: hook and loop fastener	1 Style number 2 Fabric color number for cushion top 3 Options, if selected (see below) ▶See *Surface Materials,* page 672.

	Options	U.S. Price	Required to Specify
Surface Materials	**Upholstery**		
	• Fabric price group 2	+$ 13	Specify fabric color number.
	• Fabric price group 3	+$ 63	Specify fabric color number.
	• Fabric price group 4	+$ 79	Specify fabric color number.
	• Fabric price group 5	+$ 99	Specify fabric color number.
	• Fabric price group 6	+$139	Specify fabric color number.
	• Fabric price group 7	+$167	Specify fabric color number.
	• Fabric price group 8	+$242	Specify fabric color number.
	• Fabric price group 9	+$309	Specify fabric color number.
	• Fabric price group 10	+$377	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 25	▶See *Surface Materials Reference Manual.*
Support Brace	**For 30"W and 36"W steel Universal laterals with an open configuration**		
	• Brace (30"W and 36"W)	+$ 83	Specify *with brace.*
Related Products	• Universal laterals files		▶Page 624


Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price
18"	30"	1"	**RCHE1830**	$405
18"	36"	1"	**RCHE1836**	$430
18"	42"	1"	**RCHE1842**	$456
23⅛"	30"	1"	**RCHE2430**	$463
23⅛"	36"	1"	**RCHE2436**	$480

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Open Side Towers

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



▶ Need help? Product details, page 312

Standard Includes

- Tower: paint price group 1
- 1"H top: paint to match tower
- Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- Door and drawer fronts on units with proud wood fronts: composite veneer price group 1
- Lock, keyed random: 9201 Polished Chrome
- Base (see below under required selections)
- Pulls: metal
- Integral pulls on units with flush steel fronts
- Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- Post to support adjustable shelf: paint to match tower
- One box drawer divider and one pencil tray: black only
- Coat rod: black
- Four adjustable leveling glides
- Ganging hardware
- Counterweight package, if selected

Required to Specify


1 Style number with appropriate front style suffix in the space provided
- **F** Flush steel front
- **P** Proud steel front
- **L** Proud laminate front
- **W** Proud composite veneer or wood front

2 Paint color number for tower
3 Laminate color number for door and drawer fronts, if proud laminate front selected
4 Wood color number for door and drawer fronts, if proud wood front selected
5 Base (see below under required selections)
6 Pull (see below under required selections)
7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
8 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Bases	• Universal 3" base	No cost	Specify *with Universal 3" base,* painted to match tower.
	• FrameOne foot base	+$310	Specify *with FrameOne foot base,* painted to match tower.
	• c:scape glide base	+$310	Specify *with c:scape glide base,* 4799 Platinum Metallic only.

Pulls



Contemporary Handle Jazz Bar

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$120	Specify paint color number.
	• Paint price group 3	+$208	Specify paint color number.
	• Laminate price group 1 on proud laminate fronts	Prices at right	Specify laminate color number.
	• Laminate price group 2 on proud laminate fronts	See information at left	Specify laminate color number.
	• Laminate price group 3 on proud laminate fronts	See information at left	Specify laminate color number.
	• Open Line laminate on proud laminate fronts	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1 on proud wood fronts	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2 on proud wood fronts	See information at left	Specify composite veneer color number.
	• Wood group 1 on proud wood fronts	Prices at right	Specify wood color number.
	• Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
	• Wood group 3 on proud wood fronts	See information at left	Specify wood color number.
	• Customiz stain on proud wood fronts	No cost	Specify *with Customiz stain.* ▶ See *Surface Materials Reference Manual.*

For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Laminate and wood veneer tops are 3⁄16" taller than other tops and will add 3⁄16" to overall case height.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.
▶See *Counterweight Requirements for Storage Products,* pages 273–280.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, ***RQS24244LA__*** *becomes* ***RQS24244LAF*** *for flush steel front).*

	Options	U.S. Price	Required to Specify
Tops for Flush Steel Front, Proud Steel Front, Proud Laminate Front, and Proud Wood Front	**Laminate top**		
	• Square edge laminate price group 1 top	+$223	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 2 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 3 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1	+$671	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1	+$709	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 3	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
Pulls	**Proud steel, laminate, or wood fronts**		
	• Contemporary	No cost	Specify *with contemporary pull.*
	• Handle	No cost	Specify *with handle pull.*
	• Jazz	+$ 31 per pull	Specify *with jazz pull.*
	• Bar	+$ 46 per pull	Specify *with bar pull.*
Counterweights	• Tower package 1	+$175	Specify *with counterweight.*
	• Tower package 2	+$215	Specify *with counterweight.*
Lock and Keying	**Lock**		
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying		
	• Factory- and field-installed keying		▶Page 690
Related Products	• Field-installed tops		▶Page 653
	• Adjustable shelves		▶Page 657
	• Counterweights		▶Page 663
	• Steel storage accessories		▶Page 658
	• Bookends		▶Page 661

▶**Specification Information, on next page**

Universal Open Side Towers with Flush Steel, Proud Steel, or Proud Wood Fronts, continued


▶ **Options, on previous page**

Specification Information

Dimensions D		W	H	Style Number	U.S. Base Prices					Counterweights			
										Steel Fronts		Lam/Comp Ven or Wood Fronts	
Flush Steel Front	Proud Steel/ Lam/ Comp Ven/ Wood Front				Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases


Tower with Door Hinged on Left

One 6"H Drawer and Two 12"H Drawers




18"	18⅞"	24"	47½"	**RQS182448LA__**	$3320	$3859	$4385	$4608	$4630	Tower package 1	Tower package 1	Tower package 2	Tower package 2
23⅛"	24"	24"	47½"	**RQS242448LA__**	$3679	$4218	$4744	$4967	$4989	Not required	Tower package 1	Not required	Tower package 1

One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	18⅞"	24"	52"	**RQS18244LA__**	$3432	$3971	$4497	$4720	$4742	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	52"	**RQS24244LA__**	$3819	$4358	$4884	$5107	$5129	Not required	Not required	Not required	Not required

Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	18⅞"	24"	65½"	**RQS18245LC__**	$4050	$4589	$5115	$5338	$5360	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	65½"	**RQS24245LC__**	$4502	$5041	$5567	$5790	$5812	Not required	Not required	Not required	Not required

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


▶ **Specification Information, continued from previous page**

Specification Information

Dimensions D	W	H	Style Number	U.S. Base Prices: Flush Steel Front, Suffix F	Proud Steel Front, Suffix P	Proud Lam Front, Suffix L	Proud Comp Ven Front, Suffix W	Proud Wood Front, Suffix W	Counterweights: Steel Fronts, Universal 3" Base	Steel Fronts, FrameOne Foot and c:scape Glide Bases	Lam/Comp Ven or Wood Fronts, Universal 3" Base	Lam/Comp Ven or Wood Fronts, FrameOne Foot and c:scape Glide Bases
Flush Steel Front												
Proud Steel/ Lam/ Comp Ven/ Wood Front												


Tower with Door Hinged on Right

One 6"H Drawer and Two 12"H Drawers




18"	18⅞"	24"	47½"	**RQS182448RA__**	$3320	$3859	$4385	$4608	$4630	Tower package 1	Tower package 1	Tower package 2	Tower package 2
23⅛"	24"	24"	47½"	**RQS242448RA__**	$3679	$4218	$4744	$4967	$4989	Not required	Tower package 1	Not required	Tower package 1

One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	18⅞"	24"	52"	**RQS18244RA__**	$3432	$3971	$4497	$4720	$4742	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	52"	**RQS24244RA__**	$3819	$4358	$4884	$5107	$5129	Not required	Not required	Not required	Not required

Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers




18"	18⅞"	24"	65½"	**RQS18245RC__**	$4050	$4589	$5115	$5338	$5360	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23½"	24"	24"	65½"	**RQS24245RC__**	$4502	$5041	$5567	$5790	$5812	Not required	Not required	Not required	Not required

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Dual Door Towers

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



▶ Need help? Product details, page 312

Standard Includes

- Tower: paint price group 1
- 1"H top: paint to match tower
- Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- Door and drawer fronts on units with proud wood fronts: composite veneer price group 1
- Lock, keyed random: 9201 Polished Chrome
- Base (see below under Required Selections)
- Pulls: metal
- Integral pulls on units with flush steel fronts
- Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- Post to support adjustable shelf: paint to match tower
- One box drawer divider and one pencil tray: black only
- Coat rod: black
- Four adjustable leveling glides
- Ganging hardware
- Counterweight package, if selected

Required to Specify


1 Style number with appropriate front style suffix in the space provided
- **F** Flush steel front
- **P** Proud steel front
- **L** Proud laminate front
- **W** Proud composite veneer or wood front

2 Paint color number for tower
3 Laminate color number for door and drawer fronts, if proud laminate front selected
4 Wood color number for door and drawer fronts, if proud wood front selected
5 Base (see below under Required Selections)
6 Pull (see below under Required Selections)
7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
8 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Bases	• Universal 3" base	No cost	Specify *with Universal 3" base,* painted to match tower.
	• FrameOne foot base	+$310	Specify *with FrameOne foot base,* painted to match tower.
	• c:scape glide base	+$310	Specify *with c:scape glide base,* 4799 Platinum Metallic only.

Pulls



Contemporary Handle Jazz Bar

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$120	Specify paint color number.
	• Paint price group 3	+$208	Specify paint color number.
	• Laminate price group 1 on proud laminate fronts	Prices at right	Specify laminate color number.
	• Laminate price group 2 on proud laminate fronts	See information at left	Specify laminate color number.
	• Laminate price group 3 on proud laminate fronts	See information at left	Specify laminate color number.
	• Open Line laminate on proud laminate fronts	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1 on proud wood fronts	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2 on proud wood fronts	See information at left	Specify composite veneer color number.
	• Wood group 1 on proud wood fronts	Prices at right	Specify wood color number.
	• Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
	• Wood group 3 on proud wood fronts	See information at left	Specify wood color number.
	• Customiz stain on proud wood fronts	No cost	Specify with Customiz stain.

▶ See *Surface Materials Reference Manual.*

For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Laminate and wood veneer tops are 3⁄16" taller than other tops and will add 3⁄16" to overall case height.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Tops for Flush Steel Front, Proud Steel Front, Proud Laminate Front, and Proud Wood Front	**Laminate top**		
	• Square edge laminate price group 1 top	+$223	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 2 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Square edge laminate price group 3 top	See information at left	Specify *with laminate top* and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+$111 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1	+$671	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1 veneer top	+$709	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2 veneer top	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 3 veneer top	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*
Pulls	**Proud steel, laminate, or wood fronts**		
	• Contemporary	No cost	Specify *with contemporary pull.*
	• Handle	No cost	Specify *with handle pull.*
	• Jazz	+$ 31 per pull	Specify *with jazz pull.*
	• Bar	+$ 46 per pull	Specify *with bar pull.*
Counterweights	• Tower package 1	+$175	Specify *with counterweight.*
	• Tower package 2	+$215	Specify *with counterweight.*
Lock and Keying	**Lock**		
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying		
	• Factory- and field-installed keying		▶Page 690
Related Products	• Field-installed tops		▶Page 653
	• Adjustable shelves		▶Page 657
	• Counterweights		▶Page 663
	• Steel storage accessories		▶Page 658

For composite veneer, laminate and wood group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required. ▶See *Counterweight Requirements for Storage Products,* pages 273–280.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, ***RDD182448LA__*** *becomes* ***RDD182448LAF*** *for flush steel front).*

▶**Specification Information, on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


Universal Dual Door Towers with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

▶ **Options, on previous page**

Specification Information


Tower with Doors Hinged on Left

One Fixed Shelf and Two 12"H Drawers




Dimensions D	W	H	Style Number	U.S. Base Prices: Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W	Counterweights: Steel Fronts, Universal 3" Base	Steel Fronts, FrameOne Foot and c:scape Glide Bases	Lam/Comp Ven or Wood Fronts, Universal 3" Base	Lam/Comp Ven or Wood Fronts, FrameOne Foot and c:scape Glide Bases
18"	18⅞"	24" 47½"	**RDD182448LA__**	$2928	$3399	$3833	$4056	$4078	Tower package 1	Tower package 1	Tower package 2	Tower package 2
23⅛"	24"	24" 47½"	**RDD242448LA__**	$3527	$3697	$4148	$4371	$4393	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	18⅞"	24" 47½"	**RDD182448LB__**	$3187	$3672	$4116	$4339	$4361	Tower package 1	Tower package 1	Tower package 2	Tower package 2
23⅛"	24"	24" 47½"	**RDD242448LB__**	$3775	$3959	$4438	$4661	$4683	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	18⅞"	24" 52"	**RDD18244LA__**	$3236	$3677	$4102	$4325	$4347	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24" 52"	**RDD24244LA__**	$3811	$4016	$4388	$4611	$4633	Not required	Not required	Not required	Not required

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


▶ **Specification Information, continued from previous page**

Specification Information

• Dimensions D		W	H	• Style Number	• U.S. Base Prices					• Counterweights			
										Steel Fronts		Lam/Comp Ven or Wood Fronts	
Flush Steel Front	Proud Steel/ Lam/ Comp Ven/ Wood Front				Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases


Tower with Doors Hinged on Left, continued

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	18⅞"	24"	52"	**RDD18244LB__**	$3449	$3787	$4317	$4540	$4562	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	52"	**RDD24244LB__**	$4022	$4112	$4653	$4876	$4898	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	18⅞"	24"	65½"	**RDD18245LC__**	$3630	$4138	$4557	$4780	$4802	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	65½"	**RDD24245LC__**	$4022	$4165	$4964	$5187	$5209	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	18⅞"	24"	65½"	**RDD18245LD__**	$3842	$4323	$4769	$4992	$5014	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	65½"	**RDD24245LD__**	$4235	$4376	$5183	$5406	$5428	Not required	Not required	Not required	Not required

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Dual Door Towers with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued


▶ **Specification Information, continued from previous page**

Specification Information

Dimensions D		W	H	Style Number	U.S. Base Prices					Counterweights			
										Steel Fronts		Lam/Comp Ven or Wood Fronts	
Flush Steel Front	Proud Steel/ Lam/ Comp Ven/ Wood Front				Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases


Tower with Doors Hinged on Right

One Fixed Shelf and Two 12"H Drawers




18"	18⅞"	24"	47½"	**RDD182448RA__**	$2928	$3399	$3833	$4056	$4078	Tower package 1	Tower package 1	Tower package 2	Tower package 2
23⅛"	24"	24"	47½"	**RDD242448RA__**	$3527	$3697	$4148	$4371	$4393	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	18⅞"	24"	47½"	**RDD182448RB__**	$3187	$3672	$4116	$4339	$4361	Tower package 1	Tower package 1	Tower package 2	Tower package 2
23⅛"	24"	24"	47½"	**RDD242448RB__**	$3775	$3959	$4438	$4661	$4683	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	18⅞"	24"	52"	**RDD18244RA__**	$3236	$3677	$4102	$4325	$4347	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	52"	**RDD24244RA__**	$3811	$4016	$4388	$4611	$4633	Not required	Not required	Not required	Not required

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


▶ **Specification Information, continued from previous page**

Specification Information

Dimensions D		W	H	Style Number	U.S. Base Prices					Counterweights			
										Steel Fronts		Lam/Comp Ven or Wood Fronts	
Flush Steel Front	Proud Steel/ Lam/ Comp Ven/ Wood Front				Flush Steel Front Suffix F	Proud Steel Front Suffix P	Proud Lam Front Suffix L	Proud Comp Ven Front Suffix W	Proud Wood Front Suffix W	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases


Tower with Doors Hinged on Right, continued

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	18⅞"	24"	52"	**RDD18244RB__**	$3449	$3787	$4317	$4540	$4562	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	52"	**RDD24244RB__**	$4022	$4112	$4653	$4876	$4898	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	18⅞"	24"	65½"	**RDD18245RC__**	$3630	$4138	$4557	$4780	$4802	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	65½"	**RDD24245RC__**	$4022	$4165	$4964	$5187	$5209	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer




18"	18⅞"	24"	65½"	**RDD18245RD__**	$3842	$4323	$4769	$4992	$5014	Tower package 1	Tower package 1	Tower package 1	Tower package 1
23⅛"	24"	24"	65½"	**RDD24245RD__**	$4235	$4376	$5183	$5406	$5428	Not required	Not required	Not required	Not required

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specifying High-Density Storage Products

High-Density Storage Products 644
High-Density Storage Products Value Package 648
High-Density Storage Products Accessories 650

High-Density Storage



Drawing shows left-hand application, right-hand application is also available.

▶ Need help? Product details, page 320

Standard Includes

- Case: laminate price group 1
- Drawer front: laminate to match case
- Case interior: paint
- Mirror
- Nile pull: metal
- Lock, keyed random: 9201 Polished Chrome
- Four adjustable leveling glides
- Vertical grain direction
- Shelf, if 12"W is selected

Required to Specify

1 Style number
2 Case width (see below under Required Selections)
3 Case depth (see below under Required Selections)
4 Case height (see below under Required Selections)
5 Handedness (see below under Required Selections)
6 Interior configuration (see below under Required Selections)
7 Laminate color number for case and drawer front
8 Paint color number for case interior
9 Pull (see below under Required Selections)
10 Metal color number for pulls
11 Options, if selected (see below)


▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Case Width	• 12"W	Prices at right	Specify *with 12" width.*
	• 15"W	Prices at right	Specify *with 15" width.*
Case Depth	• 24"D	Prices at right	Specify *with 24" depth.*
	• 30"D	Prices at right	Specify *with 30" depth.*
Case Height	• 42"H	No cost	Specify *with 42" height.*
	• 48”H	+$275	Specify *with 48" height.*
Handedness	• Left hand	No cost	Specify *left-hand.*
	• Right hand	No cost	Specify *right-hand.*
Interior Configuration	**12"W storage**		
	• Shelf	$ 157 Included in U.S. Base Price	Specify *with shelf.*
	15"W storage		
	• Bag drop	No cost	Specify *with bag drop.*
	• Shelf	+$157	Specify *with shelf.*


Tip: Shelf comes standard with 12"W storage. Bag drop is not available on 12"W storage.

Tip: Nile pull will default as the standard pull, you must confirm this selection or specify an optional pull.


Pull




Nile pull



Bar pull



Contemporary pull



Jazz pull

	Options	U.S. Price	Required to Specify
Front Color Scheme	• Non contrasting	No cost	Specify *with non contrasting.*
	• Contrasting	+$ 69	Specify *with contrasting.*
Surface Materials	**Laminate on case**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Material Reference Manual.*
	Laminate on contrasting case front		
	• Laminate price group 2 on case front	See information at left	Specify laminate color number.
	• Laminate price group 3 on case front	See information at left	Specify laminate color number.
	• Open Line laminate on case front	+$111 plus cost of laminate	▶ See *Surface Material Reference Manual.*

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Composite veneer for non-contrasting color scheme**		
	• Composite veneer group 1	+$1838	Specify *with composite veneer* and indicate composite veneer color number.
	• Composite veneer group 2	+$2291	Specify *with composite veneer* and indicate composite veneer color number.
	Wood veneer for non-contrasting color scheme		
	• Wood group 1	+$2021	Specify *with wood veneer* and indicate wood color number.
	• Wood group 2	+$2519	Specify *with wood veneer* and indicate wood color number.
	• Wood group 3	+$3755	Specify *with wood veneer* and indicate wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
	Composite veneer for contrasting color scheme		
	• For case front		
	–Composite group 1	+$ 368	Specify *with composite veneer* and indicate composite veneer color number.
	–Composite group 2	+$ 458	Specify *with composite veneer* and indicate composite veneer color number.
	• For case		
	–Composite group 1	+$1472	Specify *with composite veneer* and indicate composite veneer color number.
	–Composite group 2	+$1834	Specify *with composite veneer* and indicate composite veneer color number.
	Wood veneer for contrasting color scheme		
	• For case front		
	–Wood group 1	+$ 405	Specify *with wood veneer* and indicate wood color number.
	–Wood group 2	+$ 504	Specify *with wood veneer* and indicate wood color number.
	–Wood group 3	+$ 757	Specify *with wood veneer* and indicate wood color number.
	–Customiz stain	No cost	Specify *with Customiz stain.*
	• For case		
	–Wood group 1	+$1619	Specify *with wood veneer* and indicate wood color number.
	–Wood group 2	+$2017	Specify *with wood veneer* and indicate wood color number.
	–Wood group 3	+$3000	Specify *with wood veneer* and indicate wood color number.
	–Customiz stain	No cost	Specify *with Customiz stain.*
	Paint for case interior		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 94	Specify paint color number.
	• Paint price group 3	+$ 246	Specify paint color number.
Pull	**Laminate or wood fronts**		
	• Nile	No cost	Specify *with nile pull.*
	• Bar	+$ 2	Specify *with bar pull.*
	• Contemporary	–$ 39	Specify *with contemporary pull.*
	• Jazz	–$ 11	Specify *with jazz pull.*
Light	• Light	+$ 329	Specify *with light.*
Coat Closet	• Coat closet	+$ 80	Specify *with coat closet.*
Grain Direction	• Horizontal	No cost	Specify *with horizontal grain direction.*

Tip: Contrasting fronts and horizontal grain direction are available options for laminate front/laminate case, veneer front/laminate case, or laminate front/veneer case.

Tip: Light is available with bag drop configuration only.

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

High-Density Storage, continued


▶**Options, continued from previous page**

Tip: Magnetic boards are not available on 12"W storage.

	Options	U.S. Price		Required to Specify
Magnetic Board	**One magnetic board**	**42"H**	**48"H**	
	• Fabric price group 2	+$187	+$235	Specify Cogent: Connect fabric number.
	• Fabric price group 3	+$236	+$284	Specify Billiard Multi-Use by Designtex fabric number.
	Two magnetic boards	**42"H**	**48"H**	
	• Fabric price group 2	+$374	+$470	Specify Cogent: Connect fabric number.
	• Fabric price group 3	+$472	+$568	Specify Billiard Multi-Use by Designtex fabric number.
Lock and Keying	**Lock**			
	• Ember Chrome	No cost		Specify *with 9250 Ember Chrome lock.*
	Keying			
	• Factory and field-installed keying			▶Page 690
Related Products	• Worksurface support bracket			▶Page 650
	• Panel connector bracket			▶Page 650

Specification Information


• Style Number	• Width	U.S. Base Prices • 24"D	• 30"D
HDSTG	12"	$4128	$4511
	15"	$4399	$4782



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

High-Density Storage—Value Package

24" or 30"D



Drawing shows left-hand application, right-hand application is also available.

Tip: The high-density value package is a simplified version of high-density storage that includes two fixed shelves to solve organizational needs at a lower price point.

▶ Need help? Product details, page 322

Standard Includes

- Case: laminate price group 1
- Drawer front: laminate to match case
- Case interior: paint
- Two fixed shelves: 7360 Merle
- Nile pull: metal
- Lock, keyed random: 9201 Polished Chrome
- Four adjustable leveling glides
- Vertical grain direction

Required to Specify


1 Style number
2 Case width (see below under Required Selections)
3 Case depth (see below under Required Selections)
4 Case height (see below under Required Selections)
5 Handedness (see below under Required Selections)
6 Laminate color number for case and drawer front
7 Paint color number for case interior
8 Pull (see below under Required Selections)
9 Metal color number for pulls
10 Options, if selected (see below)

▶ See *Surface Materials,* page 672.

	Required Selections	U.S. Price	Required to Specify
Case Width	• 12"W	Prices at right	Specify *with 12" width.*
	• 15"W	Prices at right	Specify *with 15" width.*
Case Depth	• 24"D	Prices at right	Specify *with 24" depth.*
	• 30"D	Prices at right	Specify *with 30" depth.*
Case Height	• 42"H	No cost	Specify *with 42" height.*
	• 48"H	+$275	Specify *with 48" height.*
Handedness	• Left hand	No cost	Specify *left-hand.*
	• Right hand	No cost	Specify *right-hand.*

Tip: Nile pull will default as the standard pull, you must confirm this selection or specify an optional pull.

Pull



Nile pull | Bar pull | Contemporary pull | Jazz pull

	Options	U.S. Price	Required to Specify
Front Color Scheme	• Non contrasting	No cost	Specify *with non contrasting.*
	• Contrasting	+$ 69	Specify *with contrasting.*
Surface Materials	**Laminate on case**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Material Reference Manual.*
	Laminate on contrasting case front		
	• Laminate price group 2 on case front	See information at left	Specify laminate color number.
	• Laminate price group 3 on case front	See information at left	Specify laminate color number.
	• Open Line laminate on case front	+$111 plus cost of laminate	▶ See *Surface Material Reference Manual.*
	Paint for case interior		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 94	Specify paint color number.
	• Paint price group 3	+$246	Specify paint color number.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

High-Density Storage Products


▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Pull	**Laminate fronts**		
	• Nile	No cost	Specify *with nile pull.*
	• Bar	+$ 2	Specify *with bar pull.*
	• Contemporary	–$39	Specify *with contemporary pull.*
	• Jazz	–$11	Specify *with jazz pull.*
Coat Closet	• Coat closet	+$80	Specify *with coat closet.*
Grain Direction	• Horizontal	No cost	Specify *with horizontal grain direction.*
Lock and Keying	**Lock**		
	• Ember Chrome	No cost	Specify *with 9250 Ember Chrome lock.*
	Keying		
	• Factory and field-installed keying		▶Page 690
Related Products	• Worksurface support bracket		▶Page 650
	• Panel connector bracket		▶Page 650

Specification Information

• Style Number	• Width	U.S. Base Prices • 24"D	• 30"D
HDSTGV	12"	$3056	$3439
	15"	$3327	$3710


24" or 30"D



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

High-Density Storage Accessories

Worksurface Support Bracket



Standard Includes	Required to Specify
▶ Need help? Product details, page 320	1 Style number 2 Depth (see below under Required Selections) 3 Paint color number for bracket ▶ See *Surface Materials,* page 672.
• Bracket: paint • Attachment hardware	

	Required Selections	U.S. Price	Required to Specify
Depth	• 24"D • 30"D	No cost No cost	Specify *with 24"D bracket.* Specify *with 30"D bracket.*
Related Products	• High-density storage		▶ Pages 644 and 648

Specification Information

Style Number	U.S. Price
HDWS	$180

Panel Connector Bracket



Standard Includes	Required to Specify
▶ Need help? Product details, page 320	1 Style number 2 Handedness (see below under Required Selections)
• Connector bracket	

	Required Selections	U.S. Price	Required to Specify
Handedness	• Left hand • Right hand	No cost No cost	Specify left hand. Specify right hand.
Related Products	• High-density storage		▶ Pages 644 and 648

Specification Information

Style Number	Height	U.S. Price
HDPNLCNT	39⅝"	$132

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specifying Storage Tops, Shelves, and Accessories

Connectors 652
Steel Security Tops 653
Square Edge Tops 654
Adjustable Shelves for Towers 657
Steel Storage Accessories 658

Connectors

Worksurface-to-Tower Connectors



Tip: For use with universal steel storage only.

Standard Includes	Required to Specify
▶ Need help? Product details, page 315 • Connector: paint • Attachment hardware	1 Style number 2 Paint color number for connector ▶ See *Surface Materials,* page 672.

Specification Information

Depth	Style Number	U.S. Price
24"	**UFSTOWER24**	$197
30"	**UFSTOWER30**	$197

Storage-to-Panel Connectors

Tip: Storage-to-panel connectors can only be used with universal steel storage products manufactured on or after October 2005.

Tip: For use with universal steel storage only.

Standard Includes	Required to Specify
▶ Need help? Product details, page 316 • Connector: black paint • Attachment hardware	Style number

Specification Information

Height	Style Number	U.S. Price

Low Storage-to-Panel Connectors for One-High Storage





Left-Hand		
8¾"	**UFSLOWLHANS**	$145
Right-Hand		
8¾"	**UFSLOWRHANS**	$145

Medium Storage-to-Panel Connectors for 1.5-High, 2-High, and 3-High Storage





Left-Hand		
16"	**UFSMEDLHANS**	$145
Right-Hand		
16"	**UFSMEDRHANS**	$145

Tall Storage-to-Panel Connectors for 48"H, 4-High, and 5-High Towers





Left-Hand		
39⅝"	**UFSTALLLHANS**	$145
Right-Hand		
39⅝"	**UFSTALLRHANS**	$145

Steel Security Tops


For Use with Flush or Proud Front Products


Tip: Tops are for field installation only.

*Tip: Security tops should only be used on units that are positioned under a work-surface—these are **NOT** structural tops.*

Tip: Security top cannot be installed on a file with a lift-up door in the top position.

Tip: For use with universal steel storage only.





Standard Includes	Required to Specify
▶ Need help? Product details, page 312 • Security top: all paint price groups • Attachment hardware	1 Style number 2 Paint color number for top ▶ See *Surface Materials,* page 672.

Specification Information

Dimensions D	Dimensions W	For Use On	Style Number	U.S. Price
Flush Front				
18"	30"	Lateral file, storage cabinet	**RATF1830F**	$168
18"	36"	Lateral file, storage cabinet	**RATF1836F**	$168
18"	42"	Lateral file, storage cabinet	**RATF1842F**	$168
23⅛"	30"	Lateral file, storage cabinet	**RATF2430F**	$168
23⅛"	36"	Lateral file, storage cabinet	**RATF2436F**	$168
Proud Front				
18⅞"	30"	Lateral file, storage cabinet	**RATF1830P**	$168
18⅞"	36"	Lateral file, storage cabinet	**RATF1836P**	$168
18⅞"	42"	Lateral file, storage cabinet	**RATF1842P**	$168
24"	30"	Lateral file, storage cabinet	**RATF2430P**	$168
24"	36"	Lateral file, storage cabinet	**RATF2436P**	$168

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Square Edge Tops

For Use with Flush and Proud Front Products

Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.*	• 1 3/16"H top with square edge profile on all sides: laminate price group 1 or composite veneer price group 1 • Attachment hardware	1 Style number with appropriate front style suffix in the space provided **F** Flush steel front **P** Proud steel or proud wood front 2 Laminate or composite veneer color number for top 3 Plastic color number for 1 mm edges of laminate top 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.

Tip: For use with universal steel storage only.

Options	U.S. Price	Required to Specify
Surface Materials	**Laminate top**	
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer top	
• Composite veneer group 1	Prices at right	Specify composite veneer color number.
• Composite veneer group 2	See information at left	Specify composite veneer color number.
	Wood veneer top	
• Wood group 1	Prices at right	Specify wood color number.
• Wood group 2	See information at left	Specify wood color number.
• Wood group 3	See information at left	Specify wood color number.
• Customiz stain on wood veneer top	No cost	Specify *with Customiz stain.*
		▶ See *Surface Materials Reference Manual.*

For composite veneer group 2, wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, ***RATL1830_*** *becomes* ***RATL1830F*** *for a top to be used on a flush steel front unit).*

Specification Information

• Dimensions D		W	H	• Style Number	• U.S. Base Prices	
Flush Steel Front	Proud Steel/ Proud Wood				Flush Steel Front Suffix F	Proud Steel or Proud Wood Front Suffix P
Individual File Laminate Tops						
18"	18 7/8"	30"	1 3/16"	**RATL1830__**	$ 319	$ 319
18"	18 7/8"	36"	1 3/16"	**RATL1836__**	$ 345	$ 345
18"	18 7/8"	42"	1 3/16"	**RATL1842__**	$ 372	$ 372
23 1/8"	24"	30"	1 3/16"	**RATL2430__**	$ 352	$ 352
23 1/8"	24"	36"	1 3/16"	**RATL2436__**	$ 372	$ 372
Laminate Common Tops						
18"	18 7/8"	60 1/16"	1 3/16"	**RATCL1860__**	$ 516	$ 516
18"	18 7/8"	66 1/16"	1 3/16"	**RATCL1866__**	$ 598	$ 598
18"	18 7/8"	72 1/16"	1 3/16"	**RATCL1872__**	$ 671	$ 671
18"	18 7/8"	78 1/16"	1 3/16"	**RATCL1878__**	$ 853	$ 853
18"	18 7/8"	84 1/16"	1 3/16"	**RATCL1884__**	$ 962	$ 962
18"	18 7/8"	90 1/8"	1 3/16"	**RATCL1890__**	$1072	$1072
18"	18 7/8"	96 1/8"	1 3/16"	**RATCL1896__**	$1181	$1181
18"	18 7/8"	108 1/8"	1 3/16"	**RATCL18108__**	$1420	$1420

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


▶ **Specification Information, continued on next page**

▶ Specification Information, continued from previous page

*Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, **RATL1830_** becomes **RATL1830F** for a top to be used on a flush steel front unit).*


Specification Information

Dimensions D		W	H	Style Number	U.S. Base Prices	
Flush Steel Front	Proud Steel/ Proud Wood				Flush Steel Front Suffix F	Proud Steel or Proud Wood Front Suffix P




Laminate Common Tops, continued

23 1/8"	24"	60 1/16"	1 3/16"	**RATCL2460__**	$ 544	$ 544
23 1/8"	24"	66 1/16"	1 3/16"	**RATCL2466__**	$ 608	$ 608
23 1/8"	24"	72 1/16"	1 3/16"	**RATCL2472__**	$ 686	$ 686
23 1/8"	24"	90 1/8"	1 3/16"	**RATCL2490__**	$1150	$1150
23 1/8"	24"	96 1/8"	1 3/16"	**RATCL2496__**	$1263	$1263
23 1/8"	24"	108 1/8"	1 3/16"	**RATCL24108__**	$1524	$1524
36 1/16"	37 13/16"	36"	1 3/16"	**RATCL3636__**	$ 655	$ 655
36 1/16"	37 13/16"	72 1/16"	1 3/16"	**RATCL3672__**	$ 902	$ 902
46 5/16"	48 1/16"	36"	1 3/16"	**RATCL4836__**	$ 739	$ 739
46 5/16"	48 1/16"	72 1/16"	1 3/16"	**RATCL4872__**	$1012	$1012



Individual File Composite Veneer Tops

18"	18 7/8"	30"	1 3/16"	**RATW1830__**	$ 824	$ 824
18"	18 7/8"	36"	1 3/16"	**RATW1836__**	$ 841	$ 841
18"	18 7/8"	42"	1 3/16"	**RATW1842__**	$ 948	$ 948
23 1/8"	24"	30"	1 3/16"	**RATW2430__**	$ 855	$ 855
23 1/8"	24"	36"	1 3/16"	**RATW2436__**	$ 877	$ 877



Composite Veneer Common Tops

18"	18 7/8"	60 1/16"	1 3/16"	**RATCW1860__**	$1161	$1161
18"	18 7/8"	66 1/16"	1 3/16"	**RATCW1866__**	$1222	$1222
18"	18 7/8"	72 1/16"	1 3/16"	**RATCW1872__**	$1288	$1288
18"	18 7/8"	78 1/16"	1 3/16"	**RATCW1878__**	$1537	$1537
18"	18 7/8"	84 1/16"	1 3/16"	**RATCW1884__**	$1748	$1748
18"	18 7/8"	90 1/8"	1 3/16"	**RATCW1890__**	$1847	$1847
18"	18 7/8"	96 1/8"	1 3/16"	**RATCW1896__**	$2036	$2036
23 1/8"	24"	60 1/16"	1 3/16"	**RATCW2460__**	$1192	$1192
23 1/8"	24"	66 1/16"	1 3/16"	**RATCW2466__**	$1251	$1251
23 1/8"	24"	72 1/16"	1 3/16"	**RATCW2472__**	$1330	$1330
23 1/8"	24"	90 1/16"	1 3/16"	**RATCW2490__**	$1975	$1975
23 1/8"	24"	96 1/16"	1 3/16"	**RATCW2496__**	$2178	$2178

▶ Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


Square Edge Tops For Use with Flush and Proud Front Products, continued

▶ **Specification Information, continued from previous page**

*Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, **RATL1830_** becomes **RATL1830F** for a top to be used on a flush steel front unit).*


Specification Information

Dimensions D		W	H	Style Number	U.S. Base Prices	
Flush Steel Front	Proud Steel/ Proud Wood				Flush Steel Front Suffix F	Proud Steel or Proud Wood Front Suffix P



Individual File Wood Tops

18"	18 7/8"	30"	1 3/16"	**RATW1830__**	$ 875	$ 875
18"	18 7/8"	36"	1 3/16"	**RATW1836__**	$ 890	$ 890
18"	18 7/8"	42"	1 3/16"	**RATW1842__**	$1006	$1006
23 1/8"	24"	30"	1 3/16"	**RATW2430__**	$ 905	$ 905
23 1/8"	24"	36"	1 3/16"	**RATW2436__**	$ 927	$ 927



Wood Common Tops

18"	18 7/8"	60 1/16"	1 3/16"	**RATCW1860__**	$1225	$1225
18"	18 7/8"	66 1/16"	1 3/16"	**RATCW1866__**	$1284	$1284
18"	18 7/8"	72 1/16"	1 3/16"	**RATCW1872__**	$1350	$1350
18"	18 7/8"	78 1/16"	1 3/16"	**RATCW1878__**	$1606	$1606
18"	18 7/8"	84 1/16"	1 3/16"	**RATCW1884__**	$1827	$1827
18"	18 7/8"	90 1/8"	1 3/16"	**RATCW1890__**	$1925	$1925
18"	18 7/8"	96 1/8"	1 3/16"	**RATCW1896__**	$2121	$2121
23 1/8"	24"	60 1/16"	1 3/16"	**RATCW2460__**	$1256	$1256
23 1/8"	24"	66 1/16"	1 3/16"	**RATCW2466__**	$1315	$1315
23 1/8"	24"	72 1/16"	1 3/16"	**RATCW2472__**	$1394	$1394
23 1/8"	24"	90 1/8"	1 3/16"	**RATCW2490__**	$2057	$2057
23 1/8"	24"	96 1/8"	1 3/16"	**RATCW2496__**	$2270	$2270

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Adjustable Shelves for Towers

Adjustable Steel Standard Shelves

For Use with Towers



Tip: Adjustable shelves are for field installation only.

Standard Includes	Required to Specify
▶Need help? See *Storage Specification Guide.*	• ¾"H adjustable shelf: all paint price groups • Set of adjustable brackets: black only	1 Style number 2 Paint color number for shelf ▶See *Surface Materials,* page 672.

Specification Information

Dimensions D	Dimensions W	Style Number	U.S. Price
For Use with Open Side Towers			
24"	15"	**RXSA2415**	$ 95
30"	15"	**RXSA3015**	$103
For Use with Dual Door Towers			
24"	15"	**RXSAFFT2415**	$ 95

Adjustable Glass Shelves

For Use with Open Side Towers Only



Tip: Adjustable shelves are for field installation only.

Standard Includes	Required to Specify
▶Need help? See *Storage Specification Guide.*	• ⅜"H adjustable shelf: frosted glass only • Set of four adjustable brackets: black only	Style number

Specification Information


Dimensions D	Dimensions W	Style Number	U.S. Price
24"	15"	**RXSG2415**	$236
30"	15"	**RXSG3015**	$264

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Steel Storage Accessories

Rails

For Use in Pedestals Manufactured after February 22, 2004
For Use in Universal Towers



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.* • Package of two rails: black only	Style number

Specification Information

Width	Style Number	U.S. Price
12"	**RXADRL15**	$40

Dividers

For Use in Pedestals Manufactured after February 22, 2004
For Use in Universal Towers

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.* • Package of dividers: black only	Style number

Specification Information



For Use in 6"H Drawers

Width	Quantity	Style Number	U.S. Price
12"	2	**RDV1506**	$ 64




For Use in 12"H Drawers

Width	Quantity	Style Number	U.S. Price
12"	2	**RDV1512**	$ 69
12"	10	**RDV151210**	$321

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Pencil Tray

For Use in Pedestals and Universal Towers



Tip: Pedestals with box drawers include one pencil tray per pedestal.


Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.* • Pencil tray: black only	Style number

Specification Information

Style Number	U.S. Price
RPXDPT	$55

Hanging Folder Bars

For Use with Universal Lateral Files and Universal Combination Cabinets Manufactured on or after October 17, 2005



Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.* • Hanging folder bar: black only	Style number

Specification Information


Width	Style Number	U.S. Price
30"	**RAHF30**	$24
36"	**RAHF36**	$24
42"	**RAHF42**	$24


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Steel Storage Accessories, continued

Rails

For Use with Lateral Files and Combination Cabinets





Tip: All drawer sizes require two rails per drawer for maximumå capacity front-to-back filing.

Note: Actual rail dimensions are 15½" deep for an 18" deep cabinet and 20" deep for a 24" deep cabinet.


Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.* • Package of two or four rails: black only	Style number

Specification Information		
Depth	**Style Number**	**U.S. Price**
Package of Two		
18"	**800RW**	$55
24"	**RXADRL24**	$40
Package of Four		
24"	**RXADRL2442**	$76

Dividers

For Use in Lateral Files and Combination Cabinets






Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.* • Carton of three dividers: black only	Style number

Specification Information				
Dimensions			**Style Number**	**U.S. Price**
D	**W**	**H**		
For Use in 12"H Drawers or 12"H Roll-Out Shelves				
11 7/8"	1/16"	6 1/4"	**800DV12**	$41
For Use in 6"H Roll-Out Shelves or Drawers and 9"H Drawers				
13 1/2"	1/16"	3 5/8"	**800DV6**	$41

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Shelf Divider Assembly




Standard Includes	Required to Specify
▶Need help? See *Storage Specification Guide.* • Divider bracket: black only • Two dividers: clear plastic	Style number

Specification Information

Width	Style Number	U.S. Price
30"	**RASTDIV30**	$157
36"	**RASTDIV36**	$157
42"	**RASTDIV42**	$157

Bookends



Standard Includes	Required to Specify
▶Need help? See *Storage Specification Guide.* • Package of two or twenty bookends: 6695 Midnight only	Style number


Specification Information

Style Number	Quantity	U.S. Price
KDIV02	2	$ 52
KDIV20	20	$485

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Steel Storage Accessories, continued

Wood Drawer Pulls



Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.*	1 Style number
• Pull: wood group 1	2 Wood color number
	3 Options, if selected (see below)
	▶ See *Surface Materials,* page 672.


Options	U.S. Price	Required to Specify
Surface Materials		
• Customiz stain	No cost	Specify *with Customiz stain.*
		▶ See *Surface Materials Reference Manual.*

Specification Information

Width	Style Number	U.S. Price
15"	**RPULL15W**	$269
30"	**RPULL30W**	$367
36"	**RPULL36W**	$416
42"	**RPULL42W**	$466

Counterweight Packages

For Use with Universal One-High and 1.5–high Lateral Files



Standard Includes	Required to Specify
▶ Need help? See *Storage Specification Guide.*	Style number
• Counterweight: black only	
• Attachment hardware	

Specification Information

Package Name	Style Number	U.S. Price
Package 30	**RAACW30**	$357
Package 36	**RAACW36**	$357
Package 42	**RAACW42**	$357
Package D	**RAACWD**	$195
Package E	**RAACWE**	$255
Package F	**RAACWF**	$357

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Counterweight Retro Kit

For Use with Universal One-High and Two Drawer Lateral Files

*Tip: Use this retrofit kit when ordering **RAACW30**, **RAACW36**, or **RAACW42**. For use on One-High or Two Drawer lateral files with feet that were manufactured prior to February 21, 2020.*


Standard Includes	Required to Specify
• Counterweight retrofit kit	Style number

Specification Information

Style Number	U.S. Price
RAACWR	$113

Counterweight Packages

For Use with Universal 2H, 3H, 4H, and 5H Lateral Files, and Combination Cabinets




Standard Includes	Required to Specify
▶Need help? See *Storage Specification Guide.* • Counterweight: black only • Attachment hardware	Style number

Specification Information

Package Number	Style Number	U.S. Price	Package Number	Style Number	U.S. Price
Package 1	**RAACW1**	$195	Package 5	**RAACW5**	$357
Package 2	**RAACW2**	$195	Package 6	**RAACW6**	$357
Package 3	**RAACW3**	$195	Package 7	**RAACW7**	$362
Package 4	**RAACW4**	$254	Package 8	**RAACW8**	$362

Counterweight Packages

For Use with Universal Towers



Tip: Tower packages 1 and 2 are for 18"D and 24"D units and tower package 3 is for 30"D units.


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Standard Includes	Required to Specify
▶Need help? See *Storage Specification Guide.* • Counterweight: black only • Attachment hardware	Style number

Specification Information

Package Name	Style Number	U.S. Price
Tower package 1	**RAACT1**	$174
Tower package 2	**RAACT2**	$214
Tower package 3	**RAACT3**	$174

Anchor Bracket Package for Products with Glides



Tip: Four anchor bracket packages are required for each cabinet.


Standard Includes	Required to Specify
• Two-piece anchor bracket and attachment hardware	Style number

Need help? See *Storage Specification Guide.*

Specification Information

Style Number	U.S. Price
RAANBRK	$58

Underworksurface Lateral File Fillers



Tip: Order filler which matches nominal worksurface depth.

Tip: 24"D filler is used with 18"D storage. 30"D filler is used with 18"D or 24"D storage.

Tip: Fillers are for use with a Universal 3" base only.

Standard Includes	Required to Specify
• Filler: paint	1 Style number 2 Paint color number for filler 3 Options, if selected (see below) See *Surface Materials,* page 672.

Need help? See *Storage Specification Guide.*

Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$49	Specify paint color number.
	• Paint price group 3	+$80	Specify paint color number.

Specification Information

Depth	Style Number	U.S. Base Price

For Lateral Files with Flush Steel Fronts

24"	**ULFF24F**	$88
30"	**ULFF30F**	$88

For Lateral Files with Proud Fronts

24"	**ULFF24P**	$88
30"	**ULFF30P**	$88

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Attachment Cable



Tip: For use with underwork-surface lateral files.

Standard Includes	Required to Specify
• Attachment cable • Package of 1 or 25	Style number

Specification Information

Style Number	U.S. Price
PAB12 (package of 1)	$ 34
PAB12M (package of 25)	$537

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specifying Duo Storage Products

Duo Storage **668**

Duo Storage


For Use with Answer In-Line, L, T, and End-of-Run Junctions

Standard Includes	Required to Specify
▶ Need help? Product details, page 328	1 Style number 2 Laminate color number for box 3 Paint color number for interior 4 Options, if selected (see below) ▶ See *Surface Materials,* page 672.
• Tall storage box: laminate • Painted steel interior divider cover: paint price group 1 • Leg: 4799 Platinum paint • Panel attachment brackets: 4799 Platinum paint • Worksurface brackets	

Options	U.S. Price	Required to Specify
Surface Materials	**Interior divider cover**	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 24	Specify paint color number.
• Paint price group 3	+$ 39	Specify paint color number.
• Open Line laminate on box	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*

Specification Information


Individual Tall Storage with Leg



Tip: For individual tall storage, only the external side of the interior divider cover has the option to be painted.

Dimensions D	W	H	Style Number	U.S. Base Price
18"	54"	15"	**BDTS54ANL**	$1794
18"	66"	15"	**BDTS66ANL**	$2008
18"	78"	15"	**BDTS78ANL**	$2250

Shared Tall Storage with Leg



Dimensions D	W	H	Style Number	U.S. Base Price
18"	54"	15"	**BDTD54ANL**	$1961
18"	66"	15"	**BDTD66ANL**	$2170
18"	78"	15"	**BDTD78ANL**	$2526

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Duo Storage


For Use with Top Cap Mounted Storage

Standard Includes	Required to Specify
▶ Need help? Product details, page 328	1 Style number 2 Paint color number fot top cap 3 Paint color number for interior ▶ See *Surface Materials,* page 672.
• Tall storage box: laminate • Painted steel interior divider cover on tall storage: paint price group 1	

	Options	U.S. Price	Required to Specify
Surface Materials	**Interior divider cover**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 24	Specify paint color number.
	• Paint price group 3	+$ 39	Specify paint color number.
	• Open Line laminate on box	+$111 plus cost of laminate	▶ See *Surface Materials Reference Manual.*


Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price



Individual Tall Storage

18"	54"	15"	**BDTS54**	$1223
18"	66"	15"	**BDTS66**	$1422



Shared Tall Storage

18"	54"	15"	**BDTD54**	$1383
18"	66"	15"	**BDTD66**	$1584

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Surface Materials

Surface Materials	**672**
Specification Guidelines for Directional Fabrics	**678**
Paint Color Availability Matrix	**680**
Recommended Worksurface Edge Finishes	**682**
Directional Laminate Grain Directions	**684**
Wood Veneer Grain Directions	**686**

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/ EMEA – Europe, Middle East, and Africa/ APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see *steelcase.com/surface-materials* under the Select Surface section.

Surface Materials Binders include:
- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Tip: All products may not be available in all colors listed below.

▶ See page 680 for an overview of the paint colors available on each component.

Ⓔ = Excluded

Steelcase Surfaces

Price Group 1

Smooth Paint
4238 Mocha
4239 Clay
4240 Chalk
4242 Milk

Textured Paint
7207 Black
7225 Sand
7237 Slate
7238 Fieldstone
7239 Midnight Ⓔ
7241 Arctic White
7243 Seagull
7250 Sterling Dark Solid
7360 Merle

Price Group 2

Smooth Metallic Paint
4750 Champagne Metallic
4798 Sterling Metallic Ⓔ
4799 Platinum Metallic
4803 Near Black Metallic

Smooth Paint
0835 Black
4700 Warm White

Applies to:
- 2 1/2" round grommet

Price Group 1

Smooth Paint
7241 Arctic White

Textured Paint
7360 Merle

Price Group 2

Smooth Paint
0835 Black
4700 Warm White

Smooth Metallic Paint
4799 Platinum Metallic

Applies to:
- Post legs

Price Group 1

7207 Black (Textured)
7225 Sand (Textured)
7241 Arctic White (Textured)
7243 Seagull (Textured)

Price Group 2

4750 Champagne Metallic
4798 Sterling Metallic Ⓔ
4799 Platinum Metallic
7246 Midnight Metallic (Textured)

Applies to:
- Wood and laminate skin trims

Price Group 1

Smooth Paint
4238 Mocha
4239 Clay
4240 Chalk
4242 Milk

Price Group 2

Textured Paint
7207 Black
7225 Sand
7237 Slate
7241 Arctic White
7243 Seagull
7250 Sterling Dark Solid
7360 Merle

Smooth Metallic Paint
4799 Platinum Metallic

Price Group 3

Accent paint
Accent paints allow you to choose from a pre-matched color palette of trend driven colors. Refer to the *Surface Materials Reference Manual* for more information.

Coatings
1ATT Cast Shadow

Lux Coatings
4B20 Obsidian
4B22 Matte Brass
4B23 Burnished Bronze
4B24 Night Bronze
4B25 Matte Copper
4B26 Smoked Mica
4B29 Cast Iron

Tip: Lux Coatings is not offered on Answer panels with a square or an oval trim.

Custom Surfaces

Price Group 3

PerfectMatch
PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

Laminate

Steelcase Surfaces

Applies to:
- Duo storage boxes

Solid Laminate

2722 Cream Ⓔ
2730 Arctic White
2746 Black
2759 Warm White
2811 Mist Ⓔ
2883 Seagull
2884 Milk
2885 Dune

Applies to:
- Answer laminate skins
- High-Density storage
- Universal worksurfaces and tables—High-Pressure Laminate
- Universal storage tops
- Infills for FrameOne legs

High-Pressure Laminate

Price Group 1

Fiber Laminate
2850 Vanadium Fiber
2854 Vellum Fiber Ⓔ
2860 Granite Fiber
2862 Stucco Fiber Ⓔ

Micro Laminate
2920 Marl Micro
2921 Gypsum Micro
2922 Clay Micro

Patina Laminate
2870 Blonde Bronze Patina
2873 Instant Iron Patina

Solid Laminate
2722 Cream Ⓔ
2730 Arctic White
2746 Black
2759 Warm White
2811 Mist Ⓔ
2883 Seagull
2884 Milk
2885 Dune
2HAA Persian Salt
2HAB Rose
2HAC Indigo
2HAD Green Citrine Ⓔ
2HAE Dark Olivine
2HAF Cloudy
2HMG Merle
2HWU Clay
2HWV Chalk

Speckle Laminate
2820 Coffee Speckle Ⓔ
2823 Driftwood Speckle
2824 Smoke Speckle
2825 Vanadium Speckle

Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain Laminate
2406 Clear Cherry Ⓔ
2409 Clear Maple
2410 Graphite Walnut
2412 Natural Cherry
2422 Medium Cherry Ⓔ
2511 Winter on Maple Ⓔ
2535 Virginia Walnut
2536 Blackwood
2538 Clear Walnut
2592 Blonde on Maple Ⓔ
2714 Natural Walnut Ⓔ
2HAK Clear Oak
2HAN Ash Noce
2HAT Acacia
2HAW Ash Wenge
2HBN Bisque Noce
2HBW Bisque Wenge
2HCN Clay Noce
2HCW Clay Wenge
2HSN Storm Noce
2HSW Storm Wenge
2HWA Grey Kingswood
2HWB Planked Walnut
2HWD Resolute Walnut
2HWE Natural Recon
2HWF Smoked Walnut Ⓔ
2HZA Waxed Maple
2HZB Natural Ash
2HZC Aged Ash
2HZD Ashwood Oak
2HZE Ashwood Beige
2HZF White Washed Birchply

Tip: Woodgrain laminates are not available as a matched set. The grain patterns will not align. These are not recommended for fully segmented skin applications.

Tip: 2535 Virginia Walnut and 2536 Blackwood are not available on doors.

Price Group 2

Textured Laminate
2TH2 Fawn Cypress
2TH4 Saddle Oak
2TH5 Veranda Teak
2TH7 Walnut Heights
2UH1 Reclaimed Aggregate
2UH2 Reclaimed Gravel
2UH4 Cement**
2UH6 Sheetrock

*** 2UH4 Cement has limited availability, determined by product sizing and/or options.*

Price Group 3

Solid Laminate
24H1 Satin White
24H2 Satin Black
24H3 Satin Stone
24H4 Satin Mocha

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of $111 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Universal worksurfaces and Universal Storage tops, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements
To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:
- Visit *www.steelcase.com*

For additional information, refer to the *Steelcase Surface Materials Reference Manual.*

Ⓔ = Excluded

Wood

Applies to:
- Universal worksurfaces and tables–wood veneer
- Answer pedestal tops and fronts
- High-Density storage
- Universal storage tops and fronts
- Wood skins and trims
- Infills for FrameOne legs

Tip: Wood is not offered as a finish on the value package for High-Density storage cases.

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:
- Do not store products in trailers
- Store products in areas hat simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Tip: Answer panel wood trims are only available with quarter-cut finishes with the exception of maple finishes. Maple on wood trims is only available with flat-cut finishes. For ordering simplicity, both flat-cut and quarter-cut finishes can be specified on panel trims. However, for all finishes except maple, if a flat-cut finish is selected, the trims will have the coordinating quarter-cut finish. For maple finishes, if quarter-cut is selected, the trims will have the coordinating flat-cut finish. Blending panel trims with other wood products that have flat-cut finishes may be visually acceptable for most applications. If a more exact match is desired for non-maple finishes, please specify quarter-cut finishes for the entire project. If a more exact match is desired for maple finishes, please specify flat-cut finishes for the entire project.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Veneer

Wood Group 1

Flat-Cut Open-Pore
3062 FC/OP Graphite Walnut
3402 FC/OP Clear Cherry (Aged)
3412 FC/OP Natural Cherry Ⓔ
3422 FC/OP Medium Cherry
3522 FC/OP Clear Maple
3702 FC/OP Clear Walnut
3712 FC/OP Natural Walnut
3752 FC/OP Medium Walnut Ⓔ
3762 FC/OP Dark Walnut
3772 FC/OP Medium Mahogany on Walnut

Flat-Cut Open-Pore, Natural Veneer
3342 FC/OP Black Walnut
35A2 FC/OP Blanch Maple
37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore
3042 QC/OP Ash Ⓔ
3222 QC/OP Clear Maple
3302 QC/OP Clear Walnut
3312 QC/OP Natural Walnut
3352 QC/OP Medium Walnut Ⓔ
3362 QC/OP Dark Walnut
3372 QC/OP Medium Mahogany on Walnut
3382 QC/OP Graphite Walnut

Quarter-Cut Open-Pore, Natural Veneer
32A2 QC/OP Blanch Maple
33A2 QC/OP Thunder Walnut
3392 QC/OP Black Walnut

Rift-Cut Open-Pore
3602 RC/OP Desert Oak

Rift-Cut Open-Pore, Natural Veneer
36A2 RC/OP Volcanic Oak

Wood Group 3

Flat-Cut Open-Pore, Natural Veneer
3082 FC/OP Washed Walnut

Wood Group 1

Open-Pore Planked Veneer
3P41 OP Planked Cherry
3P51 OP Planked Maple
3P61 OP Planked Oak
3P71 OP Planked Walnut
3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as Wood Group 3 as part of our Select Surfaces program and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on *village.steelcase.com* for sample information and product line availability. All premium veneers are in clear-coat.

Wood Group 3

Quarter-Cut Open-Pore
3832 QC/OP Figured Anegre

Select Surfaces

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are available as part of our Select Surfaces program, with Wood Group 1 pricing.

Composite veneers are not available on Answer trims.

Composite Veneer Group 1

Composite Flat-Cut Open-Pore
3JJX FC/OP Walnut Composite
3LAX FC/OP Graphite on Oak Composite
3LCX FC/OP Medium Cherry on Cherry Composite

Composite Quarter-Cut Open-Pore
3F8X QC/OP European Walnut Composite
3HGX QC/OP Oak Composite
3HVX QC/OP Walnut Composite
3LBX QC/OP Clear Walnut on Walnut Composite
3LDX QC/OP Natural Walnut on Walnut Composite

Ⓔ = Excluded

Composite Veneer Group 2

Composite Flat-Cut Open-Pore
3LHX FC/OP Espresso on Walnut Composite

Composite Quarter-Cut Open-Pore
3LEX QC/OP Desert Oak on Oak Composite
3LGX QC/OP Chai on Walnut Composite
3LJX QC/OP Ebony on Walnut Composite

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A $500 stain-matching fee applies on CUSTOMIZ requests (Exception: The $500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The $500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A $1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a $1,000 fee at any point within five years after the $1,500 initiation fee was paid. If the finish is not reactivated within five years after the $1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the $1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual.*

Plastic

Steelcase Surfaces

Applies to:
- Oval trim components

6000 Black
6009 Arctic White
6052 Milk
6053 Seagull
6271 Plywood
6654 Sand
6655 Warm White
6685 Champagne
6686 Gold Dust Ⓔ
6695 Midnight
6696 Sterling Ⓔ
6697 Fog
6698 Fieldstone
6699 Platinum

Applies to:
- Oval pull

6000 Black
6249 Platinum Solid
6654 Sand
6695 Midnight
6698 Fieldstone

Applies to:
- Oval trim components
- Oval pulls

Tip: The following plastic is available for existing customers only. The matching paints have moved to the Surface Materials Reference Manual.
6651 Tungsten Ⓔ

Applies to:
- Duplex cable grommets

6000 Black
6009 Arctic White
6249 Platinum Solid
6607 Woodrose Ⓔ
6608 Driftwood Ⓔ
6609 Smoke Ⓔ
6612 Grey V2 Ⓔ
6655 Warm White
6697 Fog

Applies to:
- 3 mm and 1 mm front edge profile on Universal systems worksurfaces and tables
- 1 mm square edge profile on Universal storage laminate tops

6000 Black
6009 Arctic White
6034 Natural Cherry
6036 Medium Cherry
6037 Winter on Maple
6038 Blonde on Maple Ⓔ
6041 Natural Walnut Ⓔ
6052 Milk
6053 Seagull
6169 Stone
6170 Mocha
61AA Persian Salt
61AB Rose
61AC Indigo
61AD Green Citrine Ⓔ
61AE Dark Olivine
61AF Cloudy
6213 Acacia
6219 Clear Oak
6231 Graphite Walnut
6237 Clear Maple
6242 Virginia Walnut
6243 Blackwood
6245 Clear Walnut
6249 Platinum Solid
6271 Plywood
6527 Merle
6619 Ice Ⓔ
6631 Cream Ⓔ
6635 Dawn Ⓔ
6636 Mist
6654 Sand
6655 Warm White
6695 Midnight
6697 Fog
6698 Fieldstone
66WA Grey Kingswood
66WB Planked Walnut
66WD Resolute Walnut
66WE Natural Recon
66WF Smoked Walnut
66WU Clay
66WV Chalk
6703 Ash Wenge
6704 Storm Wenge
6705 Bisque Wenge
6706 Clay Wenge
6707 Ash Noce
6708 Bisque Noce
6709 Clay Noce
6710 Storm Noce
6T02 Fawn Cypress
6T04 Saddle Oak
6T05 Veranda Teak
6T07 Walnut Heights
6T08 Aggregate
6T09 Gravel
6T10 Cement
6T12 Sheetrock

Ⓔ = Excluded

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Accessory Paint

Steelcase Surfaces

Applies to:
- Adjustable-height legs with glides
- Universal table bases

4140 Arctic White Gloss
4144 Black Gloss

Metal

Steelcase Surfaces

Applies to:
- 2½ round grommet

9201 Polished Chrome
9211 Nickel

Applies to:
- X-base and T-base

8046 Polished Aluminum

Plated Metal

Steelcase Surfaces

Applies to:
- Universal storage pulls

0835 Black
9201 Polished Chrome
9211 Nickel
9212 Silver

Glass

Steelcase Surfaces

Applies to:
- Back painted glass skins

6521 Truffle
6571 Aubergine
6575 Peacock
6576 Jungle
6577 Merlot
6578 Lagoon
6579 Saffron
6581 Blue Jay
6584 Tangerine
6586 Green Citrine
6588 Purple Berry
6589 Mercury
6591 Merle
6593 Greyscale
6595 Winter
6597 Honey
6BB1 Cloud
6BB2 Rose Quartz
6BB3 Olivine
6BB4 Electric Indigo

Vertical Surface Fabric

▶ See *Surface Materials Reference Manual* for a listing of available fabrics for Divisio side screen.

Applies to:
- Fabric skins

Steelcase Surfaces

Price Group A

Sprite
5540 Khaki
5541 Snow
5543 Linen
5544 Sherbet
5545 Powder
5547 Sky

Price Group 1

Abacus Ⓔ
P123 Portico
P124 Opus
P125 Cusp
P126 Artifact

Alloy
P525 Polar
P526 Skim
P527 Bubbly
P528 Tern
P529 Shore
P530 Asti
P531 Silver
P532 Oxide
P533 Element
P534 Construct
P535 Currency
P536 Iron

Boccie
P200 New Rice
P201 New Almond
P203 New Camel
P204 New Opal
P205 New Mist
P206 New Plum
P208 New Spearmint
P209 New Sky

Buzz2
5F03 Tomato
5F04 Red Ⓔ
5F05 Burgundy
5F06 Sky Ⓔ
5F07 Blue
5F08 Navy
5F15 Stone
5F16 Grey
5F17 Black
5G50 Dunegrass
5G51 Sable
5G55 Pumpkin
5G57 Rouge
5G59 Meadow
5G61 Cyan
5G62 Atlantic
5G63 Crocus
5G64 Alpine
5G65 Tornado

Charm
P505 Shell
P506 Mimosa
P507 Birch
P508 Sparkle
P510 Debut
P511 Clover
P513 Twilight

Optic
P540 Hazel
P541 Twinkle
P542 Orion
P547 Bath
P548 Whisper
P549 Breezy
P551 Glimmer

Pianista
P420 Sand
P421 Mist
P422 Rain
P423 Natural
P424 Café
P425 Denim
P426 Carbon
P427 Stone
P428 Flax
P429 Oat
P430 Wheat
P431 Maize

Rhythm
P555 Allegro
P556 Tempo
P557 Refrain
P560 Melody
P562 Opus

Tinsel
P515 Sugar
P516 Lit
P517 Ego
P518 Fizz
P519 Muse
P520 Depth
P521 Bliss
P522 Grow
P523 Dolce
P524 Boost

Price Group 2

Bariolage
G200 New Etude
G201 New Andante E
G202 New Cantata E
G203 New Adagio
G205 New Ballata

Code
5FA1 Fossil
5FA2 Gabbro
5FA3 Reed
5FA4 Bluff
5FA5 Sea Salt
5FA6 Cannon
5FA7 Tussah
5FA9 Ecru
5FB1 Bamboo

Dovetail by Designtex
5H39 Light Mocha
5H40 Pebble
5H41 Warm White
5H42 Sandstone
5H43 Honeycomb
5H44 Terra
5H45 Honeydew
5H46 Denim
5H47 Storm
5H48 Ice Blue
5H49 Aura
5H50 Darkest Grey

Flip: Orbit
5F85 Mud Pie E
5F87 Petoskey
5F89 Papyrus
5F91 Blizzard
5F92 Briquette

Flip: TexHex
5F75 Mud Pie E
5F77 Petoskey
5F79 Papyrus
5F97 Blizzard
5F98 Briquette

Fresco
G001 Sandrift
G002 Mistiblu
G003 Faon

Intersection
P211 Summit
P212 Chalk
P213 Lace

Latch
P600 Seashell
P601 Clam
P602 Eggshell
P603 Zen
P604 Cool Gray
P605 Armor
P606 Sentinel
P608 Billow
P609 Nimbus

SoftNext
5H27 Obsidian
5H28 Foggy Night
5H29 Greystone
5H30 Mocha
5H31 Clay
5H32 Sandstone
5H33 Chalk
5H34 Midnight
5H35 Blue Mica
5H36 Jade
5H37 Burnt Umber
5H38 Cinnabar

Stencil
P455 Midnight
P456 Mulberry
P457 Cracked Pepper
P458 Denim
P459 Chartreuse
P460 Bittersweet
P461 Mauvelous
P462 Bermuda
P463 Concrete
P464 Orchid
P465 Parchment
P466 Silk
P467 Sea Salt
P468 Honeydew
P469 Sepia

Price Group 3

Billiard Multi-Use by Designtex
5H11 Poppy
5H12 Tangelo
5H13 Citrine/Citron
5H14 Avocado
5H16 Indigo
5H17 Mallard
5H18 Teak
5H19 Cumulus
5H20 Pewter
5H21 Gunmetal
5H22 Ink
5H23 Rose Quartz
5H24 Sea Salt
5H25 Storm Cloud
5H26 Olivine

Applies to:
• Universal screens

Price Group 1

Abacus E
Buzz2

E = Excluded

Price Group 2

Code
Cogent: Connect
Crossweave by Designtex
Dovetail by Designtex
Gamut by Designtex
Intersection
Latch
SoftNext
Stencil
Tip: Designtex: Gamut and Designtex: Crossweave are part of the Select Surfaces program.
▶ *See* Surface Materials Reference Manual *for more information on the Select Surfaces program.*

Price Group 3

Billiard Multi-Use by Designtex

Applies to:
• Sarto screens

Price Group A

Sprite

Price Group 1

Abacus E
Alloy
Boccie
Buzz2
Charm
Link *
Optic
Pianista
Rhythm

Price Group 2

Bariolage
Cogent: Connect *
Dovetail by Designtex
Flip: Orbit
Flip: TexHex
Fresco
Intersection
Latch
SoftNext
Stencil

* Link and Cogent: Connect are not available on Sarto curved screens.

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit *steelcase.com/surface-materials* under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage
To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:
• Visit *www.steelcase.com*

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

▶ See *Surface Materials Reference Manual* for a listing of available seating upholstery colors.

Seating Upholstery

▶ See *Surface Materials Reference Manual* for a listing of available fabrics for Divisio side screen.

Applies to:
• Mobile pedestal cushion top
• Basic cushion enhanced
**Not available on basic cushion enhanced*

Steelcase Surfaces

Price Group 1

Buzz2
Era
Jacks E
Link
New Black
Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Price Group 2

Chainmail
Cogent: Connect
Dovetail by Designtex
Foundation*
New Black
Nitelights
SoftNext
Stand In*
Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Price Group 3

Billiard Multi-Use by Designtex
Gaja
Redeem
Retrieve

Price Group 5

Bo Peep
Remix

Price Group 6

Brisa*

Price Group 7

Steelcut Trio*

Leather

Café*
Steelcase Leather* E

Elmosoft Leather

Elmosoft Leather*

Applies to:
- High-Density storage magnetic board

Price Group 2

Cogent: Connect

Price Group 3

Billiard Multi-Use by Designtex

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit *steelcase.com/surface-materials* under the Select Surfaces section.

Custom Surfaces


Price Group COM (Customer's Own Material)

Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:
- Visit *www.steelcase.com*


E = Excluded

Specification Guidelines for Directional Fabrics



Warp Horizontal

The standard application direction of fabric on Answer panels, skins, and Hutch kit tackboard is warp horizontal. Standard Steelcase fabrics were designed for this application direction.



Warp Vertical

The optional application direction of fabrics on Answer panels, skins, and Hutch kit tackboard is warp vertical. This is most commonly used on COMs designed for warp vertical application.

For more information about the warp direction of fabrics, see the *Surface Materials Reference Manual*.

Paint Color Availability Matrix

Legend

- • = Not available
- ■ = Available
- □ = Available with exceptions
- Ⓔ = Excluded

	Paint Price Group 1 (Smooth)	4238 Mocha	4239 Clay	4240 Chalk	4242 Milk	Paint Price Group 1 (Textured)	7207 Black	7225 Sand	7237 Slate	7238 Fieldstone	7239 Midnight	7241 Arctic White	7243 Seagull	7250 Sterling Dark Solid	7360 Merle	Paint Price Group 2 (Metallic)	4750 Champagne Metallic	4798 Sterling Metallic	4799 Platinum Metallic	4803 Near Black Metallic	Paint Price Group 2 (Smooth Paint)	0835 Black	4700 Warm White	Paint Price Group 3 (Coatings)	1ATT Cast Shadow
Panels																									
Panel trim components		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		□
Skins and Related Products																									
Steel skins and technology skins		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Slatwall skins		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		•	•		•
Glass windows		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Laminate skin trim		■	■	■	■		■	■	■	•	•	■	■	■	■		•	•	■	•		•	•		•
Wood skin trim		■	■	■	■		■	■	■	•	•	■	■	■	■		•	•	■	•		•	•		•
Panel top screen supports (for square trim only)		•	•	•	•		•	■	•	•	•	■	•	■	•		•	•	■	•		•	•		•
Sliding panel doors		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		•	•		•
Storage																									
Universal storage		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Universal overhead bins and shelves, upmount bin brackets, and hutch kits		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Answer storage components		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		•	•		•
Duo storage legs and brackets		•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	■	•		■	■		■
Duo storage steel interior cover		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Worksurfaces, Desks, and Tables																									
Metal center drawer		■	■	■	■		■	■	■	■	■	■	■	■	•		■	■	■	■		■	■		■
Cantilevers, center support panels, and end panels		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Universal legs, double post C-Legs, and columns		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	□		■	■		■
Adjustable-height legs		•	•	•	•		■	•	•	•	•	•	•	•	•		■	■	■	□		•	•		•
Universal table bases		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		•
FrameOne legs and supports		■	■	■	■		■	■	■	■	■	■	■	■	■		■	■	■	■		■	■		■
Worksurface Screens																									
Universal privacy/modesty screen brackets		•	•	•	•		•	•	•	•	•	•	•	•	■		•	•	•	•		•	•		•
Universal privacy screen brackets		•	•	•	•		•	•	•	•	•	■	•	•	■		•	•	■	•		•	•		•
Universal screen with Answer thin trim top cap		•	•	•	•		•	•	•	•	•	•	•	•	■		•	•	•	•		•	•		•
Sarto privacy/modesty screen brackets		•	•	•	•		•	•	•	•	•	•	•	•	■		•	•	•	•		•	•		•
Sarto privacy screen brackets		•	•	•	•		•	•	•	•	•	•	•	•	■		•	•	•	•		•	•		•

Paint Price Group 3 (Lux Coatings)	4B20 Obsidian	4B22 Matte Brass	4B23 Burnished Bronze	4B24 Night Bronze	4B25 Matte Copper	4B26 Smoked Mica	4B29 Cast Iron
	□	□	□	□	□	□	□
	■	■	■	■	■	■	■
	•	•	•	•	•	•	•
	■	■	■	■	■	■	■
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	■	■	■	■	■	■	■
	■	■	■	■	■	■	■
	•	•	•	•	•	•	•
	■	■	■	■	■	■	■
	■	■	■	■	■	■	■
	•	•	•	•	•	•	•
	■	■	■	■	■	■	■
	■	■	■	■	■	■	■
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	■	■	■	■	■	■	■
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•

Tip: Coatings and Lux Coatings is not offered on Answer panels with a square or an oval trim.

Recommended Worksurface Edge Finishes

Recommended Edge Colors—High-Pressure Laminate

Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Laminate Color		Recommended 3 mm or 1 mm Edge Color	
Fiber Laminate			
2850	Vanadium Fiber	6654	Sand
2851	Rhyme Fiber	6631	Cream Ⓔ
2854	Vellum Fiber Ⓔ	6655	Warm White
2859	Novell Fiber	6695	Midnight Solid
2860	Granite Fiber	6000	Black
2861	Coconut Fiber	6654	Sand
2862	Stucco Fiber Ⓔ	6053	Seagull
Micro Laminate			
2920	Marl Micro	6053	Seagull
2921	Gypsum Micro	6654	Sand
2922	Clay Micro	6654	Sand
Patina Laminate			
2870	Blonde Bronze Patina	6654	Sand
2873	Instant Iron Patina	6527	Merle
Solid Laminate			
24H1	Satin White	6009	Arctic White
24H2	Satin Black	6000	Black
24H3	Satin Stone	6169	Stone
24H4	Satin Mocha	6170	Mocha
2722	Cream Ⓔ	6631	Cream Ⓔ
2730	Arctic White	6009	Arctic White
2746	Black	6000	Black
2759	Warm White	6655	Warm White
2811	Mist Ⓔ	6636	Mist
2883	Seagull	6053	Seagull
2884	Milk	6052	Milk
2885	Dune	6654	Sand
2HAA	Persian Salt	61AA	Persian Salt
2HAB	Rose	61AB	Rose
2HAC	Indigo	61AC	Indigo
2HAD	Green Citrine Ⓔ	61AD	Green Citrine Ⓔ
2HAE	Dark Olivine	61AE	Dark Olivine
2HAF	Cloudy	61AF	Cloudy
2HMG	Merle	6527	Merle
2HWU	Clay	66WU	Clay
2HWV	Chalk	66WV	Chalk
Speckle Laminate			
2820	Coffee Speckle Ⓔ	6631	Cream Ⓔ
2823	Driftwood Speckle	6631	Cream Ⓔ
2824	Smoke Speckle	6636	Mist
2825	Vanadium Speckle	6619	Ice Ⓔ


Laminate Color		Recommended 3 mm or 1 mm Edge Color	
Textured Laminate			
2TH2	Fawn Cypress	6T02	Fawn Cypress
2TH4	Saddle Oak	6T04	Saddle Oak
2TH5	Veranda Teak	6T05	Veranda Teak
2TH7	Walnut Heights	6T07	Walnut Heights
2UH1	Reclaimed Aggregate	6T08	Aggregate
2UH2	Reclaimed Gravel	6T09	Gravel
2UH4	Cement	6T10	Cement
2UH6	Sheetrock	6T12	Sheetrock
Woodgrain Laminate			
2406	Clear Cherry Ⓔ	6234	Clear Cherry
2409	Clear Maple	6237	Clear Maple
2410	Graphite Walnut	6231	Graphite Walnut
2412	Natural Cherry	6034	Natural Cherry
2422	Medium Cherry Ⓔ	6036	Medium Cherry
2511	Winter on Maple Ⓔ	6037	Winter on Maple
2535	Virginia Walnut	6242	Virginia Walnut
2536	Blackwood	6243	Blackwood
2538	Clear Walnut	6245	Clear Walnut
2592	Blonde on Maple Ⓔ	6038	Blonde on Maple Ⓔ
2714	Natural Walnut Ⓔ	6041	Natural Walnut Ⓔ
2HAK	Clear Oak	6219	Clear Oak
2HAN	Ash Noce	6707	Ash Noce
2HAT	Acacia	6213	Acacia
2HAW	Ash Wenge	6703	Ash Wenge
2HBN	Bisque Noce	6708	Bisque Noce
2HBW	Bisque Wenge	6705	Bisque Wenge
2HCN	Clay Noce	6709	Clay Noce
2HCW	Clay Wenge	6706	Clay Wenge
2HSN	Storm Noce	6710	Storm Noce
2HSW	Storm Wenge	6704	Storm Wenge
2HWA	Grey Kingswood	66WA	Grey Kingswood
2HWB	Planked Walnut	66WB	Planked Walnut
2HWD	Resolute Walnut	66WD	Resolute Walnut
2HWE	Natural Recon	66WE	Natural Recon
2HWF	Smoked Walnut Ⓔ	66WF	Smoked Walnut
2HZA	Waxed Maple	6X50	Waxed Maple
2HZB	Natural Ash	6X51	Natural Ash
2HZC	Aged Ash	6X10	Aged Ash
2HZD	Ashwood Oak	6X52	Ashwood Oak
2HZE	Ashwood Beige	6X53	Ashwood Beige
2HZF	White Washed Birchply	6X54	White Washed Birchply

Ⓔ = Excluded

Directional Laminate Grain Directions

Directional laminates are standard with the grain directions shown.

Universal Systems Worksurfaces—High-Pressure Laminate



Universal Tables—High-Pressure Laminate



Straight Table




Capsule Table



Spanner Table



Peninsula Table



Tapered Peninsula Table



Round Table




Square Table



Rectangle Table



Oval Table




Hex Conference Table


Wood Veneer Grain Directions

The appearance of wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.


Universal Systems Worksurfaces—Wood Veneer



Universal Tables—Wood Veneer



Straight Table




Capsule Table



Spanner Table



Peninsula Table




Tapered Peninsula Table




Round Table




Square Table



Rectangle Table



Oval Table



Hex Conference Table


Resources

Lock and Keying for Universal Steel Storage Products and High-Density Storage 690

Style Number Index 692

Lock and Keying for Universal Steel Storage Products and High-Density Storage

All locking products are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options. *Exception: Individual locking drawers are only available with field-installed locks.*



Locks consist of a factory- or field-installed lock cylinder and a factory-installed lock face ring.

Two types of locks are available—the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR999 (Master keying numbers: XF1001 to XF3000). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

▶See below.

Key Random

FR305
FR421
FR305
or
XF1011
XF1042
XF1011
XF Master Key

Required to Specify

Master key random	+$39	Specify *with master key random.*

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.
Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR999 (Master keying numbers: XF1001 to XF3000).
Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key Random

FR305
FR421
FR305
or
XF1011
XF1042
XF1011
XF Master Key

Key specific means that you can specify any key number from FR305 to FR999 (Master keying numbers: XF1001 to XF3000). This option can be used to key all the furniture units in a workstation or department the same.
Tip: Designate the quantity per key number in your specification.

▶See example at right.

Key Specific

FR350
FR350
FR350
or
XF1020
XF1020
XF1020
XF Master Key

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR999 (Master keying numbers: XF1001 to XF3000).

Key Consecutive

FR350
FR351
FR352
or
XF1020
XF1021
XF1022
XF Master Key


Example of a typical lock cylinder specification is shown below:

10	LOCKFR FR320
5	LOCKFR FR350
15	LOCKXF XF1100
30	Total

1 877102003SR standard lock tool
1 877102002SR master lock tool

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Standard Includes	Required to Specify
• Lock cylinder • Two keys	1 Style number 2 Lock finish 9201 Polished Chrome 9250 Ember Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR999.
Key consecutive	No cost	Specify *key consecutive* and select beginning key number from FR305–FR999.
Master key random	+$39 each	Specify *master key random.*
Master key specific	+$39 each	Specify key number from XF1001–XF3000.
Master key consecutive	+$39 each	Specify *master key consecutive* and select beginning key number from XF1001–XF3000.

Specification Information	
• **Style Number**	• **U.S. Base Price**

FR Series (Standard Keying System)—Lock Cylinder

LOCKFR	No cost

Tip: You can change lock cylinders in the field by using the appropriate lock tool.

Standard Lock Tool

877102003SR	$39

XF Series (Master Keying System)—Lock Cylinder

LOCKXF	No additional cost. Price included in price of furniture with master-keyed locks.

Master Lock Tool

877102002SR	$39

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Style Number Index

Style Number	Page	Description
800DV12	660	Dividers
800DV6	660	Dividers
800RW	660	Rail
877102002SR	691	Master Lock Tool
877102003SR	691	Standard Lock Tool
98765	578	Termination Plate
98766	578	Cable/Fiber Reel
98767	579	Cord Reels
98863	508	Dx Cable Grom
999CHT	579	Wire Clips
AWAG2	577	2½" Round Grommet
AWVBP	577	Power/Power Box
AWVW	579	Wire Mgr
BADJ	594	U Tbl Adj-Hgt Leg
BADJ4	594	U Tbl Adj-Hgt Leg
BADJ4C	594	U Tbl Adj-Hgt Leg
BADJC	594	U Tbl Adj-Hgt Leg
BDTD54	669	Shared Tall Storage
BDTD54ANL	668	Shared Tall Storage
BDTD66	669	Shared Tall Storage
BDTD66ANL	668	Shared Tall Storage
BDTD78ANL	668	Shared Tall Storage
BDTS54	669	Individual Tall Storage
BDTS54ANL	668	Individual Tall Storage
BDTS66	669	Individual Tall Storage
BDTS66ANL	668	Individual Tall Storage
BDTS78ANL	668	Individual Tall Storage
BEL2142	591	U Tbl Oval
BEL3042	591	U Tbl Oval
BEL3060	591	Univ Tbl Oval
BEL3648	591	U Tbl Oval
BEL3672	591	U Tbl Oval
BEL4278	591	U Tbl Oval
BEL4896	591	U Tbl Oval
BFK2448	584	U Tbl Capsule
BFK3060	584	U Tbl Capsule
BFK3672	584	U Tbl Capsule
BFK4284	584	U Tbl Capsule
BFK4896	584	U Tbl Capsule
BFP2736	586	U Tbl Pnsl
BFR30	588	U Tbl Round
BFR36	588	U Tbl Round
BFR42	588	U Tbl Round
BFR48	588	U Tbl Round
BFR54	588	U Tbl Round
BFRQ24	589	U Tbl Square
BFRQ30	589	Univ Tbl Square
BFRQ36	589	U Tbl Square
BFRQ42	589	U Tbl Square
BFRQ48	589	U Tbl Square
BFRQ54	589	U Tbl Square
BFRR3660	590	U Tbl Rectangle
BFRR3666	590	U Tbl Rectangle
BFRR3672	590	U Tbl Rectangle
BFRR4284	590	U Tbl Rectangle
BFRR4896	590	U Tbl Rectangle
BFS2430	583	U Tbl Str
BFS2436	583	U Tbl Str
BFS2442	583	Univ Tbl Str
BFS2448	583	U Tbl Str
BFS2454	583	U Tbl Str
BFS2460	583	U Tbl Str
BFS2466	583	U Tbl Str
BFS2472	583	U Tbl Str
BFS2478	583	U Tbl Str
BFS3036	583	U Tbl Str
BFS3042	583	U Tbl Str
BFS3048	583	U Tbl Str
BFS3054	583	U Tbl Str
BFS3060	583	U Tbl Str
BFS3066	583	U Tbl Str
BFS3072	583	U Tbl Str
BFS3078	583	U Tbl Str
BFSP48	585	U Tbl Spnr
BFSP52	585	U Tbl Spnr
BFSP60	585	U Tbl Spnr
BFSP64	585	U Tbl Spnr
BFTP48	587	U Tbl Taprd Pnsl
BFTP60	587	U Tbl Taprd Pnsl
BHEX3660	592	Univ Tbl Hex Conf
BHEX3666	592	U Tbl Hex Conf
BHEX3672	592	U Tbl Hex Conf
BHEX4296	592	U Tbl Hex Conf
BHEX48120	592	U Tbl Hex Conf
BHEX48150	592	U Tbl Hex Conf
BHEX48180	592	U Tbl Hex Conf
BHHCX	506, 551	Connector
BHHCY	506, 551	Connector
BHHCZ	506, 551	Connector
BPL	595	U Tbl Post Leg
BPL4	595	U Tbl Post Leg
BPL4C	595	U Tbl Post Leg
BPLC	595	U Tbl Post Leg
BT26	593	Univ Tbl Base
BT36	593	Univ Tbl Base
BX26	593	U Tbl Base
BX36	593	U Tbl Base
CBRKTS	353, 421	Flr Anchor Bracket
DVSS2912	573	Divisio Side Screen
FCD20	550	Center Drawer
FMVF	552	Filler Pkg Pwr/Data
FSCD20	550	Center Drawer
GQTUHCX	506, 551	Connector
GQTUHCY	506, 551	Connector
GQTUHCZ	506, 551	Connector
GSGUH100X	504	Internode Harness
GSGUH100XN	504	Modular Harness
GSGUH100Y	504	Modular Harness
GSGUH100YN	504	Modular Harness
GSGUH100Z	505	Modular Harness
GSGUH100ZN	505	Modular Harness
GSGUH120X	504	Modular Harness
GSGUH120XN	504	Modular Harness
GSGUH120Y	504	Modular Harness
GSGUH120YN	504	Modular Harness
GSGUH120Z	505	Modular Harness
GSGUH120ZN	505	Modular Harness
GSGUH12X	504	Modular Harness
GSGUH12XN	504	Modular Harness
GSGUH12Y	504	Modular Harness
GSGUH12YN	504	Modular Harness
GSGUH12Z	505	Modular Harness
GSGUH12ZN	505	Modular Harness
GSGUH144X	504	Modular Harness
GSGUH144XN	504	Modular Harness
GSGUH144Y	504	Modular Harness
GSGUH144YN	504	Modular Harness
GSGUH144Z	505	Modular Harness
GSGUH144ZN	505	Modular Harness
GSGUH22X	504	Modular Harness
GSGUH22XN	504	Modular Harness
GSGUH22Y	504	Modular Harness
GSGUH22YN	504	Modular Harness
GSGUH22Z	505	Modular Harness
GSGUH22ZN	505	Modular Harness
GSGUH28X	504	Modular Harness
GSGUH28XN	504	Modular Harness
GSGUH28Y	504	Modular Harness
GSGUH28YN	504	Modular Harness
GSGUH28Z	505	Modular Harness
GSGUH28ZN	505	Modular Harness
GSGUH32X	504	Modular Harness
GSGUH32XN	504	Modular Harness
GSGUH32Y	504	Modular Harness
GSGUH32YN	504	Modular Harness
GSGUH32Z	505	Modular Harness
GSGUH32ZN	505	Modular Harness
GSGUH38X	504	Modular Harness
GSGUH38XN	504	Modular Harness
GSGUH38Y	504	Modular Harness
GSGUH38YN	504	Modular Harness
GSGUH38Z	505	Modular Harness
GSGUH38ZN	505	Modular Harness
GSGUH44X	504	Modular Harness
GSGUH44XN	504	Modular Harness
GSGUH44Y	504	Modular Harness
GSGUH44YN	504	Modular Harness
GSGUH44Z	505	Modular Harness
GSGUH44ZN	505	Modular Harness
GSGUH50X	504	Modular Harness
GSGUH50XN	504	Modular Harness
GSGUH50Y	504	Modular Harness
GSGUH50YN	504	Modular Harness
GSGUH50Z	505	Modular Harness
GSGUH50ZN	505	Modular Harness
GSGUH54X	504	Modular Harness
GSGUH54XN	504	Modular Harness
GSGUH54Y	504	Modular Harness
GSGUH54YN	504	Modular Harness
GSGUH54Z	505	Modular Harness
GSGUH54ZN	505	Modular Harness
GSGUH64X	504	Modular Harness
GSGUH64XN	504	Modular Harness
GSGUH64Y	504	Modular Harness
GSGUH64YN	504	Modular Harness
GSGUH64Z	505	Modular Harness
GSGUH64ZN	505	Modular Harness
GSGUH76X	504	Modular Harness
GSGUH76XN	504	Modular Harness
GSGUH76Y	504	Modular Harness
GSGUH76YN	504	Modular Harness
GSGUH76Z	505	Modular Harness
GSGUH76ZN	505	Modular Harness
GSGUH88X	504	Modular Harness
GSGUH88XN	504	Modular Harness
GSGUH88Y	504	Modular Harness

Style Number	Page	Description
GSGUH88YN	504	Modular Harness
GSGUH88Z	505	Modular Harness
GSGUH88ZN	505	Modular Harness
HDPNLCNT	650	Panel Conn Bracket
HDSTG	646	High-Density Storage
HDSTGV	649	High-Den Strg Val Pckg
HDWS	650	Worksurface Sup Brckt
KDIV02	661	Bookends
KDIV20	661	Bookends
LOCKFR	691	Lock Cylinder
LOCKXF	691	Lock Cylinder
PAB12	665	Attachment Cable
PAB12M	665	Attachment Cable
PSCB	572	Sarto Alnmt Clip
PSPM	569	Sarto Privacy Screens
PSPS	571	Sarto Privacy Screens
PTDMGB1	576	Power Sphere
PTDMGB3	576	Pwr Comm Sphere
PTRSGB1	576	Power Comm Port
R30MBB	622	Flexible Mb Surf
R36MBB	622	Flexible Mb Surf
R42MBB	622	Flexible Mb Surf
R48MBB	622	Flexible Mb Surf
RAACT1	663	Counterweight Pkg
RAACT2	663	Counterweight Pkg
RAACT3	663	Counterweight Pkg
RAACW1	663	Counterweight Pkg
RAACW15	602	Counterweight Pkg
RAACW2	663	Counterweight Pkg
RAACW3	663	Counterweight Pkg
RAACW30	662	Counterweight Pkg
RAACW36	662	Counterweight Pkg
RAACW4	663	Counterweight Pkg
RAACW42	662	Counterweight Pkg
RAACW5	663	Counterweight Pkg
RAACW6	663	Counterweight Pkg
RAACW7	663	Counterweight Pkg
RAACW8	663	Counterweight Pkg
RAACWD	662	Counterweight Pkg
RAACWE	662	Counterweight Pkg
RAACWF	662	Counterweight Pkg
RAACWR	663	CW Retro Kit
RAANBRK	664	Anchor Bracket Pkg
RAHF30	659	Hanging Folder Bars
RAHF36	659	Hanging Folder Bars
RAHF42	659	Hanging Folder Bars
RASTDIV30	661	Shelf Div Assembly
RASTDIV36	661	Shelf Div Assembly
RASTDIV42	661	Shelf Div Assembly
RATCL18108_	654	Square Edge Top
RATCL1860_	654	Square Edge Top
RATCL1866_	654	Square Edge Top
RATCL1872_	654	Square Edge Top
RATCL1878_	654	Square Edge Top
RATCL1884_	654	Square Edge Top
RATCL1890_	654	Square Edge Top
RATCL1896_	654	Square Edge Top
RATCL24108_	655	Square Edge Top
RATCL2460_	655	Square Edge Top
RATCL2466_	655	Square Edge Top
RATCL2472_	655	Square Edge Top
RATCL2490_	655	Square Edge Top
RATCL2496_	655	Square Edge Top
RATCL3636_	655	Square Edge Top
RATCL3672_	655	Square Edge Top
RATCL4836_	655	Square Edge Top
RATCL4872_	655	Square Edge Top
RATCW1860_	655-656	Square Edge Top
RATCW1866_	655-656	Square Edge Top
RATCW1872_	655-656	Square Edge Top
RATCW1878_	655-656	Square Edge Top
RATCW1884_	655-656	Square Edge Top
RATCW1890_	655-656	Square Edge Top
RATCW1896_	655-656	Square Edge Top
RATCW2460_	655-656	Square Edge Top
RATCW2466_	655-656	Square Edge Top
RATCW2472_	655-656	Square Edge Top
RATCW2490_	655-656	Square Edge Top
RATCW2496_	655-656	Square Edge Top
RATF1830F	653	Steel Security Top
RATF1830P	653	Steel Security Top
RATF1836F	653	Steel Security Top
RATF1836P	653	Steel Security Top
RATF1842F	653	Steel Security Top
RATF1842P	653	Steel Security Top
RATF2430F	653	Steel Security Top
RATF2430P	653	Steel Security Top
RATF2436F	653	Steel Security Top
RATF2436P	653	Steel Security Top
RATL1830_	654	Square Edge Top
RATL1836_	654	Square Edge Top
RATL1842_	654	Square Edge Top
RATL2430_	654	Square Edge Top
RATL2436_	654	Square Edge Top
RATW1830_	655-656	Square Edge Top
RATW1836_	655-656	Square Edge Top
RATW1842_	655-656	Square Edge Top
RATW2430_	655-656	Square Edge Top
RATW2436_	655-656	Square Edge Top
RBB24LTAK	616	U In the Case Bin
RBB24QTAK	613	U Ovr the Case Bin
RBB24TAK	615	U In the Case Bin
RBB24WTAK	616	U In the Case Bin
RBB30LTAK	616	U In the Case Bin
RBB30QTAK	613	U Ovr the Case Bin
RBB30TAK	615	U In the Case Bin
RBB30WTAK	616	U In the Case Bin
RBB36LTAK	616	U In the Case Bin
RBB36QTAK	613	U Ovr the Case Bin
RBB36TAK	615	U In the Case Bin
RBB36WTAK	616	U In the Case Bin
RBB42LTAK	616	U In the Case Bin
RBB42QTAK	613	U Ovr the Case Bin
RBB42TAK	615	U In the Case Bin
RBB42WTAK	616	U In the Case Bin
RBB48LTAK	616	U In the Case Bin
RBB48QTAK	613	U Ovr the Case Bin
RBB48TAK	615	U In the Case Bin
RBB48WTAK	616	U Ovr the Case Bin
RBB60LTAK	616	U In the Case Bin
RBB60QTAK	613	U Ovr the Case Bin
RBB60TAK	615	U In the Case Bin
RBB60WTAK	616	U In the Case Bin
RBB66LTAK	616	U In the Case Bin
RBB66QTAK	613	U Ovr the Case Bin
RBB66TAK	615	U In the Case Bin
RBB66WTAK	616	U In the Case Bin
RBB72LTAK	616	U In the Case Bin
RBB72QTAK	613	U Ovr the Case Bin
RBB72TAK	615	U In the Case Bin
RBB72WTAK	616	U In the Case Bin
RBKVOFM	619	Vert OM Brkt
RCHE1715	609	Bsc Cushion E
RCHE1830	631	Bsc Cushion E
RCHE1836	631	Bsc Cushion E
RCHE1842	631	Bsc Cushion E
RCHE2315	609	Bsc Cushion E
RCHE2430	631	Bsc Cushion E
RCHE2436	631	Bsc Cushion E
RDD182448LA_	638	U Dual Door Tower
RDD182448LB_	638	U Dual Door Tower
RDD182448RA_	640	U Dual Door Tower
RDD182448RB_	640	U Dual Door Tower
RDD18244LA_	638	U Dual Door Tower
RDD18244LB_	639	U Dual Door Tower
RDD18244RA_	640	U Dual Door Tower
RDD18244RB_	641	U Dual Door Tower
RDD18245LC_	639	U Dual Door Tower
RDD18245LD_	639	U Dual Door Tower
RDD18245RC_	641	U Dual Door Tower
RDD18245RD_	641	U Dual Door Tower
RDD242448LA_	638	U Dual Door Tower
RDD242448LB_	638	U Dual Door Tower
RDD242448RA_	640	U Dual Door Tower
RDD242448RB_	640	U Dual Door Tower
RDD24244LA_	638	U Dual Door Tower
RDD24244LB_	639	U Dual Door Tower
RDD24244RA_	640	U Dual Door Tower
RDD24244RB_	641	U Dual Door Tower
RDD24245LC_	639	U Dual Door Tower
RDD24245LD_	639	U Dual Door Tower
RDD24245RC_	641	U Dual Door Tower
RDD24245RD_	641	U Dual Door Tower
RDIV	618	Dividers
RDS24TAK	618	U Personal Shelf
RDS30TAK	618	U Personal Shelf
RDS36TAK	618	U Personal Shelf
RDS42TAK	618	U Personal Shelf
RDS48TAK	618	U Personal Shelf
RDV1506	658	Dividers
RDV1512	658	Dividers
RDV151210	658	Dividers
RLF18301_	627	U One-High Lat File
RLF18301A_	627	U 1.5-High Lat File
RLF18301B_	628	U 1.5-High Lat File
RLF18301C_	628	U 1.5-High Lat File
RLF18301D_	628	U 1.5-High Lat File
RLF18302_	628	U Lat File
RLF18361_	627	U One-High Lat File
RLF18361A_	627	U 1.5-High Lat File
RLF18361B_	628	U 1.5-High Lat File
RLF18361C_	628	U 1.5-High Lat File
RLF18361D_	628	U 1.5-High Lat File
RLF18362_	628	U Lat File
RLF18421_	627	U One-High Lat File
RLF18421A_	627	U 1.5-High Lat File

Style Number	Page	Description
RLF18421B_	628	U 1.5-High Lat File
RLF18421C_	628	U 1.5-High Lat File
RLF18421D_	628	U 1.5-High Lat File
RLF18422_	628	U Lat File
RLF24301A_	627	U 1.5-High Lat File
RLF24301B_	628	U 1.5-High Lat File
RLF24301C_	628	U 1.5-High Lat File
RLF24301D_	628	U 1.5-High Lat File
RLF24302_	628	U Lat File
RLF24361A_	627	U 1.5-High Lat File
RLF24361B_	628	U 1.5-High Lat File
RLF24361C_	628	U 1.5-High Lat File
RLF24361D_	628	U 1.5-High Lat File
RLF24362_	628	U Lat File
RPCW	602	U Ped Counterwght
RPDC1830_	630	Cushion Top
RPDC1836_	630	Cushion Top
RPDC1842_	630	Cushion Top
RPDC2430_	630	Cushion Top
RPDC2436_	630	Cushion Top
RPF1827A_	601	U Fixed Pedestal
RPF1827B_	601	U Fixed Pedestal
RPF2427A_	601	U Fixed Pedestal
RPF2427B_	601	U Fixed Pedestal
RPF3027A_	601	U Fixed Pedestal
RPF3027B_	601	U Fixed Pedestal
RPM1821C_	608	U Mobile Pedestal
RPM1827A_	608	U Mobile Pedestal
RPM1827B_	608	U Mobile Pedestal
RPM2421C_	608	U Mobile Pedestal
RPM2427A_	608	U Mobile Pedestal
RPM2427B_	608	U Mobile Pedestal
RPULL15W	662	Wood Drawer Pull
RPULL30W	662	Wood Drawer Pull
RPULL36W	662	Wood Drawer Pull
RPULL42W	662	Wood Drawer Pull
RPXCK22718F	604	U Conv Kit
RPXCK22718P	604	U Conv Kit
RPXCK22724F	604	U Conv Kit
RPXCK22724P	604	U Conv Kit
RPXCK22730F	604	U Conv Kit
RPXCK22730P	604	U Conv Kit
RPXCK2718F	604	U Conv Kit
RPXCK2718P	604	U Conv Kit
RPXCK2724F	604	U Conv Kit
RPXCK2724P	604	U Conv Kit
RPXCK2730F	604	U Conv Kit
RPXCK2730P	604	U Conv Kit
RPXDPT	659	Pencil Tray
RPXFTAKFP	602	U Fil Prd Frnt Ped
RPXFTAKPP	602	U Fil Prd Frnt Ped
RPXFTINT	603	Univ Pedestal Interloc
RPXTC24F	608	U Ped Cushion Top
RPXTC24P	608	U Ped Cushion Top
RPXTCH24F	608	U Ped Cushion Top
RPXTCH24P	608	U Ped Cushion Top
RQS182448LA_	634	U Open Side Tower
RQS182448RA_	635	U Open Side Tower
RQS18244LA_	634	U Open Side Tower
RQS18244RA_	635	U Open Side Tower
RQS18245LC_	634	U Open Side Tower
RQS18245RC_	635	U Open Side Tower
RQS242448LA_	634	U Open Side Tower
RQS242448RA_	635	U Open Side Tower
RQS24244LA_	634	U Open Side Tower
RQS24244RA_	635	U Open Side Tower
RQS24245LC_	634	U Open Side Tower
RQS24245RC_	635	U Open Side Tower
RSB36LTAK	611	U Sld Dr Bin Lam Frnt
RSB36TAK	611	U Sldg Dr Bin Stl Frnt
RSB36WTAK	611	U Sldg Dr Bin Wd Frnt
RSB42LTAK	611	U Sld Dr Bin Lam Frnt
RSB42TAK	611	U Sldg Dr Bin Stl Frnt
RSB42WTAK	611	U Sldg Dr Bin Wd Frnt
RSB48LTAK	611	U Sld Dr Bin Lam Frnt
RSB48TAK	611	U Sldg Dr Bin Stl Frnt
RSB48WTAK	611	U Sldg Dr Bin Wd Frnt
RSB60LTAK	611	U Sld Dr Bin Lam Frnt
RSB60TAK	611	U Sldg Dr Bin Stl Frnt
RSB60WTAK	611	U Sldg Dr Bin Wd Frnt
RSB66LTAK	611	U Sld Dr Bin Lam Frnt
RSB66TAK	611	U Sldg Dr Bin Stl Frnt
RSB66WTAK	611	U Sldg Dr Bin Wd Frnt
RSB72LTAK	611	U Sld Dr Bin Lam Frnt
RSB72TAK	611	U Sldg Dr Bin Stl Frnt
RSB72WTAK	611	U Sldg Dr Bin Wd Frnt
RSC18301A_	627	U One-High Lat File
RSC18361A_	627	U One-High Lat File
RSC18421A_	627	U One-High Lat File
RSH24TAK	617	U Shelf
RSH30TAK	617	U Shelf
RSH36TAK	617	U Shelf
RSH42TAK	617	U Shelf
RSH48TAK	617	U Shelf
RSH60TAK	617	U Shelf
RSH72TAK	617	U Shelf
RSS24TAK	623	Slim Shelf
RSS30TAK	623	Slim Shelf
RSS36TAK	623	Slim Shelf
RSS42TAK	623	Slim Shelf
RSS48TAK	623	Slim Shelf
RSS60TAK	623	Slim Shelf
RSS72TAK	623	Slim Shelf
RSS96TAK	623	Slim Shelf
RUK24TAK	621	Stnd OH Upmnt Pkg
RUK30TAK	621	Stnd OH Upmnt Pkg
RUK36TAK	621	Stnd OH Upmnt Pkg
RUK42TAK	621	Stnd OH Upmnt Pkg
RUK48TAK	621	Stnd OH Upmnt Pkg
RUK60TAK	621	Stnd OH Upmnt Pkg
RUK72TAK	621	Stnd OH Upmnt Pkg
RXADRL15	658	Rails
RXADRL24	660	Rails
RXADRL2442	660	Rails
RXSA2415	657	Adj Steel Std Shelf
RXSA3015	657	Adj Steel Std Shelf
RXSAFFT2415	657	Adj Steel Std Shelf
RXSG2415	657	Adjustable Glass Shelf
RXSG3015	657	Adjustable Glass Shelf
TS7120JB3	367	120° Jct Block
TS7120JB4	367	120° Jct Block
TS7120JB5	367	120° Jct Block
TS7120JC	368	120° Jct Cap
TS7120JCW	368	120° Jct Cap
TS7120VA4	369	120° to V Trim Aligner
TS71218GS	476	Back Ptd Glass Skin
TS71218HS	453	Steel Pnl Skin
TS71218MB	458	MB Surf Pnl Bldp
TS71218TA	446	F-Cvrd Pnl Skin
TS71218TK	446	F-Cvrd Pnl Skin
TS71224GS	476	Back Ptd Glass Skin
TS71224HS	453	Steel Pnl Skin
TS71224LS	462	Lam Skin
TS71224MB	458	Mb Skin
TS71224MBS	457	Mb Surf Steel Skin
TS71224SBP	461	Slatwall Skin Brc Pkg
TS71224SCW	486	Sgl-Pane Gls Win Kit
TS71224SFG	443	Frameless Gls Screen
TS71224SPW	485	Sgl-Pane Glass Win
TS71224SW	460	Slatwall Skin
TS71224TA	446	F-Cvrd Pnl Skin
TS71224TFG	378	Frameless Glass
TS71224TFGR	375	Frameless Glass
TS71224TK	446	F-Cvrd Pnl Skin
TS71224TSMB	483	Mb Tech Skin
TS71224TSS	481	Stl Tech Skin
TS71224TSSW	482	Slatwall Tech Skin
TS71224WS	464	Wood Skin
TS71230GS	476	Back Ptd Glass Skin
TS71230HS	453	Steel Pnl Skin
TS71230LS	462	Lam Skin
TS71230LTSMB	483	Mk Tech Skin, LH Co
TS71230LTSS	481	Stl Tech Skin, LH Co
TS71230LTSSW	482	Sw Tech Skin, LH Co
TS71230MB	458	Mb Skin
TS71230MBS	457	Mb Surf Steel Skin
TS71230RTSMB	483	Mb Tech Skin, RH Co
TS71230RTSS	481	St Tech Skin, RH Co
TS71230RTSSW	482	Sw Tech Skin, RH Co
TS71230SBP	461	Sw Skin Brace Pkg
TS71230SCW	486	Sgl-Pane Gls Win Kit
TS71230SFG	443	Frameless Gls Screen
TS71230SPW	485	Sgl-Pane Glass Win
TS71230SW	460	Slatwall Skin
TS71230TA	446	F-Cvrd Pnl Skin
TS71230TFG	378	Frameless Glass
TS71230TFGR	375	Frameless Glass
TS71230TK	446	F-Cvrd Pnl Skin
TS71230TSMB	483	Mb Tech Skin
TS71230TSS	481	Stl Tech Skin
TS71230TSSW	482	Slatwall Tech Skin
TS71230WS	464	Wood Skin
TS71236GS	476	Back Ptd Glass Skin
TS71236HS	453	Steel Pnl Skin
TS71236LS	462	Lam Skin
TS71236LTSMB	483	MB Tech Skin, LH Co
TS71236LTSS	481	Stl Tech Skin, LH Co
TS71236LTSSW	482	SW Tech Skin, LH Co
TS71236MB	458	Mb Skin
TS71236MBS	457	MB Surf for Steel Skin
TS71236RTSMB	483	MB Tech Skin, RH Co
TS71236RTSS	481	Stl Tech Skin, RH Co
TS71236RTSSW	482	SW Tech Skin, RH Co
TS71236SBP	461	SW Skin Brace Pkg
TS71236SCW	486	Sgl-Pane Gls Win Kit
TS71236SFG	443	Frameless Gls Screen

Style Number	Page	Description
TS71236SPW	485	Sgl-Pane Glass Win
TS71236SW	460	Slatwall Skin
TS71236TA	446	F-Cvrd Pnl Skin
TS71236TFG	378	Frameless Glass
TS71236TFGR	375	Frameless Glass
TS71236TK	446	F-Cvrd Pnl Skin
TS71236TSMB	483	Mb Tech Skin
TS71236TSS	481	Stl Tech Skin
TS71236TSSW	482	Slatwall Tech Skin
TS71236WS	464	Wood Skin
TS71242GS	476	Back Ptd Gls Skin
TS71242HS	453	Steel Pnl Skin
TS71242LS	462	Lam Skin
TS71242LTSMB	483	MB Tech Skin, LH Co
TS71242LTSS	481	Stl Tech Skin, LH Co
TS71242LTSSW	482	SW Tech Skin, LH Co
TS71242MB	458	Mb Skin
TS71242MBS	457	MB Surf for Stl Skin
TS71242RTSMB	483	MB Tech Skin, RH Co
TS71242RTSS	481	Stl Tech Skin, RH Co
TS71242RTSSW	482	SW Tech Skin, RH Co
TS71242SBP	461	SW Skin Brace Pkg
TS71242SCW	486	Sgl-Pane Gls Win Kit
TS71242SFG	443	Frameless Gls Screen
TS71242SPW	485	Sgl-Pane Glass Win
TS71242SW	460	Slatwall Skin
TS71242TA	446	F-Cvrd Pnl Skin
TS71242TFG	378	Frameless Glass
TS71242TFGR	375	Frameless Glass
TS71242TK	446	F-Cvrd Pnl Skin
TS71242TSMB	483	Mb Tech Skin
TS71242TSS	481	Stl Tech Skin
TS71242TSSW	482	Slatwall Tech Skin
TS71242WS	464	Wood Skin
TS71248GS	476	Back Ptd Gls Skin
TS71248HS	453	Steel Pnl Skin
TS71248LS	462	Lam Skin
TS71248LTSMB	483	MB Tech Skin, LH Co
TS71248LTSS	481	Stl Tech Skin, LH Co
TS71248LTSSW	482	SW Tech Skin, LH Co
TS71248MB	458	Mb Skin
TS71248MBS	457	MB Surf for Stl Skin
TS71248RTSMB	483	MB Tech Skin, RH Co
TS71248RTSS	481	Stl Tech Skin, RH Co
TS71248RTSSW	482	SW Tech Skin, RH Co
TS71248SBP	461	SW Skin Brace Pkg
TS71248SCW	486	Sgl-Pane Gls Win Kit
TS71248SFG	443	Frameless Gls Scrn
TS71248SPW	485	Sgl-Pane Glass Win
TS71248SW	460	Slatwall Skin
TS71248TA	446	F-Cvrd Pnl Skin
TS71248TFG	378	Frameless Glass
TS71248TFGR	375	Frameless Glass
TS71248TK	446	F-Cvrd Pnl Skin
TS71248TSMB	483	Mb Tech Skin
TS71248TSS	481	Stl Tech Skin
TS71248TSSW	482	Slatwall Tech Skin
TS71248WS	464	Wood Skin
TS71254TFGR	375	Frameless Glass
TS71260GS	476	Back Ptd Gls Skin
TS71260HS	453	Steel Pnl Skin
TS71260LTSS	481	Stl Tech Skin, LH Co
TS71260MB	458	Mb Skin
TS71260RTSS	481	Stl Tech Skin, RH Co
TS71260SCW	486	Sgl-Pane Gls Win Kit
TS71260SFG	443	Frameless Gls Scrn
TS71260SPW	485	Sgl-Pane Glass Win
TS71260TA	446	F-Cvrd Pnl Skin
TS71260TFG	378	Frameless Glass
TS71260TFGR	375	Frameless Glass
TS71260TK	446	F-Cvrd Pnl Skin
TS71260TSS	481	Stl Tech Skin
TS71266TFGR	375	Frameless Glass
TS71272GS	476	Back Ptd Gls Skin
TS71272HS	453	Steel Pnl Skin
TS71272LTSS	481	Stl Tech Skin, LH Co
TS71272MB	458	Mb Skin
TS71272RTSS	481	Stl Tech Skin, RH Co
TS71272SCW	486	Sgl-Pane Gls Win Kit
TS71272SFG	443	Frameless Gls Screen
TS71272SPW	485	Sgl-Pane Glass Win
TS71272TA	446	F-Cvrd Pnl Skin
TS71272TFG	378	Frameless Glass
TS71272TFGR	375	Frameless Glass
TS71272TK	446	F-Cvrd Pnl Skin
TS71272TSS	481	Stl Tech Skin
TS71278SCW	486	Sgl-Pane Gls Win Kit
TS71278SFG	443	Frameless Gls Scrn
TS71278SPW	485	Sgl-Pane Gls Win
TS71278TFG	378	Frameless Glass
TS71278TFGR	375	Frameless Glass
TS71284SCW	486	Sgl-Pane Gls Win Kit
TS71284SFG	443	Frameless Gls Scrn
TS71284SPW	485	Sgl-Pane Gls Win
TS71284TFG	378	Frameless Glass
TS71284TFGR	375	Frameless Glass
TS71290SCW	486	Sgl-Pane Gls Win Kit
TS71290SFG	443	Frameless Gls Scrn
TS71290SPW	485	Sgl-Pane Glass Win
TS71290TFG	378	Frameless Glass
TS71290TFGR	375	Frameless Glass
TS71296SCW	486	Sgl-Pane Gls Win Kit
TS71296SFG	443	Frameless Gls Screen
TS71296SPW	485	Sgl-Pane Glass Win
TS71296TFG	378	Frameless Glass
TS71296TFGR	375	Frameless Glass
TS712BPSFX	499	Bs Pwr Infeed
TS712BPSFY	499	Bs Pwr Infeed
TS712BPSFZ	499	Bs Pwr Infeed
TS712BPX	499	Bs Pwr Infeed
TS712BPY	499	Bs Pwr Infeed
TS712BPZ	499	Bs Pwr Infeed
TS712CH	435	C-O-H Trim
TS712CHS	435	C-O-H Trim
TS712CHST	436	Stck C-O-H Trim
TS712CHT	436	Stck C-O-H Trim
TS712EPJS	425	Stck EOR Pnl Jct
TS712IPJS	355, 423	Stck In-Line Pnl Jct
TS712LPJS	424	Stck L Pnl Jct
TS712SCH	434	C-O-H Trim
TS712SCHS	434	C-O-H Trim
TS712T120CHT	365	120° Cor C-O-H Trim
TS712T120CHTW	365	120° Cor C-O-H Trim
TS712TCLCHT	364	L Cor C-O-H Trim
TS712TCLCHTW	364	L Cor C-O-H Trim
TS712TCTCHT	364	T Cor C-O-H Trim
TS712TCTCHTW	364	T Cor C-O-H Trim
TS712TEPJS	355	Stck EOR Pnl Jct
TS712TICHT	363	EOR In-Line COH Trim
TS712TICHTW	363	EOR In-Line COH Trim
TS712TLPJS	356	Stck L Pnl Jct
TS712TPJS	424	Stck T Pnl Jct
TS712TTPJS	356	Stacking T Pnl Jct
TS712TVCHT	365	V Cnr C-O-H Trim
TS712TVCHTW	365	V Cnr C-O-H Trim
TS712TVPJS	356	Stck V Pnl Jct
TS712UPHX	502	Mul. Pwr Infeed
TS712UPHXN	502	Mul. Pwr Infeed
TS712UPHY	502	Mul. Pwr Infeed
TS712UPHYN	502	Mul. Pwr Infeed
TS712UPHZ	502	Mul. Pwr Infeed
TS712UPHZN	502	Mul. Pwr Infeed
TS712VPJS	426	Stck V Pnl Jct
TS712WPJS	355, 427	Stck Wall-Start Jct
TS712XPJS	356, 424	Stck X Pnl Jct
TS712YPJS	356, 426	Stck Y Pnl Jct
TS71324TSSC	380	Sarto Top Cap Screen
TS71324TUSC	380	Univ Top Cap Screen
TS71330TSSC	380	Sarto Top Cap Screen
TS71330TUSC	380	Univ Top Cap Screen
TS71336TSSC	380	Sarto Top Cap Screen
TS71336TUSC	380	Univ Top Cap Screen
TS71342TUSC	380	Univ Top Cap Screen
TS71348TSSC	380	Sarto Top Cap Screen
TS71348TUSC	380	Univ Top Cap Screen
TS71354TSSC	380	Sarto Top Cap Screen
TS71354TUSC	380	Univ Top Cap Screen
TS71360TSSC	380	Sarto Top Cap Screen
TS71360TUSC	380	Univ Top Cap Screen
TS71366TSSC	380	Sarto Top Cap Screen
TS71366TUSC	380	Univ Top Cap Screen
TS71372TSSC	380	Sarto Top Cap Screen
TS71372TUSC	380	Univ Top Cap Screen
TS71378TSSC	381	Sarto Top Cap Screen
TS71378TUSC	381	Univ Top Cap Screen
TS71384TSSC	381	Sarto Top Cap Screen
TS71384TUSC	381	Univ Top Cap Screen
TS71390TSSC	381	Sarto Top Cap Screen
TS71390TUSC	381	Univ Top Cap Screen
TS71396TSSC	381	Sarto Top Cap Screen
TS71396TUSC	381	Univ Top Cap Screen
TS714WSP	554	U Support Plate
TS71818GS	476	Back Ptd Gls Skins
TS71818HS	453	Steel Pnl Skin
TS71818MB	458	MB Surf for Panel Bldp
TS71818TA	446	F-Cvrd Pnl Skin
TS71818TK	446	F-Cvrd Pnl Skin
TS71824GS	476	Back Ptd Gls Skin
TS71824HS	453	Steel Pnl Skin
TS71824LS	462	Lam Skin
TS71824MB	458	Mb Skin
TS71824SBP	461	SW Skin Brace Pkg
TS71824SCW	486	Sgl-Pane Gls Win Kit
TS71824SPW	485	Sgl-Pane Glass Win
TS71824SW	460	Slatwall Skin
TS71824TA	446	F-Cvrd Pnl Skin

Style Number	Page	Description
TS71824TB	622	TB Use w/Wall Chan
TS71824TFGR	375	Frameless Glass
TS71824TK	446	F-Cvrd Pnl Skin
TS71824TSMB	483	Mb Tech Skin
TS71824TSS	481	Stl Tech Skin
TS71824TSSW	482	Slatwall Tech Skin
TS71824WS	464	Wood Skin
TS71830GS	476	Bk Ptd Gls Skin
TS71830HS	453	Steel Pnl Skin
TS71830LS	462	Lam Skin
TS71830LTSMB	483	MB Tech Skin, LH Co
TS71830LTSS	481	Stl Tech Skin, LH Co
TS71830LTSSW	482	SW Tech Skin, LH Co
TS71830MB	458	Mb Skin
TS71830RTSMB	483	MB Tech Skin, RH Co
TS71830RTSS	481	Stl Tech Skin, RH Co
TS71830RTSSW	482	SW Tech Skin, RH Co
TS71830SBP	461	SW Skin Brace Pkg
TS71830SCW	486	Sgl-Pane Gls Win Kit
TS71830SPW	485	Sgl-Pane Glass Win
TS71830SW	460	Slatwall Skin
TS71830TA	446	F-Cvrd Pnl Skin
TS71830TB	622	TB Use w/Wall Chan
TS71830TFGR	375	Frameless Glass
TS71830TK	446	F-Cvrd Pnl Skin
TS71830TSMB	483	Mb Tech Skin
TS71830TSS	481	Stl Tech Skin
TS71830TSSW	482	Slatwall Tech Skin
TS71830WS	464	Wood Skin
TS71836GS	476	Back Ptd Gls Skn
TS71836HS	453	Steel Pnl Skin
TS71836LS	462	Lam Skin
TS71836LTSMB	483	MB Tech Skin, LH Co
TS71836LTSS	481	Stl Tech Skin, LH Co
TS71836LTSSW	482	SW Tech Skin, LH Co
TS71836MB	458	Mb Skin
TS71836RTSMB	483	MB Tech Skin, RH Co
TS71836RTSS	481	Stl Tech Skin, RH Co
TS71836RTSSW	482	SW Tech Skin, RH Co
TS71836SBP	461	Stl Skin Brace Pkg
TS71836SCW	486	Sgl-Pane Gls Win Kit
TS71836SPW	485	Sgl-Pane Glass Win
TS71836SW	460	Slatwall Skin
TS71836TA	446	F-Cvrd Pnl Skin
TS71836TB	622	TB Use w/Wall Chan
TS71836TFGR	375	Frameless Glass
TS71836TK	446	F-Cvrd Pnl Skin
TS71836TSMB	483	Mb Tech Skin
TS71836TSS	481	Stl Tech Skin
TS71836TSSW	482	Slatwall Tech Skin
TS71836WS	464	Wood Skin
TS71842GS	476	Back Ptd Gls Skin
TS71842HS	453	Steel Pnl Skin
TS71842LS	462	Lam Skin
TS71842LTSMB	483	MB Tech Skin, LH Co
TS71842LTSS	481	Stl Tech Skin, LH Co
TS71842LTSSW	482	SW Tech Skin, LH Co
TS71842MB	458	Mb Skin
TS71842RTSMB	483	MB Tech Skin, RH Co
TS71842RTSS	481	Stl Tech Skin, RH Co
TS71842RTSSW	482	SW Tech Skin, RH Co
TS71842SBP	461	SW Skin Brace Pkg
TS71842SCW	486	Sgl-Pane Gls Win Kit
TS71842SPW	485	Sgl-Pane Glass Win
TS71842SW	460	Slatwall Skin
TS71842TA	446	F-Cvrd Pnl Skin
TS71842TB	622	TB Use w/Wall Chan
TS71842TFGR	375	Frameless Glass
TS71842TK	446	F-Cvrd Pnl Skin
TS71842TSMB	483	Mb Tech Skin
TS71842TSS	481	Stl Tech Skin
TS71842TSSW	482	Slatwall Tech Skin
TS71842WS	464	Wood Skin
TS71848GS	476	Back Ptd Gls Skin
TS71848HS	453	Steel Pnl Skin
TS71848LS	462	Lam Skin
TS71848LTSMB	483	MB Tech Skin, LH Co
TS71848LTSS	481	Stl Tech Skin, LH Co
TS71848LTSSW	482	SW Tech Skin, LH Co
TS71848MB	458	Mb Skin
TS71848RTSMB	483	MB Tech Skin, RH Co
TS71848RTSS	481	Stl Tech Skin, RH Co
TS71848RTSSW	482	SW Tech Skin, RH Co
TS71848SBP	461	SW Skin Brace Pkg
TS71848SCW	486	Sgl-Pane Gls Win Kit
TS71848SPW	485	Sgl-Pane Glass Win
TS71848SW	460	Slatwall Skin
TS71848TA	446	F-Cvrd Pnl Skin
TS71848TB	622	TB Use w/Wall Chan
TS71848TFGR	375	Frameless Glass
TS71848TK	446	F-Cvrd Pnl Skin
TS71848TSMB	483	Mb Tech Skin
TS71848TSS	481	Stl Tech Skin
TS71848TSSW	482	Slatwall Tech Skin
TS71848WS	464	Wood Skin
TS71854TFGR	375	Frameless Glass
TS71860GS	476	Back Ptd Glass Skin
TS71860HS	453	Steel Pnl Skin
TS71860LTSS	481	Stl Tech Skin, LH Co
TS71860MB	458	Mb Skin
TS71860RTSS	481	Stl Tech Skin, RH Co
TS71860SCW	486	Sgl-Pane Gls Win Kit
TS71860SPW	485	Sgl-Pane Glass Win
TS71860TA	446	F-Cvrd Pnl Skin
TS71860TB	622	TB Use w/Wall Chan
TS71860TFGR	375	Frameless Glass
TS71860TK	446	F-Cvrd Pnl Skin
TS71860TSS	481	Stl Tech Skin
TS71866TFGR	375	Frameless Glass
TS71872GS	476	Back Ptd Gls Skin
TS71872HS	453	Steel Pnl Skin
TS71872LTSS	481	Stl Tech Skin, LH Co
TS71872MB	458	Mb Skin
TS71872RTSS	481	Stl Tech Skin, RH Co
TS71872SCW	486	Sgl-Pane Gls Win Kit
TS71872SPW	485	Sgl-Pane Glass Win
TS71872TA	446	F-Cvrd Pnl Skin
TS71872TB	622	TB Use w/Wall Chan
TS71872TFGR	375	Frameless Glass
TS71872TK	446	F-Cvrd Pnl Skin
TS71872TSS	481	Stl Tech Skin
TS71878SCW	486	Sgl-Pane Gls Win Kit
TS71878SPW	485	Sgl-Pane Glass Win
TS71878TFGR	375	Frameless Glass
TS71884SCW	486	Sgl-Pane Gls Win Kit
TS71884SPW	485	Sgl-Pane Glass Win
TS71884TFGR	375	Frameless Glass
TS71890SCW	486	Sgl-Pane Gls Win Kit
TS71890SPW	485	Sgl-Pane Glass Win
TS71890TFGR	375	Frameless Glass
TS71896SCW	486	Sgl-Pane Gls Win Kit
TS71896SPW	485	Sgl-Pane Glass Win
TS71896TFGR	375	Frameless Glass
TS718BT	409	Base Trim
TS718CH	435	C-O-H Trim
TS718CHS	435	C-O-H Trim
TS718CHST	436	Stck C-O-H Trim
TS718CHT	436	Stck C-O-H Trim
TS718CT	491	Cable Tray
TS718EPJS	425	Stck EOR Pnl Jct
TS718HF	440	Base Horiz Frame Pkg
TS718HFS	372, 441	Stck Horiz Frame Pkg
TS718HSBOB	456	Stl Pnl Skn B O Base
TS718IPJS	355, 423	Stck In-Line Pnl Jct
TS718LPJS	424	Stck L Pnl Jct
TS718OBK	409	Opn Bs Conver Kit
TS718SCH	434	C-O-H Trim
TS718SCHS	434	C-O-H Trim
TS718SHF	439	Base Horiz Frame Pkg
TS718T120CHT	365	120° Cnr C-O-H Trim
TS718T120CHTW	365	120° Cnr C-O-H Trim
TS718TCLCHT	364	L Cnr C-O-H Trim
TS718TCLCHTW	364	L Cnr C-O-H Trim
TS718TCTCHT	364	T Cnr C-O-H Trim
TS718TCTCHTW	364	T Cnr C-O-H Trim
TS718TEPJS	355	Stck EOR Pnl Jct
TS718THF	371	Base Horiz Frame Pkg
TS718TICHT	363	EOR In-Line COH Trim
TS718TICHTW	363	EOR In-Line COH Trim
TS718TKBOB	450	Fb Cvd Pnl S B O Bs
TS718TLPJS	356	Stck L Pnl Jct
TS718TPJS	424	Stck T Pnl Jct
TS718TTPJS	356	Stck T Pnl Jct
TS718TVCHT	365	V Cnr C-O-H Trim
TS718TVCHTW	365	V Cnr C-O-H Trim
TS718TVPJS	356	Stck V Pnl Jct
TS718VPJS	426	Stck V Pnl Jct
TS718WPJS	355, 427	Stck Wall-Start Jct
TS718XPJS	356, 424	Stck X Pnl Jct
TS718YPJS	356, 426	Stck Y Pnl Jct
TS71924TSSC	381	Sarto Top Cap Screen
TS71924TUSC	381	Univ Top Cap Screen
TS71930TSSC	381	Sarto Top Cap Screen
TS71930TUSC	381	Univ Top Cap Screen
TS71936TSSC	381	Sarto Top Cap Screen
TS71936TUSC	381	Univ Top Cap Screen
TS71942TSSC	381	Sarto Top Cap Screen
TS71942TUSC	381	Univ Top Cap Screen
TS71948TSSC	381	Sarto Top Cap Screen
TS71948TUSC	381	Univ Top Cap Screen
TS71954TSSC	381	Sarto Top Cap Screen
TS71954TUSC	381	Univ Top Cap Screen
TS71960TSSC	381	Sarto Top Cap Screen
TS71960TUSC	381	Univ Top Cap Screen
TS71966TSSC	381	Sarto Top Cap Screen
TS71966TUSC	381	Univ Top Cap Screen

Style Number	Page	Description
TS71972TSSC	381	Sarto Top Cap Screen
TS71972TUSC	381	Univ Top Cap Screen
TS71978TSSC	381	Sarto Top Cap Screen
TS71978TUSC	381	Univ Top Cap Screen
TS71984TSSC	381	Sarto Top Cap Screen
TS71984TUSC	381	Univ Top Cap Screen
TS71990TSSC	381	Sarto Top Cap Screen
TS71990TUSC	381	Univ Top Cap Screen
TS71996TSSC	381	Sarto Top Cap Screen
TS71996TUSC	381	Univ Top Cap Screen
TS71SGX	494	15-Amp Duplex Rcpt
TS71SGY	494	15-Amp Duplex Rcpt
TS71SGZ	494	15-Amp Duplex Rcpt
TS71SSX	494	15-Amp Duplex Rcpt
TS71SSY	494	15-Amp Duplex Rcpt
TS71SSZ	494	15-Amp Duplex Rcpt
TS71USBX	495	USB Receptacle
TS71USBY	495	USB Receptacle
TS71USBZ	495	USB Receptacle
TS720WSP	554	U Support Plate
TS72418GS	476	Back Ptd Gls Skin
TS72418GSF	478	Back Ptd Gls Flr Sk
TS72418HS	453	Steel Pnl Skin
TS72418HSF	455	Steel To The Flr Skin
TS72418MB	458	MB Surf Pnl Bldps
TS72418MBF	459	MB to the Floor Skin
TS72418TA	446	F-Cvrd Pnl Skin
TS72418TAF	448	F-Cvrd Pnl Skin
TS72418TK	446	F-Cvrd Pnl Skin
TS72418TKF	448	F-Cvrd To The Flr Skin
TS72424GS	476	Back Ptd Gls Skin
TS72424GSF	478	Bck Ptd Glas Flr Skin
TS72424HS	453	Steel Pnl Skin
TS72424HSF	455	Steel To The Flr Skin
TS72424LS	462	Lam Skin
TS72424LSF	463	Lam To The Flr Skin
TS72424MB	458	MB Skin
TS72424MBF	459	MB to the Floor Skin
TS72424MBS	457	MB Surf for Steel Skin
TS72424SBP	461	SW Skin Brace Pkg
TS72424SCW	486	Sgl-Pane Gls Win Kit
TS72424SPW	485	Sgl-Pane Glass Win
TS72424SW	460	Slatwall Skin
TS72424TA	446	F-Cvrd Pnl Skin
TS72424TAF	448	F-Cvrd To Flr Skin
TS72424TFGR	376	Frameless Glass
TS72424TK	446	F-Cvrd Pnl Skin
TS72424TKF	448	F-Cvrd The Flr Skin
TS72424WS	464	Wood Skin
TS72424WSF	466	Wood To The Flr Skin
TS72430GS	476	Back Ptd Gls Skin
TS72430GSF	478	Bk Ptd Gls Flr Skin
TS72430HS	453	Steel Pnl Skin
TS72430HSF	455	Steel To The Flr Skin
TS72430LS	462	Lam Skin
TS72430LSF	463	Lam To The Flr Skin
TS72430MB	458	Mb Skin
TS72430MBF	459	MB to the Floor Skin
TS72430MBS	457	MB Surf for Stl Skin
TS72430SBP	461	SW Skin Brace Pkg
TS72430SCW	486	Sgl-Pane Gls Win Kit
TS72430SPW	485	Sgl-Pane Glass Win
TS72430SW	460	Slatwall Skin
TS72430TA	446	F-Cvrd Pnl Skin
TS72430TAF	448	F-Cvrd The Flr Skin
TS72430TFGR	376	Frameless Glass
TS72430TK	446	F-Cvrd Pnl Skin
TS72430TKF	448	F-Cvrd The Flr Skin
TS72430WS	464	Wood Skin
TS72430WSF	466	Wood To The Flr Skin
TS72436GS	476	Back Ptd Gls Skin
TS72436GSF	478	Bck Ptd Gls to Flr Skn
TS72436HS	453	Steel Pnl Skin
TS72436HSF	455	Steel To The Flr Skin
TS72436LS	462	Lam Skin
TS72436LSF	463	Lam The Flr Skin
TS72436MB	458	Mkd Skin
TS72436MBF	459	Mkd to the Floor Skin
TS72436MBS	457	Mkd Surf for Steel Skin
TS72436SBP	461	SW Skin Brace Pkg
TS72436SCW	486	Sgl-Pane Gls Win Kit
TS72436SPW	485	Sgl-Pane Glass Win
TS72436SW	460	Slatwall Skin
TS72436TA	446	F-Cvrd Pnl Skin
TS72436TAF	448	F-Cvrd The Flr Skin
TS72436TFGR	376	Frameless Glass
TS72436TK	446	F-Cvrd Pnl Skin
TS72436TKF	448	F-Cvrd The Flr Skin
TS72436WS	464	Wood Skin
TS72436WSF	466	Wood To The Flr Skin
TS72442GS	476	Bk Ptd Gls Skin
TS72442GSF	478	Bk Ptd Gls Flr Skin
TS72442HS	453	Steel Pnl Skin
TS72442HSF	455	Steel To The Flr Skin
TS72442LS	462	Lam Skin
TS72442LSF	463	Lam The Flr Skin
TS72442MB	458	Mkd Skin
TS72442MBF	459	Mkd to the Floor Skin
TS72442MBS	457	Mkd Surf for Steel Skin
TS72442SBP	461	SW Skin Brace Pkg
TS72442SCW	486	Sgl-Pane Gls Win Kit
TS72442SPW	485	Sgl-Pane Gls Win
TS72442SW	460	Slatwall Skin
TS72442TA	446	F-Cvrd Pnl Skin
TS72442TAF	448	F-Cvrd The Flr Skin
TS72442TFGR	376	Frameless Glass
TS72442TK	446	F-Cvrd Pnl Skin
TS72442TKF	448	F-Cvrd The Flr Skin
TS72442WS	464	Wood Skin
TS72442WSF	466	Wood To The Flr Skin
TS72448GS	476	Bk Pntd Gls Skin
TS72448GSF	478	Bk Ptd Glass Flr Skin
TS72448HS	453	Steel Pnl Skin
TS72448HSF	455	Steel To The Flr Skin
TS72448LS	462	Lam Skin
TS72448LSF	463	Lam To The Flr Skin
TS72448MB	458	Mkd Skin
TS72448MBF	459	Mkd to the Floor Skin
TS72448MBS	457	Mkd Surf for Steel Skin
TS72448SBP	461	SW Skin Brace Pkg
TS72448SCW	486	Sgl-Pane Gls Win Kit
TS72448SPW	485	Sgl-Pane Glass Win
TS72448SW	460	Slatwall Skin
TS72448TA	446	F-Cvrd Pnl Skin
TS72448TAF	448	F-Cvrd To The Flr Skin
TS72448TFGR	376	Frameless Glass
TS72448TK	446	F-Cvrd Pnl Skin
TS72448TKF	448	F-Cvrd To The Flr Skin
TS72448WS	464	Wood Skin
TS72448WSF	466	Wood To The Flr Skin
TS72454TFGR	376	Frameless Glass
TS72460GS	476	Back Ptd Gls Skin
TS72460GSF	478	Back Ptd Gls Flr Skin
TS72460HS	453	Steel Pnl Skin
TS72460HSF	455	Steel To The Flr Skin
TS72460MB	458	Mkd Skin
TS72460MBF	459	Mkd to the Floor Skin
TS72460SCW	486	Sgl-Pane Gls Win Kit
TS72460SPW	485	Sgl-Pane Gls Win
TS72460TA	446	F-Cvrd Pnl Skin
TS72460TAF	448	F-Cvrd To The Flr Skin
TS72460TFGR	376	Frameless Glass
TS72460TK	446	F-Cvrd Pnl Skin
TS72460TKF	448	F-Cvrd To The Flr Skin
TS72466TFGR	376	Frameless Glass
TS72472GS	476	Bk Ptd Gls Skin
TS72472GSF	478	Bk Ptd Gls to Flr Skin
TS72472HS	453	Steel Pnl Skin
TS72472HSF	455	Steel To Flr Skin
TS72472MB	458	Mkd Skin
TS72472MBF	459	Mkd to the Floor Skin
TS72472SCW	486	Sgl-Pane Gls Win Kit
TS72472SPW	485	Sgl-Pane Glass Win
TS72472TA	446	F-Cvrd Pnl Skin
TS72472TAF	448	F-Cvrd To The Flr Skin
TS72472TFGR	376	Frameless Glass
TS72472TK	446	F-Cvrd Pnl Skin
TS72472TKF	448	F-Cvrd To The Flr Skin
TS72478SCW	486	Sgl-Pane Gls Win Kit
TS72478SPW	485	Sgl-Pane Glass Win
TS72478TFGR	376	Frameless Glass
TS72484SCW	486	Sgl-Pane Gls Win Kit
TS72484SPW	485	Sgl-Pane Glass Win
TS72484TFGR	376	Frameless Glass
TS72490SCW	486	Sgl-Pane Gls Win Kit
TS72490SPW	485	Sgl-Pane Glass Win
TS72490TFGR	376	Frameless Glass
TS72496SCW	486	Sgl-Pane Gls Win Kit
TS72496SPW	485	Sgl-Pane Glass Win
TS72496TFGR	376	Frameless Glass
TS724BKT	354, 422	Off-Mod Pnl Conn
TS724BT	409	Base Trim
TS724BTH	489	Hardwire Base Trim
TS724CH	435	C-O-H Trim
TS724CHS	435	C-O-H Trim
TS724CHST	436	Stacking C-O-H Trim
TS724CHT	436	Stacking C-O-H Trim
TS724CT	491	Cable Tray
TS724EPJS	425	Stck EOR Pnl Jct
TS724HF	440	Base Horz Frame Pkg
TS724HFS	372, 441	Stck Horz Frame Pkg
TS724HSBOB	456	Stl Pnl Skn B O Base
TS724IPJS	355, 423	Stck In-Line Pnl Jct
TS724LPJS	424	Stacking L Pnl Jct
TS724OBK	409	Open Base Conv Kit
TS724SCH	434	C-O-H Trim

Style Number	Page	Description
TS724SCHS	434	C-O-H Trim
TS724SHF	439	Base Horz Frame Pkg
TS724T120CHT	365	120° Cnr C-O-H Trim
TS724T120CHTW	365	120° Cnr C-O-H Trim
TS724TCLCHT	364	L Cnr C-O-H Trim
TS724TCLCHTW	364	L Cnr C-O-H Trim
TS724TCTCHT	364	T Cnr C-O-H Trim
TS724TCTCHTW	364	T Cnr C-O-H Trim
TS724TEPJS	355	Stck EOR Pnl Jct
TS724THF	371	Base Horz Frame Pkg
TS724TICHT	363	EOR In-Line COH Trim
TS724TICHTW	363	EOR In-Line COH Trim
TS724TKBOB	450	Fb Cvd Pnl S B O Bs
TS724TLPJS	356	Stacking L Pnl Jct
TS724TPJS	424	Stacking T Pnl Jct
TS724TTPJS	356	Stacking T Pnl Jct
TS724TVCHT	365	V Cnr C-O-H Trim
TS724TVCHTW	365	V Cnr C-O-H Trim
TS724TVPJS	356	Stacking V Pnl Jct
TS724UPHX	502	Mpp Power Infeed
TS724UPHXN	502	Mpp Power Infeed
TS724UPHY	502	Mpp Power Infeed
TS724UPHYN	502	Mpp Power Infeed
TS724UPHZ	502	Mpp Power Infeed
TS724UPHZN	502	Mpp Power Infeed
TS724VPJS	426	Stacking V Pnl Jct
TS724WPJS	355, 427	Stacking Wall-Start Jct
TS724XPJS	356, 424	Stacking X Pnl Jct
TS724YPJS	356, 426	Stacking Y Pnl Jct
TS72SGX	494	15-Amp Duplex Rcpt
TS72SGY	494	15-Amp Duplex Rcpt
TS72SGZ	494	15-Amp Duplex Rcpt
TS72SSX	494	15-Amp Duplex Rcpt
TS72SSY	494	15-Amp Duplex Rcpt
TS72SSZ	494	15-Amp Duplex Rcpt
TS72USBX	495	USB Receptacle
TS72USBY	495	USB Receptacle
TS72USBZ	495	USB Receptacle
TS73018GS	476	Bk Ptd Gls Skin
TS73018GSF	478	Bk Ptd Gls to Flr Skin
TS73018HS	453	Steel Pnl Skin
TS73018HSF	455	Steel To The Flr Skin
TS73018MB	458	Mkd Surf for Pnl Bldps
TS73018MBF	459	Mkd to the Floor Skin
TS73018TA	446	F-Cvrd Pnl Skin
TS73018TAF	448	F-Cvrd To The Flr Skin
TS73018TK	446	F-Cvrd Pnl Skin
TS73018TKF	448	F-Cvrd To The Flr Skin
TS73024GS	476	Bk Ptd Gls Skin
TS73024GSF	478	Bk Ptd Gls to Flr Skin
TS73024HS	453	Steel Pnl Skin
TS73024HSF	455	Steel To The Flr Skin
TS73024LS	462	Lam Skin
TS73024LSF	463	Lam To The Flr Skin
TS73024MB	458	Mkd Skin
TS73024MBF	459	Mkd to the Floor Skin
TS73024TA	446	F-Cvrd Pnl Skin
TS73024TAF	448	F-Cvrd To The Flr Skin
TS73024TK	446	F-Cvrd Pnl Skin
TS73024TKF	448	F-Cvrd To The Flr Skin
TS73024WS	464	Wood Skin
TS73024WSF	466	Wood To The Flr Skin
TS73030GS	476	Bk Ptd Glass Skin
TS73030GSF	478	Bk Ptd Gls to Flr Skin
TS73030HS	453	Steel Pnl Skin
TS73030HSF	455	Steel To The Flr Skin
TS73030LS	462	Lam Skin
TS73030LSF	463	Lam To The Flr Skin
TS73030MB	458	Mkd Skin
TS73030MBF	459	Mkd to the Floor Skin
TS73030TA	446	F-Cvrd Pnl Skin
TS73030TAF	448	F-Cvrd To The Flr Skin
TS73030TK	446	F-Cvrd Pnl Skin
TS73030TKF	448	F-Cvrd To The Flr Skin
TS73030WS	464	Wood Skin
TS73030WSF	466	Wood To The Flr Skin
TS73036GS	476	Bk Ptd Glass Skin
TS73036GSF	478	Bk Ptd Gls to Flr Skin
TS73036HS	453	Steel Pnl Skin
TS73036HSF	455	Steel To The Flr Skin
TS73036LS	462	Lam Skin
TS73036LSF	463	Lam To The Flr Skin
TS73036MB	458	Mkd Skin
TS73036MBF	459	Mkd to the Floor Skin
TS73036TA	446	F-Cvrd Pnl Skin
TS73036TAF	448	F-Cvrd To The Flr Skin
TS73036TK	446	F-Cvrd Pnl Skin
TS73036TKF	448	F-Cvrd To The Flr Skin
TS73036WS	464	Wood Skin
TS73036WSF	466	Wood To The Flr Skin
TS73042GS	476	Bk Ptd Glass Skin
TS73042GSF	478	Bk Ptd Gls to Flr Skin
TS73042HS	453	Steel Pnl Skin
TS73042HSF	455	Steel To The Flr Skin
TS73042LS	462	Lam Skin
TS73042LSF	463	Lam To The Flr Skin
TS73042MB	458	Mkd Skin
TS73042MBF	459	Mkd to the Floor Skin
TS73042TA	446	F-Cvrd Pnl Skin
TS73042TAF	448	F-Cvrd To The Flr Skin
TS73042TK	446	F-Cvrd Pnl Skin
TS73042TKF	448	F-Cvrd To The Flr Skin
TS73042WS	464	Wood Skin
TS73042WSF	466	Wood To The Flr Skin
TS73048GS	476	Bk Ptd Glass Skin
TS73048GSF	478	Bk Ptd Gls to Flr Skin
TS73048HS	453	Steel Pnl Skin
TS73048HSF	455	Steel To The Flr Skin
TS73048LS	462	Lam Skin
TS73048LSF	463	Lam To The Flr Skin
TS73048MB	458	Mkd Skin
TS73048MBF	459	Mkd to the Floor Skin
TS73048TA	446	F-Cvrd Pnl Skin
TS73048TAF	448	F-Cvrd To The Flr Skin
TS73048TK	446	F-Cvrd Pnl Skin
TS73048TKF	448	F-Cvrd To The Flr Skin
TS73048WS	464	Wood Skin
TS73048WSF	466	Wood To The Flr Skin
TS73060GS	476	Bk Ptd Glass Skin
TS73060GSF	478	Bk Ptd Gls to Flr Skin
TS73060HS	453	Steel Pnl Skin
TS73060HSF	455	Steel To The Flr Skin
TS73060MB	458	Mkd Skin
TS73060MBF	459	Mkd to the Floor Skin
TS73060TA	446	F-Cvrd Pnl Skin
TS73060TAF	448	F-Cvrd To The Flr Skin
TS73060TK	446	F-Cvrd Pnl Skin
TS73060TKF	448	F-Cvrd To The Flr Skin
TS73072GS	476	Bk Ptd Glass Skin
TS73072GSF	478	Bk Ptd Gls to Flr Skin
TS73072HS	453	Steel Pnl Skin
TS73072HSF	455	Steel To The Flr Skin
TS73072MB	458	Mkd Skin
TS73072MBF	459	Mkd to the Floor Skin
TS73072TA	446	F-Cvrd Pnl Skin
TS73072TAF	448	F-Cvrd To The Flr Skin
TS73072TK	446	F-Cvrd Pnl Skin
TS73072TKF	448	F-Cvrd To The Flr Skin
TS730BKT	354, 422	Off-Mod Pnl Conn
TS730BT	409	Base Trim
TS730BTH	489	Hardwire Base Trim
TS730CH	435	C-O-H Trim
TS730CHS	435	C-O-H Trim
TS730CT	491	Cable Tray
TS730EPJ	417	EOR Base Pnl Jct
TS730HF	440	Base Horz Frame Pkg
TS730HFS	372, 441	Stck Horz Frame Pkg
TS730HSBOB	456	Stl Pnl Skn B O Base
TS730IPJ	413	In-Line Base Pnl Jct
TS730JP	366	Jct Post
TS730LPJ	415	L Base Pnl Jct
TS730OBK	409	Open Base Conv Kit
TS730SCH	434	C-O-H Trim
TS730SCHS	434	C-O-H Trim
TS730SEPJ	416	EOR Base Pnl Jct
TS730SHF	439	Base Horz Frame Pkg
TS730SIPJ	412	In-Line Base Pnl Jct
TS730SLPJ	414	L Base Pnl Jct
TS730SSUC	430	Clg-Acs Lay-In Ut Pkg
TS730SSUF	432	Flr-Acs Lay-In Util Pkg
TS730STPJ	414	T Base Pnl Jct
TS730SUC	431	Clg-Acs Lay-In Ut Pkg
TS730SUF	433	Flr-Acs Lay-In Util Pkg
TS730SVPJ	418	V Base Pnl Jct
TS730SXPJ	414	X Base Pnl Jct
TS730SYPJ	418	Y Base Pnl Jct
TS730T120CHT	365	120° Cnr C-O-H Trim
TS730T120CHTW	365	120° Cnr C-O-H Trim
TS730TCLCHT	364	L Cnr C-O-H Trim
TS730TCLCHTW	364	L Cnr C-O-H Trim
TS730TCTCHT	364	T Cnr C-O-H Trim
TS730TCTCHTW	364	T Cnr C-O-H Trim
TS730TEPJ	335	EOR Base Pnl Jct
TS730TEPJW	335	EOR Base Pnl Jct
TS730TEVT	360	EOR Vrtl Trim
TS730TEVTW	360	EOR Vrtl Trim
TS730THF	371	Base Horz Frame Pkg
TS730TICHT	363	EOR In-Line COH Trim
TS730TICHTW	363	EOR In-Line COH Trim
TS730TIPJ	332	In-Line Base Pnl Jct
TS730TKBOB	450	Fb Cvd Pnl S B O Bs
TS730TLPJ	333	L Base Pnl Jct
TS730TLPJW	333	L Base Pnl Jct
TS730TLVT	361	L Vrtl Trim
TS730TLVTW	361	L Vrtl Trim
TS730TPJ	415	T Base Pnl Jct

Style Number	Page	Description
TS730TSUC	358	Clg-Acs Lay-in Ut Pkg
TS730TSUF	359	Flr-Acs Lay-in Util Pkg
TS730TTCR	383	T C & Algnr Pkg – Ptd
TS730TTCWR	383	T C & Algnr Pkg – Wd
TS730TTPJ	333	T Base Pnl Jct
TS730TTPJW	333	T Base Pnl Jct
TS730TTVT	361	T Vrtl Trim
TS730TTVTW	361	T Vrtl Trim
TS730TVCHT	365	V Cnr C-O-H Trim
TS730TVCHTW	365	V Cnr C-O-H Trim
TS730TVPJ	336	V Base Pnl Jct
TS730TVPJW	336	V Base Pnl Jct
TS730TVVT	362	V Vrtl Trim
TS730TVVTW	362	V Vrtl Trim
TS730TXPJ	334	X Base Pnl Jct
TS730TXPJW	334	X Base Pnl Jct
TS730TYPJ	336	Y Base Pnl Jct
TS730TYPJW	336	Y Base Pnl Jct
TS730VPJ	419	V Base Pnl Jct
TS730WPJ	352	Wall-Start Jct
TS730XPJ	415	X Base Pnl Jct
TS730YPJ	419	Y Base Pnl Jct
TS73334TCXJ	346	X C-O-H Jct
TS73334TCXJW	346	X C-O-H Jct
TS73335TCXJ	346	X C-O-H Jct
TS73335TCXJW	346	X C-O-H Jct
TS73336TCXJ	346	X C-O-H Jct
TS73336TCXJW	346	X C-O-H Jct
TS73338TCXJ	346	X C-O-H Jct
TS73338TCXJW	346	X C-O-H Jct
TS7333QTCXJ	346	X C-O-H Jct
TS7333QTCXJW	346	X C-O-H Jct
TS73344TCXJ	345	X C-O-H Jct
TS73344TCXJW	345	X C-O-H Jct
TS7334TCTJ	342	T C-O-H Jct
TS7334TCTJW	342	T C-O-H Jct
TS73355TCXJ	345	X C-O-H Jct
TS73355TCXJW	345	X C-O-H Jct
TS7335TCTJ	342	T C-O-H Jct
TS7335TCTJW	342	T C-O-H Jct
TS73366TCXJ	345	X C-O-H Jct
TS73366TCXJW	345	X C-O-H Jct
TS7336TCTJ	342	T C-O-H Jct
TS7336TCTJW	342	T C-O-H Jct
TS73388TCXJ	345	X C-O-H Jct
TS73388TCXJW	345	X C-O-H Jct
TS7338TCTJ	342	T C-O-H Jct
TS7338TCTJW	342	T C-O-H Jct
TS733QQTCXJ	345	X C-O-H Jct
TS733QQTCXJW	345	X C-O-H Jct
TS733QTCTJ	342	T C-O-H Jct
TS733QTCTJW	342	T C-O-H Jct
TS73434TCXJ	344	X C-O-H Jct
TS73434TCXJW	344	X C-O-H Jct
TS7343TCTJ	340	T C-O-H Jct
TS7343TCTJW	340	T C-O-H Jct
TS7344TCYJ	351	Y C-O-H Jct
TS7344TCYJW	351	Y C-O-H Jct
TS734TCIJ	337	In-Line C-O-H Jct
TS734TCIJW	337	In-Line C-O-H Jct
TS734TCLJ	338	L C-O-H Jct
TS734TCLJW	338	L C-O-H Jct
TS734TCVJ	348	V C-O-H Jct
TS734TCVJW	348	V C-O-H Jct
TS73535TCXJ	344	X C-O-H Jct
TS73535TCXJW	344	X C-O-H Jct
TS7353TCTJ	340	T C-O-H Jct
TS7353TCTJW	340	T C-O-H Jct
TS7355TCYJ	351	Y C-O-H Jct
TS7355TCYJW	351	Y C-O-H Jct
TS735TCIJ	337	In-Line C-O-H Jct
TS735TCIJW	337	In-Line C-O-H Jct
TS735TCLJ	338	L C-O-H Jct
TS735TCLJW	338	L C-O-H Jct
TS735TCVJ	348	V C-O-H Jct
TS735TCVJW	348	V C-O-H Jct
TS73618GS	477	Bk Ptd Gls Skin
TS73618GSF	478	Bk Ptd Gls to Flr Skin
TS73618HS	453	Steel Pnl Skin
TS73618HSF	455	Steel To The Flr Skin
TS73618MB	458	Mkd Surf for Pnl Bldps
TS73618MBF	459	Mkd to the Floor Skin
TS73618TA	447	F-Cvrd Pnl Skin
TS73618TAF	448	F-Cvrd To The Flr Skin
TS73618TK	447	F-Cvrd Pnl Skin
TS73618TKF	448	F-Cvrd To The Flr Skin
TS73624GS	477	Bk Ptd Gls Skin
TS73624GSF	478	Bk Ptd Gls to Flr Skin
TS73624HS	453	Steel Pnl Skin
TS73624HSF	455	Steel To The Flr Skin
TS73624LS	462	Lam Skin
TS73624LSF	463	Lam To The Flr Skin
TS73624MB	458	Mkd Skin
TS73624MBF	459	Mkd to the Floor Skin
TS73624MBS	457	Mkd Surf for St Skin
TS73624TA	447	F-Cvrd Pnl Skin
TS73624TAF	448	F-Cvrd To The Flr Skin
TS73624TK	447	F-Cvrd Pnl Skin
TS73624TKF	448	F-Cvrd To The Flr Skin
TS73624WS	465	Wood Skin
TS73624WSF	467	Wood To The Flr Skin
TS73630GS	477	Bk Ptd Glass Skin
TS73630GSF	478	Bk Ptd Gls to Flr Skin
TS73630HS	453	Steel Pnl Skin
TS73630HSF	455	Steel To The Flr Skin
TS73630LS	462	Lam Skin
TS73630LSF	463	Lam To The Flr Skin
TS73630MB	458	Mkd Skin
TS73630MBF	459	Mkd to the Floor Skin
TS73630MBS	457	Mkd Surf for Steel Skin
TS73630TA	447	F-Cvrd Pnl Skin
TS73630TAF	448	F-Cvrd To The Flr Skin
TS73630TK	447	F-Cvrd Pnl Skin
TS73630TKF	448	F-Cvrd To The Flr Skin
TS73630WS	465	Wood Skin
TS73630WSF	467	Wood To The Flr Skin
TS73636GS	477	Bk Ptd Gls Skin
TS73636GSF	478	Bk Ptd Gls to Flr Skin
TS73636HS	453	Steel Pnl Skin
TS73636HSF	455	Steel To The Flr Skin
TS73636LS	462	Lam Skin
TS73636LSF	463	Lam To The Flr Skin
TS73636MB	458	Mkd Skin
TS73636MBF	459	Mkd to the Floor Skin
TS73636MBS	457	Mkd Surf for Steel Skin
TS73636TA	447	F-Cvrd Pnl Skin
TS73636TAF	448	F-Cvrd To The Flr Skin
TS73636TCXJ	344	X C-O-H Jct
TS73636TCXJW	344	X C-O-H Jct
TS73636TK	447	F-Cvrd Pnl Skin
TS73636TKF	448	F-Cvrd To The Flr Skin
TS73636WS	465	Wood Skin
TS73636WSF	467	Wood To The Flr Skin
TS7363TCTJ	340	T C-O-H Jct
TS7363TCTJW	340	T C-O-H Jct
TS73642GS	477	Bk Ptd Gls Skin
TS73642GSF	478	Bk Ptd Gls to Flr Skin
TS73642HS	453	Steel Pnl Skin
TS73642HSF	455	Steel To The Flr Skin
TS73642LS	462	Lam Skin
TS73642LSF	463	Lam To The Flr Skin
TS73642MB	458	Mkd Skin
TS73642MBF	459	Mkd to the Floor Skin
TS73642MBS	457	Mkd Surf for Steel Skin
TS73642TA	447	F-Cvrd Pnl Skin
TS73642TAF	448	F-Cvrd To The Flr Skin
TS73642TK	447	F-Cvrd Pnl Skin
TS73642TKF	448	F-Cvrd To The Flr Skin
TS73642WS	465	Wood Skin
TS73642WSF	467	Wood To The Flr Skin
TS73648GS	477	Bk Ptd Glass Skin
TS73648GSF	478	Bk Ptd Gls to Flr Skin
TS73648HS	453	Steel Pnl Skin
TS73648HSF	455	Steel To The Flr Skin
TS73648LS	462	Lam Skin
TS73648LSF	463	Lam To The Flr Skin
TS73648MB	458	Mkd Skin
TS73648MBF	459	Mkd to the Floor Skin
TS73648MBS	457	Mkd Surf for Steel Skin
TS73648TA	447	F-Cvrd Pnl Skin
TS73648TAF	448	F-Cvrd To The Flr Skin
TS73648TK	447	F-Cvrd Pnl Skin
TS73648TKF	448	F-Cvrd To The Flr Skin
TS73648WS	465	Wood Skin
TS73648WSF	467	Wood To The Flr Skin
TS73660GS	477	Bk Ptd Glass Skin
TS73660GSF	478	Bk Ptd Gls to Flr Skin
TS73660HS	453	Steel Pnl Skin
TS73660HSF	455	Steel To The Flr Skin
TS73660MB	458	Mkd Skin
TS73660MBF	459	Mkd to the Floor Skin
TS73660TA	447	F-Cvrd Pnl Skin
TS73660TAF	448	F-Cvrd To The Flr Skin
TS73660TK	447	F-Cvrd Pnl Skin
TS73660TKF	448	F-Cvrd To The Flr Skin
TS7366TCYJ	351	Y C-O-H Jct
TS7366TCYJW	351	Y C-O-H Jct
TS73672GS	477	Bk Ptd Gls Skin
TS73672GSF	478	Bk Ptd Gls to Flr Skin
TS73672HS	453	Steel Pnl Skin
TS73672HSF	455	Steel To The Flr Skin
TS73672MB	458	Mkd Skin
TS73672MBF	459	Mkd to the Floor Skin
TS73672TA	447	F-Cvrd Pnl Skin
TS73672TAF	448	F-Cvrd To The Flr Skin
TS73672TK	447	F-Cvrd Pnl Skin

Style Number	Page	Description
TS73672TKF	448	F-Cvrd To The Flr Skin
TS736BKT	354, 422	Off-Mdle Pnl Conntor
TS736BT	409	Base Trim
TS736BTH	489	Hardwire Base Trim
TS736CH	435	C-O-H Trim
TS736CHS	435	C-O-H Trim
TS736CT	491	Cable Tray
TS736HF	440	Base Horiz Frame Pkg
TS736HFS	372, 441	Stcking Horiz Frm Pkg
TS736HSBOB	456	Stl Pnl Skn B O Base
TS736JP	366	Jct Post
TS736OBK	409	Open Base Conv Kit
TS736SCH	434	C-O-H Trim
TS736SCHS	434	C-O-H Trim
TS736SHF	439	Base Horiz Frame Pkg
TS736SSUC	430	Clg-Acs Lay-In Utl Pkg
TS736SSUF	432	Flr-Acs Lay-In Util Pkg
TS736STC	442	Spanning Top Cap
TS736SUC	431	Clg-Acs Lay-In Utl Pkg
TS736SUF	433	Flr-Acs Lay-In Util Pkg
TS736T120CHT	365	120° Cnr C-O-H Trim
TS736T120CHTW	365	120° Cnr C-O-H Trim
TS736TCIJ	337	In-Line C-O-H Jct
TS736TCIJW	337	In-Line C-O-H Jct
TS736TCLCHT	364	L Cnr C-O-H Trim
TS736TCLCHTW	364	L Cnr C-O-H Trim
TS736TCLJ	338	L C-O-H Jct
TS736TCLJW	338	L C-O-H Jct
TS736TCTCHT	364	T Cnr C-O-H Trim
TS736TCTCHTW	364	T Cnr C-O-H Trim
TS736TCVJ	348	V C-O-H Jct
TS736TCVJW	348	V C-O-H Jct
TS736TEPJ	335	EOR Base Pnl Jct
TS736TEPJS	355	Stk EOR Pnl Jct
TS736TEPJW	335	EOR Base Pnl Jct
TS736TEVT	360	EOR Vrtl Trim
TS736TEVTW	360	EOR Vrtl Trim
TS736THF	371	Base Horiz Frame Pkg
TS736TICHT	363	EOR In-Line COH Trim
TS736TICHTW	363	EOR In-Line COH Trim
TS736TIPJ	332	In-Line Base Pnl Jct
TS736TKBOB	450	Fb Cvd Pnl S B O Bs
TS736TLPJ	333	L Base Pnl Jct
TS736TLPJW	333	L Base Pnl Jct
TS736TLVT	361	L Vrtl Trim
TS736TLVTW	361	L Vrtl Trim
TS736TSUC	358	Clg-Acs Lay-in Utl Pkg
TS736TSUF	359	Flr-Acs Lay-in Utl Pkg
TS736TTC	373	Spanning Top Cap
TS736TTCR	383	T C & Algnr Pkgs – Ptd
TS736TTCW	373	Spanning Top Cap
TS736TTCWR	383	T C & Algnr Pkgs – Wd
TS736TTPJ	333	L Base Pnl Jct
TS736TTPJW	333	L Base Pnl Jct
TS736TTVT	361	T Vrtl Trim
TS736TTVTW	361	T Vrtl Trim
TS736TVCHT	365	V Cnr C-O-H Trim
TS736TVCHTW	365	V Cnr C-O-H Trim
TS736TVPJ	336	V Base Pnl Jct
TS736TVPJW	336	V Base Pnl Jct
TS736TVVT	362	V Vrtl Trim
TS736TVVTW	362	V Vrtl Tri
TS736TXPJ	334	X Base Pnl Jct
TS736TXPJW	334	X Base Pnl Jct
TS736TYPJ	336	V and Y Base Pnl Jct
TS736TYPJW	336	V and Y Base Pnl Jct
TS736WPJ	352	Wall-Start Jct
TS73838TCXJ	344	X C-O-H Jct
TS73838TCXJW	344	X C-O-H Jct
TS7383TCTJ	340	T C-O-H Jct
TS7383TCTJW	340	T C-O-H Jct
TS7388TCYJ	351	Y C-O-H Jct
TS7388TCYJW	351	Y C-O-H Jct
TS738TCIJ	337	In-Line C-O-H Jct
TS738TCIJW	337	In-Line C-O-H Jct
TS738TCLJ	338	L C-O-H Jct
TS738TCLJW	338	L C-O-H Jct
TS738TCVJ	348	V C-O-H Jct
TS738TCVJW	348	V C-O-H Jct
TS73Q3QTCXJ	344	EOR Base Pnl Jct
TS73Q3QTCXJW	344	EOR Base Pnl Jct
TS73Q3TCTJ	340	T C-O-H Jct
TS73Q3TCTJW	340	T C-O-H Jct
TS73QQTCYJ	351	Y C-O-H Jct
TS73QQTCYJW	351	Y C-O-H Jct
TS73QTCIJ	337	I C-O-H Jct
TS73QTCIJW	337	I C-O-H Jct
TS73QTCLJ	338	L C-O-H Jct
TS73QTCLJW	338	L C-O-H Jct
TS73QTCVJ	348	V C-O-H Jct
TS73QTCVJW	348	V C-O-H Jct
TS73SGX	494	15-Amp Duplex Rcpt
TS73SGY	494	15-Amp Duplex Rcpt
TS73SGZ	494	15-Amp Duplex Rcpt
TS73SSX	494	15-Amp Duplex Rcpt
TS73SSY	494	15-Amp Duplex Rcpt
TS73SSZ	494	15-Amp Duplex Rcpt
TS73USBX	495	USB Receptacle
TS73USBY	495	USB Receptacle
TS73USBZ	495	USB Receptacle
TS74218TA	447	F-Cvrd Pnl Skin
TS74218TAF	449	F-Cvrd To The Flr Skin
TS74218TK	447	F-Cvrd Pnl Skin
TS74218TKF	449	F-Cvrd To The Flr Skin
TS74218TPF	385	Perf Tack Acst Pnl Pkg
TS74218TTF	385	Tack Acst Pnl Pkg
TS74224AWSF	472	Wood To Flr Skin Set
TS74224AWSS	468	Wood Skin Set
TS74224LS	462	Lam Skin
TS74224LSF	463	Lam To The Flr Skin
TS74224TA	447	F-Cvrd Pnl Skin
TS74224TAF	449	F-Cvrd To The Flr Skin
TS74224TK	447	F-Cvrd Pnl Skin
TS74224TKF	449	F-Cvrd To The Flr Skin
TS74224TPF	385	Perf Tack Acst Pnl Pkg
TS74224TTF	385	Tack Acst Pnl Pkg
TS74224WS	465	Wood Skin
TS74224WSF	467	Wood To Flr Skin
TS74230AWSF	472	Wood To Flr Skin Set
TS74230AWSS	468	Wood Skin Set
TS74230LS	462	Lam Skin
TS74230LSF	463	Lam To The Flr Skin
TS74230TA	447	F-Cvrd Pnl Skin
TS74230TAF	449	F-Cvrd To The Flr Skin
TS74230TK	447	F-Cvrd Pnl Skin
TS74230TKF	449	F-Cvrd To The Flr Skin
TS74230TPF	385	Perf Tack Acst Pnl Pkg
TS74230TTF	385	Tack Acst Pnl Pkg
TS74230WS	465	Wood Skin
TS74230WSF	467	Wood To The Flr Skin
TS74236AWSF	472	Wood To Flr Skin Set
TS74236AWSS	468	Wood Skin Set
TS74236LS	462	Lam Skin
TS74236LSF	463	Lam To The Flr Skin
TS74236TA	447	F-Cvrd Pnl Skin
TS74236TAF	449	F-Cvrd To The Flr Skin
TS74236TK	447	F-Cvrd Pnl Skin
TS74236TKF	449	F-Cvrd To The Flr Skin
TS74236TPF	385	Perf Tack Acst Pnl Pkg
TS74236TTF	385	Tack Acst Pnl Pkg
TS74236WS	465	Wood Skin
TS74236WSF	467	Wood To The Flr Skin
TS74242AWSF	472	Wood To Flr Skin Set
TS74242AWSS	468	Wood Skin Set
TS74242LS	462	Lam Skin
TS74242LSF	463	Lam To The Flr Skin
TS74242TA	447	F-Cvrd Pnl Skin
TS74242TAF	449	F-Cvrd To The Flr Skin
TS74242TK	447	F-Cvrd Pnl Skin
TS74242TKF	449	F-Cvrd To The Flr Skin
TS74242TPF	385	Perf Tack Acst Pnl Pkg
TS74242TTF	385	Tack Acst Pnl Pkg
TS74242WS	465	Wood Skin
TS74242WSF	467	Wood To The Flr Skin
TS74248AWSF	472	Wood To Flr Skin Set
TS74248AWSS	468	Wood Skin Set
TS74248LS	462	Lam Skin
TS74248LSF	463	Lam To The Flr Skin
TS74248TA	447	F-Cvrd Pnl Skin
TS74248TAF	449	F-Cvrd To The Flr Skin
TS74248TK	447	F-Cvrd Pnl Skin
TS74248TKF	449	F-Cvrd To The Flr Skin
TS74248TPF	385	Perf Tack Acst Pnl Pkg
TS74248TTF	385	Tack Acst Pnl Pkg
TS74248WS	465	Wood Skin
TS74248WSF	467	Wood To The Flr Skin
TS74260TA	447	F-Cvrd Pnl Skin
TS74260TAF	449	F-Cvrd To The Flr Skin
TS74260TK	447	F-Cvrd Pnl Skin
TS74260TKF	449	F-Cvrd To The Flr Skin
TS74260TPF	385	Perf Tack Acst Pnl Pkg
TS74260TTF	385	Tack Acst Pnl Pkg
TS74272TA	447	F-Cvrd Pnl Skin
TS74272TAF	449	F-Cvrd To The Flr Skin
TS74272TK	447	F-Cvrd Pnl Skin
TS74272TKF	449	F-Cvrd To The Flr Skin
TS74272TPF	385	Perf Tack Acst Pnl Pkg
TS74272TTF	385	Tack Acst Pnl Pkg
TS742BKT	354, 422	Off-Mod Pnl Conn
TS742BT	409	Base Trim
TS742BTH	489	Hardwire Base Trim
TS742CT	491	Cable Tray
TS742EPJ	417	EOR Base Pnl Jct
TS742ERUP	429	EOR Jct w/Util Pole
TS742HB	620	Horiz Brace
TS742HF	440	Base Horiz Frame Pkg

Style Number	Page	Description
TS742HFS	372, 441	Stcking Horiz Frm Pkg
TS742HSBOB	456	Stl Pnl Skn B O Base
TS742IPJ	413	In-Line Base Pnl Jct
TS742JP	366	Jct Post
TS742LPJ	415	L Base Pnl Jct
TS742LUP	429	L/In-Line Jct w/Util Ple
TS742OBK	409	Open Base Conv Kit
TS742SEPJ	416	EOR Base Pnl Jct
TS742SERUP	428	EOR Jct w/Util Pole
TS742SHF	439	Base Horiz Frame Pkg
TS742SIPJ	412	In-Line Base Pnl Jct
TS742SLPJ	414	L Base Pnl Jct
TS742SLUP	428	L/In-Line Jct w/Utl Pl
TS742SSUC	430	Clg-Acs Lay-In Utl Pkg
TS742SSUF	432	Flr-Acs Lay-In Utl Pkg
TS742STC	442	Spanning Top Cap
TS742STPJ	414	T Base Pnl Jct
TS742STUP	428	T Jct w/Util Pole
TS742SUC	431	Clg-Acs Lay-In Utl Pkg
TS742SUF	433	Flr-Acs Lay-In Utl Pkg
TS742SVPJ	418	V Base Pnl Jct
TS742SXPJ	414	X Base Pnl Jct
TS742SYPJ	418	Y Base Pnl Jct
TS742TEPJ	335	EOR Base Pnl Jct
TS742TEPJW	335	EOR Base Pnl Jct
TS742TEVT	360	EOR Vrtl Trim
TS742TEVTW	360	EOR Vrtl Trim
TS742THF	371	Base Horiz Frame Pkg
TS742TIPJ	332	In-Line Base Pnl Jct
TS742TKBOB	450	Fb Cvd Pnl S B O Bs
TS742TLPJ	333	L Base Pnl Jct
TS742TLPJW	333	L Base Pnl Jct
TS742TLVT	361	L Vrtl Trim
TS742TLVTW	361	L Vrtl Trim
TS742TPJ	415	T Base Pnl Jct
TS742TSUC	358	Clg-Acs Lay-in Utl Pkg
TS742TSUF	359	Flr-Acs Lay-in Utl Pkg
TS742TTC	373	Spanning Top Cap
TS742TTCR	383	T C & Algnr Pkgs – Ptd
TS742TTCW	373	Spanning Top Cap
TS742TTCWR	383	T C & Algnr Pkgs – Wd
TS742TTPJ	333	T Base Pnl Jct
TS742TTPJW	333	T Base Pnl Jct
TS742TTVT	361	T Vrtl Trim
TS742TTVTW	361	T Vrtl Trim
TS742TUP	429	T Jct w/Util Pole
TS742TVPJ	336	V Base Pnl Jct
TS742TVPJW	336	V Base Pnl Jct
TS742TVVT	362	V Vrtl Trim
TS742TVVTW	362	V Vrtl Trim
TS742TXPJ	334	X Base Pnl Jct
TS742TXPJW	334	X Base Pnl Jct
TS742TYPJ	336	Y Base Pnl Jct
TS742TYPJW	336	Y Base Pnl Jct
TS742VPJ	419	V Base Pnl Jct
TS742WPJ	352, 420	Wall-Start Jct
TS742XPJ	415	X Base Pnl Jct
TS742YPJ	419	Y Base Pnl Jct
TS7433TCYJ	350	Y C-O-H Jct
TS7433TCYJW	350	Y C-O-H Jct
TS7434TCTJ	341	T C-O-H Jct
TS7434TCTJW	341	T C-O-H Jct
TS743MHX	503	Modular Harness
TS743MHXN	503	Modular Harness
TS743MHY	503	Modular Harness
TS743MHYN	503	Modular Harness
TS743MHZ	503	Modular Harness
TS743MHZN	503	Modular Harness
TS7443TCTJ	343	T C-O-H Jct
TS7443TCTJW	343	T C-O-H Jct
TS74443TCXJ	347	X C-O-H Jct
TS74443TCXJW	347	X C-O-H Jct
TS74445TCXJ	346	X C-O-H Jct
TS74445TCXJW	346	X C-O-H Jct
TS74446TCXJ	346	X C-O-H Jct
TS74446TCXJW	346	X C-O-H Jct
TS74447TCXJ	346	X C-O-H Jct
TS74447TCXJW	346	X C-O-H Jct
TS74448TCXJ	346	X C-O-H Jct
TS74448TCXJW	346	X C-O-H Jct
TS7444QTCXJ	347	X C-O-H Jct
TS7444QTCXJW	347	X C-O-H Jct
TS74455TCXJ	345	X C-O-H Jct
TS74455TCXJW	345	X C-O-H Jct
TS7445TCTJ	342	T C-O-H Jct
TS7445TCTJW	342	T C-O-H Jct
TS74466TCXJ	345	X C-O-H Jct
TS74466TCXJW	345	X C-O-H Jct
TS7446TCTJ	342	T C-O-H Jct
TS7446TCTJW	342	T C-O-H Jct
TS74477TCXJ	345	X C-O-H Jct
TS74477TCXJW	345	X C-O-H Jct
TS7447TCTJ	342	T C-O-H Jct
TS7447TCTJW	342	T C-O-H Jct
TS74488TCXJ	345	T C-O-H Jct
TS74488TCXJW	345	X C-O-H Jct
TS7448TCTJ	342	T C-O-H Jct
TS7448TCTJW	342	T C-O-H Jct
TS744QTCTJ	343	T C-O-H Jct
TS744QTCTJW	343	T C-O-H Jct
TS74545TCXJ	344	X C-O-H Jct
TS74545TCXJW	344	X C-O-H Jct
TS7454TCTJ	340	T C-O-H Jct
TS7454TCTJW	340	T C-O-H Jct
TS7455TCYJ	351	Y C-O-H Jct
TS7455TCYJW	351	Y C-O-H Jct
TS745TCIJ	337	In-Line C-O-H Jct
TS745TCIJW	337	In-Line C-O-H Jct
TS745TCLJ	338	L C-O-H Jct
TS745TCLJW	338	L C-O-H Jct
TS745TCVJ	348	V C-O-H Jct
TS745TCVJW	348	V C-O-H Jct
TS74646TCXJ	344	X C-O-H Jct
TS74646TCXJW	344	X C-O-H Jct
TS7464TCTJ	340	T C-O-H Jct
TS7464TCTJW	340	T C-O-H Jct
TS7466TCYJ	351	Y C-O-H Jct
TS7466TCYJW	351	Y C-O-H Jct
TS746TCIJ	337	In-Line C-O-H Jct
TS746TCIJW	337	In-Line C-O-H Jct
TS746TCLJ	338	L C-O-H Jct
TS746TCLJW	338	L C-O-H Jct
TS746TCVJ	348	V C-O-H Jct
TS746TCVJW	348	V C-O-H Jct
TS74747TCXJ	344	X C-O-H Jct
TS74747TCXJW	344	X C-O-H Jct
TS7474TCTJ	340	T C-O-H Jct
TS7474TCTJW	340	T C-O-H Jct
TS7477TCYJ	351	Y C-O-H Jct
TS7477TCYJW	351	Y C-O-H Jct
TS747TCIJ	337	In-Line C-O-H Jct
TS747TCIJW	337	In-Line C-O-H Jct
TS747TCLJ	338	L C-O-H Jct
TS747TCLJW	338	L C-O-H Jct
TS747TCVJ	348	V C-O-H Jct
TS747TCVJW	348	V C-O-H Jct
TS74818TA	447	F-Cvrd Pnl Skin
TS74818TAF	449	F-Cvrd To The Flr Skin
TS74818TK	447	F-Cvrd Pnl Skin
TS74818TKF	449	F-Cvrd To The Flr Skin
TS74818TPF	385	Perf Tack Acst Pnl Pkg
TS74818TTF	385	Tack Acst Pnl Pkg
TS74824AWSF	472	Wood To Flr Skin Set
TS74824AWSS	468	Wood Skin Set
TS74824BWSF	472	Wood To Flr Skin Set
TS74824BWSS	468	Wood Skin Set
TS74824LS	462	Lam Skin
TS74824LSF	463	Lam To The Flr Skin
TS74824TA	447	F-Cvrd Pnl Skin
TS74824TAF	449	F-Cvrd To The Flr Skin
TS74824TK	447	F-Cvrd Pnl Skin
TS74824TKF	449	F-Cvrd To The Flr Skin
TS74824TPF	385	Perf Tack Acst Pnl Pkg
TS74824TTF	385	Tack Acst Pnl Pkg
TS74824WS	465	Wood Skin
TS74824WSF	467	Wood To The Flr Skin
TS74830AWSF	472	Wood To Flr Skin Set
TS74830AWSS	468	Wood Skin Set
TS74830BWSF	472	Wood To Flr Skin Set
TS74830BWSS	468	Wood Skin Set
TS74830LS	462	Lam Skin
TS74830LSF	463	Lam To Flr Skin
TS74830TA	447	F-Cvrd Pnl Skin
TS74830TAF	449	F-Cvrd To The Flr Skin
TS74830TK	447	F-Cvrd Pnl Skin
TS74830TKF	449	F-Cvrd To The Flr Skin
TS74830TPF	385	Perf Tack Acst Pnl Pkg
TS74830TTF	385	Tack Acst Pnl Pkg
TS74830WS	465	Wood Skin
TS74830WSF	467	Wood To The Flr Skin
TS74836AWSF	472	Wood To Flr Skin Set
TS74836AWSS	468	Wood Skin Set
TS74836BWSF	472	Wood To Flr Skin Set
TS74836BWSS	468	Wood Skin Set
TS74836LS	462	Lam Skin
TS74836LSF	463	Lam To The Flr Skin
TS74836TA	447	F-Cvrd Pnl Skin
TS74836TAF	449	F-Cvrd To The Flr Skin
TS74836TK	447	F-Cvrd Pnl Skin
TS74836TKF	449	F-Cvrd To The Flr Skin
TS74836TPF	385	Perf Tack Acst Pnl Pkg
TS74836TTF	385	Tack Acst Pnl Pkg
TS74836WS	465	Wood Skin
TS74836WSF	467	Wood To The Flr Skin
TS74842AWSF	472	Wood To Flr Skin Set
TS74842AWSS	468	Wood Skin Set

Style Number	Page	Description
TS74842BWSF	472	Wood To Flr Skin Set
TS74842BWSS	468	Wood Skin Set
TS74842LS	462	Lam Skin
TS74842LSF	463	Lam To The Flr Skin
TS74842TA	447	F-Cvrd Pnl Skin
TS74842TAF	449	F-Cvrd To The Flr Skin
TS74842TK	447	F-Cvrd Pnl Skin
TS74842TKF	449	F-Cvrd To The Flr Skin
TS74842TPF	385	Perf Tack Acst Pnl Pkg
TS74842TTF	385	Tack Acst Pnl Pkg
TS74842WS	465	Wood Skin
TS74842WSF	467	Wood To The Flr Skin
TS74848AWSF	472	Wood To Flr Skin Set
TS74848AWSS	468	Wood Skin Set
TS74848BWSF	472	Wood To Flr Skin Set
TS74848BWSS	468	Wood Skin Set
TS74848LS	462	Lam Skin
TS74848LSF	463	Lam To The Flr Skin
TS74848TA	447	F-Cvrd Pnl Skin
TS74848TAF	449	F-Cvrd To The Flr Skin
TS74848TCXJ	344	X C-O-H Jct
TS74848TCXJW	344	X C-O-H Jct
TS74848TK	447	F-Cvrd Pnl Skin
TS74848TKF	449	F-Cvrd To The Flr Skin
TS74848TPF	385	Perf Tack Acst Pnl Pkg
TS74848TTF	385	Tack Acst Pnl Pkg
TS74848WS	465	Wood Skin
TS74848WSF	467	Wood To The Flr Skin
TS7484TCTJ	340	T C-O-H Jct
TS7484TCTJW	340	T C-O-H Jct
TS74860TA	447	F-Cvrd Pnl Skin
TS74860TAF	449	F-Cvrd To The Flr Skin
TS74860TK	447	F-Cvrd Pnl Skin
TS74860TKF	449	F-Cvrd To The Flr Skin
TS74860TPF	385	Perf Tack Acst Pnl Pkg
TS74860TTF	385	Tack Acst Pnl Pkg
TS74872TA	447	F-Cvrd Pnl Skin
TS74872TAF	449	F-Cvrd To The Flr Skin
TS74872TK	447	F-Cvrd Pnl Skin
TS74872TKF	449	F-Cvrd To The Flr Skin
TS74872TPF	385	Perf Tack Acst Pnl Pkg
TS74872TTF	385	Tack Acst Pnl Pkg
TS7488TCYJ	351	Y C-O-H Jct
TS7488TCYJW	351	Y C-O-H Jct
TS748BKT	354, 422	Off-Mod Pnl Conntor
TS748BT	409	Base Trim
TS748BTH	489	Hardwire Base Trim
TS748CT	491	Cable Tray
TS748EPJ	417	EOR Base Pnl Jct
TS748ERUP	429	EOR Jct w/Util Pole
TS748HB	620	Horiz Brace
TS748HF	440	Base Horiz Frame Pkg
TS748HFS	372, 441	Stck Horiz Frame Pkg
TS748HSBOB	456	Stl Pnl Skn B O Base
TS748IPJ	413	In-Line Base Pnl Jct
TS748JP	366	Jct Post
TS748LPJ	415	L Base Pnl Jct
TS748LUP	429	L/In-Ln Jct w/Util Pole
TS748OBK	409	Open Base Conv Kit
TS748SEPJ	416	EOR Base Pnl Jct
TS748SERUP	428	EOR Jct w/Util Pole
TS748SHF	439	Base Horiz Frame Pkg
TS748SIPJ	412	In-Line Base Pnl Jct
TS748SLPJ	414	L Base Pnl Jct
TS748SLUP	428	L/In-Ln Jct w/Util Pole
TS748SSUC	430	C-A Lay-In Util Pkg
TS748SSUF	432	F-A Lay-In Util Pkg
TS748STC	442	Spanning Top Cap
TS748STPJ	414	T Base Pnl Jct
TS748STUP	428	T Jct w/Util Pole
TS748SUC	431	C-A Lay-In Util Pkg
TS748SUF	433	F-A Lay-In Util Pkg
TS748SVPJ	418	V Base Pnl Jct
TS748SXPJ	414	X Base Pnl Jct
TS748SYPJ	418	V Base Pnl Jct
TS748TCIJ	337	In-Line C-O-H Jct
TS748TCIJW	337	In-Line C-O-H Jct
TS748TCLJ	338	In-Line C-O-H Jct
TS748TCLJW	338	L C-O-H Jct
TS748TCVJ	348	V C-O-H Jct
TS748TCVJW	348	V C-O-H Jct
TS748TEPJ	335	EOR Base Pnl Jct
TS748TEPJW	335	EOR Base Pnl Jct
TS748TEVT	360	EOR Vrtl Trim
TS748TEVTW	360	EOR Vrtl Trim
TS748THF	371	Base Horiz Frame Pkg
TS748TIPJ	332	In-Line Base Pnl Jct
TS748TKBOB	450	Fb Cvd Pnl S B O Bs
TS748TLPJ	333	L Base Pnl Jct
TS748TLPJW	333	L Base Pnl Jct
TS748TLVT	361	L Vrtl Trim
TS748TLVTW	361	L Vrtl Trim
TS748TPJ	415	T Base Pnl Jct
TS748TSUC	358	C-A Lay-in Util Pkg
TS748TSUF	359	F-A Lay-in Util Pkg
TS748TTC	373	Spanning Top Cap
TS748TTCR	383	T C & Algr Pkg – Ptd
TS748TTCW	373	Spanning Top Cap
TS748TTCWR	383	T C & Algr Pkg – Wd
TS748TTPJ	333	T Base Pnl Jct
TS748TTPJW	333	T Base Pnl Jct
TS748TTVT	361	T Vrtl Trim
TS748TTVTW	361	T Vrtl Trim
TS748TUP	429	T Jct w/Util Pole
TS748TVPJ	336	V Base Pnl Jct
TS748TVPJW	336	V Base Pnl Jct
TS748TVVT	362	V Vrtl Trim
TS748TVVTW	362	V Vrtl Trim
TS748TXPJ	334	X Base Pnl Jct
TS748TXPJW	334	X Base Pnl Jct
TS748TYPJ	336	Y Base Pnl Jct
TS748TYPJW	336	Y Base Pnl Jct
TS748VPJ	419	V Base Pnl Jct
TS748WPJ	352, 420	Wall-Start Jct
TS748XPJ	415	X Base Pnl Jct
TS748YPJ	419	Y Base Pnl Jct
TS74Q4TCTJ	341	T C-O-H Jct
TS74Q4TCTJW	341	T C-O-H Jct
TS74QQTCYJ	350	Y C-O-H Jct
TS74QQTCYJW	350	Y C-O-H Jct
TS74SGX	494	15-Amp Duplex Rcpt
TS74SGY	494	15-Amp Duplex Rcpt
TS74SSX	494	15-Amp Duplex Rcpt
TS74SSY	494	15-Amp Duplex Rcpt
TS74USBX	495	USB Receptacle
TS74USBY	495	USB Receptacle
TS7533TCYJ	350	Y C-O-H Jct
TS7533TCYJW	350	Y C-O-H Jct
TS7535TCTJ	341	T C-O-H Jct
TS7535TCTJW	341	T C-O-H Jct
TS75418TPF	385	Perf Tack Acst Pnl Pkg
TS75418TTF	385	Tack Acst Pnl Pkg
TS75424AWSF	473	Wood To Flr Skin Set
TS75424AWSS	469	Wood Skin Set
TS75424BWSF	473	Wood To Flr Skin Set
TS75424BWSS	469	Wood Skin Set
TS75424CWSF	473	Wood To Flr Skin Set
TS75424CWSS	469	Wood Skin Set
TS75424TPF	385	Perf Tack Acst Pnl Pkg
TS75424TTF	385	Tack Acst Pnl Pkg
TS75430AWSF	473	Wood To Flr Skin Set
TS75430AWSS	469	Wood Skin Set
TS75430BWSF	473	Wood To Flr Skin Set
TS75430BWSS	469	Wood Skin Set
TS75430CWSF	473	Wood To Flr Skin Set
TS75430CWSS	469	Wood Skin Set
TS75430TPF	385	Perf Tack Acst Pnl Pkg
TS75430TTF	385	Tack Acst Pnl Pkg
TS75436AWSF	473	Wood To Flr Skin Set
TS75436AWSS	469	Wood Skin Set
TS75436BWSF	473	Wood To Flr Skin Set
TS75436BWSS	469	Wood Skin Set
TS75436CWSF	473	Wood To Flr Skin Set
TS75436CWSS	469	Wood Skin Set
TS75436TPF	385	Perf Tack Acst Pnl Pkg
TS75436TTF	385	Tack Acst Pnl Pkg
TS75442AWSF	473	Wood To Flr Skin Set
TS75442AWSS	469	Wood Skin Set
TS75442BWSF	473	Wood To Flr Skin Set
TS75442BWSS	469	Wood Skin Set
TS75442CWSF	473	Wood To Flr Skin Set
TS75442CWSS	469	Wood Skin Set
TS75442TPF	385	Perf Tack Acst Pnl Pkg
TS75442TTF	385	Tack Acst Pnl Pkg
TS75448AWSF	473	Wood To Flr Skin Set
TS75448AWSS	469	Wood Skin Set
TS75448BWSF	473	Wood To Flr Skin Set
TS75448BWSS	469	Wood Skin Set
TS75448CWSF	473	Wood To Flr Skin Set
TS75448CWSS	469	Wood Skin Set
TS75448TPF	385	Perf Tack Acst Pnl Pkg
TS75448TTF	385	Tack Acst Pnl Pkg
TS7544TCYJ	350	Y C-O-H Jct
TS7544TCYJW	350	Y C-O-H Jct
TS7545TCTJ	341	T C-O-H Jct
TS7545TCTJW	341	T C-O-H Jct
TS75460TPF	385	Perf Tack Acst Pnl Pkg
TS75460TTF	385	Tack Acst Pnl Pkg
TS75472TPF	385	Perf Tack Acst Pnl Pkg
TS75472TTF	385	Tack Acst Pnl Pkg
TS754EPJ	417	EOR Base Pnl Jct
TS754ERUP	429	EOR Jct w/Util Pole
TS754ICLS	367	Inside Cnr Light Seal
TS754IPJ	413	In-Line Base Pnl Jct
TS754JP	366	Jct Post
TS754LPJ	415	L Base Pnl Jct

Style Number	Page	Description
TS754LUP	429	L/In-Ln Jct w/Util Pole
TS754SEPJ	416	EOR Base Pnl Jct
TS754SERUP	428	EOR Jct w/Util Pole
TS754SIPJ	412	In-Line Base Pnl Jct
TS754SLPJ	414	L Base Pnl Jct
TS754SLUP	428	L/In-Ln Jct w/Util Pole
TS754STPJ	414	T Base Pnl Jct
TS754STUP	428	T Jct w/Util Pole
TS754SVPJ	418	V Base Pnl Jct
TS754SXPJ	414	X Base Pnl Jct
TS754SYPJ	418	Y Base Pnl Jct
TS754TEPJ	335	EOR Base Pnl Jct
TS754TEPJW	335	EOR Base Pnl Jct
TS754TEVT	360	EOR Vrtl Trim
TS754TEVTW	360	EOR Vrtl Trim
TS754TIPJ	332	In-Line Base Pnl Jct
TS754TLPJ	333	L Base Pnl Jct
TS754TLPJW	333	L Base Pnl Jct
TS754TLVT	361	L Vrtl Trim
TS754TLVTW	361	L Vrtl Trim
TS754TPJ	415	T Base Pnl Jct
TS754TTC	373	Spanning Top Cap
TS754TTCR	383	T C & Algn Pkg – Ptd
TS754TTCW	373	Spanning Top Cap
TS754TTCWR	383	T C & Algn Pkg – Wd
TS754TTPJ	333	T Base Pnl Jct
TS754TTPJW	333	T Base Pnl Jct
TS754TTVT	361	T Vrtl Trim
TS754TTVTW	361	T Vrtl Trim
TS754TUP	429	T Jct w/Util Pole
TS754TVPJ	336	V Base Pnl Jct
TS754TVPJW	336	V Base Pnl Jct
TS754TVVT	362	V Vrtl Trim
TS754TVVTW	362	V Vrtl Trim
TS754TXPJ	334	X Base Pnl Jct
TS754TXPJW	334	X Base Pnl Jct
TS754TYPJ	336	Y Base Pnl Jct
TS754TYPJW	336	Y Base Pnl Jct
TS754VPJ	419	V Base Pnl Jct
TS754WPJ	352, 420	Wall-Start Jct
TS754XPJ	415	X Base Pnl Jct
TS754YPJ	419	Y Base Pnl Jct
TS7553TCTJ	343	T C-O-H Jct
TS7553TCTJW	343	T C-O-H Jct
TS7554TCTJ	343	T C-O-H Jct
TS7554TCTJW	343	T C-O-H Jct
TS75553TCXJ	347	X C-O-H Jct
TS75553TCXJW	347	X C-O-H Jct
TS75554TCXJ	347	X C-O-H Jct
TS75554TCXJW	347	X C-O-H Jct
TS75556TCXJ	346	X C-O-H Jct
TS75556TCXJW	346	X C-O-H Jct
TS75557TCXJ	346	X C-O-H Jct
TS75557TCXJW	346	X C-O-H Jct
TS75558TCXJ	347	X C-O-H Jct
TS75558TCXJW	347	X C-O-H Jct
TS7555QTCXJ	347	X C-O-H Jct
TS7555QTCXJW	347	X C-O-H Jct
TS75566TCXJ	345	X C-O-H Jct
TS75566TCXJW	345	X C-O-H Jct
TS7556TCTJ	342	T C-O-H Jct
TS7556TCTJW	342	T C-O-H Jct
TS75577TCXJ	345	X C-O-H Jct
TS75577TCXJW	345	X C-O-H Jct
TS7557TCTJ	342	T C-O-H Jct
TS7557TCTJW	342	T C-O-H Jct
TS7558TCTJ	343	T C-O-H Jct
TS7558TCTJW	343	T C-O-H Jct
TS755QTCTJ	343	T C-O-H Jct
TS755QTCTJW	343	T C-O-H Jct
TS75656TCXJ	344	X C-O-H Jct
TS75656TCXJW	344	X C-O-H Jct
TS7565TCTJ	340	T C-O-H Jct
TS7565TCTJW	340	T C-O-H Jct
TS7566TCYJ	351	Y C-O-H Jct
TS7566TCYJW	351	Y C-O-H Jct
TS756TCIJ	337	In-Line C-O-H Jct
TS756TCIJW	337	In-Line C-O-H Jct
TS756TCLJ	338	L C-O-H Jct
TS756TCLJW	338	L C-O-H Jct
TS756TCVJ	348	V C-O-H Jct
TS756TCVJW	348	V C-O-H Jct
TS75757TCXJ	344	X C-O-H Jct
TS75757TCXJW	344	X C-O-H Jct
TS7575TCTJ	340	T C-O-H Jct
TS7575TCTJW	340	T C-O-H Jct
TS7577TCYJ	351	Y C-O-H Jct
TS7577TCYJW	351	Y C-O-H Jct
TS757TCIJ	337	In-Line C-O-H Jct
TS757TCIJW	337	In-Line C-O-H Jct
TS757TCLJ	338	L C-O-H Jct
TS757TCLJW	338	L C-O-H Jct
TS757TCVJ	348	V C-O-H Jct
TS757TCVJW	348	V C-O-H Jct
TS7585TCTJ	341	T C-O-H Jct
TS7585TCTJW	341	T C-O-H Jct
TS7588TCYJ	350	Y C-O-H Jct
TS7588TCYJW	350	Y C-O-H Jct
TS759TCIJ	337	In-Line C-O-H Jct
TS759TCIJW	337	In-Line C-O-H Jct
TS75Q5TCTJ	341	T C-O-H Jct
TS75Q5TCTJW	341	T C-O-H Jct
TS75QQTCYJ	350	T C-O-H Jct
TS75QQTCYJW	350	T C-O-H Jct
TS76018TA	447	F-Cvrd Pnl Skin
TS76018TAF	449	F-Cvrd To The Flr Skin
TS76018TK	447	F-Cvrd Pnl Skin
TS76018TKF	449	F-Cvrd To The Flr Skin
TS76024LS	462	Lam Skin
TS76024LSF	463	Lam To The Flr Skin
TS76024TA	447	F-Cvrd Pnl Skin
TS76024TAF	449	F-Cvrd To The Flr Skin
TS76024TK	447	F-Cvrd Pnl Skin
TS76024TKF	449	F-Cvrd To The Flr Skin
TS76024WS	465	Wood Skin
TS76024WSF	467	Wood To The Flr Skin
TS76030LS	462	Lam Skin
TS76030LSF	463	Lam To The Flr Skin
TS76030TA	447	F-Cvrd Pnl Skin
TS76030TAF	449	F-Cvrd To The Flr Skin
TS76030TK	447	F-Cvrd Pnl Skin
TS76030TKF	449	F-Cvrd To The Flr Skin
TS76030WS	465	Wood Skin
TS76030WSF	467	Wood To The Flr Skin
TS76036LS	462	Lam Skin
TS76036LSF	463	Lam To The Flr Skin
TS76036TA	447	F-Cvrd Pnl Skin
TS76036TAF	449	F-Cvrd To The Flr Skin
TS76036TK	447	F-Cvrd Pnl Skin
TS76036TKF	449	F-Cvrd To The Flr Skin
TS76036WS	465	Wood Skin
TS76036WSF	467	Wood To The Flr Skin
TS76042LS	462	Lam Skin
TS76042LSF	463	Lam To The Flr Skin
TS76042TA	447	F-Cvrd Pnl Skin
TS76042TAF	449	F-Cvrd To The Flr Skin
TS76042TK	447	F-Cvrd Pnl Skin
TS76042TKF	449	F-Cvrd To The Flr Skin
TS76042WS	465	Wood Skin
TS76042WSF	467	Wood To The Flr Skin
TS76048LS	462	Lam Skin
TS76048LSF	463	Lam To The Flr Skin
TS76048TA	447	F-Cvrd Pnl Skin
TS76048TAF	449	F-Cvrd To The Flr Skin
TS76048TK	447	F-Cvrd Pnl Skin
TS76048TKF	449	F-Cvrd To The Flr Skin
TS76048WS	465	Wood Skin
TS76048WSF	467	Wood To The Flr Skin
TS76060TA	447	F-Cvrd Pnl Skin
TS76060TAF	449	F-Cvrd To The Flr Skin
TS76060TK	447	F-Cvrd Pnl Skin
TS76060TKF	449	F-Cvrd To The Flr Skin
TS76072TA	447	F-Cvrd Pnl Skin
TS76072TK	447	F-Cvrd Pnl Skin
TS760BKT	354, 422	Off-Mod Pnl Connect
TS760BT	409	Base Trim
TS760BTH	489	Hardwire Base Trim
TS760CT	491	Cable Tray
TS760HB	620	Horiz Brace
TS760HF	440	Base Horiz Frame Pkg
TS760HFS	372, 441	Stacking Horiz Fr Pkg
TS760HSBOB	456	Stl Pnl Skn B O Base
TS760OBK	409	Open Base Conv Kit
TS760SHF	439	Base Horiz Frame Pkg
TS760STC	442	Spanning Top Cap
TS760TEVT	360	EOR Vrtl Trim
TS760TEVTW	360	EOR Vrtl Trim
TS760THF	371	Base Horiz Frame Pkg
TS760TKBOB	450	Fb Cvd Pnl S B O Bs
TS760TLVT	361	L Vrtl Trim
TS760TLVTW	361	L Vrtl Trim
TS760TTC	373	Spanning Top Cap
TS760TTCR	383	T C & Algn Pkg – Ptd
TS760TTCW	373	Spanning Top Cap
TS760TTCWR	383	T C & Algn Pkg – Wd
TS760TTVT	361	T Vrtl Trim
TS760TTVTW	361	T Vrtl Trim
TS760TVVT	362	V Vrtl Trim
TS760TVVTW	362	V Vrtl Trim
TS7624HS	481	Stl Tech Skin, No Co
TS7624TFGR	374	Frameless Glass
TS7624TSS	481	Steel Tech Skin
TS7630HS	481	Stl Tech Skin, No Co
TS7630LTSS	481	Stl Tech Skin, LH Co
TS7630RTSS	481	Stl Tech Skin, RH Co
TS7630TFGR	374	Frameless Glass

Style Number	Page	Description
TS7630TSS	481	Steel Tech Skin
TS7633TCYJ	350	Y C-O-H Jct
TS7633TCYJW	350	Y C-O-H Jct
TS7636HS	481	Stl Tech Skin, No Co
TS7636LTSS	481	Stl Tech Skin, LH Co
TS7636RTSS	481	Stl Tech Skin, RH Co
TS7636TCTJ	341	T C-O-H Jct
TS7636TCTJW	341	T C-O-H Jct
TS7636TFGR	374	Frameless Glass
TS7636TSS	481	Steel Tech Skin
TS7642HS	481	Stl Tech Skin, No Co
TS7642LTSS	481	Stl Tech Skin, LH Co
TS7642RTSS	481	Stl Tech Skin, RH Co
TS7642TFGR	374	Frameless Glass
TS7642TSS	481	Steel Tech Skin
TS7644TCYJ	350	Y C-O-H Jct
TS7644TCYJW	350	Y C-O-H Jct
TS7646TCTJ	341	T C-O-H Jct
TS7646TCTJW	341	T C-O-H Jct
TS7648HS	481	Stl Tech Skin, No Co
TS7648LTSS	481	Stl Tech Skin, LH Co
TS7648RTSS	481	Stl Tech Skin, RH Co
TS7648TFGR	374	Frameless Glass
TS7648TSS	481	Steel Tech Skin
TS7654TFGR	374	Frameless Glass
TS7655TCYJ	350	Y C-O-H Jct
TS7655TCYJW	350	Y C-O-H Jct
TS7656TCTJ	341	T C-O-H Jct
TS7656TCTJW	341	T C-O-H Jct
TS7660HS	481	Stl Tech Skin, No Co
TS7660LTSS	481	Stl Tech Skin, LH Co
TS7660RTSS	481	Stl Tech Skin, RH Co
TS7660TFGR	374	Frameless Glass
TS7660TSS	481	Steel Tech Skin
TS76618TPF	385	Perf Tack Acst Pnl Pkg
TS76618TTF	385	Tack Acst Pnl Pkg
TS76624AWSF	473	Wood To Flr Skin Set
TS76624AWSS	469	Wood Skin Set
TS76624BWSF	474	Wood To Flr Skin Set
TS76624BWSS	470	Wood Skin Set
TS76624CWSF	474	Wood To Flr Skin Set
TS76624CWSS	470	Wood Skin Set
TS76624TPF	385	Perf Tack Acst Pnl Pkg
TS76624TTF	385	Tack Acst Pnl Pkg
TS76630AWSF	473	Wood To Flr Skin Set
TS76630AWSS	469	Wood Skin Set
TS76630BWSF	474	Wood To Flr Skin Set
TS76630BWSS	470	Wood Skin Set
TS76630CWSF	474	Wood To Flr Skin Set
TS76630CWSS	470	Wood Skin Set
TS76630TPF	385	Perf Tack Acst Pnl Pkg
TS76630TTF	385	Tack Acst Pnl Pkg
TS76636AWSF	473	Wood To Flr Skin Set
TS76636AWSS	469	Wood Skin Set
TS76636BWSF	474	Wood To Flr Skin Set
TS76636BWSS	470	Wood Skin Set
TS76636CWSF	474	Wood To Flr Skin Set
TS76636CWSS	470	Wood Skin Set
TS76636TPF	385	Perf Tack Acst Pnl Pkg
TS76636TTF	385	Tack Acst Pnl Pkg
TS7663TCTJ	343	T C-O-H Jct
TS7663TCTJW	343	T C-O-H Jct
TS76642AWSF	473	Wood To Flr Skin Set
TS76642AWSS	469	Wood Skin Set
TS76642BWSF	474	Wood To Flr Skin Set
TS76642BWSS	470	Wood Skin Set
TS76642CWSF	474	Wood To Flr Skin Set
TS76642CWSS	470	Wood Skin Set
TS76642TPF	385	Perf Tack Acst Pnl Pkg
TS76642TTF	385	Tack Acst Pnl Pkg
TS76648AWSF	473	Wood To Flr Skin Set
TS76648AWSS	469	Wood Skin Set
TS76648BWSF	474	Wood To Flr Skin Set
TS76648BWSS	470	Wood Skin Set
TS76648CWSF	474	Wood To Flr Skin Set
TS76648CWSS	470	Wood Skin Set
TS76648TPF	385	Perf Tack Acst Pnl Pkg
TS76648TTF	385	Tack Acst Pnl Pkg
TS7664TCTJ	343	T C-O-H Jct
TS7664TCTJW	343	T C-O-H Jct
TS7665TCTJ	343	T C-O-H Jct
TS7665TCTJW	343	T C-O-H Jct
TS76660TPF	385	Perf Tack Acst Pnl Pkg
TS76660TTF	385	Tack Acst Pnl Pkg
TS76663TCXJ	347	X C-O-H Jct
TS76663TCXJW	347	X C-O-H Jct
TS76664TCXJ	347	X C-O-H Jct
TS76664TCXJW	347	X C-O-H Jct
TS76665TCXJ	347	X C-O-H Jct
TS76665TCXJW	347	X C-O-H Jct
TS76667TCXJ	346	X C-O-H Jct
TS76667TCXJW	346	X C-O-H Jct
TS76668TCXJ	347	X C-O-H Jct
TS76668TCXJW	347	X C-O-H Jct
TS7666QTCXJ	347	X C-O-H Jct
TS7666QTCXJW	347	X C-O-H Jct
TS7666TFGR	374	Frameless Glass
TS76672TPF	385	Perf Tack Acst Pnl Pkg
TS76672TTF	385	Tack Acst Pnl Pkg
TS76677TCXJ	345	X C-O-H Jct
TS76677TCXJW	345	X C-O-H Jct
TS7667TCTJ	342	T C-O-H Jct
TS7667TCTJW	342	T C-O-H Jct
TS7668TCTJ	343	T C-O-H Jct
TS7668TCTJW	343	T C-O-H Jct
TS766EPJ	417	EOR Base Pnl Jct
TS766ERUP	429	EOR Jct w/Util Pole
TS766ICLS	367	Inside Cnr Light Seal
TS766IPJ	413	In-Line Base Pnl Jct
TS766JP	366	Jct Post
TS766LPJ	415	L Base Pnl Jct
TS766LUP	429	L/In-Ln Jct w/Util Pole
TS766QTCTJ	343	T C-O-H Jct
TS766QTCTJW	343	T C-O-H Jct
TS766SEPJ	416	EOR Base Pnl Jct
TS766SERUP	428	EOR Jct w/Util Pole
TS766SIPJ	412	In-Line Base Pnl Jct
TS766SLPJ	414	L Base Pnl Jct
TS766SLUP	428	L/In-Ln Jct w/Util Pole
TS766STPJ	414	T Base Pnl Jct
TS766STUP	428	T Jct w/Util Pole
TS766SVPJ	418	V Base Pnl Jct
TS766SXPJ	414	X Base Pnl Jct
TS766SYPJ	418	Y Base Pnl Jct
TS766TEPJ	335	EOR Base Pnl Jct
TS766TEPJW	335	EOR Base Pnl Jct
TS766TEVT	360	EOR Vrtl Trim
TS766TEVTW	360	EOR Vrtl Trim
TS766TIPJ	332	In-Line Base Pnl Jct
TS766TLPJ	333	L Base Pnl Jct
TS766TLPJW	333	L Base Pnl Jct
TS766TLVT	361	L Vrtl Trim
TS766TLVTW	361	L Vrtl Trim
TS766TPJ	415	T Base Pnl Jct
TS766TTC	373	Spanning Top Cap
TS766TTCR	383	T C & Algn Pkg – Ptd
TS766TTCW	373	Spanning Top Cap
TS766TTCWR	383	T C & Algn Pkg – Wd
TS766TTPJ	333	T Base Pnl Jct
TS766TTPJW	333	T Base Pnl Jct
TS766TTVT	361	T Vrtl Trim
TS766TTVTW	361	T Vrtl Trim
TS766TUP	429	T Jct w/Util Pole
TS766TVPJ	336	V Base Pnl Jct
TS766TVPJW	336	V Base Pnl Jct
TS766TVVT	362	V Vertical Trim
TS766TVVTW	362	V Vertical Trim
TS766TXPJ	334	X Base Pnl Jct
TS766TXPJW	334	X Base Pnl Jct
TS766TYPJ	336	Y Base Pnl Jct
TS766TYPJW	336	Y Base Pnl Jct
TS766VPJ	419	V Base Pnl Jct
TS766WPJ	352, 420	Wall-Start Jct
TS766XPJ	415	X Base Pnl Jct
TS766YPJ	419	Y Base Pnl Jct
TS7672HS	481	Stl Tech Skin, No Co
TS7672LTSS	481	Stl Tech Skin, LH Co
TS7672RTSS	481	Stl Tech Skin, RH Co
TS7672TFGR	374	Frameless Glass
TS7672TSS	481	Steel Tech Skin
TS76767TCXJ	344	X C-O-H Jct
TS76767TCXJW	344	X C-O-H Jct
TS7676TCTJ	340	T C-O-H Jct
TS7676TCTJW	340	T C-O-H Jct
TS7677TCYJ	351	Y C-O-H Jct
TS7677TCYJW	351	Y C-O-H Jct
TS7678TFGR	374	Frameless Glass
TS767TCIJ	337	In-Line C-O-H Jct
TS767TCIJW	337	In-Line C-O-H Jct
TS767TCLJ	338	L C-O-H Jct
TS767TCLJW	338	L C-O-H Jct
TS767TCVJ	348	V C-O-H Jct
TS767TCVJW	348	V C-O-H Jct
TS7684TFGR	374	Frameless Glass
TS7686TCTJ	341	T C-O-H Jct
TS7686TCTJW	341	T C-O-H Jct
TS7688TCYJ	350	Y C-O-H Jct
TS7688TCYJW	350	Y C-O-H Jct
TS7690TFGR	374	Frameless Glass
TS7696TFGR	374	Frameless Glass
TS769TCIJ	337	In-Line C-O-H Jct
TS769TCIJW	337	In-Line C-O-H Jct
TS76BPSFX	499	Base Power Infeed
TS76BPSFY	499	Base Power Infeed
TS76BPSFZ	499	Base Power Infeed
TS76BPX	499	Base Power Infeed

Style Number	Page	Description
TS76BPY	499	Base Power Infeed
TS76BPZ	499	Base Power Infeed
TS76IPJS	355	Stck In-Line Pnl Jct
TS76Q6TCTJ	341	T C-O-H Jc
TS76Q6TCTJW	341	T C-O-H Jc
TS76QQTCYJ	350	T C-O-H Jc
TS76QQTCYJW	350	T C-O-H Jc
TS76T120CHT	365	120° Cor C-O-H Trim
TS76T120CHTW	365	120° Cor C-O-H Trim
TS76TCLCHT	364	L Cor C-O-H Trim
TS76TCLCHTW	364	L Cor C-O-H Trim
TS76TCTCHT	364	L Cor C-O-H Trim
TS76TCTCHTW	364	L Cor C-O-H Trim
TS76TEPJS	355	Stck EOR Pnl Jct
TS76TICHT	363	EOR In-Line COH Trim
TS76TICHTW	363	EOR In-Line COH Trim
TS76TLPJS	356	Stck L Pnl Jct
TS76TTPJS	356	Stacking T Pnl Jct
TS76TVCHT	365	V Cnr C-O-H Trim
TS76TVCHTW	365	V Cnr C-O-H Trim
TS76TVPJS	356	Stck V Pnl Jct
TS76UPHX	502	Mpp Power Infeed
TS76UPHXN	502	Mpp Power Infeed
TS76UPHY	502	Mpp Power Infeed
TS76UPHYN	502	Mpp Power Infeed
TS76UPHZ	502	Mpp Power Infeed
TS76UPHZN	502	Mpp Power Infeed
TS76WPJS	355	Stck Wall-Start Jct
TS76XPJS	356	Stck X Pnl Jct
TS76YPJS	356	Stck X Pnl Jct
TS772BKT	354, 422	Off-Mod Pnl Connect
TS772BT	409	Base Trim
TS772BTH	489	Hardwire Base Trim
TS772CT	491	Cable Tray
TS772HB	620	Horiz Brace
TS772HF	440	Base Horiz Frame Pkg
TS772HFS	372, 441	Stacking Horiz Fm Pkg
TS772HSBOB	456	Stl Pnl Skn B O Base
TS772OBK	409	Open Base Conv Kit
TS772SHF	439	Base Horiz Frame Pkg
TS772STC	442	Spanning Top Cap
TS772TEVT	360	EOR Vrtl Trim
TS772TEVTW	360	EOR Vrtl Trim
TS772THF	371	Base Horiz Frame Pkg
TS772TKBOB	450	Fb Cvd Pnl S B O Bs
TS772TLVT	361	L Vrtl Trim
TS772TLVTW	361	L Vrtl Trim
TS772TTC	373	Spanning Top Cap
TS772TTCR	383	T C & Algn Pkg – Ptd
TS772TTCW	373	Spanning Top Cap
TS772TTCWR	383	T C & Algn Pkg – Wd
TS772TTVT	361	T Vrtl Trim
TS772TTVTW	361	T Vrtl Trim
TS772TVVT	362	V Vrtl Trim
TS772TVVTW	362	V Vrtl Trim
TS7744TCYJ	350	Y C-O-H Jct
TS7744TCYJW	350	Y C-O-H Jct
TS7747TCTJ	341	T C-O-H Jct
TS7747TCTJW	341	T C-O-H Jct
TS7755TCYJ	350	Y C-O-H Jct
TS7755TCYJW	350	Y C-O-H Jct
TS7757TCTJ	341	T C-O-H Jct
TS7757TCTJW	341	T C-O-H Jct
TS7766TCYJ	350	Y C-O-H Jct
TS7766TCYJW	350	Y C-O-H Jct
TS7767TCTJ	341	T C-O-H Jct
TS7767TCTJW	341	T C-O-H Jct
TS7774TCTJ	343	T C-O-H Jct
TS7774TCTJW	343	T C-O-H Jct
TS7775TCTJ	343	T C-O-H Jct
TS7775TCTJW	343	T C-O-H Jct
TS7776TCTJ	343	T C-O-H Jct
TS7776TCTJW	343	T C-O-H Jct
TS77774TCXJ	347	X C-O-H Jct
TS77774TCXJW	347	X C-O-H Jct
TS77775TCXJ	347	X C-O-H Jct
TS77775TCXJW	347	X C-O-H Jct
TS77776TCXJ	347	X C-O-H Jct
TS77776TCXJW	347	X C-O-H Jct
TS77778TCXJ	347	X C-O-H Jct
TS77778TCXJW	347	X C-O-H Jct
TS7778TCTJ	343	T C-O-H Jct
TS7778TCTJW	343	T C-O-H Jct
TS7787TCTJ	341	T C-O-H Jct
TS7787TCTJW	341	T C-O-H Jct
TS7788TCYJ	350	Y C-O-H Jct
TS7788TCYJW	350	Y C-O-H Jct
TS778EPJ	417	EOR Base Pnl Jct
TS778ERUP	429	EOR Jct w/Util Pole
TS778ICLS	367	Inside Cnr Light Seal
TS778IPJ	413	In-Line Base Pnl Jct
TS778JP	366	Jct Post
TS778LPJ	415	L Base Pnl Jct
TS778LUP	429	L/In-Ln Jct w/Util Pole
TS778SEPJ	416	EOR Base Pnl Jct
TS778SERUP	428	EOR Jct w/Util Pole
TS778SIPJ	412	In-Line Base Pnl Jct
TS778SLPJ	414	L Base Pnl Jct
TS778SLUP	428	L/In-Ln Jct w/Util Pole
TS778STC	442	Spanning Top Cap
TS778STPJ	414	T Base Pnl Jct
TS778STUP	428	T Jct w/Util Pole
TS778SVPJ	418	V Base Pnl Jct
TS778SXPJ	414	L Base Pnl Jct
TS778SYPJ	418	Y Base Pnl Jct
TS778TEPJ	335	EOR Base Pnl Jct
TS778TEPJW	335	EOR Base Pnl Jct
TS778TEVT	360	EOR Vrtl Trim
TS778TEVTW	360	EOR Vrtl Trim
TS778TIPJ	332	In-Line Base Pnl Jct
TS778TLPJ	333	L Base Pnl Jct
TS778TLPJW	333	L Base Pnl Jct
TS778TLVT	361	L Vrtl Trim
TS778TLVTW	361	L Vrtl Trim
TS778TPJ	415	T Base Pnl Jct
TS778TTC	373	Spanning Top Cap
TS778TTCW	373	Spanning Top Cap
TS778TTPJ	333	T Base Pnl Jct
TS778TTPJW	333	T Base Pnl Jct
TS778TTVT	361	T Vrtl Trim
TS778TTVTW	361	T Vrtl Trim
TS778TUP	429	T Jct w/Util Pole
TS778TVPJ	336	V Base Pnl Jct
TS778TVPJW	336	V Base Pnl Jct
TS778TVVT	362	V Vertical Trim
TS778TVVTW	362	V Vertical Trim
TS778TXPJ	334	X Base Pnl Jct
TS778TXPJW	334	X Base Pnl Jct
TS778TYPJ	336	Y Base Pnl Jct
TS778TYPJW	336	Y Base Pnl Jct
TS778VPJ	419	V Base Pnl Jct
TS778WPJ	352, 420	Wall-Start Jct
TS778XPJ	415	X Base Pnl Jct
TS778YPJ	419	Y Base Pnl Jct
TS779TCIJ	337	In-Line C-O-H Jct
TS779TCIJW	337	In-Line C-O-H Jct
TS780MHX	503	Modular Harness
TS780MHXN	503	Modular Harness
TS780MHY	503	Modular Harness
TS780MHYN	503	Modular Harness
TS780MHZ	503	Modular Harness
TS780MHZN	503	Modular Harness
TS7833TCYJ	350	Y C-O-H Jct
TS7833TCYJW	350	Y C-O-H Jct
TS7838TCTJ	341	T C-O-H Jct
TS7838TCTJW	341	T C-O-H Jct
TS7844TCYJ	350	Y C-O-H Jct
TS7844TCYJW	350	Y C-O-H Jct
TS7848TCTJ	341	T C-O-H Jct
TS7848TCTJW	341	T C-O-H Jct
TS784STC	442	Spanning Top Cap
TS784TEVT	360	EOR Vrtl Trim
TS784TEVTW	360	EOR Vrtl Trim
TS784TLVT	361	L Vrtl Trim
TS784TLVTW	361	L Vrtl Trim
TS784TTC	373	Spanning Top Cap
TS784TTCW	373	Spanning Top Cap
TS784TTVT	361	T Vrtl Trim
TS784TTVTW	361	T Vrtl Trim
TS784TVVT	362	V Vrtl Trim
TS784TVVTW	362	V Vrtl Trim
TS7855TCYJ	351	Y C-O-H Jct
TS7855TCYJW	351	Y C-O-H Jct
TS78585TCXJ	344	X C-O-H Jct
TS78585TCXJW	344	X C-O-H Jct
TS7858TCTJ	340	T C-O-H Jct
TS7858TCTJW	340	T C-O-H Jct
TS785TCIJ	337	In-Line C-O-H Jct
TS785TCIJW	337	In-Line C-O-H Jct
TS785TCLJ	338	L C-O-H Jct
TS785TCLJW	338	L C-O-H Jct
TS785TCVJ	348	V C-O-H Jct
TS785TCVJW	348	V C-O-H Jct
TS7866TCYJ	351	Y C-O-H Jct
TS7866TCYJW	351	Y C-O-H Jct
TS78686TCXJ	344	X C-O-H Jct
TS78686TCXJW	344	X C-O-H Jct
TS7868TCTJ	340	T C-O-H Jct
TS7868TCTJW	340	T C-O-H Jct
TS786TCIJ	337	In-Line C-O-H Jct
TS786TCIJW	337	In-Line C-O-H Jct
TS786TCLJ	338	L C-O-H Jct
TS786TCLJW	338	L C-O-H Jct
TS786TCVJ	348	V C-O-H Jct
TS786TCVJW	348	V C-O-H Jct
TS7877TCYJ	351	Y C-O-H Jct

Style Number	Page	Description
TS7877TCYJW	351	Y C-O-H Jct
TS78787TCXJ	344	X C-O-H Jct
TS78787TCXJW	344	X C-O-H Jct
TS7878TCTJ	340	T C-O-H Jct
TS7878TCTJW	340	T C-O-H Jct
TS787TCLJ	338	L C-O-H Jct
TS787TCLJW	338	L C-O-H Jct
TS787TCVJ	348	V C-O-H Jct
TS787TCVJW	348	V C-O-H Jct
TS7883TCTJ	343	T C-O-H Jct
TS7883TCTJW	343	T C-O-H Jct
TS7884TCTJ	343	T C-O-H Jct
TS7884TCTJW	343	T C-O-H Jct
TS78855TCXJ	345	X C-O-H Jct
TS78855TCXJW	345	X C-O-H Jct
TS7885TCTJ	342	T C-O-H Jct
TS7885TCTJW	342	T C-O-H Jct
TS78866TCXJ	345	X C-O-H Jct
TS78866TCXJW	345	X C-O-H Jct
TS7886TCTJ	342	T C-O-H Jct
TS7886TCTJW	342	T C-O-H Jct
TS78877TCXJ	345	X C-O-H Jct
TS78877TCXJW	345	X C-O-H Jct
TS7887TCTJ	342	T C-O-H Jct
TS7887TCTJW	342	T C-O-H Jct
TS78883TCXJ	347	X C-O-H Jct
TS78883TCXJW	347	X C-O-H Jct
TS78884TCXJ	347	X C-O-H Jct
TS78884TCXJW	347	X C-O-H Jct
TS78885TCXJ	346	X C-O-H Jct
TS78885TCXJW	346	X C-O-H Jct
TS78886TCXJ	346	X C-O-H Jct
TS78886TCXJW	346	X C-O-H Jct
TS78887TCXJ	346	X C-O-H Jct
TS78887TCXJW	346	X C-O-H Jct
TS7888QTCXJ	347	X C-O-H Jct
TS7888QTCXJW	347	X C-O-H Jct
TS788QTCTJ	343	T C-O-H Jct
TS788QTCTJW	343	T C-O-H Jct
TS78Q8TCTJ	341	T C-O-H Jct
TS78Q8TCTJW	341	T C-O-H Jct
TS78QQTCYJ	350	Y C-O-H Jct
TS78QQTCYJW	350	Y C-O-H Jct
TS790COHJC	368	90° C-O-H Jct Cap
TS790COHJCW	368	90° C-O-H Jct Cap
TS790JB3	367	90° Jct Block, Pkg of 3
TS790JB4	367	90° Jct Block, Pkg of 4
TS790JB5	367	90° Jct Block, Pkg of 5
TS790JC	368	90° Cnr Jct Cap
TS790JCW	368	90° Cnr Jct Cap
TS790STC	442	Spanning Top Cap
TS790TEVT	360	EOR Vrtl Trim
TS790TEVTW	360	EOR Vrtl Trim
TS790TLVT	361	L Vrtl Trim
TS790TLVTW	361	L Vrtl Trim
TS790TTC	373	Spanning Top Cap
TS790TTCW	373	Spanning Top Cap
TS790TTVT	361	T Vrtl Trim
TS790TTVTW	361	T Vrtl Trim
TS790TVVT	362	V Vrtl Trim
TS790TVVTW	362	V Vrtl Trim
TS796STC	442	Spanning Top Cap
TS796TTC	373	Spanning Top Cap
TS796TTCW	373	Spanning Top Cap
TS7BPNY24X	500	Bs Pwr Infeed - NYC
TS7BPNY24XN	500	Bs Pwr Infeed - NYC
TS7BPNY24Y	500	Bs Pwr Infeed - NYC
TS7BPNY24YN	500	Bs Pwr Infeed - NYC
TS7BPNY24Z	500	Bs Pwr Infeed - NYC
TS7BPNY24ZN	500	Bs Pwr Infeed - NYC
TS7BPNY30X	500	Bs Pwr Infeed - NYC
TS7BPNY30XN	500	Bs Pwr Infeed - NYC
TS7BPNY30Y	500	Bs Pwr Infeed - NYC
TS7BPNY30YN	500	Bs Pwr Infeed - NYC
TS7BPNY30Z	500	Bs Pwr Infeed - NYC
TS7BPNY30ZN	500	Bs Pwr Infeed - NYC
TS7BPNY36X	500	Bs Pwr Infeed - NYC
TS7BPNY36XN	500	Bs Pwr Infeed - NYC
TS7BPNY36Y	500	Bs Pwr Infeed - NYC
TS7BPNY36YN	500	Bs Pwr Infeed - NYC
TS7BPNY36Z	500	Bs Pwr Infeed - NYC
TS7BPNY36ZN	500	Bs Pwr Infeed - NYC
TS7BPNY42X	500	Bs Pwr Infeed - NYC
TS7BPNY42XN	500	Bs Pwr Infeed - NYC
TS7BPNY42Y	500	Bs Pwr Infeed - NYC
TS7BPNY42YN	500	Bs Pwr Infeed - NYC
TS7BPNY42Z	500	Bs Pwr Infeed - NYC
TS7BPNY42ZN	500	Bs Pwr Infeed - NYC
TS7BPNY48X	500	Bs Pwr Infeed - NYC
TS7BPNY48XN	500	Bs Pwr Infeed - NYC
TS7BPNY48Y	500	Bs Pwr Infeed - NYC
TS7BPNY48YN	500	Bs Pwr Infeed - NYC
TS7BPNY48Z	500	Bs Pwr Infeed - NYC
TS7BPNY48ZN	500	Bs Pwr Infeed - NYC
TS7BPNY60X	500	Bs Pwr Infeed - NYC
TS7BPNY60XN	500	Bs Pwr Infeed - NYC
TS7BPNY60Y	500	Bs Pwr Infeed - NYC
TS7BPNY60YN	500	Bs Pwr Infeed - NYC
TS7BPNY60Z	500	Bs Pwr Infeed - NYC
TS7BPNY60ZN	500	Bs Pwr Infeed - NYC
TS7BPNY72X	500	Bs Pwr Infeed - NYC
TS7BPNY72XN	500	Bs Pwr Infeed - NYC
TS7BPNY72Y	500	Bs Pwr Infeed - NYC
TS7BPNY72YN	500	Bs Pwr Infeed - NYC
TS7BPNY72Z	500	Bs Pwr Infeed - NYC
TS7BPNY72ZN	500	Bs Pwr Infeed - NYC
TS7BSWHC	620	Wall Channels
TS7CJCA10	369	Jct Cap Cnr Aligner
TS7CMB2	382	T C Mnt Strg – Brkts
TS7CMBA2	382	T C Mnt Strg – Brkts
TS7CMBA3	382	T C Mnt Strg – Brkts
TS7CPK24	501	Hardwired Pwrkit
TS7CPK30	501	Hardwired Pwrkit
TS7CPK36	501	Hardwired Pwrkit
TS7CPK42	501	Hardwired Pwrkit
TS7CPK48	501	Hardwired Pwrkit
TS7CPK60	501	Hardwired Pwrkit
TS7CPK72	501	Hardwired Pwrkit
TS7DCLSPT	406-408	Ans Boundary Screen
TS7DCLSSD	403-405	Ans Boundary Screen
TS7DCSPN	392	Ans Boundary Screen
TS7DCSPT	393	Ans Boundary Screen
TS7DCSSD	391	Ans Boundary Screen
TS7DF	498	Data Filler
TS7FGJG	377	Frameless Glass
TS7FSLVE	507	Fd-Thru Horiz Cbl Slv
TS7GGC10	366	Gripper Glide Caps
TS7HSLVE	507	Grm for Hor Bar & Jct
TS7JSLVE	508	Grommet for Jct
TS7JTSLVE	506	Jct Tall Sleeve
TS7LSLVE	507	Lay-In Jct Cbl Sleeve
TS7LTA4	369	L to T Trim Aligner
TS7MBSP	457	Mkb Sfcs for St Skins
TS7MTRMNT	598	Ans Monitor Mount
TS7PF	490	Panel and Beam Foot
TS7PK24X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK24XN	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK24Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK24YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK24Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK24ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK30X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK30XN	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK30Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK30YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK30Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK30ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK36X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK36XN	492	4-Cir, 3+1 Wrg, Pwrkt
TS7PK36Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK36YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK36Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK36ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK42X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK42XN	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK42Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK42YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK42Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK42ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK48X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK48XN	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK48Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK48YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK48Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK48ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK60X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK60XN	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK60Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK60YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK60Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK60ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK72X	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK72XN	492	4-Cir, 3+1 Wrg, Pwrkit
TS7PK72Y	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK72YN	492	4-Cir, 2+2 Wrg, Pwrkt
TS7PK72Z	492	3-Cir, 3SN Wrg, Pwrkt
TS7PK72ZN	492	3-Cir, 3SN Wrg, Pwrkt
TS7PT18X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT18XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT18Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT18YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT18Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT18ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT24X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT24XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT24Y	493	4-Cir, 2+2, P-T Pwrkt

Style Number	Page	Description
TS7PT24YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT24Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT24ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT30X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT30XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT30Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT30YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT30Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT30ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT36X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT36XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT36Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT36YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT36Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT36ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT42X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT42XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT42Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT42YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT42Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT42ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT48X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT48XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT48Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT48YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT48Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT48ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT60X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT60XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT60Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT60YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT60Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT60ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7PT72X	493	4-Cir, 3+1, P-T Pwrkt
TS7PT72XN	493	4-Cir, 3+1, P-T Pwrkt
TS7PT72Y	493	4-Cir, 2+2, P-T Pwrkt
TS7PT72YN	493	4-Cir, 2+2, P-T Pwrkt
TS7PT72Z	493	3-Cir, 3SN, P-T Pwrkt
TS7PT72ZN	493	3-Cir, 3SN, P-T Pwrkt
TS7Q33TCYJ	350	Y C-O-H Jct
TS7Q33TCYJW	350	Y C-O-H Jct
TS7Q3QTCTJ	341	T C-O-H Jct
TS7Q3QTCTJW	341	T C-O-H Jct
TS7Q44TCYJ	351	Y C-O-H Jct
TS7Q44TCYJW	351	Y C-O-H Jct
TS7Q4Q4TCXJ	344	X C-O-H Jct
TS7Q4Q4TCXJW	344	X C-O-H Jct
TS7Q4QTCTJ	340	L C-O-H Jct
TS7Q4QTCTJW	340	L C-O-H Jct
TS7Q4TCIJ	337	I C-O-H Jct
TS7Q4TCIJW	337	I C-O-H Jct
TS7Q4TCLJ	338	L C-O-H Jct
TS7Q4TCLJW	338	L C-O-H Jct
TS7Q4TCVJ	348	V C-O-H Jct
TS7Q4TCVJW	348	V C-O-H Jct
TS7Q55TCYJ	351	Y C-O-H Jct
TS7Q55TCYJW	351	Y C-O-H Jct
TS7Q5Q5TCXJ	344	X C-O-H Jct
TS7Q5Q5TCXJW	344	X C-O-H Jct
TS7Q5QTCTJ	340	T C-O-H Jct
TS7Q5QTCTJW	340	T C-O-H Jct
TS7Q5TCIJ	337	I C-O-H Jct
TS7Q5TCIJW	337	I C-O-H Jct
TS7Q5TCLJ	338	L C-O-H Jct
TS7Q5TCLJW	338	L C-O-H Jct
TS7Q5TCVJ	348	V C-O-H Jct
TS7Q5TCVJW	348	V C-O-H Jct
TS7Q66TCYJ	351	Y C-O-H Jct
TS7Q66TCYJW	351	Y C-O-H Jct
TS7Q6Q6TCXJ	344	X C-O-H Jct
TS7Q6Q6TCXJW	344	X C-O-H Jct
TS7Q6QTCTJ	340	T C-O-H Jct
TS7Q6QTCTJW	340	T C-O-H Jct
TS7Q6TCIJ	337	I C-O-H Jct
TS7Q6TCIJW	337	I C-O-H Jct
TS7Q6TCLJ	338	L C-O-H Jct
TS7Q6TCLJW	338	L C-O-H Jct
TS7Q6TCVJ	348	V C-O-H Jct
TS7Q6TCVJW	348	V C-O-H Jct
TS7Q88TCYJ	351	Y C-O-H Jct
TS7Q88TCYJW	351	Y C-O-H Jct
TS7Q8Q8TCXJ	344	X C-O-H Jc
TS7Q8Q8TCXJW	344	X C-O-H Jc
TS7Q8QTCTJ	340	T C-O-H Jct
TS7Q8QTCTJW	340	T C-O-H Jct
TS7Q8TCIJ	337	I C-O-H Jct
TS7Q8TCIJW	337	I C-O-H Jct
TS7Q8TCLJ	338	L C-O-H Jct
TS7Q8TCLJW	338	L C-O-H Jct
TS7Q8TCVJ	348	V C-O-H Jct
TS7Q8TCVJW	348	V C-O-H Jct
TS7QQ3TCTJ	343	T C-O-H Jct
TS7QQ3TCTJW	343	T C-O-H Jct
TS7QQ44TCXJ	345	X C-O-H Jct
TS7QQ44TCXJW	345	X C-O-H Jct
TS7QQ4TCTJ	342	T C-O-H Jct
TS7QQ4TCTJW	342	T C-O-H Jct
TS7QQ55TCXJ	345	X C-O-H Jct
TS7QQ55TCXJW	345	X C-O-H Jct
TS7QQ5TCTJ	342	T C-O-H Jct
TS7QQ5TCTJW	342	T C-O-H Jct
TS7QQ66TCXJ	345	X C-O-H Jct
TS7QQ66TCXJW	345	X C-O-H Jct
TS7QQ6TCTJ	342	T C-O-H Jct
TS7QQ6TCTJW	342	T C-O-H Jct
TS7QQ88TCXJ	345	X C-O-H Jct
TS7QQ88TCXJW	345	X C-O-H Jct
TS7QQ8TCTJ	342	T C-O-H Jct
TS7QQ8TCTJW	342	T C-O-H Jct
TS7QQQ3TCXJ	347	X C-O-H Jct
TS7QQQ3TCXJW	347	X C-O-H Jct
TS7QQQ4TCXJ	346	X C-O-H Jct
TS7QQQ4TCXJW	346	X C-O-H Jct
TS7QQQ5TCXJ	346	X C-O-H Jct
TS7QQQ5TCXJW	346	X C-O-H Jct
TS7QQQ6TCXJ	346	X C-O-H Jct
TS7QQQ6TCXJW	346	X C-O-H Jct
TS7QQQ8TCXJ	346	X C-O-H Jct
TS7QQQ8TCXJW	346	X C-O-H Jct
TS7RC	496	Receptacle
TS7RCT	498	Receptacle Trim Rin
TS7SB	353, 421	Jct Stabilizer Bracket
TS7SBNJ	353, 421	Jct Stabilizer Bracket
TS7SCLSPT	398-400	Ans Boundary Screen
TS7SCLSSD	395-397	Ans Boundary Screen
TS7SCSPN	388	Ans Boundary Screen
TS7SCSPT	389	Ans Boundary Screen
TS7SCSSD	387	Ans Boundary Screen
TS7STDIV	619	Dividers
TS7STLS1	487	Top Cap Light Seal
TS7STLS10	487	Top Cap Light Seal
TS7SWS	487	Spnig Win In-Line Sup
TS7TFGRC	377	Frameless Glass
TS7TIEPLATE	555	U Tie Plates
TS7TJUP	357	L, T, or X Jct Util Pole
TS7TSCFD	484	Tech Skin Cover Filler
TS7TSCFS	484	Tech Skin Cover Filler
TS7TSCOVER	484	Tech Skin Cover
TS7UFPLATE	497	Face Plate
TS7USB	497	USB Receptacle
TS7WKSPT	555	Reinforcing Chan
TS7WKSPT39	555	Reinforcing Chan
TS7WKSPT48	555	Reinforcing Chan
TS7WKSPT51	555	Reinforcing Chan
TS7WKSPT54	555	Reinforcing Chan
TS7WKSPT60	555	Reinforcing Chan
TS7WKSPT63	555	Reinforcing Chan
TS7WKSPT66	555	Reinforcing Chan
TS7WKSPT72	555	Reinforcing Chan
TS7WWM	578	U WS Wire Mgr
TSAEGROM	577	Grommet Pkg
TSAPDSA6636	488	Sliding Pnl Door
TSAPDSA6642	488	Sliding Pnl Door
TSAPDSA7836	488	Sliding Pnl Door
TSAPDSA7842	488	Sliding Pnl Door
TSBBOBTRM	371	Conv Kit Big Opn Base
TSBRF	498	Filler Pkg Pwr
TSTERPDWR	553	Tour Ws Mt Rct Pw/Da
TSTT27M	562	Post Leg
TSTT27M4	562	Post Leg
UADJ	561	U Adj-Hgt Leg
UADJ4	561	U Adj-Hgt Leg
UADJ4C	561	U Adj-Hgt Leg
UADJ4M	561	U Adj-Hgt Leg
UADJC	561	U Adj-Hgt Leg
UADJCOL	562	Adjustable Column
UB223636	535	U 120° WS CD
UB224242	535	U 120° WS CD
UB224848	535	U 120° WS CD
UB333636	535	U 120° WS CD
UB334242	535	U 120° WS CD
UB334848	535	U 120° WS CD
UC114242	526	U Cor WS, Front—CD
UC124242	526	U Cor WS, Front—CD
UC214242	526	U Cor WS, Front—CD
UC223636	526	U Cor WS, Front—CD
UC224242	526	U Cor WS, Front—CD
UC224848	526	U Cor WS, Front—CD
UC226060	526	U Cor WS, Front—CD
UC334242	526	U Cor WS, Front—CD
UC334848	526	U Cor WS, Front—CD
UCANT	554	U On-Mod CANT
UCC113636	529	U Cor WS, Frnt—CD
UCC114242	529	U Cor WS, Frnt—CD
UCC114848	529	U Cor WS, Frnt—CD
UCC124242	529	U Cor WS, Frnt—CD

Style Number	Page	Description
UCC214242	529	U Cor WS, Frnt—CD
UCC223636	529	U Cor WS, Frnt—CD
UCC224242	529	U Cor WS, Frnt—CD
UCC224848	529	U Cor WS, Frnt—CD
UCC226060	529	U Cor WS, Frnt—CD
UCC334242	529	U Cor WS, Frnt—CD
UCC334848	529	U Cor WS, Frnt—CD
UCF223636	525	U Cnr, FT-Frt WS—CD
UCF224242	525	U Cnr, FT-Frt WS—CD
UCF224848	525	U Cnr, FT-Frt WS—CD
UCF334242	525	U Cnr, FT-Frt WS—CD
UCF334848	525	U Cnr, FT-Frt WS—CD
UCL	561	U Dbl Post C-Leg
UCOL	562	Column
UCSP	556	U On-Md Cen Sprt Pnl
UCSPS	556	U On-Md Cen Sprt Pnl
UDPL	561	U Dbl Post Leg
UE2202L	531	U Ext Corner Wksf
UE2208L	531	U Ext Corner Wksf
UE2220R	531	U Ext Corner Wksf
UE2222L	531	U Ext Corner Wksf
UE2222R	531	U Ext Corner Wksf
UE2226R	531	U Ext Corner Wksf
UE2228L	531	U Ext Corner Wksf
UE2262L	531	U Ext Corner Wksf
UE2268L	531	U Ext Corner Wksf
UE2280R	531	U Ext Corner Wksf
UE2282R	531	U Ext Corner Wksf
UE2286R	531	U Ext Corner Wksf
UE2308L	531	U Ext Corner Wksf
UE2328L	531	U Ext Corner Wksf
UE2368L	531	U Ext Corner Wksf
UE2380R	531	U Ext Corner Wksf
UE2382R	531	U Ext Corner Wksf
UE2386R	531	U Ext Corner Wksf
UE3208L	531	U Ext Corner Wksf
UE3228L	531	U Ext Corner Wksf
UE3268L	531	U Ext Corner Wksf
UE3280R	531	U Ext Corner Wksf
UE3282R	531	U Ext Corner Wksf
UE3286R	531	U Ext Corner Wksf
UE3308L	531	U Ext Corner Wksf
UE3328L	531	U Ext Corner Wksf
UE3368L	531	U Ext Corner Wksf
UE3380R	531	U Ext Corner Wksf
UE3382R	531	U Ext Corner Wksf
UE3386R	531	U Ext Corner Wksf
UEC2202L	533	U Ext Corner Wksf
UEC2208L	533	U Ext Corner Wksf
UEC2220R	534	U Ext Corner Wksf
UEC2222L	533	U Ext Corner Wksf
UEC2222R	534	U Ext Corner Wksf
UEC2226R	534	U Ext Corner Wksf
UEC2228L	533	U Ext Corner Wksf
UEC2262L	533	U Ext Corner Wksf
UEC2268L	533	U Ext Corner Wksf
UEC2280R	534	U Ext Corner Wksf
UEC2282R	534	U Ext Corner Wksf
UEC2286R	534	U Ext Corner Wksf
UEC2308L	533	U Ext Corner Wksf
UEC2328L	533	U Ext Corner Wksf
UEC2368L	533	U Ext Corner Wksf
UEC2380R	534	U Ext Corner Wksf
UEC2382R	534	U Ext Corner Wksf
UEC2386R	534	U Ext Corner Wksf
UEC3208L	533	U Ext Corner Wksf
UEC3228L	533	U Ext Corner Wksf
UEC3268L	533	U Ext Corner Wksf
UEC3280R	534	U Ext Corner Wksf
UEC3282R	534	U Ext Corner Wksf
UEC3286R	534	U Ext Corner Wksf
UEC3308L	533	U Ext Corner Wksf
UEC3328L	533	U Ext Corner Wksf
UEC3368L	533	U Ext Corner Wksf
UEC3380R	534	U Ext Corner Wksf
UEC3382R	534	U Ext Corner Wksf
UEC3386R	534	U Ext Corner Wksf
UEP24	556	U On-Module End Pnl
UEP24S	556	U On-Module End Pnl
UEP30	556	U On-Module End Pnl
UEP30S	556	U On-Module End Pnl
UFAL	567	Aligners
UFC24	558	FO Closed Loop
UFC24LHANS	558	FO Closed Loop
UFC24NF	559	Infill for FO Legs
UFC24RHANS	558	FO Closed Loop
UFC24T	558	FO Closed Loop
UFC30	558	FO Closed Loop
UFC30LHANS	558	FO Open Loop
UFC30NF	559	Infill for FO Legs
UFC30RHANS	558	FO Open Loop
UFC30T	558	FO Closed Loop
UFH24LHANS	558	FO Half Loop
UFH24RHANS	558	FO Half Loop
UFH30LHANS	558	FO Half Loop
UFH30RHANS	558	FO Half Loop
UFP	558	FO Post Loop
UFPM	564	Uni Prv/ Mod Screen
UFPS	567	Uni Prv Screen
UFQ24	558	FO Open Loop
UFQ24LHANS	558	FO Open Loop
UFQ24NF	559	Infill for FO Legs
UFQ24RHANS	558	FO Open Loop
UFQ24T	558	FO Open Loop
UFQ30	558	FO Open Loop
UFQ30LHANS	558	FO Open Loop
UFQ30NF	559	Infill for FO Legs
UFQ30RHANS	558	FO Open Loop
UFQ30T	558	FO Open Loop
UFS1610H	558	FO Inter Support
UFS1615H	558	FO Inter Support
UFS24ANS	557	Off-Md Wsf-to-Pnl Con
UFS30ANS	557	Off-Md Wsf-to-Pnl Con
UFS36ANS	557	Off-Md Wsf-to-Pnl Con
UFS42ANS	557	Off-Md Wsf-to-Pnl Con
UFS48ANS	557	Off-Md Wsf-to-Pnl Con
UFS60ANS	557	Off-Md Wsf-to-Pnl Con
UFS72ANS	557	Off-Md Wsf-to-Pnl Con
UFSLOWLHANS	652	Conn
UFSLOWRHANS	652	Conn
UFSMEDLHANS	652	Conn
UFSMEDRHANS	652	Conn
UFSTALLLHANS	652	Conn
UFSTALLRHANS	652	Conn
UFSTB	629	Lw Stg-to-Bm Thr Brkt
UFSTOWER24	652	Connector
UFSTOWER30	652	Connector
UHDPL	561	U Dbl Post Leg
UHPL	560	U Post Leg
UJBC2430L	542	U Bubl Jetty WS CD
UJBC2430R	543	U Bubl Jetty WS CD
UJBC2436L	542	U Bubl Jetty WS CD
UJBC2436R	543	U Bubl Jetty WS CD
UJBC2442L	542	U Bubl Jetty WS CD
UJBC2442R	543	U Bubl Jetty WS CD
UJBC2448L	542	U Bubl Jetty WS CD
UJBC2448R	543	U Bubl Jetty WS CD
UJC2382R	541	U Jetty WS, Fr CD
UJC2386R	541	U Jetty WS, Fr CD
UJC2388R	541	U Jetty WS, Fr CD
UJC3228L	541	U Jetty WS, Fr CD
UJC3268L	541	U Jetty WS, Fr CD
UJC3288L	541	U Jetty WS, Fr CD
UJC3328L	541	U Jetty WS, Fr CD
UJC3368L	541	U Jetty WS, Fr CD
UJC3382R	541	U Jetty WS, Fr CD
UJC3386R	541	U Jetty WS, Fr CD
UJC3388L	541	U Jetty WS, Fr CD
UJC3388R	541	U Jetty WS, Fr CD
ULC2727	545	U Lk WS, CRV-FR CD
ULFF24F	664	Undwksf Lat File Filler
ULFF24P	664	Undwksf Lat File Filler
ULFF30F	664	Undwksf Lat File Filler
ULFF30P	664	Undwksf Lat File Filler
UNPL	560	U Post Leg
UNPL4	560	U Post Leg
UNPL4C	560	U Post Leg
UNPL4M	560	U Post Leg
UNPLC	560	U Post Leg
UPA2448	538	U Angled Pnsl WS CD
UPA2460	538	U Angled Pnsl WS CD
UPA3048	538	U Angled Pnsl WS CD
UPA3060	538	U Angled Pnsl WS CD
UPAC2748	539	U Ang Penin WS, CD
UPBC2448	537	Bullet Pnsl WS CD/FD
UPBC2460	537	Bullet Pnsl WS CD/FD
UPBC2466	537	Bullet Pnsl WS CD/FD
UPBC2472	537	Bullet Pnsl WS CD/FD
UPBC3048	537	Bullet Pnsl WS CD/FD
UPBC3060	537	U Bullet Penn WS, CD
UPBC3066	537	U Bullet Penn WS, CD
UPBC3072	537	U Bullet Penn WS, CD
UPL	560	U Post Leg
UPL4	560	U Post Leg
UPL4C	560	U Post Leg
UPL4M	560	U Post Leg
UPLC	560	U Post Leg
USE2448LH	519	120° Straight Wksf
USE2448RH	519	120° Straight Wksf
USE2460LH	519	120° Straight Wksf
USE2460RH	519	120° Straight Wksf
USE2472LH	519	120° Straight Wksf
USE2472RH	519	120° Straight Wksf
USE3048LH	519	120° Straight Wksf
USE3048RH	519	120° Straight Wksf
USE3060LH	519	120° Straight Wksf

Style Number	Page	Description
USE3060RH	519	120° Straight Wksf
USE3072LH	519	120° Straight Wksf
USE3072RH	519	120° Straight Wksf
USPC47	536	U Spnr WS CD
USPC51	536	U Spnr WS CD/FD
USPC59	536	U Spnr WS CD
USPC63	536	U Spnr WS CD/FD
USSBR	554	U Side Supp Brkt
UST1260	524	U Sgl-Tprd WS CD
UST1272	524	U Sgl-Tprd WS CD
UST2160	524	U Sgl-Tprd WS CD
UST2172	524	U Sgl-Tprd WS CD
UST2360	524	U Sgl-Tprd WS CD
UST2372	524	U Sgl-Tprd WS CD
UST3260	524	U Sgl-Tprd WS CD
UST3272	524	U Sgl-Tprd WS CD
USWS	513	U Str WS PM
USWSK	513	U Str WS PM
USWSS	517	U Str WS PM
USWSSW	513	Strgt Wkf w/Sft Eg PM
USWSSWS	517	Strgt Wkf w/Sft Eg PM
UT1236R	521	U Trans WS CD
UT1242R	521	U Trans WS CD
UT1248R	521	U Trans WS CD
UT1254R	521	U Trans WS CD
UT1260R	521	U Trans WS CD
UT2136L	520	U Trans WS CD
UT2142L	520	U Trans WS CD
UT2148L	520	U Trans WS CD
UT2154L	520	U Trans WS CD
UT2160L	520	U Trans WS CD
UT2336R	521	U Trans WS CD
UT2342R	521	U Trans WS CD
UT2348R	521	U Trans WS CD
UT2354R	521	U Trans WS CD
UT2360R	521	U Trans WS CD
UT3236L	520	U Trans WS CD
UT3242L	520	U Trans WS CD
UT3248L	520	U Trans WS CD
UT3254L	520	U Trans WS CD
UT3260L	520	U Trans WS CD
UTR1630A	547	U Transaction WS
UTR1630SA	547	U Transaction WS
UTR1630TA	547	U Transaction WS
UTR1636A	547	U Transaction WS
UTR1636SA	547	U Transaction WS
UTR1636TA	547	U Transaction WS
UTR1642A	547	U Transaction WS
UTR1642SA	547	U Transaction WS
UTR1642TA	547	U Transaction WS
UTR1648A	547	U Transaction WS
UTR1648SA	547	U Transaction WS
UTR1648TA	547	U Transaction WS
UTR1660A	547	U Transaction WS
UTR1660SA	547	U Transaction WS
UTR1660TA	547	U Transaction WS
UTT1248	522	U Taprd WS CD
UTT1260	522	U Taprd WS CD
UTT1272	522	U Taprd WS CD
UTT2148	522	U Taprd WS CD
UTT2160	522	U Taprd WS CD
UTT2172	522	U Taprd WS CD
UTT2348	522	U Taprd WS CD
UTT2360	522	U Taprd WS CD
UTT2372	522	U Taprd WS CD
UTT3248	522	U Taprd WS CD
UTT3260	522	U Taprd WS CD
UTT3272	522	U Taprd WS CD
UTTF1260	523	U Taper-Flat WS CD
UTTF1272	523	U Taper-Flat WS CD
UTTF1360	523	U Taper-Flat WS CD
UTTF1372	523	U Taper-Flat WS CD
UTTF2160	523	U Taper-Flat WS CD
UTTF2172	523	U Taper-Flat WS CD
UTTF2360	523	U Taper-Flat WS CD
UTTF2372	523	U Taper-Flat WS CD
UTTF3160	523	U Taper-Flat WS CD
UTTF3172	523	U Taper-Flat WS CD
UTTF3260	523	U Taper-Flat WS CD
UTTF3272	523	U Taper-Flat WS CD
UTTRC	549	Cord and Plug
UTTRCN	549	Cord and Plug
UTTRHW	549	Hardwire Power
UTTRHWN	549	Hardwire Power
UTTRM	549	Modular Power
UTTRMN	549	Modular Power
UVC2424L	544	U Visitor Wksf
UVC2424R	545	U Visitor Wksf
UVC2430L	544	U Visitor Wksf
UVC2430R	545	U Visitor Wksf
UVC2436L	544	U Visitor Wksf
UVC2436R	545	U Visitor Wksf
UVC2442L	544	U Visitor Wksf
UVC2442R	545	U Visitor Wksf
UVC2448L	544	U Visitor Wksf
UVC2448R	545	U Visitor Wksf
UVC3030L	544	U Visitor Wksf
UVC3030R	545	U Visitor Wksf
UVC3036L	544	U Visitor Wksf
UVC3036R	545	U Visitor Wksf
UVC3042L	544	U Visitor Wksf
UVC3042R	545	U Visitor Wksf
UVC3048L	544	U Visitor Wksf
UVC3048R	545	U Visitor Wksf
WCC113636	529	U Corner Wksf
WCC114242	529	U Corner Wksf
WCC114848	529	U Corner Wksf
WCC124242	529	U Corner Wksf
WCC214242	529	U Corner Wksf
WCC223636	529	U Corner Wksf
WCC224242	529	U Corner Wksf
WCC224848	529	U Corner Wksf
WCC334242	529	U Corner Wksf
WCC334848	529	U Corner Wksf
WCF223636	525	U CNR, Flat-Fr WS FD
WCF224242	525	U CNR, Flat-Fr WS FD
WCF224848	525	U CNR, Flat-Fr WS FD
WCF334242	525	U CNR, Flat-Fr WS FD
WCF334848	525	U CNR, Flat-Fr WS FD
WEC224260	534	U Ext Corner Wksf
WEC224272	534	U Ext Corner Wksf
WEC224860	534	U Ext Corner Wksf
WEC224872	534	U Ext Corner Wksf
WEC226042	533	U Ext Corner Wksf
WEC226048	533	U Ext Corner Wksf
WEC227242	533	U Ext Corner Wksf
WEC227248	533	U Ext Corner Wksf
WEC234260	534	U Ext Corner Wksf
WEC234272	534	U Ext Corner Wksf
WEC234860	534	U Ext Corner Wksf
WEC234872	534	U Ext Corner Wksf
WEC236042	533	U Ext Corner Wksf
WEC236048	533	U Ext Corner Wksf
WEC237242	533	U Ext Corner Wksf
WEC237248	533	U Ext Corner Wksf
WEC324260	534	U Ext Corner Wksf
WEC324272	534	U Ext Corner Wksf
WEC324860	534	U Ext Corner Wksf
WEC324872	534	U Ext Corner Wksf
WEC326042	533	U Ext Corner Wksf
WEC326048	533	U Ext Corner Wksf
WEC327242	533	U Ext Corner Wksf
WEC327248	533	U Ext Corner Wksf
WEC334260	534	U Ext Corner Wksf
WEC334272	534	U Ext Corner Wksf
WEC334860	534	U Ext Corner Wksf
WEC334872	534	U Ext Corner Wksf
WEC336042	533	U Ext Corner Wksf
WEC336048	533	U Ext Corner Wksf
WEC337242	533	U Ext Corner Wksf
WEC337248	533	U Ext Corner Wksf
WJ234866R	541	Jetty Worksurface FD
WJ234872R	541	Jetty Worksurface FD
WJ234878R	541	Jetty Worksurface FD
WJ326648L	541	Jetty Worksurface FD
WJ327248L	541	Jetty Worksurface FD
WJ327848L	541	Jetty Worksurface FD
WJ334866R	541	Jetty Worksurface FD
WJ334872R	541	Jetty Worksurface FD
WJ334878R	541	Jetty Worksurface FD
WJ336648L	541	Jetty Worksurface FD
WJ337248L	541	Jetty Worksurface FD
WJ337848L	541	Jetty Worksurface FD
WLC2727	545	U Linking WS FD
WLC3333	545	U Linking WS FD
WPA2448	538	U Angled Pnsl WS FD
WPA2460	538	U Angled Pnsl WS FD
WPA3048	538	U Angled Pnsl WS FD
WPA3060	538	U Angled Pnsl WS FD
WSPC4824	536	U Spnr WS FD
WSPC5126	536	U Spnr WS CD/FD
WSPC6030	536	U Spnr WS FD
WSPC6332	536	U Spnr WS CD/FD
WST1260	524	U Sgl-Taprd WS FD
WST1272	524	U Sgl-Taprd WS FD
WST2160	524	U Sgl-Taprd WS FD
WST2172	524	U Sgl-Taprd WS FD
WST2360	524	U Sgl-Taprd WS FD
WST2372	524	U Sgl-Taprd WS FD
WST3260	524	U Sgl-Taprd WS FD
WST3272	524	U Sgl-Taprd WS FD
WT2336	521	U Trans WS FD
WT2342	521	U Trans WS—FD0
WT2348	521	U Trans WS—FD
WT2354	521	U Trans WS—FD
WT2360	521	U Trans WS—FD

Style Number	Page	Description
WT3236	520	U Trans WS—FD
WT3242	520	U Trans WS—FD
WT3248	520	U Trans WS—FD
WT3254	520	U Trans WS—FD
WT3260	520	U Trans WS—FD
WTT1248	522	U Sgl-Taprd WS FD
WTT1260	522	U Sgl-Taprd WS FD
WTT1272	522	U Sgl-Taprd WS FD
WTT2148	522	U Sgl-Taprd WS FD
WTT2160	522	U Sgl-Taprd WS FD
WTT2172	522	U Sgl-Taprd WS FD
WTT2348	522	U Sgl-Taprd WS FD
WTT2360	522	U Sgl-Taprd WS FD
WTT2372	522	U Sgl-Taprd WS FD
WTT3248	522	U Sgl-Taprd WS FD
WTT3260	522	U Sgl-Taprd WS FD
WTT3272	522	U Sgl-Taprd WS FD
WTTF1260	523	U Taper-Flat WS—FD
WTTF1272	523	U Taper-Flat WS—FD
WTTF1360	523	U Taper-Flat WS—FD
WTTF1372	523	U Taper-Flat WS—FD
WTTF2160	523	U Taper-Flat WS—FD
WTTF2172	523	U Taper-Flat WS—FD
WTTF2360	523	U Taper-Flat WS—FD
WTTF2372	523	U Taper-Flat WS—FD
WTTF3160	523	U Taper-Flat WS—FD
WTTF3172	523	U Taper-Flat WS—FD
WTTF3260	523	U Taper-Flat WS—FD
WTTF3272	523	U Taper-Flat WS—FD
WVC2424L	544	U Visitor Wksf
WVC2424R	545	U Visitor Wksf
WVC2430L	544	U Visitor Wksf
WVC2430R	545	U Visitor Wksf
WVC3030L	544	U Visitor Wksf
WVC3030R	545	U Visitor Wksf
ZB1R1IGH	494	20-Amp Duplex Rcpt
ZB1R1SGH	494	20-Amp Duplex Rcpt
ZB1R2IGH	494	20-Amp Duplex Rcpt
ZB1R2SGH	494	20-Amp Duplex Rcpt
ZB1R3IGH	494	20-Amp Duplex Rcpt
ZB1R3SGH	494	20-Amp Duplex Rcpt
ZB1R4IGH	494	20-Amp Duplex Rcpt
ZB1R4SGH	494	20-Amp Duplex Rcpt
ZB2R1IGH	494	20-Amp Duplex Rcpt
ZB2R1SGH	494	20-Amp Duplex Rcpt
ZB2R2IGH	494	20-Amp Duplex Rcpt
ZB2R2SGH	494	20-Amp Duplex Rcpt
ZB2R3IGH	494	20-Amp Duplex Rcpt
ZB2R3SGH	494	20-Amp Duplex Rcpt
ZB2R4IGH	494	20-Amp Duplex Rcpt
ZB2R4SGH	494	20-Amp Duplex Rcpt
ZB3R1IGH	494	20-Amp Duplex Rcpt
ZB3R1SGH	494	20-Amp Duplex Rcpt
ZB3R2IGH	494	20-Amp Duplex Rcpt
ZB3R2SGH	494	20-Amp Duplex Rcpt
ZB3R3IGH	494	20-Amp Duplex Rcpt
ZB3R3SGH	494	20-Amp Duplex Rcpt

Trademark List

™/® The following is a non-exhaustive list of trademarks and registered trademarks for products of Steelcase Inc. or one of its related corporate entities: Agree, Airtouch, Aisla, Alight, Amia, Answer, Apprise, Aspekt, Avenir, Await, B-Free, Ballet, Bassline, Bindu, Bivi, Bix, Bottomline, Brody, Buoy, Cachet, Campfire, Capa, CF Series, CG_1, Chord, Circa, Clipper, Cobi, Collaboration, Convene, Coupe, Cura, Currency, dash, Divisio, Duo, E-Table 2, Edge Series, Elbrook, Elective Elements, Embold, Empath, Everwall, Exponents, Folio, FrameOne, Gesture, Groupwork, Host, Hosu, i2i, Jenny, Kart, Kathryn, Kick, Lagunitas,Leap, Leela, LessThanFive, LiveBack, LiveSeat, Mackinac, Marien152, Max-Stacker, media:scape, Migration, Millbrae, Mineral, Mitra, Montage, Montara650, MoreThanFive, Move, Node, Ocular, Ology, Opus, Paperflo, Passerelle, Player, Pocket, Potrero415, QiVi, Radia, Regard, Relay, Reply, Ripple, Roam, Sarto, Scoop, Sebastopol, Senti Series, Senza, Shortcut, Sidewalk, Siento, Sieste, SILQ, Soffio, Sorrel, SOTO, Steelcase Eclipse, Steelcase Flex, Steelcase Karman, Steelcase Relay, Steelcase Rise, Steelcase Series, Surround, SW_1, Switch, Sync, Tava, Tenor, Think, Thoughtful, Thread, Together, Train, Trees, Turnstone, Umami, Underscore, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, WorkValet, and X-tenz.

™/® The following are trademarks or registered trademarks of AMQ Solutions, LLC: 3F, Activ, Amobi, Bixby, Bodi, Cluvo, Concur, Embank, FL-X, Iline, Jaku, Kinex, Personality Plus, Revi, S-Series, Siya, Tektis, Tizu, Uptake, and Zilo.

™/® The following are trademarks or registered trademarks of Orangebox Ltd., Cardiff, UK: Air3, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.

™/® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Aleta, Cambio, Designed in The Sun, Foro, Funda, Holy Day, Kelly, Last Minute, Noha, Savina, Sistema, Sistema, Viable, and Wrapp.

® The following are registered brands of Steelcase Inc. and its family of companies: Steelcase, AMQ, Coalesse, Designtex, Halcon, Orangebox, Smith System, and Viccarbe.

® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.

® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.

® The following is a registered trademark of DuPont, Wilmington, DE: Corian.

® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.

® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.

® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.

® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.

® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.

® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.

® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.

® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.

® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.

® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans,and Serif.

® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.

® The following is a registered trademark of Security People, Inc.: Digilock.

® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.

™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.

™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.

™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.

™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.

™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.

™ The following trademarks are under license from Cambridge Sound Management, LLC Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.

™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

™ The following is a trademark of Clestra Hauserman: IRYS.

™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.

™ The following are trademarks of Polyvision: Accord, a3, e3, Boundri, and Nota.

™ The following is a trademark of Bostock Company, Inc: SnapCab.

™ The following is a trademark of Williams-Sonoma, Inc: West Elm.

™ The following is a trademark of Elena Marquina Testor: nanimarquina.

™ The following is a trademark of Forbo International SA: Forbo.

Trademarks used herein are the property of Steelcase Inc. or their respective owners.