

MONITOR ARMS COMPARISON



TOP 3 HIGHLIGHTS

FSMA INTRO TOP DOWN

- Highly stable fixation due to new improved clamp – recommended for touch down / shared desks where users change frequently
- Limited compatibility with privacy screens – it is compatible only with “behind desk” screen fixation and not compatible with: “on desk” or “block config.”
- Full ergonomic features at a value price point

FSMA INTRO

- Full ergonomic features at a value price point
- Supports monitors up to 9 kg with no price up-charge and supports 32” screens in dual monitor applications
- No bounce, gas cylinder with superior performance
- Compatible with on-desk screen configurations

VOLLEY

- Easily retrofit from single arm to dual arm and vice versa
- Highly adaptable with a large range of movement
- Ideal for collaborative settings

PLURIO

- Scalable system allows up to three monitors, maximizing display usage
- Best suited for resident workers
- Highly sustainable, with 99% recyclable content

FSMA

- Supports the largest range of monitor weight, up to 14 kg
- Supports multiple mounting brackets
- No bounce, gas cylinder with superior performance

PERFORMANCE

Flat Screen Weight Limit	0.9-9 kg	0.9-9 kg	Max. 7 kg	Max. 9 kg	Single: Max. 7.7kg Heavy Duty: Max. 12.7kg
Curved Screen Weight Limit	0.9-7 kg	0.9-7 kg			Single: Max. 7.7kg Heavy Duty: Max. 10kg
Screen size	Max 32” for single and Max 27” for dual	Max. 32 inches (both single and dual version)	Max. 24 inches (both single and dual version)	Max. 30 inches (single version) Max. 24 inches/arm for dual version with standard column or 27 inches/arm with extended column	Max. 27 inches (single version only)
Spring type	Gas cylinder: counterbalance based on the weight of the monitor	Gas cylinder: counterbalance based on the weight of the monitor	Spring mechanism: counterbalance based on the weight of the monitor	Static arm does not have a spring, use Allen key for adjustments	Gas cylinder: counterbalance based on the weight of the monitor
Rotation: 360° portrait to landscape view	yes	yes	yes	yes	yes
Vertical range	600 mm	600 mm	543 mm	Standard: 190.5 mm Extended: 317.5 mm	457.2 mm
Horizontal range	300 mm	300 mm	240 mm	310 mm	406 mm



FEATURES	FSMA INTRO TOP DOWN	FSMA INTRO	VOLLEY	PLURIO	FSMA
Options	Single/ Dual	Single/ Dual	Single/ Dual	Single/ Dual/ Triple	Single/ Heavy Duty (heavy monitors)
Colours	1 (Platinum Silver)	1 (Platinum Silver)	1 (Platinum Silver)	1 (Platinum Silver)	2 (Platinum Silver, Pearl Snow)
Fixation type	2 (c-clamp, thru desk)	2 (c-clamp, thru desk)	3 (c-clamp, slat wall, thru desk)	4 (c-clamp, thru desk, integrated rail single and dual)	4 (c-clamp, thru desk, slat wall, double integrated rail)
Cable management	Routed beneath the arm; fixed with cable clips	Routed beneath the arm; fixed with cable clips	Cable covers on both upper and lower arm	Fixed with cable clips	Routed beneath the arm; fixed with cable clips
Space saving ³	yes	yes	yes	yes	yes
180° rotation stop ¹	yes	yes	yes	N/A (static arm)	no
Quick release tilter VESA plate ²	yes	yes	yes	yes	yes option; not standard
Sustainability/ Manufacturing	Manufactured in China Aluminum, Steel & ABS plastic	Manufactured in China Aluminum, Steel & ABS plastic	Manufactured in China/ 40% recycled aluminum/ Aluminium, Steel & ABS plastic	Manufactured in US/ 99% recyclable content/ Aluminum, Steel & ABS Plastic	Manufactured in US & China/ Aluminum, Steel & ABS Plastic
Compatibility	Questions on compatibility with ranges of desks, benches or privacy screens? Contact LineOne or visit Village (Products - Accessories - Computer Support Tools)				

¹ Supports back to back applications and prevents the monitor arm from swinging into screens and partitions

² Refers to the head mechanism; the capability to adjust the tilting angle of the monitor up or down

³ Designed to optimize the worksurface when monitors are not in use

Steelcase®

Visit steelcase.com

