



Campers&Dens

Intuitively define *your* workspace

orangebox



Product Description


Campers&Dens is not just a pod system, it's a step change in built environment interior architecture.

A unique, demountable system that can be moved, re-positioned or re-used to suit changing needs, *Campers&Dens* builds on key Orangebox innovations such as our internationally patented opening roof system. The platform offers both unrivalled adaptability and the benefits of a manufactured system, putting it perfectly in sync with today's fast-evolving and constantly changing workplace – in contrast to one-off static designs, which are no longer fit for the future.

Campers&Dens is the updated answer to Why Build Walls?, delivering layers of privacy through pods, cabins and awnings; and flexibility and choice thanks to its wide range of configurations. A beautiful and refined piece of interior architecture, *Campers&Dens* also offers a customisable canvas for architects, designers and clients to have fun with, helped by finishes ranging from fabric and laminates to plywood and painted metal.

Offering new options for integrating technologies and whiteboards, fixed roof options with sprinkler integration facility, *Campers&Dens* is accompanied by an expanded range of both integrated and freestanding seating and tabling, with each piece designed to work inside and outside the pods, as well as inside the cabins and under the awnings.

Image CD05CLS + CDK02L + AW02



Top – CD05CLS + AW02 Bottom – CD02 + CDK01L



Product Range —
 CD01 Campers (Pods)

CD01ALS
 2.22m x 1.65m
 Corner Glass Front & Rear
 Left Hand Door



H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01ALS Pod Configuration



Front / Door

CD01ARS
 2.22m x 1.65m
 Corner Glass Front & Rear
 Right Hand Door




H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01ARS Pod Configuration



Front / Door

CD01BLS
 2.22m x 1.65m
 Glass Front & Rear
 Left Hand Door




H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01BLS Pod Configuration



Front / Door

CD01BRS
 2.22m x 1.65m
 Glass Front & Rear
 Right Hand Door




H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01BRS Pod Configuration



Front / Door

CD01CLS
 2.22m x 1.65m
 Corner Glass Front
 Left Hand Door




H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01CLS Pod Configuration



Front / Door

CD01CRS
 2.22m x 1.65m
 Corner Glass Front
 Right Hand Door




H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01CRS Pod Configuration



Front / Door

CD01DLS
 2.2 2m x 1.65m
 Glass Front
 Left Hand Door




H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01DLS Pod Configuration



Front / Door

CD01DRS
 2.2 2m x 1.65m
 Glass Front
 Right Hand Door



H2280 [H90] W2225 [W88] D1650 [D65]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01DRS Pod Configuration




Front / Door

CD01CCLS
 2.22m x 2.45m
 Corner Glass Front with Cabin
 Left Hand Door




H2280 [H90] W2225 [W88] D2450 [D96]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01CCLS Pod Configuration



Front / Door

CD01CCRS
 2.22m x 2.45m
 Corner Glass Front with Cabin
 Right Hand Door




H2280 [H90] W2225 [W88] D2450 [D96]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01CCRS Pod Configuration



Front / Door

CD01DCLS
 2.22m x 2.45m
 Glass Front with Cabin
 Left Hand Door



H2280 [H90] W2225 [W88] D2450 [D96]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01DCLS Pod Configuration



Front / Door

CD01DCRS
 2.22m x 2.45m
 Glass Front with Cabin
 Right Hand Door



H2280 [H90] W2225 [W88] D2450 [D96]
 Roof open height 2375mm
 Minimum ceiling height 2450mm

CD01DCRS Pod Configuration



Front / Door

mm[]

Product Range — CD02 Campers (Pods)

CD02ALS
2.22m x 2.32m
Corner Glass Front & Rear
Left Hand Door



H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02ALS Pod Configuration



Front / Door

CD02ARS
2.22m x 2.32m
Corner Glass Front & Rear
Right Hand Door




H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02ARS Pod Configuration



Front / Door

CD02BLS
2.22m x 2.32m
Glass Front & Rear
Left Hand Door



H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02BLS Pod Configuration



Front / Door

CD02BRS
2.22m x 2.32m
Glass Front & Rear
Right Hand Door




H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02BRS Pod Configuration




Front / Door

CD02CLS
2.22m x 2.32m
Corner Glass Front
Left Hand Door



H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02CLS Pod Configuration



Front / Door

CD02CRS
2.22m x 2.32m
Corner Glass Front
Right Hand Door




H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02CRS Pod Configuration



Front / Door

CD02DLS
2.22m x 2.32m
Glass Front
Left Hand Door



H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02DLS Pod Configuration




Front / Door

CD02DRS
2.22m x 2.32m
Glass Front
Right Hand Door




H2280 [H90] W2225 [W88] D2325 [D92]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02DRS Pod Configuration



Front / Door

CD02CCLS
2.22m x 3.12m
Corner Glass Front with Cabin
Left Hand Door



H2280 [H90] W2225 [W88] D3120 [D123]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02CCLS Pod Configuration



Front / Door

CD02CCRS
2.22m x 3.12m
Corner Glass Front with Cabin
Right Hand Door



H2280 [H90] W2225 [W88] D3120 [D123]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02CCRS Pod Configuration



Front / Door

CD02DCLS
2.22m x 3.12m
Glass Front with Cabin
Left Hand Door




H2280 [H90] W2225 [W88] D3120 [D123]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02DCLS Pod Configuration



Front / Door

CD02DCRS
2.22m x 3.12m
Glass Front with Cabin
Right Hand Door



H2280 [H90] W2225 [W88] D3120 [D123]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD02DCRS Pod Configuration



Front / Door

mm[]

Product Range — CD05 Campers (Pods)

CD05ALS
2.9m x 3m
Corner Glass Front & Rear
Left Hand Door




H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05ALS Pod Configuration



Front / Door

CD05ARS
2.9m x 3m
Corner Glass Front & Rear
Right Hand Door




H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05ARS Pod Configuration




Front / Door

CD05BLS
2.9m x 3m
Glass Front & Rear
Left Hand Door




H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05BLS Pod Configuration




Front / Door

CD05BRS
2.9m x 3m
Glass Front & Rear
Right Hand Door



H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05BRS Pod Configuration



Front / Door

CD05CLS
2.9m x 3m
Corner Glass Front
Left Hand Door



H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05CLS Pod Configuration




Front / Door

CD05CRS
2.9m x 3m
Corner Glass Front
Right Hand Door




H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05CRS Pod Configuration



Front / Door

CD05DLS
2.9m x 3m
Glass Front
Left Hand Door




H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05DLS Pod Configuration



Front / Door

CD05DRS
2.9m x 3m
Glass Front
Right Hand Door




H2280 [H90] W2900 [W114] D3000 [D118]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05DRS Pod Configuration



Front / Door

CD05CCLS
2.9m x 3.8m
Corner Glass Front with Cabin
Left Hand Door




H2280 [H90] W2900 [W114] D3800 [D150]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05CCLS Pod Configuration




Front / Door

CD05CCRS
2.9m x 3.8m
Corner Glass Front with Cabin
Right Hand Door




H2280 [H90] W2900 [W114] D3800 [D150]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05CCRS Pod Configuration



Front / Door

CD05DCLS
2.9m x 3.8m
Glass Front with Cabin
Left Hand Door




H2280 [H90] W2900 [W114] D3800 [D150]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05DCLS Pod Configuration



Front / Door

CD05DCRS
2.9m x 3.8m
Glass Front with Cabin
Right Hand Door



H2280 [H90] W2900 [W114] D3800 [D150]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD05DCRS Pod Configuration



Front / Door

mm[]

Product Range — CD06 Campers (Pods)

CD06ALS

2.9m x 4.55m
Corner Glass Front & Rear
Left Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06ALS Pod Configuration



Front / Door

CD06ARS

2.9m x 4.55m
Corner Glass Front & Rear
Right Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06ARS Pod Configuration



Front / Door

CD06BLS

2.9m x 4.55m
Glass Front & Rear
Left Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm


CD06BLS Pod Configuration



Front / Door

CD06BRS

2.9m x 4.55m
Glass Front & Rear
Right Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06BRS Pod Configuration



Front / Door

CD06CLS

2.9m x 4.55m
Corner Glass Front
Left Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm


CD06CLS Pod Configuration



Front / Door

CD06CRS

2.9m x 4.55m
Corner Glass Front
Right Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06CRS Pod Configuration



Front / Door

CD06DLS

2.9m x 4.55m
Glass Front
Left Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06DLS Pod Configuration



Front / Door

CD06DRS

2.9m x 4.55m
Glass Front
Right Hand Door



H2280 [H90] W2900 [W114] D4500 [D180]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06DRS Pod Configuration



Front / Door


CD06CCLS

2.9m x 4.55m
Corner Glass Front with Cabin
Left Hand Door



H2280 [H90] W2900 [W114] D5350 [D211]
Roof open height 2375mm
Minimum ceiling height 2450mm


CD06CCLS Pod Configuration



Front / Door

CD06CCRS

2.9m x 4.55m
Corner Glass Front with Cabin
Right Hand Door



H2280 [H90] W2900 [W114] D5350 [D211]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06CCRS Pod Configuration



Front / Door


CD06DCLS

2.9m x 4.55m
Glass Front with Cabin
Left Hand Door



H2280 [H90] W2900 [W114] D5350 [D211]
Roof open height 2375mm
Minimum ceiling height 2450mm

CD06DCLS Pod Configuration



Front / Door


CD06DCRS

2.9m x 4.55m
Glass Front with Cabin
Right Hand Door



H2280 [H90] W2900 [W114] D5350 [D211]
Roof open height 2375mm
Minimum ceiling height 2450mm


CD06DCRS Pod Configuration



Front / Door


Product Range — Kinks

CDK01L
2.22m Kink - for use with CD01LS & CD02LS models




H2280 [H90] W2225 [W88] D335 [D13]

CDK01R
2.22m Kink - for use with CD01RS & CD02RS models




H2280 [H90] W2225 [W88] D335 [D13]

CDK02L
2.9m Kink - for use with CD05LS models



H2280 [H90] W2900 [W114] D335 [D13]

CDK02R
2.9m Kink - for use with CD05RS models



H2280 [H90] W2900 [W114] D335 [D13]


*Minimum recommended ceiling height for installation 2550mm.

mm[]

Product Range — Cabins


Internal Furniture - 2.22m Options

CABIN01
2 x Seats & Integrated Table



H820 [H32] W2037 [W80] D635 [D25]
SH480 [SH19] SBH820 [SBH32]
TH740 [TH29] TW850 [TW33]
TD630 [TD25]


CABIN02
1 x Seat



H820 [H32] W1300 [W51] D635 [D25]
SH480 [SH19] SBH820 [SBH32]
SW1300 [SD51]


Internal Furniture - 2.9m Options

CABIN03
2 x Seats & Integrated Tablet




H820 [H32] W2710 [W107]
SH480 [H19] SBH820 [SBH32]
SD2710 [SD107] TH720 [TH28]
TW1000 [TW39] TD340 [TD13]

CABIN04
2 x Seats with Divider




H2155 [H85] W2710 [W107]
SH480 [H19] SBH820 [SBH32]
SW1300 [SD51]

CABIN05
2 x Low Benches with Divider



H2155 [H85] W2710 [W107]
TH740 [H29] TW1300 [W51]
TD500 [D20]

CABIN06
2 x High Benches with Divider



H2155 [H85] W2710 [W107]
TH1050 [H41] TW1300 [W51]
TD500 [D20]

CABIN01 and 02 for use with CD01CC, CD01DC, CD02CC & CD02DC.
CABIN03 - CABIN06 for use with CD05CC and CD05DC.

*Minimum recommended ceiling height for installation 2550mm.

mm[]

SH - Seat Height — SBH - Seat Back Height — SW - Seat Width — SD - Seat Depth
TH - Table Height — TW - Table Width — TD - Table Depth

Product Specification — Campers (Pods)

Standard Product Description

Sliding Door: As standard.

Glass: Toughened Clear Glass panels as standard.

Hoop Power: Service Hoop UK: 3 x Type G Power Sockets.

Fan: Integrated Ventilation system.

Integrated Lighting: As standard.

Roof: Opening Roof as standard

Facia Panels Finish Options:

Black Ral 9005

Internal/External Vertical or Internal Horizontal Fabric Panel Options:

Fabric from one of the following ranges -

Camira Era, Kvadrat Revive 1, Agua Buro, Kvadrat Floyd, Kvadrat Remix 3, Camira Synergy, Camira Blazer, Camira Oceanic, Camira Quest, Kvadrat Canvas 2, Gabriel Medley, Kvadrat Rime, Kvadrat Divina 3, Patternistas Solid Colours.

External Vertical Non-Fabric Panel Options:

Plywood, Laminate Wood Grain, Laminate Fenix,

Plywood – Plywood.

Laminate Wood Grain – White Fleetwood, Natural Davos, Grey Arizona, Thermo Oak or Grey Bardolino.

Laminate Fenix – 0720 Nero Ingo, 0718 Grigio Londra, 0725 Grigio Efeso, 0030 Bianco Alaska.

Fixed Roof Option – Powder Coated Steel – Black RAL 9005 & Light Grey Camira ERA fabric

Optional Upcharges

Hoop Power: Various plug type power options are available. Please refer to the price list for the information on options for power.

Roof: Opening Roof with Building Management System available as an upcharge. Fixed Roof with Building Management System including smoke detector or excluding smoke detector available as a downcharge.

Optional Whiteboard:

Available on both Internal and External Panel options.

Available on any Vertical Panel.

Monitor Bracket:

Hoop mounted fixed monitor bracket, Hoop mounted fixed monitor bracket with VC support shelf or Hoop mounted adjustable monitor arm.

Door Handle: Oak stained to Black available as an upcharge.

Manifestation Options:

Pixel, Barcode and Dots Manifestations are available in full screen, band or as visibility strips. Fade, Woody, Honeycomb, Aerate, Germinate and Cultivate Manifestations are available in full screen only.


*Barcode Strips & Band Manifestation run Vertically whilst the Full Screen Barcode runs Horizontally.

AV Kits: Vertical panel integrated AV kit available as an upcharge

Room Booking Kits: Room booking kit for sliding door available as an upcharge

Product Finishes — Campers (Pods)

Facia Panels — Fabric Options




Kvadrat Revive 1 - 25 colours



Gabriel Medley - 37 colours
(excludes 61189)



Camira Synergy FR - 75 colours



Camira X2 - 20 colours



Camira Blazer - 50 colours



Camira Oceanic - 16 colours



Kvadrat Fjord - 20 colours



Kvadrat Canvas 2 - 45 colours



Agua Buro - 30 colours



Kvadrat Rime - 27 colours




Kvadrat Divina 3 - 56 colours




Kvadrat Remix 3 - 72 colours


External Panels — Laminate




White Fleetwood




Natural Davos




Grey Arizona




Thermo Oak




Grey Bardolino




Fenix 0720 Nero Ingo



Fenix 0718 Grigio Londra




Fenix 0725 Grigio Efeso



Fenix 0030 Bianco Alaska

External Panels — Plywood



Plywood

Product Finishes — Campers (Pods)

Internal / External Fabric Panels — Patternistas Solid Colours

			
AQUA	BLUE	BRIGHTGREEN	BRIGHTPINK
			
COOLAQUA	COOLGREEN	CORAL	DARKCORAL
			
DARKGREEN	DARKGREY	DARKPINK	DARKBLUE
			
DEEPRED	DUSTYPINK	GOLD	GREEN
			
GREYGREEN	OLIVE	OLIVEGREEN	TEAL
			
YELLOW			

Only Available in UK Markets

Product Finishes — Campers (Pods)

Facia Panels — Plywood




Only Available
in UK Markets

Facia Panels — Laminate Fenix



Fenix 0720 Nero Ingo


Facia Panels — Fabric Options




Kvadrat Revive 1 - 25 colours




Gabriel Medley - 37 colours
(excludes 61189)



Camira Synergy FR - 75 colours



Camira X2 - 20 colours




Camira Blazer - 50 colours




Camira Oceanic - 16 colours




Kvadrat Floyd - 23 colours




Kvadrat Canvas 2 - 45 colours




Agua Buro - 30 colours



Kvadrat Rime - 27 colours




Kvadrat Divina 3 - 56 colours




Kvadrat Remix 3 - 72 colours

Only Available in UK Markets

Facia Panels — Fabric Patternistas Solid Colours




AQUA




BLUE



BRIGHTGREEN




BRIGHTPINK




COOLAQUA



COOLGREEN



CORAL



DARKCORAL




DARKGREEN




DARKGREY




DARKPINK




DARKBLUE




DEEPPRED



DUSTYPINK



GOLD



GREEN



GREYGREEN



OLIVE



OLIVEGREEN



TEAL



YELLOW

Only Available in UK Markets

For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix (section 6 page 44)


Internal Panel Options

All pod model codes come with upholstered panels on the inside of the pod as standard. As well as creating a appealing aesthetic, the panels make a significant contribution to the acoustic performance of the pod.

For this reason, the internal panels are only available in the upholstered finish option [no other finishes are available].

Customers are required to select two principal characteristics for the panels:

- 1. the panel style (vertical or horizontal).
- 2. the fabric specification used on the panels.



Vertical Internal Panels

Fabric Options: Camira Era, Kvadrat Revive 1, Agua Buro, Kvadrat Floyd, Kvadrat Remix 3, Camira Synergy, Camira Blazer, Camira Oceanic, Camira Quest, Kvadrat Canvas 2, Gabriel Medley, Kvadrat Rime, Kvadrat Divina 3, Patternistas Solid Colours.



Horizontal Internal Panels


Fabric Options: Camira Era, Kvadrat Revive 1, Agua Buro, Kvadrat Floyd, Kvadrat Remix 3, Camira Synergy, Camira Blazer, Camira Oceanic, Camira Quest, Kvadrat Canvas 2, Gabriel Medley, Kvadrat Rime, Kvadrat Divina 3, Patternistas Solid Colours.

Internal Whiteboard Panel Locations



Vertical Whiteboard - Internal Location

Whiteboards can be specified in any vertical panel location.



Horizontal Whiteboard - Internal Location

Whiteboards can only be specified in the middle panel location only when panels are split horizontally.

For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix (section 6 page 44)


External Panel Options

All pod model codes can be specified with a variety of finish options for the pod's external panels.

Each option (except plywood) is available in a variety of standard colours / finishes.

Customers are required to select two principal characteristics for the panels:


1. the panel style.
2. the finish specification used on the panels.



Vertical External Panels

Vertical panels are available in all finishes.

External Whiteboard Panel Locations



Vertical Whiteboard - External Location


On exterior walls with vertical panels, customers can specify any panel location to be replaced by a whiteboard (panels A, B and C).

For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix (section 6 page 44)

Manifestation Options


Please see images for the manifestation locations.

All manifestations are fitted to the exterior of the glass.




Dots

- Three options available:
- 1. Manifestation Visibility Strips
 - 2. Manifestation Band
 - 3. Manifestation Full Screen



Barcode

- Three options available:
- 1. Manifestation Visibility Strips
 - 2. Manifestation Band
 - 3. Manifestation Full Screen




Pixel

- Three options available:
- 1. Manifestation Visibility Strips
 - 2. Manifestation Band
 - 3. Manifestation Full Screen



Woody

Manifestation Full Screen



Honeycomb

Manifestation Full Screen

Manifestation Options — Patternistas Designs

Please see images for the manifestation locations.

All manifestations are fitted to the exterior of the glass.


AERATE

Full Screen Manifestation



Patterns

AERATE_BLUE



AERATE_GOLD



AERATE_GREEN



GERMINATE

Full Screen Manifestation.




GERMINATE_GREEN



GERMINATE_PINK



GERMINATE_BLUE




CULTIVATE


Full Screen Manifestation.



CULTIVATE_AQUA



CULTIVATE_CORAL



CULTIVATE_OLIVE



Service Hoop Options

Customers can choose to specify additional service features for three of the pods vertical hoops:

- Power side interior hoop
- Power side exterior hoop
- Switch side exterior hoop

The switch side is always on the same side as the door (and cannot be upgraded).

For each hoop vertical customers can choose options for:

- Integrated table mounting
- Screen mounting
- Additional power sockets (exterior hoop only).

Power Sockets

Every pod comes with internal power sockets located toward the bottom of the power side vertical hoop.

The standard configuration is 3 power and an isolator switch but many alternative configurations are also available as upcharge options.

Please refer to the Orangebox pricelist for full details.




Hoop Power & Accessory

	Internal [Switch Side]	Internal [Power Side]	External [Switch Side]	External [Power Side]
Air inlet - vent	●	●	●	●
3 gang power socket (with on/off switch)	-	●	○	○
Integrated table mount (standard or bar height)	-	○*	○	○
Hoop mounted fixed monitor bracket (standard or bar height)	-	○	○	○
Hoop mounted fixed monitor bracket with VC support bracket (standard or bar height)	-	○	○	○
Hoop mounted adjustable monitor arm (standard or bar height)	-	○	○	○

*Only available as an option on CD05 pods.

Standard Specification ● Optional Upcharges ○ Not Available -

Service Hoop Options




Hoop Mounted Fixed Monitor Bracket (with Tilt)

This option can be specified at standard table height and bar height, inside or outside the pod.

When choosing this option the hoop comes equipped with our standard tilting monitor bracket which is suitable for screens up to 55 inch (max weight of 20kg).

When this option is selected on an external hoop, an additional set of power sockets are also fitted.



Hoop Mounted Fixed Monitor Bracket with VC Support Bracket.

This option can be specified at standard table height and bar height, inside or outside the pod.

This option is designed to support VC equipment when no integral table is specified.

When choosing this option the hoop comes equipped with our standard tilting monitor bracket (suitable for screens up to 55 inch max weight of 20kg) as well as a secondary bracket for supporting video conferencing equipment (250mm x 150mm max footprint)




Hoop Mounted Adjustable Monitor Arm

This option can be specified at standard table height and bar height, inside or outside the pod.

When choosing this option the hoop comes equipped with an adjustable monitor arm bracket that has a max reach of 415mm and is compatible with VESA 75 & 100 mounting.

Suitable for a max screen weight of 12kg.

When this option is selected on an external hoop, an additional set of power sockets are also fitted.



Integrated Table Mount

This option can be specified at standard table height and bar height, inside or outside the pod (CD05 pods only for power side interior hoop).

When choosing this option the hoop comes equipped with fixing points that are compatible with the following table model codes:

Air-30 – Seated Table
Air-50 - Seated Table
Air-51 - Standing Table [EXTERNAL ONLY]
AIR-52 - VC Table

NB Tables sold separately.

Product Specification — Kinks

Standard Product Description

Finish Options:
Plywood – Plywood.
Laminate Wood Grain – White Fleetwood, Natural Davos, Grey Arizona, Thermo Oak or Grey Bardolino.
Laminate Fenix – 0720 Nero Ingo, 0718 Grigio Londra, 0725 Grigio Efeso, 0030 Bianco Alaska.

Product Specification — Cabins / Cabins Furniture

Standard Product Description

Table Top Finishes: Available on Cabins 02, 03, 05, 06.
Melamine – Walnut, Straight Grain Oak, Artisan Oak, Beech, Graphite, White or Grey.
Laminate Wood Grain – White Fleetwood, Natural Davos, Grey Arizona, Thermo Oak or Grey Bardolino.
Laminate Fenix – 0720 Nero Ingo, 0718 Grigio Londra, 0725 Grigio Efeso, 0030 Bianco Alaska.

Table Legs: Oak legs as standard. {01}

Optional Upcharges

Table Legs: Oak stained to Black as an upcharge on Cabin-01.

Power:
Table Power (Pulse only) – Available on Cabins 01, 05, 06.
Base Pixel Power – Seat Plinth power available on Cabins 01, 02, 03, 04.
Wall Mounted Pixel Power – Available on furniture with a divider. {Cabins 04, 05, 06}

Lighting: Cabin lighting available as an upcharge.

Kinks & Cabins Options




Kink Options

The distinctive 'kink' elevates the pods' architecture, reflecting an outdoor cabin or cabana - softening and enhancing the welcome.

All pods have the option of being specified with the 'kink' which is available in a variety of materials to match or compliment the finishes on the exterior of the pod.

The following finish options may be specified on the kink (as per the exterior panel finish options):

- Plywood
- Laminate



Specifying Cabins

CD01, CD02 and CD05 pods can both be specified with cabins attached to the back wall.

The cabins can be specified with either solid steel or louvred roof panels.

Internal panels can be specified in fabric only.

External panels have a variety of options to choose from.

NB When a pod is specified with a cabin, the rear wall of the pod can only be specified with vertical upholstered panels.

Product Finishes — Kinks

Plywood



Plywood

Laminate




White Fleetwood




Natural Davos



Grey Arizona



Thermo Oak



Grey Bardolino



Fenix 0720 Nero Ingo



Fenix 0718 Grigio Londra



Fenix 0725 Grigio Efeso



Fenix 0030 Bianco Alaska

Product Finishes — Cabin Furniture

Table Tops — Melamine (CABIN02, 03, 05, 06)




Walnut




Straight Grain Oak



Artisan Oak



Beech



Graphite



Grey



White

Table Tops — Laminate (CABIN02, 03, 05, 06)




White Fleetwood



Natural Davos



Grey Arizona



Thermo Oak



Grey Bardolino



Fenix 0720 Nero Ingo



Fenix 0718 Grigio Londra



Fenix 0725 Grigio Efeso



Fenix 0030 Bianco Alaska

Table Legs (CABIN01)




Oak




Oak stained to Black


Internal & External Cabin Panels — Polyester Felt




Charcoal Grey CG06




Silver Grey SG04



Desert Sand DS10



Grape Vine GV36



Moss Green MG10

Only Available in UK Markets



Top – CD01CCLS + CABIN01 + CABIN02, **Bottom** – CD05CCLS + CABIN04



Image Smartworking Huddersfield - CD02CLS

Product Range — Pod Furniture

AIR-30
Seated table



H730 [H29]
W1137 [W45] D1765 [D69]

AIR-50
Seated table



H740 [H29]
W700 [W28] D1600 [D63]


AIR-51
Standing table

EXTERNAL ONLY




H1050 [H41]
W700 [W28] D1600 [D63]

AIR-52
VC table




H740 [H29]
W1000 [W39] D1600 [D63]

AIR-53
Credenza




H740 [H29]
W1600 [W63] D390 [D15]

AIR-54
Meeting credenza



H740 [H29]
W1600 [W63] D1550 [D61]

AIR-55 LH
Workstation credenza LH




H740 [H29]
W1600 [W63] D1550 [D61]

AIR-55 RH
Workstation credenza RH




H740 [H29]
W1600 [W63] D1550 [D61]

AIR-56
Minipod credenza



H740 [H29]
W1300 [W51] D390 [D15]

AIR-57
Minipod workstation




H740 [H29]
W1300 [W51] D890 [D35]

CDUS01
Upholstered Seat Unit - Single



SH480 [SH19] SBH820 [SBH32]
W630 [SW25]
SD440 [SD16"]

CDUS02
Upholstered Seat Unit - Double



SH480 [SH19] SBH820 [SBH32]
W1300 [SW51]
SD440 [SD16"]

CDWT01
Wall Mounted Table –
630mm deep



H740 [H29]
W850 [W33] D630 [D25]

CDWT02
Wall Mounted Table –
900mm deep



H740 [H29]
W850 [W33] D900 [D35]

CDWT01 & CDWT02 - Can only be used where vertically split panels are specified.

Product Specification — Pod Furniture

Standard Product Description

Table/Credenza Top Finishes:

Melamine – Walnut, Straight Grain Oak, Artisan Oak, Beech, Graphite, White or Grey. (Air 30, 50-57, CDWT01 and CDWT02)
Laminate Wood Grain – White Fleetwood, Natural Davos, Grey Arizona, Thermo Oak or Grey Bardolino. (Air 50-57)
Laminate Fenix – 0720 Nero Ingo, 0718 Grigio Londra, 0725 Grigio Efeso, 0030 Bianco Alaska. (Air 50-57)

Credenzas Finishes:

Melamine – Graphite or White (Air 53, 54, 55 LH, 55 RH, 56, 57)
Laminate Fenix – 0725 Grigio Efeso, 0030 Bianco Alaska. (Air 53, 54, 55 LH, 55 RH, 56, 57)

Table Legs:

Industrial Silver or Black. (Air-30)
Oak legs as standard. (Air 50-57)
Chassis: Black RAL 9017, White RAL 9016 or Industrial Silver chassis available as standard. (Air 50, 51, 52, 54, 55 LH, 55 RH, 57)

Optional Upcharges

Table Legs:

Polished or White. (30)
Oak stained to Walnut, Pearl, Black or Dark Distressed Oak. (Air 50-57)
Chassis: Available in Gold, Taupe, Bronze or Copper as an upcharge. (Air 50, 51, 52, 54, 55 LH, 55 RH, 57)
Flap: Melamine or Laminate Flap available as an upcharge. (Air 50-52)
Table Top Power: Power options available. (Air-30)
Power: Powerbox available as an upcharge. (Air 50-52)

Lighting: Pablo Circa Lamp (White or Graphite) available as an upcharge. (Air 53, 54, 55 LH, 55 RH, 56, 57)
Ventilation: Ventilation for AV units and power access as an upcharge (Air 53-57)
Modesty Panel: Modesty panel available as an upcharge (Air 54, 55 RH and 55 LH)

Product Finishes — Pod Furniture

Table Tops — Melamine (AIR-30, 50-57, CDWT01 and CDWT02)



Walnut




Straight Grain Oak




Artisan Oak



Beech



Graphite



Grey



White

Table Tops — Laminate (AIR-50, 51, 52, 53, 54, 55 LH, 55 RH, 56, 57)




White Fleetwood



Natural Davos



Grey Arizona



Thermo Oak



Grey Bardolino



Fenix 0720 Nero Ingo



Fenix 0718 Grigio Londra



Fenix 0725 Grigio Efeso




Fenix 0030 Bianco Alaska

Table Legs - Metals (AIR-30)



Black



White



Polished



Industrial Silver

Oak Legs (AIR-50, 51, 52, 53, 54, 55 LH, 55 RH, 56, 57)




Oak



Oak stained to Walnut



Oak stained to Pearl




Oak stained to Black



Dark Distressed Oak

Product Finishes — Pod Furniture

Credenzas — Melamine (AIR-53, 54, 55 LH, 55 RH, 56, 57)



Graphite



White

Credenzas — Laminate Fenix (AIR-53, 54, 55 LH, 55 RH, 56, 57)




Fenix 0725 Grigio Efeso



Fenix 0030 Bianco Alaska

Chassis (AIR-50, 51, 52, 54, 55 LH, 55 RH, 57)



White RAL 9016




Black RAL 9017



Gold



Taupe



Industrial Silver



Bronze




Copper



Top – AWF01 **Bottom** – CD05DRS + AW02


Product Range — Awnings

AW01
2.22m Wide Awning
(For use with CD01 - **back wall only** &
CD02 - **side & back walls**)




H2276 [H90] W2225 [W88]
WF2331mm [WF92] D2256 [D89]

AW02
2.9m Wide Awning
(For use with CD05)



H2276 [H90] W2900 [W114]
WF3006mm [WF118] D2256 [D89]

AWF01
2.2m Wide Awning
Free Standing




H2276 W2225 D3375

AW01 for use with CD01 & CD02.
AW02 for use with CD05.


mm[]

WF - Width including Feet


Awning Connections to Campers



CD01
The CD01 supports mounting on the back of the pod only using the AW01 Awnings.



CD02
The CD02 supports mounting on the back and sides of the pod using the AW01 Awning.



CD05
The CD05 supports mounting on the back and sides of the pod using the AW02 Awning.

Wall Glass

Product Specification — Awnings

Standard Product Description

Finish Options:

Fabric – Svensson Nova range or Kvadrat Daybreak range.

Patternistas Designs:

Aerate – Blue, Gold or Green.

Germinate – Green, Pink or Blue.

Cultivate – Aqua, Coral or Olive.

Ombre – Darkblue-Aqua, Gold-Pink, Lightgreen-Green, Pink-Green, Magenta-Burgundy, Brightblue-Darkblue, Darkgrey-Aqua, Darkgrey-Coral or Darkgrey-Olive.

Cord – Terracotta, Burgundy, Oxford Blue, Violet, Highland Heath, Lime, Olive Green, York Gold, Blond, Silver, Lakeland Slate, Eton, Emerald, Black or Orange.

Plywood Slats – Plywood.

Polyester Felt Slats – Charcoal Grey CG06, Silver Grey, SG04, Desert Sand DS10, Grape Vine GV36, Moss Green MG10.

Legs: Oak legs as standard.

Mounted Fixings: Pod Mounted Fixing Kit available as standard.

Minimum recommended ceiling height for installation 2550mm.

C&D's cord is a natural material and is subject to some variation creating a rustic look.

It is the client responsibility to fit the wall mounted bracket prior to the Oranbeox installation team completing the construction of the awning.

Optional Upcharges

Mounted Fixings: Wall Mounted Fixing Kit available as an upcharge.




62 NTR Smartworking Huddersfield – AWF01

Awning Finish Options

Specifying Finish Options

Finish options can be specified as a full or split finish.




Full Finish

The full finish option covers the whole awning frame in one finish.


Some finishes can be used in both the split and full finish scenarios and some can only be used in the split scenario.

There are four finishes to choose from:




Split Finish

The Split finish option covers the top of the awning frame in one finish and the side of the awning frame in another finish.




Fabric

Can be specified as a full or split finish on the top or side. Available in Patternistas patterns, Svensson Nova and Kvadrat Daybreak.




Cord

Can be specified as a full or split finish on the top or side.



Plywood Slats

Can be specified as a split finish on the side only.




Polyester Felt

Can be specified as a split finish on the side only.

For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix [section 6 page 44]

Product Finishes — Awnings

Legs



Oak

Fabric



Svensson Nova - 44 colours




Kvadrat Daybreak - 22 colours

Plywood Slats




Plywood


Cord




Terracotta



Burgundy




Oxford Blue




Violet



Highland Heath




Lime



Olive Green




York Gold




Blond




Silver




Lakeland Slate




Eton



Emerald



Black



Orange

Polyester Felt Slats



Charcoal Grey CG06



Silver Grey SG04



Desert Sand DS10



Grape Vine GV36



Moss Green MG10


For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix (section 6 page 44)

Product Finishes — Awnings

Fabric — Patternistas Designs

AERATE
Patterns

AERATE_BLUE




AERATE_GOLD



AERATE_GREEN




Ombre' Gradients



DARKBLUE_AQUA



GOLD_PINK



LIGHTGREEN_GREEN

GERMINATE
Patterns


GERMINATE_GREEN



GERMINATE_PINK




GERMINATE_BLUE



Ombre' Gradients



PINK_GREEN



MAGENTA_BURGUNDY



BRIGHTBLUE_DARKBLUE


Product Finishes — Awnings

Fabric — Patternistas Designs


CULTIVATE

Patterns


CULTIVATE_AQUA



CULTIVATE_CORAL



CULTIVATE_OLIVE



Ombre' Gradients



DARKGREY_AQUA



DARKGREY_CORAL



DARKGREY_OLIVE

Rug Pattern Options

Hand-tufted Rugs are available for use in the awnings and standalone outside the pods. The set size of the Rugs is 3m x 2m.


Colour Options

<div>ARUG</div> <div>Aerate Rug</div> <div>AERATE_BLUE</div> <div></div>	<div>GRUG</div> <div>Germinate Rug</div> <div>GERMINATE_GREEN</div> <div></div>	<div>CRUG</div> <div>Cultivate Rug</div> <div>CULTIVATE_AQUA</div> <div></div>	<div>ORUG</div> <div>Ombre Rug</div> <div>CORAL_AQUA_GREEN</div> <div></div>
<div>AERATE_RED</div> <div></div>	<div>GERMINATE_PINK</div> <div></div>	<div>CULTIVATE_CORAL</div> <div></div>	<div>DARK_GREY_CORAL</div> <div></div>
<div>AERATE_GREEN</div> <div></div>	<div>GERMINATE_BLUE</div> <div></div>	<div>CULTIVATE_OLIVE</div> <div></div>	<div>PINK_GREEN</div> <div></div>
			<div>DARKGREEN_OLIVE</div> <div></div>

For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix [section 6 page 44]


Product Range — Mobile Whiteboards

CDMWB01
Mobile Whiteboard & Bracket Set




H1308 W1280 D521

CDMWB02
Mobile Bracket Set




H414 W310 D674

CDMWBPP
Pen Pot Assembly



H200 W120 D826



Top – CD05CLS + HACK05 & CD05CLS + HACK04, **Bottom** – CD02CLS + AW01 + HACK10

Product Range
 —
 Hacking

HACK01
For use with CD01 [Full Pod Depth] — Pod configuration type B, C and D only

HACK01 with CD01BLS




H2280 [H90] W1650 [W65]
 D315 [D12]

CD01BLS Pod Configuration



Front / Door

HACK01 with CD01BRS



H2280 [H90] W1650 [W65]
 D315 [D12]

CD01BRS Pod Configuration



Front / Door

HACK01 with CD01DLS




H2280 [H90] W1650 [W65]
 D315 [D12]

CD01DLS Pod Configuration



Front / Door

HACK01 with CD01DRS



H2280 [H90] W1650 [W65]
 D315 [D12]

CD01DRS Pod Configuration



Front / Door

HACK02
For use with CD02 [Up to Glass Corner] — Pod configuration type A and C only

HACK02 with CD02ALS




H2280 [H90] W1550 [W61]
 D315 [D12]

CD02ALS Pod Configuration



Front / Door

HACK02 with CD02ARS




H2280 [H90] W1550 [W61]
 D315 [D12]

CD02ARS Pod Configuration



Front / Door

HACK02 with CD02CLS




H2280 [H90] W1550 [W61]
 D315 [D12]

CD02CLS Pod Configuration




Front / Door

HACK02 with CD02CRS



H2280 [H90] W1550 [W61]
 D315 [D12]

CD02CRS Pod Configuration



Front / Door

HACK03
For use with CD02 [Full Pod Depth] — Pod configuration type B, C and D only

HACK03 with CD02BLS




H2280 [H90] W2325 [W92]
 D315 [D12]

CD02BLS Pod Configuration



Front / Door

HACK03 with CD02BRS



H2280 [H90] W2325 [W92]
 D315 [D12]

CD02BRS Pod Configuration



Front / Door

HACK03 with CD02DLS




H2280 [H90] W2325 [W92]
 D315 [D12]

CD02DLS Pod Configuration



Front / Door

HACK03 with CD02DRS



H2280 [H90] W2325 [W92]
 D315 [D12]

CD02DRS Pod Configuration



Front / Door

mm[] — *Minimum recommended ceiling height for installation 2550mm.


Wall Glass — Denotes hacking wall coverage

D - Depth added to pod

Product Range
 —
 Hacking

HACK04
For use with CD05 (Up to Glass Corner) — Pod configuration type A and C only.

HACK04 with CD05ALS




H2280 [H90] W2225 [W88]
 D315 [D12]

CD05ALS Pod Configuration




Front / Door

HACK04 with CD05ARS




H2280 [H90] W2225 [W88]
 D315 [D12]

CD05ARS Pod Configuration




Front / Door

HACK04 with CD05CLS




H2280 [H90] W2225 [W88]
 D315 [D12]

CD05CLS Pod Configuration




Front / Door

HACK04 with CD05CRS



H2280 [H90] W2225 [W88]
 D315 [D12]


CD05CRS Pod Configuration



Front / Door

HACK05
For use with CD05 (Full Pod Depth) — Pod configuration type B, C and D only.

HACK05 with CD05BLS




H2280 [H90] W3000 [W118]
 D315 [D12]

CD05BLS Pod Configuration




Front / Door

HACK05 with CD05BRS




H2280 [H90] W3000 [W118]
 D315 [D12]

CD05BRS Pod Configuration




Front / Door

HACK05 with CD05DLS




H2280 [H90] W3000 [W118]
 D315 [D12]

CD05DLS Pod Configuration



Front / Door

HACK05 with CD05DRS



H2280 [H90] W3000 [W118]
 D315 [D12]


CD05DRS Pod Configuration



Front / Door


HACK06
For use with CD01 (Full Pod Depth)

HACK06 with CD01 - Left Hand Door




H2280 [H90] W1650 [W65]
 D290 [D11]

CD01 - Left Hand Door
 Pod Configuration



Front / Door

HACK06 with CD01 - Right Hand Door



H2280 [H90] W1650 [W65]
 D290 [D11]


CD01 - Right Hand Door
 Pod Configuration



Front / Door


HACK07
For use with CD01 (Around Corner)

HACK07 with CD01 - Left Hand Door




H2280 [H90] W1650 [W65]
 D290 [D11]

CD01 - Left Hand Door
 Pod Configuration



Front / Door

HACK07 with CD01 - Right Hand Door



H2280 [H90] W1650 [W65]
 D290 [D11]

CD01 - Right Hand Door
 Pod Configuration



Front / Door

D - Depth added to pod


mm[] — *Minimum recommended ceiling height for installation 2550mm.



Product Range — Hacking

HACK08 For use with CD02 (Up to Corner)

HACK08 with CD02 - Left Hand Door




H2280 [H90] W1550 [W61]
D290 [D11]

CD02 - Pod Configuration



Front / Door

HACK08 with CD02 - Right Hand Door



H2280 [H90] W1550 [W61]
D290 [D11]


CD02 - Pod Configuration



Front / Door

HACK09 For use with CD02 (Full Pod Depth)

HACK09 with CD02 - Left Hand Door




H2280 [H90] W2325 [W92]
D290 [D11]

CD02 - Pod Configuration



Front / Door

HACK09 with CD02 - Right Hand Door



H2280 [H90] W2325 [W92]
D290 [D11]


CD02 - Pod Configuration



Front / Door

HACK10 For use with CD02 (Around Corner)

HACK10 with CD02 - Left Hand Door




H2280 [H90] W2325 [W92]
D290 [D11]

CD02 - Pod Configuration



Front / Door

HACK10 with CD02 - Right Hand Door



H2280 [H90] W2325 [W92]
D290 [D11]


CD02 - Pod Configuration



Front / Door

HACK11 For use with CD05 (Up to Corner)

HACK11 with CD05 - Left Hand Door




H2280 [H90] W2225 [W88]
D290 [D11]

CD05 - Pod Configuration



Front / Door

HACK11 with CD05 - Right Hand Door



H2280 [H90] W2225 [W88]
D290 [D11]


CD05 - Pod Configuration



Front / Door

HACK12 For use with CD05 (Full Pod Depth)

HACK12 with CD05 - Left Hand Door




H2280 [H90] W3000 [W118]
D290 [D11]

CD05 - Pod Configuration




Front / Door

HACK12 with CD05 - Right Hand Door



H2280 [H90] W3000 [W118]
D290 [D11]


CD05 - Pod Configuration



Front / Door

HACK13 For use with CD05 (Around Corner)

HACK13 with CD05 - Left Hand Door




H2280 [H90] W3000 [W118]
D290 [D11]

CD05 - Pod Configuration



Front / Door

HACK13 with CD05 - Right Hand Door



H2280 [H90] W3000 [W118]
D290 [D11]

CD05 - Pod Configuration



Front / Door

D - Depth added to pod

mm[] — *Minimum recommended ceiling height for installation 2550mm.

■ Wall ■ Glass — Denotes hacking wall coverage

Product Specification — Hacking

Standard Product Description

Fabric Hacks:

Stretch Fabric – Svensson Grain range or Kvadrat Time 300 range.

Patternistas Designs:

Aerate – Blue, Gold or Green.

Germinate – Green, Pink or Blue.

Cultivate – Aqua, Coral or Olive.

Ombre – Darkblue-Aqua, Gold-Pink,

Lightgreen-Green, Pink-Green,

Magenta-Burgundy, Brightblue-Darkblue,

Darkgrey-Aqua, Darkgrey-Coral or

Darkgrey-Olive.

Plywood Hacks: Straight Plywood Slats or Wavy




Plywood Slats.

Hacking Finish Options

Product Options

There are 3 variants of the hacking wall configurations that cover smaller or larger areas along the side of a Pod.

■ Wall ■ Glass — Denotes hacking wall coverage



Up to Glass Corner

Covers the side of a pod where there are "solid" wall panels when corner glass is configured. It can be specified in fabric or wooden slats. **Cannot be specified on the same side as an awning.**

Full Pod Depth

Covers the entire side of a pod. Can be specified in wooden slats on all pod configurations but only in fabric when corner glass is not configured. **Cannot be specified on the same side as an awning.**

Around Corner

Covers the entire side of a pod and wraps around the corner. **Cannot wrap around the front of a pod when a kink is specified. Cannot be specified on the same side as an awning. Cannot wrap around the back of a pod when an awning is specified in this location.**

Fabric Hacking Frames (HACK01-05)

The fabric options on the hacking frames are stretched over a rib structure to create a unique visual effect.

Fabrics can be selected from 3 fabric ranges:

Svensson – Grain

Kvadrat – Time 300

Patternistas Designs:

Aerate – Blue, Gold or Green.

Germinate – Green, Pink or Blue.

Cultivate – Aqua, Coral or Olive.

Ombre – Darkblue-Aqua, Gold-Pink, Lightgreen-Green,

Pink-Green, Magenta-Burgundy, Brightblue-Darkblue,


Darkgrey-Aqua, Darkgrey-Coral or Darkgrey-Olive.

Svensson and Kvadrat ranges are standard fabric ranges from each of these suppliers. The Patternistas range is unique to Orangebox.

Wooden Slats Hacking Frames (HACK06-13)

The wooden finish options on the hacking frames are a series of plywood slats evenly distributed on the exterior walls of a pod.

Wooden slat finishes are available in two variants, Straight Slats and Wavy Slats.



For compliance to EN 13501-1:2018 Fire classification of construction products and building elements please refer to the Finishes Section of the Orangebox EMEA Technical document appendix (section 6 page 44)

Product Finishes — Hacking

Plywood Hacks



Natural Plywood

Fabric Hacks



Svensson Grain - 33 colours




Kvadrat Time 300 - 38 colours

Fabric Hacks — Patternistas Designs

AERATE
Patterns

AERATE_BLUE




AERATE_GOLD



AERATE_GREEN




Ombre' Gradients



DARKBLUE_AQUA



GOLD_PINK



LIGHTGREEN_GREEN

Product Finishes — Hacking

Fabric Hacks — Patternistas Designs

GERMINATE

Patterns


GERMINATE_GREEN



GERMINATE_PINK




GERMINATE_BLUE



Ombre' Gradients



PINK_GREEN



MAGENTA_BURGUNDY




BRIGHTBLUE_DARKBLUE


CULTIVATE

Patterns


CULTIVATE_AQUA




CULTIVATE_CORAL




CULTIVATE_OLIVE



Ombre' Gradients



DARKGREY_AQUA



DARKGREY_CORAL



DARKGREY_OLIVE