Convo Product Datacard March 2025 Version 3



Convo

Active tabling

orangebox



Product Description

Convo is an adaptable collection of training, meeting and conference tables featuring a variety of shapes and a choice of top depths. The collection ranges from small footprint single seat tables through to large format 20-seater meeting tables, and features both static and flip-tops.

Convo's flip-top tables can be quickly and easily reconfigured to respond to the ever-changing needs of the office. Top depths range from 700mm right up to 1400mm, thanks to the combination of our tried and tested flip release mechanism and low profile ski design, which gives stability even when tops are extra deep.

The frame design provides consistency across the Convo collection's wide range of static and flip-top options, on ski widths of 600mm, 900mm & 1200mm. To better facilitate linking (where necessary), flip-top tables have square edges. The static range can, however, be specified with any of our expansive range of edge profiles and finish options.

A choice of top shapes (rectangle, barrel and oval top).

Convo offers fully integrated power and data cable management and a low profile concealed castor in the ski leg assembly to improve portability.





Top - CONVO, Bottom - CONVO

Product Range

CSR-8-16 Static Rectangle 1600 x 800mm

CSR-10-20 Static Rectangle 2000 x 1000mm CSR-10-22 Static Rectangle 2200 x 1000mm CSR-12-24 Static Rectangle 2400 x 1200mm CSR-14-28 Static Rectangle 2800 x 1400mm CSR-14-32 Static Rectangle 3200 x 1400mm CSR-14-36 Static Rectangle 3600 x 1400mm

H730 [H29] W2000 [W79] D1000 [D39]

H730 [H29]

W2200 [W87]

D1000 [D39]

H730 [H29] W2400 [W94] D1200 [D47]

H730 [H29] W2800 [W94]

D1400 [D55]

H730 [H29] W3200 [W126] D1400 [D55]

H730 [H29] W3600 [W55] D1400 [D55]

CSR-14-40

H730 [H29]

D800 [D31]

W1600 [W63]

Static Rectangle 4000 x 1400mm CSR-16-28 CSR-16-32 Static Rectangle

Static Rectangle 3200 x 1600mm CSR-16-36 Static Rectangle 3600 x 1600mm CSR-16-40 Static Rectangle 4000 x 1600mm CSB-10-20 Static Barrel 2000 x 1000mm

CSB-10-22 Static Barrel 2200 x 1000mm

H730 [H29] W4000 [W157] D1400 [D55]

2800 x 1600mm

H730 [H29] W3200 [W126] W2800 [W94] D1600 [D63] D1600 [D63]

H730 [H29] H730 [H29] W3600 [W142] W4000 [W157] D1600 [D63] D1600 [D63]

H730 [H29] W2000 [W79]

H730 [H29] W2200 [W87] D1000 [D39]

CFR-7-14

CSB-12-24

Static Barrel 2400 x 1200mm CSB-14-28 Static Barrel 2800 x 1400mm

H730 [H29]

CSB-14-32 Static Barrel 3200 x 1400mm CSB-14-36 Static Barrel 3600 x 1400mm

H730 [H29]

CSB-14-40

Static Barrel

4000 x 1400mm

CSB-14-44 Static Barrel 4400 x 1400mm

Flip Rectangle 1400 x 700mm

H730 [H29] W2400 [W94] W2800 [W94] D1400 [D55] D1200 [D47]

H730 [H29] W3200 [W126] D1400 [D55]

H730 [H29] W3600 [W142] D1400 [D55]

W4000 [W157] D1400 [D55]

H730 [H29]

W4400 [W173]

D1400 [D55]

H730 [H29] W1400 [W157] D700 [D28]

CFR-8-16

H730 [H29]

Flip Rectangle 1600 x 800mm

CFR-9-18 CFR-9-20 Flip Rectangle

Flip Rectangle 2000 x 900mm CFR-9-22 Flip Rectangle 2200 x 900mm CFR-9-24 Flip Rectangle 2400 x 900mm CFR-10-14 Flip Rectangle 1400 x 1000mm CFR-10-16 Flip Rectangle 1600 x 1000mm

H730 [H29] W1600 [W63] D800 [D31]

H730 [H29] W1800 [W71] D900 [D35]

1800 x 900mm

H730 [H29] W2000 [W79] D900 [D35]

CFR-10-22

Flip Rectangle

2200 x 1000mm

H730 [H29] W2200 [W87] D900 [D35]

H730 [H29] W2400 [W94] D900 [D35]

CFR-12-18

Flip Rectangle

1800 x 1200mm

H730 [H29] W1400 [W55]

H730 [H29]

W1600 [W63]

CFR-10-18 Flip Rectangle

CFR-10-20 Flip Rectangle 1800 x 1000mm 2000 x 1000mm

H730 [H29] W2200 [W87] CFR-10-24 Flip Rectangle 2400 x 1000mm

H730 [H29]

CFR-12-20 Flip Rectangle 2000 x 1200mm CFR-12-22 Flip Rectangle 2200 x 1200mm

H730 [H29] W2200 [W87] D1200 [D47]

H730 [H29] W1800 [W71] D1000 [D39]



H730 [H29] W2000 [W79] D1000 [D39]



D1000 [D39]



H730 [H29]

W2400 [W94]

D1000 [D39]

W1800 [W71] D1200 [D47]

H730 [H29] W2000 [W79] D1200 [D47]

mm["]

Product Range

CFR-12-24 Flip Rectangle 2400 x 1200mm

H730 [H29] W2400 [W94] D1200 [D47]





CFR-14-14

H730 [H29] W1400 [W55] D1400 [D55]

CFR-14-16 Flip Rectangle 1600 x 1400mm



H730 [H29] W1600 [W63] D1400 [D55]

CFR-14-18 Flip Rectangle 1800 x 1400mm



H730 [H29] W1800 [W71] D1400 [D55]

CFR-14-20 Flip Rectangle 2000 x 1400mm



H730 [H29] W2000 [W79] D1400 [D55]



Product Specification - Static Tables

Standard Product Description

Edge Details:

Melamine Square Edge,
Melamine Chamfered Edge,
Laminate Square Edge,
Laminate Chamfered Edge,
Veneered Square Edge,
Veneered Chamfered Edge,
Veneered Deep Square Edge,
Veneered Solid Chamfered Edge or
Veneered Aerofoil Edge.

Frame: Black Frame, Black or While I Frame.

Feet: 4 x Black Levellers and 4 or 8 x Castors depending on model. Levellers are adjustable to all up to 12mm of levelling.

Legs: Steel Fabricated Ski with Steel Column Frame. The Fabricated Ski and Column are available powder coated in Black or White as standard.

N.B Top frame structure will always be Black.

Ski width / Footspread on tables up to 1000mm in width is 640mm.

Ski width / Footspread on tables from 1200 – 1400mm in width is 900mm.

Ski width / Footspread on tables 1600mm wide is 1200mm

Top Finishes: Available in Melamine, Laminate and Veneer. Tops are pressed on 25mm MDF board.

Table Top Finishes:

Melamine – Franklin Walnut, Straight Grain Oak, Stone Oak, White Coastland, Beech, Graphite, White or Grey.

Laminate Wood Grain – White Fleetwood, Natural Davos, Hamilton Oak, Black Oak, Thermo Oak, Truffle Brown, Sage Green, Agave Green, Fir Green or Baltic Blue.

Laminate Fenix – 0720 Nero Ingo, 0724 Grigio Bromo, 0718 Grigio Londra, 0725 Grigio Efeso, 0032 Bianco Kos, 0751 Rosso Jaipur, 0789 Rosso Namib, 0791 Giallo Evora, 0754 Blu Fes or 0750 Verde Comodoro.

Veneer - Beech, Maple, Oak, Cherry, Walnut.

Grain Direction: On all single piece veneered table tops the grain direction will run the length of the top. On all multi piece tops the grain direction will run widthways to help mask the joints. All standard static tables use crown cut veneer and all flip top tables use straight grain veneer.

N.B As standard when supplying Fenix or wood grain laminate we will always use a white balancing laminate on the underside.

Using a laminate finish may have an impact on the number of table top sections.

Optional Upcharges

Legs:Black fabricated Ski with Chrome Column, Chrome fabricated Ski with Black Column or, Chrome fabricated Ski with Chrome Column. Top frame structure will always be Black.

Edge Details: Black ABS Edge.

Flaps:

Standard Hinged Aluminium Flap, Large Aluminium Hinged Flap, Twin Axis Aluminium Flap, Melamine Flap, Veneer Flap or Soft Close Veneer Flap.

Grommet: Sliver Plastic Grommet or Sliver Aluminium Grommet.

Power: Power options available. Rectangle Pluckout Hatch (Laminate only).

Power Box: Black Pars Power Box (empty).

Accessories: Top Mounted Cable Tray, Cable Clips (set of 4), Convo Column Vertical Cable Cover Black/White, Fabric Cable Riser (Black), Umbilical Cable Riser (Clear) or Clam Shell Cable Riser

Cable Tray: The cable tray fits to the crossbar beneath the table top. The cable tray runs the length of the crossbar between the leg frames.

N.B multiple cable trays are included in the upcharge on tables with multiple I-frame legs.

Finishes: The steel cable trays are available in Black to match the top frame structure.

Product Certification

Intertek Sustainability Clean Air Product Certification

Clean Air certification provides proof that products have been independently tested and found to conform to VOC standards and to the

ANSI/ BIFMA Furniture Emissions Standards. All Orangebox products* have achieved Gold certification, excluding laminate products which achieve a Silver certification.

*With the exception of Fielding Tables.

Product Specification - Flip Tables

Standard Product Description

Edge Details:

Melamine Square Edge, Laminate Square Edge or Veneered Square Edge.

Legs: Steel Fabricated Ski with Steel column frame. The Fabricated Ski and Column are available powder coated in Black or White as standard.

N.B Top frame structure will always be Black. Ski width / Footspread on table up to 900mm in width is 640mm.

Ski width / Footspread on tables from 1000 – 1200mm in width is 900mm. Feet: 4 x Black Levellers and 4 or 8 x castors depending on model. Levellers are adjustable to allow up to 12mm of levelling.

Leg Position: Standard leg position is 100mm from the end of the table. The Inset leg position is 300mm from the end of the table.

N.B on Round Tables the Leg Position is 200mm from the end of the table.

Top Finishes: Available in Melamine, Laminate and Veneer. Tops are pressed on 25mm MDF board.

Table Top Finishes:

Melamine – Franklin Walnut, Straight Grain Oak, Stone Oak, White Coastland, Beech, Graphite, White or Grey.

Laminate Wood Grain – White Fleetwood, Natural Davos, Hamilton Oak, Black Oak, Thermo Oak, Truffle Brown, Sage Green, Agave Green, Fir Green or Baltic Blue.

Laminate Fenix – 0720 Nero Ingo, 0724 Grigio Bromo, 0718 Grigio Londra, 0725 Grigio Efeso, 0032 Bianco Kos, 0751 Rosso Jaipur, 0789 Rosso Namib, 0791 Giallo Evora, 0754 Blu Fes or 0750 Verde Comodoro.

Veneer – Beech, Maple, Oak, Cherry, Walnut.

Grain Direction: All Veneers are straight grain. Veneer direction runs the length of the table.

N.B As standard when supplying Fenix or wood grain laminate we will always use a white balancing laminate on the underside.

Optional Upcharges

Legs:Black fabricated Ski with Chrome Column, Chrome fabricated Ski with Black Column or, Chrome fabricated Ski with Chrome Column. Top frame structure will always be Black.

Linking: Standard linking for Square Edge Tops. Includes four Black, Nylon, rotating arms to link tables.

Edge Details: Black ABS Edge.

Cable Tray: Runs under frame and simply hangs in position from the beam(s). No fixing required.

Beam mounted Cable Clips (Set of 6): Black plastic cable clips attach to the beams of the table to manage cables running to the floor.

Leg Cable Riser: Black powered coated cable riser attach to the column of the table to manage cables running to the floor.

Flaps:

Standard Hinged Aluminium Flap, Large Aluminium Hinged Flap, Melamine Flap, Long Melamine Flap, Veneer Flap, Long Veneer Flap. **Grommet:** Sliver Plastic Grommet or Sliver Aluminium Grommet.

Power: Power options available.

Power Box: Black Pars Power Box (empty).

Modesty Panel: Fixes into and runs the length of the under frame. The panel is 300mm in height, Frosted Plastic.

Accessories: Convo Column Vertical Cable Cover Black/White, Fabric Cable Riser (Black) or

Umbilical Cable Riser (Clear)

Product Certification

Intertek Sustainability Clean Air Product Certification

Clean Air certification provides proof that products have been independently tested and found to conform to VOC standards and to the

ANSI/ BIFMA Furniture Emissions Standards. All Orangebox products* have achieved Gold certification, excluding laminate products which achieve a Silver certification.

*With the exception of Fielding Tables.


Static Table Finishes


Edge Details











- 1. Square Edge
- 2. Chamfered Edge
- 3. Deep Square Edge
- 4. Solid Chamfered Edge
- 5. Aerofoil Edge


Base Detail



1. I-Frame

Table Top Options






Static Rectangle

Static Barrel


Flip Table Finishes

Edge Details



1. Square Edge

Base Detail





- 1. Single Column I-Frame
- 2. Double Column I-Frame


Table Top Options




Flip Rectangle

Product Finishes

Table Tops — Melamine









orangebox orangebox.com