

# PRODUCT ENVIRONMENTAL PROFILE (PEP)

## Cambio collection — *designed by* Victor Carrasco

Product Environmental Profile (PEP) is a type II environmental product self-declaration that includes relevant environmental statements about the materials that compose the product and its environmental impact.



\* Product pictured may not be the exact style of the product studied in this document.

---

## Materials

### MDF TOP

The MDF used in the manufacturing process of the tabletops has low formaldehyde emission.

- MDF complies with TSCA Title VI + CARB ACTM 93120
- MDF is a low formaldehyde emission product E05 ( $\leq 0.05$  ppm EN 717-1) and meets Class E1 requirements defined in EN 622-1 European Standard.

### COMPACT TOP

Compact board has low formaldehyde emission and complies with E1 emission rating according to EN 13986.

Regarding the volatile organic chemical emission, it has been rated A+ according to AFNOR NF EN ISO 16000-9 and has a TVOC emission  $\leq 0,2$  mg/m<sup>3</sup>.

### CENTRAL SUPPORT

Central support is available in rotomolded polyethylene in the finishes of the collection.

#### METAL PLATE

No pigments or additives based on lead, cadmium, tin, chromium VI or mercury have been actively added or their levels do not exceed 0.01% by weight per component.

No short-chain chlorinated paraffins (SCCPs) have been actively added or included. Their content does not exceed 0.01% by weight as measured value per component.

We use powder coating obtained from polyester resins without TGIC on all our metallic structures. It offers hard weather resistance, maintaining its gloss and resistance to the UV rays, and complies with international specifications of QUALICOAT.

No solvents are present in polyester powder coatings; therefore, they are free of volatile organic compounds (VOCs). Powder coatings neither contain heavy metals such as cadmium and lead.

This powder coating shows compliance with the requirements of NF EN ISO 16000-9 regarding the low emission of volatile organic compounds (COVs) and has been labeled as A+ in the emission classification "VOC Émissions dans l'air intérieur".

---

## Environmental certificates

The following styles of the Cambio range comply with the Mandatory material requirements of Möbelfakta's Requirements Specification Ver. 2021-11-01 14.2:

— Stained top in matt oak and ash finishes

---

## Manufacturing

The product is assembled in Viccarbe's factory in Beniparrell, Spain. Viccarbe is accredited to the environmental standard ISO 14001. As a result, every care is taken to ensure our operations and products make a positive contribution to the local and global environment.

We appropriately recycle all our waste with authorized agents.

#### PACKAGING

We carefully analyze the packaging of our product, using the quantity of cardboard, plastic, or foam strictly necessary to avoid the product being damaged in any way during transport.

80% of the raw material used in our paperboard packaging comes from recycled paper.

## Transport

We take environmental impact into account when selecting raw materials. 98% of our suppliers are European, allowing us to minimize the environmental impact caused by transport. The remaining 2% come from USA.

For the distribution of our products, we use groupage transport companies, ensuring that the trucks are full. For inter-continental transport we always go by sea. We only use aerial transport in urgent cases.

---

## Use

During the use phase of the product - the longest phase of the life cycle - no significant environmental impacts occur. Designed for a long product life, with replaceable parts that are easy to change.

Maintenance information is available on Viccarbe's website. Viccarbe's guarantee for indoor products is valid for 10 years from the date of the invoice of Viccarbe.

---

## End of use

Any product can become a resource itself or be responsibly disposed of in different ways. At Viccarbe we try to design products with easily interchangeable parts, making it easier to recycle the various components at the end of their life cycle.

---

# Recyclability

The model chosen for analysis is the reference CAC300 from the Cambio range. We estimate that 98% of the product can be disassembled and 82% of the product is recyclable by weight\*.

*\*Recyclability calculation does not include packaging. Cardboard packaging is 100% recyclable.*

