# **Answer Freestanding Specification Guide**

# Availability

**Electronic price list updated** with release 200.L (U.S.) and 156.L (Canada), dated April 15, 2024.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an . ollowed by the last order entry date.

# **Surface Materials**

**The surface materials team** has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

▶ For a list of all trademarks, refer to the last page of this specification guide. © 2024 Steelcase Inc.

orking With This Specification Guide	
Ten Tips: How to Get the Most Out of This Book	
Additional Resources	
derstanding	
Universal Systems Worksurfaces	
Answer Freestanding Desks and Components	
Universal Tables	
Worksurface Screens	
Counterweights	
Universal Steel Storage Products	
Wiring and Cabling	
Lighting	
ecifying	
Universal Systems Worksurfaces	
Answer Freestanding Desks and Components	
Universal Tables	
Worksurface Screens	
Universal Steel Storage Products	
Storage Tops, Shelves, and Accessories	
Wiring and Cabling	
Lighting	
rface Materials	

373



# **For Canadian Pricing**


Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

**Resources** 

# **Ten Tips:**

# How to Get the Most Out of This Book



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you



**Use the Statement of** Line pages for an overview of the available components, their sizes, and page references for additional information. Each Understanding chapter includes a statement · of line after the table of contents.

# **Product Drawing**

Wiring and Cabling

Surface Materials

· Application Topics

shows you what the product looks like and points out important features.

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where

applicable: Product Drawing Actual Dimensions Product Details Connections

# **Product Details**


gives specific information on the product and how it is used.

# Connections

describes how the product is assembled or how it attaches to another product.



**Find cross references** by looking for page numbers flagged with an arrow.



**Actual Dimensions** table lists the dimensions of the product.

Wiring and Cabling

details the power and cable-management and cable routing capabilities of the product.

**Surface Materials** 

lists what material is used for each part of the product.

# Tip 5

# Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- · Product Drawing
- · Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- Style Number

shows you what the

product looks like.

• Price

### **Standard Includes**

(under the red or dark grey band) provides a list of what comes standard with the product.

for specification.

# **Product Drawing**

**Required to Specify** (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence

# Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

# Change-e Height Top Cap

# **Options**

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

# **Related Products**

provide specification information for products that are directly related.

### Tip 6


Specify with Customiz Stain

Italic typeface on specifying pages usually identifies wording that you should use in vour order.

# Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right. Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.



Learn what you cannot do by looking for drawings crossed out with an "X."

# Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

# Tip 10

Style	
Number	Page
TS7042BL	131
TS7042S	130
T\$7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

# **Additional Resources**

### **Answer Freestanding**

is supported with an array of informational materials, tools, and software to help you plan an installation efficiently.

# **Product brochures** and planning tools

can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources web site at village.steelcase.com.

Additional storage products can be found in the *Storage Specification Guide*.

# **Printed Materials**

### Answer Freestanding Product Brochure

This resource is your single source for everything you need to sell Answer Freestanding. It contains photography showcasing a range of aesthetic and planning options. A complete statement of line, which highlights worksurfaces and storage options, also is included.

Form number 11-0002374

# **Storage Specification Guide** contains storage that attaches to Answer Freestanding.

# . rootananigi

Quick Ship Guide
This handbook describes
all Steelcase and Coalesse
products that are available
for Rapid2 (ships in 2 days),
Rapid5 (ships in 5-7 days),
or Coalesse Rapid10 (ships
in 10 days).

# Surface Materials Reference Manual

- This publication provides:
- An explanation of the surface materials
- "Available on" matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

# **Computer Tools**

# **Electronic Catalog**

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools - Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project-Symbols libraries, as well as 20-20 CAP Studio.

# Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

# **Digital Publications**

You can access these digital publications at www. steelcase.com or village. steelcase.com.

# Answer Freestanding Product Training

Basic training for Answer Freestanding and many other Steelcase products is available as part of the Building Product Muscle curriculum on the Steelcase University Web site at village.steelcase.com. The Answer BPM webbased module is an interactive course filled with pictures, product detail, and practice exercises designed to build knowledge of Answer's positioning, statement of line, features and benefits, competitive products, application, and sales presentation. It also provides printable job aids of all content covered in the course to serve as ongoing performance support for Steelcase and dealer salespeople. The Answer BPM is course SAL140.

Planning ideas are available to help inspire, envision, and plan great solutions. 2D and 3D Auto-CAD drawings, Sketch-Up files, and SmartTools drawings are available on the Planning Ideas site: www.steelcase.com/planningideas.

# **Support**

### **Steelcase Capabilities**

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

# For ordering or product assistance, call your

assistance, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

# **Related Products**

### Steelcase worktools

include a full line of ergonomically designed products that enhances and improves the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting.

For additional information, refer to Steelcase Worktools Specification Guide or contact Steelcase at 1.888.STEELCASE (1.888.783.3522) or email lineone@steelcase.com.

# **Height-Adjustable**

Desks include a full line of crank, counterbalance, and electric height-adjustable desks which promote well-being in the office. ▶ For additional information, refer to Height-Adjustable Desks Specification Guide or call 1.888.STEELCASE or send an email to lineone@steelcase.com.

# **Sustainability**

At Steelcase, we believe business can be a force for good. We create longlasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies. To learn more at a corporate level, visit: https://www.steelcase.com/ discover/steelcase/esa overview/environmental/ Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at Origin.build.

# Jniversal Systems Vorksurfaces

# **Understanding Universal Systems Worksurfaces**

Statement of Line 6

Worksurface Positioning	20
Freestanding Worksurface Supports Integration Matrix	21
Universal Systems Worksurfaces	22
Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray	26
Universal Systems Worksurfaces with Power Access Door	30
FrameOne Legs and Supports for Universal Worksurfaces	32
Infills for FrameOne Legs for Universal Worksurfaces	35
Legs and Columns for Universal Systems Worksurfaces	36
Freestanding Guidelines for Systems Worksurfaces	
with Legs	38

# **Statement of Line**

**All worksurface sizes and shapes** are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in wood veneer with square edge. See Specifying pages for details.

Worksurface dimensions shown apply to both wood veneer and High-Pressure Laminate versions of each worksurface.




Understanding
► Page 22
Specifying
► Page 180

# **Straight Worksurfaces**

2156 sq. in.

2371 sq. in.

2587 sq. in.



Tip: Worksurfaces greater than 30"D can only be used in free-standing applications.

Tip: Modular dimensions displayed, parametric dimensions available in depths from 18" to 36" and widths from 18" to 120" in 1/16" increments both depth and width.




Understanding


- ► Page 22 Specifying
- Page 180


# Straight Worksurfaces, continued





Tip: Modular dimensions displayed, parametric dimensions available in depths from 18" to 36" and widths from 18" to 120" in 1/16" increments both depth and width.








Understanding
► Page 22
Specifying
► Page 192

# Straight 120° Worksurfaces

# With 1/2" Cord Drop



\*Right-hand units shown. Left-hand units available. Statement of Line, continued



Understanding ► Page 22 Specifying Page 194

# **Transition Worksurfaces\***

231/2" 291/2"

20"

1165 sq. in.

# With 1/2" Cord Drop 18<sup>3</sup>/8" 23<sup>1</sup>/2"

231/2" 291/2"

18<sup>3</sup>/8" 23<sup>1</sup>/2" 14" 20" 26" 32" 38" 1212 sq. in. 789 sq. in. 930 sq. in. 1071 sq. in. 1353 sq. in. 36" 60"

231/2" 291/2"

32"

1519 sq. in.

231/2" 291/2"

shown. Right-hand units available.

231/2"

38"


1696 sq. in.

\*Left-hand units

With Full Depth

14"

988 sq. in.



26"


1342 sq. in.



Understanding ▶ Page 22 Specifying ▶ Page 196


# **Tapered Worksurfaces\***

# With 1/2" Cord Drop



\*Left-hand units shown. Right-hand units available.


# With Full Depth






Understanding
► Page 22
Specifying
► Page 197

# **Taper-Flat Worksurfaces\***



<sup>\*</sup>Left-hand units shown. Right-hand units available.






Understanding
► Page 22
Specifying
► Page 198


# Single-Tapered Worksurfaces\*

# With 1/2" Cord Drop



\*Left-hand units shown. Right-hand units available.

# With Full Depth



Statement of Line, continued







Understanding
► Page 22
Specifying
► Page 199

# **Corner, Flat-Front Worksurfaces**


# Corner, Flat-Front Worksurfaces With 1/2" Cord Drop




# Dual Corner, Flat-Front Worksurfaces With 1/2" Cord Drop



# Corner, Flat-Front Worksurfaces With Full Depth



# **Dual Corner, Flat-Front Worksurfaces with Full Depth**






Understanding
► Page 22
Specifying
► Page 201

# **Corner, Straight-Front Worksurfaces**

# Corner, Straight-Front Worksurfaces With 1/2" Cord Drop




Statement of Line, continued




Understanding
► Page 22
Specifying
► Page 202

# **Corner, Curved-Front Worksurfaces**

# With 1/2" Cord Drop




# With Full Depth





Understanding
► Page 22
Specifying
► Page 204

# **Extended Corner, Straight-Front Worksurfaces\***



291/2"

2567 sq. in.

\*Left-hand units shown. Right-hand units available.

29<sup>1</sup>/2<sup>1</sup> 2390 sq. in. 291/2"

2744 sq. in.

Statement of Line, continued




Understanding

- ▶ Page 22 Specifying
  Page 206

# **Extended Corner, Curved-Front Worksurfaces\***

# With 1/2" Cord Drop




\*Left-hand units shown. Right-hand units available.



Understanding
► Page 22
Specifying
► Page 206

# **Extended Corner, Curved-Front Worksurfaces\***

# With Full Depth



\*Left-hand units shown.
Right-hand units are also available.


Statement of Line, continued



Understanding
► Page 22
Specifying
► Page 208

# Corner, 120° Worksurfaces

# Corner, 120° Worksurfaces With 1/2" Cord Drop





Understanding
► Page 22
Specifying
► Page 209

# **Spanner Worksurfaces**

# For Use With 1/2" Cord Drop Worksurfaces

# 29<sup>1</sup>/2" 59" 1149 sq. in. 35<sup>1</sup>/2" 721 sq. in.

For Freestanding Applications

# For Use With Full Depth Worksurfaces








Understanding
► Page 22
Specifying
► Page 210

# **Bullet Peninsula Worksurfaces**



Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with ½" cord drop, or with full-depth worksurfaces.





Understanding
► Page 22
Specifying
► Page 211

# **Angled Peninsula Worksurfaces**

# With 1/2" Cord Drop







# With Full Depth










Statement of Line, continued



Understanding
► Page 22
Specifying
► Page 212


# Jetty Worksurfaces\*

# With 1/2" Cord Drop



\*Left-hand units shown. Right-hand units available.


# With Full Depth



Understanding
► Page 22
Specifying
► Page 214

# **Bubble Jetty Worksurfaces\***

# With 1/2" Cord Drop




\*Left-hand units shown. Right-hand units available.



Understanding
► Page 22
Specifying
► Page 216

# **Visitor Worksurfaces\***


# With 1/2" Cord Drop



<sup>\*</sup>Left-hand units shown. Right-hand units available.

Tip: 24"W and 30"W visitor worksurfaces are not available with cable scallops.

# With Full Depth



# **Worksurface Positioning**

### **Universal Worksurfaces**

Universal Worksurfaces is a comprehensive solution of worksurfaces, supports, and privacy screens designed to deliver flexibility, mobility, and options to create inspiring spaces that support the different ways people work. A beautiful, light-scale aesthetic which gives designers new solutions across a broad spectrum of applications including the following: traditional panel-mounted systems, freestanding light-scale desking, panel wrapped desking, private office, conference, and teaming. Consists of Universal Systems Worksurfaces, Answer Freestanding Desks and Universal Tables.

### **Universal Systems Worksurfaces**

Main worksurface solution for the four primary space division products: Answer, Montage, and Kick. Worksurfaces can be panel-mounted or freestanding.

- Extensive shape and size offering allows designers to meet a variety of planning applications.
- Worksurfaces feature a choice of curvilinear or straight-front shapes.
- User front edge available in 3 mm edge.
- Available with ½" cord drop in the back of the worksurface providing the most efficient routing of cords and an uncluttered desktop.
- Also available full depth, providing an uninterrupted working surface and allows L-configuration planning.
- Standard scallops allow large cord heads to easily pass below the desktop. Scallops can be eliminated for freestanding applications.
- Available with full offering of Steelcase High-Pressure Laminates or veneers; specifiable 3 mm edge colors.
- Worksurfaces can be supported with center support panels, end panels, pedestals, legs, or desk supports.
- Straight worksurface available to specify parametrically from 18"D to 36"D and from 18"W to 120"W in <sup>1</sup>/16" increments.

# **Answer Freestanding Desks**

Main desk solution for use with the four primary space division products: Answer, Montage, and Kick. Desks are built up from Universal components ordered separately and assembled onsite.

- Flexible product offering allows a wide range of desk applications for private offices, reception areas, and open plan settings.
- Non-handed desk components are easy to assemble and easy to reconfigure.
- Compatible with a wide range of worksurface products, including Universal Systems Worksurfaces, and many others.
- Wide range of storage available, including universal pedestals, lateral files, and hutches.
   Full-height and half-height modesty panels.
- Full-height and half-height modesty panels available for desks and peninsulas.
- Visually compatible with Universal tables, towers, and other products.

### **Universal Tables**

Versatile freestanding tables appropriate for teaming and conferencing environments or for individual work areas. Tables can be fixed or mobile for increased flexibility or ease of reconfiguration.

- High-Pressure Laminate tables are available with a 3 mm edge. Wood veneer tables are available with a square (3 mm) edge.
- User edge on all sides of the tables and rounded corners allow a user to work on anyside.
- Wide range of sizes and shapes available, from small personal tables to large conference tables.
- Available with full offering of Steelcase High-Pressure Laminates or veneers; specifiable 3 mm edge colors.
- T and X bases, post legs, C-leg, and adjustableheight legs give designers many functional and aesthetic options.

### **Elective Elements Worksurfaces**

(See Elective Elements Specification Guide.)
Main worksurface solution for three primary
space division products: Answer and Montage.
Worksurfaces can be panel-mounted or built up
into casegood solutions appropriate for private
office solutions when combined with storage, end
panels, and modesty panels.

- Extensive shape and size offering allows designers to meet a variety of planning applications.
- Worksurfaces feature a choice of curvilinear or straight-front shapes.
- Desk, bridge, return, peninsula, and desk return worksurfaces are also available for freestanding casegood applications in addition to the typical systems worksurface shapes.
- User-front edge is available in a choice of 3 mm plastic edges, wood edge profiles on laminate worksurfaces (square 5 mm), or wood edge profiles on wood worksurfaces (3 mm square, waterfall, or knife).
- Worksurfaces are depths 24" or 30".
- Scallops are optional, as well as round or square grommets, depending on power and cable management needs. Grommets are available, depending on the worksurface shape, typically in left, center, and right locations.
- Grommets must be used for worksurface cable or cord management to route cords below the desk top.
- Scallops are used for task light cord management only.
- Available with full offering of Steelcase laminates or veneers. Also available with Customiz stain or open line laminates.
- Worksurfaces can be supported with Elective Elements supports (center support panels, end panels, under-worksurface storage, or freestanding legs) as well as Universal cantilevers and side support brackets.
- Height adjustability is achievable by using the height-adjustable storage and/or legs. Range of maintenance adjustability is 29"H–32"H in ½" increments.

# orksurfaces

# Freestanding Worksurface Supports Integration Matrix

This matrix shows recommended freestanding supports for specific worksurfaces.

Refer to the appropriate Solutions Specification Guide (Answer or Montage) for detailed information.

	Universal Systems Worksurfaces—with 1/2" Cord Drop	Universal Systems Worksurfaces—Full Depth	Universal Tables
Answer Freestanding desk supports ▶Page 246	•	•	
Post legs and double post C-legs without alignment tab ▶Page 228	•	•	
Adjustable-height legs ▶Page 268	•	•	•

Legend

● = Recommended solution


# **Universal Systems Worksurfaces**

Systems worksurfaces—with ½" Cord Drop are available in three depths. 183%"D worksurfaces match the depth of Universal proud front storage components. 23½"D and 29½"D worksurfaces match the depth of return panels, end panels, and Universal proud front storage components.

➤ Specifying Systems Worksurfaces, page 180

Systems worksurfaces— Full Depth are available in three depths. 187/8"D worksurfaces match the depth of Universal proud front storage components. 24"D and 30"D Worksurfaces match the depth of return panels, end panels, and Universal proud front storage components.

Systems straight worksurfaces with 1/2" cord drop and full depth are available in a variety of widths and depths in modular and parametric dimensions.



# **Product Details**

# High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in two shapes.





3 mm edge profile

surface and is 13/16" thick.

Knife edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

➤ See surface material listing in this book for specific PVC-free availability.

Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables.

# **Edge profile finishes**

are specified separately from laminate color.

### Wood Veneer Worksurfaces




Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

# Straight worksurfaces

are available to specify parametrically. The parametric dimensions available are from 18" to 36" deep and from 18" to 120" wide in ½16" increments both depth and width.

Parametric straight worksurfaces are available in laminate with a 3 mm plastic edge, knife edge, or soft edge options and wood veneer with square edge or soft edge options.




**Edge profile** is applied to front (user's) edge only.


Tip: Straight worksurface width is available parametric from 18"W–120"W in 1/16" increments.

Tip: Straight worksurface depth can be specified parametric from 18"D-36"D in 1/16" increments.


Parametric straight worksurfaces have the option to specify a scallop, grommet cutouts, power and data access door and tray cutout, or power access door.




**Dual-worksurfaces** are two pieces - a large monitor surface with a smaller keyboard surface attached. A dual-arm spring mechanism provides superior stability when compared to the singlearm spring mechanism used in worksurfaces with an adjustable keyboard shelf.




**Keyboard surface on dual worksurface** can
be adjusted to positions up
to 6" higher or 5" lower than
the monitor worksurface.



**Keyboard surface** tilts with a range of 25°.




A 1" gap separates the sides of the keyboard surface and adjacent worksurfaces. There is also a 1½" space between the keyboard and monitor surfaces.



3 mm edge bullet peninsula, jetty, and bubble jetty worksurfaces

- can be supported two ways:

   With two cantilevers using wall mount channels and a column
- With two cantilevers using wall mount channels and two post legs



**3 mm edge visitor worksurfaces** must be supported by two cantilevers using wall mount channels.




**Dual worksurfaces** cannot be used as a single worksurface. Dual worksurfaces must be tethered to a panel or connected to an adjacent worksurface in a freestanding application.

# **Connections**


**Worksurfaces** can be used freestanding.

**Supports** are ordered separately and installed in the field.



For Answer
Freestanding desk
applications you can use:

- End supports
- · Peninsula supports
- Corner support
  Columns and legs
- Closed loop or open loop
- Modesty panels
- Pedestals
- Lateral files and storage cabinets
- Page 60



# For leg-based applica-

tions you can use:

- Closed loop
- Open loop
- Intermediate support
- Post legs
- Double post leg
- Double post C-leg
- Support plate
- See page 36 for Legs and Columns for Universal Systems Worksurfaces. Tip: Pedestal can also be used in leg-based freestanding installations.



Intermediate supports replace the need for other types of worksurface support when used with 1-High or 1.5-High Universal storage.



Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TSTWKSPT reinforcing channel is used. Reinforcing channel must be specified separately.


▶ Page 223

# Knife edge worksur-


faces require reinforcement channels for spans greater than 48". Use TSTWKSPT39 for 54"W worksurfaces, TS7WKSPT for 60"W and 66"W worksurfaces, and TS7WKSPT72 for 72" worksurfaces.

Heavy load worksurfaces spanning greater than 60", or all worksurface spans wider than 72" require additional support of a cantilever, pedestal, intermediate support, or leg.


# Wiring & Cabling



Worksurface depth is 1/2" less than nominal and allows cords and cables to pass over at any point. Cable scallops provide space for plugs to pass over the back edge of the worksurface.



Cable scallop allows cord plugs to easily pass below the worksurface. Worksurface wire managers are available to convert cable scallops into grommets in freestanding applications. Wire managers are included with wood veneer worksurfaces. Wire managers for use with laminate worksurface must be ordered separately.



# Corner worksurfaces

have scallops located 12½" from the rear corner of the worksurface to the center of the scallop. Taper-flat worksurfaces have a single scallop located 18½" from the larger end. Scallops are centered on the rear edge of all other worksurfaces that include them.

# Universal Systems Worksurfaces, continued

**Cable scallop** can be omitted for freestanding applications where plugs do not need to pass over the back edge of the worksurface.

# **Cable management**

**devices** are available to help manage conventional and fiber-optic cables beneath the worksurface. See *Wiring and Cabling*, page 147.


Parametric straight worksurfaces have two grommet cutout options. The 2" round grommet cutout option fits the AWAG2 grommet which is specified separately.

►See page 346


The 3" round grommet cutout option fits the TSAEGROM grommet which is specified separately.
▶See page 347

The grommet cutout option is not available on a worksurface when the power access door option is selected.

Grommet cutouts in parametric straight worksurfaces can be specified in the center, the left, or the right sides of the worksurface. Grommet cutouts are available in the below configurations.



**FrameOne post legs** will interfere with the left or right grommet cutouts on parametric Universal straight worksurfaces.



Grommet cutouts in parametric straight worksurfaces are located 35/ns" from the back edge of the worksurface to the back edge of the grommet cutout. Left and right grommet cutouts are located 61/2" from the edge of the worksurface to the outside edge of the grommet cutout.

Grommet Location on Worksurface	Minimum Worksurface Widths
Center, Right, or Left	All widths
Right and Left	At least 25"W
Right and Center	At least 34"W
Left and Center	At least 34"W
Center, Right, and Left	At least 34"W

# **Surface Materials**

# **High-Pressure Laminate Worksurfaces**

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

# Front (user's) edge(s)

Plastic

# **Back and side edges**

· Plastic color default to match user's edge

# **Wood Veneer Worksurfaces**

- Wood veneer (standard)
- · Customiz stain (option)
- Full-fill finish (option)


# Square (3 mm) edge profile

· Wood veneer to match worksurface

# Front (user's) edge(s)

Wood edge band

# **Application Topics**






Full-depth worksurfaces provide an uninterrupted working surface and are designed to allow traditional corner or L-configuration planning.

# Plan using worksurfaces actual dimensions when panel-wrapping

worksurfaces because worksurface depths and widths vary by type. Straight and transition worksurfaces are full-width to correspond directly with panel width. Corner, extended corner, 120° corner, bullet peninsula, jetty, and visitor worksurfaces are ½" less than panel width to allow for a consistent ½" cable-management gap when used in combination with straight worksurfaces.



**Screens** mount to worksurfaces in privacy position or below the worksurface for modesty.

► See Screens, page 280.



# Do not use a Universal Systems Worksurface

as a top for storage that matches the worksurface width. Universal Systems Worksurfaces are slightly undersized and will not fit over full-width storage. Use field-installed storage tops for this type of application.

See Storage Specification Guide.

# **Shipping**

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Universal System Worksurfaces

# Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

**Soft edge** provides a comfortable user experience reducing strain on wrists and forearms.

▶Specifying page 188

# Power and data access door and tray provides desk top access and management of cords.

▶Specifying page 218


# Soft edge and power and data access door and tray cutout are

available in modular and parametric straight worksurfaces, both 1/2" cord drop and full depth.

**Cutout** is optional; power and data access door and tray is ordered separately. 24"W cutout is centered near the back of the worksurface.

**Edge** is soft to the touch and flexes to conform to the arm.

Power and data access door and tray is available with cord or with modular or hardwire connection for freestanding applications.



**Soft edge** is 36" wide centered on the worksurface; balance of front edge is 3 mm radius. Back and side edges are flat.

Soft edge and power and data access door and tray are available on straight and taper Universal Systems Worksurfaces with ½" cord drop and full depth.

**Tray** includes six simplex receptacles and cutout for data access.

Soft E	dge, Powe	r and D	ata Ac	cess D	oor an	d Tray	Worksu	ırface <i>l</i>	Availab	ility				
	Modular	48"W	54"W	60"W	65"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
	Parametric	48"W- 53 <sup>15</sup> /16"W	54"W- 59 <sup>15</sup> /16"W	60"W- 64 <sup>15</sup> /16"W	65"W- 71 <sup>15</sup> /16"W	72"W- 77 <sup>15</sup> ⁄16"W	78"W- 83 <sup>15</sup> /16"W	84"W- 89 <sup>15</sup> / <sub>16</sub> "W	90"W- ' 95 <sup>15</sup> ⁄16"W	96"W- 101 <sup>15</sup> /16"W"	102"W - 107 <sup>15</sup> /16"W	108"W- 113 <sup>15</sup> /16"W	114"W- 119 <sup>15</sup> ⁄16"W	120"W
Modular Straight	Parametric s Straights													
24", 30", and 36"D*	24"-36"D*	•	•	•	•	•	•	•	•	•	•	•	•	•

Modular Tapered	48"W	60"W	72"W
29½"D or 30"D to 23½"D or 24"D	•	•	•

• Only soft edge, only power & data access door & tray, or both \*Tip: Subract ½" for worksurfaces with cord drop.

Dimensions							
	Soft edge	<b>Cutout for Door</b>	Tray (below worksurface)				
Width	36"	24"	271/8"				
Depth	3"	45⁄8"	6"				
Thickness	1/2" at front	N.A.	N.A.				
Height	N.A.	N.A.	43/4"				

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

# **Product Details**



Soft edge profile is polyurethane and is available with Bactiblock™ antimicrobial protection.

# **High-Pressure Laminate Worksurfaces**

PVC-free, 3 mm edge **profiles** are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

3 mm front edge is specifiable. Back and side edges match 3 mm front edge.

# Edge profile finish for 3 mm front edge is

specified separately from laminate color.

### Wood Veneer Worksurfaces

Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface




Scallops are omitted on worksurface when cutout for power and data access door and tray option is selected.

# **Power and data access** door and tray cutouts

are 35/16" from the back edge of the worksurface and always centered on the width of the worksurface.

Power and data access door and tray cutouts are available on worksurfaces 24"D through 36"D.



Inner tray provides under the surface power and data connections and access and cord management.

Outer tray provides cover and management for cord. and/or data cables.

Power and data access door and tray flips toward the user.




Modular, cord and plug, or hardwire options are available

Corded version includes 10' cord with plug.

# Three wiring schemat-

ics are available in the modular version - 3+1, 2+2, and 3 separate neutrals (3SN). Each has a single circuit. 3+1 and 2+2 have the option for line 1, 2, 3, or 4 with either a system or isolated ground. 3SN has the option for line 1, 2, or 3 with either a system or isolated ground.



Data cutout in tray can accommodate either a single gang or a modular furniture communication faceplate. Tray includes adapter to accommodate modular faceplate.

Filler packages are available to fill unused data cutouts. Order separately in packages of 20.


**Cord and plug version** has an integrated overload circuit breaker.

Non-PVC versions are available for each power solution

# **Connections**



Fixed storage can be used with worksurfaces with soft edge but must not encroach the 36" width of the edge.




Worksurfaces connected perpendicular should not encroach the 36" width of the soft edge.

# Soft edge worksur-

faces are available with the same support options and follow the same application rules as other Universal Systems worksurfaces. See page 22 for Universal Systems Worksurfaces Understanding.


Exception: 48"W worksurface with soft edge used with the FrameOne post leg has some limitations.



In an end-of-run condition, the FrameOne post leg will not fit when used with 48"W soft edge worksurfaces, use half, open, or closed loop legs.



In shared applications, the FrameOne post leg can be angled and positioned at the front edge or for a square orientation it must be inset 1" from the front edge when used with 48"W soft edge worksurfaces.



Access holes in tray allow power and data to be routed straight back routed to the sides.


**Worksurfaces** with power and data access door and tray are available with the same support options and follow the same application rules as other Universal Systems worksurfaces

See page 22 for Universal Systems Worksurfaces Understanding.

Tray with cord and plug can be used in a freestanding table application.

Worksurfaces with power and data access door and tray with modular or hardwire power cannot be used in a freestanding application.


Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray, continued



**Height of tray** is 43/4" so lower storage height must be accounted for when used adjacent to tray.


# Width of outer tray below the worksurface

is 271/8" so adjacent lower storage dimensions must be accounted for on each worksurface width.



**Tray with cord and plug** includes two cord clips
to help manage the cord
below the worksurface.

Soft edge worksurfaces and power and data access door and tray worksurfaces require reinforcement channel or other support on worksurfaces 60"W or larger.



than 72"W require additional support such as cantilevers, pedestals, or legs beyond

# Wiring & Cabling

Chicago, New York City, and Los Angeles have special requirements.

**Underwriters Labora**tory (UL) listed. The power and data tray has been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

# Surface Materials

# High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.

See Surface Materials Reference Manual.

# Soft edge

6615 Grey V5 Plastic

### 3 mm front edge

Plastic

# **Back and side edges**

 Plastic color default to match 3 mm front edge

### Wood Veneer Worksurfaces

- Wood veneer (standard)
- · Customiz stain (option)
- Full-fill finish (option)

# Soft edge

• 6615 Grey V5 Plastic

# Square (3 mm) edge profile

 Wood veneer to match worksurface

# Front (user's) edge(s)

Wood edge band

# Power and Data Access Door and Tray

### Door

- Paint
- Anodized aluminum

### Door bezel

• 6694 Slate Plastic

### **Inner and outer tray**

7237 Slate Paint

# **End caps for outer tray**

• 6694 Slate Plastic

# **Panel grommet**

 Plastic: 6000 Black 6009 Arctic White 6249 Platinum Solid 6654 Sand 6655 Warm White 6697 Fog

### Pad

6615 Grey V5 Plastic

the brace.

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray

# **Universal Systems Worksurfaces with Power Access Door**

# Power access door option

**on worksurfaces** allows for convenient pass through access to panel outlets.

▶ Specifying pages 180 and 192


# Systems straight worksurfaces with power access

**door** are available in a variety of widths and depths in modular and parametric dimensions.

# Power access door

provides desk top access and management of cords.

**Power access door** is only available on worksurfaces with a <sup>1</sup>/<sub>2</sub>" cord drop.



Actual Dimensions								
Actual Dimensions								
Modular*	Parametric*	Centered	Left	Right	Left and Right	Left and Center	Right and Center	Left, Right, and Center
Straights - 18 <sup>3</sup> / <sub>8</sub> ", 23 <sup>1</sup> / <sub>2</sub> ", and 29 <sup>1</sup> / <sub>2</sub> "D*	Straights - 18"D - 36"D							
30"W	30"W - 35 <sup>15</sup> /16"W	•						
36", 42", and 48"W	36"W - 53 <sup>15</sup> /16"W	•	•	•				
54", 60", and 66"W	54"W - 71 <sup>15</sup> / <sub>16</sub> "W	•	•	•	•			
72", 78", 84", 90", and 96"W	72"W – 120"W	•	•	•	•	•	•	•
Straight 120° Worksurfaces -								
23½" and 29½"D								
48" and 60"W	N.A.	•	•	•				
72"W	N.A.	•	•	•	•	•	•	•
Square Edge Tops –183/8" and 231/2"D								
30", 36", and 42"W	N.A.	•						
48", 54", 60", and 66"W	N.A.	•	•	•				
72", 78", 84", 90", and 96"W	N.A.	•	•	•	•	•	•	•

Dimens	ions	
	<b>Cutout for Door</b>	
Width	16 <sup>1</sup> /8"	
Depth	41/4"	

<sup>\*</sup>Tip: Modular 291/2"D worksurface is only available up to 72"W.

<sup>\*</sup>Tip: Worksurface width is available parametric from 18"W-120"W in ½16" increments.

<sup>\*</sup>Tip: Worksurface depth can be specified parametric from 183/8"D–36"D in 1/16" increments.

Universal Systems Worksurfaces with Power Access Door

# **Product Details**

# High-Pressure Laminate Worksurfaces

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.


See Surface Materials
Reference Manual for specific PVC-free availability.

**3 mm front edge** is specifiable. Back and side-edges match 3 mm front edge.


Edge profile finish for 3 mm front edge is specified separately from laminate color.

# Wood Veneer Worksurfaces

Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.



**Scallops** are omitted on all worksurfaces with a power access door.





**Power access door** provides access to power outlets in the panel.



Currency Enhanced storage with recessed back should be used when storage will be placed in front of a power outlet.

**Recessed back storage** features a 3<sup>3</sup>/<sub>4</sub>" cavity to allow access to outlets below the worksurface.





Left and right configured power access doors will interfere with FrameOne post leg support and freestanding end panels (UE18, UE24, and UE30).

# **Surface Materials**

# High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials
- Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

# 3 mm front edge

Plastic

# Back and side edges

 Plastic color default to match 3 mm front edge

# Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)Full-fill finish (option)

# Square (3 mm) edge profile

 Wood veneer to match worksurface

# Front (user's) edge(s)

Wood edge band

# **Power Access Door**

# Door

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle
- 8043 Clear Anodized Aluminum

# Door bezel


• 6527 Merle

# FrameOne Legs and Supports for Universal Worksurfaces

# Legs and supports

share a common visual with FrameOne bench and support Universal worksurfaces in freestanding, storage-supported, or panel-supported applications.

Specifying page 226




**Intermediate support** is used with Universal One-High or 1.5-High storage as a worksurface support allowing

for nesting of low storage.


Spacers between top of legs and worksurface provide a floating look to the worksurface and match visual of FrameOne bench.

**Post leg** is square to provide a complementary visual to FrameOne legs. Post leg can be used as a column support.

Dimensions					
	Closed and Open Loop Legs	Post Leg	Intermediate Supports		
	<b>100p</b> 10g0		For One-High storage	For 1.5-High storage	
Height*	281/2"	281/2"	281/2"	281/2"	
Height	N.A.	N.A.	111/4"	51/4"	
Depth	24" or 30"	N.A.	16"	16"	
Width	N.A.	N.A.	23/16"	23/16"	
Glide range	21/4"	1"	N.A.	N.A.	
*Height dime	ensions include the thick	ness of the works	surface.		



Closed and open-loop legs are available in tethered versions in which one side of the worksurface is attached to a panel or storage.




Closed and open-loop legs support the ends of worksurface; they are not shared supports between two worksurfaces.




Closed and open-loop legs are available in table versions in which both sides of the worksurface are supported by the legs. Post legs can also be used to create freestanding tables.


FrameOne Legs and Supports for Universal Worksurfaces



**Closed and open loop legs** do not align properly with knife-edge worksurfaces. Instead use cantilevers.




27"H mobile, freestanding, or fixed pedestals do not fit flush to the inside of the closed, or open leg, there is a 3" gap due to the worksurface support plate. 25½"H freestanding pedestals or 21"H mobile pedestals will fit flush.




27"H mobile, freestanding, or fixed

pedestals do not fit flush to the inside of the post leg, there is a 5¾" gap due to the worksurface support plate. 25½"H freestanding pedestals or 21"H mobile pedestals will fit flush.



**Post leg** can be shared between two worksurfaces.



**Post leg in shared applications** can be square or oriented angled to the front edge of the worksurface.




**Intermediate supports** replace the need for other types of worksurface support when used with One-High or 1.5-High Universal storage.

# Steel top storage

requires additional bracing inside the storage when used with an intermediate support. Bracing is an option to the intermediate support and is specified to match the width of the storage.

Bracing is field-installed.

# **Number of braces** is determined by the orientation of the intermediate support to storage. It is not determined by the orientation of the worksurface to storage.




Side-to-side (parallel) orientation of intermediate support relative to storage requires one brace.




Front-to-back (perpendicular) orientation of intermediate support relative to storage requires two braces.


**Storage with laminate or wood tops** do not require additional bracing with intermediate support.




Side-to-side (parallel) application of intermediate support allows worksurface to be oriented perpendicular to storage.




Front-to-back (perpendicular) application of intermediate support allows worksurface to be oriented in-line with storage.



Intermediate support must be at least 1" from the front, back, or side edges of the storage unit to allow clearance for installation.




On cabinets with steel tops, in parallel applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in parallel applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.



tops, in perpendicular applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in perpendicular applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.




Worksurfaces 18"D to 24"D allows intermediate support to be positioned below the worksurface 1" from the front or back.




Worksurfaces 24<sup>1</sup>/16"D to 30"D must be placed a minimum of 1" from the front or back edge, and a maximum of 7" from the front or back edge.

**Intermediate support** cannot support worksurfaces larger than 30"D.



FrameOne post legs will interfere with left and right oriented grommet cutouts in parametric straight Universal worksurfaces.



**FrameOne post legs** will interfere with left and right oriented power access doors on Universal worksurfaces.

FrameOne Legs and Supports for Universal Worksurfaces, continued

# **Surface Materials**

# Legs and intermediate support

# Spacer caps for panel attached legs

· Black plastic only

# **Glide cap for legs**• 6694 Slate only

# Shipping

Closed and open loop legs are packed in boxes of six when ordered on the same line item.

**Bracing for interme**diate supports ship separately from intermediate supports and are field installed into storage cases.


# **Infills for FrameOne Legs for Universal Worksurfaces**

Infills for FrameOne Legs for Universal Worksurfaces

Infills are available in laminate and veneer and are used with open and closed loop FrameOne legs.

► Specifying page 227

Infills provide added privacy.



# **Product Details**

Infills can be used with both panel connected or freestanding versions of open and closed loop FrameOne legs for universal worksurfaces.

Connectors attach to the back side of the legs.

# **Surface Materials**

# Surfaces

- Laminate
- Veneer


# Planning Dimension

Infills are available 24"W and 30"W.

# **Legs and Columns for Universal Systems Worksurfaces**

Without Alignment Tab

Legs are available to support worksurfaces in freestanding applications. ► Specifying, page 228



Actual Dimensions										
	Column	Adjustable column	Double post leg	Post leg	Adjustable- height leg	Double post C-leg	Support plate			
Height*	281/2"	281/2"-315/8"	28½" or 40½"	26", 28 <sup>1</sup> / <sub>2</sub> ", or 40 <sup>7</sup> / <sub>8</sub> "	251/2"- 311/2"	281/2"	N.A.			
Glide range, for legs equipped with glides	11/2"	31/8"	3/4"	3/4"	3/4"	3/4"	N.A.			

<sup>\*</sup>Height dimensions include the thickness of a worksurface.

Legs and Columns for Universal Systems Worksurfaces

# **Product Details**

**Legs** support Systems Worksurfaces at 26"H nesting, 281/2"H standard, 407/8"H standing or 251/2"H to 311/2"H adjustable heights.

Legs for Systems Worksurfaces do not include alignment tabs. Pilot holes help the installer locate the proper leg position under the worksurface.




45° orientation

**Post legs** are always installed at a 45° orientation.



26"H nesting height legs allow worksurfaces to nest underneath an adjacent worksurface supported with 28½"H legs.



**Double post leg** can be used in a shared application with a support plate, or it can be used as a column support for spanner, jetty, bubble jetty, bullet peninsula, and angled peninsula worksurfaces in panel-mounted applications.



Two post legs can be used in place of one double post leg as column support for spanner, jetty, bubble jetty, bullet peninsula, and angled peninsula worksurfaces for added stability.

For Answer Freestanding desk applications, column can be used on bullet peninsula and jetty worksurfaces. Adjustable and non-adjustable versions are available.

**Column** cannot be used in a shared application.





Bottom View
Column Bottom View
Post Leg

**Column** is not recommended for applications that include post legs because it has a round shape, while post legs are more of an elliptical shape. Use single or double post legs as a column support in applications that include other post legs.






Adjustable-height

legs adjust from 25½"H to 31½"H in 3¼" increments. Legs can be used to support the primary worksurface, or legs can support a worksurface in a nesting application.

The adjustable-height leg with casters cannot support freestanding worksurfaces that are less than 24" deep.





Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception: Worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a TS7WKSPT reinforcing channel is used. Reinforcing channel must be specified separately.

> Specifying, Page 223

# **Surface Materials**

Post legs, C-leg, adjustable-height leg, and adjustable column

Pair

### Post leg caster

· Black plastic only

Support plate and reinforcing channel
• Black paint only

Answer Freestanding Specification Guide

# Freestanding Guidelines for Systems Worksurfaces with Legs


**The following section on freestanding worksurfaces** gives some guidelines to be used with common freestanding configurations.

**Counterweight packages for storage products** are required to ensure product stability.


See page 105 for Counterweight Requirements for Storage Products.

**Remember to specify omit scallops option** on worksurfaces intended for use in freestanding applications.

There are several ways to support the ends of a freestanding worksurface:




With post legs. Nesting post legs can also be used.



With a double post C-leg.




With adjustable-height legs.




# With FrameOne for Universal open loop, closed loop, and post legs.

- Post legs can be used to create completely freestanding tables.
- Freestanding open and closed loop legs can be used on one or both ends of a worksurface to create a freestanding table.




With a pedestal. Other storage products can also be used.



**Double post C-legs** can be used on a single worksurface or in a shared application.


Freestanding Guidelines for Systems Worksurfaces with Legs



Tie plate is recommended to align worksurfaces.




18"D worksurfaces can be freestanding down to 24"W.




**Freestanding worksurfaces greater than 72"W** need additional center front and back floor support.


The adjustable-height leg with casters cannot support freestanding worksurfaces that are less than 24" deep.




**Combined worksurfaces** can give each other support when joined with a double post leg and support plate. Use a 14"D support plate on return worksurfaces 22"D to 29<sup>15</sup>/16"D. Use a 20"D support plate for return worksurfaces 30"D to 36"D. For returns worksurfaces less than 22"D only a tie plate can be used.



When supporting a return worksurface greater than 30"D in conjunction with a double post C-leg, use a 14" support plate to support front edge of return worksurface.




**Double post C-leg** can be used to support a corner or extended corner worksurface and adjacent worksurfaces.



**Double post C-leg** can be used to support an extended corner worksurface and adjacent worksurfaces.

▶ Freestanding Guidelines for Sys Wkf with Legs, continued 39

# Freestanding Guidelines for Systems Worksurfaces with Legs, continued



Double post C-leg can be used to support a corner, 120° worksurface and adjacent worksurfaces.




Long worksurface spans must be supported with storage or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately.


# **Understanding Answer Freestanding Desks and Components**

	/////
Statement of Line	42
Answer Freestanding Desk Overview	46
Desk Shell Overview	48
Returns Overview	50
Bridge Overview	52
Corner Desks Overview	54
Hutch Kits	56
Over the Case Bin and Hutch Kit Overview	58
<b>Desk Supports and Corner Shelves</b>	60
Modesty Panels	62
Application Topics	
Modesty Panel Alignment	64
Height Matrix	66
Answer Freestanding Desk Stability Guidelines	68
Answer Freestanding Open Plan Stability Guidelines	73

# **Statement of Line**





Understanding
► Page 48
Specifying
► Page 232



Understanding
Page 48
Specifying
Page 234

# Desk Shells 24"D 30"D 60"W • 66"W • 72"W •






Understanding
Page 48
Specifying
Page 236




Understanding
► Page 50
Specifying
► Page 238

Single-Pedestal Desks								
	24"D	30"D						
60"W	•	•						
66"W	•	•						
72"W	•	•						

Pedestal Returns						
	24"D					
24"W	•					
30"W	•					
36"W	•					
42"W	•					
48"W	•					
60"W	•					







Understanding
► Page 52
Specifying
► Page 241

Bridges	
24"D	
42"W •	
48"W •	
60"W	



Understanding
► Page 54
Specifying
► Page 242

# **Corner Desks**

	24	"[

36"W

42"W


48"W



Understanding
► Page 56
Specifying
► Page 250

# **Hutch Kits**

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
14 <sup>7</sup> /8"D	•	•	•	•	•	•	•	•



Understanding ► Page 58 Specifying ► Page 244

# Over the Case Bin and Hutch Kit

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
15¾"D	•	•	•	•	•	•	•	•

Statement of Line, continued



Understanding
► Page 60
Specifying
► Page 246



Understanding
► Page 60
Specifying
► Page 246

# **End Supports**

	18 <sup>3</sup> /8"D	23 <sup>1</sup> /2"D	29 <sup>1</sup> /2"D
27"H	•	•	•





Understanding
► Page 60
Specifying
► Page 247




Understanding
► Page 60
Specifying
► Page 247

# **Peninsula Supports**

	24"D	30"D	
27"H	•	•	



27"H






# **Modesty Panels**


	9"W	15"W	18"W	21"W	24"W	27"W	30"W	33"W	36"W	39"W	42"W	45"W	48"W	51"W	54"W	57"W	60"W
12 <sup>5</sup> /8"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Statement of Line

Freestanding Desks

# **Answer Freestanding Desk Overview**





Flush-front pull is full

steel drawers only.

width and integrated with the

drawer. Pull is available on

**Application Topics** 


Counterweight


▶ Page 105

**Requirements for** 

Storage Products

# **Desk Shell Overview**





# Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



# **Full-height modesty panels** are always mounted flush with the worksurface. 2<sup>1</sup>/2" grommets are recommended for cord and plug management with full-height modesty panels.

A single scallop is available as an option. The scallop is located in the center of the worksurface side opposite of the user.

# **Surface Materials**

### High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

# Front (user's) edge(s)

Plastic

# **Back and side edges**

 Plastic color default to match user's edge

# **Pedestals**

Paint

### **End panels**

 Paint (will default to pedestal paint when used with pedestals)

# **Modesty panels**

 Paint default to pedestal or end panel

# **Application Topics**


# Modesty panel width


is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the desk style number.

### Counterweight Requirements for Storage Products

▶Page 105

# **Returns Overview**





**Horizontal cable race** channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



**Full-height modesty** panels are always mounted flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

A single scallop is available as an option. The scallop is located in the center of the worksurface side opposite of the user.

# **Surface Materials**

### **High-Pressure Laminate Worksurfaces**

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ► See Surface Materials Reference Manual.

# Front (user's) edge(s)

Plastic

# **Back and side edges**

· Plastic color default to match user's edge

# **Pedestals**

Paint

# **End panels**

· Paint (will default to pedestal paint when used with pedestals)

# **Modesty panels**

· Paint default to pedestal or end panel

# **Application Topics**

# **Modesty panel width**

is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the return style number.

Counterweight **Requirements for Storage Products** ▶Page 105

# **Bridge Overview**

### Answer Freestanding Desks and Components

are designed to work together. Bridges and other storage units can be used to create individual and team spaces that share a common aesthetic.

### **Answer Freestanding**


bridges are specified as single style numbers with the most common dimensions and components included in the style number. Various other configurations can still be created from Answer Freestanding components.

# **Optional modesty pan-**

els are not required for structural support. Bridges without modesty panels allow free access to power and data outlets in the wall.

# **Optional modesty panel**

conceals the kneespace. Half-height and full-height modesty panels are available. Modesty panels can be positioned flush or inset depending on the application.




# **Product Details**

### High-Pressure Laminate Worksurfaces




3 mm edge profile

**Modesty panels** are available in two heights.



**Half-height modesty panels** may be mounted flush with the worksurface, or with a 1½" gap for cord and plug management.



Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



Full-height modesty panels are always mounted flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

# **Actual Dimensions**

Depth 24

Width 42", 48", or 60"

Height 281/2"

A single scallop is available as an option. The scallop is located in the center of the worksurface side opposite of the user.

# Surface Materials

### High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

# Front (user's) edge(s)

Plastic

# **Back and side edges**

 Plastic color default to match user's edge

# **Modesty panels**

• Paint

# **Application Topics**

# **Modesty panel width**

is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the bridge style number.

### Counterweight Requirements for Storage Products

▶Page 105

# **Corner Desks Overview**

# Answer Freestanding desk and components

are designed to work together. Corner desks and other storage units can be used to create individual and team spaces that share a common aesthetic.

### **Answer Freestanding**


corner desks are specified as single style numbers with the most common dimensions and components included in the style number. Various other configurations can still be created from Answer Freestanding components.

# **Optional modesty pan-**

els are not required for structural support. Corner desks without modesty panels allow free access to power and data outlets in the wall.

# **Optional modesty panel**

conceals the kneespace. Half-height and full-height modesty panels are available. Modesty panels can be positioned flush or inset depending on the application.



# **Actual Dimensions**

Depth 24"
Width 36", 42", or 48"

Height 281/2"


Note: Corner desk height, including the thickness of a worksurface, is 281/2".

# **Product Details**

**Optional modesty panels** are available in two heights.



Half-height modesty panels may be mounted flush with the worksurface, or with a 1½" gap for cord and plug management.



Horizontal cable race channels are available to manage cords and to block vision through the 11/2" reveal. Cable race channels attach to the worksurface and feature a two-piece telescoping design to accommodate various desk configurations and lengths of modesty panel.



**Full-height modesty panels** are always mounted flush with the worksurface. 21/2" grommets are recommended for cord and plug management with full-height modesty panels.

**Two scallops** are available as an option. The scallops are located in the center of the rear worksurface edges.

# **Surface Materials**

# High-Pressure Laminate Worksurfaces

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

# Front (user's) edge(s)

Plastic

### **Back and side edges**

 Plastic color default to match user's edge

# Corner and/or end supports

Paint

# **Modesty panels**

 Paint default to pedestal or end panel


# **Application Topics**

# Modesty panel width is equal to the width of the kneespace. With Answer Freestanding Desks and Components, the modesty panel is sized to the appropriate width based on the corner desk style number and the supports specified.

Counterweight Requirements for Storage Products


▶Page 105

# **Hutch Kits**



# Product Details


# **Double-sided tackboards** are standard with hutch kits. They divide space, increase privacy, and provide a display surface.



Accessory rail accepts the dividers that are available as an option to the storage bin. The rail also accepts selected worktools. A 1½" gap below the accessory rail allows plugs and cords to be routed between the rail and the worksurface. A painted metal access cover slides up and down to allow plugs to pass through without creating a large visible gap.

Power receptacles are available for field installation on the accessory rail, providing access to power at worksurface height.


# **Connections**




**Hutches** can be used on 23½"D, 24"D, 29½"D, and 30"D freestanding desks and credenzas. They can also be used on full-depth corner and extended corner worksurfaces.



24"W and 30"W hutches can also be mounted on the ends of desks, credenzas, and bullet peninsula worksurfaces that are at least as deep as the hutch is wide.




**Hutch end supports** attach to the worksurface using screws that are shipped with the hutch kit.




**Hutch connector bracket** is available to connect two or more hutch kits side by side.

See Desk Stability Guidelines, page 68.



**Shelf lights** are available to recess into the bottom of storage bins.

# Wiring & Cabling



Light cords can be routed through a hutch vertical cable manager, and then through the gap between the accessory rail and the worksurface. One non-handed, painted steel vertical cable manager is shipped with each hutch kit. Additional cable managers ordered separately, are available.

# **Surface Materials**

End supports, back panel, vertical cable manager, and accessory rail

Paint

# Tackboard

Vertical surface fabric

### **Power receptacle**

Black plastic only

# **Pricing**

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

# **Application Topics**

**Clearance** between the worksurface and the bin is 21½".

**Hutches** must be applied according to desk stability guidelines.

Page 72

# **Steelcase worktools**

are available for use on accessory rail including letter trays, pencil cup, double square cup, office in a file, mini shelf, personal shelf, and slatshelves. For product information, see the Steelcase Worktools Specification Guide.


Counterweight
Requirements for
Storage Products

▶Page 105

# **Shipping**

**Hutch kits** are assembled in the field

# **Over the Case Bin and Hutch Kit Overview**



AV	пеп	Dim	ensi	nns


**Depth** 153/4"

**Width** 24", 30", 36", 42", 48", 60", 66", or 72"

Height 375/16"

Over the Case Bin and Hutch Kit Overview

# **Product Details**



**Double-sided tackboards** are standard. They divide space, increase privacy, and provide a display surface.


**Power receptacles** are available for field installation on the accessory rail, providing access to power at worksurface height.

# **Connections**



**Hutch end supports** attach to the worksurface using screws that are shipped with the hutch kit.

# Wiring & Cabling



Light cords can be routed through a hutch vertical cable manager, and then through the gap between the accessory rail and the worksurface. One non-handed, painted steel vertical cable manager is shipped with each hutch. Additional cable managers ordered separately, are available.

# **Surface Materials**

End supports, back panel, vertical cable manager, and accessory rail

Paint

# **Tackboard**

· Vertical surface fabric

# **Pricing**

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

# **Application Topics**

**Clearance** between the worksurface and the bin is 21<sup>1</sup>/<sub>8</sub>".

### Steelcase worktools

are available for use on accessory rail including letter trays, pencil cup, double square cup, shallow dish, office in a file, mini shelf, personal shelf, and slat shelves. For product information, see the Steelcase Worktools Specification Guide.

Counterweight
Requirements for
Storage Products
Page 105

# **Shipping**

**Bin and hutch with tackboard** are assembled in the field.

# **Desk Supports and Corner Shelves**

### **Answer Freestanding** Desk supports are available to support worksurfaces in desk applications.

► Specifying, page 246



Corner shelves attach to the inside of end supports to provide additional storage below the worksurface. Nonhanded, reversible design aids in reconfiguration. ▶ Page 246


# Peninsula support is

T-shaped to allow a modesty panel to be mounted along the centerline of a bullet peninsula or jetty worksurface. Non-handed, reversible, two-piece design aids in reconfiguration.



# Flush-mount bracket

connects two worksurfaces together in an L-configuration. Two-piece design accommodates all worksurface depths.



**End support mounting** brackets and leveling glides can be installed on either end to create a lefthand or right-hand end

▶Page 246

Leveling glides allow desk height to be adjusted for uneven floors.

Corner support is available to support the back of a corner worksurface. It can also be used as an intermediate support providing unobstructed knee clearance.

▶ Page 247

Removable inner cover contains and conceals cables.



	End Support	Corner Shelf	Peninsula Support	Corner Support	Flush-Mount Bracket
Width	15"	11"	24" or 30"	51/2"	41/2"
Depth	183/8", 231/2", or 291/2"	153/8", 201/2", or 261/2"	121/2"	51/2"	5" and 8½" (2 plates)
Height*	27"	3/4"	27"	27"	N.A.
Glide adjustment	1½" range	N.A.	11/2"	11/2"	N.A.

\*Height dimensions match universal pedestals. Desk height, including the thickness of a worksurface, is 281/2".

# **Product Details**

Desk supports used with 13/16" thick Universal Systems Worksurfaces will create desks at 281/2"H standard height. Thicker worksurfaces will create taller desks.


# Compatible worksur-

faces include:

- Universal Systems Worksurfaces with 1/2" cord drop
- Universal Systems
- Worksurfaces-full depth
- TS Series Worksurfacesfull depth
- Elective Elements Worksurfaces-full depth
- Avenir 1<sup>1</sup>/<sub>2</sub>" thick worksurfaces

### Compatible storage products include:


- 27"H fixed pedestals: Universal and TS Series
- 2-high lateral files with the no top option: Universal and TS 200 Series
- 2-high Universal bookcases and storage cabinets with the no top option
- Universal hutch kits with Universal in the case. over the case, and sliding door bins




Corner shelves attach to the inside of end supports to provide additional storage below the worksurface. Up to two shelves can be mounted to each end support. Each shelf has 12" of vertical clearance to accept standard binders. Shelves are not height adjustable.

**Bookends** are recommended when using shelves for binder storage.


See Storage Specification Guide.



**Shelves** are reversible, with High-Pressure Laminate on both sides, and can be easily reconfigured. Shelves do not interfere with modesty panel attachment or removal.



**Each shelf size** is designed to fit a single depth of end support. Smaller shelves may not be mounted in larger end supports without drilling additional holes in the end supports.



shelves can also be mounted facing outward to create open storage that is easier to access, and to create credenzas with a mix of closed and open storage. Modesty panels can be attached to outward facing end supports the same way they attach to pedestals.

# **Surface Materials**

End supports, peninsula supports, and corner support

Paint

### **Corner shelf**

- Laminate
- See Surface Materials Reference Manual
- Open Line laminate (option)
   A program including non-Steelcase laminates which are suitable for use on Steelcase products
- See Surface Materials
  Reference Manual

# Corner shelf edge

Plastic

# Flush-mount bracket


· Black paint only

# **Application Topics**

Counterweight Requirements for Storage Products

▶Page 105

# **Modesty Panels**



# **Application Topics**


### Modesty Panel Alignment

▶Page 64

# **Modesty panel width**


is equal to the width of the kneespace. To determine the width of the kneespace, subtract the width of the desk supports and storage components from the width of the worksurface and round down. The specifying page also has a matrix of typical applications.

► Specifying, page 248




# Example 1: Desk

Worksurface width: 72"
Pedestal width: 15"
End support width: 15"
Modesty panel width: 42"
Tip: Straight desks with zero, one, or two pedestals always use the same size modesty panel because end supports and pedestals are both 15"W.




# Example 2: Pedestal Return

Worksurface width: 48" Pedestal width: 15" Modesty panel width: 33" Tip: Returns with zero or one pedestal always use the same size modesty panel.




# Example 3: Lateral File Return

Worksurface width: 48" Pedestal width: 30" Modesty panel width: 18" Tip: Remember to use fulldepth worksurfaces with proud front lateral files.




# Example 4: Bridge

Worksurface width: 42" Modesty panel width: 42"




# Example 5: Bullet Peninsula

Peninsula width: 71¹/2" Peninsula support depth: 12¹/2" Column diameter: 4" Clearance at end: 13" (30" peninsula depth minus 4" column diameter divided by 2) Modesty panel width: 42"



# Example 6a: Extended Corner, long side

Worksurface width: 71½" Corner support width: 5½" End support width: 15" Modesty panel width 51"



# Example 6b: Extended Corner, short side

Worksurface width: 41<sup>1</sup>/<sub>2</sub>" Corner support width: 5<sup>1</sup>/<sub>2</sub>" Modesty panel width: 30"


# **Modesty Panel Alignment**

Modesty panels are designed with reconfiguration in mind. Non-handed brackets connect modesty panels to end supports, peninsula supports, and corner supports. Brackets can be removed so modesty panels can be screwed directly to pedestals, lateral files, columns, and the outer faces of end supports and corner supports.

# Modesty panel brack-

ets are designed to create 1/4" reveal in certain applications. These reveals allow the same size modesty panels to be used in multiple applications, simplifying inventory management and reconfiguration.

A 1/4" reveal occurs when a modesty panel is attached to the side of a peninsula support.




This u-configuration uses the same 42" modesty panels to create a 231/2"D X 72"W desk, a 231/2"D X 42"W bridge, and a 30" X 711/2" bullet peninsula worksurface.


**Modesty panels** are designed to be inset 1/2" from the back and side edges of end supports, peninsula supports, etc.

Worksurfaces with 1/2" cord drop are always flush to the back edges of pedestals, end supports, corner supports, and peninsula supports.


A 1/4" reveal occurs when a modesty panel is attached to the front edge of an end support, such as in most return or bridge applications.




**Modesty panel** can be screwed directly to the outside of a corner support when it is used as an intermediate support.




Modesty panels mounted between one corner support and one pedestal or end support will have no reveal. This condition typically occurs on the longer side of an extended corner worksurface. Full depth worksurfaces typically cause end supports, peninsula supports, corner supports, pedestals, and modesty panels to be inset an additional 1/2" from the back edge of the worksurface.






Pedestals and storage with flush fronts are 7/s" smaller in depth than proud front pedestals and storage.


**Modesty panel alignment** can be achieved by mounting flush front storage units with the fronts recessed <sup>7</sup>/8" from the front edge of the worksurface.






**Full-depth worksurfaces** 

# **Height Matrix**



Towers, Combination Cabinets, and Wardrobes

Lateral Files and Storage Cabinets



# **Answer Freestanding Desk Stability Guidelines**


**Answer Freestanding Desks and Components** are exceptionally stable when applied according to these guidelines.

**Counterweight packages for storage products** are required to ensure product stability.


See page 105 for counterweight requirements.

Remember to specify the omit scallop option on worksurfaces intended for use in desk applications, or order worksurface wire managers to fill the scallops.


Freestanding desks can be created with a variety of worksurfaces:




**With straight worksurfaces.** Support each end with a pedestal or other storage unit, or an end support.




**With tapered or single-tapered worksurfaces.** Each end requires an end support of appropriate depth. The wider end of a single-tapered worksurface can accommodate storage or a return worksurface.



**With taper-flat worksurfaces.** The smaller end can accommodate an end support, pedestal, or other storage unit, or a return worksurface. The wider end requires an end support of the next smaller size: for example, a 29¹/2"D x 23¹/2" x 72" tape-flat worksurface requires a 23¹/2"D end support at the wider end.




**18"D to 23<sup>15</sup>/16"D straight worksurfaces** must be connected to an adjacent worksurface in an L-configuration for additional support. This also applies to any transition, tapered, taper-flat, or single-tapered worksurface with an 18%"D or 187%"D end.




**End supports** can be mounted facing outward to create open storage that is easier to access, and to create credenzas with a mix of closed and open storage. Stand-alone desks and credenzas with outward-facing end supports must be at least 60"W. Hutches may not be mounted above outward-facing end supports.

Answer Freestanding Desk Stability Guidelines



Return worksurface applications up to 72" long can be supported with an end support or storage at one end, and a flush-mount bracket at the other end. The same two-piece flush mount bracket kit can be used to join worksurfaces 30"D or less. For return worksurfaces greater than 30"D, use two 14"D support plates. Return worksurfaces longer than 72" require additional support.




**Bridge worksurface applications up to 60" long** can be supported with two flush-mount brackets. Bridge worksurfaces longer than 60" require additional support.




Long worksurface spans must be supported with storage or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately.


▶ Page 224



**Corner worksurfaces** can be supported by a corner support in the back corner. Sides must be supported by end supports if the corner worksurface is being used as a stand alone desk.




**Extended corner worksurfaces** can accommodate pedestals and other storage on the long end. Refer to specification pages to determine width available for storage.




**Corner worksurfaces can be combined with other worksurfaces** to create larger desks. For unimpeded knee clearance, a corner support can be used as an intermediate support for combined worksurface runs up to 8 feet. Use a flush-mount bracket to attach the worksurface.


# Answer Freestanding Desk Stability Guidelines, continued




Corner supports may not be used to support the end of a run.




**Bullet peninsula worksurfaces and jetty worksurfaces** may be supported by a peninsula support and a column. The bullet peninsula must be connected to an adjacent worksurface in an L-configuration for additional support, using a flush-mount bracket. A reinforcing channel (TS7WKSPT) must also be installed as shown to stabilize the peninsula worksurface.



**Other legs** may be used in place of a column, but these will not allow modesty panels to be used.




**Jetty worksurfaces** require the same supports as bullet peninsula worksurfaces, except that a corner support must be used as an intermediate support where the jetty is attached to another worksurface in an L-configuration. This corner support may be attached to either worksurface.



**Bubble jetty worksurfaces** can be supported by a peninsula support and a pair of legs. The bubble jetty must be connected to an adjacent worksurface in and L-configuration for additional support, using a flush-mount bracket and a reinforcing channel (TS7WKSPT) installed as shown. Also, a corner support must be used as an intermediate support where the bubble jetty is attached to another worksurface. This corner support may be attached to either worksurface.

Modesty panels are not compatible with bubble jetty worksurfaces.


Answer Freestanding Desk Stability Guidelines




**Angled peninsula worksurfaces** can be supported by a peninsula support and a pair of legs. The angled peninsula must be connected to an adjacent worksurface in an L-configuration for additional support, using a flush-mount bracket and a reinforcing channel (TS7WKSPT) installed as shown.

**Modesty panels** are not compatible with angled peninsula worksurfaces.

**Various storage components** can be used instead of pedestals when designing desks.




**Lateral files,** specified with the no top option, can be used in place of pedestals for high-density or legal-size filing. Two-high storage cabinets can also be used. Full-depth worksurfaces should be used with proud front lateral files and cabinets.




**30"W lateral files and storage cabinets** can also be applied facing the side of the desk when 30"D full-depth worksurfaces are used.

Tip: 24"D proud front storage products and 18"D flush front storage products work best for side-facing applications where modesty panels are required, because the exact modesty panel sizes needed are available.




**24"W and 30"W bookcases,** specified with the no top option, can provide open storage for binders below the worksurface. Bookcases can face outward for shared storage, or inward for personal storage. Bookcases are 15"D and can be substituted for 15"W pedestals. Full-depth worksurfaces must be used with side-facing bookcases.

**Modesty panels** are not compatible with inward-facing bookcases.




**Do not use a Universal Systems Worksurface as a top for storage that** matches the worksurface width. Universal Systems Worksurfaces are slightly undersized for panel-wrapped applications and will not fit over full-width storage. Use field-installed storage tops for this type of application.

▶See Storage Specification Guide.




**Universal hutch kits** can be used to mount Universal in the case and over the case bins above desks. Hutch kits attached to desks without lower storage must be placed against a wall for stability.


# Answer Freestanding Desk Stability Guidelines, continued




**Full depth corner and extended corner worksurfaces** can also accommodate hutches. Worksurfaces with <sup>1</sup>/<sub>2</sub>" cord drop will be <sup>1</sup>/<sub>2</sub>" too short. *Tip: Select the omit scallops option when a hutch will be mounted above a corner worksurface, otherwise the scallops will interfere with hutch attachment.* 




**Hutches** can span an L-configuration when full depth worksurfaces are used. Worksurfaces with  $^{1}/_{2}"$  cord drop will be  $^{1}/_{2}"$  too short.



**Both ends of a hutch kit must be** mounted directly above some type of floor support, such as a pedestal, corner support, or end support. Do not mount either end of a hutch kit between floor supports or above a flush-mount bracket.



**Add a corner support** as an intermediate support below the hutch in this type of application.



**Hutch connector bracket** is required when two or more hutches are mounted side by side. Floor support is required below the connected hutch end supports in the middle of the run.

# **Answer Freestanding Open Plan Stability Guidelines**

Answer Freestanding Open Plan Stability Guidelines

#### **Guidelines for Freestanding Applications**

Universal components can be used together to create non-panel based applications.

Counterweight packages for storage products are required to ensure product stability.

▶ See page 105 for Counterweight Requirements for Storage Products.

#### **Freestanding Rules**

• Long worksurface spans must be supported with legs or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channels must be specified separately. Specifying, page 224.

**Calculate span distance** by measuring from edge of one end of worksurface to edge of other end of worksurface. To determine size of reinforcing channel needed, deduct the amount listed in the matrix below from the measured span. Deduction in inches is based on combination of the left-hand and right-hand supports.

Example: 72"W measured span, with application of cantilever for left-hand support and end panel for right-hand support, has a span deduction of 6" for a reinforcing channel size of 66" (72"-6" = 66"). For this application, use reinforcing channel TS7WKSPT66.

				Ri	ight-Hand Sup	port		
for Dete	ace Span Deductions rmining Reinforcing Channel Size	End Panel	FrameOne Leg	FrameOne Leg-Table Application	Intermediate Support	DBL Post Leg	Cantilever	All other Legs/Supports
	End Panel	-6"	-6"	-9"	-9"	-6"	-6"	-6"
	FrameOne Leg	-6"	-6"	-9"	-9"	-6"	-6"	-6"
Left-	FrameOne Leg-Table Application	-9"	-9"	-12"	-12"	-9"	-9"	-9"
Hand Support	Intermediate Support	-9"	-9"	-12"	-12"	-9"	-9"	-9"
	DBL Post Leg	-6"	-6"	-9"	-9"	-6"	-6"	-6"
	Cantilever	-6"	-6"	-9"	-9"	-6"	-6"	-6"
	All other Legs/Supports	-6"	-6"	-9"	-9"	-6"	-6"	-6"

Reinforcing Cha	nnel Sizes	
Style Number	Nominal	Actual
TS7WKSPT39	39"W	39.231"W
TS7WKSPT48	48"W	47.547"W
TS7WKSPT51	51"W	50.547"W
TS7WKSPT54	54"W	53.547"W
TS7WKSPT	57"W	56.547"W
TS7WKSPT60	60"W	59.547"W
TS7WKSPT63	63"W	62.547"W
TS7WKSPT66	66"W	65.547"W
TS7WKSPT72	72"W	71.547"W

Note: If the deducted span distance falls between two reinforcing channel sizes, select the smaller of the two sizes.

#### Reinforcing Channel Size for Straight 120° Worksurfaces

To calculate the reinforcing channel size for a straight 120° worksurface, use the user edge length, subtract 6", and order the next shortest channel. See chart below

Back Edge Width	Worksurface Depth	User Edge Depth	Reinforcing Channel Size
48"	231/2"	611/16"	54"W
48"	291/2"	651/16"	57"W
60"	231/2"	739/16"	66"W
60"	291/2"	771/16"	66"W
72"	23 1/2"	859/16"	72"W
72"	291/2"	891/16"	72"W


Answer Freestanding Open Plan Stability Guidelines, continued

#### **Guidelines for Freestanding Applications, continued**


#### **Intermediate Supports**

- Intermediate support must be at least 1" from the front, back, or side edges of the storage unit to allow clearance for installation.
- · Storage with laminate or wood tops does not require additional bracing with intermediate support.
- Number of braces is determined by the orientation of the intermediate support to storage; it is not determined by the orientation of the worksurface to storage.
- Side-to-side (parallel) orientation of intermediate support relative to storage requires one brace. This allows the worksurface to be oriented perpendicular to storage.
- Front-to-back (perpendicular) orientation of intermediate support relative to storage requires two braces. This allows the worksurface to be oriented inline with storage.

#### **Parallel Storage and Worksurface Applications**




• On cabinets with steel tops in parallel applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the units (as long as it's at least 1" from the edge).




- In steel top storage applications with parallel storage and worksurface orientation, two storage braces are required.
- In steel top storage applications with perpendicular storage and worksurface orientation, one storage brace is required.
- On cabinets with laminate or wood tops in parallel applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.
- Worksurfaces and storage depths can be the same depth or can differ by up to 6". An 18"D worksurface can be used with a 24"D storage unit, or a 24"D worksurface can be used with an 18"D storage unit.

Answer Freestanding Open

#### **Guidelines for Freestanding Applications, continued**







• **Worksurfaces** can be mounted on top of one and/or 1.5-High laterals using intermediate supports. Worksurfaces can be the same size or overhang the lateral by up to 10" per side.

Intermediate supports can be used on both sides of a lateral file
to support one worksurface or two separate worksurfaces as long as
placement guidelines are followed.

Perpendicular Storage and Worksurface Applications can be positioned anywhere front to back on the storage unit.




- On cabinets with steel tops in perpendicular applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations.
- On cabinets with laminate or wood tops in perpendicular applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.
- In steel top storage applications with perpendicular storage and worksurface orientation, one storage brace is required.
- Intermediate support can be positioned anywhere front to back on the unit.




• Two worksurfaces cannot attach to a single intermediate support.


#### **Guidelines for Freestanding Applications, continued**

Worksurfaces can be mounted off one or two lateral files.






• Worksurfaces up to 72" long can be support by two perpendicular laterals. When using one 72" worksurface and two perpendicular laterals to support it, there will only be enough room for one person to sit between the laterals. Follow rules for worksurface reinforcing channels in these applications.



• One intermediate support can be used in conjunction with one storage unit or shared between two storage units.



• Two worksurfaces cannot be shared between three lateral units utilizing two shared intermediate supports in a perpendicular application.


Tip: Brace holes may not line up correctly on steel tops in these applications.

Answer Freestanding Open Plan Stability Guidelines


#### **Guidelines for Freestanding Applications, continued**

#### **Worksurface to Tower Bracket**

#### **Parallel Storage and Worksurface Applications**




- Worksurface to tower connectors can be used on one side or both sides of a 24"D or 30"D Universal Towers or TS Series Tower Too. The other end of the worksurface can be supported by legs.
- The depth of the worksurface must match the depth of the tower.



- Worksurfaces up to 72" long can be supported by a worksurface to tower bracket on each side or by one intermediate support and one worksurface to tower bracket.
- Storage units can be positioned either forwards or backwards.

#### **Guidelines for Freestanding Applications, continued**


#### **Worksurface to Tower Bracket, continued**




• When using an intermediate support on one side and a worksurface to tower bracket on the other side, the storage unit supporting the intermediate support can be positioned parallel or perpendicular to the worksurface.

#### FrameOne for Universal Legs

- Post legs can be used to support a freestanding worksurface up to 72"W to create a freestanding table.
- Open and closed loop legs can be used to create a freestanding table.



- 18"D to 36"D worksurfaces can be supported by a post leg in each corner. Freestanding worksurfaces greater than 72"W need additional center front and back floor support.
- For FrameOne universal post leg, power access door and grommets oriented right or left interfere and cannot be used.
- 24"D to 30"D worksurfaces can be used with 24"D closed loop and open loop legs.
- 30"D to 36"D worksurfaces can be used with 30"D closed loop and open loop legs.
- Follow rules for worksurface reinforcing channels in these applications.



**Tethered application FrameOne legs** will not support a freestanding worksurface. Please specify FrameOne legs for table application. ▶ See page 226 for *FrameOne Legs and Supports for Universal Worksurfaces*.

# **Understanding Universal Tables**

olai	terrient of Erric	00
Proc	duct Details	
	Universal Tables	84
	Bases for Universal Tables	86
	Legs for Universal Tables	88
App	lication Topics	
	Table and Base Combinations	90
	Table and Leg Combinations	91
	Table Leg Positions	92
	Wiring and Cabling Accessories	157

# **Statement of Line**


**All table sizes and shapes** are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in wood veneer with square edge. See Specifying pages for details.

**Table dimensions shown** apply to both wood veneer and High-Pressure Laminate versions of each table.



Understanding
► Page 84
Specifying
► Page 256

#### **Straight Tables**






Understanding
▶ Page 84
Specifying

▶ Page 258

#### **Capsule Tables**




Tip: Wood veneer capsule tables are available in 72"W, 84"W, and 96"W only.



Understanding
► Page 84
Specifying
► Page 259

#### **Spanner Tables**





Understanding
► Page 84
Specifying

▶ Page 260


#### **Peninsula Table**





Understanding
► Page 84
Specifying
► Page 261


### **Tapered Peninsula Tables**





Understanding
► Page 84
Specifying
► Page 262


#### **Round Tables**





Understanding
► Page 84
Specifying
► Page 263

#### **Square Tables**




Tip: Wood veneer square tables are available in 30"W, 42"W, 48"W, and 54"W only.

Statement of Line, continued



Understanding
► Page 84
Specifying
► Page 264

#### **Rectangle Tables**









Understanding
► Page 84
Specifying
► Page 266

#### **Oval Tables**



Tip: Oval tables are available in 3 mm edge High-Pressure Laminate only.

#### **Hex Conference Tables**



Tip: Hex conference tables are available in 3 mm edge High-Pressure Laminate only.

#### **Bases for Universal Tables**

27<sup>9</sup>/<sub>16</sub>"H 26"W or 36"W 26"W T-Base X-Base

Understanding ▶Page 86

Specifying ▶ Page 267

## **Legs for Universal Tables**

Understanding
▶ Page 88
Specifying
▶ Pages 268–270



Adjustable-Height Legs with Casters or Glides



Post Legs with Casters or Glides



FrameOne Open Loop Legs



FrameOne Closed Loop Legs



FrameOne Post Legs

Tip: Height dimensions include the thickness of a table.

## **Universal Tables**

Universal tables can be used in a variety of individual and team settings. ► Specifying tables, page 256 Radius corner eliminates sharp edges and is appropriate for freestanding, mobile furniture. Edge profile is continuous Table top has a around all edges of the table. wood core with a High-Pressure Laminate or wood veneer surface and is 13/16" thick.

#### **Product Details**

#### High-Pressure Laminate Tables

**Continuous edge profile** is available in two shapes.



3 mm Knife edge profile

PVC-free, 3 mm edge profiles are a proprietary polyolefin blend for all solid colors and seven woodgrain finishes. See surface material listing in this book for specific PVC-free availability.

Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables.


**Edge profile finishes** are specified separately from laminate color.

#### **Wood Veneer Tables**

**Edges** of worksurfaces are available in square (3 mm) profile.



Square (3 mm) edge profile



**Square (3 mm) edge profile** is achieved by adding wood veneer surfaces to table core. This technique can be applied to tables that are straight or curved.

#### **Connections**


Universal tables are supported by bases or legs, which are ordered separately and installed in the field.



Use the Table and **Base Combinations** matrix to determine the type and number of bases you need to order for the tables you choose.

Tip: Not all sizes and shapes of tables can be supported by bases.

Page 90



#### **Use the Table and Legs** Combinations matrix to determine the type and number of legs you need to order


for the table you choose. Tip: Not all sizes and shapes of tables can be supported by leas.

► Page 91



#### **Reinforcing channels**

are available to support tables that are wider than 60"W and supported by legs. When installed, the channels add 1" below the table. Channels are available as an option on larger tables and are field installed. Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table is 96" or smaller and will be supported by T- or X-bases. Channels are required and are always included with tables 120" and larger.



#### **Underside of table**

has inset locations that support slip-fit and nesting applications. Post legs are positioned in 45° orientation only.

► See Table Leg Positions. page 92.



90° orientation




customers.

45° orientation

#### Legs installed in a 90° orientation allow for greater storage and kneespace below the table.

45° leg orientation is a preferred aesthetic for many



Legs may be installed inset from the edge of the table to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the table to the edge of the leg. Amount of slip-fit varies by table shape and size.

► See Table Leg Positions, page 92.



Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications



Table with 281/2"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.





#### Adjustable-height legs

adjust 251/2"H to 311/2"H in 3/4" increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 281/2"H legs.



Spanner table enables conferencing at the end of two tables that are placed back-to-back.

#### **Surface Materials**

#### **High-Pressure Laminate Tables**

- Laminate
- ► See Surface Materials Reference Manual.
- · Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

#### 3 mm profile

Plastic

#### **Wood Veneer Tables**

- · Wood veneer (standard)
- Customiz stain (option) • Full-fill finish (option)

## Square (3 mm) edge

profile • Wood veneer to match table

#### **Application Topics**



Mobile pedestals up to 241/2"H will fit under 26"H tables without reinforcing channels.

Mobile pedestals up to 27"H will fit under 281/2"H tables without reinforcing channels.

Tables with reinforcing channel will reduce the available space by 1".

#### **Table and Base Combinations**

► Page 90

#### **Table and Leg** Combinations

▶ Page 91

#### **Table Leg Positions** ► Page 92 **Wiring and Cabling**

**Accessories** Pages 157-161

#### Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

#### **Hex conference tables** 150"W or larger are shipped in two pieces. Tight-

joint fasteners are supplied for proper assembly.

# **Bases for Universal Tables**


#### Pedestal-base tables

▶ Specifying, page 267

fill a variety of needs for conference and work tables in general offices, institutions, and educational work spaces. Tables and bases are ordered separately.


Adjustable leveling glides allow tables to remain level when installed on uneven floors.

**Column support** includes a cylindrical steel column and a base with feet.



T-base

#### **Product Details**



**Bases** are available 26"W and 36"W and are 27%16"H.

#### **Surface Materials**

#### Column support

- Paint (standard)
- 8046 Polished Aluminum (option)

#### Base

- Paint (standard)
- 8046 Polished Aluminum (option)

#### **Application Topics**

# Table and Base Combinations

▶Page 90


#### **Shipping**

**Bases** are shipped knocked down (K.D.) and will require assembly.

# **Legs for Universal Tables**

**Legs** attach to a table to make it freestanding. ▶ Specifying, page 268

#### FrameOne for Universal Legs are available in open loop, closed loop, and post legs.



Actual Dimensions													
	Adjustable- height leg	Post leg	FrameOne for Universal open and closed loop legs	FrameOne for Universal post leg									
Height* (standard)	251/2"-311/2"	28½"	281/2"	281/2"									
Glide range, for legs equipped with glides	3/4"	3/4"	21/4"	1"									

<sup>\*</sup>Height dimensions include the thickness of a table.

#### **Product Details**

**Legs** support tables at 26"H or 281/2"H overall, including table thickness.


**Table legs** are ordered separately and installed on site.

See Table and Leg Combinations, page 91.

**Table legs** are nonhanded to accommodate left- and right-hand applications.




Table legs cannot be used in a shared application with two tables. Radius corners do not provide enough attachment space for leg plate. When a shared leg application is required, order Universal Systems Worksurfaces.



**Single post legs** can only be installed in a 45° orientation.


See Table Leg Positions, page 92.



45° orientation

**Legs installed in a 90° orientation** allow for greater storage and kneespace below the worksurface.

**45° leg orientation** is a preferred aesthetic for many customers.



Legs may be installed inset from the edge of the worksurface to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the worksurface to the edge of the leg.




**Slip-fit planning** allows workstation footprint to expand or decrease.

**Alignment tab** corresponds to under worksurface alignment slots in tables. Alignment features ensure legs are installed in the proper 45° or 90° orientation and slip-fit position.



**Table** with 28½"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.



Adjustable-height legs adjust 25½"H to 31½"H in 3¼" increments. Legs can be used to support the table in a standard height or nesting application.



**26"H legs** allow tables to nest underneath an adjacent table with 28½"H legs or a panel-mounted worksurface.

#### **Surface Materials**

#### Adjustable-height legs

• Paint

# Post and post leg with caster

Paint

#### Post leg caster

Black plastic

# FrameOne Closed loop and open loop legs

• Paint

#### FrameOne post legs

Paint

#### **Application Topics**

# Table and Leg Combinations

▶ Page 91


#### **Table Leg Positions**

▶ Page 92

# **Table and Base Combinations**

	26"W T-Base	36"W T-Base	26"W X-Base	36"W X-Base
Straight Tables				
24"D x 36"W			<b>♀ 0</b>	
30"D x 36"W-42"W			<u> </u>	$\Diamond$ $\Diamond$
				<b>♀ 0</b>
30"D x 48"W–78"W	€ 0			
Capsule Tables				
24"D x 48"W			<i>♀</i>	
30"D x 60"W 36"D x 72"W	<i>Q</i> 2			
42"D x 84"W 48"D x 96"W	,	<b>⊘</b>		
Round Tables		`		
30" diameter 36" diameter			⊋ 0	
42" diameter 48" diameter 54" diameter				<b>⊋ 0</b>
Square Tables				
30"D x 30"W			<b>♀ o</b>	
36"D x 36"W				$\diamondsuit$ 0
42"D x 42"W 48"D x 48"W				<del></del>
54"D x 54"W		<b>₹&gt; 0</b>		
Rectangle Tables		·		
36"D x 60"W	^ -			
36"D x 66"W 36"D x 72"W	<> <b>2</b>			
42"D x 84"W 48"D x 96"W		< ≥ 29		
Oval Tables				
30"D x 42"W			Q 0	
36"D x 48"W				$\mathcal{Q}$ 0
30"D x 60"W	$\bigcirc$ $\bigcirc$			
36"D x 72"W 42"D x 78"W	$\varphi$ 0			
18"D x 96"W		Q 0		
Hex Conference Table	es			
36"D x 60"W 36"D x 66"W	⊘ 2			
36"D x 72"W				
42"D x 96"W		<> 2		
48"D x 120"W		<u> </u>		
48"D x 150"W 48"D x 180"W		<>✓ €		
Number of bases to c Blank spaces in matr base combinations the	ix designate table and			

# **Table and Leg Combinations**



Tip: Hex conference tables, and oval tables 42"D x 72"W and larger, can only be supported with T-bases.

Number of legs to order.

Blank spaces in matrix designate table and leg combinations that are not valid.

# **Table Leg Positions**

**Table leg positions** allow for slip-fit and nesting capabilities. Both 45° and 90° angled leg positions are available on most tables. However, certain tables accommodate either 45° or 90° angled positions only. Leg positions on the underside of tables are shown at right.

Legs installed in positions 1, 2, or 3 will vary in their distance from the worksurface edge:

**Position 1** is 3" from edge **Position 2** is 6" from edge **Position 3** is 9" from edge *Tip: Positions 2 and 3 are not available on every table.* 



Straight Table 24"D x 30"W



**Straight Table** 24"D x 36"W 30"D x 36"W 30"D x 42"W



 Straight Table

 24"D x 48"W
 30"D x 48"W

 24"D x 54"W
 30"D x 54"W

 24"D x 60"W
 30"D x 60"W


 24"D x 66"W
 30"D x 76"W

 24"D x 72"W
 30"D x 72"W

 24"D x 78"W
 30"D x 78"W



Round Table 30" Diameter 36" Diameter 42" Diameter 48" Diameter




**Round Table** 54" Diameter




**Square Table** 24"D x 24"W 30"D x 30"W



**Square Table** 36"D x 36"W 42"D x 42"W 48"D x 48"W 54"D x 54"W




Rectangle Table



Spanner Table




**Capsule Table** 24"D x 48"W 30"D x 60"W




**Capsule Table** 36"D x 72"W 42"D x 84"W 48"D x 96"W



**Peninsula Table** 



Tapered Peninsula Table



Legend

- Both 45° and 90°
- e = Either 45° or 90°

# **Understanding Worksurface Screens**

S	Sta	at	e	m	ıe	r	١t	oi	F	L	ir	16	•																		9	4

Product Details	
Universal Privacy/Modesty Screens	96
Universal Privacy Screens and Aligners	98
Sarto Privacy/Modesty Screens	99
Sarto Privacy Screens	100
Divisio Side Screen	101

# **Statement of Line**



Understanding ► Page 96 Specifying ▶ Page 272

#### **Universal Privacy/Modesty Screens**

		<b>'</b>				
	Height Above Worksurface	42"W	48"W	54"W	60"W	66"W
Privacy Mount Height*	19 <sup>1</sup> /5"H	•	•	•	•	•
Privacy/Modesty Mount Height*	13"H	•	•	•	•	•

Tip: Overall screen height is 257/10"H.


\*Privacy mount height measures 48" from the floor to the top of the screen and privacy/modesty mount height measures 42" from the floor to the top of the screen. Privacy mount shown.



Understanding Page 98
Specifying
▶Page 274

## **Universal Privacy Screens**

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 <sup>1</sup> /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•
19 <sup>1</sup> /2"H	•	•	•	•	•	•	•	•	•	•	•	•	•



Understanding ► Page 99 Specifying

▶ Page 276

#### **Sarto Privacy/Modesty Screens**

	24"W	29"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W
24"H	•	•	•	•	•	•	•	•	•	•
30"H	•	•	•	•	•	•	•	•	•	•



Understanding
► Page 100
Specifying
► Page 278

## **Sarto Privacy Screens**

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13 <sup>1</sup> / <sub>2</sub> "H	•	•	•	•	•	•	•	•	•	•	•	•	•
19 <sup>1</sup> / <sub>2</sub> "H	•	•	•	•	•	•	•	•	•	•	•	•	•
24"H	•	•	•	•	•	•	•	•	•	•	•	•	•
36"H	•	•	•	•	•	•	•	•	•	•	•	•	•



Understanding
► Page 101
Specifying
► Page 280

#### **Divisio Side Screen**

29<sup>1</sup>/<sub>2</sub>"D

11<sup>5</sup>/8"H

# **Universal Privacy/Modesty Screens**

#### Universal privacy/ modesty screen


provides a boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 and 7 worksurfaces, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.

▶ Specifying, page 272

Universal privacy/modesty screens are available in one height, 25%", with two mount location options to provide either privacy or privacy/modesty.


**Universal privacy/modesty screens** cannot be used on surfaces that have intergrated rails or an additive SOTO rail.

Universal privacy/ modesty screen is pin tackable.



The screen is attached to the worksurface using simple L-brackets and 1" screws. Brackets are shown mounted in the privacy position.

#### **Product Details**



The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

**The screen** may be used on 3/4"-11/2" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

#### **Surface Materials**

#### Scree

- Fabric
- See Surface Materials, page 358.

#### Edge (upper segment)

• 7360 Merle

#### **Edge (lower segment)**

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

#### **Brackets**

• 7360 Merle

#### **Actual Dimensions**

	Universal Privacy/Modesty Screen				
Width	42", 48", 54", 60", or 66"				
Height	257/10"				
Weight	9.79 lb, 10.315 lb, 10.84 lb, 11.365 lb, 11.89 lb				
Thickness	3/4"				

#### **Application Topics**




Universal privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 33/4" in from each side of the


Screen height attachment locations are determined when specifying privacy (top of screen will be at 48") or privacy/modesty (top of screen will be at 42"). The location cannot be changed in the field.



Privacy configuration provides 191/s" of screen above the worksurface and 51/2" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 48"H Answer panel.



**Screen** can be mounted with a 1½" cord drop or flush with no cord drop.



Privacy/modesty configuration provides 13" of screen above the worksurface and 117/10" of screen below the worksurace. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.

Both the privacy and privacy/modesty configurations allow the height-adjustable desks to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

Universal privacy/ modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1 Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2 Tables with double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

Privacy/modesty screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

Privacy modesty screens must never be wider than the surface to which they are attached. Tip: It is recommended that CET SmartTools Planning aid be used to ensure proper application of screen to worksurface or tables.


When used with One-High integrated storage, Universal privacy/ modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

# **Universal Privacy Screens and Aligners**

#### **Universal privacy**

screens provide a boundary and privacy element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration, Series 5 and 7, Elective Elements, panel-supported Universal worksurfaces, and TS Series worksurfaces.

► Specifying, page 274




#### **Actual Dimensions**

Height	12½" or 18½"				
Overall Height	13½" or 19½"				
Width	24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" or 96"				

Tip: Overall height is measured from top of mounting surface to the top of the screen.

Tip:  $13^1/2$ "H screen aligns with a 42" datum from the floor.  $19^1/2$ " screen aligns with a 48" datum from the floor.

#### **Product Details**



Universal privacy screens are tackable and available in 13½"H and 19½"H, and have widths from 24"W to 96"W.




The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

**The screen** may be used on 3/4"-11/2" thick worksurfaces.


# The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to loca-

to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



#### When fabric screens are placed directly adjacent to each other, a small aligner can be placed

a small aligner can be place in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



**Brackets** are included with screens. Two brackets are used on all screens.

Universal privacy screen slides onto brackets.

#### **Surface Materials**

#### Scree

- Fabric
- See Surface Materials, page 358.

#### **Edge (upper segment)**

7360 Merle

#### Edge (lower segment)

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey

#### **Brackets**

- 4799 Platinum
- 7241 Textured Arctic White
- 7360 Textured Merle


# **Sarto Privacy/Modesty Screens**

#### Sarto privacy/modesty

screen provides a light scale boundary element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration SE, Migration, Elective Elements, universal tables, and universal panel-mount worksurfaces.

▶Specifying, page 276

Sarto privacy/modesty screens are available in overall heights from 24" to 30", with a privacy height option to provide varying levels of privacy and modesty.



The screen is attached to the worksurface using simple L-brackets and 1" screws.

#### **Product Details**

The screen may be used on 3/4"-11/2" thick worksurfaces.

Screens are available in


#### The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some

restrictions apply due to location of worksurface legs and supports.

#### Weight of screens

are calculated as follows: Screen: 0.0044 lb per inch2 Bracket: 0.2 lb per bracket.

#### **Application Topics**



Sarto privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 33/4" in from each side of the screen. Two L-brackets are included with screens parrower than 60"W Three or four L-brackets are included on screens 60"W and wider.



Worksurface type is available for screens 60" wide or wider, and allows the Sarto privacy/modesty screen to mount to a scalloped worksurface (for example Bivi: Height-Adjustable Desk).


modular or parametric sizes.

#### Screen can be mounted to the back edge of the worksurface with a 11/8" cord drop or flush with no cord drop.

11/8"

Screens 36"W and narrower can be mounted as side screens, and are always mounted flush to the edge of the worksurface. This application grows the footprint of the workstation by 9/16" per

Screens are specified with a privacy height above the worksurface. A 1" thick worksurface is assumed. This privacy height sets the position of the brackets and cannot be changed in the field.



Screens are specified by first selecting an overall screen height (24"-30"), then specifying a privacy height. Privacy height is measured from the top of the screen to the top of the worksurface. Allowable privacy height selection changes based on the specified overall height.

All privacy heights allow a height adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

#### To match screens

ordered on or before June 20, 2021, please consult the following information to determine proper privacy height.

- 24"H Screen, Privacy/ Modesty Configuration - Privacy Height = 131/2"
- 24"H Screen, Privacy Configuration - Privacy Height = 161/2"
- 30"H Screen, Privacy Configuration
- Privacy Height = 22½"

#### Sarto privacy/modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1—Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2—Tables with double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

#### Privacy/modesty

screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

#### Privacy/modesty

screens must never be wider than the surface to which they are attached. Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.

#### **Surface Materials**

#### Screen

- Fabric
- ► See Surface Materials, page 358.

#### **Brackets**

7360 Merle

#### **Actual Dimensions**

Width 23"-70" Height 24"-30"


Thickness 9/16"

# **Sarto Privacy Screens**

#### Sarto privacy screens

provide a light scale boundary and privacy element for height-adjustable desks and fixed worksurfaces. It can be used with Ology, Migration SE, Migration, Elective Elements, universal worksurfaces, and TS Series worksurfaces.


► Specifying, page 278



# Actual Dimensions Screen Height 12½"–34½" Overall Height 13½"–35½" Width 24"–96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.

#### **Product Details**




**Sarto privacy screens** are tackable. They are available in four modular heights, 13½"H, 19½"H, 23½"H, and 35½"H, and have widths ranging from 24"W to 96"W. Screens can also be specified parametrically.

**The screen** may be used on 3/4"-11/2" thick worksurfaces.

#### The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and

Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.

supports.



Brackets and hard stops are included with screens. Screens narrower than 60"W use two brackets, while screens 60"W and larger utilize three brackets. The third bracket is centered on the width of the screen.

Offset brackets are included with 29"W screens, to help maintain apporpriate pinch points between the screen and adjacent objects. Side screen option is available for screens 36"W and narrower.

Sarto privacy screen slides onto brackets.

Alignment brackets are available to help eliminate gapping and misalignment between back and side screens. Alignment brackets are available as their own style (PSCB).

#### Weight of screens

are calculated as follows: Screen: 0.0044 lb per inch<sup>2</sup> Bracket: 1.2 lb per bracket.

#### **Surface Materials**

#### Screen

- Fabric
- See Surface Materials, page 358.

# **Brackets and hard stops**


• 7360 Merle


# **Divisio Side Screen**

#### Divisio side screen is

magnetic and provides a territorial boundary between users. The user-movable functionality allows users to decide when and where they need additional privacy. The screens may be used on any 3/4"- to 11/2"-thick worksurface.

► Specifying, page 280





# Divisio side screen can be made more permanent by adding two screws through the clamp. For 3/4" thick worksurfaces and FrameOne, a #10 x 3/4" countersunk screw is recommended. For worksurfaces over 3/4" thick, a #10 x 7/8" countersunk wood screw is recommended.

#### **Actual Dimensions**

**Depth** 29½" (total), 21½" (sits on worksurface)

Width 11/4"

**Height** 14½" (total), 11½" (above worksurface)


# **Understanding Counterweights**

Counterweights	104
Counterweight Requirements for Storage Products	105


# **Counterweights**

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required. See Counterweight Requirements for Storage Products, pages 105–111.

#### Counterweight **Packages for Lateral** Files, Workstation, and **Verticals Cabinets**



#### **Product Details**



#### **Surface Materials**

#### **Counterweight plates**

· Black only

#### **Actual Dimensions**

Depth	31/8" or 23/8"
Width	251/2"
Height	18"

#### **Counterweight Package** for Towers



► Specifying, page 339

#### **Product Details**



#### **Surface Materials**


#### Counterweight

· Black only


#### **Actual Dimensions**

Depth	11/4"
Width	12"
Heiaht	11/4"

#### **Counterweight Packages** for Bookcases



#### **Product Details**



Counterweight packages attach to the inside of the bottom shelf. A cover is included to conceal the counterweight.

#### **Surface Materials**

#### Counterweight

Black

#### Cover

• Paint

#### **Actual Dimensions**

#### Counterweight

Depth	11/4"					
Width	19", 25", 31", or 37"					
Height	11/4"					
Cover						
Depth	13/8"					
Width	23 <sup>3</sup> / <sub>4</sub> ", 29 <sup>3</sup> / <sub>4</sub> ", 35 <sup>3</sup> / <sub>4</sub> ", 41 <sup>3</sup> / <sub>4</sub> "					

Height 11/4"

# **Counterweight Requirements for Storage Products**

Counterweight Requirements for Storage Products



Follow these requirements to reduce the risk of storage products tipping and causing injury.

#### Requirements for Lateral Files, Towers, Cabinets, and Bookcases Applications

Dimen D Flush	sions Proud	w	н	· Counterweight Package	• Style Number
Steel Front	Steel/ Wood				
Three	12"H I	<b>Draw</b>	ers	•	
	187/8"	30"	40"	Package 3	RLF18303
18"					
-	187⁄8"	36"	40"	Package 3	RLF18363
18"	18 <sup>7</sup> / <sub>8</sub> "	36" 42"	40" 40"	Package 3 Package 3	RLF18363
18" 18" 18" 23½"					

**Product specification pages** indicate proper counterweight package for each style number.

Dimension	•		· Counterweight	· Style
D	W	н	Package	Number
Flush Pro	ud		:	:
Steel Ste	el/		:	/.
Front Woo	d			/:
Fro	nt		· : /	
Fro	π		-	

#### 65½"H Tower with Door Hinged on Left, continued

Partitio	n with C	Coat F	Rod, Tv	vo Adjűstable	Shelves, One Fixed Shelf, and
231/8"	24"	24"	651/2"	Not required	RFF24245LW_

If a counterweight is not required in any condition for a particular style number, the product specification page will indicate not required.

#### Counterweight Requirements for Storage Products, continued

#### **Requirements for Freestanding Applications**

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:

1. Counterweights are not required for lateral files, towers, cabinets, and bookcases anchored to the floor.




Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.




Floor anchor brackets for Universal with FrameOne foot secure lateral files and towers to the floor for stability or in seismic zones to reduce the risk of hazards during earthquakes.

Note: **Local seismic requirements vary.** Compliance with local code requirements is the responsibility of the customer or their authorized agent.




2. Counterweights are not required for lateral files, towers, cabinets, and bookcases anchored to the wall.

For wall anchoring of lateral files, towers, cabinets and bookcases, consult with the building's designated design professional (architect or engineer) and work with local codes authorities for approvals to ensure adequate support when product is fully loaded.



- 3. Counterweights are not required for lateral files, towers, cabinets, and bookcases ganged back-to-back with ganging hardware.
- TS Series towers which do not include ganging hardware, order 8425808SR from Service Parts.



Units ganged side-by-side **require** counterweights.


Counterweight Requirements for Storage Products

#### **Requirements for Panel Applications**


Panel stability guidelines must be met prior to determining counterweight requirements.

▶ See Panel Stability Guidelines in the appropriate panel specification guide. (Storage may support panel stability)

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




- 1. Counterweights are not required for Two Drawer lateral files installed right below a worksurface attached to the panel system when the application is mirrored back-to-back (a two-pack minimum).
- TS Series underworksurface lateral files are only intended for use under a panel-mounted worksurface and cannot be used as freestanding.




2. Counterweights are not required for One-High and 1.5-High lateral files and cabinets used with an intermediate support, when the application is mirrored back-to-back (a two-pack minimum).

Note: This includes storage either perpendicular or parallel to the panel.



3. Counterweights are not required for One-High, 1.5-High, and Two Drawer lateral files and cabinets used with a storage-to-panel bracket to support the panel run if the application is mirrored back-to-back (a two-pack minimum) and the panel run is equal to or greater than 6'.



4. Counterweights are not required for towers used with a storage-to-panel connector to support the panel run, if the application is mirrored back-to-back (a two-pack minimum) and the panel is equal to or greater than 5'.

#### Counterweight Requirements for Storage Products, continued

#### **Requirements for Answer Freestanding Desk Applications**


Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.

▶ See Answer Freestanding Desk Stability Guidelines on page 68.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




1. A counterweight is not required for a single Two Drawer lateral file attached to desks connected in an L-configuration.




L-configurations with two or more lateral files **require** counterweights in each file.




Counterweights are **required** for all lateral files in stand-alone desk or credenza applications.



Hutch kit applications with lateral files always **require** counterweights in the lateral files.



2. A counterweight is not required for a single Two Drawer lateral file attached to a desk made with corner, extended corner, or 120 degree corner worksurfaces.




Configurations with two or more lateral files **require** counterweights in each file.

Counterweight Requirements for Storage Products

#### Requirements for Pedestals in Freestanding Applications

Counterweights are required for all freestanding applications.




1. Universal fixed pedestals converted to freestanding pedestals require a counterweight and drawer interlock system.

Universal fixed to freestanding pedestal conversion kit includes  $1\!\!/8\text{"H}$  steel top, counterweight package, and drawer interlock system.

Fixed pedestals, converted to freestanding with a laminate or veneer top, require a counterweight and drawer interlock system. Drawer interlock system is available from service parts.

TS Series fixed pedestals are only intended for use under a panel-mounted worksurface and cannot be converted to freestanding.

Laminate fixed pedestals can never be freestanding.




 $2. \ \mbox{Mobile}$  pedestals include counterweight and drawer interlock system as standard.

#### **Requirements for Pedestals in Panel Applications**

Panel stability guidelines must be met prior to determining counterweight requirements.

See Panel Stability Guidelines in the appropriate panel specification guide.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:



Counterweights are not required for fixed pedestals installed below a worksurface attached in a panel spine application. Single workstation applications **require** a counterweight in each pedestal.


#### Counterweight Requirements for Storage Products, continued

#### **Requirements for Pedestals in Answer Freestanding Desk Applications**

Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.


See Answer Freestanding Desk Stability Guidelines on page 68.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




1.Single pedestal desks less than 48"W require a counterweight and an interlock. Single pedestal desks with 30"D pedestals require a counterweight and interlock.


Tip: Interlock is available as a service part for Universal pedestals, 1043575SR for box/box/file and file/file configurations.



2. Double pedestal desks 60"W and wider only require one pedestal with counterweight.




All other desk applications with multiple pedestals **require** a counterweight for each pedestal.




Counterweights are not required for a single fixed pedestal in desk with hutch kit applications. Any additional pedestals within the application **require** counterweights.

Counterweight Requirements for Storage Products

#### Requirements for Pedestals in Answer Freestanding Desk Applications, continued



4. A counterweight is not required for a single fixed pedestal attached to a desk attached to another worksurface in an L-configuration. Any additional pedestals within the application require counterweights.



5. A counterweight is not required for a single fixed pedestal attached to desks made with corner, extended corner, or 120 degree corner worksurfaces. Any additional pedestals within the application require counterweights.

# **Understanding Universal Steel Storage Products**

Statement of Line	114
Universal Pedestals	118
Universal Sliding Door Bins	122
Universal Over the Case and In The Case Bins	124
Dimensions for Custom Field-Installed Picture Frame Door Inserts	126
Universal Shelves and Universal Personal Shelves	128
Dividers	130
Horizontal Wall Attachment Brackets	131
Wall Hang Channels and Horizontal Braces	132
Slim Shelves	133
Universal One-High, 1.5-High, and Two Drawer	
Lateral Files	134
Universal Towers	138
Universal Lateral Files	142
Connectors	145

# **Statement of Line**


the full Universal Storage offering,
Storage Specification Guide.

Understanding

▶ Page 118

▶Page 282

Specifying



231/2"D. or 29<sup>1</sup>/<sub>2</sub>"D

Proud steel, laminate, or wood front



or 231/2"D

Flush steel

Proud steel, laminate, or wood front


Understanding ▶ Page 118 Specifying ▶ Page 286

#### **Universal Fixed Pedestals**

	15"W
27"H	•

#### Universal Mohile Pedestals

OIIIVG	isai muulie i euestais	
	15"W	
21"H	•	
27"H	•	




Understanding ▶ Page 122

Specifying ▶ Page 290

#### **Universal Sliding Door Bins**

For Use with Answer

1	15 <sup>3</sup> / <sub>4</sub> "D	•	•	•	•	•	•
1		36"W	42"W	48"W	60"W	66"W	72"W
ı	101 030	WILLI ALIS	5 VV G I				





60"W to 72"W

Flat steel, laminate, or wood front

Flat steel, laminate, or wood front


Understanding ▶Pages 124 Specifying
Pages 292 and 294

#### Universal Over the Case and In the Case Bins with Steel, Laminate, and Wood Flat Fronts

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
15 <sup>3</sup> / <sub>4</sub> "D	•	•	•	•	•	•	•	•

For the full Universal Storage offering, see Storage Specification Guide.





Understanding
► Page 128
Specifying
► Page 297

#### **Universal Shelves and Universal Personal Shelves**

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
Universal Personal Shelves 13 <sup>11</sup> / <sub>16</sub> "D	•	•	•	•	•		
Universal Shelves 14 <sup>3</sup> / <sub>4</sub> "D	•	•	•	•	•	•	•



Understanding
► Page 133
Specifying
► Page 303


#### **Slim Shelves**

	24"W	30"W	36"W	42"W	48"W	60"W	72"W	96"W
6"D	•	•	•	•	•	•	•	•


#### Statement of Line, continued

For the full Universal Storage offering, see Storage Specification Guide.

#### **Universal One-High**



Flush steel front



Proud steel, laminate, or wood front



Flush steel open front



Proud steel open front

#### Universal 1.5-High



Flush steel front



Proud steel, laminate, or wood front



Flush steel open front




Proud steel open front

Understanding
► Page 134
Specifying
► Page 304

#### **Universal One-High and 1.5-High Lateral Files**

	30"W	36"W	42"W
One-High 16"H	•	•	•
1.5-High 22"H	•	•	•

Tip: 42"W lateral files are available 18"D and 187/8"D only.




Understanding

► Page 138

minate, Specifying

► Page 312



Understanding
Page 138
Specifying
Page 316

#### **Universal Open Side Towers**

	24"W
47½"H	•
52"H	•
65½"H	•

Drawings show door hinged left. Units are also available with door hinged right.


#### **Universal Dual Door Towers**

24"W	
•	
•	
•	
	•

Drawings show door hinged left.

Units are also available with door hinged right.

For the full Universal Storage offering, see Storage Specification Guide.



Understanding
► Page 142
Specifying
► Page 322

### **Universal Lateral Files**

	30"W	36"W	42"W
		30 W	
28"H	•	•	•
40"H	•	•	•
52"H	•	•	•
65½"H	•	•	•

Tip: 42"W lateral files are available 18"D and 187/8"D only.

### **Universal Pedestals**

# **27"H fixed pedestals** are floor-standing and can

are floor-standing and car support worksurfaces at 28½"H.

- ▶ Specifying, page 282
- ► Specifying Storage Accessories, page 333

**Top** is open and accommodates attachment to a worksurface. Attachment hardware is included

Lock is standard on pedestals and secures all drawers. Lock is located in the top drawer. Locks are standard factory-installed, keyed random.

Lock and Keying, page 374

**Leveling glides** adjust to install pedestals on uneven floors. 25½"H pedestals have a ½" adjustable glide range, and 27"H pedestals have a 1½" adjustable glide range.

#### Mobile pedestals fit

under a worksurface and can be moved wherever storage is needed. They provide an auxiliary worksurface when you need more space to spread out your work.

➤ Specifying, page 286 ➤ Specifying *Storage Accessories*, page 333

Finished back and sides are standard.

Four casters are hard composition and non-locking, with a full-rotation swivel mechanism. Casters are exposed at the base of box/file pedestals and concealed with the base of box/box/file and file/file pedestals.

**Drawer fronts** are available in steel, laminate, or wood veneer. Mobile pedestals maintain drawer pull and drawer front alignment with other storage components that have a 3" base.

**Pull on proud-front ped-estal** is available in a variety of shapes.

**3"H base** is integral to 27"H pedestal case.

Pull on flush-front pedestal is full width and integral. This pull is available on steel drawer fronts only. Full-width wood pull is available as an option. Wood pull, if selected, ships separately from pedestal and is field installed, attaching to the integral pull with double-sided tape.

**Drawers** open their full depth for total access to the contents. Box and file drawers are available.

**Top on mobile pedestal** is 1/8"H steel. Additional top options are available.



#### Mobile pedestal cushion top


provides a temporary seat ideal for informal gatherings. Optional handle can be extended to easily transport mobile pedestal.

Available factory- or field-installed.


Specifying, page 286

	Fixed	Box/File	Box/Box/File and File/File
Depth with flush steel front	17½", 225/8", and 285/8"	17 <sup>1</sup> / <sub>2</sub> "and 22 <sup>5</sup> / <sub>8</sub> "	17½"and 225/8"
Depth with proud steel, laminate, or wood front	18 <sup>3</sup> / <sub>8</sub> ", 23 <sup>1</sup> / <sub>2</sub> ", and 29 <sup>1</sup> / <sub>2</sub> "	183/8" and 231/2"	18 <sup>3</sup> / <sub>8</sub> "and 23 <sup>1</sup> / <sub>2</sub> "
Width	15"	15"	15"
Height	27"	N.A.	N.A.
Overall height with 1/8"H top	N.A.	21"	27"

#### **Product Details**




**Box drawers** are a welded steel construction and available with proud or flush fronts. One divider is included with each box drawer.




File drawers are a welded steel construction and available with proud or flush fronts. Drawer body sides are full height and accommodate front-to-back filing of hanging letter-size file folders.

**Optional rails** accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 171%"D or 183%"D pedestals.




**Drawer fronts** can be removed and changed in the field to create a different aesthetic or to replace damaged drawer fronts.



**Pencil tray** to hold small office supplies is included with each box/box/file pedestal.


**Optional basic drawer interior** allows box/box/ file pedestals to be ordered without rails, box drawer dividers, or pencil trays.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 128 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel drawers only.

Label holders are available through Service Parts. Label holder fits inside the integral pull of flush-front drawers and over the top edge of drawer front on proud-front drawers.

**Safety interlock system** allows only one drawer to be opened at a time for added stability.



Locks are available factoryor field-installed. Factoryinstalled locks are standard
and available keyed random
only. Optional field-installed
locks are available with
consecutive, specific, and
random keying options.
Master-keyed locks are also
available. Field-installed lock
cylinders must be specified
separately.


Lock and Keying, page 374

#### Individual drawer locks are available on file/file pedestals for applications where you want to limit access to each drawer. Pedestals include a security shield above each drawer


access to each drawer.
Pedestals include a security shield above each drawer to prevent unauthorized access. Individual locking drawers are only available with field-installed lock cylinders. Consecutive, specific, and random keying options are available. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 374

Non-locking pedestal is available as an option.



**27"H fixed pedestals** have base alignment with other Universal Storage components that have a 3"H base.



Steel, laminate, and wood veneer tops are available in place of standard 1/8"H steel tops. 1"H steel tops, 13/16"H laminate with square edge profile, and 13/16"H wood veneer with



square edge profile.

#### Handle of mobile pedestal cushion top is

estal cushion top is retractable. In the stowed position, handle is flush with mobile pedestal front. In the travel position, handle is completely extended and articulates upward for longer distance transport. Cushion top is also available without a handle.


Mobile pedestal cushion top for field-installation can be used with mobile pedestals RPM2421CP, RPM2421CF, and RPM2421CW only.



Basic cushion
enhanced is ordered separately for use on Universal
mobile pedestals with metal,
laminate, or veneer top.
Basic cushion enhanced is
field-installed and attaches
to the existing top with hook
and loop fastener.

Basic cushion enhanced for field installation can be used with mobile pedestals RPM1821CF, RPM1821CP, RPM1821CW, RPM2421CF, RPM2421CP, and RPM2421CW only.

Counterweights packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.



Fixed pedestals are intended to attach under a worksurface for security and support. Three pedestal depths are available to correspond with Universal Worksurface depths. Proudfront pedestals exactly match the depth of Universal Worksurfaces. Flush-front pedestals are 7/8" shorter.

Freestanding applications that don't require attachment to a worksurface should be used with a conversion kit that includes a steel top, counterweight package, and components to convert the locking system to a safety interlock system.

Page 285



Field-installed accessories are available, including pencil trays, stationery trays, dividers, and rails.

Page 333

Fixed pedestals do not accommodate cable-routing. Plan accordingly when installing pedestals underneath worksurfaces with grommets or other cable-routing accessories.

Universal Pedestals, continued

#### **Surface Materials**

# Pedestal, steel drawer fronts, and integral pulls

Paint

# Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

# Wood veneer top and drawer fronts

- Wood veneer—
   Open pore finishes
- Customiz stain (option)

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

#### Drawer bodies, drawer suspensions, rails, dividers, and glides

Black

# Laminate top and drawer fronts

- Laminate
- Open Line laminate (option)

# Square edge profile on laminate top

Plastic

#### **Cushion top**

- Fabric
- Leather

#### **Basic cushion enhanced**

Fabric

Tip: For both cushion top and basic cushion enhanced: fabric patterns with a linear design will always be applied from the front to back of the unit or the depth of the unit. Pattern matching will not be done on COM.

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide

#### Counterweight Requirements for Storage Products

▶Pages 105–111.

#### Shipping

**Fixed pedestals** are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


**Mobile pedestals** are shipped in corrugated board to minimize damage during transport.

# **Universal Sliding Door Bins**

For Use with Answer Freestanding

#### **Universal sliding door**


bins attach to panels with an on-module bracket and provide overhead storage in the work space. Door is available in steel or wood. Specifying, page 290



# Actual Dimensions Depth 153/4" Width 36", 42", 48", 60", 66", and 72" Height 161/4"

#### **Product Details**

On-module attachment brackets are independent of the storage bin and are used to attach the storage bin to wall channels in a freestanding application. On module attachment brackets are product line specific. If the storage bin needs to be attached to a different product line in the future, additional on-module attachment brackets can be purchased through Service Parts.




**Vertical off-module** brackets, optional, can be used to mount one or two sides of an overhead bin off-module. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin and will connect into wall channels.

**Vertical off-module brackets** are used with bins up to 12" wider than the wall channel.

Omit brackets option must be specified when bin is being used in hutch kit or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately.






Lock in bin is concealed from view beneath the shelf. Locks are available factory-or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 374




**Shelf lights** are available for use beneath bins. Lights recess into the bottom of the overhead storage unit.

▶Page 168




**Dividers** are available as an option for use on bins. Dividers ship in a package of four.




**Back of storage bin** is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.

Overhead storage bin height accepts standard and A4 binders.






**Steel support** hooks on end supports insert into the slotted channel of a wall channel and lock into place with a safety catch.




bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.




Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as separate style number.


Tip: Select the omit brackets option when ordering the bin.



Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced. ▶ Page 132



Wall channel horizontal brace is required with wall channels to support bins that are wider than 48".
▶ Page 132



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.

> Page 178

#### **Surface Materials**

#### Overhead bin

- Paint
- Wood door (optional)

#### Locks

- 9201 Polished Chrome
- 9250 Ember Chrome (optional)

#### Dividers

· White plastic


#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification
Guide


## **Universal Over the Case and In the Case Bins**

For Use with Answer Freestanding



#### **Product Details**

On-module attachment brackets are independent of the storage bin and are used to attach the storage bin to wall channels in a freestanding application. On module attachment brackets are product line specific. If the storage bin needs to be attached to a different product line in the future, additional on-module attachment brackets can be purchased through Service Parts.




**Vertical off-module** brackets, optional, can be used to mount one or two sides of an overhead bin off-module. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module. specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin and will connect into wall channels.

**Vertical off-module brackets** are used with bins up to 12" wider than the wall channel.

Omit brackets option must be specified when bin is being used in hutch kit or when attaching bin to a horizontal wall attachment bracket. Order hutch kit separately.


Picture frame door omit insert, optional, is available on Universal over the case and in the case bins with flat steel fronts only. An omit insert option allows custom material to be field installed in the aluminum door frame. The omit insert custom material must be ordered from a material vendor. If an omit insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin. The weight of a custom insert on a Universal over the case bin can not exceed 101/2 pounds. An insert for a Universal over the case storage bin door with an assist mechanism must weigh within the range of 71/4 pounds to 101/2 pounds or the assist mechanism will not function correctly. Custom materials being installed in a door insert must comply with local building codes. Consult with local authorities to determine compliance requirements. The use of safety glass is required if installing custom glass in a door insert. To install customer provided material in a picture frame door with the insert omitted, make sure the material is cut precisely to the sizes listed on the dimensions matrix.

See Dimensions for Custom Field-Installed Picture Frame Door Inserts, page 126




#### Door assist mecha-

nism, optional, consist of a gas cylinder and spring that provides an assisted open and close of the door. When opening the door, the spring pulls the door to the fully recessed position. When closing the door, the assist mechanism will slowly close the door. Universal bins ship with two assist mechanisms per door when specified.




Lock in bin is concealed from view beneath the shelf. Locks are available factoryor field-installed. Factoryinstalled locks are standard and available keyed random only. Two-door units are keyed alike. Optional fieldinstalled locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately

Lock and Keying, page 374




Shelf lights are available for use beneath bins. Lights recess into the bottom of overhead bins.

▶ Page 168



Divider is available as an option on overhead bins Dividers ship in a package of four.


▶ Page 130




Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging surface of the wall.

Overhead storage bin height accepts standard and A4 binders


#### **Connections**



Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.




Universal over the case bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.




Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as a separate style number. Tip: Select the omit brackets option when ordering the

▶ Page 298




Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.

Page 132



**Wall channel horizontal** brace is required with wall channels to support bins that are wider than 48".

▶ Page 132



**Vertical wire managers** are available to conceal cords that are routed from light mounted beneath overhead storage.

▶ Page 178

#### **Surface Materials**

#### **Overhead bin**

Paint

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (optional)

#### **Dividers**

White plastic

#### **Application Topics**

#### Storage Capacities and **Dimensions**

See Storage Specification Guide

# **Dimensions For Custom Field-Installed Picture Frame Door Inserts**

For Universal Over the Case Bins				
· Bin · Width	• Door Width	Custom P Height +/-0.02"	icture Fram Width +/-0.02"	ne Door Inserts Thickness +/-0.02"
24"	24"	15.933"	23.314"	0.138"
25"	25"	15.933"	24.314"	0.138"
30"	30"	15.933"	29.314"	0.138"
35"	35"	15.933"	34.314"	0.138"
36"	36"	15.933"	35.314"	0.138"
42"	42"	15.933"	41.314"	0.138"
45"	45"	15.933"	44.314"	0.138"
48"	48"	15.933"	47.314"	0.138"
60"	30" (per door)	15.933"	29.314"	0.138"
66	33" (per door)	15.933"	32.314"	0.138"
70"	35" (per door)	15.933"	34.314"	0.138"
72"	36" (per door)	15.933"	35.314"	0.138"
75"	37 <sup>1</sup> / <sub>2</sub> " (per door)	15.933"	36.314"	0.138"

Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

		<b>Custom Picture Frame Door Inserts</b>		
Bin Width	· Door Width	• Height +/-0.02"	Width +/-0.02"	Thickness +/-0.02"
24"	24"	15.000"	23.164"	0.138"
25"	25"	15.000"	24.164"	0.138"
30"	30"	15.000"	29.164"	0.138"
35"	35"	15.000"	34.164"	0.138"
36"	36"	15.000"	35.164"	0.138"
42"	42"	15.000"	41.164"	0.138"
45"	45"	15.000"	44.164"	0.138"
48"	48"	15.000"	47.164"	0.138"
60"	30" (per door)	15.000"	29.164"	0.138"
66	33" (per door)	15.000"	32.164"	0.138"
70"	35" (per door)	15.000"	34.164"	0.138"
72"	36" (per door)	15.000"	35.164"	0.138"
75"	37 <sup>1</sup> / <sub>2</sub> " (per door)	15.000"	36.664"	0.138"

Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

Dimensions For Custom Field-Installed Picture Frame Door Inserts

# **Universal Shelves and Universal Personal Shelves**

For Use with Wall-Mount Channels

**Universal shelves** can be attached to a wall using wall-mount channels in a freestanding application.

► Specifying, page 297

#### **Universal personal**

**shelves** provide a wall-supported surface.


► Specifying, page 297

Metal backstop on Universal shelves prevents notebooks and equipment from damaging wall surface. Universal personal shelves do not have a backstop.

**On-module attachment hooks** are integral to the end supports and are used to mount shelves on wall channels.


**Safety catch** locks shelf units to frame to prevent accidental removal.

**Shelves** are steel and ship ready to assemble.




Actual Dimensions				
Universal shelves		Universal personal shelves		
Depth	143/4"	1311/16"		
Width	24", 30", 36", 42", 48", 60", and 72"	24", 30", 36", 42", and 48"		
Height	7 <sup>1</sup> / <sub>2</sub> " (Kick, Answer, and Avenir)	1 <sup>11</sup> / <sub>16</sub> " (thickness of shelf)		

#### **Product Details**



Shelf lights are available for use beneath shelves.
Lights recess into the bottom of the overhead storage unit.

Page 168




**Dividers** are available field installed for use on Universal shelves. Dividers ship in a package of four. Dividers cannot attach to Universal personal shelves.


A 11/2" gap exists between the personal shelf and the wall to allow for cable routing.

The height dimension of the bracket (from top of personal shelf to the bottom of the bracket) is 61/2"H.


#### Connections



**Steel support hooks** on end supports insert into the slotted channel of a wall channel and lock into place with a safety catch.




**Universal shelf** may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.



Wall channels are available to attach shelves to concrete or block walls. Wall channels can be used to attach shelves to wood, dry wall, or plaster walls, if wall is reinforced.

▶ Page 132

#### Wiring & Cabling



Vertical wire managers conceal cords and cables that are routed vertically outside of the wall.

▶ Page 178

#### **Surface Materials**

#### Shelf

Paint

#### **Application Topics**

# Storage Capacities and Dimensions

► For interior dimensions, see Storage Capacities and Dimensions in the Storage Specification Guide.


### **Dividers**

#### Dividers



► Specifying, page 298

#### **Product Details**



**Divides** space in panel-supported bins and Universal shelves. Dividers will not work in bins and shelves introduced prior to March 2007.

Divider can be used on hutch kit.

#### **Specifying**

#### A carton of four dividers is available as an option on overhead bins and Universal shelves.

#### **Surface Materials**

#### Divider

· White plastic only

#### **Actual Dimensions**

Depth	71/2"
Width	1½" at the back
	1/4" at the front

Height 6½"

**Dividers for Overhead** Storage Bins and **Shelves Introduced** prior to March 2007



► Specifying, page 299

#### **Product Details**



**Divides** space in bins and shelves.

#### **Surface Materials**

#### Divider

· Clear textured plastic only

#### **Actual Dimensions**

Depth	103/4"
Width	4" at the back 1/2" at the front

Height 41/2"

## **Horizontal Wall Attachment Brackets**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins


Horizontal Wall Attachment Brackets



# Horizontal wall attachment brackets can attach to wall of building to accept Universal sliding door, Universal Over the Case, and Universal In the Case storage bins. Brackets will not accept bins introduced prior to March 2007 or TS Series bins


or TS Series bins.
Specifying, page 298
Tip: Specify as a separate style number.

#### **Product Details**



# Horizontal wall attachment brackets must match the width of the storage bin.

Tip: Select the omit brackets option when ordering the bin.




Horizontal wall attachment brackets include brackets and a steel back to enclose the storage bin.


Horizontal wall attachment brackets can be positioned on wall at height needed.

#### **Connections**

Horizontal wall attachment brackets can be used to attach Universal sliding door, Universal over the case, and Universal in the case bins to a building wall. TS Series cannot attach to horizontal wall attachment brackets.




**Shelves** cannot hang off horizontal wall attachment brackets



Mounting of horizontal wall attachment brackets must include attachment to at least two wall studs, but it is recommended to attach to all studs in wall behind the storage bin. Storage bins that are 24"W or 25"W can only be mounted with horizontal wall attachment brackets if wall is constructed with 16" stud centers.

#### Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5%" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw.
- Wood studs with #10 wood screws of appropriate length with countersunk flat head screw.
- Steel studs with #10 sheet metal screws of appropriate length with countersunk flat head screw.



**Limit** of one bin for each horizontal wall attachment bracket.

Attaching worksurfaces to horizontal wall attachment brackets is not possible.

Horizontal wall attachment brackets allow overhead storage bin to fit flush to wall.

#### **Actual Dimensions**

**Width** 24", 30", 36", 42", 48", 60", 70", and 72".

#### **Surface Materials**

Brackets and steel back

Paint


# **Wall Hang Channels and Horizontal Braces**

For Use with Overhead Storage Bins and Shelves


#### **Slotted steel channel**

can attach to wall of building to accept shelves, overhead storage bins, worksurfaces, or tackboards. Channel will accept all universal bins and shelves, TS Series bins and bins and shelves introduced prior to March 2007.


Specifying, page 300
Tip: Must specify bin or shelf with Answer, Kick, or Avenir bracket to hang on wall channel.



# Screw hole positions 64<sup>3</sup>/8"H



#### **Product Details**



**Wall channel** can be positioned on wall at height needed.


#### **Connections**

Wall channels can be used to support shelves, overhead storage bins, worksurfaces, and tackboards. Wall channels can be shared.

#### Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5/8" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw
- Steel or wood studs with #10 sheet metal or wood screws of appropriate length with countersunk flat head screw.

**Anchors** must be used in each screw hole location on the wall channel.



**Components attach** at 1" increments, but screws block some slot locations.

#### **Actual Dimensions**

## Wall hang channels and horizontal braces

Depth 11/8" (28 mm)


Width 15/16" (24 mm)

Height 66" (1676 mm)




# Component limits for each pair of wall

- channels are as follows:Two bins or shelves
- One worksurface and two shelves
- One worksurface and one
  bin



Horizontal brace is available to reinforce vertical wall channels that support storage bins, shelves, or worksurfaces that are attached to walls. Bins and shelves that are 48"W or less do not require a horizontal brace. All worksurfaces require horizontal




Wall channel horizontal brace is required for EACH storage bin or shelf that is wider than 48". The brace should be placed at the position along the vertical wall channel where the top of the bin or shelf will be placed.

Width of horizontal brace must match width of shelf or storage bin.

#### Wall channel horizontal

brace is also available in 42" and 48" widths and can be used in applications where there is concern regarding the strength of the wall. These braces must also be used with wall-mounted worksurfaces.

**Wall hang channels** for shelves, overhead storage bins, or tackboards cannot be used with a wall start junction.



**Worksurfaces** may be attached to wall channels with cantilevers, subject to the following application guidelines:

- All worksurfaces must be 24"D or less.
- Worksurfaces must be supported by a cantilever or legs every 42" or 48".
   Cantilevers can be shared when worksurfaces are adjacent.
- Wall channel horizontal braces must be installed directly behind all wallmounted worksurfaces, and also at the top of the wall channels.
- Worksurface-supported pedestals cannot be hung from a wall-mounted worksurface.

#### **Surface Materials**

#### Wall channel

Paint


#### **Horizontal brace**

Paint

#### **Application Topics**

**Reinforce** wall by positioning studs where wall channels will be attached. See dimensions below.

Distance between center lines of reinforced wall channels matches width of overhead storage unit.



Tip: Wall channels can be shared.


# Universal Storage

# **Slim Shelves**

Slim shelves provide a panel-supported surface that attaches to Answer, Kick, Avenir, and Montage with panel-specific brackets.


Specifying, page 303

**Slim shelf** is an extruded aluminum shelf that provides storage for small items.




#### **Product Details**

**Slim shelves** attach to Answer, Kick, Series 9000, Avenir, and Montage with panel-specific brackets.




**Gap at back of slim shelf** allows routing of shelf light cord.



Slim shelves can be mounted off-module. No more than 12" overhang on either side of panel is recommended. Brackets attach on vertical seams of panel, while the shelf adjusts off-module on the brackets.

Two attachment brackets are included with shelves less than or equal to 48"W. Two attachment brackets and a mid-span support are included with shelves wider than 48"W.



**Answer will not support** two shelves installed end to end.

#### **Surface Materials**

#### Slim shelves

Paint

#### **Attachment brackets**


· Painted to match shelf

#### **Actual Dimensions**

**Depth** 63/8"

Width 24", 30", 36", 42", 48", 60", 72", 96"

# Universal One-High, 1.5-High, and Two Drawer Lateral Files



Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### **Product Details**

Base options


Universal 3" Base




c:scape Glide Base




FrameOne Foot Base Tip: All base options have same overall height.




**Flush-front pull** is full width and integral with the drawer. Pull is available on steel drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel only.




**Drawer interiors** include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.




Hanging folder bar accommodates side-to-side filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.

Page 334



Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See Storage Capacities for additional details. Additional rails are available and must be specified separately.


► For interior dimensions, see Storage Capacities and Dimensions in the Storage Specification Guide.



Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

Page 335

**Safety interlock system** allows only one drawer to be opened at a time.




Locks are available factoryor field-installed. Factoryinstalled locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 374


#### Individual drawer locks

are available as an option for an application that would limit access to each drawer. Lateral files include a security shield between drawers to prevent unauthorized access. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying are available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 374




No-top lateral files are available for use with cushion top or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the lateral file.



Security top is available as an option for installations where the file will be installed beneath a worksurface, but not physically attached. Thin steel top prevents unauthorized access to the contents of the cabinet. Security top is not structural and can be specified on 28"H files only. Security top reduces overall height of file to approximately 27"H.



**Ganging hardware** is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

#### Counterweights pack-

ages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

#### **Connections**



#### **Intermediate support**

is used with Universal One-High, 1.5-High, and storage as a worksurface support allowing for nesting of low storage.



Cushion top is ordered separately for use on One-High, 1.5-High, and Two Drawer lateral files without top.



#### **Basic cushion enhanced**

is ordered separately for use on Universal One-High, 1.5-High, and Two Drawer laterals with metal, laminate. or veneer top. Basic cushion enhanced is field-installed and attaches to the existing top with hook and loop fastener. Tip: Basic cushion enhanced is available on Universal lateral files with a top only.



When applying the basic cushion enhanced on 30"W or 36"W Universal laterals with an open configuration, a support brace must also be specified.




Wood veneer

Laminate with square with square edge profile

Field-installed tops are available in two choiceswood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

▶Page 329



Field-installed accessories are available, including drawer accessories and counterweight packages. ▶Page 333

Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals. ▶ Page 339

#### **Surface Materials**

#### Lateral, including steel top, fixed shelf, and integral pulls

Paint

#### Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

#### Wood veneer top, lift-up door, and drawer fronts

- Wood veneer-Open pore finishes
- Customiz stain (option) • Full-fill finish (option) is available on field-installed wood veneer tops only. Tip: Specify file with no top option.

#### Laminate top, lift-up door, and drawer fronts

- Laminate
- Open Line laminate (option)

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

#### Drawer bodies, hanging folder bars, rails, and dividers

Black

#### **Cushion top**

- Fabric
- Leather

#### **Basic cushion enhanced**

Fabric

Tip: For both cushion top and basic cushion enhanced: fabric patterns with a linear design will always be applied from the front to back of the unit or the depth of the unit. Pattern matching will not be done on COM.



Cushion top will be manufactured in a four seam pattern in all standard solid color seating upholstery, leather, vinyls, COM leathers, and COM vinyls. These upholsteries are:

- Brisa
- Buzz2
- · Cogent: Connect
- Elmosoft Leather
- Foundation
- Gaja
- Leather
- Select Surfaces Leather
- · Stand In
- Vinyl



**Shipping** 

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

**Application Topics** 

Storage Capacities and

See Storage Specification

**Dimensions** 

Counterweight

▶Pages 105-111.

**Requirements for** 

**Storage Products** 

Guide

Counterweight packages ship separately from case and must be field-installed.




Cushion top will be manufactured in a two seam pattern for all approved standard patterned seating upholstery, leather, vinyl, COM leathers, and COM vinyls. All approved standard textured upholsteries will also be manufactured in a two seam pattern including leather, vinyl, COM leathers, and COM vinyls.




**Basic cushion enhanced** will be manufactured in a two seam pattern for all approved standard seating upholstery and Customer's Own Materials (COMs). Note: Leathers and vinyls are not approved for basic cushion enhanced.

Universal One-High, 1.5-High, and Two Drawer Lateral Files


# **Universal Towers**



<b>Actual Dimensions</b>	
Depth with flush steel front	18" and 23 <sup>1</sup> /8"
Depth with proud steel, laminate, or wood front	18 <sup>7</sup> / <sub>8</sub> " and 24"
Width	24"
Height	47½", 52", and 65½"



#### **Universal 3" Base**




c:scape Glide Base




FrameOne Foot Base All base options have same overall height. FrameOne foot base and c:scape glide base are only available on 18"D and 24"D open side towers.



**Interior of tower** combines coat storage, box and file drawers, fixed and adjustable shelves.




**Flush-front pull** is integral and full height on the door and full width on the drawers. Pull is available on steel doors and drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Door pull is 192 mm and drawer pulls are 128 mm. Proud-front pulls are available on steel or wood veneer doors and drawers. c:scape pulls (200 mm) are available on steel only.

Adjustable shelves on 52"H and 651/2"H open side towers are recessed from the front and side of the tower. Shelves adjust in 21/2" vertical increments. Opening on 471/2"H tower is 131/2"H and does not come with an adjustable shelf.

**Post on open side towers** supports adjustable shelves and is painted to match the case.



Adjustable shelves in dual door can be positioned in the interior of the tower in 3/4" vertical increments using a reversible bracket. The first shelf above a file drawer is a fixed shelf.



Drawer accessories include one divider and one pencil tray in each box drawer. File drawers can accommodate front-to-back filing of letter-size hanging folders without the use of

additional accessories.


**Safety interlock system** allows only one drawer to be opened at a time.




Locks are available factoryor field-installed. Factoryinstalled locks are standard and available keyed random only. Door and drawer locks are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Fieldinstalled lock cylinders must be specified separately. Lock and Keying, page 374

**Drawer lock in open side tower** is located in the top file drawer.

**Drawer lock in dual door tower** is located approximately 36" from the floor and also secures the lift-up door on 65½"H units.



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the tower.



**Top** will default to steel on towers with proud wood fronts since the door overlaps and partially conceals the top. Wood top is available as an option.



**Ganging hardware** is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweights packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

#### **Connections**




Worksurface to tower connector eliminates the need for other worksurface supports such as legs or end supports next to the tower. ►See page 328



**Worksurface to tower** connector eliminates the need for other worksurface supports such as legs or end supports next to the tower. ►See page 328

**Worksurface to tower** alignment. Proud front towers align with 231/2"D, 24"D, 291/2"D, and 30"D worksurfaces. Flush front towers extend 7/8" beyond 24"D and 30"D worksurfaces, and 1/8" beyond 231/2"D and 291/2"D worksurfaces.



Field-installed accessories are available, including drawer accessories and shelf bookends.

▶Page 333

Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals. ▶Page 339

#### **Surface Materials**

Tower, including steel top, hinged door, integral pulls, drawer fronts, and adjustable shelves

Paint

#### **Post**

· Paint to match tower (default)

#### Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome • 9211 Nickel
- 9212 Silver

#### c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss · 4799 Platinum Metallic

#### Wood veneer top, hinged doors, and drawer fronts

- Wood veneer-Open pore finishes
- Customiz stain (option)

#### Laminate top, hinged doors, and drawer fronts

- Laminate
- · Open Line laminate (option)

#### Glass adjustable shelves

· Frosted tempered glass

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

#### **Drawer bodies, pencil** tray, and box drawer divider

Black

#### **Coat rod**

· Black with black supports

#### **Application Topics**

#### **Storage Capacities and Dimensions**

See Storage Specification Guide

#### Counterweight **Requirements for Storage Products**

▶Pages 105-111.


#### **Shipping**


Towers are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

#### Counterweight pack-


ages ship separately from case and must be field installed.

## **Universal Lateral Files**







Flush-front pull is full width and integral with the drawer. Pull is available on steel drawers only.



Proud-front pulls are available in the following styles-contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer doors and drawers. c:scape pulls (200 mm) are available on




**Drawer interiors** include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options. Tip: Your specification for optional drawer interiors will apply to all the drawers within a single lateral file.




Hanging folder bar accommodates side-toside filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.






**Bails** accommodate frontto-back filing of letter-, A4 international-, and legalsize hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See Storage Capacities for additional details. Additional rails are available and must be specified separately.

For interior dimensions. see Storage Capacities and Dimensions in the Storage Specification Guide.




**Dividers** accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

▶Page 335




Lift-up door with fixed shelf is standard in the top position of 651/2"H cases. Door is 131/2"H to accommodate standard-height binders. Door on lateral files with flush-front recesses inside the case: door on proudfront case lifts up above the



Lift-up door on flushfront cases is available with an optional roll-out shelf in place of the standard fixed shelf. Roll-out shelf includes three dividers and one hanging file folder bar to function as a backstop.

Safety interlock system allows only one drawer or roll-out shelf to be opened at a time.




Locks are available factoryor field-installed. Factoryinstalled locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 374


#### Individual drawer

locks are available as an option for applications where you want to limit access to each drawer. Lateral files include a security shield above each drawer to prevent unauthorized access. In 651/2"H cases, the lock in the drawer below controls the lift-up door in the top position. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying options are available. Field-installed lock cylinders must be specified separately.


Lock and Keying, page 374



No-top lateral files are available for installations where cases will be installed under a worksurface or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




**Laminate and wood** veneer tops with squareedge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the lateral file.



Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweights packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.




with square edge profile

with square edge profile

Field-installed tops are available in two choiceswood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

▶Page 329



Field-installed acces sories are available, including drawer accessories and counterweight packages.

▶Page 333

Universal Lateral Files, continued

Floor anchor bracket (for TS Series Storage and Universal Storage with 3" base) secures lateral files, towers, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. Tip: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.

Page 339

#### **Surface Materials**

Lateral file, including steel top, drawer fronts, lift-up door, fixed shelf, and integral pulls

Paint

# Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

#### Wood veneer top, lift-up door, and drawer fronts

- Wood veneer—
   Open pore finishes
- Customiz stain (option)
- Full-fill finish (option) is available on field-installed wood veneer tops only. *Tip: Specify file with no top option.*

#### **Laminate top**

- Laminate
- Open Line laminate (option)

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, roll-out shelves, hanging folder bars, rails, and dividers • Black

#### **Application Topics**

# Storage Capacities and Dimensions

See Storage Specification Guide

#### Counterweight Requirements for Storage Products

▶Pages 105–111.

#### **Shipping**

**Lateral files** are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

# **Counterweight packages** ship separately from case and must be field- installed.

# Universal Storage

### **Connectors**

#### **Worksurface-to-Tower Connectors**



▶Specifying page 328

Tip: Cannot be used with Currency Enhanced storage.

#### **Product Details**



**Connects** worksurface to tower eliminating the need for other worksurface supports such as legs or end supports next to the tower. Tip: When using the worksurface-to-tower connector, the depth of the worksurface must match the depth of the tower.

**Worksurface-to-tower connectors** only support 24"D or 30"D (full depth and 1/2" cord drop) worksurfaces.

#### **Surface Materials**

#### Connector

Paint

#### **Actual Dimensions**

**Depth:** 20", 26"

# Wiring and Cablin

## **Understanding Wiring and Cabling**

**Statement of Line** 

All Answer electrical components are listed by Underwriters Laboratory (UL) and certified by the Canadian Standards Association (CSA).

Product Details	
Wiring Schematics	150
How to Calculate Power Needs	151
Power and Data Thought Starters for Answer Freestanding Applications	152
Interface Products	
Multipurpose Power Infeed	155
Modular Connector Faceplates	155
Distribution Products	
Modular Harness	156
Three-Way Branching Connectors	156
Accessories	
Power Spheres	157
Power and Communication Spheres	157
Communication Sphere	157
Power and Communication Port	157
Power/Data Boxes	158
21/2" Round Grommet	158
Universal Worksurface Wire Manager	158
Cable and Fiber Reel	159
Termination Plate	160
Cord Reels	161

161

161

148

Wire Clips

Vertical Wire Manager

## **Statement of Line**


#### **Interface Products**

The interface is the point at which the utilities within a panel connect to a building's power and communication network. All power components are field installed.



Multipurpose Power Infeed

Understanding
► Page 155
Specifying
► Page 342



Modular Connector Faceplate

Understanding
► Page 155
Specifying
► Page 342

#### **Distribution Products**

**Distribution** refers to the way that power and communication networks are routed through a panel.



Modular Harness Understanding

► Page 156 Specifying ► Page 343



## Three-Way Branching Connector

Understanding
► Page 156
Specifying
► Page 343

#### **Accessories**

**Accessories** are used to help customize your wiring and cabling needs.



Power Sphere
Understanding
► Page 157
Specifying
► Page 344



Power and
Communication Sphere
Understanding
▶ Page 157
Specifying
▶ Page 344



Power and
Communication Port
Understanding
▶ Page 157
Specifying
▶ Page 345



Power/Power Box Understanding ▶ Page 158 Specifying ▶ Page 345



21/2" Grommet
Understanding
Page 158
Specifying
Page 345



Universal Worksurface Wire Manager Understanding

► Page 158
Specifying
► Page 346



Cable and Fiber Reel Understanding

► Page 159 Specifying ► Page 346



Termination Plate
Understanding

► Page 160 Specifying ► Page 347



## Cord Reels Understanding Page 161

Specifying ▶ Page 347



## Wire Clips Understanding ▶ Page 161 Specifying

Page 347

**Vertical Wire Manager** 

Understanding
► Page 161
Specifying
► Page 348

## **Wiring Schematics**


Details for the Electrician

Answer Freestanding is available in the four-circuit 3 + 1 wiring schematic.

#### Four-Circuit, 3+1 Circuit Panel 1 PHASE PHASE PHASE В С Circuit 1 Hot Circuit 2 Hot Circuit 3 Hot Circuits 1, 2, and 3 Neutral NEUTRAL Ground GROUND


#### PHASE PHASE PHASE С В

Circuit Panel 2



In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

#### Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, all four circuits are distributed as shown.

### **How to Calculate Power Needs**

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

## If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

## If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

## Approximate power consumption for common devices

• Device	Wattage	• Amperage	• Voltage	of Devices Supported on Single 20 Amp
:		:	:	: Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/ Copier (high)	1900	17.3	110	1
Large Printer/ Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

## **Power and Data Thought Starters for Answer Freestanding Applications**

Trying to figure out how to route power and data in an Answer Freestanding application can be difficult. The images and tips on this page should give you some ideas when planning your applications.

#### Interface

Interfacing with the building can happen in several different ways. If you are utilizing a hardwire or modular solution a floor monument(s) or core(s) will need to be drilled in the floor in the proper location for your application. If you are utilizing a cord and plug solution you should access a nearby receptacle.

#### Distribution


Power can be distributed through the application utilizing harnesses and branching connectors. 43" and 80" harnesses are available in the Answer Solutions Specification Guide.

#### Access

Power and data access door and tray which is available in modular, corded, or hardwire versions are used for accessing power and data in a freestanding application.

#### **Collaborative 4 Pack**


Cord and Plug Version



Qı	ıantity	Style Number	Description
. <u> </u>		UTTRC	Power and Data Access Door and Trav

Tip: Accessing power for this application would require two core or two floor monuments to be drilled (two workstations would share one core or floor monument).

#### Modular




Quantity	Style Number	Description
2	GQTUHC (X,Y, or 2	Z) Branching Connector
2	TS712UPHX	Multipurpose Power Infeed (12')
4	UTTRHWN	Power and Data Access Door and Tray
1	TS743MHX	Harness

Tip: Accessing power for this application would require two core or two floor monuments to be drilled (two workstations would share one core or floor monument).

Power and Data Thought Starters for Answer Freestanding Applications, continued

### **Traditional Manager Workstation**


Cord and Plug Version



Quantity	Style Number	Description
1	UTTRC	Power and Data Access Door and Tray

Tip: Accessing power for this application would require a receptacle in the wall at the proper height or in the base of the wall.

#### **Modular**



Quantity	Style Number	Description	
1	UTTRM	Power and Data Access Door and Tray	
1	GAPFCMX	Modular Connector Faceplate	

Tip: Accessing power in this application would require a core or floor monument to be drilled.

## Wiring and Cabli

## **Interface Products**


## Multipurpose Power Infeed



▶ Specifying, page 342

#### **Product Details**

**Multipurpose power infeed** is shielded to allow power and communication routing side by side. Available in 12' and 24' lengths.



Multipurpose power infeeds bring power into the workstation and make a modular connection to a power and data access door and tray.

Multipurpose power infeeds may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.

#### Modular Connector Faceplates





► Specifying, page 342

#### **Product Details**

Modular connection faceplate provides a way to add a modular connection to a junction box. Faceplate available with a flush or 90° connection.

#### Connections

Faceplate is attached to junction box with screws. Hardwire connection to power source within conventional 411/16" x 411/16" junction box is completed by electrician in the field. Modular extension harness can be connected or disconnected from faceplate as needed.

#### **Surface Materials**

**Faceplate** is zinc-plated steel. Modular connector is black plastic for 3+1, brown plastic for 2+2, and rust plastic for 3 circuits with separate neutrals.

#### **Actual Dimensions**

Depth 411/16"

Width 411/16"

Height 6"

## **Distribution Products**


#### **Modular Harness**




▶ Specifying, page 343

#### **Product Details**

**Modular harness** may be specified in a non-PVC version.




**T-connection** is formed by connecting two harnesses to a three-way branching connector.



**X-connection** is formed by connecting two harnesses to two three-way branching connectors.

**Modular harness** may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.

## Three-Way Branching Connectors



► Specifying, page 343

#### **Product Details**

Three-way branching connector has one power-infeed and three modular connection points for power distribution.

#### Connections

**Three-way branching connector** can route power to daisy chain power components such as floor boxes.

#### **Surface Materials**

Three-way branching connector is concealed beneath Architectural Solutions Low-Profile Floor when it is properly installed.

#### **Actual Dimensions**

 Depth
 25/8"

 Width
 11/2"

 Height
 13/4"

# Wiring and Cabling

### **Accessories**


#### **Power and Communication Spheres and Port**

## Power and communication spheres and port

provide convenient desktop access to power outlets and data jacks. Spheres and ports are field installed only.

Power spheres have four electrical outlets and two 6' cords with plug.

► Specifying, page 344



#### Power and communica-

tion spheres provide two electrical outlets, faceplates for two customer-supplied voice/data jacks, and a 6' cord with plug or conduit.

► Specifying, page 344



#### **Product Details**



Power and communication spheres are field installed. Use a 3"-diameter drill to cut mounting hole at desired location

Power and communication port contains an opening in one side of lower port that allows excess wire and cable cords to drop beneath the worksurface, leaving the port clear.

#### Wiring and Cabling

**6' power cord** is included on power and communication spheres and port.

Chicago, New York City, and Los Angeles have special requirements.

**Underwriters Labora**tory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

#### **Surface Materials**

## Power and communication ports

Black plastic only

#### Power/Power Box



▶ Specifying, page 345

#### **Product Details**

#### Power/power box,

ordered separately, provides additional electrical outlets where needed. Boxes are field-installed and can be mounted to the underside of worksurface anywhere access is needed.

#### **Surface Materials**

#### Box

• Black paint

#### **Actual Dimensions**

Depth 3"
Width 3"
Height 1"

#### 21/2" Round Grommet



► Specifying, page 345

#### **Product Details**

## **21/2" round grommet,** ordered separately, provides wire and cable management

for worksurfaces.

#### **Surface Materials**

- Round grommet

   0835 Black
- 4799 Platinum Metallic
- 7241 Arctic White
- 7360 Merle
- 9201 Polished Chrome
- 9211 Nickel

#### **Actual Dimensions**

**Depth** 21/2"

Width 21/2"

#### Universal Worksurface Wire Manager



▶ Specifying, page 346

#### **Product Details**



# Worksurface wire managers are available to convert cable scallops into grommets in freestanding applications. They are included with wood veneer worksurfaces. Wire managers can be used with Universal worksurfaces.

#### **Surface Materials**

#### Universal worksurface

- wire manager
   6000 Black
- 6009 Arctic White
- 6052 Milk
- 6053 Seagull
- 6249 Platinum Solid
- 6654 Sand
- 6655 Warm White
- 6697 Fog
- 6695 Midnight

# Wiring and Cabling

#### **Cable and Fiber Reel**

#### Cable and fiber reel

is available to store excess fiber-optic cable lengths. It is also suitable for storing power cables.

► Specifying, page 346

Mounting slots allow installation of reel vertically beneath worksurface.

Inner reel accommodates copper wire and other cables that can be wound tightly.

Outer reel accommodates the preferred bend radius of fiber-optic cables.

Tabs prevent cables from slipping off reel.

#### **Key-shaped mounting**

hole allows quick installation and removal of reel mounted horizontally to underside of worksurface.

#### **Product Details**



approximately 12' of standard power or communication cable on outer reel and 18' of telephone-type cord on inner reel depending on the specific cable used. Neatness of installation can affect capacities. In critical situations, you should conduct a test using the

specific cable types your installation requires.

#### **Connections**



Reel can be field installed vertically or horizontally in the kneespace of freestanding desks or panel-supported worksurfaces.

#### **Wiring and Cabling**

Chicago, New York City, and Los Angeles have special requirements.

**Local electrical codes** vary. Consult a qualified electrician or electrical engineer for the proper installation of electrical equipment.

#### **Surface Materials**

#### Reel

· Black plastic only

#### **Actual Dimensions** Depth 11/4" Width 8"

85/16"

Height


#### **Termination Plate**

#### **Termination plate** is


available for field installation to accommodate junction boxes for connections of fiber-optic cables and other cable types.

► Specifying, page 347

to a termination device.



#### **Product Details**



Faceplates and junction boxes can be added to support fiber-optic or ordinary voice/data networks.

## tion of electrical equipment. Surface Materials

Wiring and Cabling Chicago, New York

City, and Los Angeles

have special requirements.

Local electrical codes

electrician or electrical engi-

neer for the proper installa-

vary. Consult a qualified

#### Termination plate

Black plastic only

#### Connections



**Termination plate** is field installed beneath the worksurface in any position needed. Usually, it is located at the back of the worksurface so it doesn't obstruct kneespace.

Actual Dimensions				
Depth	3/4"			
Width	71/8"			
Height	71/8"			
Center	2 <sup>3</sup> / <sub>4</sub> " diameter			

# Wiring and Cabling

#### **Cord Reels**



► Specifying, page 347

#### **Product Details**

**Cord reels,** field installed under the worksurface, take up excess cord or cable.

#### **Surface Materials**

#### **Cord reel**

Black paint

#### **Wire Clips**



► Specifying, page 347

#### **Product Details**

**Wire clips** can be used under a worksurface for routing and managing cords.

#### **Surface Materials**

#### Wire clips

Black plastic

#### **Vertical Wire Manager**

#### **Product Details**

Wire manager, ordered separately, organizes cables routed vertically or horizontally beneath the worksurface. It can be cut on site as needed.

#### **Surface Materials**

#### Wire manager

Black plastic

#### **Actual Dimensions**

Depth 1"
Width 3/4"

Height 25"

► Specifying, page 348

#### **Wiring and Cabling**

Accessories, continued

## Lighting

178

## **Understanding Lighting**

Vertical Wire Manager

Statement of Line and Comparison	164
Product Details	
Shelf Lights	168
LED Shelf Lights	172
LED Linear Shelf Lights	174
Application Topics	
Daisy Chaining	177
Related Products	

Underwriters Laboratory (UL) and Canadian Standards Association (CSA) listed. These lights have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

## **Statement of Line and Comparison**

Shelf lights mount into the recessed bottom of storage shelves and bins to illuminate the worksurface. Four types of shelf lights are available to control the quality of light for specific applications. Each type is compatible with Steelcase systems furniture.

#### Shelf Lights

Storage-Mounted Lights

#### **Standard Shelf Light**



Mounting Options	<ul> <li>Universal mounting package (standard)</li> <li>Flush mount</li> <li>Competitive mounting package</li> <li>Understanding</li> <li>Page 168</li> </ul>
	Specifying ▶ Page 350
Depth	91/4"
Width	25", 37", or 49"
Lamp	T8 Fluorescent
Watts/Lumens/Efficacy	25"W – 17 Watts/ 1343 Lumens/ 79 Efficacy 37"W – 25 Watts/ 2150 Lumens/ 86 Efficacy 49"W – 32 Watts/ 2899 Lumens/ 90.6 Efficacy
Color Temperature	3500K
Description	The right choice for the majority of people in today's workplace who switch frequently from task to task throughout the day.
Optics	Faceted, white reflector
	Contrast sleeve that can be manually rotated to vary light
Ballasts	Electronic ballast     High power factor ballast
Electronic Dimmer	Not available
Lens Options	• None
Average Rated Lamp Life	• 20,000 hours
Warranty	Ballast—5 years     Fixture—12 years

Shelf lights offer end users added control and adjustability to place the proper amount of shelf lighting to create a holistic work setting. Ideally suited for recessed mount applications to bottom of bin or shelf.

#### **Shelf Lights**

#### **Bottomline Light**



Mounting	Standard includes universal spring bracket for recessed mount or screw-in for flush mount (tool free clips for New York applications).
	Understanding  ▶ Page 170  Specifying ▶ Page 352
Depth	41/2"
Width	23½", 35", or 46¾"
Height	11/4"
Weight	4.02 lb, 4.95 lb, or 6.9 lb
Lamp	• T5 Fluorescent
Watts/Lumens/Efficacy	23 <sup>1</sup> / <sub>4</sub> "W – 14 Watts/ 1275 Lumens/ 91 Efficacy 35"W – 21 Watts/ 2000 Lumens/ 95 Efficacy 46 <sup>3</sup> / <sub>4</sub> "W – 28 Watts/ 2697 Lumens/ 96 Efficacy
Color Temperature	3500K
Description	Designed to be environmentally friendly providing 15% more light with an even distribution of light on the worksurface. Ideally suited for recessed mount applications to bottom of bin or shelf.
Finish Options	• Paint: Black (0835) or Pewter (7018)
Optics	Mylar reflector with batwing lens
Ballasts	Energy saving electronic ballast
Electronic Dimmer	Not available
Average Rated Lamp Life	• 20,000 hrs.
Warranty	Ballast - 5 years     Fixture - 12 years

### Statement of Line and Comparison, continued

Shelf lights offer end users added control and adjustability to place the proper amount of task lighting to create a holistic worksetting. Ideally suited for recessed mount applications to bottom of bin or shelf.


#### **LED Shelf Light**

#### Storage-Mounted Lights

#### LED Shelf Light



#### **LED Linear Shelf Lights**




Standard includes magnetic mount for steel bins and shelves. Optional fastener kit for woodare available.		Standard includes magnetic mount for steel bins and shelves.  Each light length comes with set quantity of mounting brackets for both steel and wood applications.					
	Understanding  ► Page 172 Specifying  ► Page 353	Under Page Specif	ying				
Depth	21/2"	2"					
Width	18"	17", 3	1", 44", o	r 58"			
Number of LEDs	102 LEDs				Standard Output LEDs High Output LEDs		
Watts/Lumens/Efficacy	9.6 Watts / 522 Lumens/ 54 Efficacy	17"W 7.8 444 57	31"W 17.6 980 55.6	44"W 25.9 1412 54.5	58"W 33.6 1791 53.3	Standard Output Watts Lumens Efficacy	
		17"W 10.9 744 68	31"W 23.4 1590 68	44"W 34.3 2290 67	58"W 43.5 2807 64.5	High Output Watts Lumens Efficacy	
Color Rendering Index	94	84					
Color Temperature	3500K	3500K					
Description	The most environmentally-friendly light in the portfolio. Consumes only 11 watts of power, contains no harmful metals (mercury), and has a useful life of over 50,000 hours. Ideally suited for recessed mount applications to bottom of bin or shelf.	With its low profile and available four widths, the LED linear light will fit in a variety of shelving and overhead storage applications. Beneficial features of this fixture include: energy efficient LEDs, continous dimming, automatic turn off after 10 hours, and optional occupancy sensor.			g and overhead storage of this fixture include: energy g, automatic turn off after		
Finish Options	Bottom surface clear anodized aluminum only. Plastic cover Arctic White (6009) or Black (6000).	<ul> <li>4231 Arctic White body with Arctic White (6009) end caps o 0835 Black body with Black (6000) end caps.</li> </ul>					
Optics	Polycarbonate matte film	Polycarbonate matte film					
Ballasts	• Energy saving low-voltage power supply			Energy saving low-voltage power supply			
Electronic Dimmer	Standard on all lights	Standard on all lights					
Average Rated Lamp Life	• 50,000 hrs.	• 50,000 hrs.					
Warranty	Power supply - 5 years     Fixture - 12 years	Power supply - 5 years     Fixture - 12 years					

## **Shelf Lights**

#### Standard

► Specifying, page 350 End cap cord managers, molded into the durable plastic end caps, allow you to route and manage excess cord. Housing is painted black. Optional paint colors are available. Plug is flat so it remains close to the receptacle. On-off switch is centered on the front edge of the Standard shelf light. Cord exits from the center 9' cord with grounded of the back of the light for plug is factory installed. Standard shelf light. Length is maximum allowed by U.S. National Electrical Code. Cord with circuit breaker is available to meet the requirements of the Chicago code.



#### **Daisy chain cords** have modular connectors to link Standard shelf lights together.

#### **Actual Dimensions**

#### Standard


Depth 91/4" (235 mm)

Width 245/8", 365/8", or 485/8" (625 mm, 930 mm, or 1235 mm)

Height 13/4" (44 mm)

#### **Product Details**

**Shelf light** includes the lamp, ballast, and either a 9' cord with three-prong plug or daisy-chain cords.



#### **Plug configuration**


allows two Standard shelf lights to engage adjacent outlets in one receptacle.

**Energy-saving T8 lamps** have triphosphor coating for balanced color and pleasing light.

#### **Connections**

## Shelf light mounts recessed or flush

depending on design of overhead storage bin or shelf. Installation is done in the field.




**Universal bracket** allows shelf light to be installed without tools under most metal overhead storage bins and shelves.

Specify LED shelf light or LED linear shelf light for use under 24" wide bins. Standard and Bottomline 24" wide lights do not fit under 24" wide bins.



#### Daisy chain starter cord must be ordered separately when used with Standard shelf lights in a daisy chain application.


Width	Lamp width	Lamp wattage	Replacement lamps
245/8"	24"	17 watts	F17T8-TL735
365/8"	36"	25 watts	F25T8-TL735
485/8"	48"	32 watts	F32T8-TL735



Keyhole slots in housing of fixture allow shelf light to be mounted beneath wood or laminate overhead storage bins and shelves using screws provided. Keyhole slots are also used to mount lights to overhead storage bins and shelves manufactured prior to August 1991.

## Standard shelf competitive mounting package

provides attachment hardware to mount Steelcase shelf lights on all major competitive furniture lines. Package includes screws and installation instructions.



**Shelf light** can be mounted anywhere from side to side beneath overhead storage bin or shelf. The cord length is the only limitation.

#### Wiring & Cabling

**Power** drawn is approximately ½ amp.

**Daisy chaining** permits interconnecting up to six Standard shelf lights from a single power outlet.

▶ Page 177

**Starter cord** powers first light in a daisy chain and allows you to convert any daisy chain light for independent operation.

#### Electronic highpower-factor ballast

that is roughly 45% more efficient than a normalpower-factor ballast is available.

#### **Surface Materials**

#### Housing

- Black paint (standard)
- Paint colors (option)

#### Reflector

White

#### Cord

Black plastic only

#### End cap cord manager


Black plastic only

Phot	Photometric Data										
	<b>Standard</b> Initial horizontal footcandles for LSM24K Worksurface rear										
3"	88	85	78	67	55	42	31	22			
6"	93	90	82	70	57	43	31	23			
9"	91	88	81	69	56	41	30	21			
12"	82	80	72	62	50	38	28	20			
15"	69	67	61	53	43	33	24	18			
18"	56	55	49	43	36	28	21	16			
21"	41	40	37	32	27	22	17	13			
24"	29	28	26	23	19	16	13	10			
27"	19	19	18	16	14	12	10	8			
30"	13	13	12	11	10	9	7	6			
	CL	3"	6"	9"	12"	15"	18"	21"			
			Wo	orksurface t	front						

### **Shelf Lights**

#### **Bottomline**

► Specifying, page 352



#### **Product Details**

**Shelf light** includes the lamp, ballast, and either a 9' cord with a three-prong plug or a Chicago plug.



#### **Plug configuration**

allows two task lights to engage adjacent outlets in one receptacle.

#### Optics:

**Bottomline** includes a batwing lens with mylar reflector that provides low glare and broad distribution of light.

#### **Connections**

Shelf light mounts recessed or flush depending on the design of the overhead storage bin or shelf. Standard with universal spring brackets for recessed mount or screw-in for flush mount.

Specify LED shelf light or LED linear shelf light for use under 24" wide bins. Standard and Bottomline 24" wide lights do not fit under 24" wide bins.

Width	Lamp width	Lamp wattage	Replacement lamps
24"	23.3"	14 watts	F14T5-835
36"	35.1"	21 watts	F21T5-835
48"	46.8"	28 watts	F28T5-835

Lamp life of a fluorescent lamp that turns on and off once a day will last longer than a lamp that turns on and off many times a day. Environmental effects can shorten the life of a lamp, such as: moisture or higher humidity, higher or colder than normal temperatures, excessive vibration, and power surges.

Tip: If the light begins to flicker, or shuts down immediately, the sensor is indicating the lamp is at the end of its life and needs to be replaced.

#### Wiring & Cabling

Power drawn is approximately ½ amp.

Daisy chaining is only available on Bottomline shelf lights.

**Daisy chaining on Bottomline** permits interconnecting up to six shelf lights from a single power outlet.

▶ Page 177

**Daisy chaining on Bottomline** allows for independent operation of lights.

**Electronic ballast** is more energy efficient than T8 electronic ballasts.

#### **Surface Materials**

#### Housing

 Paint 0835 Black 7018 Pewter

#### Reflector

• Mylar reflector with batwing lens - flat acrylic diffuser

#### Cord

Black plastic only


#### **End caps**

· Molded to match housing

Actual	Dimensions
Depth	41/2"
Width	231/4", 35", 463/4"
Height	11/4"
Weight	4.02 lb, 4.95 lb, 6.9 lb

Phot	Photometric Data										
	<b>Bottomline</b> Initial horizontal footcandles for L52FT Worksurface rear										
3"	52	49	43	37	28	20	15	10			
6"	77	72	63	52	39	29	20	14			
9"	98	93	80	66	50	36	26	17			
12"	114	107	94	77	58	42	30	20			
15"	124	117	104	85	63	47	33	22			
18"	119	112	99	81	63	46	32	22			
21"	98	92	81	68	52	39	28	19			
24"	70	68	61	51	40	30	22	16			
27"	47	44	40	34	27	22	16	12			
30"	29	27	25	23	18	15	12	9			
	CL	3"	6"	9"	12"	15"	18"	21"			
			Wo	rksurface	front						

## **LED Shelf Lights**



#### **Product Details**

Shelf light includes the lamp and power supply with cord set. Daisy chain primary light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.



An 18 watt power supply, is used on the LED standard light; it is 9' long with a two prong driver plug.


Tip: Energy saving mini-LEDs greatly reduce power use.




**Power supply for LED** daisy chain starter light uses an 11' 60 watt modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

#### **Connections**


Shelf light mounts recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.





## **Magnetic mounting**

allows shelf light to be installed without tools under most metal overhead storage bins and shelves. This mounting allows the light to be mounted to most competitive steel bins and shelves.



**Optional fastener kit** allows shelf light to be mounted to wood shelves.

Specify LED shelf light or LED linear shelf light for use under 24" wide bins. Standard and Bottomline 24" wide lights do not fit under 24" wide bins.

### **Actual Dimensions**

25/8" Depth Width Height 1/5"

Power Supply 18 Watt Cord - 9' with two prong driver plug

Power Supply 60 Watt Cord Set (11')

- Line voltage cord: 6'
- Low voltage cord: 5'

#### Wiring & Cabling

Shelf light includes the lamp and power supply with cord set. Daisy chain starter light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.

Power supply for LED daisy chain starter light uses a 60 watt modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light. An 18 watt power supply is used on the LED standard light, it is 9' long with a two prong driver plug.

Tip: Daisy chain starter light comes with a 60 watt power supply to support up to three lights. Daisy chain secondary lights do not come with a power supply, but instead come with a daisy chain cord set.

#### **Surface Materials**

#### Housing

- 6000 Black
- 6009 Arctic White

#### Reflector

 Clear anodized aluminum only


#### Cord


Black plastic only

Pho	Photometric Data												
	<b>LED Shelf Light</b> Initial horizontal footcandles for LSL18 Worksurface rear												
12"	16	22	29	36	42	47	48	46	40	34	27	20	15
9"	20	28	38	49	59	66	67	64	56	46	35	26	19
6"	24	35	48	62	76	85	87	83	72	58	44	31	22
3"	27	39	55	72	89	101	104	98	85	67	50	35	24
CL	28	41	57	76	94	107	111	104	89	70	52	36	25
3"	26	38	54	71	88	100	103	97	83	66	49	34	24
6"	23	33	50	60	73	83	85	80	69	55	41	30	20
9"	19	26	36	46	55	62	64	61	53	43	33	24	17
12"	15	20	25	32	38	42	44	41	37	30	24	18	13
	18"	15"	12"	9"	6"	3"	CL	3"	6"	9"	12"	15"	18"

Worksurface front

## **LED Linear Shelf Lights**





**LED** linear stand alone and daisy chain starter lights include the lamp, power supply, and both magnetic mounts, and wood bracket hardware with adhesive cord managers.

**Product Details** 

**LED** linear daisy chain lights include the lamp, daisy chain cords, and both magnetic mounts, and wood mount bracket hardware with adhesive cord managers.

#### **Optional occupancy**

sensor is a separate component that connects to the light fixture and activates in 30 minutes when no movement is detected to conserve energy. It will also turn back on upon return.

Average rated lamp life of LED linear shelf lights is 50,000 hours.

**Color temperature LEDs** is 3500K.

Color rendering index of LEDs is 84.

**Automatic turn off after 10 hours** (+/- 15 mins.); standard with both models.

#### **Connections**

Lights mount recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.

Magnet mounts allow shelf lights to be installed without tools under most metal overhead storage bins of shelves.

**Wood mount brackets** allow shelf lights to be mounted to wood shelves.

Actu	tual Dimensions							
	Light	Occupancy Sensor						
Depth	2"	2"						
Width	17", 31", 44", or 58"	23/10"						
Height	1/2"	7/10"						

Lamp width	Number of LEDs in Standard Output/ High Output	System Wattage Standard Output/ High Output
17"	24 / 47	7.8 / 10.9
31"	48 / 94	17.6 / 23.4
44"	72 / 141	25.9 / 34.3
58"	96 / 188	33.6 / 43.5

#### Wiring & Cabling

**Light** is standard with single touch on/off and touch control dimming.

#### User adjustable touch and hold dimming pad includes continuous dimming range of 100% to 15%.

Power supply for 17" linear stand alone only uses a straight plug with a 9' 18 watt 24 volt wall

transformer.

## Power supply for 31", 44", 58", or 17" starter

**light;** 60 watt compact in-line brick straight plug. The cord is 11', 6' from power supply to power outlet and 5' from power supply to fixture. Tip: Daisy chain starter light

Tip: Daisy chain starter light comes with a 60 watt power supply to support up to a limited number of lights – refer to chart for daisy chaining fixtures. Daisy chain secondary lights do not come with a power supply, but instead come with two daisy chain jumper cords, one 8" and one 30" set.

#### **Surface Materials**

#### **Housing**

- 4321 Arctic White
- 0835 Black

#### Cord

Black plastic only

Ph	oto	met	ric	Dat	a											
	17"W Standard Output Linea Shelf Light Worksurface rear					Mea	asured fro		3"		Shelf	Outpo f Light rface	nt	near		
12"	11	19	28	33	28	19	11		12"	11	19	28	33	28	19	11
6"	21	20	18	17	15	13	11	_	6"	21	20	18	17	15	13	11
CL	31	31	29	26	23	19	15	_	CL	31	31	29	26	23	19	15
6"	51	50	46	42	36	29	23	_	6"	51	50	46	42	36	29	23
12"	82	79	73	64	53	43	32		12"	82	79	73	64	53	43	32
	18" 12" 6" CL 6" 12" 18" Worksurface front					18"	-		18"	12" W	6" orksui	CL rface f	6" ront	12"	18"	

31"W	Standard	Output	Linear					
Shelf Light								
	Worksurfa	ce rear						

	vvorksurrace rear									
12"	28	43	55	59	55	43	28			
6"	44	73	96	104	96	73	44			
CL	53	91	121	131	121	91	53			
6"	44	73	96	104	96	73	44			
12"	28	43	55	59	55	43	28			
	18"	12"	6"	CL	6"	12"	18"			
	Worksurface front									

#### 31"W High Output Linear Shelf Light

	Worksurface rear								
12"	28	43	55	59	55	43	28		
6"	44	73	96	104	96	73	44		
CL	53	91	121	131	121	91	53		
6"	44	73	96	104	96	73	44		
12"	28	43	55	59	55	43	28		
	18"	12"	6"	CL	6"	12"	18"		
		Wo	orksur	face fr	ont				

44"W Standa	rd Output Linear							
Shelf Light								
Worksu	rface rear							

12"	48	61	69	71	69	61	48
6"	80	104	116	119	116	104	80
CL	99	129	144	148	144	129	99
6"	80	104	116	119	116	104	80
12"	48	61	69	71	69	61	48
	18"	12"	6"	CL	6"	12"	18"
	Worksurface front						

#### 44"W High Output Linear Shelf Light

		W	orksu	rface	rear		
12"	48	61	69	71	69	61	48
6"	80	104	116	119	116	104	80
CL	99	129	144	148	144	129	99
6"	80	104	116	119	116	104	80
12"	48	61	69	71	69	61	48
	18"	12"	6"	CL	6"	12"	18"
	Worksurface front						

#### 58"W Standard Output Linear Shelf Light

		W	orksu	rface	rear		
12"	63	70	74	74	74	70	63
6"	106	117	122	123	122	117	106
CL	131	145	150	151	150	145	131
6"	106	117	122	123	122	117	106
12"	63	70	74	74	74	70	63
	18"	12"	6"	CL	6"	12"	18"
		W	/orksu	urface	fron	t	

#### 58"W High Output Linear Shelf Light

		W	orksur	face r	ear		
12"	63	70	74	74	74	70	63
6"	106	117	122	123	122	117	106
CL	131	145	150	151	150	145	131
6"	106	117	122	123	122	117	106
12"	63	70	74	74	74	70	63
	18"	12"	6"	CL	6"	12"	18"
		Wo	orksur	face fr	ont		

#### **Chart for Daisy Chaining Fixtures**


	Standard Output Linear Shelf Light										
Light fixture widths		Maxii	mum nui	mber of	fixtures	allowed	l with da	isy chai	in starte	r light	
17"	6	4	3	2	2	1	1	_	-	_	_
31"	_	1	-	2	-	2	1	3	1	1	_
44"	_	-	1	-	-	-	1	-	1	_	2
58"	_	-	-	-	1	-	-	-	-	1	-

	High Output Linear Shelf Light					
Light fixture widths	Maximum n	Maximum number of fixtures allowed with daisy chain starter light				
17"	4	2	1	_		
31"	_	1	-	2		
44"	_	-	1	_		

- A 60 watt power supply is required for daisy chaining.
  Total system wattage of all fixtures together cannot meet or exceed 60 watts, see chart.
- Cannot daisy chain standard output and high output together.
- Cannot daisy chain 58" high output fixtures.
- Occupancy sensor must be positioned between the power supply and the first starter fixture.
- Only need one sensor when daisy chaining.

Tip: Each column is the maximum number of fixtures that can be daisy chained together.

#### Occupancy Sensor




- Turns off after 30 minutes of no activity and will turn back on upon return
- 360° lens view
- 90° outward detection angle
- 30" diameter coverage if mounted 15" above worksurface
- 36" diameter coverage if mounted 18" above worksurface
- Connects to fixture with one end-to-end connector. 8" or 30" jumper cords

## **Daisy Chaining**


#### For Standard and Bottomline Lights

Daisy chaining shelf lights together extends power from one fixture to another within workstations to help keep receptacles clear for other uses.


For Standard shelf lights, starter cord is required with daisy chain cords to bring power to the first shelf light in a daisy chain so there's no need to designate where each fixture will be used within the chain.



Power will not be interrupted in a chain even if one of the shelf lights is turned off or its lamp has burned out. That's because the path of power through the chain doesn't pass through the lamps or switches.



For Bottomline lights, starter light is required with daisy chain lights to bring power to the first light in the daisy chain.



Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Overhead cabinets and shelves provide a recessed area for shelf lights. They are not designed to conceal cords when daisy chaining.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management. channel.

## **Vertical Wire Manager**

#### **Vertical wire manager**

conceals cords and cables that are routed vertically outside of the panels.

Specifying, page 356


Cover conceals cords or cables.

Hooks fit into vertical wall



**Wire manager** is available for use between the bottom of a shelf or overhead storage bin and a worksurface. Wire manager can be cut in the field to suit specific application.

**Wire manager** can also be used below the worksurface.



Power cords and cables can be routed from the wire manager and the ½" gap along the back edge of the worksurface.

#### **Connections**

**Snaps** into the slotted channel of the junction.

#### **Surface Materials**

#### Cover

- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6652 Titanium
- 6654 Sand
- 6655 Warm White
- 6697 Fog

#### **Actual Dimensions**

Depth 1" (25 mm)

Width 15/8" (41 mm)


Height 48" (1219 mm)

## **Specifying Universal Systems Worksurfaces**

Worksurfaces	
Straight Worksurfaces	180
Parametric Straight Worksurfaces	184
Parametric Straight Worksurfaces with Soft Edge Profile	188
120° Straight Worksurfaces	192
Transition Worksurfaces	194
Tapered Worksurfaces	196
Taper-Flat Worksurfaces	197
Single-Tapered Worksurfaces	198
Corner, Flat-Front Worksurfaces	199
Dual Corner, Flat-Front Worksurfaces	200
Corner, Straight-Front Worksurfaces	201
Corner, Curved-Front Worksurfaces	202
Extended Corner, Straight-Front Worksurfaces	204
Extended Corner, Curved-Front Worksurfaces	206
Corner, 120° Worksurfaces	208
Spanner Worksurfaces	209
Bullet Peninsula Worksurfaces	210
Angled Peninsula Worksurfaces	211
Jetty Worksurfaces	212
Bubble Jetty Worksurfaces	214
Visitor Worksurfaces	216
Power and Data Access Door & Tray	218
Connectors	220
Filler Package—Data	221
Desking Supports	222
Universal Systems Worksurface Supports	223
FrameOne Legs and Supports for Universal Worksurfa	aces 220
Infills for FrameOne Legs for Universal Worksurfaces	227
Legs and Columns for Universal Systems	_
Worksurfaces	228

## **Straight Worksurfaces**

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 23

#### For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US1830 becomes US1830SW for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 218
- ► See page 26 for worksurface size availability matrix.

Tip: Scallop will be omitted if you select power access door.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: Power access door option is only available on straight worksurfaces with 1/2" cord drop.

#### Standard Includes

► Need help? Product details, page 22

Access

Door

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate worksurface:
- Plastic 3 mm edge on front edge
- Plastic default flat profile on side and back edges
- Wood worksurface:

No power access

right, and center

· Power access door center

- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

#### Required to Specify

- 1 Style number with appropriate edge profile suffix
- SW Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected

- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

Specify with no power access.

Specify with power access door center.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate	worksurfaces					
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.				
	<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.				
	<ul> <li>Open Line laminate</li> </ul>	+\$102	See Surface Materials Reference Manual.				
		plus cost of laminate					
	Wood veneer worksurfaces						
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.				
	Wood group 3	See information at left	Specify wood color number.				
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.				
			► See Surface Materials Reference Manual.				
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices at right	Specify full-fill finish number.				
	Doors						
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	<ul> <li>Anodized aluminum</li> </ul>	+\$ 12 per door	Specify with 8043 Clear Anodized				
			Aluminum.				
Saallan	• Omit coallon	No cost	Charify amit scallen				

Power	Applies to 30"W		
Cutout for Power • Cutout and Data Access Door and Tray		No cost	Specify with cutout for power and data access door.
Scallop	Omit scallop	No cost	Specify omit scallop.
			Aluminum.

No cost

+\$136

Applies to 36"W to 48"W	ı	
No power access	No cost	Specify with no power access.
Power access door center	+\$136	Specify with power access door center.
Power access door left	+\$136	Specify with power access door left.
Power access door right	+\$136	Specify with power access door right.

Applies to 54"W to 66"W	1	
<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.
<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.
<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.
<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.
<ul> <li>Power access door left and right</li> </ul>	+\$272	Specify with power access door left and right.

<ul> <li>Power access door left +\$136</li> </ul>		Specify with power access door left.				
<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.				
<ul> <li>Power access door left</li> </ul>	+\$272	Specify with power access door left and				
and right		right.				
Applies to 72"W to 96"W	1					
<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.				
<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.				
<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.				
<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.				
<ul> <li>Power access door left</li> </ul>	+\$272	Specify with power access door left and				
and right		right.				
Power access door left	+\$272	Specify with power access door left and				
and center		center.				
· Power access door right and	+\$272	Specify with power access door right and				
center		center.				
<ul> <li>Power access door left,</li> </ul>	+\$408	Specify with power access door left, right,				



#### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

and center.

#### **Related Products**

- Universal Systems worksurface supports
- Reinforcing channel
- Legs and supports for Universal Systems Worksurfaces
- Worksurface screens
- Wiring and cabling

- ▶ Page 223▶ Page 224▶ Page 228
- Page 280
  Page 341

cificat	ion Infor	mation					
		U.S. Base Prices High-Pressure Laminate	Wood				•
					<u>g</u>		
ensions B	• Style Number	· Plastic 3 mm Edge	• Wood Square Edge	• Option • (Add \$ to • Base Price)	Dimensions A B	• Style Number	Plastic 3 mm Edge
		No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1			·
1/2" <b>C</b> (	ord Drop				With Full I	Depth	
24"	US1824	\$254	N.A.	N.A.	187/8" 24"	WS1824	\$254
30"	US1830	\$275	\$1000	+\$55	18 <sup>7</sup> /8" 30"	WS1830	\$275
36"	US1836	\$295	\$1020	+\$56	18 <sup>7</sup> /8" 36"	WS1836	\$295
42"	US1842	\$319	\$1164	+\$62	18 <sup>7</sup> /8" 42"	WS1842	\$319
48"	US1848	\$385	\$1230	+\$63	187/8" 48"	WS1848	\$385
54"	US1854	\$412	\$1257	+\$66	187/8" 54"	WS1854	\$412
60"	US1860	\$444	\$1439	+\$73	187/8" 60"	WS1860	\$444
66"	US1866	\$516	N.A.	N.A.	187/8" 66"	WS1866	\$516
72"	US1872	\$576	N.A.	N.A.	187/8" 72"	WS1872	\$576
78"	US1878	\$736	N.A.	N.A.	187/8" 78"	WS1878	\$736
84"	US1884	\$776	N.A.	N.A.	187/8" 84"	WS1884	\$776
90"	US1890	\$822	N.A.	N.A.	187/8" 90"	WS1890	\$822
96"	US1896	\$860	N.A.	N.A.	187/8" 96"	WS1896	\$860
24"	U\$2424	\$282	\$1007	+\$55	24" 24"	WS2424	\$282
30"	U\$2430	\$305	\$1030	+\$55	24" 30"	WS2430	\$305
36"	US2436	\$319	\$1044	+\$56	24" 36"	WS2436	\$319
42"	US2442	\$346	\$1191	+\$62	24" 42"	WS2442	\$346
48"	US2448	\$410	\$1255	+\$63	24" 48"	WS2448	\$410
54"	US2454	\$440	\$1285	+\$66	24" 54"	WS2454	\$440
60"	US2460	\$464	\$1459	+\$73	24" 60"	WS2460	\$464
66"	US2466	\$521	\$1516	+\$75	24" 66"	WS2466	\$521
72"	US2472	\$582	\$1577	+\$77	24" 72"	W\$2472	\$582
78"	US2478	\$780	N.A.	N.A.	24" 78"	WS2478	\$780
84"	US2484	\$868	N.A.	N.A.	24" 84"	WS2484	\$868
90"	US2490	\$895	N.A.	N.A.	24" 90"	WS2490	\$895
96"	US2496	\$959	N.A.	N.A.	24" 96"	WS2496	\$959
	24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90"	Pensions Style B Number  1 1/2" Cord Drop 24" US1824 30" US1836 42" US1842 48" US1848 54" US1866 72" US1872 78" US1872 78" US1878 84" US1884 90" US1896 24" US2424 30" US2436 42" US2442 48" US2448 54" US2448 54" US2448 54" US2448 54" US2448 54" US2454 60" US2460 66" US2466 72" US2472 78" US2472 78" US2478 84" US2484 90" US2490	High-Pressure Laminate   Plastic 3 mm Edge   No Suffix	Number   Plastic   Suffix   Suffix SW	No Suffix   Plastic   Suffix SW   Full-Fill   Suffix SW   Full-Fill   Full-Fill   Full-Fill   Suffix SW   Full-Fill   Full-F		

▶Specification Information, continued on next page

Straight Worksurfaces, High-Pressure Laminate or Wood Veneer, continued

#### ▶ Specification information, continued from previous page

	ion Infor	U.S. Base Prices			U.S.	Base Pri	ce	
		High-Pressure Laminate	Wood		High	-Pressur	e Laminate	•
Dimensions A B	•Style Number	• Plastic 3 mm Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	· Dim	ensions B	•Style Number	• Plastic 3 mm Edge
		No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1				
With <sup>1</sup> /2" C	ord Drop				Witl	n Full D	epth	
291/2" 24"	US3024	\$399	\$1124	+\$55	30"	24"	WS3024	\$399
291/2" 30"	US3030	\$414	\$1139	+\$56	30"	30"	WS3030	\$414
291/2" 36"	US3036	\$444	\$1169	+\$59	30"	36"	WS3036	\$444
291/2" 42"	US3042	\$464	\$1309	+\$63	30"	42"	WS3042	\$464
291/2" 48"	US3048	\$528	\$1373	+\$66	30"	48"	WS3048	\$528
291/2" 54"	US3054	\$568	\$1413	+\$69	30"	54"	WS3054	\$568
291/2" 60"	US3060	\$603	\$1598	+\$75	30"	60"	WS3060	\$603
291/2" 66"	US3066	\$655	\$1650	+\$77	30"	66"	WS3066	\$655
291/2" 72"	US3072	\$717	\$1712	+\$78	30"	72"	WS3072	\$717
351/2" 60"	US3660	\$655	N.A.	N.A.				
351/2" 66"	US3666	\$710	N.A.	N.A.				
351/2" 72"	US3672	\$770	N.A.	N.A.				

Tip: 35½"D worksurfaces can only be used in freestanding applications.



Straight Worksurfaces

Worksurfaces


## **Parametric Straight Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate or Wood Veneer



#### Standard Includes

#### • Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- Plastic 3 mm edge profile or knife edge profile on front edge
- Plastic default flat profile on side and back edges
- Wood worksurface:
- Wood square edge profile on front edge
- Matching veneer flat profile on side and back edges
- Depth: 18"D 36"D
- Width: 18"W 120"W

#### Required to Specify

- 1 Style number 2 Worksurface size type (see below under Required Selections)
- 3 Depth (see below under Required Selections)
- 4 Width (see below under Required Selections)
- 5 User edge profile
- 6 High-Pressure Laminate or wood color number for worksurface
- 7 Plastic color number for front edge on laminate worksurface, if selected
- 8 Options, if selected (see below)
- ►See Surface Materials, page 358.

Tip: Long worksurface spans
require additional support.
See understanding section
or details, page 23

	Required Select	ions U.S. Price	Required to Specify	
Worksurface Size Type	<ul><li>Modular</li><li>Parametric</li></ul>	No cost No cost	Specify with modular. Specify with parametric.	
Depth	Modular         Parametr           • 18%"D         18"D-23%1           • 24"D         23½"D-29           • 30"D         29½"D-35           • 36"D         35½"D-36	7/16"D Prices at right Prices at right Prices at right Prices at right	Specify depth. Specify depth. Specify depth. Specify depth.	
Width	Modular	4/6"W       Prices at right         5/16"W       Prices at right         7/15/16"W       Prices at right	Specify width.	

#### Surface **Materials**

#### **High-Pressure Laminate worksurfaces**

• Laminate price group 2

Laminate price group 3

· Open Line laminate plus cost of laminate

See information at left Specify laminate color number. See information at left Specify laminate color number.

**Required to Specify** 

See Surface Materials Reference Manual.

**Wood veneer worksurfaces** 

 Wood group 2 See information at left Specify wood color number. Wood group 3 See information at left Customiz stain No cost

Specify wood color number. Specify with Customiz stain.

See Surface Materials Reference Manual. Prices at right Specify full-fill finish number.

• Full-fill finish wood group 1 **Wood grain direction** 

**Options** 

 No direction No cost Specify with no direction. Long grain No cost Specify with long grain direction. Short grain Specify with short grain direction. No cost

**U.S. Price** 

Door

 Paint No cost Anodized aluminum +\$ 12

Specify paint color number. Specify with 8043 Clear Anodized

Aluminum.

Tip: Short grain laminate is only available on surfaces 60"W or less.

For wood and laminate

please refer to the electronic

group 2 and 3 pricing,

catalog or SmartTools.

▶Options, continued on next page

Parametric Straight Worksurfaces

#### ▶Options, continued from previous page

Tip: When selecting with cord drop, subract ½" from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will deault to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 218

See page 26 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with ½" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will deault to no grommet.

	Options	U.S. Price	Required to Specify						
Cord Drop	No cord drop	No cost	Specify without cord drop.						
Cord Drop	• 1/2" cord drop	No cost	Specify with ½" cord drop.						
Scallop	Scallop	No cost	Specify with scallop.						
-	Omit scallop	No cost	Specify with no scallop.						
Cutout for Powe	r Applies to 48"W to 120"W								
and Data Acces Door and Tray	s • Cutout	No cost	Specify with cutout for power and data access door.						
Power Access	Applies to 30"W to 3515/16	"W							
Door	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.						
	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.						
	Applies to 36"W to 51 <sup>15</sup> / <sub>16</sub>	"W							
	No power access	No cost	Specify with no power access.						
	Power access door center	+\$136	Specify with power access door center.						
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.						
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.						
	Applies to 52"W to 71 <sup>15</sup> / <sub>16</sub>	"W							
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.						
	Power access door center	+\$136	Specify with power access door center.						
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.						
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.						
	<ul> <li>Power access door left and right</li> </ul>	•	Specify with power access door left and						
	3 ·	•	right.						
	Applies to 72"W to 120"W								
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.						
	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.						
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.						
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.						
	<ul> <li>Power access door left and right</li> </ul>	+\$272	Specify with power access door left.						
	<ul> <li>Power access door left and</li> </ul>	+\$272	Specify with power access door left and						
	center		center.						
	<ul> <li>Power access door right</li> </ul>	+\$272	Specify with power access door right and						
	and center		center.						
	<ul> <li>Power access door left, right,</li> </ul>	+\$408	Specify with power access door left, right						
	and center		and center.						
Grommet	No grommet cutout	No cost	Specify with no grommet cutout.						
Cutout	2" grommet cutout	No cost	Specify with 2" grommet cutout.						
	3" grommet cutout	No cost	Specify with 3" grommet cutout.						
Grommet	Applies to 18"W to 24 <sup>15</sup> / <sub>16</sub>	"W							
Location	Center	No cost	Specify with center grommet.						
	Applies to 25"W to 33 <sup>15</sup> / <sub>16</sub>	"W							
	Center	No cost	Specify with center grommet.						
	• Left	No cost	Specify with left grommet.						
	Right	No cost	Specify with right grommet.						
	Right and left	No cost	Specify with right and left grommet.						
	Applies to 34"W to 120"W								
	Center	No cost	Specify with center grommet.						
	• Left	No cost	Specify with left grommet.						
	Right	No cost	Specify with right grommet.						
	<ul> <li>Right and left</li> </ul>	No cost	Specify with right and left grommet.						
	<ul><li>Right and left</li><li>Left and center</li></ul>	No cost No cost	Specify with right and left grommet.  Specify with left and center grommet.						
			1 , 0						




#### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Parametric Straight Worksurfaces High-Pressure Laminate or Wood Veneer, continued

#### ▶Options, continued from previous page

# Related Products Reinforcing channel Legs and supports for Universal Systems Worksurfaces Worksurface screens Worksurface power and communication components 2½" round grommet 3" grommet package Page 224 Page 228 Page 280 Page 341 Page 341



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

Specific	ation Info	ormation							
Style	Dimension	ons		U.S. Pric	es				
Number		N	lodular Width	18"W	24"W	: 30"W	: 36"W	: 42"W	: 48"W
:	Modular Depth	Parametric Para Depth	metric Width	18"W- 23 <sup>15</sup> /16"W	24"W- 29 <sup>15</sup> / <sub>16</sub> "W	30"W- 35 <sup>15</sup> /16"W	36"W- 41 <sup>15</sup> / <sub>16</sub> "W	: 42"W- : 47 <sup>15</sup> / <sub>16</sub> "W	48"W- 53 <sup>15</sup> / <sub>16</sub> "W
3 mm Ed	ge Profile	e—Laminate							
USWS	18 <sup>7</sup> / <sub>8</sub> "D	18"D – 23 <sup>7</sup> /16"D		\$ 234	\$ 254	\$ 275	\$ 295	\$ 319	\$ 385
	24"D	23½"D – 29½16"D		\$ 265	\$ 282	\$ 305	\$ 319	\$ 346	\$ 410
	30"D	29½"D – 35½16"D		\$ 380	\$ 399	\$ 414	\$ 444	\$ 464	\$ 528
:	36"D	35½"D – 36"D		\$ 455	\$ 473	\$ 494	\$ 514	\$ 538	\$ 603
Knife Ed	ge Profile	e—Laminate							
USWSK	18 <sup>7</sup> / <sub>8</sub> "D	18"D – 23 <sup>7</sup> / <sub>16</sub> "D		\$ 355	\$ 374	\$ 395	\$ 416	\$ 469	\$ 533
	24"D	23½"D – 29½16"D		\$ 385	\$ 402	\$ 427	\$ 441	\$ 494	\$ 560
	30"D	29½"D – 35½16"D		\$ 501	\$ 519	\$ 534	\$ 566	\$ 613	\$ 678
:	36"D	35½"D – 36"D		\$ 576	\$ 596	\$ 613 :	\$ 633	\$ 686 :	\$ 750 :
Square E	Edge Profi	ile—Wood							
USWSSW	18 <sup>7</sup> / <sub>8</sub> "D	18"D – 23 <sup>7</sup> /16"D		\$ 930	\$ 980	\$ 998	\$1021	\$1164	\$1230
	24"D	23½"D – 29½16"D		\$ 959	\$1010	\$1028	\$1045	\$1189	\$1255
	30"D	29½"D - 35½16"D		\$1073	\$1124	\$1137	\$1167	\$1311	\$1376
	36"D	35½"D – 36"D		\$1297	\$1348	\$1365	\$1401	\$1571	\$1650

<sup>▶</sup> Specification Information, continued on next page



Parametric Straight Worksurfaces

#### ▶ Specification Information, continued from previous page

: 54"W	: 60"W	: 66"W	: 72"W	: 78"W	: 84"W	: 90"W	: 96"W	: 102"W	: 108"W	: 114"W	: 120"W
54"W- 59 <sup>15</sup> / <sub>16</sub> "W	60"W- 65 <sup>15</sup> /16"W	66"W- 71 <sup>15</sup> / <sub>16</sub> "W	72"W- 77 <sup>15</sup> / <sub>16</sub> "W	78"W- 83 <sup>15</sup> / <sub>16</sub> "W	84"W- 89 <sup>15</sup> / <sub>16</sub> "W	90"W- 95 <sup>15</sup> / <sub>16</sub> "W			: 108"W- : 113 <sup>15</sup> ⁄16"W	114"W- 119 <sup>15</sup> /16"W	120"W
\$ 412	\$ 444	\$ 516	\$ 576	\$ 736	\$ 776	\$ 822	\$ 860	\$ 901	\$ 943	\$ 982	\$1021
\$ 440	\$ 464	\$ 521	\$ 582	\$ 780	\$ 868	\$ 895	\$ 959	\$1000	\$1045	\$1088	\$1129
\$ 568	\$ 603	\$ 655	\$ 717	\$ 925	\$ 966	\$1007	\$1046	\$1085	\$1126	\$1165	\$1208
\$ 632	\$ 655	\$ 710	\$ 770	\$ 966	\$1160	\$1208	\$1255	\$1303	\$1352	\$1398	\$1448
:	:	:	:	:	:	:	:	:	:	:	:
\$ 561	\$ 623	\$ 698	\$ 755	\$ 932	\$ 970	\$1016	\$1055	\$1109	\$1151	\$1189	\$1230
\$ 586	\$ 647	\$ 705	\$ 764	\$ 973	\$1058	\$1092	\$1154	\$1210	\$1252	\$1295	\$1340
\$ 715	\$ 786	\$ 837	\$ 899	\$1121	\$1161	\$1199	\$1240	\$1293	\$1334	\$1376	\$1414
 \$ 782	\$ 837	\$ 888	\$ 953	\$1161	\$1353	\$1401	\$1451	\$1512	\$1561	\$1607	\$1655
:	:	•	:	:	•	:	:	•	:	:	:
\$1257	\$1439	\$1513	\$1571	\$1695	\$1908	\$1949	\$1995	\$2066	\$2105	\$2145	\$2217
\$1284	\$1463	\$1519	\$1578	\$1711	\$1940	\$2024	\$2057	\$2148	\$2193	\$2236	\$2309
\$1412	\$1600	\$1652	\$1713	\$1857	\$2096	\$2137	\$2176	\$2248	\$2289	\$2328	\$2400
 \$1695	\$1919	\$1984	\$2060	\$2229	\$2515	\$2566	\$2613	\$2697	\$2746	\$2797	\$2881




## **Parametric Straight Worksurfaces with Soft Edge Profile**

High-Pressure Laminate or Wood Veneer

► Need help?

Product details, page 26



#### Standard Includes

#### · Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- Laminate worksurface:
- Plastic antimicrobial soft edge profile centered on worksurface
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Wood worksurface:
- Plastic antimicrobial soft edge centered on worksurface
- Wood square edge profile on front edge
- Matching veneer flat profile on side and back edges
- Depth: 18"D 36"D
- Width: 18"W 120"W

- Required to Specify
- 1 Style number 2 Worksurface size type (see below under Required Selections)
- 3 Depth (see below under Required Selections)
- 4 Width (see below under Required Sections)
- 5 User edge profile (see below)
- 6 High-Pressure Laminate or wood color number for worksurface
- 7 Plastic color number for front edge on laminate worksurface, if selected
- 8 Options, if selected (see below)
- See Surface Materials, page 358.

Tip: Long worksurface spans require additional support. See understanding section for details, page 23

	Require	ed Selections	U.S. Price	Required to Specify		
Worksurface Size Type	<ul><li>Modular</li><li>Parametric</li></ul>	;	No cost No cost	Specify with modular. Specify with parametric.		
Depth	Modular • 18 <sup>7</sup> / <sub>8</sub> "D • 24"D • 30"D • 36"D	Parametric 18"D-23 <sup>7</sup> /16"D 23 <sup>1</sup> /2"D-29 <sup>7</sup> /16"D 29 <sup>1</sup> /2"D-35 <sup>7</sup> /16"D 35 <sup>1</sup> /2"D-36"D	Prices at right Prices at right Prices at right Prices at right	Specify depth. Specify depth. Specify depth. Specify depth.		
Width	Modular  48"W  54"W  60"W  66"W  72"W  78"W  84"W  90"W  96"W  102"W  114"W  120"W	Parametric  48"W-5315/16"W  54"W-5915/16"W  60"W-6515/16"W  66"W-7115/16"W  72"W-7715/16"W  78"W-8315/16"W  84"W-8915/16"W  90"W-9515/16"W  102"W-10715/16"W  102"W-10715/16"W  108"W-11315/16"W  114"W-11915/16"W  120"W	Prices at right	Specify width.		

#### For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Short grain laminate is only available on surfaces 60"W or less

Tip: Soft edge is available with or without 1/2" cord drop.

#### **High-Pressure Laminate worksurfaces**

- Laminate price group 2
- Laminate price group 3
- · Open Line laminate
- See information at left Specify laminate color number. See information at left +\$102

plus cost of laminate

See information at left

**U.S. Price** 

Specify laminate color number.

**Required to Specify** 

See Surface Materials Reference Manual.

#### **Wood veneer worksurfaces**

 Wood group 2 Wood group 3

**Options** 

- Customiz stain
- · Full-fill finish on wood group 1
- Prices at right

No cost

No cost

See information at left Specify wood color number. Specify wood color number.

Specify with no direction.

Specify with Customiz stain. See Surface Materials Reference Manual.

Specify with long grain direction.

Specify with short grain direction.

Specify full-fill finish number.

#### **Wood grain direction**

 No direction Long grain

Door Paint price group 1

- Short grain
- No cost No cost
  - No cost

No cost

No cost

Specify paint color number. Specify with 8043 Clear Anodized +\$ 12 Aluminum.

#### Soft Edge

Surface

**Materials** 

· Antimicrobial edge

Anodized aluminum

· No antimicrobial edge

Specify with antimicrobial edge. Specify without antimicrobial edge.

▶Options, continued on next page

Parametric Straight Worksurfaces with Soft Edge Profile

#### Options, continued from previous nage

Tip: When selecting with cord drop, subract 1/2" from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will deault to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 218
- ► See page 26 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with ½" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will deault to no grommet.

	Options	U.S. Price	Required to Specify			
Cord Drop	No cord drop	No cost	Specify without cord drop.			
	• 1/2" cord drop	No cost	Specify with 1/2" cord drop.			
Scallop	Scallop	No cost	Specify with scallop.			
	Omit scallop	No cost	Specify with no scallop.			
Cutout for Powe						
and Data Access Door and Tray	• Cutout	No cost	Specify with cutout for power and data access door.			
Power Access	Applies to 48"W to 51 <sup>15</sup> / <sub>16</sub>	"W				
Door	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.			
	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.			
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.			
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.			
	Applies to 52"W to 7115/16	"W				
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.			
	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.			
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.			
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.			
	Power access door left and right	+\$272	Specify with power access door left and right.			
	Applies to 72"W to 120"W					
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.			
	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.			
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.			
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door right.			
	Power access door left and right	+\$272	Specify with power access door left and right.			
	<ul> <li>Power access door left and center</li> </ul>	+\$272	Specify with power access door left and center.			
	<ul> <li>Power access door right and center</li> </ul>	+\$272	Specify with power access door right and center.			
	<ul> <li>Power access door left, right, and center</li> </ul>	+\$408	Specify with power access door left, righ and center.			
Grommet	No grommet cutout	No cost	Specify with no grommet cutout.			
Cutout	<ul> <li>2" grommet cutout</li> </ul>	No cost	Specify with 2" grommet cutout.			
	3" grommet cutout	No cost	Specify with 3" grommet cutout.			
Grommet	Applies to 48"W to 120"W					
Location	Center	No cost	Specify with center grommet.			
	• Left	No cost	Specify with left grommet.			
	Right	No cost	Specify with right grommet.			
	<ul> <li>Right and left</li> </ul>	No cost	Specify with right and left grommet.			
	<ul> <li>Left and center</li> </ul>	No cost	Specify with left and center grommet.			
	<ul><li>Right and center</li><li>Right, left, and center</li></ul>	No cost No cost	Specify with right and center grommet. Specify with right, left, and center gromme			
Related	Reinforcing channel     Lagrand supports for Universe	L Cuatama Madente	Page 224			
Products	Legs and supports for Universa	i Systems Worksurfaces	Page 228			
	Worksurface screens	ata ata a sa	Page 280			
	Worksurface power and community	inication components	Page 341			
	• 2½" round grommet		Page 346			
	<ul> <li>3" grommet package</li> </ul>		▶ Page 347			

#### ▶Specification Information, on next page



Parametric Straight Worksurfaces with Soft Edge Profile High-Pressure Laminate or Wood Veneer, continued

## В

Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

#### ▶Options, on previous page

Specifica	tion Info	mation									
Style	• Dimensions • U.S. Prices										
Number	:		Modular Width	: 48"W	54"W	60"W	: 66"W	: 72"W :			
· · ·	Modular Depth	Parametric Depth	Parametric Width	: 48"W- : 53 <sup>15</sup> /16"W	54"W- 59 <sup>15</sup> / <sub>16</sub> "W	60"W- 65 <sup>15</sup> /16"W	66"W- 71 <sup>15</sup> / <sub>16</sub> "W	: 72"W- : 77 <sup>15</sup> /16"W			
3 mm Edg	e Profile	– Laminate									
USWSS	18 <sup>7</sup> / <sub>8</sub> "D	18"D - 23 <sup>7</sup> / <sub>16</sub> "D		\$ 871	\$ 895	\$ 928	\$ 998	\$1058			
	24"D	23½"D – 29½16"D	)	\$ 892	\$ 923	\$ 950	\$1008	\$1067			
	30"D	29½"D – 35½16"E	)	\$1014	\$1051	\$1088	\$1137	\$1202			
	36"D	35½"D – 36"D		\$1159	\$1187	\$1218	\$1273	\$1334			
Square Ed	ge Profil	e – Wood									
USWSSWS	18 <sup>7</sup> / <sub>8</sub> "D	18"D - 23 <sup>7</sup> /16"D		\$1713	\$1739	\$1924	\$1999	\$2057			
	24"D	23½"D – 29½16"D	)	\$1737	\$1768	\$1946	\$2005	\$2064			
	30"D	29½"D – 35½16"E	)	\$1858	\$1897	\$2085	\$2137	\$2200			
	36"D	35½"D – 36"D		\$2133	\$2177	\$2403	\$2466	\$2542			
	:	:		:	•	:	:	:			

<sup>▶</sup> Specification Information, continued on next page



Parametric Straight Worksurfaces with Soft Edge Profile

#### ▶ Specification Information, continued from previous page

: 78"W	: 84"W	90"W	96"W	102"W	: 108"W	: 114"W	: 120"W
: 78"W-	: 84"W-	: 90"W-	: 96"W-	: 102"W-	: 108"W-	: 114"W-	120"W
: 83 15/16" VV	: 8919/16"W	9519/16"VV	; 101 '9/16"VV	: 10719/16"W	V : 113 <sup>15</sup> /16"W	: 11919/16"VV	:
\$1220	\$1260	\$1307	\$1345	\$1388	\$1426	\$1466	\$1504
\$1264	\$1348	\$1381	\$1442	\$1486	\$1529	\$1571	\$1616
\$1410	\$1451	\$1490	\$1530	\$1570	\$1611	\$1651	\$1693
\$1451	\$1644	\$1693	\$1737	\$1788	\$1837	\$1886	\$1931
\$2177	\$2391	\$2435	\$2478	\$2550	\$2588	\$2630	\$2699
\$2197	\$2425	\$2510	\$2540	\$2633	\$2676	\$2722	\$2797
\$2341	\$2580	\$2619	\$2663	\$2733	\$2773	\$2811	\$2884
\$2715	\$3000	\$3049	\$3096	\$3182	\$3229	\$3279	\$3363
•	:	:	:	:	:	:	:



## 120° Straight Worksurfaces

Need help? Product details,

page 22

High-Pressure Laminate



Tip: Supports for freestanding panel-mounted applications must be specified separately.

#### For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support. See understanding section for details, page 23

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 218
- See page 26 for worksurface size availability matrix.

Tip: When facing the user edge, the side the diagonal is on is the handed side.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Cable scallop on back edge

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify							
Surface	High-Pressure Laminate worksurfaces									
Materials	Laminate price group 2	See information at left	Specify laminate color number.							
	<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.							
	<ul> <li>Open Line laminate</li> </ul>	+\$102	See Surface Materials Reference Manual.							
		plus cost of laminate								
	Doors									
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.							
	<ul> <li>Anodized aluminum</li> </ul>	+\$ 12 per door	Specify with 8043 Clear Anodized							
			Aluminum.							
Scallop	Omit scallop	No cost	Specify omit scallop.							
Power	Applies to 48"W									
Access	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.							
Door	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.							
	<ul> <li>Power access door left</li> </ul>	+\$136	Specify with power access door left.							
	<ul> <li>Power access door right</li> </ul>	+\$136	Specify with power access door left.							
	Applies to 60"W									
	<ul> <li>No power access</li> </ul>	No cost	Specify with no power access.							
	<ul> <li>Power access door center</li> </ul>	+\$136	Specify with power access door center.							
	Power access door left	+\$136	Specify with power access door left.							
	Power access door right	+\$136	Specify with power access door right.							
	<ul> <li>Power access door left and right</li> </ul>	+\$272	Specify with power access door left and right.							
	Applies to 70"W									
	<ul><li>Applies to 72"W</li><li>No power access</li></ul>	No cost	Specify with no power access.							
	Power access door center	+\$136	Specify with no power access.  Specify with power access door center.							
	Power access door center     Power access door left	+\$136	Specify with power door left.							
	Power access door right	+\$136	Specify with power door right.							
	Power access door left	+\$272	Specify with power access door left and							
	right	· •	right.							
	Power access door left	+\$272	Specify with power access door left and							
	and center		center.							
	<ul> <li>Power access door right and</li> </ul>	+\$272	Specify with power access door right and							
	center		center.							
	<ul> <li>Power access door left,</li> </ul>	+\$408	Specify with power access door left,							
	right, and center		right, and center.							
Related	Reinforcing channel		▶ Page 224							
Products	<ul> <li>Legs and supports for Universa</li> </ul>	Systems Worksurfaces	▶ Page 228							
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280							
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341							




#### **Specification Information**

U.S. Base Price High-Pressure Laminate




Dimensions
A B C D

Style Number ·Plastic 3 mm Edge



#### Left-Hand With 1/2" Cord Drop

231/2"	271/8" 48	8"	<b>61</b> ½16"	USE2448LH	\$403
231/2"	271/8" 60	0"	73%16"	USE2460LH	\$458
231/2"	271/8" 72	2"	85%16"	USE2472LH	\$574
291/2"	341/16" 48	8"	65 <sup>1</sup> /16"	USE3048LH	\$520
291/2"	341/16" 60	0"	77 <sup>1</sup> /16"	USE3060LH	\$596
291/2"	341/16" 72	2"	891/16"	USE3072LH	\$709
:					



#### Right-Hand With 1/2" Cord Drop 231/2" 271/8" 48" 611/16" USE2448RH \$403 231/2" 271/8" 60" 739/16" USE2460RH \$458 231/2" 271/8" 72" 859/16" USE2472RH \$574 291/2" 341/16" 48" 651/16" USE3048RH \$520 291/2" 341/16" 60" 771/16" USE3060RH \$596

\$709



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

291/2" 341/16" 72" 891/16"

USE3072RH

See page 1 for details.


## **Transition Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports for freestanding applications must be specified separately.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 23

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Cable scallop on back edge

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ▶ See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminar  Laminate price group 2  Laminate price group 3  Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number.  See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	Universal Systems worksur     Legs and supports for Unive     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 223</li><li>▶ Page 228</li><li>▶ Page 280</li><li>▶ Page 341</li></ul>



#### **Specification Information**


**U.S. Base Price High-Pressure Laminate** 



 Dimensions ·Style D В Number ·Plastic 3 mm Edge


Style · Dimensions D В C Number **U.S. Base Price High-Pressure Laminate** 

·Plastic 3 mm Edge




Lett.	·Hanc	I W	i <b>th</b> ½"	Cora Dro	p
231/2"	183/8"	36"	14"	UT2136L	

231/2"	183⁄8"	36"	14"	UT2136L	\$528
231/2"	183⁄8"	42"	20"	UT2142L	\$562
231/2"	183⁄8"	48"	26"	UT2148L	\$653
231/2"	183⁄8"	54"	32"	UT2154L	\$700
231/2"	183⁄8"	60"	38"	UT2160L	\$743
291/2"	231/2"	36"	14"	UT3236L	\$626
291/2"	231/2"	42"	20"	UT3242L	\$656
291/2"	231/2"	48"	26"	UT3248L	\$766
291/2"	231/2"	54"	32"	UT3254L	\$823
291/2"	231/2"	60"	38"	UT3260L	\$874
:				:	•




#### **Left-Hand With Full Denth**

LUIT	· III		tii i u	ii bobtii		
30"	24"	36"	18"	WT3236	\$626	
30"	24"	42"	24"	WT3242	\$656	
30"	24"	48"	30"	WT3248	\$766	
30"	24"	54"	36"	WT3254	\$823	
30"	24"	60"	42"	WT3260	\$874	





ıııyı	t-IIai	iu v	VILII 7	Z OUIU DI	ρþ	
183/8"	231/2"	36"	14"	UT1236R	\$528	
183/8"	231/2"	42"	20"	UT1242R	\$562	
183/8"	231/2"	48"	26"	UT1248R	\$653	
183/8"	231/2"	54"	32"	UT1254R	\$700	
183/8"	231/2"	60"	38"	UT1260R	\$743	
231/2"	291/2"	36"	14"	UT2336R	\$626	
231/2"	291/2"	42"	20"	UT2342R	\$656	
231/2"	291/2"	48"	26"	UT2348R	\$766	
231/2"	291/2"	54"	32"	UT2354R	\$823	
231/2"	291/2"	60"	38"	UT2360R	\$874	



### **Right-Hand With Full Depth**

24"	30"	36"	18"	WT2336	\$626	
24"	30"	42"	24"	WT2342	\$656	
24"	30"	48"	30"	WT2348	\$766	
24"	30"	54"	36"	WT2354	\$823	
24"	30"	60"	42"	WT2360	\$874	

## **Tapered Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate

Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 23

Tip: Power and data access door and tray is ordered separately to be used with cutout.

▶ See page 218

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Exception: Power and data access door and tray only fits on tapered worksurfaces that are 24" to 30" and 30" to 24" deep.

#### Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Cable scallop on back edge

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamina	te worksurfaces	
Materials	<ul> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number.  See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power and Data Access Door and Tray		No cost	Specify with cutout for power and data access door.
Related Products	Universal Systems worksur     Legs and supports for Unive     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 223</li><li>▶ Page 228</li><li>▶ Page 280</li><li>▶ Page 341</li></ul>

#### **Specification Information**

**U.S. Base Price High-Pressure** Laminate



·Dimensions		·Style	·Plastic	·Di	mensi	ons	
A	В	C	Number	3 mm	A	В	C
				Edge			
:				. •			
			•	•	_ :		



U.S. Base Price


**High-Pressure** 

3 mm Edge

A B	С	Number	3 mm Edge	<b>A</b>	В	С	Number	3 E
Left-Ha	and Wi	th ½" Cord	l Drop	Left	t-Han	d Wi	th Full Dep	th
231/2" 18	3/8" 48"	UTT2148	\$653	24"	187/8'	48"	WTT2148	\$
231/2" 18	3/8" 60"	UTT2160	\$743	24"	187/8'	' 60"	WTT2160	\$



			-		
24"	187/8"	48"	WTT2148	\$653	
24"	187/8"	60"	WTT2160	\$743	
24"	187/8"	72"	WTT2172	\$832	
30"	24"	48"	WTT3248	\$766	
30"	24"	60"	WTT3260	\$874	
30"	24"	72"	WTT3272	\$979	





For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Righ	Right-Hand With 1/2" Cord Drop						
183/8"	231/2"	48"	UTT1248	\$653			
183/8"	231/2"	60"	UTT1260	\$743			
183/8"	231/2"	72"	UTT1272	\$832			
231/2"	291/2"	48"	UTT2348	\$766			
231/2"	291/2"	60"	UTT2360	\$874			
231/2"	291/2"	72"	UTT2372	\$979			

Right-Hand With Full Depth					
187/8"	24"	48"	WTT1248	\$653	
187/8"	24"	60"	WTT1260	\$743	
187/8"	24"	72"	WTT1272	\$832	
24"	30"	48"	WTT2348	\$766	
24"	30"	60"	WTT2360	\$874	
24"	30"	72"	WTT2372	\$979	

## **Taper-Flat Worksurfaces**

► Need help?

page 22

٠D

Product details,

High-Pressure Laminate

Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support. See understanding section for details, page 23

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Cable scallop on back edge

#### **Required to Specify**

- 1 Style number 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

#### For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminat	te worksurfaces	
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related	Universal Systems worksurf	face supports	▶ Page 223
Products	<ul> <li>Legs and supports for University</li> </ul>	ersal Systems Worksurfaces	▶ Page 228
	<ul> <li>Worksurface screens</li> </ul>	•	▶ Page 280
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341

Tip: To specify 3 mm edge profile, no suffix is required.

#### **Specification Information**

U.S. Base Price **High-Pressure** Laminate



imensions		ons	·Style	·Plastic
1	В	C	Number	3 mm
				Edge






\$743

\$979

<ul> <li>Dimensions</li> </ul>			ons	· Style	<ul> <li>Plastic</li> </ul>	
	A	В	C	Number	3 mm	
				:	Edge	
				:		
					-	



#### 183/8" 60" **UTTF2160** \$743

Left-Hand With 1/2" Cord Drop

231/2"	183/8"	72"	UTTF2172	\$832
291/2"	183/8"	60"	UTTF3160	\$874
291/2"	183/8"	72"	UTTF3172	\$979
291/2"	231/2"	60"	UTTF3260	\$874
201/2"	221/2"	72"	IITTE2272	\$070


Left	-Hand	l With	Full	Depth
24"	187/8"	60"	WT	TF2160

**Right-Hand With Full Depth** 

30"

24"

				* -	
24"	187⁄8"	72"	WTTF2172	\$832	
30"	187⁄8"	60"	WTTF3160	\$874	
30"	187⁄8"	72"	WTTF3172	\$979	
30"	24"	60"	WTTF3260	\$874	
30"	24"	72"	WTTF3272	\$979	



## Right-Hand With 1/2" Cord Drop

183/8" 231/2" 60"	UTTF1260	\$743
183/8" 231/2" 72"	UTTF1272	\$832
183/8" 291/2" 60"	UTTF1360	\$874
183/8" 291/2" 72"	UTTF1372	\$979
231/2" 291/2" 60"	UTTF2360	\$874
231/2" 291/2" 72"	UTTF2372	\$979

9					
187/8	" 24"	60"	WTTF1260	\$743	
187/8	" 24"	72"	WTTF1272	\$832	
187/8	" 30"	60"	WTTF1360	\$874	
187/8'	" 30"	72"	WTTF1372	\$979	
24"	30"	60"	WTTF2360	\$874	

WTTF2372



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

## **Single-Tapered Worksurfaces**

► Need help?

page 22

Product details,

High-Pressure Laminate

Tip: Supports for freestand-
ing applications must be
specified separately.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 23

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Cable scallop on back edge

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

#### For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina  Laminate price group 2  Laminate price group 3  Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	<ul> <li>Universal Systems worksurface supports</li> <li>Legs and supports for Universal Systems Worksurfaces</li> <li>Worksurface screens</li> <li>Wiring and cabling</li> </ul>		<ul><li>▶ Page 223</li><li>▶ Page 228</li><li>▶ Page 280</li><li>▶ Page 341</li></ul>

Tip: To specify 3 mm edge profile, no suffix is required.

#### **Specification Information**

U.S. Base Price **High-Pressure** Laminate



Din	nensi	ons	·Style
A	В	C	Numl

Laft Hand With Full Double





U.S. Base Price

**High-Pressure** 




· Din	nensi	ons	·Style	· Plastic	·Dimensions	·Style	·Plastic
A	В	С	Number	3 mm Edge	<b>А В С</b>	Number	3 mm Edge
<u>:</u>			:	:	<u> </u>	: : :	:





Let	Lett-Hand with Full Depth						
24"	18 <sup>7</sup> /8"	60"	WST2160	\$743			
24"	187/8"	72"	WST2172	\$832			
30"	24"	60"	WST3260	\$874			
30"	24"	72"	WST3272	\$979			



Righ	Right-Hand With 1/2" Cord Drop					
183/8"	231/2"	60"	UST1260	\$743		
183/8"	231/2"	72"	UST1272	\$832		
231/2"	291/2"	60"	UST2360	\$874		
231/2"	291/2"	72"	UST2372	\$979		

Right-Hand With Full Depth						
187/8"	24"	60"	WST1260	\$743		
187/8"	24"	72"	WST1272	\$832		
24"	30"	60"	WST2360	\$874		
24"	30"	72"	WST2372	\$979		
:			:	:		


Corner, Flat-Front

## **Corner, Flat-Front Worksurfaces**

► Need help?

Product details, page 22

High-Pressure Laminate



Tip: Supports must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
  - Plastic 3 mm edge profile on front edge
  - Plastic default flat profile on side and back edges
- Cable scallops on back edges

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify	
Surface Materials	High-Pressure Laminat  Laminate price group 2  Laminate price group 3  Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual	
Scallops	Omit scallops	No cost	Specify omit scallops.	
Related Products	Universal Systems worksur     Legs and supports for University     Worksurface screens     Wiring and cabling	<ul><li>▶ Page 223</li><li>▶ Page 228</li><li>▶ Page 280</li><li>▶ Page 341</li></ul>		

<b>Specification Infor</b>	mation				
· Dimensions A B C D	• Style Number	U.S. Base Price High-Pressure Laminate  Plastic 3 mm Edge	• Dimensions A B C D	• Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
With 1/2" Cord Drop			With Full Depth	·	·
231/2" 231/2" 351/2" 351/2"	UCF223636	\$560	24" 24" 36" 36"	WCF223636	\$560
231/2" 231/2" 411/2" 411/2"	UCF224242	\$610	24" 24" 42" 42"	WCF224242	\$610
231/2" 231/2" 471/2" 471/2"	UCF224848	\$691	24" 24" 48" 48"	WCF224848	\$691
291/2" 291/2" 411/2" 411/2"	UCF334242	\$671	30" 30" 42" 42"	WCF334242	\$671
291/2" 291/2" 471/2" 471/2"	UCF334848	\$760	30" 30" 48" 48"	WCF334848	\$760



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

## **Dual Corner, Flat-Front Worksurfaces**

► Need help? Product details,

page 22

High-Pressure Laminate



Tip: Supports must be specified separately.

Tip: Keyboard surface adjusts 6" higher or 5" lower than worksurface height.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Dual corner, flat-front worksurfaces must be panel hung.

Tip: 23½"D dual corner, flat-front worksurfaces must be supported with a center support on each side.

Tip: 29½"D dual corner, flat-front worksurfaces can be supported with a cantilever or center support.

Tip: To specify 3 mm edge profile, no suffix is required.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge of keyboard surface
- Plastic default flat profile on all other edges
- Cable scallops on back edges
- Keyboard mechanism

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for edges on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify			
Surface	High-Pressure Laminate worksurfaces					
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.			
	<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.			
	<ul> <li>Open Line laminate</li> </ul>	+\$102	See Surface Materials Reference Manual.			
		plus cost of laminate				
Scallops	Omit scallops	No cost	Specify omit scallops.			
Related	Universal Systems worksur	face supports	▶ Page 223			
Products	<ul> <li>Legs and supports for University</li> </ul>	ersal Systems Worksurfaces	▶ Page 228			
	Worksurface screens	•	▶ Page 280			
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341			

Specification Info	rmation				
• Dimensions A B C D	•Style Number	U.S. Base Price High-Pressure Laminate  Plastic 3 mm Edge	Dimensions A B C D	• Style • Number • :	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
With 1/2" Cord Drop			With Full Depth		
231/2" 231/2" 411/2" 411/2"	UDC224242	\$1493	24" 24" 42" 42"	WDC224242	\$1493
231/2" 231/2" 471/2" 471/2"	UDC224848	\$1575	24" 24" 48" 48"	WDC224848	\$1575
291/2" 291/2" 471/2" 471/2"	UDC334848	\$1637	30" 30" 48" 48"	WDC334848	\$1637



## **Corner, Straight-Front Worksurfaces**

► Need help?

Product details, page 22

**Specification Information** 

High-Pressure Laminate

Corner, Straight-Front Worksurfaces

## C D A B

Tip: Supports must be specified separately.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
   Plastic 3 mm edge profile on front edge
  - Plastic default flat profile on side and back edges
- Cable scallops on back edges

#### 1 Style number

- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)

Required to Specify

► See Surface Materials, page 358.

#### For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat  Laminate price group 2  Laminate price group 3  Open Line laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual	
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	Universal Systems worksurface supports     Legs and supports for Universal Systems Worksurfaces     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 223</li><li>▶ Page 228</li><li>▶ Page 280</li><li>▶ Page 341</li></ul>

#### **U.S. Base Prices High-Pressure Laminate** · Dimensions ·Style ·Plastic D 3 mm В Number Edge With 1/2" Cord Drop 18" UC114242 \$ 583 UC124242 183/8" 231/2" 411/2" 411/2" \$ 644 231/2" 183/8" 411/2" 411/2" UC214242 \$ 644 231/2" 231/2" 351/2" 351/2" UC223636 \$ 560 231/2" 231/2" 411/2" 411/2" UC224242 \$ 610 231/2" 231/2" 471/2" 471/2" UC224848 \$ 691 UC226060 231/2" 231/2" 591/2" 591/2" \$1282 291/2" 411/2" 411/2" UC334242 \$ 671 291/2" 291/2" 471/2" 471/2" UC334848 \$ 760




## **Corner, Curved-Front Worksurfaces**

Need help? Product details,

page 22

High-Pressure Laminate or Wood Veneer



Tip: Supports must be specified separately.

#### Standard Includes

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
  - · Laminate worksurface:
  - -Plastic 3 mm edge profile on front edge
  - -Plastic default flat profile on side and back edges
  - · Wood worksurface:
    - -Wood 3 mm edge profile on front edge
  - -Matching veneer flat profile on side and back edges
  - Cable scallops on back edges

#### **Required to Specify**

- Style number with appropriate edge profile suffix
- **SW** Wood with square edge ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify		
Surface Materials	High-Pressure Laminate  Laminate price group 2  Laminate price group 3  Open Line laminate	worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual		
	Wood veneer worksurfac  Wood group 2  Wood group 3  Customiz stain  Full-fill finish on wood group 1	es See information at left See information at left No cost Prices below	Specify wood color number. Specify wood color number. Specify with Customiz stain.  See Surface Materials Reference Manual. Specify full-fill finish number.		
Scallops	Omit scallops	No cost	Specify omit scallops.		
Related Products	Universal Systems worksurface     Legs and supports for Universal     Worksurface screens     Wiring and cabling	Page 223  Page 228  Page 280  Page 341			

## For wood and laminate group 2 and 3 pricing, please refer to the electronic

catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UCC114242 becomes UCC114242SW for wood with square edge profile.)



Corner, Curved-Front Worksurfaces

Specification Inf	ormation	U.S. Base Pr High-Pressu			U.S. Base Price High-Pressure		
		Laminate	Wood		Laminate		
Dimensions A B C D	•Style Number	• Plastic 3 mm Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	Dimensions A B C	Style D Number	· Plastic 3 mm Edge
		No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1			
With ½" Cord Dro	op				With Full Dep	th	
183/8" 183/8" 351/2" 351/2	UCC113636	\$ 650	N.A.	N.A.	187/8" 187/8" 36"	36" WCC113636	\$650
183/8" 183/8" 411/2" 411/2	UCC114242	\$ 691	\$1645	+\$80	187/8" 187/8" 42"	42" WCC114242	\$691
183/8" 183/8" 471/2" 471/2	UCC114848	\$ 772	N.A.	N.A.	187/8" 187/8" 48"	48" WCC114848	\$772
183/8" 231/2" 411/2" 411/2	UCC124242	\$ 743	\$1697	+\$80	18 <sup>7</sup> /8" 24" 42"	42" WCC124242	\$743
231/2" 183/8" 411/2" 411/2	UCC214242	\$ 743	\$1697	+\$80	24" 187/8"42"	42" WCC214242	\$743
231/2" 231/2" 351/2" 351/2	UCC223636	\$ 657	\$1611	+\$80	24" 24" 36"	36" WCC223636	\$657
231/2" 231/2" 411/2" 411/2	UCC224242	\$ 717	\$1671	+\$80	24" 24" 42"	42" WCC224242	\$717
231/2" 231/2" 471/2" 471/2	UCC224848	\$ 797	\$1751	+\$85	24" 24" 48"	48" WCC224848	\$797
231/2" 231/2" 591/2" 591/2	UCC226060	\$1282	N.A.	N.A.	30" 30" 42"	42" WCC334242	\$776
29½" 29½" 41½" 41½	UCC334242	\$ 776	\$1730	+\$81	30" 30" 48"	48" WCC334848	\$868
29½" 29½" 47½" 47½" 47½	UCC334848	\$ 868	\$1822	+\$87			

## **Extended Corner, Straight-Front Worksurfaces**

► Need help? Product details,

page 22

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports must be specified separately.

Tip: Long worksurface spans require additional support. See understanding section for details, page 23

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Cable scallops on back edges

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify			
Surface	High-Pressure Laminate worksurfaces					
Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number.  See Surface Materials Reference Manual.			
Scallops	Omit scallops	No cost	Specify omit scallops.			
Related	Universal Systems worksur	face supports	▶ Page 223			
<b>Products</b>	Reinforcing channel	▶ Page 224				
	<ul> <li>Legs and supports for University</li> </ul>	▶ Page 228				
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280			
	<ul> <li>Wiring and cabling</li> </ul>	▶ Page 341				



#### **Specification Information**


U.S. Base Prices High-Pressure Laminate



Dimensions Style Plastic
A B C D Number 3 mm
Edge



Left-	Hand	With	1/2" <b>C</b>	ord Drop		
231/2"	231/2"	591/2"	411/2"	UE2202L	\$1058	
231/2"	231/2"	651/2"	411/2"	UE2262L	\$1158	
231/2"	231/2"	711/2"	411/2"	UE2222L	\$1254	
231/2"	231/2"	591/2"	471/2"	UE2208L	\$1088	
231/2"	231/2"	651/2"	471/2"	UE2268L	\$1180	
231/2"	231/2"	711/2"	471/2"	UE2228L	\$1274	
231/2"	291/2"	591/2"	471/2"	UE2308L	\$1187	
231/2"	291/2"	651/2"	471/2"	UE2368L	\$1282	
231/2"	291/2"	711/2"	471/2"	UE2328L	\$1384	
291/2"	231/2"	591/2"	471/2"	UE3208L	\$1187	
291/2"	231/2"	651/2"	471/2"	UE3268L	\$1282	
291/2"	231/2"	711/2"	471/2"	UE3228L	\$1384	
291/2"	291/2"	591/2"	471/2"	UE3308L	\$1242	
291/2"	291/2"	65 <sup>1</sup> /2"	471/2"	UE3368L	\$1343	
291/2"	291/2"	711/2"	471/2"	UE3328L	\$1437	



Right	t-Han	d Wit	h ½"				
231/2"	231/2"	411/2"	591/2"	UE2220R	\$1058		
231/2 "	231/2"	411/2"	651/2"	UE2226R	\$1158		
231/2"	231/2"	411/2"	711/2"	UE2222R	\$1254		
231/2"	231/2"	471/2"	591/2"	UE2280R	\$1088		
231/2"	231/2"	471/2"	651/2"	UE2286R	\$1180		
231/2"	231/2"	471/2"	711/2"	UE2282R	\$1274		
231/2"	291/2"	471/2"	591/2"	UE2380R	\$1187		
231/2"	291/2"	471/2"	651/2"	UE2386R	\$1282		
231/2"	291/2"	471/2"	711/2"	UE2382R	\$1384		
291/2"	231/2"	471/2"	591/2"	UE3280R	\$1187		
291/2"	231/2"	471/2"	651/2"	UE3286R	\$1282		
291/2"	231/2"	471/2"	711/2"	UE3282R	\$1384		
291/2"	291/2"	471/2"	591/2"	UE3380R	\$1242		
291/2"	291/2"	471/2"	651/2"	UE3386R	\$1343		
291/2"	291/2"	471/2"	711/2"	UE3382R	\$1437		


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

## **Extended Corner, Curved-Front Worksurfaces**


Product details,

page 22

High-Pressure Laminate or Wood Veneer



Left-Hand



Right-Hand

Tip: Supports must be specified separately.

#### For wood and laminate group 2 and 3 pricing, please refer to the electronic

catalog or SmartTools. Tip: Long worksurface spans

require additional support. See understanding section for details, page 23

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
  - Wood 3 mm edge profile on front edge
  - Matching veneer flat profile on side and back edges
- Cable scallops on back edges

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	worksurfaces			
Materials	Laminate price group 2	See information at left	Specify laminate color number.		
	<ul><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	See information at left +\$102	Specify laminate color number.  See Surface Materials Reference Manual.		
	Open Ene laminate	plus cost of laminate	Cee Gunace Materials reference Managi.		
	Wood veneer worksurfac				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.		
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.		
			► See Surface Materials Reference Manual		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices at right	Specify full-fill finish number.		
Scallops	Omit scallops	No cost	Specify omit scallops.		
Related	Universal Systems worksurface	e supports	▶ Page 223		
<b>Products</b>	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 228		
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341		



Extended Corner, Curved-Front Worksurfaces


Specification I			U.S. Base Prices			U.S.	Base	Price			
			High-Pressure	•			Pres:		•		
			Laminate	Wood		Lami	nate				
Dimensions		Style	·Plastic		Option	·Dim	ensio			· Style	Plastic
A B C	D	Number	3 mm Edge	Square Edge	: (Add \$ to · Base Price)	A	В	С	D	Number	3 mm Edge
		· ·		:	Full-Fill					•	:
			No Suffix	Suffix SW	Finish on Wood Group 1	:				•	:
eft-Hand With	1/2"	Cord Dron	•	-	, 1100a G.Gap 1	Witl	h Ful	I De	nth	•	
3½" 23½" 59½" -		UEC2202L	\$1058	\$2241	+\$ 93	24"	24"	60"	42"	WEC226042	\$1058
31/2" 231/2" 651/2"		UEC2262L	\$1158	\$2341	+\$113	24"	24"	72"	42"	WEC227242	\$1254
	411/2"	UEC2222L	\$1254	\$2437	+\$114	24"	24"	60"	48"	WEC226048	\$1088
31/2" 231/2" 591/2"		UEC2208L	\$1088	\$2271	+\$113	24"	24"	72"	48"	WEC227248	\$1274
31/2" 231/2" 651/2"		UEC2268L	\$1180	\$2363	+\$114	24"	30"	60"	42"	WEC236042	\$1109
	47½"	UEC2228L	\$1274	\$2457	+\$120	24"	30"	72"	42"	WEC237242	\$1315
	471/2"	UEC2308L	\$1187	\$2370	+\$120	24"	30"	60"	48"	WEC236048	\$1187
31/2" 291/2" 651/2"		UEC2368L	\$1282	\$2465	+\$120	24"	30"	72"	48"	WEC237248	\$1384
	47 <sup>1</sup> /2"	UEC2328L	\$1384	\$2567	+\$122	30"	24"	60"	42"	WEC326042	\$1109
	47 <sup>1</sup> /2"	UEC3208L	\$1187	\$2370	+\$114	30"	24"	72"	42"	WEC327242	\$1315
91/2" 231/2" 651/2"		UEC3268L	\$1282	\$2465	+\$120	30"	24"	60"	48"	WEC326048	\$1187
91/2" 231/2" 711/2"	47 <sup>1</sup> /2"	UEC3228L	\$1384	\$2567	+\$122	30"	24"	72"	48"	WEC327248	\$1384
91/2" 291/2" 591/2"	47 <sup>1</sup> /2"	UEC3308L	\$1242	\$2425	+\$120	30"	30"	60"	42"	WEC336042	\$1174
91/2" 291/2" 651/2"	471/2"	UEC3368L	\$1343	\$2526	+\$122	30"	30"	72"	42"	WEC337242	\$1366
9½" 29½" 71½"	47 <sup>1</sup> /2"	UEC3328L	\$1437	\$2620	+\$125	30"	30"	60"	48"	WEC336048	\$1242
				·		30"	30"	72"	48"	WEC337248	\$1437
		:	:	:	:	:				:	:
ight-Hand Wit	th ½	" Cord Drop	)			Witl	h Ful	I De	pth		
31/2" 231/2" 411/2"	59 <sup>1</sup> /2"	UEC2220R	\$1058	\$2241	+\$ 93	24"	24"	42"	60"	WEC224260	\$1058
31/2" 231/2" 411/2"	651/2"	UEC2226R	\$1158	\$2341	+\$113	24"	24"	42"	72"	WEC224272	\$1254
31/2" 231/2" 411/2"	71½"	UEC2222R	\$1254	\$2437	+\$114	24"	24"	48"	60"	WEC224860	\$1088
31/2" 231/2" 471/2"	591/2"	UEC2280R	\$1088	\$2271	+\$113	24"	24"	48"	72"	WEC224872	\$1274
31/2" 231/2" 471/2"	651/2"	UEC2286R	\$1180	\$2363	+\$114	24"	30"	42"	60"	WEC234260	\$1109
31/2" 231/2" 471/2"	71½"	UEC2282R	\$1274	\$2457	+\$120	24"	30"	42"	72"	WEC234272	\$1315
31/2" 291/2" 471/2"	591/2"	UEC2380R	\$1187	\$2370	+\$114	24"	30"	48"	60"	WEC234860	\$1187
31/2" 291/2" 471/2"	651/2"	UEC2386R	\$1282	\$2465	+\$120	24"	30"	48"	72"	WEC234872	\$1384
31/2" 291/2" 471/2"	711/2"	UEC2382R	\$1384	\$2567	+\$122	30"	24"	42"	60"	WEC324260	\$1109
91/2" 231/2" 471/2"	591/2"	UEC3280R	\$1187	\$2370	+\$114	30"	24"	42"	72"	WEC324272	\$1315
91/2" 231/2" 471/2"	651/2"	UEC3286R	\$1282	\$2465	+\$120	30"	24"	48"	60"	WEC324860	\$1187
91/2" 231/2" 471/2"	71½"	UEC3282R	\$1384	\$2567	+\$122	30"	24"	48"	72"	WEC324872	\$1384
91/2" 291/2" 471/2"	591/2"	UEC3380R	\$1242	\$2425	+\$120	30"	30"	42"	60"	WEC334260	\$1174
			\$1343	\$2526	+\$122	30"	30"	42"	72"	WEC334272	\$1366
91/2" 291/2" 471/2"	651/2"	UEC3386R	φ13 <del>4</del> 3	Ψ2320	1Ψ122						ψ.σσσ
9½" 29½" 47½" 9½" 29½" 47½"			\$1343	\$2620	+\$125	30"	30"	48"	60"	WEC334860	-

## Corner, 120° Worksurfaces

Product details,

page 22

High-Pressure Laminate or Wood Veneer



Tip: Supports must be specified separately.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:

**Specification Information** 

- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges
- Cable scallops on back edges

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

#### For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul> <li>High-Pressure Laminate</li> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number.  See Surface Materials Reference Manual.
	<ul> <li>Wood veneer worksurfac</li> <li>Wood group 2</li> <li>Wood group 3</li> <li>Customiz stain</li> <li>Full-fill finish on wood group 1</li> </ul>	es See information at left See information at left No cost Prices below	Specify wood color number. Specify wood color number. Specify with Customiz stain.  See Surface Materials Reference Manual. Specify full-fill finish number.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related	Universal Systems worksurface     Legs and supports for Universal     Worksurface screens     Wiring and cabling		<ul><li>▶ Page 223</li><li>▶ Page 228</li><li>▶ Page 280</li><li>▶ Page 341</li></ul>

**U.S. Base Prices High-Pressure Laminate** 

Tip: To specify 3 mm edge
profile, no suffix is required.
For all other edge profiles,
add a suffix to the style
number. (For example,
UB223636 becomes
UB223636SW for wood
with square edge profile.)
, ,

• Dime	ensior B	ns C	D	•Style Number	Plastic 3 mm Edge No Suffix	· Wood Square Edge Suffix SW	• Option (Add \$ to Base Price) Full-Fill Finish on Wood Group 1
Free	stan	ding	With	1/2" Cord Dr	op		
231/2"	231/2"	351/2"	351/2"	UB223636	\$1129	\$2209	+\$114
231/2"	231/2"	411/2"	411/2"	UB224242	\$1175	\$2255	+\$120
231/2"	231/2"	471/2"	471/2"	UB224848	\$1218	\$2298	+\$122
291/2"	291/2"	351/2"	351/2"	UB333636	\$1175	\$2255	+\$120
291/2"	291/2"	411/2"	411/2"	UB334242	\$1218	\$2298	+\$122
291/2"	291/2"	471/2"	471/2"	UB334848	\$1260	\$2340	+\$125

Wood



See page 1 for details.

## **Spanner Worksurfaces**

High-Pressure Laminate or Wood Veneer

► Need help?

page 22

Product details,



Tip: Supports for freestanding applications must be specified separately.

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge
- See edge profiles below.2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

		Options	U.S. Price	Required to Specify
	Surface	High-Pressure Laminate	worksurfaces	
For wood and laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.	Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number.  See Surface Materials Reference Manual.
		Wood veneer worksurfac	es	
		<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.
		Wood group 3	See information at left	Specify wood color number.
		<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.
				► See Surface Materials Reference Manual.
Tip: To specify 3 mm edge pro- file, no suffix is required. For		<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.
all other edge profiles, add a	Related	Universal Systems worksurface	supports	▶ Page 223
suffix to the style number. (For	Products	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 228
example, USPC47 becomes		Columns		▶ Page 230
USPC47SW for wood with		<ul> <li>Worksurface screens</li> </ul>		▶ Page 280
square edge profile.)		<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341

		U.S. Base Prices High-Pressure Lam		U.S. Base Price High-Pressure Laminate			
Dimensions A B	• Style Number	Plastic 3 mm Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	• Dimensions	• Style Number	Plastic 3 mm Edge
		No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	:		
or Freesta	anding Ap	plications witho	ut Panels With	1/2" Cord Drop	Full Depth		
291/2" 47"	USPC47	\$629	\$1624	+\$88	24" 48"	WSPC4824	\$629

+\$98

30"

60"

WSPC6030

\$802

\$1797

*
<b>For Canadian Pricing</b> Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

351/2" 59"

USPC59

\$802

### **Bullet Peninsula Worksurfaces**

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.

➤ See understanding section for details, page 23

## For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Bullet peninsula worksurfaces are recommended for use with other curvedfront shapes such as corner, curved-front worksurfaces. Page 202

Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with ½" cord drop or with full depth worksurfaces.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UPBC3060 becomes UPBC3060SW for wood with square edge profile.)

#### **Standard Includes**

Need help? Product details, page 22

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- · Wood worksurface:
  - Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges

**U.S. Base Prices** 

**High-Pressure Laminate** 

· Cable scallop on back edge

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	worksurfaces			
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.		
	<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number		
	<ul> <li>Open Line laminate</li> </ul>	+\$102	See Surface Materials Reference Manual.		
		plus cost of laminate			
	Wood veneer worksurfac				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	Wood group 3	See information at left	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.		
Scallop	Omit scallop	No cost	Specify omit scallop.		
Related	Universal Systems worksurface	e supports	▶ Page 223		
Products	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 228		
	Columns	▶ Page 230			
	<ul> <li>Worksurface screens</li> </ul>	▶ Page 280			
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341		
	Wiring and cabling		Page 341		

#### **Specification Information**

• Din	nensions B	·Style Number	· Plastic 3 mm Edge No Suffix	· Wood Square Edge Suffix SW	• Option (Add \$ to Base Price)  Full-Fill Finish on Wood Group 1
24"	471/2"	UPBC2448	\$736	N.A.	N.A.
24"	591/2"	UPBC2460	\$748	N.A.	N.A.
24"	651/2"	UPBC2466	\$771	N.A.	N.A.
24"	711/2"	UPBC2472	\$787	N.A.	N.A.
30"	471/2"	UPBC3048	\$855	N.A.	N.A.
30"	591/2"	UPBC3060	\$872	\$1867	+\$85
30"	651/2"	UPBC3066	\$889	\$1884	+\$87
30"	711/2"	UPBC3072	\$908	\$1903	+\$93

Wood




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

## **Angled Peninsula Worksurfaces**

High-Pressure Laminate



ing applications must be

specified separately.

#### ► Need help? Product details, page 22

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1
- Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges

#### **Required to Specify**

1 Style number

▶ Page 341

- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

			Options	U.S. Price	Required to Specify
	Tip: To specify 3 mm edge	Surface	High-Pressure Lamina	te worksurfaces	
	profile, no suffix is required.	Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
			<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.
<b>gro</b> plea	For laminate price group 2 and 3 pricing,		Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual
	please refer to the electronic catalog or SmartTools.	Related	Universal Systems worksur	face supports	▶ Page 223
	catalog of cinaritiesis.	<b>Products</b>	<ul> <li>Legs and supports for University</li> </ul>	ersal Systems Worksurfaces	▶ Page 228
			<ul> <li>Columns</li> </ul>		▶ Page 230

outu.	eg e, emarrieone	Products	<ul> <li>Legs and supports for</li> <li>Columns</li> <li>Wiring and cabling</li> </ul>	Jniversal Systems Worl	ksurfaces
Spo	ecification l	nformation			
			U.S. Base Price High-Pressure Laminate		
·Dim	nensions	:Style	· Plastic	<ul><li>Dimensions</li></ul>	·Style
; <b>A</b> :	ВС	Number	3 mm Edge	A B C	Num

• Dim	ensio B	ns C	Style Number	Plastic 3 mm Edge	Dimensions A B C	• Style Number
Wit	h ½"	Cord D	)rop	,	With Full Depth	· 
231/2"	231/2'	48"	UPA2448	\$935	24" 24" 48"	WPA2448
231/2"	231/2'	60"	UPA2460	\$979	24" 24" 60"	WPA2460
291/2"	291/2'	48"	UPA3048	\$935	30" 30" 48"	WPA3048
291/2"	291/2	60"	UPA3060	\$979	30" 30" 60"	WPA3060

U.S. Base Price
High.Pressure I aminate

	Eage	
	:	
WPA2448	\$935	
WPA2460	\$979	

\$935 \$979

·Plastic ·3 mm




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## **Jetty Worksurfaces**

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 23

## For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Jetty worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

▶Page 202

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)

#### **Standard Includes**

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
  - -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallop on back edge

#### **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge See edge profiles below.
- High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.


	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurfaces	
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>Open Line laminate</li> </ul>	+\$102	▶ See Surface Materials Reference Manual.
		plus cost of laminate	
	Wood veneer worksurfac		
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.
			► See Surface Materials Reference Manual.
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices at right	Specify full-fill finish number.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related	Universal Systems worksurface	▶ Page 223	
Products	<ul> <li>Legs and supports for Universa</li> </ul>	al Systems Worksurfaces	▶ Page 228
	Columns		▶ Page 230
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341



Specification In			U.S. Base Prices High-Pressure Laminate Wood			U.S. Base Price High-Pressure Laminate					
<ul> <li>Dimensions</li> </ul>		·Style	Plastic		Option	· Di	men	sion	IS	· Style	· Plastic
A B C	D	Number	∃3 mm	Square	: (Add \$ to	A	В	C	D	Number	3 mm
		:	Edge	Edge	Base Price)					:	Edge
:		:	:	:	:	:				:	:
:		:			: Full-Fill	:				:	:
:		:	No Suffix	Suffix SW		:				:	:
					· Wood Group 1						



Left-Hand With 1/2" Cord Drop					<b>Left-Hand With Full Depth</b>	
30"	231/2" 651/2" 48"	UJC3268L	\$1239	\$2234	+\$113	30" 24 66" 48" <b>WJ326648L</b> \$1239
30"	231/2" 711/2" 48"	UJC3228L	\$1282	\$2525	+\$119	30" 24" 72" 48" <b>WJ327248L</b> \$1282
30"	231/2" 771/2" 48"	UJC3288L	\$1325	\$2613	+\$125	30" 24" 78" 48" <b>WJ327848L</b> \$1325
30"	291/2" 651/2" 48"	UJC3368L	\$1281	\$2276	+\$113	30" 30" 66" 48" <b>WJ336648L</b> \$1281
30"	291/2" 711/2" 48"	UJC3328L	\$1325	\$2568	+\$119	30" 30" 72" 48" <b>WJ337248L</b> \$1325
30"	291/2" 771/2" 48"	UJC3388L	\$1370	\$2658	+\$125	30" 30" 78" 48" <b>WJ337848L</b> \$1370



Right-Hand With 1/2" Cord Drop						<b>Right-Hand With Full Depth</b>		
48"	651/2"	UJC2386R	\$1239	\$2234	+\$113	24" 30" 48" 66" <b>WJ234866R</b> \$1239		
48"	711/2"	UJC2382R	\$1282	\$2525	+\$119	24" 30" 48" 72" <b>WJ234872R</b> \$1282		
48"	771/2"	UJC2388R	\$1325	\$2613	+\$125	24" 30" 48" 78" <b>WJ234878R</b> \$1325		
48"	651/2"	UJC3386R	\$1281	\$2276	+\$113	30" 30" 48" 66" <b>WJ334866R</b> \$1281		
48"	711/2"	UJC3382R	\$1325	\$2568	+\$119	30" 30" 48" 72" <b>WJ334872R</b> \$1325		
48"	771/2"	UJC3388R	\$1370	\$2658	+\$125	30" 30" 48" 78" <b>WJ334878R</b> \$1370		
	48" 48" 48" 48"	48" 65½" 48" 71½" 48" 77½" 48" 65½" 48" 71½"	48" 65½" UJC2386R 48" 71½" UJC2382R 48" 77½" UJC2388R 48" 65½" UJC3386R 48" 71½" UJC3382R	48" 65½" UJC2386R \$1239 48" 71½" UJC2382R \$1282 48" 77½" UJC2388R \$1325 48" 65½" UJC3386R \$1281 48" 71½" UJC3382R \$1325	48"       65½"       UJC2386R       \$1239       \$2234         48"       7½"       UJC2382R       \$1282       \$2525         48"       7½"       UJC2388R       \$1325       \$2613         48"       65½"       UJC3386R       \$1281       \$2276         48"       7½"       UJC3382R       \$1325       \$2568	48"       65½"       UJC2386R       \$1239       \$2234       +\$113         48"       71½"       UJC2382R       \$1282       \$2525       +\$119         48"       77½"       UJC2388R       \$1325       \$2613       +\$125         48"       65½"       UJC3386R       \$1281       \$2276       +\$113         48"       71½"       UJC3382R       \$1325       \$2568       +\$119		

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

## **Bubble Jetty Worksurfaces**

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding applications must be specified separately.

#### Standard Includes

#### Required to Specify

► Need help? Product details, page 22

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- Wood worksurface:

Options

- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- 1 Style number with appropriate edge profile suffix
- SW Wood with square edge See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge
- 4 Options, if selected (see below)

**Required to Specify** 

See Surface Materials, page 358.

#### For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

High-Pressure Laminate worksurfaces							
<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.					
<ul> <li>Laminate price group 3</li> </ul>	See information at left	Specify laminate color number.					
Open Line laminate	+\$102	► See Surface Materials Reference					
	plus cost of laminate						

U.S. Price

aminate color number. ace Materials Reference Manual.

#### **Wood veneer worksurfaces**

 Wood group 2 See information at left Wood group 3 See information at left Customiz stain No cost

• Full-fill finish on wood group 1 Prices below

Specify wood color number. Specify wood color number. Specify with Customiz stain.

See Surface Materials Reference Manual. Specify full-fill finish number.

#### Related **Products**


Surface


**Materials** 

- · Universal Systems worksurface supports
- · Legs and supports for Universal Systems Worksurfaces
- Columns
- · Wiring and cabling

- ▶ Page 223
- ▶ Page 228
- ▶ Page 230
- ▶ Page 341

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJBC2430L becomes UJBC2430LSW for wood with square edge profile.)







#### **Specification Information**

		U.S. Base Prices High-Pressure Laminate	Wood	
				· Option
· Dimensions	·Style	·Plastic	·Wood	(Add \$ to
A B	Number	3 mm	Square	Base Price)
:	:	Edge	Edge	
:	:			· Full-Fill
		No Suffix	Suffix SW	Finish on Wood Group 1
				•

#### Left-Hand With 1/2" Cord Drop

231/2" 30"	UJBC2430L	\$1164	\$2159	+\$59
231/2" 36"	UJBC2436L	\$1235	\$2230	+\$62
231/2" 42"	UJBC2442L	\$1309	\$2304	+\$78
231/2" 48"	UJBC2448L	\$1380	\$2375	+\$78

#### Right-Hand With 1/2" Cord Drop

231/2" 30"	UJBC2430R	\$1164	\$2159	+\$59	
231/2" 36"	UJBC2436R	\$1235	\$2230	+\$62	
231/2" 42"	UJBC2442R	\$1309	\$2304	+\$78	
231/2" 48"	UJBC2448R	\$1380	\$2375	+\$78	

Universal System: Worksurfaces

#### **Visitor Worksurfaces**

High-Pressure Laminate or Wood Veneer

► Need help?

page 22

Product details,

Tip: Supports for freestanding applications must be specified separately.

Tip: Visitor worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

▶Page 202

Tip: Scallops are available only on visitor worksurfaces 36"W and wider.

#### For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

#### Standard Includes

- · Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge
- Plastic default flat profile on side and back edges
- Wood worksurface:
  - Wood 3 mm edge profile on front edge
- Matching veneer flat profile on side and back edges
- Cable scallop on back edge of visitor worksurfaces 36"W and wider

#### Required to Specify

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	worksurfaces			
Materials	<ul> <li>Laminate price group 2</li> </ul>	See information at left	Specify laminate color number.		
	Laminate price group 3	See information at left	Specify laminate color number.		
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.		
	Wood veneer worksurfaces				
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.		
	Wood group 3	See information at left	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below and at right	Specify full-fill finish number.		
Scallop	Omit scallop	No cost	Specify omit scallop.		
Related	Universal Systems worksurface	Universal Systems worksurface supports			
Products	<ul> <li>Legs and supports for Universal</li> </ul>	► Page 223 ► Page 228			

#### **Specification Information**

**Style** 

Number


**U.S. Base Prices High-Pressure Laminate Wood** 



**No Suffix** 

**U.S. Base Price** 

**High-Pressure Laminate** 





Dimensions



#### Visitor Worksurfaces With 1/2" Cord Drop

Left-Hand Worksurfaces					
231/2"	24"	UVC2424L	\$605	\$1600	+\$55
231/2"	30"	UVC2430L	\$650	N.A.	N.A.
231/2"	36"	UVC2436L	\$695	N.A.	N.A.
231/2"	42"	UVC2442L	\$739	N.A.	N.A.
231/2"	48"	UVC2448L	\$777	N.A.	N.A.
291/2"	30"	UVC3030L	\$668	\$1687	+\$55

#### With Full Denth

Left-Hand Worksurfaces				
24"	30"	WVC2430L	\$650	
30"	30"	WVC3030L	\$668	
:		:		

▶ Specification Information, continued on next page

#### ▶ Specification Information, continued from previous page

#### **Specification Information** U.S. Base Prices **U.S. Base Price High-Pressure Laminate Wood High-Pressure Laminate** · Dimensions · Style ·Plastic ·Option ·Wood · Dimensions Style ·Plastic В (Add \$ to В Number Number 3 mm Square A 3 mm Base Price) Edge Edge Edge Full-Fill No Suffix Suffix SW Finish on Wood Group 1



Visit	Visitor Worksurfaces With 1∕2" Cord Drop, continued						Full Depth		
Left-Hand Worksurfaces									
291/2"	36"	UVC3036L	\$717	N.A.	N.A.				
291/2"	42"	UVC3042L	\$760	N.A.	N.A.				
291/2"	48"	UVC3048L	\$806	N.A.	N.A.				
:		:	:	:	:	<u> </u>	:	:	



Right	-Hand	Worksurfaces				
231/2"	24"	UVC2424R	\$605	\$160	) +\$55	
231/2"	30"	UVC2430R	\$650	N.A.	N.A.	
231/2"	36"	UVC2436R	\$695	N.A.	N.A.	
231/2"	42"	UVC2442R	\$739	N.A.	N.A.	
231/2"	48"	UVC2448R	\$777	N.A.	N.A.	
291/2"	30"	UVC3030R	\$668	\$168	7 +\$55	
291/2"	36"	UVC3036R	\$717	N.A.	N.A.	
291/2"	42"	UVC3042R	\$760	N.A.	N.A.	
291/2"	48"	UVC3048R	\$806	N.A.	N.A.	
		•	•			



Righ	Right-Hand Worksurfaces				
24"	24"	WVC2424R	\$605		
24"	30"	WVC2430R	\$650		
30"	30"	WVC3030R	\$668		

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

# **Power and Data Access Door & Tray**

► Need help?

page 26

Product details,



Tip: Remember to specify cutout for power and data tray on the worksurface style number.

#### **Standard Includes**

- Door: paint
- Door bezel: 6694 Slate
- Inner tray with six simplex receptacles: 7237 Slate
- Outer tray with end caps: 7237 Slate and 6694 Slate
- Grommet (modular and hardwire only): plastic
- Two cord clips or harness clips

#### **Required to Specify**

- 1 Style number
- 2 Paint color for door
- 3 Plastic color for grommet
- 4 Options, if selected (see below)
- See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	Door		
Materials	<ul><li>Paint</li></ul>	No cost	Specify paint color.
	Anodized aluminum	+\$34	Specify with 8043 clear anodized aluminum.
Power	3+1		
Schematics,	• Line 1		
Line Options,	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 1, system ground.
and Ground	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 1, isolated ground
Options	• Line 2		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 2, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 2, isolated ground
	• Line 3		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 3, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 3, isolated ground
	• Line 4		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3+1, line 4, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3+1, line 4, isolated ground
	2+2		
	• Line 1		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 2+2, line 1, system ground.
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 2+2, line 1, isolated ground
	• Line 2		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 2+2, line 2, system ground.
	- Isolated ground	No cost	Specify with 2+2, line 2, isolated ground
	• Line 3	Marian	0
	– System ground	No cost	Specify with 2+2, line 3, system ground.
	<ul><li>Isolated ground</li><li>Line 4</li></ul>	No cost	Specify with 2+2, line 3, isolated ground
		No cost	Charify with 2.2 line 4 avetem ground
	<ul><li>System ground</li><li>Isolated ground</li></ul>	No cost No cost	Specify with 2+2, line 4, system ground. Specify with 2+2, line 4, isolated ground
	- Isolated ground	NO COSI	Specify with 2+2, line 4, isolated ground
	3SN • Line 1		
	System ground	No cost	Specify with 3SN, line 1, system ground
	<ul> <li>– System ground</li> <li>– Isolated ground</li> </ul>	No cost	Specify with 3SN, line 1, system ground Specify with 3SN, line 1, isolated
	- isolated ground	NO COSI	ground.
	• Line 2		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3SN, line 2, system ground
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3SN, line 2, isolated ground.
	• Line 3		
	<ul> <li>System ground</li> </ul>	No cost	Specify with 3SN, line 3, system ground
	<ul> <li>Isolated ground</li> </ul>	No cost	Specify with 3SN, line 3, isolated ground.



Power and Data Access Door & Tray

Specific	ation Info	rmation		
Style Number	·U.S. Base Price	Style Number	·U.S. Base Price	
Modular	Power			
UTTRM	\$1574	UTTRMN	\$1589	
Hardwire	e Power	·	•	
UTTRHW	\$1574	UTTRHWN	\$1589	
Cord and	d Plug	<u> </u>	•	
UTTRC	\$1574	UTTRCN	\$1589	







## **Connectors**



	Standard Includes	Required to Specify
Need help? Product details, page 27	Connector: black plastic only	Style number

Specification Information				
Description	·Style Number	·U.S. Price		
4-Circuit, 3+1				
Harness-to-harness	вннсх	\$ 83		
Branching harness-to-harness	GQTUHCX	\$126 :		
4-Circuit, 2+2				
Harness-to-harness	вннсч	\$ 83		
Branching harness-to-harness	GQTUHCY	\$126 ·		
3-Circuit, Separate N	eutrals	•		
Harness-to-harness	вннси	\$ 83		
Branching harness-to-harness	GQTUHCZ	\$126 ·		



# niversal System /orksurfaces

# Filler Package—Data



	Standard Includes	Required to Specify
Need help? Product details, page 27	Package of 20 fillers: black	Style number

Specificati	ion Information	
• Style Number	· U.S. Price	
FMVF	\$51	



## **Desking Supports**

#### Desk Tether Brackets and Shared Support Plate for use with Universal Worksurfaces



Standard Includes	Required to Specify
<ul> <li>Desk tether bracket: 4799 Platinum</li> <li>Shared support plate: 4799 Platinum</li> <li>11/4" wood screws</li> </ul>	Style number

Specificat	ion Information		
•Style Number	·U.S. Price		
CQDBPU	\$226		

#### **Shared Support Plate**



Tip: When using a shared support plate to share a leg between two desks, an adjustable leg must be used.

Tip: The shared support plate can attach desks flush to each other or 1" apart. The 1" space is required to mount centered screen in back-to-back applications.

Standard Includes	Required to Specify
<ul><li>Support plate: 4799 Platinum</li><li>Attachment hardware</li></ul>	Style number

Specificat	ion Information		
• Style Number	·U.S. Price		
CQPS	\$94 :		



# **Universal Systems Worksurface Supports**

**UCANT** 

\$162

For Use with Answer Freestanding

Universal Systems Worksurface Supports

#### **Cantilevers**



Tip: Cantilevered straight worksurfaces greater than 26"D and 30"D transition worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

	Standard Includes	Required to Specify
► Need help?	Cantilever: paint	1 Style number
Product details,	Tie plate	2 Paint color number for cantilever
page 23	<ul> <li>Attachment hardware</li> </ul>	► See Surface Materials, page 358.

Style	·U.S.	
Number	Price	

#### **Support Plate**



	Standard Includes	Required to Specify
► Need help? Product details, page 36	<ul><li>Support plate: black paint only</li><li>Attachment hardware</li></ul>	Style number

Specificati	on Informatio	n
Dimensions	Style Number	·U.S. Price
:	:	:
14"D	TS714WSP	\$109
20"D	TS720WSP	\$109

#### **Tie Plates**



	Standard Ir	icludes	Required to Specify	
Need help? Product details, page 39	<ul><li>Package of six ti</li><li>Attachment hard</li></ul>	e plates: black paint only ware	Style number	
Specification	on Information			
Dimensions	•Style Number	·U.S. Price		
3 <sup>3</sup> / <sub>4</sub> "L	TS7TIEPLATE	\$158		



Universal Systems Worksurface Supports, for Use with Answer Freestanding, continued

#### **Reinforcing Channels**



Support Guidelines in the Answer Solution Specification Guide for more information.

Standard Includes	Required to Specify

► Need help? · Reinforcing channel: black paint only Product details,

page 73

► Need help?

Product details, page 23

· Attachment hardware

Style number

Specification	Specification Information			
Dimensions	• Style Number	·U.S. Price		
39"W	TS7WKSPT39	\$76		
48"W	TS7WKSPT48	\$76		
51"W	TS7WKSPT51	\$76		
54"W	TS7WKSPT54	\$76		
57"W	TS7WKSPT	\$76		
60"W	TS7WKSPT60	\$76		
63"W	TS7WKSPT63	\$76		
66"W	TS7WKSPT66	\$76		
72"W	TS7WKSPT72	\$76		
•	•	•		

#### **Center Support Panels**



Tip: Center support panel can be used in freestanding applications by connecting the attachment hardware to a wall-mount channel.

#### **Standard Includes**

- · Center support panel: paint price group 1
- Tie plate
- Attachment hardware

#### **Required to Specify**

- 1 Style number 2 Paint color number for center support panel
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$19 +\$34	Specify paint color number. Specify paint color number. Specify paint color number.

#### **Specification Information**

·Dim	ensions	· Style	·U.S.
D	н	Number	Base
			Price
		•	

#### **On-Module Center Support Panel**

11 20 1/2 UCSP \$2	11"	281/2"	UCSP	\$210
--------------------	-----	--------	------	-------

#### **On-Module Center Support Panel Standing Height**



11"	407/8"	UCSPS	\$245

**Required to Specify** 

Universal Systems Worksurface Supports

#### **End Panels**



Tip: End panels can be used in freestanding applications by connecting the attachment hardware to a wall-mount channel.

# Standard Includes Required to Specify Need help? • End panel: paint price group 1 1 Style number Product details, page 22 • Attachment hardware 2 Paint color number for end panel 3 Options, if selected (see below) See Surface Materials, page 358.

**Options** 

Material	ls		<ul> <li>Paint price group 1</li> <li>Paint price group 2</li> <li>Paint price group 3</li> </ul> No cost +\$45 +\$74		Specify paint color number. Specify paint color number. Specify paint color number.		
Specif	ficatio	cation Informati	ion				
Dimens		ons Style Number					
On-Mo	dule E	ule End Panel					
24" 2	281/2"	1/2" <b>UEP24</b>	\$574				
			\$574				

U.S. Price

24	2072	UEF24	<b>4374</b>	
30"	281/2"	UEP30	\$653	
On-N	/lodule	End Panel S	tanding Height	
24"	407/8"	UEP24S	\$679	
30"	407/8"	UEP30S	\$762	
:		:	• •	



# FrameOne Legs and Supports for Universal Worksurfaces

	Standard Includes	Required to Specify
Need help? Product details, page 32	Legs and intermediate support: paint     Attachment hardware	1 Style number 2 Paint color number for legs and support 3 Options, if selected (see below) ▶ See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify				
Surface	ce For legs						
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color.				
	Paint price group 2	+\$28 per leg	Specify paint color.				
	Paint price group 3	+\$51 per leg	Specify paint color.				
	For intermediate support						
	Paint price group 1	No cost	Specify paint color.				
	Paint price group 2	+\$19 per leg	Specify paint color.				
	Paint price group 3	+\$33 per leg	Specify paint color.				
Intermediate	For laminate or wood storage tops						
Support bracing	No brace	No cost	Specify with no brace.				
	For steel storage tops						
	<ul> <li>One brace (30", 36", or 42"W)</li> </ul>	+\$77	Specify with one brace.				
	• Two braces (30", 36", or 42"W)	+\$77	Specify with two braces.				

Specif	Specification Information							
Dimens	ions	· Style	·U.S.	· Style	·U.S.			
D	н	Number	Base	Number	Base			
:			Price	:	Price			

#### **Closed Loop**

		Tethered A	pplication	Table Appli	cation	
24"	281/2"	UFC24	\$897	UFC24T	\$975	
30"	281/2"	UFC30	\$897	UFC30T	\$975	

# Open Loop 24" 28½" UFQ24 \$654 UFQ24T \$732 30" 28½" UFQ30 \$654 UFQ30T \$732

Post Leg						
N.A. 28½" <b>UFP</b> \$257						

#### **Intermediate Support**

For use with One-High Universal storage						
16"	111/8"	UFS1610H	\$397			

For use with 1.5-High Universal storage			
6"	51/8"	UFS1615H	\$364
:			:











# For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ▶ See page 1 for details.

# **Infills for FrameOne Legs for Universal Worksurfaces**

Infills for FrameOne Legs for Universal Worksurfaces

#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 35

- High-Pressure Laminate price group 1 infills
- Edge on laminate infill, if selected: plastic
- · Brackets and caps

- 1 Style number
- 2 Laminate color number for infill
- 3 Plastic color number for edge on laminate infill, if selected
- 4 Options, if selected (see below)
  ► See Surface Materials, page 358.

For laminate group 2					
and 3 pricing, please					
refer to the electronic cata-					
log or SmartTools.					

Tip: Wood group 2 and 3 upcharges are in addition to wood group 1 upcharge.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul> <li>High-Pressure Laminate</li> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number.  See Surface Materials Reference Manual.
	Wood veneer  • Wood group 1	Prices below	Specify with wood veneer and indicate
	0 1	.0450	wood color number.
	Wood group 2	+\$153	Specify with wood veneer and indicate wood color number.
	Wood group 3	+\$534	Specify with wood veneer and indicate wood color number.
	Customiz stain	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual.

Specific	ation Infor	mation	
·Planning Width	•Style Number	·U.S. Base Price	• Option • (Add \$ to • Base Price)
		High-Pressure Laminate	Wood Group 1
For Close	ed Loop Le	gs	
24"W	UFC24NF	\$879	+\$282
30"W	UFC30NF	\$979	+\$308
:	:	:	
For Open	Loop Legs	<b>;</b>	
24"W	UFQ24NF	\$879	+\$282
30"W	UFQ30NF	\$979	+\$308
	-		•



# **Legs and Columns for Universal Systems Worksurfaces**

Without Alignment Tab

#### **Post Legs and Double Post Legs**

Tip: Height dimensions listed are nominal and include the thickness of a worksurface.

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

	Standard Includes
►Need help?	Legs: paint
Product details,	Attachment hardware
page 36	<ul> <li>Non-locking caster, if selected: black plastic only</li> </ul>

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$29 per leg +\$51 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

**Required to Specify** 

3 Options, if selected (see below)

▶See Surface Materials, page 358.

2 Paint color number for leg

1 Style number

Specification Information							
·Planning	· Style	·U.S.	· Planning	·Style	·U.S.		
Height	Number	Base	Height	Number	Base		
:		Price		:	Price		

Post Leg with Glide			Packag	Package of Four Post Legs with Glides		
26"	UNPL	\$190	26"	UNPL4	\$760	
281/2"	UPL	\$190	281/2"	UPL4	\$760	
407/8"	UHPL	\$239				

Post Leg with Caster		Packag	Package of Four Post Legs with Casters		
26"	UNPLC	\$216	26"	UNPL4C	\$864
281/2"	UPLC	\$216	281/2"	UPL4C	\$864

Package of Four Post Legs with Two Glides and Two Casters			
26"	UNPL4M	\$812	
 281/2"	UPL4M	\$812	

<sup>▶</sup>Specification Information, continued on next page







Legs and Columns for Universal Systems Worksurfaces

#### ▶ Specification Information, continued from previous page

# Specification Information Planning Style U.S. Height Number Base Price

# Double Post Leg with Glides

281/2"	UDPL	\$533
407/8"	UHDPL	\$626



Tip: Double post legs can be used as a shared or column support in applications with other post legs.

### **Double Post C-Leg with Glides**

281/2"	UCL	\$606	





Legs and Columns for Universal Systems Worksurfaces without Alignment Tab, continued

#### **Adjustable-Height Legs**

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per worksurface.

► Page 91

Tip: Height dimensions listed include the thickness of a worksurface.







Need help?
Product details,
page 36

#### **Standard Includes**

- Worksurface legs: paint
- · Glides, if selected: paint to match legs
- Locking casters, if selected: paint to match legs
- Attachment hardware

#### 1 Style number

- 2 Paint color number for leg
- 3 Options, if selected (see below)

**Required to Specify** 

► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$29 per leg	Specify paint color number. Specify paint color number.

Specific	ation Info	rmation			
Planning	· Style	·U.S.	Planning	·Style	·U.S.
Height	Number	Base	Height	Number	Base
•		Price		•	Price

Adjustable-Height Leg with Glide		Leg	Package of Four Adjustable-Height Legs with Glides	
251/2"-311/2"	UADJ	\$312	25½"–31½" <b>UADJ4</b> \$1248	

Adjustable-Height Leg with Caster			•	Package of Four Adjustable-Height Legs with Casters		
251/2"-311/2"	UADJC	\$349	251/2"-311/2"	UADJ4C	\$1396	
:	:	:	:	:	_:	

#### Package of Four Adjustable-Height Legs with Two Glides and Two Casters

25½"-31½" **UADJ4M** \$1322

#### **Columns**



Tip: Columns have a different aesthetic than post legs (round vs. elliptical). Columns can be used as column supports in applications without post legs.

Tip: Height dimensions listed include the thickness of a worksurface.



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

#### **Standard Includes**

Column: paint

►Need help?

page 36

Product details,

· Attachment hardware

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for column
- 3 Options, if selected (see below)
- ►See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
Materials	<ul> <li>Paint price group 2</li> </ul>	+\$29 per leg	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$51 per leg	Specify paint color number.

Specification Information						
Planning Height		·U.S. Base Price				
281/2"	UCOL	\$420				
281/2"-315/8"	UADJCOL	\$517				

# Specifying Answer Freestanding Desks and Components


Desk Shells	232
Double-Pedestal Desks	234
Single-Pedestal Desks	236
Pedestal Returns	238
Returns	240
Bridges	241
Corner Desks	242
Over the Case Bin and Hutch Kit	244
End Supports and Corner Shelves	246
Peninsula Supports and Corner Support	247
Modesty Panels	248
lutch Kits	250
Cable Race Channel Packages and Flush-Mount Brackets	252
Norksurface Accessories	253

► Need help?

page 48

Product details,

## **Desk Shells**



#### **Standard Includes**

#### • 11/8"-thick worksurface: High-Pressure Laminate price group 1

- 3 mm radius profile edge on front edge: plastic
- Two end supports: paint price group 1
- Attachment hardware
   Half-height or full-height modesty panel, if selected: paint price group 1

#### **Required to Specify**

- 1 Style number 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for end supports and modesty panel, if selected
- 5 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate worksurface						
Materials	<ul> <li>Laminate price group 2</li> </ul>	+\$ 33	Specify laminate color number.				
	Laminate price group 3	+\$ 63	Specify laminate color number.				
	Open Line laminate	+\$102	See Surface Materials Reference Manua				
	•	plus the cost of laminate					
	End Supports						
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	<ul> <li>Paint price group 2</li> </ul>	+\$106	Specify paint color number.				
	<ul> <li>Paint price group 3</li> </ul>	+\$181	Specify paint color number.				
Scallops	Scallops on worksurface	No cost	Specify with scallops.				
Modesty	Half-height						
wodesty Panels	• For 60"W	+\$288	Specify with half-height modesty panel.				
	<ul> <li>For 66"W</li> </ul>	+\$303	Specify with half-height modesty panel.				
	• For 72"W	+\$313	Specify with half-height modesty panel.				
	Full-height						
	• For 60"W	+\$343	Specify with full-height modesty panel.				
	<ul> <li>For 66"W</li> </ul>	+\$362	Specify with full-height modesty panel.				
	• For 72"W	+\$382	Specify with full-height modesty panel.				
Specificat	ion Information						
Dimensions	·Style	·U.S.					


sions		Specification Information						
W	н	• Style Number	· U.S. Base Price					
60"	281/2"	TS7UNP2460	\$1841					
66"	281/2"	TS7UNP2466	\$1974					
72"	281/2"	TS7UNP2472	\$2035					
60"	281/2"	TS7UNP3060	\$2159					
66"	281/2"	TS7UNP3066	\$2286					
72"	281/2"	TS7UNP3072	\$2347					
6	6"	6" 28½" 28½"	0" 28½" <b>TS7UNP3060</b> 6" 28½" <b>TS7UNP3066</b>	0" 28½" <b>TS7UNP3060</b> \$2159 6" 28½" <b>TS7UNP3066</b> \$2286				



Desk Shells

and Components

#### **Double-Pedestal Desks**



#### **Standard Includes Required to Specify**

► Need help? Product details, page 48

- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- Two file/file pedestals: paint price group 1
- Contemporary pulls on pedestals: metal
- · Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- One pedestal counterweight
  Lock, keyed random: 9201 Polished Chrome
- 1 Style number

9212 Silver

- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for pedestals and modesty panel, if selected
- 5 Metal color number for pulls: 0835 Black 9201 Polished Chrome 9211 Nickel
- 6 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify			
Surface	High-Pressure Laminate	worksurface				
Materials	Laminate price group 2	+\$ 33	Specify laminate color number.			
	Laminate price group 3	+\$ 63	Specify laminate color number.			
	Open Line laminate	+\$102	See Surface Materials Reference Manua			
	opon zino ianimato	plus the cost of laminate	Coo canado matemato noronomos manad			
		prad trie doct or farmiliate				
	Paint on pedestals					
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.			
	<ul> <li>Paint price group 2</li> </ul>	+\$147	Specify paint color number.			
	<ul> <li>Paint price group 3</li> </ul>	+\$255	Specify paint color number.			
Scallops	Scallops on worksurface	No cost	Specify with scallops.			
Pedestals	Full-height pedestals					
	<ul> <li>One box/box/file pedestal</li> </ul>	+\$ 28	Specify with box/box/file and file/file.			
	and one file/file pedestal		, ,			
	Two box/box/file pedestals	+\$ 57	Specify with two box/box/files.			
Pulls	Handle pull	No cost	Specify with handle pull.			
. 4.1.0	Jazz pull	+\$162	Specify with jazz pull.			
	Bar pull	+\$222	Specify with bar pull.			
	- Bai puii	+\$222	Specify with bar pull.			
Drawer	Rails					
Accessories	<ul> <li>Two side-to-side hanging rails per file drawer</li> </ul>	No cost	Specify with rails.			
Basic Drawer	24"D, and 30"D box/box	/file pedestals				
Interiors	No rails, pencil trays, or	<b>-\$</b> 80	Specify with basic drawers.			
	box drawer dividers	*				
Lock and	Lock	No seet	Consider with 2050 Freeham Observed Inch			
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.			
	<ul> <li>No lock</li> </ul>	-\$101 per lock	Specify with no lock.			
	Individual locking drawers					
	File/file pedestals only	+\$191	Specify with individual lock.			
	Keying					
	Factory- and field-installed		▶ Page 374			
	keying		<b>3</b>			
Modesty	Half-height					
Panels	• For 60"W	+\$288	Specify with half-hoight modesty panel			
ralicis	• For 66"W		Specify with half-height modesty panel.			
	• For 66"W • For 72"W	+\$303 +\$313	Specify with half-height modesty panel. Specify with half-height modesty panel.			
	- 1 UI / Z VV	⊤φυιυ	ореспу жил пап-петупі тіойесту рапет.			
	Full-height					
	<ul> <li>For 60"W</li> </ul>	+\$343	Specify with full-height modesty panel.			
	<ul> <li>For 66"W</li> </ul>	+\$362	Specify with full-height modesty panel.			
	• For 72"W	+\$382	Specify with full-height modesty panel.			
Ontions, contin	ued on next page	-				
options, contin	ueu on next page					

Tip: Desks come standard with two file/file pedestals. Box/file/file pedestals are available as an option.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

#### ▶Options, continued from previous page

Options U.S. Price Required to Specify


Counterweight -\$211 Specify without counterweight.

See Counterweight
Requirements for Storage
Products, page 105.



· Dimo	ensions W	н	• Style Number	·U.S. Base Price		
24"	60"	281/2"	TS7UDP2460	\$2776		
24"	66"	281/2"	TS7UDP2466	\$2834		
24"	72"	281/2"	TS7UDP2472	\$2893		
30"	60"	281/2"	TS7UDP3060	\$3311		
30"	66"	281/2"	TS7UDP3066	\$3364		
30"	72"	281/2"	TS7UDP3072	\$3424		

## **Single-Pedestal Desks**



#### **Standard Includes Required to Specify**

► Need help? Product details, page 48

- 11/8"-thick worksurface: High-Pressure Laminate price
- 3 mm radius profile edge on front edge: plastic
- One file/file pedestal: paint price group 1 Contemporary pulls on pedestal: metal
- One end support: paint price group 1
- Attachment hardware
- · Half-height or full-height modesty panel, if selected: paint price group 1

  • One pedestal counterweight

**Options** 

· Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for pedestal and modesty panel, if selected
- 5 Metal color number for pulls: 0835 Black 9201 Polished Chrome
- 9211 Nickel 9212 Silver
- 6 Options, if selected (see below)

**Required to Specify** 

► See Surface Materials, page 358.

	Options	U.S. Price	nequired to specify	
Surface	High-Pressure Laminate	e worksurface		
Materials	Laminate price group 2	+\$ 33	Specify laminate color number.	
Materials	Laminate price group 3	+\$ 63	Specify laminate color number.	
	Open Line laminate	+\$102	See Surface Materials Reference Manual.	
	• Open Line laminate	* -	See Surface Materials Reference Maridal.	
		plus the cost of laminate		
	Paint on pedestal/end p	anel		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.	
	<ul> <li>Paint price group 2</li> </ul>	+\$129	Specify paint color number.	
	<ul> <li>Paint price group 3</li> </ul>	+\$221	Specify paint color number.	
Scallops	Scallops on worksurface	No cost	Specify with scallops.	
Pedestal	Full-height pedestal			
	<ul> <li>One box/box/file pedestal</li> </ul>	+\$ 28	Specify with box/box/file.	
Pulls	Handle pull	No cost	Specify with handle pull.	
	<ul> <li>Jazz pull</li> </ul>	+\$ 81	Specify with jazz pull.	
	Bar pull	+\$111	Specify with bar pull.	
Drawer	Rails			
Accessories	<ul> <li>Two side-to-side hanging</li> </ul>	No cost	Specify with rails.	
	rails per file drawer			
Basic Drawer	24"D and 30"D box/box/	file pedestal		
Interiors	<ul> <li>No rails, pencil trays, or</li> </ul>	_\$ 80	Specify with basic drawers.	
	box drawer dividers		. ,	
Lock and	Lock			
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.	
	<ul> <li>No lock</li> </ul>	-\$101	Specify with no lock.	
	Individual locking draw	ers		
	File/file pedestals only	+\$191	Specify with individual lock.	
	W			
	Keying		Dana 074	
	<ul> <li>Factory- and field-installed keying</li> </ul>		Page 374	
Modesty	Half-height			
Panels	• For 60"W	+\$288	Specify with half-height modesty panel.	
	• For 66"W	+\$303	Specify with half-height modesty panel.	
	• For 72"W	+\$313	Specify with half-height modesty panel.	
	Full-height			
	• For 60"W	+\$343	Specify with full-height modesty panel.	
	• For 66"W	+\$362	Specify with full-height modesty panel.	
	• For 72"W	+\$382	Specify with full-height modesty panel.	
Counterweight	Remove counterweight	<b>-\$211</b>	Specify without counterweight.	
		<del>+-</del> ··	,	


Tip: Desk comes standard with a file/file pedestal. A box/box/file pedestal is available as an option.

▶See Counterweight Requirements for Storage Products, page 105.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.



·Dime	ensions	;	· Style	·U.S.
D	W	н	Number	Base Price
24"	60"	281/2"	TS7USP2460	\$2418
24"	66"	281/2"	TS7USP2466	\$2473
24"	72"	281/2"	TS7USP2472	\$2532
30"	60"	281/2"	TS7USP3060	\$2843
30"	66"	281/2"	TS7USP3066	\$2893
30"	72"	281/2"	TS7USP3072	\$2957

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

► Need help?

page 50

Product details,

#### **Pedestal Returns**



#### **Standard Includes**

#### • 11/8"-thick worksurface: High-Pressure Laminate price

- group 1 • 3 mm radius profile edge on front edge: plastic
- Contemporary pulls on pedestal: metal
- Pedestal: paint price group 1Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- Lock, keyed random: 9201 Polished Chrome

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for pedestal and modesty panel, if selected
- 5 Metal color number for pulls: 0835 Black 9201 Polished Chrome 9211 Nickel 9212 Silver
- 6 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify			
Surface	High-Pressure Laminate	worksurface				
Materials	Laminate price group 2	Prices at right	Specify laminate color number.			
	Laminate price group 3	Prices at right	Specify laminate color number.			
	Open Line laminate	+\$102	See Surface Materials Reference Manual.			
	-,	plus the cost of laminate				
	Paint on pedestals					
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.			
	Paint price group 2	+\$ 83	Specify paint color number.			
	<ul> <li>Paint price group 3</li> </ul>	+\$144	Specify paint color number.			
Scallops	Scallops on worksurface	No cost	Specify with scallops.			
Pedestal	Full-height pedestal					
	<ul> <li>One box/box/file pedestal</li> </ul>	+\$ 28	Specify with box/box/file.			
Pulls	Handle pull	No cost	Specify with handle pull.			
	<ul> <li>Jazz pull</li> </ul>	+\$ 81	Specify with jazz pull.			
	Bar pull	+\$111	Specify with bar pull.			
Drawer	Rails					
Accessories	<ul> <li>Two side-to-side hanging</li> </ul>	No cost	Specify with rails.			
	rails per file drawer					
Basic Drawer	24"D box/box/file pedes					
Interiors	<ul> <li>No rails, pencil trays, or</li> </ul>	<b>-\$</b> 80	Specify with basic drawers.			
	box drawer dividers					
Lock and	Lock					
Keying	<ul> <li>Ember chrome</li> </ul>	No cost	Specify with 9250 Ember Chrome lock.			
	<ul> <li>No lock</li> </ul>	<b>-</b> \$101	Specify with no lock.			
	Individual locking drawers					
	<ul> <li>File/file pedestal only</li> </ul>	+\$191	Specify with individual lock.			
	Keying					
	<ul> <li>Factory- and field-installed</li> </ul>		▶ Page 374			
	keying					
Modesty	Half-height					
Panels	<ul> <li>For 24"W</li> </ul>	+\$231	Specify with half-height modesty panel.			
	<ul> <li>For 30"W</li> </ul>	+\$246	Specify with half-height modesty panel.			
	<ul> <li>For 36"W</li> </ul>	+\$262	Specify with half-height modesty panel.			
	<ul> <li>For 42"W</li> </ul>	+\$277	Specify with half-height modesty panel.			
	<ul> <li>For 48"W</li> </ul>	+\$294	Specify with half-height modesty panel.			
	• For 60"W	+\$320	Specify with half-height modesty panel.			
	Full-height					
	• For 24"W	+\$290	Specify with full-height modesty panel.			
	• For 30"W	+\$304	Specify with full-height modesty panel.			
	• For 36"W	+\$318	Specify with full-height modesty panel.			
	• For 42"W	+\$336	Specify with full-height modesty panel.			
	• For 48"W	+\$351	Specify with full-height modesty panel.			
	• For 60"W	+\$392	Specify with full-height modesty panel.			
	. 0. 00 11	. 4002	epoony marian noigh modesty panel.			

Tip: Returns come standard with a file/file pedestal. A box/box/file pedestal is available as an option.



#### For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. See page 1 for details.



	ensions		Style	·U.S.	·Options	
<b>D</b>	W	н	Number	Base Price	Laminate	Base Price)  Laminate Price Group 3
24"	24"	281/2"	TS7UPR2424	\$1372	+\$17	+\$33
24"	30"	281/2"	TS7UPR2430	\$1392	+\$17	+\$33
24"	36"	281/2"	TS7UPR2436	\$1404	+\$17	+\$33
24"	42"	281/2"	TS7UPR2442	\$1433	+\$25	+\$48
24"	48"	281/2"	TS7UPR2448	\$1498	+\$25	+\$48
24"	60"	281/2"	TS7UPR2460	\$1626	+\$33	+\$63



► Need help?

page 50

Product details,

#### **Returns**



#### **Standard Includes**

#### • 11/8"-thick worksurface: High-Pressure Laminate price group 1

- 3 mm radius profile edge on front edge: plastic
- One end support: paint price group 1
- Attachment hardware
   Half-height or full-height modesty panel, if selected: paint price group 1

#### **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for end support and modesty panel, if selected
- 6 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminat	e worksurface	
Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	Prices below Prices below +\$102 plus the cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
	End support		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 62	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$107	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
Modesty	Half-height		
Panels	<ul> <li>For 24"W</li> </ul>	+\$231	Specify with half-height modesty panel.
	<ul> <li>For 30"W</li> </ul>	+\$246	Specify with half-height modesty panel.
	<ul> <li>For 36"W</li> </ul>	+\$262	Specify with half-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$277	Specify with half-height modesty panel.
	<ul> <li>For 48"W</li> </ul>	+\$294	Specify with half-height modesty panel.
	• For 60"W	+\$320	Specify with half-height modesty panel.
	Full-height		
	• For 24"W	+\$290	Specify with full-height modesty panel.
	<ul> <li>For 30"W</li> </ul>	+\$304	Specify with full-height modesty panel.
	<ul> <li>For 36"W</li> </ul>	+\$318	Specify with full-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$336	Specify with full-height modesty panel.
	<ul> <li>For 48"W</li> </ul>	+\$351	Specify with full-height modesty panel.
	• For 60"W	+\$392	Specify with full-height modesty panel.

	ensions		· Style	∙U.S.	Options		
D	W	н	Number	Base	: (Add \$to	Base Price)	
:			:	Price	:		
:			•	:	•	; Laminate	
:			:	:	: Price	Price	
:			:	:	; Group 2	Group 3	
24"	24"	281/2"	TS7UR2424	\$1013	+\$17	+\$33	
24"	30"	281/2"	TS7UR2430	\$1036	+\$17	+\$33	
24"	36"	281/2"	TS7UR2436	\$1047	+\$17	+\$33	
24"	42"	281/2"	TS7UR2442	\$1151	+\$25	+\$48	
24"	48"	281/2"	TS7UR2448	\$1214	+\$25	+\$48	
24"	60"	281/2"	TS7UR2460	\$1270	+\$33	+\$63	

Tip: Reinforcement channel is standard on worksurfaces 24"x42" and larger.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

**Bridges**Bridges



#### **Standard Includes**

#### **Required to Specify**

Need help? Product details, page 52

- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for modesty panel, if selected (see below)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfac	42"W 48"W 60"W	
	Laminate price group 2	+\$ 25 +\$ 25 +\$ 33	Specify laminate color number.
	Laminate price group 3	+\$ 48 +\$ 48 +\$ 63	Specify laminate color number.
	Open Line laminate	+\$102 +\$102 +\$102	See Surface Materials Reference Manual.
	·	plus the cost of laminate	
Modesty	Half-height		
Panels	Price group 1	+\$313 +\$331 +\$364	Specify with half-height modesty panel and specify paint color number.
	Price group 2	+\$331 +\$350 +\$383	Specify with half-height modesty panel and specify paint color number.
	Price group 3	+\$341 +\$360 +\$392	Specify with half-height modesty panel and specify paint color number.
	Full-height		
	Price group 1	+\$382 +\$400 +\$445	Specify with full-height modesty panel and specify paint color number.
	Price group 2	+\$400 +\$419 +\$463	Specify with full-height modesty panel and specify paint color number.
	Price group 3	+\$410 +\$428 +\$473	Specify with full-height modesty panel and specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.

Specification Information								
Dimensions D W		•Style Number	· U.S. Base Price					
24" 42	2"	TS7UB2442	\$433					
24" 48	3"	TS7UB2448	\$574					
24" 60	)"	TS7UB2460	\$630					
		:	•					



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

#### **Corner Desks**



#### **Standard Includes Required to Specify**

- ► Need help? Product details, page 54
- 11/8"-thick worksurface: High-Pressure Laminate price group 1
- 3 mm radius profile edge on front edge: plastic
- Three corner supports: paint price group 1
  Attachment hardware
- Half-height or full-height modesty panel, if selected: paint price group 1
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for corner supports and/or end supports, and modesty panel, if selected
- 5 Options, if selected (see below)
- See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure	36"W 42"W 48"W	
Materials	Laminate worksurface	-	
	<ul> <li>Laminate price group 2</li> </ul>	+\$ 27 +\$ 27 +\$ 55	Specify laminate color number.
	<ul> <li>Laminate price group 3</li> </ul>	+\$ 53 +\$ 53 +\$107	Specify laminate color number.
	Open Line laminate	+\$102 +\$102 +\$102 plus the cost of laminate	► See Surface Materials Reference Manual.
	Corner support and/or	end supports	
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$123	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$205	Specify paint color number.
Scallops	Scallops on worksurface	No cost	Specify with scallops.
End Supports	Two corner supports with	+\$470	Specify two corner supports with one
	one end support		end support.
	<ul> <li>One corner support with</li> </ul>	+\$938	Specify one corner support with two
	two end supports		end supports.
Modesty	Half-height		
Panels	• For 36"W	+\$517	Specify with half-height modesty panel.
	<ul> <li>For 42"W</li> </ul>	+\$548	Specify with half-height modesty panel.
	• For 48"W	+\$578	Specify with half-height modesty panel.
	Full-height		
	• For 36"W	+\$631	Specify with full-height modesty panel.
	• For 42"W	+\$661	Specify with full-height modesty panel.
	• For 48"W	+\$695	Specify with full-height modesty panel.

Tip: Modesty panels, if selected, will either both be half-height or both be full-height.

Tip: Modesty panel width will be dependent on the supports specified.

Spe	Specification Information								
· Dim D	ensions W	Н	• Style Number	· U.S. Base Price					
24"	36"	281/2"	TS7UC2436	\$1295					
24"	42"	281/2"	TS7UC2442	\$1354					
24" :	48"	281/2"	TS7UC2448	\$1437 :					



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Corner Desks

and Components

#### **Over the Case Bin and Hutch Kit**

► Need help? Product details,

page 58



Tip: Hutch kits can span an L-shaped desk configuration only when full depth worksurfaces are used.

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

Tip: 66"W and 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

#### **Standard Includes**

- Overhead bin with lift-up door: paint price group 1
- · Recess beneath unit to accommodate shelf light
- Steel back to enclose storage bin, end supports, accessory rail, and one non-handed cable manager: paint price group 1
- Double-sided tackboard, fabric direction with horizontal application: fabric price group 1
- · Attachment hardware

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Fabric color number for tackboard
- 4 Options, if selected (see below)
- See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify					
Surface	Overhead bin with one o	loor						
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.					
	Paint price group 2	+\$125	Specify paint color number.					
	Paint price group 3	+\$208	Specify paint color number.					
	Overhead bin with two	loors						
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.					
	Paint price group 2	+\$147	Specify paint color number.					
	Paint price group 3	+\$253	Specify paint color number.					
	Tackboard							
	<ul> <li>Fabric price group 1</li> </ul>	No cost	Specify fabric color number.					
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 34	Specify fabric color number.					
	<ul> <li>Fabric price group 3</li> </ul>	+\$162	Specify fabric color number.					
	<ul> <li>Fabric price group 4</li> </ul>	+\$218	Specify fabric color number.					
	Fabric price group 5	+\$348	Specify fabric color number.					
	<ul> <li>Fabric price group COM</li> </ul>	+\$ 46	Specify fabric color number.					
	Fabric direction on 60"V	V and smaller tackbo	oards					
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.					
Brackets	No brackets							
	Omit brackets	<b>-\$</b> 31	Specify omit brackets.					
Picture Frame	Omit insert	Prices at right	Specify omit insert.					
Door								
Door	<ul> <li>Assist mechanism for</li> </ul>	+\$288 per door	Specify with assist mechanism.					
Mechanism	standard door or omit insert							
Shelf	Four dividers: white plastic	+\$ 76	Specify with dividers.					
Accessories								
Lock and	Lock							
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.					
	No lock	<b>-\$104</b>	Specify with no lock.					
	Keying							
	<ul> <li>Factory- and field-installed keying</li> </ul>		▶ Page 374					
Related	Accessories		▶ Page 298					
Products	Shelf lights		▶ Page 350					




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Over the Case Bin and Hutch Kit

Specification Information										
Dime D	nsions W	н	· Number of Doors	•Style Number	·U.S. Base Price	Option (Add \$ to Base Price)				
			:			Picture Frame Door —Omit Insert				
15 <sup>3</sup> /4"	24"	37 <sup>5</sup> /16"	1	TS7UOH24	\$1567	+\$403				
15 <sup>3</sup> /4"	30"	37 <sup>5</sup> /16"	1	TS7UOH30	\$1621	+\$425				
15 <sup>3</sup> /4"	36"	37 <sup>5</sup> /16"	1	TS7UOH36	\$1681	+\$447				
15 <sup>3</sup> /4"	42"	37 <sup>5</sup> /16"	1	TS7UOH42	\$1738	+\$464				
15 <sup>3</sup> /4"	48"	37 <sup>5</sup> /16"	1	TS7UOH48	\$1789	+\$484				
15 <sup>3</sup> /4"	60"	37 <sup>5</sup> /16"	2	TS7UOH60	\$2498	+\$795				
15 <sup>3</sup> /4"	66"	37 <sup>5</sup> /16"	2	TS7UOH66	\$2616	+\$813				
15 <sup>3</sup> /4"	72"	37 <sup>5</sup> /16"	2	TS7UOH72	\$2706	+\$831				



\*

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

## **End Supports and Corner Shelves**

#### **End Supports**



#### **Standard Includes Required to Specify**


- ► Need help? Product details, page 60
- End support: paint price group 1
- Attachment hardware

- 1 Style number 2 Paint color number for end support 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	<ul> <li>Paint price group 2</li> </ul>	+\$45	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$74	Specify paint color number.
	Paint price group 3	+\$74	Specify paint color number.

Specification Information									
Dimensions D W		н	•Style •U.S. H Number Base Price						
18 <sup>3</sup> /8"	15"	27"	UE18	\$593					
231/2"	15"	27"	UE24	\$688					
291/2"	15"	27"	UE30	\$777					
:				:					

#### **Corner Shelves**



#### **Standard Includes**

#### ► Need help? Product details, page 60

- Reversible corner shelf: High-Pressure Laminate price group 1 both sides
- Square plastic edge
- Attachment hardware

#### **Required to Specify**

- 1 Style number 2 High-Pressure Laminate color number for shelf
- 3 Plastic color number for edge
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	+\$ 12 +\$ 27 +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.

Spec	cificat	ion Inform	nation
·Dime	nsions		·U.S.
D	W	Number	
:		:	Price
153/8"	11"	UES18	\$147
201/2"	11"	UES24	\$177
261/2"	11"	UES30	\$204
2072	"	CESSO	ψ20 <del>4</del> :



# **Peninsula Supports and Corner Support**

Surface

**Options** 

• Paint price group 1

Peninsula Supports and Corner Support

**Required to Specify** 

Specify paint color number.

#### **Peninsula Supports**



	Standard Includes	Required to Specify
Need help? Product details, page 60	<ul> <li>Peninsula support: paint price group 1</li> <li>Attachment hardware</li> </ul>	<ul> <li>1 Style number</li> <li>2 Paint color number for peninsula supports</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 358.</li> </ul>

**U.S. Price** 

No cost

Materials		• Pa	aint price group 1 aint price group 2 aint price group 3	+\$45 +\$74		Specify paint color number. Specify paint color number.		
Spec	cificat	tion Info	ormation					
• Dime	ensions W	н	• Style Number	·U.S. Base Price				
121/2"	24"	27"	UPS24	\$688				
121/2"	30"	27"	UPS30	\$777				

#### **Corner Support**



	Standard Includes	Required to Specify
Need help? Product details, page 60	Corner support and cable management cover: paint price group 1     Attachment hardware	<ul> <li>1 Style number</li> <li>2 Paint color number for corner support and cable management cover</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 358.</li> </ul>

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$28 +\$51	Specify paint color number. Specify paint color number. Specify paint color number.

Dimensions Style U.S.  D W H Base Price	Spec	cificat	ion Info	ormation			
Price			н				
51/2" 51/2" 27" <b>UCS</b> \$214	:	•••		·			
	E1/o"	51/2"	27"	UCS	\$214		



# **Modesty Panels**


	Standard Includes	Required to Specify
► Need help? Product details, page 62	Modesty panel and two non-handed attachment brackets: paint price group 1     Attachment hardware	<ul> <li>1 Style number</li> <li>2 Paint color number for modesty panel and brackets</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 358.</li> </ul>

Options	U.S. Price	Required to Specify
Half-height modesty	panel	
<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
Paint price group 2	+\$19	Specify paint color number.
Paint price group 3	+\$34	Specify paint color number.
Full-height modesty	panel	
Paint price group 1	No cost	Specify paint color number.
Paint price group 2	+\$28	Specify paint color number.
Paint price group 3	+\$51	Specify paint color number.
	• Paint price group 1 • Paint price group 2 • Paint price group 3  Full-height modesty • Paint price group 1 • Paint price group 2	Half-height modesty panel  Paint price group 1 No cost Paint price group 2 +\$19 Paint price group 3 +\$34  Full-height modesty panel Paint price group 1 No cost Paint price group 2 +\$28

			Applicat	ion				
Din A	nensions B	• Style Number	• Desk Width	·Return Width	· Bridge Width	· Corner Width	· Jetty or Bullet Peninsula Size	·U.S. Base Price
Hal	f-Height	Modesty	Panels			·	•	
9"	12 <sup>5</sup> /8"	<b>UMH9</b>		24"				\$234
15"	125/8"	UMH15		30"				\$250
18"	125/8"	UMH18	48"				30" x 47 <sup>1</sup> /2"	\$257
21"	125/8"	UMH21		36"			24" x 47 <sup>1</sup> /2"	\$265
24"	125/8"	UMH24	54"			351/2", 36"		\$274
27"	12 <sup>5</sup> /8"	UMH27		42"				\$280
30"	12 <sup>5</sup> /8"	<b>UMH30</b>	60"			411/2", 42"	30" x 59 <sup>1</sup> / <sub>2</sub> "	\$292
33"	12 <sup>5</sup> /8"	<b>UMH33</b>		48"			24" x 59 <sup>1</sup> / <sub>2</sub> "	\$300
36"	12 <sup>5</sup> /8"	UMH36	66"		36"	471/2", 48"	30" x 65 <sup>1</sup> / <sub>2</sub> "	\$306
39"	12 <sup>5</sup> /8"	UMH39		54"		591/2", 60"	24" x 65 <sup>1</sup> / <sub>2</sub> "	\$312
42"	12 <sup>5</sup> /8"	UMH42	72"		42"		30" x 71 <sup>1</sup> / <sub>2</sub> "	\$318
45"	12 <sup>5</sup> /8"	UMH45		60"		651/2", 66"	24" x 71 <sup>1</sup> / <sub>2</sub> "	\$325
48"	12 <sup>5</sup> /8"	UMH48	78"		48"		30" x 77 <sup>1</sup> / <sub>2</sub> "	\$336
51"	12 <sup>5</sup> /8"	UMH51		66"		711/2", 72"	·	\$341
54"	12 <sup>5</sup> /8"	UMH54	84"		54"			\$351
57"	12 <sup>5</sup> /8"	UMH57		72"			·	\$362
30"	12 <sup>5</sup> /8"	<b>UMH60</b>	90"	·	60"		·	\$367

<sup>▶</sup>Specification Information, continued on next page

Specification Information





#### ▶ Specification Information, continued from previous page

Specification Information  Application  Dimensions Style Desk Return Bridge Corner Jetty or Bullet V.S. Peninsula Size  Full-Height Modesty Panels  9" 27" UMF9 24" \$293  15" 27" UMF15 30" \$308								
əþ	ecilicati	on miorii		tion				
			Desk	Return	. •		Peninsula	Base
<u>:</u>		:	:	:	:	:	:	:
Ful	l-Height	Modesty	<b>Panels</b>					
9"	27"	UMF9		24"				\$293
15"	27"	UMF15		30"				\$308
18"	27"	UMF18	48"				30" x 47 <sup>1</sup> /2"	\$317
21"	27"	UMF21		36"			24" x 47 <sup>1</sup> / <sub>2</sub> "	\$323
24"	27"	UMF24	54"			351/2", 36"		\$336
27"	27"	UMF27		42"				\$340
30"	27"	UMF30	60"			411/2", 42"	30" x 59 <sup>1</sup> /2"	\$349
33"	27"	UMF33		48"			24" x 59 <sup>1</sup> /2"	\$359
36"	27"	UMF36	66"		36"	471/2", 48"	30" x 65 <sup>1</sup> /2"	\$366
39"	27"	UMF39		54"		591/2", 60"	24" x 65 <sup>1</sup> /2"	\$380
42"	27"	UMF42	72"		42"		30" x 71 <sup>1</sup> /2"	\$387
45"	27"	UMF45		60"		651/2", 66"	24" x 71 <sup>1</sup> /2"	\$397
48"	27"	UMF48	78"		48"		30" x 77 <sup>1</sup> /2"	\$403
51"	27"	UMF51		66"		711/2", 72"		\$420
54"	27"	UMF54	84"		54"			\$433
57"	27"	UMF57		72"				\$443
60"	27"	UMF60	90"		60"			\$449



#### **Hutch Kits**

#### **Hutch Kits**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins

► Need help?

page 56

Product details,



Tip: A hutch kit cannot support more than one bin.

#### **Standard Includes**

- Steel back to enclose storage bin, end supports, accessory rail, and one non-handed cable manager: paint price group 1
- · Double-sided tackboard, fabric direction with horizontal application: fabric price group 1
- Attachment hardware

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for back end supports, accessory rail, and cord manager
- 3 Fabric color number for tackboard surface 1 (front)
- 4 Fabric color number for tackboard surface 2 (back)
- 5 Options, if selected (see below)
- ► See Surface Materials, page 358.

Tip: Be sure to order the storage bin in the same paint finish as the hutch kit. Storage bin is ordered separately.

Tip: To price a tackboard with fabrics in two different price groups on opposite sides, add the two prices together and divide by two.

Tip: 66"W and 72"W tackboards accommodate fabric in the horizontal direction

Tip: Hutch kits can span an L-shaped desk configuration only when full depth worksurfaces are used.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$ 60	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$101	Specify paint color number.
	Tackboard		
	<ul> <li>Fabric price group 1</li> </ul>	No cost	Specify fabric color number.
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 34	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$162	Specify fabric color number.
	Fabric price group 4	+\$218	Specify fabric color number.
	Fabric price group 5	+\$348	Specify fabric color number.
	<ul> <li>Fabric price group COM</li> </ul>	+\$ 46	See Surface Materials Reference
			Manual to specify.
	Fabric direction on 60"	W and smaller tacks	ooards
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.
Related	Universal sliding door bins		▶ Page 290
Products	Universal over the case bins		▶ Pages 292 and 294

# F

and Universal in the case bins

Specifica	ation Informati	n	
·Width	• Style Number	· U.S. Base Price	
24"	RHK24	\$644	
30"	RHK30	\$657	
36"	RHK36	\$676	
42"	RHK42	\$691	
48"	RHK48	\$713	
60"	RHK60	\$766	
66"	RHK66	\$798	
72"	RHK72	\$824	
:	:		



#### **Hutch Kit Cable Manager**

2 8

 Standard Includes
 Required to Specify

 Need help?
 • Package of two hutch kit cable managers: paint Product details, page 57
 1 Style number 2 Paint color number for cable managers 2 Paint color number for cable managers 5 See Surface Materials, page 358.

#### **Hutch Connector Bracket**



 Standard Includes
 Required to Specify

 Need help?
 • Bracket: paint
 1 Style number

 Product details, page 57
 2 Paint color number for bracket

 See Surface Materials, page 358.

Specification Information		
Height	· Style	·U.S.
:	Number	Price
211/8"	RHKESB	\$116
		•



# **Cable Race Channel Packages and Flush-Mount Brackets**

#### **Cable Race Channel Packages**



► Need help?
Product details,
page 62

#### **Standard Includes**

#### **Required to Specify**

- Telescoping cable race channels (set of 2): black paint only
- · Attachment hardware

Style number

Specification In	nformation	
• Telescoping Length Range	•Style Number	· U.S. Price
9"-15"	UMCR9	\$33
18"-33"	UMCR18	\$51
36"-60"	UMCR36	\$74

#### **Flush-Mount Brackets**



•	Need help?
	Product detail:
	page 60

#### **Standard Includes**

#### **Required to Specify**

· Flush-mount brackets: black paint only Attachment hardware

Style number

Specification In	nformation
Style Number	· U.S. Price
UFB	\$40



**Required to Specify** 

# and Components

# **Worksurface Accessories**

# **Universal Pedestal Counterweight**



Need help?
Product details,
page 119

Standard Includes
• Pedestal counterweight: black

reight: black Style number

Specification Information		
•Style Number	· U.S. Price	
RPCW	\$221 ·	

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

# **Specifying Universal Tables**

Tables	
Straight Tables	256
Capsule Tables	258
Spanner Tables	259
Peninsula Table	260
Tapered Peninsula Tables	261
Round Tables	262
Square Tables	263
Rectangle Tables	264
Oval Tables	265
Hex Conference Tables	266
Bases for Universal Tables	267
Legs for Universal Tables	268
FrameOne Legs	270

# **Straight Tables**

High-Pressure Laminate or Wood Veneer

► Need help? Product details,

page 84



## **Standard Includes**

## Table: High-Pressure Laminate price group 1 or wood group 1 veneer

- Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

# **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge See edge profiles at right.
- High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 358.

For wood and laminate
group 2 and 3 pricing,
please refer to the electronic
catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations ▶ Page 90

Table and Leg Combinations,


►Page 91.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate  Laminate price group 2  Laminate price group 3  Open Line laminate	tables See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
	Wood veneer tables		
	<ul><li>Wood group 2</li><li>Wood group 3</li><li>Customiz stain</li></ul>	See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain.
	• Full-fill finish on wood group 1	Prices at right	See Surface Materials Reference Manual. Specify full-fill finish number.
Reinforcing Channel	<ul> <li>Reinforcing channel (available on 66"W and wider tables)</li> </ul>	No cost	Specify with reinforcing channel.
Related	Bases for Universal Tables		Page 267
Products	<ul><li>Legs for Universal Tables</li><li>Worksurface screens</li></ul>		Page 268
	Wiring and cabling		▶ Page 280 ▶ Page 341
	vviiling and dabining		r age of i



Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFS2430 becomes BFS2430SW for wood square edge profile.)


# Specification Information U.S. Base Prices High-Pressure Laminate Wood Dimensions Style A B Number Plastic Square (Add \$ to Base Price)



· Dim	ensions B	•Style Number	Plastic 3 mm Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	
			No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	
24"	293/4"	BFS2430	\$361	\$1151	+\$55	
24"	353/4"	BFS2436	\$385	\$1185	+\$56	
24"	413/4"	BFS2442	\$415	\$1316	+\$62	
24"	473/4"	BFS2448	\$491	\$1426	+\$63	
24"	53¾"	BFS2454	\$528	\$1472	+\$66	
24"	593/4"	BFS2460	\$567	\$1619	+\$73	
24"	653/4"	BFS2466	\$623	\$1707	+\$75	
24"	713⁄4"	BFS2472	\$704	\$1813	+\$77	
24"	773/4"	BFS2478	\$768	\$1908	+\$78	
30"	353/4"	BFS3036	\$532	\$1393	+\$59	
30"	413/4"	BFS3042	\$576	\$1530	+\$63	
30"	473/4"	BFS3048	\$637	\$1627	+\$66	
30"	533/4"	BFS3054	\$682	\$1696	+\$69	
30"	593/4"	BFS3060	\$734	\$1846	+\$75	
30"	653/4"	BFS3066	\$790	\$1939	+\$77	
30"	713⁄4"	BFS3072	\$856	\$2037	+\$78	
30"	773/4"	BFS3078	\$929	\$2133	+\$81	
:		:	:	:	:	

# **Capsule Tables**

High-Pressure Laminate



## **Standard Includes**

**Options** 

# **Required to Specify**

► Need help? Product details, page 84

- Tables: High-Pressure Laminate price group 1 with plastic 3 mm edge profile on all sides
- 1 Style number
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

**Required to Specify** 

# For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations.

▶Page 90 Table and Leg Combinations, ▶Page 91.

Surface	High-Pressure Laminate tables				
Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See Surface Materials Reference Manual.		
Reinforcing Channel	<ul> <li>Reinforcing channel (available on 66"W and wider tables)</li> </ul>	No cost	Specify with reinforcing channel.		
Related	Bases for Universal Tables		▶ Page 267		
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 268		
	Worksurface screens		▶ Page 280		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341		

**U.S. Price** 

# **Specification Information**

**U.S. Base Prices High-Pressure Laminate** 



· Dir		Style Number	Plastic 3 mm Edge
24"	48"	BFK2448	\$ 840
30"	60"	BFK3060	\$ 943
36"	72"	BFK3672	\$1129
42"	84"	BFK4284	\$1704
48"	96"	BFK4896	\$2018



# **Spanner Tables**

High-Pressure Laminate or Wood Veneer



## **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 84

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

## For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Universal Tables must be

specified separately. Tip: For leg and support guidelines, see Table and

Tip: Legs to support

Leg Combinations,

▶Page 91.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	tables	
Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See Surface Materials Reference Manual.
	Wood veneer tables		
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Wood group 3</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.
Related	Legs for Universal Tables		▶ Page 268
Products	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341

## **Specification Information**

U.S. Base Prices	
High-Pressure	
Laminate	Wood

· Dii	mensions B	•Style Number	· Plastic 3 mm Edge	· Wood Square Edge	Option (Add \$ to Base Price)	
			No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	
30"	48"	BFSP48	\$737	\$1832	+\$88	
30"	52"	BFSP52	\$785	\$1832	+\$96	
36"	60"	BFSP60	\$824	\$2269	+\$97	
36"	64"	BFSP64	\$868	\$2270	<b>+</b> \$98	



## For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. ► See page 1 for details.

# **Peninsula Table**

High-Pressure Laminate or Wood Veneer



## **Standard Includes**

# **Required to Specify**

Need help?
Product details,
page 84

- Tables: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	tables	
Materials	<ul> <li>Laminate price group 2</li> </ul>	+\$ 17	Specify laminate color number.
	Laminate price group 3	+\$ 33	Specify laminate color number.
	Open Line laminate	+\$102	See Surface Materials Reference Manual.
	·	plus cost of laminate	
	Wood veneer tables		
	<ul> <li>Wood group 3</li> </ul>	+\$240	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.
Related	Legs for Universal Tables		▶ Page 268
Products	Worksurface screens		▶ Page 280

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations,

Page 91.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

# Specification Information U.S. Ba

U.S. Base Prices High-Pressure Laminate

Wood

Dimension A B	Style Number	•Plastic 3 mm Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	
:	:	No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	
27" 36"	BFP2736	\$719	\$1707	+\$86	




# **Tapered Peninsula Tables**

High-Pressure Laminate or Wood Veneer

Need help? Product details,

page 84



## **Standard Includes**

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

## **Required to Specify**

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge
- ➤ See edge profiles below.

  2 High-Pressure Laminate or wood color
- number for table
  3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate	tables					
Materials	<ul> <li>Laminate price group 2</li> </ul>						
	– 27" A Side	+\$ 25	Specify laminate color number.				
	– 33" A Side	+\$ 41	Specify laminate color number.				
	<ul> <li>Laminate price group 3</li> </ul>						
	– 27" A Side	+\$ 48	Specify laminate color number.				
	- 33" A Side	+\$ 82	Specify laminate color number.				
	<ul> <li>Open Line laminate</li> </ul>	+\$102	See Surface Materials Reference Manua				
		plus cost of laminate	minate				
	Wood veneer tables						
	<ul> <li>Wood group 3</li> </ul>						
	– 27" A Side	+\$240	Specify laminate color number.				
	– 33" A Side	+\$358	Specify laminate color number.				
	Customiz stain	No cost	Specify with Customiz stain.				
			See Surface Materials Reference Manual.				
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.				
Related	Legs for Universal Tables		▶ Page 268				
Products	Worksurface screens		▶ Page 280				
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341				

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶Page 91.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

# Specification Information U.S. Base Prices

• Dimensions A B		•Style •Number	High-Pressure Laminate	Wood	_		
			Plastic 3 mm Edge	• Wood Square • Edge	• Option (Add \$ to Base Price)		
:			:	No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	
27"	32"	48"	BFTP48	\$1005	\$2308	+\$78	
33"	40"	60"	BFTP60	\$1026 :	\$2397	<b>+\$</b> 85	



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

# **Round Tables**

High-Pressure Laminate or Wood Veneer



# Standard Includes

# Required to Specify

- ► Need help? Product details, page 84
- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge
- **sw** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify				
Surface Materials	High-Pressure Laminate tables  • Laminate price group 2						
	<ul><li>30" Diameter</li><li>36" Diameter</li><li>42" Diameter</li><li>48" Diameter</li></ul>	+\$ 17 +\$ 25 +\$ 33 +\$ 41	Specify laminate color number. Specify laminate color number. Specify laminate color number. Specify laminate color number.				
	<ul> <li>54" Diameter</li> <li>Laminate price group 3</li> </ul>	+\$ 41	Specify laminate color number.				
	<ul> <li>30" Diameter</li> <li>36" Diameter</li> <li>42" Diameter</li> <li>48" Diameter</li> <li>54" Diameter</li> </ul>	+\$ 33 +\$ 48 +\$ 63 +\$ 82 +\$ 82	Specify laminate color number.				
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual				
	Wood veneer tables • Wood group 3						
	<ul> <li>36" Diameter</li> <li>42" Diameter</li> <li>48" Diameter</li> <li>54" Diameter</li> <li>Customiz stain</li> </ul>	+\$240 +\$240 +\$358 +\$358 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify wood color number. Specify with Customiz stain.				
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	See Surface Materials Reference Manual. Specify full-fill finish number.				
Related Products	<ul><li>Bases for Universal Tables</li><li>Legs for Universal Tables</li></ul>		▶ Page 267 ▶ Page 268				

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,

- ▶Page 90
- Table and Leg Combinations,
- ▶Page 91.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRQ30 becomes BFRQ30SW for wood square edge profile.)



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specification Information

U.S. Base Prices
High-Pressure
Laminate Wood

• Diameter	•Style Number	Plastic 3 mm Edge	· Plastic Knife Edge	• Wood Square Edge	• Option (Add \$ to Base Price)
	•	No Suffix	Suffix K	Suffix SW	Full-Fill Finish on Wood Group 1
30"	BFR30	\$639	\$ 905	N.A.	N.A.
36"	BFR36	\$683	\$ 949	\$2292	+\$63
42"	BFR42	\$759	\$1025	\$2411	+\$69
48"	BFR48	\$828	\$1094	\$2685	+\$77
54"	BFR54	\$995	\$1261	\$2966	+\$81

# **Square Tables**

High-Pressure Laminate or Wood Veneer



## **Standard Includes**

## **Required to Specify**

► Need help? Product details, page 84

**Specification Information** 

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge ► See edge profiles below.
- High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	tables			
Materials	<ul> <li>Laminate price group 2</li> </ul>	Prices below	Specify laminate color number.		
	Laminate price group 3	Prices below	Specify laminate color number.		
	Open Line laminate	+\$102	See Surface Materials Reference Manual.		
	·	plus cost of laminate			
	Wood veneer tables				
	<ul> <li>Wood group 3</li> </ul>	Prices below	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.		
Related	Bases for Universal Tables		▶ Page 267		
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 268		
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280		
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341		

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,

▶Page 90

Table and Leg Combinations, ▶Page 91.


Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRQ30 becomes BFRQ30SW for wood square edge profile.)

• Dimensions • A B		• Style Number	U.S. Base Prices High-Pressure Laminate  Plastic 3 mm Edge	• Wood • Option • Square • (Add \$ to Base Price)					
			No Suffix	Suffix SW	Laminate Price Group 2	Laminate Price Group 3	: Wood : Group 3	Full-Fill Finish on Wood Group 1	
24"	24"	BFRQ24	\$ 340	N.A.	+\$17	+\$33	N.A.	N.A.	
30"	30"	BFRQ30	\$ 500	\$1380	+\$17	+\$33	+\$240	+\$56	
36"	36"	BFRQ36	\$ 705	N.A.	+\$25	+\$48	N.A.	N.A.	
42"	42"	BFRQ42	\$ 778	\$1879	+\$33	+\$63	+\$358	+\$69	
48"	48"	BFRQ48	\$ 855	\$2080	+\$41	+\$82	+\$358	+\$77	
54"	54"	BFRQ54	\$1026	\$2327	+\$41	+\$82	+\$493	+\$81	



# **Rectangle Tables**

High-Pressure Laminate or Wood Veneer



## **Standard Includes**

# Required to Specify

► Need help? Product details, page 84

On a life of the buffer and the second

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge ► See edge profiles below.
- High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate tables						
Materials	<ul><li>Laminate price group 2</li><li>Laminate price group 3</li><li>Open Line laminate</li></ul>	Prices below Prices below +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.				
	Wood veneer tables						
	<ul> <li>Wood group 3</li> </ul>	Prices below	Specify wood color number.				
	<ul> <li>Customiz stain</li> </ul>	No cost	Specify with Customiz stain.				
			► See Surface Materials Reference Manua				
	<ul> <li>Full-fill finish on wood group 1</li> </ul>	Prices below	Specify full-fill finish number.				
Reinforcing Channel	Reinforcing channel (available on 66"W and wider tables)	No cost	Specify with reinforcing channel.				
Related	Bases for Universal Tables		▶Page 267				
Products	<ul> <li>Legs for Universal Tables</li> </ul>		▶ Page 268				
	<ul> <li>Worksurface screens</li> </ul>		▶ Page 280				
	<ul> <li>Wiring and cabling</li> </ul>		▶ Page 341				

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations,

▶Page 90
Table and Leg Combinations,
▶Page 91.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRR3672 becomes BFRR3672SW for wood square edge profile.)

Sp	ecificati	ion Informa	ation					
· Dimensions · Style A B Number			U.S. Base Prices High-Pressure Laminate  Wood  Plastic 3 mm Square Edge Edge		·Option			
			No Suffix	Suffix SW	Laminate Price Group 2	Laminate Price Group 3	Wood Group 3	Full-Fill Finish on Wood Group 1
36"	60"	BFRR3660	\$ 997	N.A.	+\$41	+\$ 82	N.A.	N.A.
36"	66"	BFRR3666	\$1058	N.A.	+\$41	+\$ 82	N.A.	N.A.
36"	72"	BFRR3672	\$1129	\$3315	+\$41	+\$ 82	+\$493	+\$137
42"	84"	BFRR4284	\$1704	\$3571	+\$49	+\$ 98	+\$493	+\$141
48"	96"	BFRR4896	\$2018	\$3668	+\$57	+\$112	+\$803	+\$145
		•	•					•



# niversal Table

# **Oval Tables**

High-Pressure Laminate



## **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 84

- Tables: High-Pressure Laminate price group 1
- Laminate table: plastic 3 mm edge profile on all sides
- 1 Style number
- ► See edge profiles below.
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Laminate price group 2 Laminate price group 3 Open Line laminate	te tables Prices below Prices below +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Related Products	<ul><li>Bases for Universal Tables</li><li>Legs for Universal Tables</li></ul>		▶ Page 267 ▶ Page 268

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see
Table and Base Combinations,
▶Page 90
Table and Leg Combinations,
▶Page 91.

Tip: To specify 3 mm edge profile, no suffix is required.

# **Specification Information**

U.S. Base Price High-Pressure Laminate



· Dir	mensions B	• Style Number	Number 3 mm		• Option (Add \$ to Base Price)			
:			No Suffix	Laminate Price Group 2	: Laminate : Price : Group 3			
21"	42"	BEL2142	\$ 752	+\$25	+\$ 48			
30"	42"	BEL3042	\$ 820	+\$25	+\$ 48			
36"	48"	BEL3648	\$ 900	+\$33	+\$ 63			
30"	60"	BEL3060	\$1102	+\$33	+\$ 63			
36"	72"	BEL3672	\$1129	+\$41	+\$ 82			
42"	78"	BEL4278	\$1681	+\$49	+\$ 98			
48"	96"	BEL4896	\$2018	+\$57	+\$112			



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

# **Hex Conference Tables**

Product details,

page 84

High-Pressure Laminate



Tip: Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.

Tip: Bases to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 93.

Tip: To specify 3 mm edge profile, no suffix is required.

## **Standard Includes**

- Tables: High-Pressure Laminate price group 1
- Laminate table: plastic 3 mm edge profile on all sides
- · Reinforcing channels, for tables 120"W or wider
- Tight-joint fasteners for tables 150"W or wider

## **Required to Specify**

- 1 Style number
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamina	te tables	
Materials	<ul> <li>Laminate price group 2</li> </ul>	Prices below	Specify laminate color number.
	<ul> <li>Laminate price group 3</li> </ul>	Prices below	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	► See Surface Materials Reference Manual.
Related Products	Bases for Universal Tables		▶Page 267

# **Specification Information**

**U.S. Base Price High-Pressure Laminate** 



Dimensions A B C			•Style Number	Plastic 3 mm Edge	• Options (Add \$ to Base Price)		
			· · · ·	No Suffix	Laminate Price Group 2	Laminate Price Group 3	
30"	36"	60"	BHEX3660	\$ 997	+\$ 41	+\$ 82	
30"	36"	66"	BHEX3666	\$1058	+\$ 41	+\$ 82	
30"	36"	72"	BHEX3672	\$1129	+\$ 41	+\$ 82	
36"	42"	96"	BHEX4296	\$1930	+\$ 49	+\$ 98	
38"	48"	120"	BHEX48120	\$4663	+\$ 65	+\$130	
38"	48"	150"	BHEX48150	\$6810	+\$100	+\$195	
38"	48"	180"	BHEX48180	\$7082	+\$100	+\$195	



# Universal Tabl

# **Bases for Universal Tables**

	Standard Includes	Required to Specify
► Need help?	Column: paint	1 Style number
Product details,	Base: paint	2 Paint color number for column
page 86	<ul> <li>Adjustable leveling glides: black plastic</li> </ul>	3 Paint color number for base
	,	4 Options, if selected (see below)
		See Surface Materials, page 358

	Options	U.S. Price	Required to Specify
Surface	Base		
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number
	<ul> <li>Paint price group 2</li> </ul>	+\$ 28	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$ 51	Specify paint color number.
	<ul> <li>Polished Aluminum column and base</li> </ul>	+\$237	Specify with 8046 Polished Aluminum column and base.
	<ul> <li>Polished Aluminum base with painted column</li> </ul>	+\$237	Specify with 8046 Polished Aluminum base only and select paint color number for column.

Tip: When specifying a 8046 Polished Aluminum base only, specify a paint color number for the column.

Specification Information						
·Width	• Column Diameter	•Style Number	·U.S. Base Price			
T-Bases	<u> </u>	•	·			
26"	21/4"	BT26	\$471			
36"	21/4"	ВТ36	\$582			
X-Bases	<u> </u>					
26"	21/4"	BX26	\$531			
36"	21/4"	BX36	\$685			







# **Legs for Universal Tables**

# **Adjustable-Height Legs**

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per table.

Page 91

Tip: Dimensions listed are nominal and include the thickness of a table.



# **Standard Includes**

• Table legs: paint

# **Required to Specify**

- 1 Style number
- 2 Paint color number for leg
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

Need nelp?
Product details,
page 88

Glides, if selected: paint to match legs
• Locking casters, if selected: paint to match legs
Attachment hardware

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$29 per leg	Specify paint color number. Specify paint color number.

Specifica	ntion Info	rmation			
Planning				•Style Number	U.S. Base Price
Adjustabl with Glide	_	Leg	Package Legs with		Adjustable-Height
25½"–31½"	BADJ	\$328	25½"-31½"	BADJ4	\$1312 :
Adjustable-Height Leg with Caster			Package Legs with		Adjustable-Height
251/2"-311/2"	BADJC	\$365	251/2"-311/2"	BADJ4C	\$1460







# **Post Legs**

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per worksurface.
▶Page 91

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Height dimensions listed are nominal and include the thickness of a table.



#### **Standard Includes Required to Specify**

►Need help? Product details,

page 88

- Table legs: paint Attachment hardware
- Non-locking caster, if selected: black plastic only
- 1 Style number
- 2 Paint color number for legs.
- 3 Options, if selected (see below) See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
Materials	<ul> <li>Paint price group 2</li> </ul>	+\$29 per leg	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$51 per leg	Specify paint color number.

Specific	ation Infor	mation			
Planning Height	•Style Number	· U.S. Base Price	· Planning Height	• Style Number	· U.S. Base Price
Post Leg	with Glide		Package	of Four Po	st Legs with Glides
281/2"	BPL	\$214	281/2"	BPL4	\$856
Post Leg	with Casto	er	Package	of Four Po	st Legs with Casters
281/2"	BPLC	\$240	281/2"	BPL4C	\$960



# FrameOne Legs

	Standard Includes	Required to Specify
► Need help? Product details, page 32	Legs and intermediate support: paint     Attachment hardware	<ul><li>1 Style number</li><li>2 Paint color number for legs and support</li><li>3 Options, if selected (see below)</li><li>▶ See Surface Materials, page 358.</li></ul>

	Options	U.S. Price	Required to Specify	
Surface	For legs			
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color.	
	<ul> <li>Paint price group 2</li> </ul>	+\$28	Specify paint color.	
	<ul> <li>Paint price group 3</li> </ul>	+\$51	Specify paint color.	

Specific	ation Ir	nformation		
Planning Height	Depth	· Style Number	·U.S. Base	
	:		Price	
:	:	:	•	

# **Closed Loop**

		Table Applicat	on	
281/2"	24"	UFC24T	\$975	
281/2"	30"	UFC30T	\$975	
	-	-	•	

Open Loop						
281/2"	24"	UFQ24T	\$732			
281/2"	30"	UFQ30T	\$732			
:			•			

Post L	eg			
281/2"		UFP	\$257	
:	:		:	










# **Specifying Worksurface Screens**

Universal Privacy/Modesty Screens	272
Universal Privacy Screens and Aligners	274
Sarto Privacy/Modesty Screens	276
Sarto Privacy Screens	278
Divisio Side Screen	280

# **Universal Privacy/Modesty Screens**



Tip: Universal privacy/ modesty screens can be attached to ¾"-1½" thick worksurfaces, including height adjustable worksurfaces, universal worksurfaces, and Elective Elements worksurfaces.

Tip: The screens weigh between 9.79 lb and 11.89 lb. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The universal privacy/ modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 11/8" cord drop or no cord drop. See understanding pages for product specific application guidelines.

#### **Standard Includes Required to Specify** Screen: fabric price group 1 1 Style number ► Need help? • Edge: PET 2 Width (see below under Required Product details, page 96 • Brackets: 7360 Merle Selections) 3 Mount location (see below under Required Selections) 4 Fabric color number for screen 5 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Width	• 42"W	Prices below	Specify width.
	• 48"W	Prices below	Specify width.
	• 54"W	Prices below	Specify width.
	• 60"W	Prices below	Specify width.
	• 66"W	Prices below	Specify width.
Mount Location	Privacy (19½" above the worksurface, 5½" below the worksurface)	No cost	Specify with privacy application.
	<ul> <li>Privacy/modesty (13" above the worksurface, 11<sup>7</sup>/<sub>10</sub>" below the worksurface)</li> </ul>	No cost	Specify with privacy/modesty application.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 1	No cost	Specify fabric color number.
Materials	<ul> <li>Fabric price group 2</li> </ul>	+\$ 57	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$161	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$205	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$246	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$288	Specify fabric color number.
	<ul> <li>Fabric price group 7</li> </ul>	+\$334	Specify fabric color number.
	<ul> <li>Fabric price group 8</li> </ul>	+\$375	Specify fabric color number.
	<ul> <li>Fabric price group 9</li> </ul>	+\$417	Specify fabric color number.
	<ul> <li>Fabric price group 10</li> </ul>	+\$459	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 23	See Surface Materials Reference Manual.



► See Surface Materials, page 358.

# **Universal Privacy Screens and Aligners**

# **Universal Privacy Screens**



► Need help? Product details, page 98

- **Standard Includes** • Screen: fabric price group 1 Brackets: paint price group 1
- Edge: PET

- **Required to Specify** 1 Style number
- 2 Width (see below under Required Selections)
- 3 Height (see below under Required Selections)
- 4 Fabric color number for screen 5 Bracket finish color number
- 6 Edge color:
- P630 Medium Heather Grey PET P631 Dark Heather Grey PET
- 7 Options, if selected (see below)
- ► See Surface Materials, page 358.

Tip: 131/2"H screen will align
at a 42" datum. 19½"H
screen will align at a 48"
datum.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices at right	Specify width.
	• 30"W	Prices at right	Specify width.
	• 36"W	Prices at right	Specify width.
	• 42"W	Prices at right	Specify width.
	• 48"W	Prices at right	Specify width.
	• 54"W	Prices at right	Specify width.
	• 60"W	Prices at right	Specify width.
	• 66"W	Prices at right	Specify width.
	• 72"W	Prices at right	Specify width.
	• 78"W	Prices at right	Specify width.
	• 84"W	Prices at right	Specify width.
	• 90"W	Prices at right	Specify width.
	• 96"W	Prices at right	Specify width.
Height	• 13½"H	Prices at right	Specify height.
	• 19½"H	Prices at right	Specify height.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 1	No cost	Specify fabric color number.
Materials	Fabric price group 2	+\$ 49	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$132	Specify fabric color number.
	Fabric price group 4	+\$165	Specify fabric color number.
	Fabric price group 5	+\$203	Specify fabric color number.
	Fabric price group 6	+\$237	Specify fabric color number.
	Fabric price group 7	+\$274	Specify fabric color number.
	Fabric price group 8	+\$307	Specify fabric color number.
	Fabric price group 9	+\$343	Specify fabric color number.
	Fabric price group 10	+\$378	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 23	See Surface Materials Reference Manual
	Bracket		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 16	Specify paint color number.
Related	Aligners		► See left

**Products** 



Universal Privacy Screens and Aligners

Specification Information										
Style Number	· Height	• <b>U.S. Ba</b>	• U.S. Base Prices 24"W 30"W 36"W 42"W 48"W 54"W 60"W 66"W							
UFPS	131/2"	\$443	\$475	\$505	\$540	\$571	\$605	\$637	\$670	
	191/2"	\$505	\$557	\$608	\$658	\$713	\$763	\$814	\$862	
:	:	:	:	:	:	:	:	:	:	

# ▶ Specification Information, continued from above

·Style	·Height	·U.S. Ba	ase Prices	;		
Number	:	72"W	: 78"W	: 84"W	: 90"W	: 96"W
:	:	:	:	:	:	:
UFPS	131/2"	\$704	\$735	\$ 766	\$ 798	\$ 831
	191/2"	\$915	\$965	\$1014	\$1065	\$1112

# **Aligners**

Tip: Aligners are for use with Universal screens only.

	Standard Includes	Required to Specify
Need help? Product details, page 98	Aligner, package of 10: 6527 Merle	Style number
Specification	n Information	

Number	Price
UFAL	\$36

Style


·U.S.



# **Sarto Privacy/Modesty Screens**

► Need help? Product details,

page 99



Tip: Sarto privacy/modesty screens can be attached to 3/4"-11/2" thick worksurface, including Ology, Migration, Elective Elements, universal tables, and universal panelmount worksurfaces.

Tip: The screens weigh between 3.51 and 11.64 lb. Take this into consideration when planning for use on height-adjustable worksurfaces. See understanding pages to calculate screen weight.

## **Standard Includes**

- Screen: fabric price group 1
- Brackets: 7360 Merle

- **Required to Specify**
- 1 Style number
- 2 Size option (see below under Required Selections)
- 3 Width (see below under Required Selections)
- 4 Height (see below under Required Selections)
- 5 Privacy height (see below under Required Selections)
- 6 Worksurface type (see below under Required Selections)
- 7 Screen type (see below under Required Selections)
- 8 Fabric color number for screen
- 9 Options, if selected (see below)
- ► See Surface Materials, page 358.


	Requir	ed Selec	tions	U.S. Price	Required to Specify				
Size Option	<ul><li>Modular</li><li>Parametri</li></ul>	ic		No cost No cost	Specify with modular. Specify with parametric.				
Width	Modulai	r Parametri	ic						
	• N.A.	23"W -2815	/16"W	Prices at right	Specify width.				
	• 24"W	N.A.		Prices at right	Specify width.				
	• 29"W	29"W		Prices at right	Specify width.				
	• N.A.	29 <sup>1</sup> / <sub>16</sub> "W-36	S"W	Prices at right	Specify width.				
	<ul><li>42"W</li></ul>	36 <sup>1</sup> / <sub>16</sub> "W-42	2"W	Prices at right	Specify width.				
	* 46"W	N.A.		Prices at right	Specify width.				
	• 48"W	421/16"W-48	3"W	Prices at right	Specify width.				
	• 54"W	48 <sup>1</sup> / <sub>16</sub> "W-54	!"W	Prices at right	Specify width.				
	• 58"W	N.A.		Prices at right	Specify width.				
	• 60"W	54 <sup>1</sup> / <sub>16</sub> "W-60	)"W	Prices at right	Specify width.				
	• 66"W	601/16"W-66	8"W	Prices at right	Specify width.				
	• 70"W	66½16"W-70	)"W	Prices at right	Specify width.				
Height	Modulai	r Parametri	ic						
	• 24"H	24"H		Prices at right	Specify height.				
	• 30"H	24½"H-30"	Н	Prices at right	Specify height.				
Privacy	Screen	Minimum	Maximum						
Height	Height	Privacy	Privacy						
		Height	Height						
	• 24"H	9"H	16½"H	No cost	Specify privacy height.				
	• 24½"H	9½"H	17"H	No cost	Specify privacy height.				
	• 25"H	10"H	17½"H	No cost	Specify privacy height.				
	• 25½"H	10½"H	18"H	No cost	Specify privacy height.				
	• 26"H	11"H	18½"H	No cost	Specify privacy height.				
	<ul> <li>26½"H</li> </ul>	11½"H	19"H	No cost	Specify privacy height.				
	• 27"H	12"H	19½"H	No cost	Specify privacy height.				
	• 27½"H	12 <sup>1</sup> / <sub>2</sub> "H	20"H	No cost	Specify privacy height.				
	• 28"H	13"H	20½"H	No cost	Specify privacy height.				
	• 28½"H	13½"H	21"H	No cost	Specify privacy height.				
	• 29"H	14"H	211/2"H	No cost	Specify privacy height.				
	<ul> <li>29½"H</li> </ul>	14½"H	22"H	No cost	Specify privacy height.				
	• 30"H	15"H	22 <sup>1</sup> / <sub>2</sub> "H	No cost	Specify privacy height.				
Worksurface		eens 60"W	or greater						
Туре	<ul> <li>Without s</li> </ul>			No cost	Specify without scallop.				
	<ul> <li>With scall</li> </ul>	lop		+\$55	Specify with scallop.				
Screen Type	Rear scre	en		No cost	Specify with rear screen.				
	<ul> <li>Side scre</li> </ul>				Specify with side screen.				

Tip: Worksurface type option adds a fourth worksurface bracket and repositions brackets to avoid worksurface scallops.

Tip: Side screen option changes brackets to smaller L-brackets, mounting the screen mount flush to the side of the worksurface. Side screen option is only available on screens 36"W and narrower.

	l	Options	U.S. Price	Required to Specify
Tip: Fabric is applied	Surface	Fabric price group 2	+\$ 57	Specify fabric color number.
horizontally on the screen.	Materials	<ul> <li>Fabric price group 3</li> </ul>	+\$161	Specify fabric color number.
		<ul> <li>Fabric price group 4</li> </ul>	+\$205	Specify fabric color number.
Tip: Screen allows for 11/8"		<ul> <li>Fabric price group 5</li> </ul>	+\$246	Specify fabric color number.
cord drop or no cord drop		<ul> <li>Fabric price group 6</li> </ul>	+\$288	Specify fabric color number.
when mounted to the rear		<ul> <li>Fabric price group 7</li> </ul>	+\$334	Specify fabric color number.
of a worksurface. See		<ul> <li>Fabric price group 8</li> </ul>	+\$375	Specify fabric color number.
understanding pages for		<ul> <li>Fabric price group 9</li> </ul>	+\$417	Specify fabric color number.
product specific application		<ul> <li>Fabric price group 10</li> </ul>	+\$459	Specify fabric color number.
guidelines.		<ul> <li>Customer's Own Material (COM)</li> </ul>	+\$ 23	See Surface Materials Reference Manual.

Specification Information											
Style	Parametric		·U.S. Base	Prices							
Number	Height	Modular	24"W	: 29"W	: N.A.	42"W	: 46"W or	: 54"W	:58"W or	: 66"W	:70"W
		width	:	:	:		48"W		60"W		
	:	<b>Parametric</b>	23"W	29"W	29 <sup>1</sup> / <sub>16</sub> "W	36 <sup>1</sup> /16"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> /16"W	66 <sup>1</sup> / <sub>16</sub> "W
	:	width	-28 <sup>15</sup> /16"W	:	-36"W	-42"W	-48"W	-54"W	-60"W	-66"W	-70"W



PSPM	24"	\$431	\$484	\$516	\$546	\$578	\$611	\$644	\$678	\$711
	241/2"-30"	\$589	\$650	\$680	\$711	\$743	\$777	\$812	\$845	\$876



# **Sarto Privacy Screens**



# Standard Includes Required to Specify

- ► Need help? Product details, page 100
- Screen: fabric price group 1
- Brackets and hard stops: 7360 Merle
- 1 Style number
- 2 Size option (see below under Required Selections)
- 3 Width (see below under Required Selections)
- 4 Height (see below under Required Selections)
- 5 Screen type (see below under Required Selections)
- 6 Fabric color number for screen
- 7 Options, if selected (see below)
- ► See Surface Materials, page 358.

Width	<ul><li>Modular</li><li>Parametric</li><li>Modular</li></ul>		No cost No cost	Specify with modular.
Width			No cost	
•	Modular		140 0031	Specify with parametric.
		<b>Parametric</b>		
	• 24"W	24"W	Prices at right	Specify width.
•	• 29"W	N.A.	Prices at right	Specify width.
	• 30"W	24 <sup>1</sup> / <sub>16</sub> "W-30"W	Prices at right	Specify width.
•	• 36"W	301/16"W-36"W	Prices at right	Specify width.
	• 42"W	361/16"W-42"W	Prices at right	Specify width.
	• 46"W	N.A.	Prices at right	Specify width.
	• 48"W	42 <sup>1</sup> / <sub>16</sub> "W-48"W	Prices at right	Specify width.
•	• 54"W	48 <sup>1</sup> / <sub>16</sub> "W-54"W	Prices at right	Specify width.
•	• 58"W	N.A.	Prices at right	Specify width.
	• 60"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	Prices at right	Specify width.
•	• 66"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	Prices at right	Specify width.
•	• 70"W	N.A.	Prices at right	Specify width.
	• 72"W	66 <sup>1</sup> / <sub>16</sub> "W-72"W	Prices at right	Specify width.
	• 78"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	Prices at right	Specify width.
	• 84"W	78½16"W–84"W	Prices at right	Specify width.
	• 90"W	84 <sup>1</sup> / <sub>16</sub> "W-90"W	Prices at right	Specify width.
•	• 96"W	90 <sup>1</sup> / <sub>16</sub> "W–96"W	Prices at right	Specify width.
Height	Modular	Parametric		
•	• 13½"H	13½"H	Prices at right	Specify height.
	• 19½"H	14"H-19 <sup>1</sup> / <sub>2</sub> "H	Prices at right	Specify height.
	• 23½"H	20"H-24"H	Prices at right	Specify height.
•	• N.A.	24 <sup>1</sup> / <sub>2</sub> "H-30"H	Prices at right	Specify height.
	• 35½"H	30½"H-35½"H	Prices at right	Specify height.
Screen Type	Rear screer	1	No cost	Specify with rear screen.
•	<ul> <li>Side screen</li> </ul>	ı	No cost	Specify with side screen.

Tip: Side screen option changes brackets to offset bayonet brackets maintaining adequate side to side pinch points. Side screen option is only available on screens 36"W and narrower.

	Options	U.S. Price	Required to Specify				
Surface	Fabric price group 2	+\$ 49	Specify fabric color number.				
Materials	<ul> <li>Fabric price group 3</li> </ul>	+\$132	Specify fabric color number.				
	Fabric price group 4	+\$165	Specify fabric color number.				
	<ul> <li>Fabric price group 5</li> </ul>	+\$203	Specify fabric color number.				
	<ul> <li>Fabric price group 6</li> </ul>	+\$237	Specify fabric color number.				
	Fabric price group 7	+\$274	Specify fabric color number.				
	Fabric price group 8	+\$307	Specify fabric color number.				
	<ul> <li>Fabric price group 9</li> </ul>	+\$343	Specify fabric color number.				
	Fabric price group 10	+\$378	Specify fabric color number.				
	<ul> <li>Customer's Own Material (COM)</li> </ul>	+\$ 23	See Surface Materials Reference Manual				



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specific	Specification Information														
Style	· Parametric		·U.S. B	ase Pric	es										
Number	Height	·Modular	24"W	29"W or	36"W	: 42"W	: 46"W or	: 54"W	: 58"W or	: 66"W	: 70"W or	: 78"W	: 84"W	: 90"W	: 96"W
:	:	Width		30"W			· 48"W		· 60"W		· 72"W				
		Paramtric	24"W	24 <sup>1</sup> /16"W	30½16"W	: 36 <sup>1</sup> /16"W	42 <sup>1</sup> /16"W	48 <sup>1</sup> /16"W	54 <sup>1</sup> /16"W	601/16"W	66 <sup>1</sup> /16"W	· 721/16"W	· 781/16"W	84 <sup>1</sup> /16"W	90 <sup>1</sup> /16"W
		Width		-30"W	-36"W	-42"W	-48"W	-54"W	-60"W	-66"W	-72"W	-78"W	-84"W	-90"W	-96"W



PSPS	131/2"	\$324	\$348	\$372	\$395	\$420	\$446	\$470	\$493	\$518	\$ 560	\$ 583	\$ 608	\$ 632
	14"–19½"	\$370	\$408	\$446	\$484	\$521	\$558	\$596	\$632	\$673	\$ 735	\$ 770	\$ 812	\$ 847
	20"–24"	\$452	\$484	\$516	\$546	\$578	\$611	\$644	\$678	\$711	\$ 752	\$ 792	\$ 832	\$ 873
	241/2"-30"	\$617	\$650	\$680	\$711	\$743	\$777	\$812	\$845	\$876	\$1088	\$1158	\$1227	\$1297
	301/2"-351/2"	\$701	\$734	\$764	\$795	\$827	\$859	\$892	\$925	\$960	\$1170	\$1239	\$1310	\$1380
:	: :	•		:	:	:	:		:	:			:	:

# **Worksurface Screens**

# **Divisio Side Screen**



Tip: The Divisio side screen can be used on any 3/4"- to 11/2"-thick worksurface.

Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.

Tip: The Divisio side screen weighs approximately 141/2 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The Divisio side screen is intended for use on the front of a worksurface.

Tip: The Divisio side screen does not work on knife edge profiles.

## **Standard Includes**

# **Required to Specify**

- ► Need help? Product details, page 101
- Screen: fabric price group ATop cap and clamp: 4799 Platinum paint

1 Style number
2 Fabric color number
Son Surface Materials Perference Manual

	Options	U.S. Price	Required to Specify
Surface	Fabric		
Materials	<ul> <li>Fabric price group A</li> <li>Fabric price group 1</li> <li>Fabric price group 2</li> <li>Customer's Own Material (COM)</li> </ul>	No cost No cost +\$21 +\$23	Specify fabric color number. Specify fabric color number. Specify fabric color number. See Surface Materials Reference Manual.



# **Specifying Universal Steel Storage Products**

Universal Pedestals	
Universal Fixed Pedestals	282
Universal Pedestal Counterweights	284
Universal Fixed to Freestanding Pedestal Conversion Kits	285
Universal Mobile Pedestals	286
Basic Cushions Enhanced	289
Universal Bins and Shelves	
Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts	290
Universal Over the Case Bins with Flat Fronts	292
Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts	294
Universal Shelves	297
Accessories for Overhead Bins and Shelves	298
Slim Shelves	303
Universal One-High, 1.5-High, and Two Drawer Lateral Files	304
Cushion Tops	310
Basic Cushions Enhanced	311
Universal Towers	
Universal Open Side Towers	312
Universal Dual Door Towers	316
Universal Lateral Files	322

# **Universal Fixed Pedestals**

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





### Standard Includes

- Pedestal: paint price group 1
- · Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate front selected, or wood group 1 veneer if proud wood front selected
- Integral pulls on units with flush steel fronts
- Pulls: metal
- · Full drawer interiors: black only
- One pencil tray and two box drawer dividers per box/box/file
- · Lock, keyed random: 9201 Polished Chrome
- · Mounting hardware
- · Four adjustable leveling glides

## **Required to Specify**

- 1 Style number with appropriate front style suffix in the space provided:
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood fronts selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)

**Required to Specify** 

► See Surface Materials, page 358.

# **Required Selections**

## Pulls

► Need help?

page 118

Product details,



Surface **Materials** 









Contemporary Handle

**Options** 

Jazz

Bar

c:scape

**U.S. Price** 

# For laminate and wood group 2 and 3 pricing, please refer to the electronic

<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$ 65 +\$111	Specify paint color number. Specify paint color number. Specify paint color number.
Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
<ul> <li>Laminate price group 2 on proud laminate drawer fronts</li> </ul>	See information at left	Specify laminate color number.
Open Line laminate on proud laminate drawer fronts	+\$102 plus cost of laminate	See Surface Materials Reference Manual
Wood group 2 on proud wood drawer fronts	See information at left	Specify wood color number.
<ul> <li>Wood group 3 on proud wood drawer fronts</li> </ul>	See information at left	Specify wood color number.
<ul> <li>Customiz stain on proud</li> </ul>	No cost	Specify with Customiz stain.
wood drawer fronts		See Surface Materials Reference Manual.
Flush steel fronts		
<ul> <li>Full-width wood group 1 veneer pull</li> </ul>	+\$390	Specify with wood pull and indicate wood color number.
<ul> <li>Customiz stain on wood</li> </ul>	No cost	Specify with Customiz stain.

# Pulls

**Drawer** 

**Accessories** 

Specify with contemporary pull.

See Surface Materials Reference Manual.

### Proud steel, laminate, or wood fronts No cost

Contemporary

veneer pull

 Handle Jazz

c:scape

- Bar +\$ 43 per pull
- No cost Specify with handle pull. +\$ 28 per pull Specify with jazz pull. Specify with bar pull.

## **Proud steel fronts only**

Rails Two side-to-side hanging

rails per file drawer

# +\$ 48 per pull

No cost

Specify with rails.

Specify with c:scape pull.

# For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

catalog or SmartTools.

See page 1 for details.

# ▶Options, continued on next page

## ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Basic Drawer	18"D, 24"D, and 30"D b	ox/box/file pedestals	
Interiors	<ul> <li>No rails, pencil trays, or box drawer dividers</li> </ul>	-\$ 80	Specify with basic drawers.
Lock and	Lock		
Keying	<ul> <li>Ember chrome</li> </ul>	Specify with 9250 Ember Chrome lock.	
	<ul> <li>No lock</li> </ul>	<b>-</b> \$101	Specify with no lock.
	Individual locking drav	vers	
	<ul> <li>File/file pedestals only</li> </ul>	+\$191	Specify with individual drawer lock.
	Keying		
	<ul> <li>Factory- and field-installed l</li> </ul>	keying	▶ Page 374
Related	Universal fixed to freestandi	ing pedestal conversion kits	▶ Page 285
Products	<ul> <li>Steel storage accessories</li> </ul>	-	▶ Page 333

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPF1827A\_becomes RPF1827AP for proud steel front).





Tip: Use 27"H pedestals to align with Universal Storage with 3" base. 27"H pedestals support worksurfaces at 281/2"H.

Tip: Only 225/8"D, 231/2"D, 285/8"D, and 291/2"D pedestals can accommodate legal-size filing.


Speci	ificatio	n Inf	orma	tion					
· Dimen	sions	w	н	· Counter- weight	· Style Number	· U.S. Bas	e Prices		
Flush	Proud			Package		Flush	Proud	Proud	Proud
Steel	Steel/					Steel	Steel	Lam	Wood
Front	Lam/			:		Front	Front	Front	Front
:	Wood			:	:	:	:	:	•
	Front					Suffix F	Suffix P	Suffix L	Suffix W

# 27"H Fixed Pedestals with 3" Base

Two B	ox Draw	ers an	d One	File Drawe	r				
171/2"	183⁄8"	15"	27"	RPCW	RPF1827A	\$ 908	\$1007	\$1277	\$1385
225/8"	231/2"	15"	27"	RPCW	RPF2427A	\$ 991	\$1090	\$1360	\$1468
285/8"	291/2"	15"	27"	RPCW	RPF3027A	\$1191	\$1290	\$1560	\$1668
Two Fi	ile Draw	ers							
171/2"	183⁄8"	15"	27"	RPCW	RPF1827B_	\$ 879	\$ 978	\$1248	\$1356
225/8"	231/2"	15"	27"	RPCW	RPF2427B_	\$ 962	\$1061	\$1331	\$1439
285/8"	291/2"	15"	27"	RPCW	RPF3027B_	\$1162	\$1261	\$1531	\$1639
				:		:	:	:	:



# **Universal Pedestal Counterweights**



Tip: Counterweights fit 27"H fixed pedestals only.

	Standard Includes	Required to Specify
Need help? Product details, page 119	Pedestal counterweight: black	Style number



# **Universal Fixed to Freestanding Pedestal Conversion Kits**

Universal Fixed to Freestanding Pedestal Conversion Kits





Tip: Flush and proud front pedestals require different conversion kits. Be sure to order the correct style number for your application.

Tip: When converting a file/file pedestal with individual drawer locks, an interlocking bar is required to provide stability to unit. Order 1043922SR through Service Parts.

#### **Standard Includes Required to Specify**

► Need help? Product details, page 119

- 1/8"H steel top: all paint price groups
- Counterweight package
- Installation hardware

- 1 Style number 2 Paint color number for top
- ► See Surface Materials, page 358.

Spec	ecification Information							
Dime	Dimensions Style Number		· U.S. Price					
For 2	7"H Pro	ud Steel or Proud	l Wood Front Pedestals					
183⁄8"	27"	RPXCK2718P	\$307					
231/2"	27"	RPXCK2724P	\$338					
29½" :	27"	RPXCK2730P	\$374					
For 2	7"H Flu	sh Steel Front Pe	destals					
171/2"	27"	RPXCK2718F	\$307					
225/8"	27"	RPXCK2724F	\$338					
285/8"	27"	RPXCK2730F	\$374					



# **Universal Mobile Pedestals**

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





Tip: 1⁄8"H steel top is non-structural.

Tip: Counterweight packages for mobile pedestals are required to ensure product stability and are included.

►See Counterweight Requirements for Storage Products, pages 105-111.

### Standard Includes

- ► Need help? · Pedestal: paint price group 1 Product details,
  - 1/8"H steel top: paint to match pedestal
  - · Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate front selected, or wood group 1 veneer if proud wood front selected
  - · Integral pulls on units with flush steel fronts
  - Pulls: metal
  - · Full drawer interiors: black only
  - One pencil tray per box/file or box/box/file and box drawer dividers
  - · Lock, keyed random: 9201 Polished Chrome
  - · Four hard-composition, non-locking casters: black only
  - · Safety interlock mechanism
  - Counterweight package

## Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
  - Flush steel front
  - Proud steel front
  - Proud laminate front
  - W Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)

**Required to Specify** 

See Surface Materials, page 358.

# **Required Selections**

### **Pulls**

page 118







Jazz

**Options** 





Contemporary Handle

Bar

c:scape

**U.S.** Price

# Surface **Materials**

Tops

Specify paint color number. · Paint price group 1 No cost Paint price group 2 +\$ 65 Specify paint color number. Paint price group 3 +\$111 Specify paint color number. Laminate price group 1 on Specify laminate color number. Prices at right proud laminate drawer fronts Laminate price group 2 on +\$ 12 Specify laminate color number. proud laminate drawer fronts Laminate price group 3 on +\$ 26 Specify laminate color number. proud laminate drawer fronts · Open Line laminate on proud +\$102 See Surface Materials Reference Manual. laminate drawer fronts plus cost of laminate • Wood group 3 on proud +\$138 Specify wood color number. wood drawer fronts

Tip: Optional tops will increase the overall pedestal height.

Tip: Laminate and wood

upcharges for drawer fronts

are in addition to laminate

and wood price group 1.

price group 2 and 3

- **Laminate top**
- 1"H square edge steel top +\$105
- - Specify with steel square top.
- 13/16"H square edge laminate price group 1 top

price group 2 top

price group 3 top

laminate top

• Open Line laminate on

· Customiz stain on proud

wood drawer fronts

- 13/16"H square edge laminate
  - +\$447

No cost

+\$440

- 13/16"H square edge laminate +\$458

of laminate

+\$102 plus cost

Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plastic

See Surface Materials Reference Manual.

Specify with Customiz stain.

- color number for edges. Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
- See Surface Materials Reference Manual.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

▶Options, continued on next page

## ▶Options, continued from previous page

Tip: If wood veneer top option is selected, finishes must be selected for both the wood veneer top and the wood veneer fronts.

Tip: For both cushion top and basic cushion enhanced: fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion enhanced: pattern matching will not be done on COM.

	Options	U.S. Price	Required to Specify
Tops,	Wood veneer top		
continued	• 1 <sup>3</sup> / <sub>16</sub> "H wood group 1	+\$ 595	Specify with wood veneer top and
	veneer top	•	indicate wood color number.
	• 13/16"H wood group 2	+\$ 637	Specify with wood veneer top and
	veneer top		indicate wood color number.
	<ul> <li>13/16"H wood group 3</li> </ul>	+\$ 734	Specify with wood veneer top and
	veneer top		indicate wood color number.
	<ul> <li>Customiz stain on wood</li> </ul>	No cost	Specify with Customiz stain.
	veneer top		► See Surface Materials Reference Manua
	Cushion top for factory in	stallation on RPM2	2421C only
	<ul> <li>Cushion top without handle</li> </ul>	+\$ 544	Specify with cushion top and indicate
			fabric color number.
	Cushion top with black handle	+\$ 685	Specify with cushion top and handle and indicate fabric color number.
	Upholstery on pedestal c	ushion top	
	Fabric price group 1	No cost	Specify fabric color number.
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 12	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$ 59	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$ 73	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$ 92	Specify fabric cobr number.
	Fabric price group 6	+\$ 129	Specify fabric color number.
	Fabric price group 7	+\$ 154	Specify fabric color number.
	Fabric price group 8	+\$ 223	Specify fabric color number.
	Fabric price group 9	+\$ 286	Specify fabric color number.
	Fabric price group 10	+\$ 348	Specify fabric color number.
	<ul> <li>Leather price group</li> </ul>	+\$ 894	Specify leather color number.
	Elmosoft leather price group	+\$1030	Specify Elmosoft leather color number.
			See Surface Materials, page 358.
	<ul> <li>Customer's Own Material</li> </ul>	+\$ 23	▶ See Surface Materials Reference Manua
	(COM) or Customer's Own Leather (COL)		to specify.
Della	Flush steel fronts		
Pulls	Flush steel fronts • Full-width wood group 1	+\$ 390	Specify with wood pull and indicate
	veneer pull	т <b>р</b> 390	wood color number.
	Customiz stain on wood	No cost	Specify with Customiz stain.
	veneer pull		See Surface Materials Reference Manua
	Proud steel, laminate, or	wood fronts	
	Contemporary	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Jazz	+\$ 28 per pull	Specify with jazz pull.
	• Bar	+\$ 43 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 48 per pull	Specify with c:scape pull.
Drawer	Rails		
Accessories	Two side-to-side hanging	No cost	Specify with rails.
	rails per file drawer		
	Box/file and box/box/file	edestals	
Basic Drawer	<ul> <li>No rails, pencil trays, or</li> </ul>	<b>-</b> \$ 80	Specify with basic drawers.
			' '
	box drawer dividers		
Interiors			
Interiors  Lock and	box drawer dividers	No cost	Specify with 9250 Ember Chrome lock.
Interiors Lock and	box drawer dividers  Lock  Ember chrome  Individual locking drawer	'S	
Basic Drawer Interiors Lock and Keying	box drawer dividers  Lock  Ember chrome		Specify with 9250 Ember Chrome lock.  Specify with individual drawer lock.
Interiors  Lock and	box drawer dividers  Lock  Ember chrome  Individual locking drawer	<b>rs</b> +\$ 194	
Interiors Lock and	box drawer dividers  Lock  Ember chrome  Individual locking drawer  File/file pedestals only  Keying	<b>rs</b> +\$ 194	Specify with individual drawer lock.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Universal Mobile Pedestals with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

## ▶Options, on previous page

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPM1821C\_becomes RPM1821CP for proud steel front).













Dimen D	sions	w	н	· Counterweight Package	·Style Number	· U.S. Base Prices			
Flush Proud Steel Steel/ Front Lam/ Wood	Proud Steel/ Lam/				Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front	
	Front			:	:	Suffix F	Suffix P	Suffix L	Suffix W
Box/Fi	le								
17 <sup>1</sup> /2"	183/8"	15"	21"	Included	RPM1821C_	\$1246	\$1345	\$1615	\$1723
225/8"	231/2"	15"	21"	Included	RPM2421C_	\$1358	\$1457	\$1727	\$1835
Box/B	ox/File			·	·	·	·	·	
17 <sup>1</sup> /2"	183/8"	15"	27"	Included	RPM1827A_	\$1424	\$1477	\$1753	\$1861
225/8"	231/2"	15"	27"	Included	RPM2427A	\$1518	\$1566	\$1842	\$1950
File/Fi	ile			·					
171/2"	183/8"	15"	27"	Included	RPM1827B_	\$1353	\$1448	\$1724	\$1832
225/8"	231/2"	15"	27"	Included	RPM2427B_	\$1492	\$1537	\$1813	\$1921

Sp	ecific	atio	n Information	n
· Actual Dimensions			Style	·U.S.
; DIM	nensio	ns	Number	Base
D	W	н	:	Price

# Pedestal Cushion Top for Field Installation on RPM2421C only

Cushion Top without Handle								
225/8" 15"	21/4"	RPXTC24F	\$483	(For use with RPM2421CF only)				
231/2" 15"	21/4"	RPXTC24P	\$483	(For use with RPM2421CP, RPM2421CL, and RPM2421CW only)				
Cushion T	op with	n Black Handle						
225/8" 15"	21/4"	RPXTCH24F	\$649	(For use with RPM2421CF only)				
23½" 15"	21/4"	RPXTCH24P	\$649	(For use with RPM2421CP, RPM2421CL, and RPM2421CW only)				
•		•						





Tip: If used with a Universal mobile pedestal manufactured before 12/20/2011, you will need to order service part 1072962001SR for attachment hardware.



## **Basic Cushions Enhanced**

For Universal Mobile Pedestals



Tip: Basic cushion enhanced is field-installed and supplies to attach are included.

Tip: Basic cushion enhanced is available on Universal mobile pedestals RPM1821CF, RPM1821CP, RPM1821CL, RPM1821CW, RPM2421CF, RPM2421CP, PRM2421CL, and RPM2421CW with a top only.

Tip: Basic cushion enhanced is constructed with a thin solid base.

Tip: For both cushion top and basic cushion enhanced: Fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion enhanced: Pattern matching will not be done on COM.

Required to

- ► Need help? Product details, page 118
- Enhanced cushion top: fabric price group 1
- · Attachment supplies: hook and loop fastener
- **Specify**
- 1 Style number 2 Fabric color number for cushion top
- 3 Options, if selected (see below) ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 12	Specify fabric color number.
	Fabric price group 3	+\$ 59	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$ 73	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$ 92	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$129	Specify fabric color number.
	<ul> <li>Fabric price group 7</li> </ul>	+\$154	Specify fabric color number.
	Fabric price group 8	+\$223	Specify fabric color number.
	<ul> <li>Fabric price group 9</li> </ul>	+\$286	Specify fabric color number.
	Fabric price group 10	+\$348	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 23	See Surface Materials Reference Manual
Related Products	Universal mobile pedestals		▶ Page 286

Spe	Specification Information							
· Dime · D	nsions W	н	• Style Number	·U.S. Base Price				
171/2"	15"	1"	RCHE1715	\$275				
225/8"	15"	1"	RCHE2315	\$289				



## Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts

For Use with Answer Freestanding



#### **Standard Includes**

#### **Required to Specify**

► Need help? Product details, page 122

Surface

- Overhead bin: paint price group 1
- Sliding door: paint price group 1, laminate price group 1, or wood group 1
- · Recess beneath unit to accommodate shelf light
- Shelf backstop

**Options** 

- On-module attachment brackets with safety catch: black paint only
- · Vertical off-module attachment brackets, if selected: black paint only
- Lock, keyed random: 9201 Polished Chrome

Overhead bin with one steel door

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Paint, laminate, or wood color number for
- 4 Options, if selected (see below)
- ► See Surface Materials, page 358.

**Required to Specify** 

For laminate and					
wood group 2 and 3					
pricing, please refer to					

SmartTools.

the electronic catalog or

Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	Paint price group 2	+\$ 65	Specify paint color number.				
	Paint price group 3	+\$111	Specify paint color number.				
	Overhead bin with one la	minate or wood door	or				
	<ul> <li>Paint price group 1</li> </ul>	No cost +\$ 65	Specify paint color number.				
	<ul> <li>Paint price group 2</li> </ul>		Specify paint color number.				
	<ul> <li>Paint price group 3</li> </ul>	+\$101	Specify paint color number.				
	<ul> <li>Laminate price group 2 on laminate door</li> </ul>	See information at left	Specify laminate color number.				
	<ul> <li>Laminate price group 3 on laminate door</li> </ul>	See information at left	Specify laminate color number.				
	Open Line laminate on door	+\$102 plus cost of laminate	See Surface Materials Reference Manual.				
	<ul> <li>Wood group 2 on wood door</li> </ul>	See information at left	Specify wood color number.				
	<ul> <li>Wood group 3 on wood door</li> </ul>	See information at left	Specify wood color number.				
	<ul> <li>Customiz stain on wood door</li> </ul>	No cost	Specify with Customiz stain.				
			See Surface Materials Reference Manual				
Brackets	Off-module attachment brackets						
	<ul> <li>One vertical off-module bracket</li> </ul>	+\$ 98	Specify with one vertical off-module bracket.				
	<ul> <li>Two vertical off-module brackets</li> </ul>	+\$196	Specify with two vertical off-module brackets.				
	No brackets						
	<ul> <li>Omit brackets</li> </ul>	<b>-</b> \$ 31	Specify omit brackets.				
Shelf Accessories	Four dividers: white plastic	+\$ 76	Specify with dividers.				
Lock and	Lock						
Keying	<ul> <li>No lock</li> </ul>	<del>-</del> \$104	Specify with no lock.				
	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.				
	Keying						
	<ul> <li>Factory- and field-installed key</li> </ul>	ving	▶ Page 374				
Related	Accessories		▶ Page 298				
Products	Shelf lights		▶ Pages 350–354				

**U.S. Price** 



Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts

Specification Information									
·Dimensions		ns	·Style	·U.S.	·Style	·U.S.	·Style	·U.S.	
D	W	н	Number	Base	Number	Base	Number	Base	
			:	Price	•	Price		Price	
			:					:	



Tip: Overhead storage bins with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions
Specification Guide for
attachment information.

D	W	н	Number	Base Price	Number	Base Price	Number	Base Price
-			Steel Fron	ts	Laminate Fi	onts	Wood Fronts	S
15¾"	36"	161/4"	RSB36TAK	\$1050	RSB36LTAK	\$1602	RSB36WTAK	\$1646
15¾"	42"	161/4"	RSB42TAK	\$1088	RSB42LTAK	\$1640	RSB42WTAK	\$1684
15¾"	48"	161/4"	RSB48TAK	\$1119	RSB48LTAK	\$1671	RSB48WTAK	\$1715
15¾"	60"	161/4"	RSB60TAK	\$1693	RSB60LTAK	\$2692	RSB60WTAK	\$2736
15¾"	66"	161/4"	RSB66TAK	\$1784	RSB66LTAK	\$2783	RSB66WTAK	\$2827
153/4"	72"	161/4"	RSB72TAK	\$1852	RSB72LTAK	\$2851	RSB72WTAK	\$2895

## **Universal Over the Case Bins with Flat Fronts**

► Need help?

page 124

Product details,

For Use with Answer Freestanding



## Standard Includes

#### Required to Specify

- Overhead bin with lift-up door: paint price group 1
  Recess beneath unit to accommodate shelf light
- · Shelf backstop
- On-module attachment brackets with safety catch: black paint only
- Off-module attachment brackets, if selected: black paint only
- Lock, keyed random: 9201 Polished Chrome
- 1 Style number
- 2 Paint color number for overhead bin
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify				
Surface	Overhead bin with one do	or					
Materials	Paint price group 1	No cost	Specify paint color number.				
	Paint price group 2	+\$ 65	Specify paint color number.				
	Paint price group 3	+\$111	Specify paint color number.				
	Overhead bin with two doors						
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	<ul> <li>Paint price group 2</li> </ul>	+\$ 88	Specify paint color number.				
	<ul> <li>Paint price group 3</li> </ul>	+\$155	Specify paint color number.				
Brackets	Off-module attachment be	ackets					
	One vertical off-module bracket	+\$ 98	Specify with one vertical off-module bracket.				
	<ul> <li>Two vertical off-module</li> </ul>	+\$196	Specify with two vertical off-module				
	brackets		brackets.				
	No brackets						
	Omit brackets	-\$ 31	Specify omit brackets.				
Picture Frame Door on Flat Fronts	Omit insert	Prices at right	Specify omit insert.				
Door Mechanism	Assist mechanism for standard door or omit insert	+\$288 per door	Specify with assist mechanism.				
Shelf Accessories	Four dividers: white plastic	+\$ 76	Specify with dividers.				
ock and	Lock						
Ceying	<ul> <li>No lock</li> </ul>	-\$104 per door	Specify with no lock.				
	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.				
	Keying • Factory- and field-installed keying	ng	▶Page 374				
Related	Accessories		▶ Page 298				
	/ 10003301103		F 1 496 200				

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.



Universal Over the Case Bins with Flat or Radius

·Dimensions			·Number	·Style	·U.S.	·Option
D	W	н	of Doors	Number	Base	(Add \$ to Base Price)
			:		Price	
			:	:	:	Picture Frame Door
						-Omit Insert
			•			•



Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.

Bins with Flat Fronts						
24"	16 <sup>1</sup> / <sub>4</sub> "	1	RBB24QTAK	\$ 941	+\$403	
30"	161/4"	1	RBB30QTAK	\$ 979	+\$425	
36"	161/4"	1	RBB36QTAK	\$1026	+\$447	
42"	161/4"	1	RBB42QTAK	\$1063	+\$464	
48"	161/4"	1	RBB48QTAK	\$1098	+\$484	
60"	161/4"	2	RBB60QTAK	\$1761	+\$795	
66"	16 <sup>1</sup> / <sub>4</sub> "	2	RBB66QTAK	\$1848	+\$813	
72"	16 <sup>1</sup> / <sub>4</sub> "	2	RBB72QTAK	\$1915	+\$831	
	24" 30" 36" 42" 48" 60"	24" 16½" 30" 16½" 36" 16½" 42" 16½" 48" 16½" 60" 16½"	24" 161/4" 1 30" 161/4" 1 36" 161/4" 1 42" 161/4" 1 48" 161/4" 1 60" 161/4" 2 66" 161/4" 2	24"       16½"       1       RBB24QTAK         30"       16½"       1       RBB30QTAK         36"       16½"       1       RBB36QTAK         42"       16½"       1       RBB42QTAK         48"       16½"       1       RBB48QTAK         60"       16½"       2       RBB60QTAK         66"       16½"       2       RBB66QTAK	24"       16½"       1       RBB24QTAK       \$ 941         30"       16½"       1       RBB30QTAK       \$ 979         36"       16½"       1       RBB36QTAK       \$1026         42"       16½"       1       RBB42QTAK       \$1063         48"       16½"       1       RBB48QTAK       \$1098         60"       16½"       2       RBB60QTAK       \$1761         66"       16½"       2       RBB66QTAK       \$1848	24"       16½"       1       RBB24QTAK       \$ 941       +\$403         30"       16½"       1       RBB30QTAK       \$ 979       +\$425         36"       16½"       1       RBB36QTAK       \$1026       +\$447         42"       16½"       1       RBB42QTAK       \$1063       +\$464         48"       16½"       1       RBB48QTAK       \$1098       +\$484         60"       16½"       2       RBB60QTAK       \$1761       +\$795         66"       16½"       2       RBB66QTAK       \$1848       +\$813



## Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts

For Use with Answer Freestanding



#### **Standard Includes**

#### Required to Specify

- ► Need help? Product details, page 124
- Overhead bin with lift-up door: paint price group 1
  Door on units with laminate door fronts:
- Door on units with laminate door fronts: laminate price group 1
- Door on units with wood door fronts: wood group 1
- Recess beneath unit to accommodate shelf light
- Shelf backstop

laminate door

laminate door

laminate door

Wood group 2

on wood door
• Wood group 3

• Laminate price group 3 on

· Open Line laminate on

- On-module attachment brackets with safety catch: black paint only
- Off-module attachment brackets, if selected: black paint only
- Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Laminate color number for door, if laminate door selected
- 4 Wood color number for door, if wood door selected
- 5 Options, if selected (see below)
- ► See Surface Materials, page 358.

Specify laminate color number.

Specify wood color number.

Specify wood color number.

See Surface Materials Reference Manual.

	Options	U.S. Price	Required to Specify				
Surface	Overhead bin with one	steel door					
Materials	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	<ul> <li>Paint price group 2</li> </ul>	+\$ 65	Specify paint color number.				
	<ul> <li>Paint price group 3</li> </ul>	+\$111	Specify paint color number.				
	Overhead bin with two	steel doors					
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	<ul> <li>Paint price group 2</li> </ul>	+\$ 88	Specify paint color number.				
	<ul> <li>Paint price group 3</li> </ul>	+\$155	Specify paint color number.				
	Overhead bin with one laminate or wood door						
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.				
	<ul> <li>Paint price group 2</li> </ul>	+\$ 65	Specify paint color number.				
	<ul> <li>Paint price group 3</li> </ul>	+\$101	Specify paint color number.				
	Laminate price group 1 on laminate door	Prices at right	Specify laminate color number				
	<ul> <li>Laminate price group 2 on</li> </ul>	See information at left	Specify laminate color number				

See information at left

plus cost of laminate

See information at left

See information at left

+\$102

For laminate and wood group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

on wood door		opeany meet color number.
Customiz stain on wood door	No cost	Specify with Customiz stain.
		See Surface Materials Reference Manual.
Overhead bin with two la	minate or wood doors	<b>5</b>
<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
<ul> <li>Paint price group 2</li> </ul>	+\$ 88	Specify paint color number.
<ul> <li>Paint price group 3</li> </ul>	+\$135	Specify paint color number.
Laminate price group 1 on laminate doors	Prices at right	Specify laminate color number.
<ul> <li>Laminate price group 2 on laminate doors</li> </ul>	See information at left	Specify laminate color number.
<ul> <li>Laminate price group 3 on laminate doors</li> </ul>	See information at left	Specify laminate color number.
Open Line laminate on laminate doors	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
Wood group 2 on wood doors	See information at left	Specify wood color number.
<ul> <li>Wood group 3 on wood doors</li> </ul>	See information at left	Specify wood color number.
• Customiz stain on wood doors	No cost	Specify with Customiz stain.



▶Options, continued on next page

See Surface Materials Reference Manual.

Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Brackets	Off-module attachment	brackets	_
	<ul> <li>One vertical off-module</li> </ul>	+\$ 98	Specify with one vertical off-module
	bracket		bracket.
	<ul> <li>Two vertical off-module brackets</li> </ul>	+\$196	Specify with two vertical off-module brackets.
	No brackets	• • •	0 7 11
	Omit brackets	<b>-</b> \$ 31	Specify omit brackets.
Picture Frame Door on Steel Flat Fronts	Omit insert	Prices below	Specify omit insert.
Door	Assist mechanism for	+\$288 per door	Specify with assist mechanism.
Mechanism	standard door or omit insert		
Shelf	Four dividers: white plastic	+\$ 76	Specify with dividers.
Accessories			
Lock and	Lock		
Keying	No lock	-\$104 per door	Specify with no lock.
	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	<ul> <li>Factory- and field-installed ke</li> </ul>	ying	▶ Page 374
Related	Accessories		▶ Page 298
Products	Shelf lights		▶ Pages 350–354

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Spe	Specification Information							
·Dime	ensions		·Number ·Style		·U.S.	·Option		
D	W	н	of Doors	Number	Base	(Add \$ to Base Price)		
:			:	:	Price			
			:	:		Picture Frame Door		
:			:	:	:	-Omit Insert		
			:		i			



Bins	with S	teel Fla	t Fronts				
15 <sup>3</sup> ⁄4"	24"	161/4"	1	RBB24TAK	\$ 941	+\$403	
15 <sup>3</sup> ⁄4"	30"	161/4"	1	RBB30TAK	\$ 979	+\$425	
15 <sup>3</sup> ⁄4"	36"	161/4"	1	RBB36TAK	\$1026	+\$447	
15 <sup>3</sup> ⁄4"	42"	161/4"	1	RBB42TAK	\$1063	+\$464	
15 <sup>3</sup> ⁄4"	48"	16 <sup>1</sup> / <sub>4</sub> "	1	RBB48TAK	\$1098	+\$484	
15 <sup>3</sup> ⁄4"	60"	161/4"	2	RBB60TAK	\$1761	+\$795	
15 <sup>3</sup> ⁄4"	66"	16 <sup>1</sup> / <sub>4</sub> "	2	RBB66TAK	\$1848	+\$813	
15 <sup>3</sup> ⁄4"	72"	16 <sup>1</sup> / <sub>4</sub> "	2	RBB72TAK	\$1915	+\$831	

<sup>▶</sup> Specification Information, continued on next page



Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts, For Use with Answer Freestanding, continued

#### ▶ Specification Information, continued from previous page

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. See Architectural Solutions Specification Guide for attachment information.

Spe	cificati	ion Info	ormation			
Dimensions			·Number ·Style		∙U.S.	
D	W	н	of Doors	Number	Base Price	
:			•	•		
:			· ·			
:			:		:	



Bins	with L	aminate	Flat F	ronts	
15¾"	24"	161/4"	1	RBB24LTAK	\$1493
153/4"	30"	161/4"	1	RBB30LTAK	\$1531
153/4"	36"	161/4"	1	RBB36LTAK	\$1578
153/4"	42"	161/4"	1	RBB42LTAK	\$1615
153/4"	48"	161/4"	1	RBB48LTAK	\$1650
153/4"	60"	161/4"	2	RBB60LTAK	\$2760
15¾"	66"	161/4"	2	RBB66LTAK	\$2847
153/4"	72"	16 <sup>1</sup> / <sub>4</sub> "	2	RBB72LTAK	\$2914



Bins	with V	Vood Fla	t Fronts		
15¾"	24"	161/4"	1	RBB24WTAK	\$1537
15¾"	30"	161/4"	1	RBB30WTAK	\$1575
15¾"	36"	161/4"	1	RBB36WTAK	\$1622
15¾"	42"	161/4"	1	RBB42WTAK	\$1659
15¾"	48"	161/4"	1	RBB48WTAK	\$1694
15¾"	60"	161/4"	2	RBB60WTAK	\$2804
15¾"	66"	161/4"	2	RBB66WTAK	\$2891
15¾"	72"	161/4"	2	RBB72WTAK	\$2958
:			:	:	•

## **Universal Shelves**

For Use with Answer Freestanding

► Need help?

page 128

Product details,

#### **Universal Shelves**



#### **Standard Includes**

#### • Shelf: paint price group 1

- · Recess beneath unit to accommodate shelf light
- · Shelf backstop
- On-module attachment hooks with safety catch

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$22 +\$36	Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	<ul><li>Accessories</li><li>Shelf lights</li></ul>		▶ Page 298 ▶ Pages 350–354

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. ▶See Architectural Solutions Specification Guide for attachment information.

Dimensions			· Style	·U.S.
D	W	н	Number	Base
: :			:	Price
143/4"	24"	71/2"	RSH24TAK	\$307
14¾"	30"	71/2"	RSH30TAK	\$322
143/4"	36"	71/2"	RSH36TAK	\$340
143⁄4"	42"	71/2"	RSH42TAK	\$362
143/4"	48"	71/2"	RSH48TAK	\$391
14¾"	60"	71/2"	RSH60TAK	\$435
143⁄4"	72"	71/2"	RSH72TAK	\$484

#### **Universal Personal Shelves**

► Need help?

page 128

Product details,



#### **Standard Includes**

- Personal shelf: paint price group1
- · Recess beneath unit to accommodate shelf light
- · On-module attachment hooks

#### **Required to Specify**

- 1 Style number
- 2 Paint color number for personal shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

pecify
number.
number.
number.
1

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

▶ See Architectural Solutions Specification Guide for attachment information.



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. See page 1 for details.

Dimensions		· Style	·U.S.
D	W	Number	Base Price
1311/16"	24"	RDS24TAK	\$307
13 <sup>11</sup> / <sub>16</sub> "	30"	RDS30TAK	\$322
1311/16"	36"	RDS36TAK	\$340
1311/16"	42"	RDS42TAK	\$362
1311/16"	48"	RDS48TAK	\$391

## **Accessories for Overhead Bins and Shelves**

#### **Horizontal Wall Attachment Brackets**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



	Standard Includes	Required to Specify
Need help? Product details, page 131	<ul> <li>Brackets: paint price group 1</li> <li>Steel back to enclose storage bin: paint price group 1</li> </ul>	<ul> <li>1 Style number</li> <li>2 Paint color number for brackets and back</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 358.</li> </ul>

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$22 +\$36	Specify paint color number. Specify paint color number. Specify paint color number.

Specifica	ation Information		
Width	Style Number	·U.S. Base Price	
24"	RBKHWM24	\$335	
30"	RBKHWM30	\$335	
36"	RBKHWM36	\$335	
42"	RBKHWM42	\$335	
48"	RBKHWM48	\$335	
60"	RBKHWM60	\$335	
70"	RBKHWM70	\$335	
72"	RBKHWM72	\$335	
:	•	:	

#### **Dividers**

For Use with Universal Sliding Door, Universal Over the Case, Universal In the Case, and Universal Shelves For Use with Hutch Kit

**Standard Includes** 

· Package of four dividers: white plastic only



age 130			
Specificat	tion Informatio	on	
Style	·U.S.		
Number	Price		
	:		
RDIV	\$76		
RDIV	\$76		
	· ·		



**Required to Specify** 

Style number

## **Dividers for Overhead Bin and Full-Height Shelf**For Use with Overhead Storage Products Introduced prior to March 2007



	Standard Includes	Required to Specify
Need help? Product details, page 130	Carton of four dividers: clear textured plastic	Style number

Specifi	ificatio	on Inf	ormation	
Dimension W		н	• Style Number	·U.S. Price
03/4" 4"	4"	41/2"	TS7STDIV	\$85

#### **Universal Vertical Off-Module Bracket**

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins

Tip: For two-sided, off-module application, order two vertical off-module brackets.

Tip: Vertical off-module brackets are used with wallmounted channels.

	Standard Includes	Required to Specify
► Need help? Product details, page 124	<ul> <li>Vertical off-module bracket with safety catch: black paint only</li> </ul>	Style number

<b>Specificat</b>	ion Information
Style Number	· U.S. · Price
Number	Price
RBKVOFM	\$95



Accessories for Overhead Bins and Shelves, continued

### Wall Channels for TS Series Bins, Universal Bins, and Universal Shelves

	Star	ndard Includes	Required to Specify
Need help? Product det page 132		f channels: paint	1 Style number 2 Paint color number for channels ▶See <i>Surface Materials</i> , page 358.
	Rela	ated Products	
	• Tackh	poard for use with wall channels	▶Page 301
	- Tacke	vocara for doo war wall offdriffold	F i age oo i
Specific	cation Inforr		, age 501
Specific Height			- 1 age 001

#### **Wall Channel Horizontal Braces**



	Standard Includes	Required to Specify
Need help? Product details, page 132	Brace: paint	<ul><li>1 Style number</li><li>2 Paint color number for horizontal brace</li><li>▶ See Surface Materials, page 358.</li></ul>

Specifi	cation Info	rmation
·Width	•Style Number	·U.S. Price
42"	TS742HB	\$133
48"	TS748HB	\$133
60"	TS760HB	\$133
72"	TS772HB	\$133



#### **Tackboards for Use with Wall Channels**



Standard Includes	Required to Specify
<ul> <li>Tackboard, fabric direction with horizontal application: fabric price group 1</li> </ul>	<ul> <li>1 Style number</li> <li>2 Fabric color number</li> <li>3 Options, if selected (see below)</li> <li>▶ See Surface Materials, page 358.</li> </ul>

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 1	No cost	Specify fabric color number.
Materials	Fabric price group 2	+\$21	Specify fabric color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$39	Specify fabric color number.
	Fabric price group 4	+\$57	Specify fabric color number.
	Fabric price group 5	+\$87	Specify fabric color number.
	Fabric price group COM	+\$55	Specify fabric color number.
	Fabric direction on 24"	W to 60"W tackboard	ls
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application
Related Products	Wall channels for Universal bins and shelves		▶Page 300

Tip: 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction,

▶ Page 363.

Dime	ensions	· Style	·U.S.
W	н	Number	Base Price
24"	18"	TS71824TB	\$207
30"	18"	TS71830TB	\$229
36"	18"	TS71836TB	\$251
42"	18"	TS71842TB	\$275
48"	18"	TS71848TB	\$307
60"	18"	TS71860TB	\$389
72"	18"	TS71872TB	\$477



Accessories for Overhead Bins and Shelves, continued

#### **Flexible Markerboard Surface**

For Use with Universal Over the Case Bins



Standard Includes	Required to Specify
<ul> <li>Flexible, magnetic markerboard surface to attach to door of overhead storage bin: white plastic</li> </ul>	Style number

· Dime · W	ensions H	· Style Number	·U.S. Price
30"	16 <sup>1</sup> / <sub>4</sub> "	R30MBB	\$177
36"	161/4"	<b>R36MBB</b>	\$187
42"	161/4"	R42MBB	\$193
48"	16 <sup>1</sup> / <sub>4</sub> "	R48MBB	\$205



## **Slim Shelves**



#### **Standard Includes**

#### **Required to Specify**

- Need help? Product details, page 133
- Shelf: paint price group 1Attachment brackets: paint to match shelf
- 1 Style number 2 Paint color number for shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$22 +\$36	Specify paint color number. Specify paint color number. Specify paint color number.

Spe	ecificatio	n Information	
· Dim	ensions W	• Style Number	· U.S. Base Price
6"	24"	RSS24TAK	\$319
6"	30"	RSS30TAK	\$340
6"	36"	RSS36TAK	\$364
6"	42"	RSS42TAK	\$391
6"	48"	RSS48TAK	\$416
6"	60"	RSS60TAK	\$521
6"	72"	RSS72TAK	\$570
6"	96"	RSS96TAK	\$671
		•	•

Tip: Slim shelves with a "TAK" suffix can attach to Privacy Wall.
See Architectural Solutions
Specification Guide for attachment information.




## Universal One-High, 1.5-High, and Two Drawer Lateral Files

with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts

► Need help?

Product details, page 134



Tip: Service part Y30291SR, (paintable black plug), can be ordered to cover the glide adjustment holes in the front of the lateral file.

#### Standard Includes

- Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- · Drawer fronts on units with proud laminate fronts: laminate price group 1
- · Drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Base: paint to match file
- Pulls: metal
- · Integral pulls on units with flush steel fronts
- Central lock, keyed random: 9201 Polished Chrome
- One label holder per drawer: clear plastic
- · Drawer body: black only
- · Drawer suspensions: black only
- One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- Four adjustable leveling glides
- Ganging hardware
- · Counterweight package, if selected


#### Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
  - Flush steel front
  - Proud steel front
  - Proud laminate front
  - W Proud wood front
- 2 Paint color number for file
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)
- ► See Surface Materials, page 358.

Required to Specify

	Required Selectio	ns	
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	<ul> <li>FrameOne foot base</li> </ul>	+\$144	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$144	Specify with c:scape glide base, 4799 Platinum only.

#### Pulls





**Options** 





Bar



**U.S. Price** 

Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$111 +\$192	Specify paint color number. Specify paint color number. Specify paint color number.				
	Laminate price group 1     on proud laminate fronts	Prices at right	Specify laminate color number.				
	<ul> <li>Laminate price group 2 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.				
	Laminate price group 3     on proud laminate fronts	See information at left	Specify laminate color number.				
	Open Line laminate on proud laminate fronts	+\$102 plus cost of laminate	See Surface Materials Reference Manual				
	Wood group 2 on proud wood fronts	See information at left	Specify wood color number.				
	<ul> <li>Wood group 3 on proud wood fronts</li> </ul>	See information at left	Specify wood color number.				
	<ul> <li>Customiz stain on 28"H files with proud wood fronts</li> </ul>	No cost	Specify with Customiz stain. ► See Surface Materials Reference Manual.				
Tops for Flush Steel Front and Proud Steel	Security top • For use on 28"H lateral files only	No cost	Specify with security top.				
Front	No top • For use with a cushion top or beneath a common top	-\$147	Specify with no top.				

Tip: Security top reduces overall height by approximately 1".

For laminate and wood group 2 and 3 pricing, please refer to the electronic catalog or

SmartTools.

▶ Options, continued on next page

Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### ▶Options, continued from previous page

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

## For laminate and wood group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Full-fill finish (option) is available on field-installed

tops only.

Page 330

	Options	U.S. Price	Required to Specify
Top for Flush Steel Front and Proud Steel	Laminate top • Square edge laminate price group 1 top	+\$205	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
Front, continued	<ul> <li>Square edge laminate price group 2 top</li> </ul>	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Square edge laminate price group 3 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$102 plus cost of laminate	►See Surface Materials Reference Manual.
	Wood veneer top • Wood group 1 veneer top	+\$619	Specify with wood veneer top and indicate wood color number.
	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
	Wood group 3 veneer top	See information at left  No cost	Specify with wood veneer top and indicate wood color number.
	Customiz stain on wood veneer top	NO COSt	Specify with Customiz stain.  ▶ See Surface Materials Reference Manual.
Tops for Proud Wood Front	Security top • For use on 28"H lateral files only	-\$619	Specify with security top.
	No top • For use with a cushion top or beneath a common top	-\$766	Specify with no top.
	• Square edge laminate price group 1 top	-\$414	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Square edge laminate price group 2 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Square edge laminate price group 3 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	<ul> <li>Open Line laminate on laminate top</li> </ul>	+\$102 plus cost of laminate	See Surface Materials Reference Manual.

#### ▶ Options, continued on next page



Tip: 6"H box drawers come standard with a divider

package.

Universal One-High, 1.5-High, and Two Drawer Lateral Files, with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued

#### ▶Options, continued from previous page

• c:scape

▶ Options, continued on next page

	Options	U.S. Price	Required to Specify		
Tops for	Wood veneer top				
Proud Wood	Wood group 2	See information at left	Specify wood color number.		
Front,	Wood group 3	See information at left	Specify wood color number.		
continued	Customiz stain	No cost	Specify with Customiz stain.		
			► See Surface Materials Reference Manua		
Tops for	Security top				
Proud Laminate	<ul> <li>For use on 28"H</li> </ul>	<b>-</b> \$206	Specify with security top.		
Front	lateral files only				
	No top				
	<ul> <li>For use with a cushion top</li> </ul>	<del>-</del> \$414	Specify with no top.		
	or beneath a common top				
	Laminate top				
	Open Line laminate on	+\$102	▶ See Surface Materials Reference Manua		
	laminate top	plus cost of laminate			
	Wood veneer top				
	Wood group 1	+\$352	Specify with wood veneer top and		
			indicate wood color number.		
	<ul> <li>Wood group 2</li> </ul>	See information at left	Specify with wood veneer top and		
			indicate wood color number.		
	Wood group 3	See information at left	Specify with wood veneer top and indicate wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
	o doto otd		See Surface Materials Reference Manual		
Drawer	HF bar for use on 24"D	+\$ 22	Specify with HF bar.		
Interiors	units only				
	<ul> <li>Divider package</li> </ul>	+\$ 40	Specify with divider package.		
	<ul> <li>Rails for use on 18"D</li> </ul>	+\$ 51	Specify with rails.		
	units only				
Pulls	Proud steel, laminate, o				
	Contemporary	No cost	Specify with contemporary pull.		
	• Handle	No cost	Specify with handle pull.		
	• Jazz	+\$ 28 per pull	Specify with jazz pull.		
	• Bar	+\$ 43 per pull	Specify with bar pull.		
	Proud steel fronts only				

+\$ 48 per pull

Tip: 6"H box drawers come standard with a divider package.



Specify with c:scape pull.

Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### ▶Options, continued from previous page

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

▶See Counterweight Requirements for Storage Products, pages 105–111.

	Options	U.S. Price	Required to Specify			
Counterweights	One-High and 1.5-High	Lateral Files with Ur	niversal 3" Base			
	Package 30	+\$329	Specify with counterweight.			
	Package 36	+\$329	Specify with counterweight.			
	Package 42	+\$329	Specify with counterweight.			
	Package D	+\$180	Specify with counterweight.			
	Package E	+\$235	Specify with counterweight.			
	Package F	+\$329	Specify with counterweight.			
	One-High and 1.5-High	Lateral Files with c:	scape Glide and FrameOne Foot Bases			
	<ul> <li>Package 30</li> </ul>	+\$329	Specify with counterweight.			
	<ul> <li>Package 36</li> </ul>	+\$329	Specify with counterweight.			
	<ul> <li>Package 42</li> </ul>	+\$329	Specify with counterweight.			
	Two Drawer with Univ	ersal 3" Bases				
	<ul> <li>Package 3</li> </ul>	+\$180	Specify with counterweight.			
	<ul> <li>Package 4</li> </ul>	+\$235	Specify with counterweight.			
	Two Drawer with c:sc	ape Glide and Frame(	neOne Foot Bases			
	<ul> <li>Package 7</li> </ul>	+\$329	Specify with counterweight.			
	Package 8	+\$329	Specify with counterweight.			
Lock and	Lock					
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.			
	Individual locking dra	wers				
	<ul> <li>18"D with two drawers</li> </ul>	+\$196	Specify with individual lock.			
	<ul> <li>24"D with two drawers</li> </ul>	+\$220	Specify with individual lock.			
	Keying					
	<ul> <li>Factory- and field-installed</li> </ul>	keying	▶Page 374			
Related	Cushion tops		▶Page 310			
Products	<ul> <li>Field-installed tops</li> </ul>		▶ Page 329			
	<ul> <li>Steel storage accessories</li> </ul>		▶ Page 333			
	<ul> <li>Bookends</li> </ul>		▶ Page 336			
	<ul> <li>Counterweight packages</li> </ul>		▶ Pages 337–338			
	<ul> <li>Basic cushions enhanced</li> </ul>		▶ Page 311			
			ŭ			

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301\_\_ becomes RLF18301F for flush steel front).



Dimensions D W H		4	. •		·Style Number	U.S. Base Prices			
Flush Proud Steel Steel/ Lam/ Wood			Universal 3" Base	FrameOne Foot and c:scape Glide Bases		Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front
						Suffix F	Suffix P	Suffix L	Suffix

#### One 12"H Drawer

18"	187⁄8"	30"	16"	Package A	Package G	RLF18301_	\$1224	\$1260	\$1669	\$2468
18"	187⁄8"	36"	16"	Package B	Package H	RLF18361_	\$1356	\$1412	\$1812	\$2611
18"	187⁄8"	42"	16"	Package C	Package J	RLF18421	\$1490	\$1554	\$1946	\$2745

▶ Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal One-High, 1.5-High, and Two Drawer Lateral Files, with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued

Specification Information

#### ▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301\_ becomes RLF18301F for flush steel front).





Tip: For open-open units, the shelf is affixed with screws. The screws can be removed to adjust the clips/shelf to a different height.





Dimensions W		w	н	· Counterwei Packages	ght	· Style · Number	·U.S. Base Prices				
Flush Steel	Proud Steel/ Lam/ Wood	1/		Universal 3" Base	FrameOne Foot and c:scape Glide Bases	) : : : : :	Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front	
							Suffix F	Suffix P	Suffix L	Suffix	
Open	Config	jura	tion	s							
18"	187/8"	30"	16"	Not required	Not required	RSC18301A_	\$1051	\$1138	N.A.	N.A.	
18"	187/8"	36"	16"	Not required	Not required	RSC18361A_	\$1230	\$1337	N.A.	N.A.	

#### **Open-Open Configurations**

One 6	One 6"H Opening with Fixed Shelf and One 12"H Opening with Fixed Shelf									
18"	187⁄8"	30"	22"	Not required	Not required	RLF18301A_	\$1104	\$1197	N.A.	N.A.
18"	187⁄8"	36"	22"	Not required	Not required	RLF18361A_	\$1327	\$1441	N.A.	N.A.
18"	187⁄8"	42"	22"	Not required	Not required	RLF18421A_	\$1539	\$1666	N.A.	N.A.
231/8"	24"	30"	22"	Not required	Not required	RLF24301A_	\$1458	\$1576	N.A.	N.A.
231/8"	24"	36"	22"	Not required	Not required	RLF24361A_	\$1741	\$1879	N.A.	N.A.

#### **Drawer-Drawer Configurations**

One 6	"H Drav	ver a	nd Or	ne 12"Drawer						
18"	187⁄8"	30"	22"	Package 30	Package 30	RLF18301B_	\$1321	\$1416	\$2042	\$2841
18"	187⁄8"	36"	22"	Package 36	Package 36	RLF18361B_	\$1549	\$1657	\$2249	\$3048
18"	187⁄8"	42"	22"	Package 42	Package 42	RLF18421B_	\$1756	\$1885	\$2658	\$3457
231/8"	24"	30"	22"	Package 30	Package 30	RLF24301B_	\$1679	\$1793	\$2619	\$3418
231/8"	24"	36"	22"	Package 36	Package 36	RLF24361B_	\$1961	\$2102	\$2879	\$3678

#### **Drawer-Open Configurations**

One 6	"H Drav	ver a	nd Oı	ne 12"H Oper	ning with Fixe	ed Shelf				
18"	187⁄8"	30"	22"	Package D	Package D	RLF18301C_	\$1223	\$1315	\$1808	\$2607
18"	187⁄8"	36"	22"	Package E	Package E	RLF18361C_	\$1445	\$1550	\$2015	\$2814
18"	187⁄8"	42"	22"	Package F	Package F	RLF18421C_	\$1647	\$1775	\$2420	\$3219
231/8"	24"	30"	22"	Package D	Package D	RLF24301C_	\$1567	\$1683	\$2386	\$3185
231/8"	24"	36"	22"	Package E	Package E	RLF24361C	\$1839	\$1973	\$2646	\$3445
								-	-	

<sup>▶</sup> Specification Information, continued on next page




Universal One-High, 1.5-High, and Two Drawer Lateral Files

#### ▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301\_becomes RLF18301F for flush steel front).





Dimensions D Flush Proud	w	н	· Counterwei Packages	ight	• Style Number	·U.S. Bas	Proud	Proud	Proud
Steel Steel/ Lam/ Wood			Universal 3" Base	FrameOne Foot and c:scape Glide		Steel Front		Lam Front	Wood
				Bases		: : : :	Suffix P	Suffix L	


#### **Open-Drawer Configurations**

One 6	One 6"H Opening with Fixed Shelf and One 12"Drawer									
18"	187⁄8"	30"	22"	Package 30	Package 30	RLF18301D_ \$1223	\$1315	\$1808	\$2607	
18"	187⁄8"	36"	22"	Package 36	Package 36	RLF18361D_ \$1445	\$1550	\$2015	\$2814	
18"	187⁄8"	42"	22"	Package 42	Package 42	RLF18421D_ \$1647	\$1775	\$2420	\$3219	
231/8"	24"	30"	22"	Package 30	Package 30	RLF24301D_ \$1567	\$1683	\$2386	\$3185	
231/8"	24"	36"	22"	Package 36	Package 36	RLF24361D_ \$1839	\$1973	\$2646	\$3445	

Two	12"H D	raw	ers							
18"	187⁄8"	30"	28"	Package 3	Package 30	RLF18302_	\$1355	\$1448	\$2042	\$2841
18"	187⁄8"	36"	28"	Package 4	Package 30	RLF18362_	\$1586	\$1693	\$2253	\$3052
18"	187⁄8"	42"	28"	Package 4	Package 30	RLF18422_	\$1792	\$1922	\$2657	\$3456
231/8"	24"	30"	28"	Package 3	Package 30	RLF24302_	\$1664	\$1779	\$2619	\$3418
231/8"	24"	36"	28"	Package 4	Package 30	RLF24362_	\$1997	\$2132	\$2880	\$3679
:				:	:	:	:	:	:	:

## **Cushion Tops**

For Universal One-High, 1.5-High, and Two Drawer Lateral Files



Tip: Seam pattern is determined by upholstery selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style of the lateral (for example, RPDC1830\_\_ becomes RPDC1830F for cushion top for flush steel front).

#### **Standard Includes**

#### **Required to Specify**

- ► Need help? Product details, page 136
- Cushion top: fabric
- Attachment hardware

- 1 Style number with appropriate front style suffix in the space provided:
- F Flush steel front
- P Proud steel/wood front
- 2 Fabric color number
- 3 Options, if selected (see below)
- See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	Fabric price group 2	+\$ 12	Specify fabric color number.
	Fabric price group 3	+\$ 59	Specify fabric color number.
	Fabric price group 4	+\$ 73	Specify fabric color number.
	Fabric price group 5	+\$ 92	Specify fabric color number.
	Fabric price group 6	+\$ 129	Specify fabric color number.
	Fabric price group 7	+\$ 154	Specify fabric color number.
	Fabric price group 8	+\$ 223	Specify fabric color number.
	Fabric price group 9	+\$ 286	Specify fabric color number.
	Fabric price group 10	+\$ 348	Specify fabric color number.
	Leather price group	+\$ 894	Specify leather color number.
	Select Surfaces leather	+\$ 894	See Surface Materials Reference Manual
	price group 1	+\$ 094	See Surface Materials Reference Manual
	<ul> <li>Elmosoft leather price group</li> </ul>	+\$1030	Specify Elmosoft leather color number.
	Select Surface leather     price group 2	+\$1030	See Surface Materials Reference Manual
	Vinyl	+\$ 12	Specify vinyl color number.
	Customer's Own Material (COM) or Customer's own Leather (COL)	+\$ 23	See Surface Materials Reference Manual
Related Products	Universal lateral files		▶ Page 304

Dimensions D W		н	·Style Number	· U.S. Base Price			
Flush Steel Front	Proud Steel/ Wood Front				Flush Steel Front	Proud Steel/ Wood Front	
				:	Suffix F	Suffix P	
Cushi	on Top	IS		·	<u> </u>	•	
18"	187⁄8"	30"	11/2"	RPDC1830_	\$ 950	\$ 950	
18"	187⁄8"	36"	11/2"	RPDC1836_	\$ 968	\$ 968	
18"	187⁄8"	42"	11/2"	RPDC1842_	\$ 985	\$ 985	
231/8"	24"	30"	11/2"	RPDC2430_	\$1008	\$1008	
231/8"	24"	36"	11/2"	RPDC2436	\$1026	\$1026	



## **Basic Cushions Enhanced**

For Universal Lateral Files



Tip: Basic cushion enhanced is field-installed and supplies to attach are included.

Tip: Basic cushion enhanced is constructed with a thin solid base.

Tip: Basic cushion enhanced is available on Universal laterals with a top only.

#### Standard Includes Required to Specify

► Need help? Product details, page 134

- Enhanced cushion top: fabric price group 1
- Attachment supplies: hook and loop fastener
- 1 Style number
- 2 Fabric color number for cushion top
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	Fabric price group 2	+\$ 12	Specify fabric color number.
	Fabric price group 3	+\$ 59	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$ 73	Specify fabric color number.
	<ul> <li>Fabric price group 5</li> </ul>	+\$ 92	Specify fabric color number.
	Fabric price group 6	+\$129	Specify fabric color number.
	Fabric price group 7	+\$154	Specify fabric color number.
	Fabric price group 8	+\$223	Specify fabric color number.
	Fabric price group 9	+\$286	Specify fabric color number.
	Fabric price group 10	+\$348	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 23	See Surface Materials Reference Manua
Support	For 30"W and 36"W steel U	niversal laterals v	with an open configuration
Brace	<ul> <li>Brace (30"W and 36"W)</li> </ul>	+\$ 77	Specify with brace.
Related Products	Universal files		▶ Page 304

Dime D	nsions W	н	• Style Number	· U.S. Base Price	
18"	30"	1"	RCHE1830	\$374	
18"	36"	1"	RCHE1836	\$397	
18"	42"	1"	RCHE1842	\$420	
231/8"	30"	1"	RCHE2430	\$427	
231/8"	36"	1"	RCHE2436	\$443	




## **Universal Open Side Towers**

► Need help?

page 138

Product details,

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### Standard Includes

• Tower: paint price group 1

- 1"H top: paint to match tower
- · Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- Door and drawer fronts on units with proud wood fronts: wood group 1 veneer
- Lock, keyed random: 9201 Polished Chrome
- · Base: paint to match tower
- Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- Post to support adjustable shelf: paint to match tower
- · One box drawer divider and one pencil tray: black only
- · Coat rod: black
- Four adjustable leveling glides
- Ganging hardware
- · Counterweight package, if selected

#### Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)

► See Surface Materials, page 358.


Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

For laminate and wood group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

	Required Selections	U.S. Price	Required to Specify
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$286	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$286	Specify with c:scape glide base, 4799 Platinum only.

#### Pulls











Surface **Materials** 

Options	U.S. Price	Required to Specify
Paint price group 1	No cost	Specify paint color number.
<ul> <li>Paint price group 2</li> </ul>	+\$111	Specify paint color number.
Paint price group 3	+\$192	Specify paint color number.
Laminate price group 1     on proud laminate fronts	Prices at right	Specify laminate color number.
<ul> <li>Laminate price group 2 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.
<ul> <li>Laminate price group 3 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.
Open Line laminate on proud laminate fronts	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
<ul> <li>Wood group 3 on proud wood fronts</li> </ul>	See information at left	Specify wood color number.
Customiz stain on proud wood fronts	No cost	Specify with Customiz stain. ► See Surface Materials Reference Manual.

▶ Options, continued on next page



# Universal Storage

#### ▶ Options, continued from previous page

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For laminate and wood group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: If wood veneer top

option is selected, wood veneer top color will default to match wood front.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

► See Counterweight Requirements for Storage Products, pages 105–111.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RQS24244LA\_\_ becomes RQS24244LAF for flush steel front).

	Options	U.S. Price	Required to Specify
Tops for	Laminate top		
Flush Steel	Square edge laminate	+\$205	Specify with laminate top and indicate
Front, Proud	price group 1 top		laminate color number for top
Steel Front,			and plastic color number for edges.
<b>Proud Laminate</b>	Square edge laminate	See information at left	Specify with laminate top and indicate
Front, and	price group 2 top		laminate color number for top
Proud Wood	7 3 3 4 7		and plastic color number for edges.
Front	Square edge laminate	See information at left	Specify with laminate top and indicate
	price group 3 top		laminate color number for top and
	1 3 1		plastic color number for edges.
	Open Line laminate on	+\$102	See Surface Materials Reference Manual.
	laminate top	plus cost of laminate	
	Wood veneer top		
	<ul> <li>Wood group 1 veneer top</li> </ul>	+\$619	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>Wood group 2 veneer top</li> </ul>	See information at left	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>Wood group 3 veneer top</li> </ul>	See information at left	Specify with wood veneer top and
			indicate wood color number.
	<ul> <li>Customiz stain on wood</li> </ul>	No cost	Specify with Customiz stain.
	veneer top on units with flush		► See Surface Materials Reference Manual.
	steel or proud steel fronts		
Pulls	Proud steel, laminate, or	wood fronts	
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	• Jazz	+\$ 28 per pull	Specify with jazz pull.
	• Bar	+\$ 43 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 48 per pull	Specify with c:scape pull.
Counterweights	Tower Package 1	+\$161	Specify with counterweight.
	Tower Package 2	+\$198	Specify with counterweight.
Lock and	Lock		
Keying	Ember chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	Factory- and field-installed key	ing	▶Page 374
Related	Field-installed tops		▶ Page 329
Products	<ul> <li>Steel storage accessories</li> </ul>		▶ Page 333
	<ul> <li>Bookends</li> </ul>		▶ Page 336
	<ul> <li>Counterweight packages</li> </ul>		▶ Pages 337–339

#### ▶ Specification Information, on next page



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor.

► See page 1 for details.


Universal Open Side Towers with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶ Options, on previous page

Speci	ficatio	n In	form	ation								
Dimen:	sions	w	н	· Style · Number	·U.S. Ba	ase Pric	es		• Counterwe			
				:	:				Steel Fron	ts	Wood From	nts
Flush	Proud				Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOnc
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/				Front	Front	Front	Front		c:scape		c:scape
	Wood									Glide		Glide
	Front				Suffix	Suffix	Suffix	Suffix		Bases		Bases
					F	Р	L	w				


#### **Tower with Door Hinged on Left**

#### One 6"H Drawer and Two 12"H Drawers




18"	187⁄8"	24"	471/2"	RQS182448LA	\$3063	\$3560	\$4046	\$4251	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RQ\$242448LA	\$3394	\$3891	\$4377	\$4582	Not required	Tower package 1	Not required	Tower package 1

#### One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	18 <sup>7</sup> /8"	24"	52"	RQS18244LA	\$3166	\$3663	\$4149	\$4354	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RQS24244LA_	\$3523	\$4020	\$4506	\$4711	Not required	Not required	Not required	Not required

#### Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	187⁄8"	24"	651/2"	RQS18245LC_	\$3736	\$4233	\$4719	\$4924	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RQS24245LC_	\$4153	\$4650	\$5136	\$5341	Not required	Not required	Not required	Not required
:				:	:	:	:	:	:	:	:	:


#### ▶ Specification Information, continued on next page

#### ▶ Specification Information, continued from previous page

Speci	ficatio	n In	form	ation								
Dimen:	sions	w	н	· Style Number	·U.S. Ba	ase Pric	es		Counterwo			
:					: :				Steel Fron		Wood From	
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	: FrameOne
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/				Front	Front	Front	Front		c:scape		c:scape
	Wood						:			Glide		Glide
	Front				Suffix	Suffix	Suffix	Suffix		Bases		Bases
					F	P	L	W				


#### **Tower with Door Hinged on Right**

#### One 6"H Drawer and Two 12"H Drawers




18"	187/8"	24"	471/2"	RQS182448RA_	\$3063	\$3560	\$4046	\$4251	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RQ\$242448RA	\$3394	\$3891	\$4377	\$4582	Not required	Tower package 1	Not required	Tower package 1

#### One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	187/8"	24"	52"	RQS18244RA	\$3166	\$3663	\$4149	\$4354	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RQS24244RA_	\$3523	\$4020	\$4506	\$4711	Not required	Not required	Not required	Not required

#### Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	18 <sup>7</sup> /8"	24"	651/2"	RQS18245RC_	\$3736	\$4233	\$4719	\$4924	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/2"	24"	24"	651/2"	RQS24245RC	\$4153	\$4650	\$5136	\$5341	Not required	Not required	Not required	Not required


### **Universal Dual Door Towers**

► Need help?

page 138

Product details,

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### Standard Includes

- Tower: paint price group 1
- 1"H top: paint to match tower
- Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- Door and drawer fronts on units with proud wood fronts: wood group 1 veneer
- Lock, keyed random: 9201 Polished Chrome
- · Base (see below under required selections)
- Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- Post to support adjustable shelf: paint to match tower
- · One box drawer divider and one pencil tray: black only
- · Coat rod: black
- Four adjustable leveling glides
- Ganging hardware
- · Counterweight package, if selected

#### Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)

See Surface Materials, page 358.

	Required Selections	U.S. Price	Required to Specify
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$286	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$286	Specify with c:scape glide base, 4799 Platinum only.











Contemporary Handle

wood fronts

Jazz

Bar

c:scape

#### For laminate and wood group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$111 +\$192	Specify paint color number. Specify paint color number. Specify paint color number.
	Laminate price group 1     on proud laminate fronts	Prices at right	Specify laminate color number.
	<ul> <li>Laminate price group 2 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>Laminate price group 3 on proud laminate fronts</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>Open Line laminate on proud laminate fronts</li> </ul>	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
	Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
	<ul> <li>Wood group 3 on proud wood fronts</li> </ul>	See information at left	Specify wood color number.
	<ul> <li>Customiz stain on proud</li> </ul>	No cost	Specify with Customiz stain.

▶ Options, continued on next page

▶ See Surface Materials Reference Manual.

## Universal Storage

#### ▶ Options, continued from previous page

#### **Tops for** Flush Steel Front, Proud Steel Front, For laminate and wood **Proud Laminate** Front. and Proud group 2 and 3 pricing, please refer to the electronic **Wood Front** catalog or SmartTools.

Tip: Height dimension listed

is for units with 1" top. Over-

all height will vary if another

top is selected.

**Laminate top**  Square edge laminate price group 1 top

**Options** 

• Square edge laminate See information at left

price group 2 top · Square edge laminate price group 3 top

color number for edges. See information at left +\$102

Specify with laminate top and indicate laminate color number for top and plastic color number for edges.

Specify with laminate top and indicate

Specify with laminate top and indicate

laminate color number for top and plastic

laminate color number for top and plastic

Required to Specify

color number for edges.

▶ See Surface Materials Reference Manual.

**Wood veneer top** Wood group 1 veneer top

• Open Line laminate on

laminate top

• Wood group 2 veneer top

· Customiz stain on wood

veneer top on units with flush

steel or proud steel fronts

See information at left • Wood group 3 veneer top See information at left

No cost

+\$619

plus cost of laminate

**U.S. Price** 

+\$205

Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number.

Specify with Customiz stain. See Surface Materials Reference Manual.

**Pulls** 

Proud steel, laminate, or wood fronts Contemporary No cost

 Handle No cost +\$ 28 per pull +\$ 43 per pull Specify with contemporary pull. Specify with handle pull. Specify with jazz pull. Specify with bar pull.

**Proud steel fronts only** c:scape

Counterweights • Tower Package 1

Jazz

• Bar

+\$161

+\$ 48 per pull

Specify with c:scape pull. Specify with counterweight. Specify with counterweight.

Lock and Keying

• Tower Package 2 Lock Ember chrome

**Keying** 

+\$198 No cost

Specify with 9250 Ember Chrome lock.

· Factory- and field-installed keying

▶ Page 374

tions where counterweights

Related · Field-installed tops **Products** • Steel storage accessories

▶ Page 329 ▶ Page 333

are not required. See Counterweight Requirements for Storage Products, pages 105-111.

Tip: Counterweight packages

are required to ensure prod-

uct stability and are ordered as an option or separately.

Product specification pages

style number and any excep-

indicate the correct counterweight package for each

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RDD182448LA\_ becomes RDD182448LAF for flush steel front).

▶ Specification Information, on next page



For Canadian Pricing Multiply U.S. Price by the


Canadian price factor. See page 1 for details. Universal Dual Door Towers, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶ Options, on previous page

<b>Dimen</b>	sions			· Style	·U.S. Bas	se Prices			· Counterwe	eights		
D		W	н	Number	:				:			
				:	:				Steel Fron	ts	· Wood From	nts
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood			:	:	:	:		:	Glide	:	Glide
	Front				Suffix F	Suffix P	Suffix L	Suffix W		Bases	:	Bases


#### **Tower with Doors Hinged on Left**

#### One Fixed Shelf and Two 12"H Drawers




18"	187/8"	24"	471/2"	RDD182448LA_	\$2700	\$3135	\$3536	\$3741	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448LA_	\$3253	\$3410	\$3826	\$4031	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	471/2"	RDD182448LB_	\$2940	\$3387	\$3797	\$4002	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448LB_	\$3482	\$3652	\$4094	\$4299	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	187/8"	24"	52"	RDD18244LA_	\$2985	\$3391	\$3785	\$3990	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244LA_	\$3515	\$3704	\$4048	\$4253	Not required	Not required	Not required	Not required

#### ▶ Specification Information, continued on next page




## Universal Storago

#### ▶ Specification Information, continued from previous page

<b>Dimen</b>	sions			·Style	·U.S. Bas	se Prices			· Counterwe	eights		
D		W	н	Number	:				:			
				:	:				Steel Fron	ts	Wood Fron	nts
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/			:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood			:	:	:	:	:	:	Glide	:	Glide
	Front				Suffix F	Suffix P	Suffix L	Suffix W	:	Bases	:	Bases


#### **Tower with Doors Hinged on Left, continued**

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	187/8"	24"	52"	RDD18244LB_	\$3181	\$3493	\$3982	\$4187	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244LB_	\$3710	\$3793	\$4293	\$4498	Not required	Not required	Not required	Not required

#### One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	187/8"	24"	651/2"	RDD18245LC_	\$3349	\$3816	\$4204	\$4409	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RDD24245LC_	\$3710	\$3842	\$4580	\$4785	Not required	Not required	Not required	d Not required

#### One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	651/2"	RDD18245LD_	\$3544	\$3988	\$4400	\$4605	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RDD24245LD_	\$3906	\$4036	\$4781	\$4986	Not required	Not required	Not required	Not required

#### ▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Universal Dual Door Towers, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶ Specification Information, continued from previous page

Speci	ficatio	n In	form	ation								
· Dimen	sions	w	н	·Style Number	·U.S. Ba	se Prices			Counterwe	eights		
:-									Steel Fron	ts	Wood From	nts
Flush	Proud			:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOne
Steel	Steel/			:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/				Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood				:	:	:		:	Glide	:	Glide
	Front			:	Suffix F	Suffix P	Suffix L	<b>Suffix W</b>		Bases	:	Bases


#### **Tower with Doors Hinged on Right**

#### One Fixed Shelf and Two 12"H Drawers




18"	187/8"	24"	471/2"	RDD182448RA \$270	3135	\$3536	\$3741	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448RA \$325	3 \$3410	\$3826	\$4031	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	471/2"	RDD182448RB \$29	2940 \$3	3387	\$3797	\$4002	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24"	471/2"	RDD242448RB \$34	3482 \$3	3652	\$4094	\$4299	Not required	Tower package 1	Not required	Tower package 1

#### One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	187/8"	24"	52"	RDD18244RA_	\$2985	\$3391	\$3785	\$3990	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244RA_	\$3515	\$3704	\$4048	\$4253	Not required	Not required	Not required	Not required

<sup>▶</sup> Specification Information, continued on next page




## Universal Storag

#### ▶ Specification Information, continued from previous page

Dimen	sions		· Stvle	·U.S. Bas	se Prices			· Counterwe	iahts		
D W H Flush Proud	Number					Steel Fron	ts	Wood From	nts		
Flush	Proud		:	Flush	Proud	Proud	Proud	Universal	FrameOne	Universal	FrameOn
Steel	Steel/		:	Steel	Steel	Lam	Wood	3" Base	Foot and	3" Base	Foot and
Front	Lam/		:	Front	Front	Front	Front	:	c:scape	:	c:scape
	Wood		:	:	:	:	:	:	Glide	:	Glide
	Front		:	Suffix F	Suffix P	Suffix L	Suffix W		Bases	:	Bases

#### **Tower with Doors Hinged on Right, continued**

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	187/8"	24"	52"	RDD18244RB_	\$3181	\$3493	\$3982	\$4187	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	52"	RDD24244RB_	\$3710	\$3793	\$4293	\$4498	Not required	Not required	Not required	Not required

#### One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	181/8"	24"	65 1/2"	RDD18245RC_	\$3349	\$3816	\$4204	\$4409	lower package 1	lower package 1	lower package 1	lower package 1
231/8"	24"	24"	651/2"	RDD24245RC_	\$3710	\$3842	\$4580	\$4785	Not required	Not required	Not required	Not required

#### One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24"	651/2"	RDD18245RD_	\$3544	\$3988	\$4400	\$4605	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24"	651/2"	RDD24245RD_	\$3906	\$4036	\$4781	\$4986	Not required	Not required	Not required	Not required




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### **Universal Lateral Files**

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



#### Standard Includes

► Need help? Product details, page 142

- Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- 13/16"H top and drawer fronts on units with proud laminate fronts: laminate price group 1
- 13/16"H top and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Integral pulls on units with flush steel front
- Pulls: metal
- Lift-up door with fixed shelf on 65½"H units with flush steel or proud steel front: paint
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood group 1 veneer
- · Central lock, keyed random: 9201 Polished Chrome
- · One label holder per drawer: clear plastic
- Drawer body: black only
- · Drawer suspensions: black only
- One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- · One hanging folder bar and three dividers on roll-out shelf, if selected
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

#### Required to Specify


- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- w Proud wood front
- 2 Paint color number for file
- 3 Laminate color number for top and drawer fronts, if proud laminate front selected
- 4 Wood color number for top and drawer fronts, if proud wood front selected
- 5 Pull (see below under required selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front
- 7 Options, if selected (see below)
- ► See Surface Materials, page 358.

#### Required Selections

#### **Pulls**



Tops with









For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add

3/16" to overall case height.



Canadian price factor. See page 1 for details.

Surface	<ul> <li>Paint price group</li> </ul>
Materials	<ul> <li>Paint price group</li> </ul>

• Paint price group 3

**Options** 

· Laminate price group 2 · Laminate price group 3

· Open Line laminate on proud laminate fronts

+\$192 See information at left See information at left +\$102 plus cost of laminate

**U.S. Price** 

No cost

+\$111

Specify laminate color number. Specify laminate color number.

Specify with no top.

**Required to Specify** 

Specify paint color number.

Specify paint color number.

Specify paint color number.

See Surface Materials Reference Manual.

#### Flush Steel Front and **Proud Steel Front** Laminate top

No top on 40"H or 52"H For use under a worksurface or beneath a common top

Square edge laminate

· Square edge laminate

Square edge laminate

price group 1 top

price group 2 top

price group 3 top

-\$147

+\$205

See information at left

See information at left

· Open Line laminate on +\$102 plus cost of laminate

laminate top ▶ Options, continued on next page

Specify with laminate top and indicate laminate color number for top and plastic color number for edges.

Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with laminate top and indicate

laminate color number for top and plastic color number for edges

See Surface Materials Reference Manual.

#### ▶ Options, continued from previous page

Tip: Full-fill finish (option) is available on field-installed tops only.

▶Page 330

For laminate and wood group 2 and 3 pricing, please refer to the electronic catalog or SmartTools

	Options	U.S. Price	Required to Specify
Tops with	Wood veneer top		
Flush Steel Front and	Wood group 1 veneer top	+\$619	Specify with wood veneer top and indicate wood color number.
Proud Steel Front,	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
continued	<ul> <li>Wood group 3 veneer top</li> </ul>	See information at left	Specify with wood veneer top and indicate wood color number.
	<ul> <li>Customiz stain on wood veneer top</li> </ul>	No cost	Specify with Customiz stain.  See Surface Materials Reference Manual
Tons with	No ton		

## **Front**

Proud Laminate • For use with a cushion top

-\$414

### **Laminate top**

Specify with no top.

 Square edge laminate price group 2 top

· Square edge laminate See information at left price group 3 top

color number for edges. Specify with laminate top and indicate laminate color number for top and plastic

Specify with laminate top and indicate

laminate color number for top and plastic

· Open line laminate on laminate top

+\$102 plus cost of laminate

See information at left

color number for edges. See Surface Materials Reference Manual.

**Wood veneer top** 

 Wood group 1 veneer top • Wood group 2 veneer top +\$352 See information at left Specify wood color number. Specify wood color number.

• Wood group 3 veneer top See information at left Customiz stain No cost

Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manual.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tops v	with
Proud	Wood
Fuend	

No top on 40"H or 52"H • For use under a worksurface or beneath a common top

-\$766

Specify with no top.

Laminate top

· Square edge laminate price group 1 top

-\$414

· Square edge laminate price group 2 top

See information at left

Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with laminate top and indicate

· Square edge laminate

See information at left

laminate color number for top and plastic color number for edges. Specify with laminate top and indicate

price group 3 top · Open Line laminate on

+\$102

laminate color number for top and plastic color number for edges.

**Wood veneer top** 

Wood group 2

plus cost of laminate See information at left

See information at left

See Surface Materials Reference Manual.

Drawer Interiors • Wood group 3 • HF bar for use on 24"D

laminate top

+\$ 22

Specify wood color number. Specify wood color number. Specify with HF bar.

units only Divider package • Rails for use on 18"D units only

+\$ 40 +\$ 51

Specify with divider package. Specify with rails.

**Lift-Up Door** With Roll-Out **Shelf** 

65½"H flush steel front files only On 18"D files • On 24"D files

Specify with roll-out shelf. Specify with roll-out shelf.

▶ Options, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Universal Lateral Files, with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify			
Pulls	Proud steel, laminate	e, or wood fronts				
	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.			
	Handle	No cost	Specify with handle pull.			
	• Jazz	+\$ 28 per pull	Specify with jazz pull.			
	• Bar	+\$ 43 per pull	Specify with bar pull.			
	Proud steel fronts or	nly				
	• c:scape	+\$ 48 per pull	Specify with c:scape pull.			
Counterweights	Package 1	+\$180	Specify with counterweight.			
	Package 2	+\$180	Specify with counterweight.			
	<ul> <li>Package 3</li> </ul>	+\$180	Specify with counterweight.			
	<ul> <li>Package 4</li> </ul>	+\$235	Specify with counterweight.			
Lock and	Lock					
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.			
	Individual locking dr	awers on 18"D file				
	<ul> <li>With three drawers</li> </ul>	+\$392	Specify with individual lock.			
	<ul> <li>With four drawers</li> </ul>	+\$589	Specify with individual lock.			
	Individual locking dr	awers on 24"D file				
	<ul> <li>With three drawers</li> </ul>	+\$440	Specify with individual lock.			
	<ul> <li>With four drawers</li> </ul>	+\$661	Specify with individual lock.			
	Keying					
	<ul> <li>Factory- and field-installe</li> </ul>	d keying	▶Page 374			
Related	Field-installed tops		▶Page 329			
Products	<ul> <li>Steel Storage Accessorie</li> </ul>	S	▶ Page 333			
	<ul> <li>Bookends</li> </ul>		▶ Page 336			
	<ul> <li>Counterweight packages</li> </ul>		▶ Pages 337–339			


Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.


See Counterweight
Requirements for Storage
Products, pages 105–111.

Tip: 65½"H files with individual lock option do not have a lock in the lift-up door. Lift-up door is locked by the drawer below.

Tip: Height dimension listed is for units with 1" top.
Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18363\_becomes RLF18363F for flush steel front).





Dimensions D W H		н	·Counterweight ·Style Package Number		· U.S. Base Prices				
- Flush	Proud					Flush	Proud	Proud	Proud
Steel	Steel/					Steel	Steel	Lam	Wood
Front	Lam/			:	:	Front	Front	Front	Front
	Wood			:	:	:	:	:	:
	Front			:		Suffix F	Suffix P	Suffix L	Suffix W
					:	:			:

Three	Three 12"H Drawers								
18"	187⁄8"	30"	40"	Package 3	RLF18303_	\$1828	\$2048	\$2800	\$3599
18"	187⁄8"	36"	40"	Package 3	RLF18363_	\$2126	\$2387	\$3089	\$3888
18"	187⁄8"	42"	40"	Package 3	RLF18423_	\$2409	\$2700	\$3283	\$4082
231/8"	24"	30"	40"	Package 2	RLF24303_	\$2341	\$2628	\$3323	\$4122
231/8"	24"	36"	40"	Package 2	RLF24363_	\$2675	\$3000	\$3680	\$4479


Four	Four 12"H Drawers											
18"	187⁄8"	30"	52"	Package 3	RLF18304	\$2392	\$2683	\$3648	\$4447			
18"	187⁄8"	36"	52"	Package 4	RLF18364	\$2784	\$3118	\$4033	\$4832			
18"	187⁄8"	42"	52"	Package 4	RLF18424	\$3147	\$3530	\$4410	\$5209			
231/8"	24"	30"	52"	Package 2	RLF24304	\$3004	\$3368	\$4350	\$5149			
231/8"	24"	36"	52"	Package 3	RLF24364	\$3495	\$3924	\$4824	\$5623			
				•	•							

<sup>▶</sup> Specification Information, continued on next page

# ▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18363\_becomes RLF18363F for flush steel front).



<b>Dimen</b>	sions			<ul> <li>Counterweight</li> </ul>	· Style	·U.S. Bas	e Prices		
D		W	н	Package	Number	:			
Flush	<b>Proud</b>				:	Flush	Proud	Proud	Proud
Steel	Steel/			:	:	Steel	Steel	Lam	Wood
Front	Lam/			:	:	Front	Front	Front	Front
	Wood			:		÷			
	Front			:		Suffix F	Suffix P	Suffix L	Suffix W

Four 12"H Drawers and One 13 <sup>1</sup> / <sub>2</sub> "H Lift-Up Door with Fixed Shelf									
18"	187⁄8"	30"	651/2"	Package 2	RLF18305_	\$2871	\$3217	\$4243	\$5042
18"	187⁄8"	36"	651/2"	Package 2	RLF18365_	\$3335	\$3743	\$4711	\$5510
18"	187⁄8"	42"	651/2"	Package 3	RLF18425_	\$3771	\$4228	\$5170	\$5969
231/8"	24"	30"	651/2"	Package 1	RLF24305_	\$3606	\$4045	\$5091	\$5890
231/8"	24"	36"	651/2"	Package 1	RLF24365_	\$4189	\$4698	\$5670	\$6469
				•	•				•

# Accessorie

# **Specifying Storage Tops, Shelves, and Accessories**

Connectors	328
Steel Security Tops	329
Square Edge Tops	330
Adjustable Shelves for Towers	332
Steel Storage Accessories	333

# **Connectors**

# **Worksurface-to-Tower Connectors**



	Standard Includes	Required to Specify
Need help? Product details, page 145	Connector: paint     Attachment hardware	<ul><li>1 Style number</li><li>2 Paint color number for connector</li><li>▶ See Surface Materials, page 358.</li></ul>



# Steel Security Tops For Use with Flush or Proud Front Products

Need

page 135

Tip: Tops are for field installation only.

Tip: Security tops should only be used on units that are positioned under a worksurface—these are **NOT** structural tops.

Tip: Security top cannot be installed on a file with a lift-up door in the top position.

Tip: For use with universal steel storage only.





	Standard Includes	Required to Specify
Need help?	Security top: all paint price groups	1 Style number
Product details,	<ul> <li>Attachment hardware</li> </ul>	2 Paint color number for top

ielp?	•	Security top: all paint price group
t details.	•	Attachment hardware

. Oty.oao.
2 Paint color number for top
► See Surface Materials, page 358.

D.:		E. H. O.	01.1	11.0
Dime D	nsions W	For Use On	• Style Number	· U.S. Price
		•	:	:
			:	:
:			:	
Flush	Front			
18"	30"	Lateral file, storage cabinet	RATF1830F	\$155
18"	36"	Lateral file, storage cabinet	RATF1836F	\$155
18"	42"	Lateral file, storage cabinet	RATF1842F	\$155
231/8"	30"	Lateral file, storage cabinet	RATF2430F	\$155
23½" :	36"	Lateral file, storage cabinet	RATF2436F	\$155 :
Prou	d Front			
18 <sup>7</sup> /8"	30"	Lateral file, storage cabinet	RATF1830P	\$155
187/8"	36"	Lateral file, storage cabinet	RATF1836P	\$155
187/8"	42"	Lateral file, storage cabinet	RATF1842P	\$155
24"	30"	Lateral file, storage cabinet	RATF2430P	\$155
24"	36"	Lateral file, storage cabinet	RATF2436P	\$155

# **Square Edge Tops**

For Use with Flush and Proud Front Products

Tip: For use with universal steel storage only.

#### **Standard Includes**

# **Required to Specify**

► Need help? See Storage Specification Guide. • Attachment hardware

- 13/16"H top with square edge profile on all sides: laminate price group 1 or wood group 1

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel or proud wood front
- 2 Laminate or wood color number for top
- 3 Plastic color number for 1 mm edges of laminate top
- 4 Options, if selected (see below)
- See Surface Materials, page 358.

For wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate top  Laminate price group 2  Laminate price group 3  Open Line laminate	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See Surface Materials Reference Manual.
	Wood veneer top Wood group 2 Wood group 3 Customiz stain on wood veneer top Full-fill finish on wood group 1 veneer	See information at left See information at left No cost Prices at right	Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manual. Specify with full-fill finish and select wood color number. See Surface Materials Reference Manual.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1524\_ becomes RATL1524F for a top to be used on a flush steel front unit).











For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Dimensions • Style			· U.S. Base Prices				
D	W	н	Number	•		· Option	
Flush Proud	ı		:	Flush	Proud Steel	· (Add \$ to	
Steel Steel	1		:	Steel	or Proud Wood	Base Price)	
Front Proud	ı		:	Front	Front		
Wood			:	:		· Full-Fill	
				Suffix F	Suffix P	Finish on Wood Group	
			:	÷			

naiviauai file Laminate Tops									
187/8"	30"	13/16"	RATL1830_	\$ 294	\$ 294	N.A.			
187⁄8"	36"	13/16"	RATL1836	\$ 318	\$ 318	N.A.			
187⁄8"	42"	13/16"	RATL1842_	\$ 344	\$ 344	N.A.			
24"	30"	13/16"	RATL2430_	\$ 325	\$ 325	N.A.			
24"	36"	13/16"	RATL2436_	\$ 344	\$ 344	N.A.			
	18 <sup>7</sup> /8" 18 <sup>7</sup> /8" 18 <sup>7</sup> /8" 24"	187/8" 30" 187/8" 36" 187/8" 42" 24" 30"	187/8" 30" 13/16" 187/8" 36" 13/16" 187/8" 42" 13/16" 24" 30" 13/16"	187/6"       30"       13/16"       RATL1830_         187/6"       36"       13/16"       RATL1836_         187/6"       42"       13/16"       RATL1842_         24"       30"       13/16"       RATL2430_	187/6"       30"       13/16"       RATL1830_       \$ 294         187/6"       36"       13/16"       RATL1836_       \$ 318         187/6"       42"       13/16"       RATL1842_       \$ 344         24"       30"       13/16"       RATL2430_       \$ 325	187/8"       30"       13/16"       RATL1830_       \$ 294       \$ 294         187/8"       36"       13/16"       RATL1836_       \$ 318       \$ 318         187/8"       42"       13/16"       RATL1842_       \$ 344       \$ 344         24"       30"       13/16"       RATL2430_       \$ 325       \$ 325	187/8"       30"       13/16"       RATL1830_       \$ 294       \$ 294       N.A.         187/8"       36"       13/16"       RATL1836_       \$ 318       \$ 318       N.A.         187/8"       42"       13/16"       RATL1842_       \$ 344       \$ 344       N.A.         24"       30"       13/16"       RATL2430_       \$ 325       \$ 325       N.A.		

-				•	•	•	•	
Laminate Common Tops								
18"	187/8"	601/16"	13/16"	RATCL1860_	\$ 476	\$ 476	N.A.	
18"	187⁄8"	661/16"	13/16"	RATCL1866_	\$ 552	\$ 552	N.A.	
18"	187/8"	721/16"	13/16"	RATCL1872_	\$ 619	\$ 619	N.A.	
18"	187/8"	781/16"	13/16"	RATCL1878_	\$ 787	\$ 787	N.A.	
18"	187/8"	841/16"	13/16"	RATCL1884_	\$ 888	\$ 888	N.A.	
18"	187/8"	901/8"	13/16"	RATCL1890_	\$ 989	\$ 989	N.A.	
18"	187/8"	961/8"	13/16"	RATCL1896_	\$1089	\$1089	N.A.	
18"	187/8"	1081/8"	13/16"	RATCL18108_	\$1310	\$1310	N.A.	

▶ Specification Information, continued on next page

# Accessorie

# Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1524\_becomes RATL1524F for a top to be used on a flush steel front unit).







# ▶ Specification Information, continued from previous page

**Specification Information** 

Dimen	Dimensions			·Style	∙U.S. Bas	e Prices		
Steel	Proud Steel/ Proud Wood	W	Н	Number	Flush Steel Front	Proud Steel or Proud Wood Front	• Option • (Add \$ to • Base Price) • Full-Fill	
					Suffix F	Suffix P	Finish on Wood Group 1	
Lamin	ate Co	mmon	Tops,	continued				
231/8"	24"	60½16"	13/16"	RATCL2460_	\$ 502	\$ 502	N.A.	
231/8"	24"	66½16"	13/16"	RATCL2466_	\$ 561	\$ 561	N.A.	
231/8"	24"	72½16"	13/16"	RATCL2472_	\$ 633	\$ 633	N.A.	
231⁄8"	24"	901/8"	13/16"	RATCL2490_	\$1061	\$1061	N.A.	
231⁄8"	24"	961/8"	13/16"	RATCL2496_	\$1165	\$1165	N.A.	
231⁄8"	24"	1081/8"	13/16"	RATCL24108_	\$1406	\$1406	N.A.	
36½16"	3713/16"	36"	13/16"	RATCL3636_	\$ 604	\$ 604	N.A.	
36½16"	37 <sup>13</sup> /16"	72½16"	13/16"	RATCL3672_	\$ 832	\$ 832	N.A.	
46 <sup>5</sup> ⁄16"	481/16"	36"	13/16"	RATCL4836_	\$ 681	\$ 681	N.A.	
46 <sup>5</sup> ⁄16"	481/16"	721/16"	13/16"	RATCL4872_	\$ 933	\$ 933	N.A.	
Indivi	dual Fi	le Wo	od Top	)S	<u>;</u>	<u>:</u>	<del>:</del>	
18"	187/8"	30"	13/16"	RATW1830_	\$ 760	\$ 760	+\$ 44	
18"	187/8"	36"	13/16"	RATW1836_	\$ 776	\$ 776	+\$ 44	
18"	187/8"	42"	13/16"	RATW1842_	\$ 875	\$ 875	+\$ 44	
231⁄8"	24"	30"	13/16"	RATW2430_	\$ 788	\$ 788	+\$ 44	
231/8"	24"	36"	13/16"	RATW2436	\$ 809	\$ 809	+\$ 44	
Wood	Comm	on Toj	าร					
18"	187/8"	601/16"	13/16"	RATCW1860_	\$1071	\$1071	+\$ 69	
18"	187/8"	661/16"	13/16"	RATCW1866_	\$1127	\$1127	+\$ 69	
18"	187/8"	721/16"	13/16"	RATCW1872_	\$1188	\$1188	+\$ 69	
18"	187/8"	78½16"	13/16"	RATCW1878_	\$1418	\$1418	+\$ 69	
18"	187/8"	841/16"	13/16"	RATCW1884_	\$1613	\$1613	+\$102	
18"	187/8"	901/8"	13/16"	RATCW1890_	\$1704	\$1704	+\$102	
18"	187/8"	961/8"	13/16"	RATCW1896_	\$1878	\$1878	+\$102	
231/8"	24"	601/16"	13/16"	RATCW2460_	\$1100	\$1100	+\$ 69	
231/8"	24"	661/16"	13/16"	RATCW2466_	\$1154	\$1154	+\$102	
231/8"	24"	721/16"	13/16"	RATCW2472_	\$1227	\$1227	+\$102	
231/8"	24"	901/8"	13/16"	RATCW2490_	\$1822	\$1822	+\$102	
231/8"	24"	961/8"	13/16"	RATCW2496_	\$2009 :	\$2009 :	+\$102	

# **Adjustable Shelves for Towers**

# **Adjustable Steel Standard Shelves**

For Use with Towers



• 3/4"H adjustable shelf: all paint price groups ► Need help? See Storage · Set of adjustable brackets: black only Specification Guide.

# **Standard Includes**

# **Required to Specify**

- 1 Style number
- 2 Paint color number for shelf
- ► See Surface Materials, page 358.

Dime	ensions W	• Style Number	·U.S. Price
For	Use witl	h Open Side Tov	vers
24"	15"	RXSA2415	\$88
30"	15"	RXSA3015	\$95
For	Use witl	h Dual Door Tov	vers
24"	15"	RXSAFFT2415	\$88

# **Adjustable Glass Shelves**

For Use with Open Side Towers Only



Tip: Adjustable shelves are for field installation only.

#### **Standard Includes Required to Specify**

- ► Need help? See Storage Specification Guide.
- 3/8"H adjustable shelf: frosted glass only
- · Set of four adjustable brackets: black only
- Style number

Spec	Specification Information					
			·U.S. Price			
24"	15"	RXSG2415	\$218			
30"	15"	RXSG3015	\$243			



# **Steel Storage Accessories**

# **Rails**

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
Need help? See Storage	Package of two rails: black only	Style number
Specification Guide	<u>,</u>	

Specification Information						
·Width	Style Number	·U.S. Price				
	<u>:                                    </u>	:				
12"	RXADRL15	\$37				

# **Dividers**

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
Need help? See Storage Specification Guide.	Package of dividers: black only	Style number


·Width	·Quantity	. Chulo	·U.S.
wiath	Guantity	· Style Number	Price
<u>:</u>	:	:	:
For Us	e in 6"H Dra	wers	
12"	2	RDV1506	\$ 59
For IIs	: e in 12"H Dı	rawers	:
			<b>A</b> 00
12"	2	RDV1512	\$ 63
12"	10	RDV151210	\$296



Steel Storage Accessories, continued

# **Pencil Tray**

For Use in Pedestals and Universal Towers




Tip: Pedestals with box drawers include one pencil tray per pedestal.

	Standard Includes	Required to Specify
	Otaliaara molaaco	ricquired to opening
► Need help?	<ul> <li>Pencil tray: black only</li> </ul>	Style number
See Storage		
Specification Gu	uide.	

Specification Information							
•Style Number	· U.S. Price						
RPXDPT	\$51						

# **Reference Shelf**



	Standard Includes
Need help?	Reference shelf: black only
See Storage	<ul> <li>Insert: clear plastic only</li> </ul>
Specification Guide.	

# Standard Includes Required to Specify

Style number

Specifi	cation Information		
Style	·U.S.		

Number Price
RPXDRS \$74

# **Hanging Folder Bars**

For Use with Universal Lateral Files and Universal Combination Cabinets Manufactured on or after October 17, 2005



	Otalidal d Illolades
Need help?	Hanging folder bar: black only
See Storage	
Specification Guide	)

Required to Specify	
Style number	

Specification Information					
·Width	• Style Number	·U.S. Price			
30"	RAHF30	\$22			
36"	RAHF36	\$22			
42"	RAHF42	\$22			
	:	:			

# **Rails**

For Use with Lateral Files and Combination Cabinets





Tip: All drawer sizes require two rails per drawer for maximum capacity frontto-back filing.

Tip: Actual rail dimensions are 15½" deep for an 18" deep cabinet and 20" deep for a 24" deep cabinet.

	Standard Includes	Required to Specify
Need help? See Storage Specification Guido	Package of two or four rails: black only	Style number

18"	je of Two soorw	\$51
18" 24"		\$51
24"	DVADDI 24	
<u> </u>	nxaunt24	\$37
Package	e of Four	·
24"	RXADRL2442	\$70

# **Dividers**

For Use in Lateral Files and Combination Cabinets

	Standard Includes	Required to Specify
Need help? See Storage Specification Guide	Carton of three dividers: black only	Style number

Spe	ecificat	ion lı	nformation	
· Dim	ensions W	н	•Style •Number	·U.S. Price
:			:	:

# For Use in 12"H Drawers or 12"H Roll-Out Shelves

117/8"	1/16"	61/4"	800DV12	\$38

# For Use in 6"H Roll-Out Shelves or Drawers and 9"H Drawers

13½"	1/16"	35/8"	800DV6	\$38








► See page 1 for details.

Steel Storage Accessories, continued

# **Shelf Divider Assembly**



	Standard Includes	Required to Specify
Need help? See Storage Specification Guide.	Divider bracket: black only     Two dividers: clear plastic	Style number

Specification Information						
·Width	•Style Number	·U.S. Price				
30"	RASTDIV30	\$145				
36"	RASTDIV36	\$145				
42"	RASTDIV42	\$145				
		•				

# **Bookends**



	Standard Includes	Required to Specify
Need help? See Storage Specification Guide.	Package of two or twenty bookends: 6695 Midnight only	Style number

Specific	ation Inforr	nation
• Style Number	Quantity	·U.S. Price
KDIV02	2	\$ 47
KDIV20	20	\$441



**Required to Specify** 

Specify with Customiz stain.

See Surface Materials Reference Manual.

# **Wood Drawer Pulls**



	Standard Includes	Required to Specify
Need help? See Storage Specification Gu	Pull: wood group 1  iide.	1 Style number 2 Wood color number 3 Options, if selected (see below) ▶ See Surface Materials, page 358.

**U.S. Price** 

No cost

**Options** 

• Customiz stain

Specifi	cation Inform	ation
Width	•Style Number	· U.S. Price
15"	RPULL15W	\$245
30"	RPULL30W	\$335
36"	RPULL36W	\$379
42"	RPULL42W	\$425

# **Counterweight Packages**

For Use with Universal One-High and 1.5-High Lateral Files

Surface

**Materials** 



Standard Includes	Required to Specify
<ul><li>Counterweight: black only</li><li>Attachment hardware</li></ul>	Style number

Specificati	on Information	
Package Name	· Style Number	·U.S. Price
:	:	:
Package 30	RAACW30	\$329
Package 36	RAACW36	\$329
Package 42	RAACW42	\$329
Package D	RAACWD	\$180
Package E	RAACWE	\$235
Package F	RAACWF	\$329
:		:



Steel Storage Accessories, continued

# **Counterweight Retro Kit**

For Use with Universal One-High and Two Drawer Lateral Files

Tip: Use this retrofit kit when ordering RAACW30, RAACW36, or RAACW42. For use on One-High or Two Drawer lateral files with feet that were manufactured prior to February 21, 2020.

	Standard Includes	Required to Specify
	Counterweight retrofit kit	Style number
Specificati	ion Information	
Style Number	·U.S. Price	
RAACWR	\$104	

# **Counterweight Packages**

For Use with Universal 2H, 3H, 4H, and 5H Lateral Files, and Combination Cabinets


Product details,

page 104

**Standard Includes** 

· Counterweight: black only

Attachment hardware



· Package	·Style	·U.S.	· Package	·Style	·U.S.
Number	Number	Price	Number	Number	Price
Package 1	RAACW1	\$180	Package 5	RAACW5	\$329
Package 2	RAACW2	\$180	Package 6	RAACW6	\$329
Package 3	RAACW3	\$180	Package 7	RAACW7	\$329
Package 4	RAACW4	\$235	Package 8	RAACW8	\$329



**Required to Specify** 

Style number

**Required to Specify** 

Style number

# **Counterweight Packages**

For Use with Universal Towers



Tip: Tower packages 1 and 2 are for 18"D and 24"D units and tower package 3 is for 30"D units.

	Standard Includes	Required to Specify
Need help? Product details, page 104	Counterweight: black only     Attachment hardware	Style number

Specificati	on Informa	ation
Package Name	Style Number	·U.S. Price
: Tower package 1	RAACT1	\$161
Tower package 2	RAACT2	\$198
Tower package 3	RAACT3	\$161

# **Anchor Bracket Package for Products with Glides**



Tip: Four anchor bracket packages are required for each cabinet.

	Standard Includes	Required to Specify
Need help? Product details,	Two-piece anchor bracket and attachment hardware	Style number

Specificat	tion Information
Style Number	· U.S. Price
RAANBRK	\$52

# **Attachment Cable**



Tip: For use with underworksurface lateral files.

Specification Info	rmation
	·U.S. Price
PAB12 (package of 1)	\$ 31
PAB12M (package of 25)	\$480



**For Canadian Pricing** Canadian price factor. ► See page 1 for details.

Multiply U.S. Price by the

**Standard Includes** 

• Attachment cable

• Package of 1 or 25

# **Specifying Wiring and Cabling**

Interface Products	
Multipurpose Power Infeeds	342
Modular Connector Faceplates	342
Distribution Products	
Modular Harnesses	343
Three Way Branching Connectors	343
Accessories	
Power Sphere	344
Power and Communication Sphere	344
Power and Communication Port	345
Power/Power Box	345
2½" Round Grommet	345
3" Grommet Package	346
Universal Worksurface Wire Managers	346
Cable and Fiber Reels	346
Termination Plate	347
Cord Reels	347
Wire Clips	347
Vertical Wire Manager	348

Answer Freestanding Specification Guide

# **Interface Products**

# **Multipurpose Power Infeeds**



#### **Standard Includes Required to Specify**

- ►Need help? Product details, page 155
- Multipurpose power infeed with modular connector • Insulated color-coded wires for hardwired connection to building power source

Style number

Speci	tionti	O HING O	i o io
Sheci	III Gali	urilla	шош

·Length	·Style	·U.S.	·Length	·Style	·U.S.
:	Number	Price	:	Number	Price
:	:	:	<u>:</u>	:	:
4 Circui	W:	. Cohomotic	4 0:	. O. 4 Wining C	*ahamatia

**Non-PVC** 

# 4-Circuit. 3+1 Wiring Schematic

12'	TS712UPHX	\$506		
24'	TS724UPHX	\$735		
	:	:		

# 4-Circuit, 3+1 Wiring Schematic

12'	TS712UPHXN	\$522		
24'	TS724UPHXN	\$755		

# **Modular Connector Faceplates**





#### **Standard Includes**

- **Required to Specify**
- Faceplate with flush connection: galvanized steel
- Faceplate with 90° connection: black paint • Female modular connector
- Pigtail for hardwire connection

Style	number

# **Specification Information**

_			
·Connection	·Style	·U.S.	
	Number	Price	

# 4-Circuit, 3+1

► Need help?

page 155

Product details.

Flush	GAPFCMX	\$ 84
90°	GAPFCM90X	\$155



# **Distribution Products**

# **Modular Harnesses**



Tip: Remember to order connectors, which are required to connect two modular harnesses or to connect a modular harness to a hub harness.

▶ Page 220

### **Standard Includes**

#### **Required to Specify**

Style number

► Need help? Product details, page 156

Harness

**Specification Information Non-PVC** ·Style ·U.S. ·Length ·Style ·U.S. Lenath Number **Price** Number **Price** 4-Circuit, 3+1 GSGUH12X 12" \$220 12" **GSGUH12XN** \$240 22" **GSGUH22X** \$220 22" **GSGUH22XN** \$240 28" **GSGUH28X** 28" **GSGUH28XN** \$220 \$240 \$240 32" **GSGUH32X** \$220 32" **GSGUH32XN** 38" **GSGUH38X** \$220 38" **GSGUH38XN** \$240 44" **GSGUH44X** \$252 44" **GSGUH44XN** \$271 **GSGUH50XN** 50" **GSGUH50X** \$252 50" \$271 **GSGUH54X** 54" **GSGUH54XN** 54" \$266 \$281 64" **GSGUH64X** 64" \$292 **GSGUH64XN** \$322 76" **GSGUH76X** \$319 76" **GSGUH76XN** \$347 **GSGUH88X** 88" \$364 88" **GSGUH88XN** \$384 100" **GSGUH100X** \$393 100" **GSGUH100XN** \$413 GSGUH120X **GSGUH120XN** 120' \$463 120" \$483 144" 144" **GSGUH144X** \$525 **GSGUH144XN** \$547

# **Three-Way Branching Connectors**



Tip: Branching connector distributes all circuits to each connection point.

Tip: Modular power manufactured before May 2004 (round conduit) are not interchangeable after May 2004 (oval conduit). A power-out modular harness is available from Steelcase Service Parts to make a modular connection between the two versions.

# **Standard Includes**

**Required to Specify** 

- ► Need help? Product details, page 156
- · Branching connector: Ultramid nylon · Three modular connection attachment points
- · One power infeed harness connection point

Style number

# **Specification Information**


·Stvle · U.S. Number Price

# 4-Circuit, 3+1

**GAP3HCX** \$36

# **Accessories**

# **Power Sphere**



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

# **Standard Includes**

# **Required to Specify**

- ► Need help? Product details, page 157
- Sphere with four simplex electrical outlets: black plastic only
- Two 6' power cords (each rated at 15 amps), if selected: black plastic only

Style	nu	mbe
-------	----	-----

Sp	ecifi	catior	n Info	ormat	ion

· Dimensions		∙Style	·U.S.	
D	W	Н	Number	Price

# Four Electrical Outlets with Two 6' Power Cords

33/8"	33/8"	3"	PTDMGB1	\$365

# **Power and Communication Sphere**



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Face plates in sphere accommodates standard voice/data jacks.

# **Standard Includes**

# **Required to Specify**

Style number

- ► Need help? Product details, page 157
- Sphere with two simplex electrical outlets: black plastic only
- Face plates to accommodate two customer-supplied voice/ data jacks: black plastic only
- 6' power cord with plug rated at 15 amps, if selected: black plastic only
- **Specification Information**

Dimensions			· Style	·U.S.
D	W	н	Number	Price

# Sphere with One 6' Power Cord

33/8"	33/8" 3"	PTDMGB3	\$365
		:	:



# **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

# **Power and Communication Port**



	Standard Includes	Required to Specify
Need help?	Port with two electrical outlets: black plastic only	Style number

- Product details, • 6' power cord with plug rated at 15 amps: black plastic only page 157
  - Adapters for two customer-supplied data couplers/jacks

Specification Information					
Dimensions D W	Dime D		н	·Style ·Number	·U.S. Price
1/4" 41/4"	1/4"	41/4"	45/16"	PTRSGB1	\$541

# **Power/Power Box**

	Standard Includes	Required to Specify
Need help? Product details, page 158	Power/power box	Style number

Specification Information				
· Dim D	ensions W	Н	• Style Number	·U.S. Price
3"	3"	1"	AWVBP	\$340

# 21/2" Round Grommet



Tip: Grommet AWAG2 is for use on worksurfaces only.

Tip: When using AWAG2 in the Universal parametric straight worksurface, specify the 2" grommet cutout option. Actual diameter of cutout is  $2^{1/4}$ ".

	Standard Includes	Required to Specify
► Need help?	Grommet: paint or metal	1 Style number
Product details,	<ul> <li>Installation instructions</li> </ul>	2 Paint or metal color number
nage 158		See Surface Materials, page 358

#### **Specification Information** Dimensions Style ·U.S. W Number Price

:		:	:
21/2"	21/2"	AWAG2	\$100
:			:

**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Accessories, continued

# **3" Grommet Package**



Tip: When using TSAEGROM in the Universal parametric straight worksurface, specify the 3" grommet cutout.

Standard Includes	Required to Specify

► Need help? Product details, page 24

• Package of 10 grommets: black plastic

Style number

		mation

Style Number	·U.S. Price	
TSAEGROM	\$85	

# **Universal Worksurface Wire Managers**

► Need help?

page 158

Product details,



# **Standard Includes**

- Set of six field installed worksurface wire managers: plastic
- Attachment hardware

# **Required to Specify**

- 1 Style number
- 2 Plastic color number for worksurface wire manager: 6000 Black 6009 Arctic White 6052 Milk 6053 Seagull 6249 Platinum Solid 6654 Sand 6655 Warm White 6695 Midnight
  - 6697 Fog

·Style	·U.S.
Number	Price
TS7WWM	\$220

# **Cable and Fiber Reels**



**Standard Includes** ► Need help? • Package of four reels: black plastic only **Required to Specify** Style number

Product details, page 159

# Specification Information

Specifica	
• Style Number	·U.S.
Number	Price
:	
98766	\$244

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

# **Termination Plate**



	Standard Includes	Required to Specify
Need help? Product details, page 160	Termination plate: black paint only	Style number

# **Cord Reels**



	Standard Includes	Required to Specify
Need help? Product details, page 161	Carton of six cord reels: black paint only	Style number

Specifica	ation Information
• Style Number	· U.S. Price
98767	\$107

# **Wire Clips**



	Standard Includes	Required to Specify
Need help? Product details, page 161	<ul><li>Carton of six: black plastic only</li><li>Foam tape</li><li>Mounting screws</li></ul>	Style number

Specifica	ation Information
Style Number	· U.S.
Number	Price
•	
999CHT	\$106



Accessories, continued

# **Vertical Wire Manager**

	Standard Includes	Required to Specify
Need help? Product details, page 161	25" wire manager with double-sided tape: black plastic	Style number



# **Specifying Lighting**

Lighting	
Standard Shelf Lights	350
Bottomline Shelf Lights	352
LED Shelf Lights	353
LED Linear Shelf Lights	354
Related Products	
Vertical Wire Manager	356

# **Standard Shelf Lights**

Tip: Daisy chaining shelf lights together extends power from one fixture to another within workstations to help keep receptacles clear for other uses.

See page 177 for more information.

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.



Tip: Remember to order a daisy chain starter cord.
►See Related Products on next page.

# For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

#### **Standard Includes**

► Need help? Product details, page 168

- Light housing with centered on-off switch: black paint
- End cap cord managers: black plastic only
- Cords:
- —Standard and Chicago (including circuit breaker), 9' cord with three-prong plug at 45° angle: black plastic only
- —Daisy chain, one 78" cord with modular connectors for daisy chaining: black plastic only
- Contrast sleeve around lamp
- Faceted reflector: white only
- T8 3500K lamp
- Ballast
- Universal mounting hardware package
- Daisy chain starter cord, if selected: black plastic only (order separately)

# **Required to Specify**

- 1 Style number
- 2 Paint color number, if other than black (see options below)
- 3 Options, if selected (see below)
- ► See Surface Materials, page 358.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul> <li>Painted light housing other than black</li> </ul>	+\$36	Specify paint color number for housing.
Bracket Option	Competitive mounting package	No cost	Specify with competitive mounting package.
	Flush mounting package	No cost	Specify with flush mounting package and paint color number for end cap covers.

Spe	ecific	catio	n Informa	tion		
·Dim	nensio	ons	·Lamp	·Style	·U.S.	
D	W	н	Watta	ge Number	Base	
÷					Price	
			:		· ·	

# **Electronic High-Power-Factor Ballast**

With	Stand	ard Pov	ver Cord		
91/4"	25"	13/4"	17 watts	LSM24K	\$625
91/4"	37"	13/4"	25 watts	LSM36K	\$662
91/4"	49"	13/4"	32 watts	LSM48K	\$716
With	Chica	go Cord	Including (	Circuit Breaker	r
91/4"	25"	13/4"	17 watts	LSM24KC	\$722
91/4"	37"	13/4"	25 watts	LSM36KC	\$759
91/4"	49"	13/4"	32 watts	LSM48KC	\$813
With	Daisy	Chain C	ords		
91/4"	25"	13/4"	17 watts	LSM24KD	\$680
91/4"	37"	13/4"	25 watts	LSM36KD	\$717
91/4"	49"	13/4"	32 watts	LSM48KD	\$771

Related Products								
· Quantity in Package	·Length	• Style Number	·U.S. Price					
:	:	:	:					

# Daisy Chain Starter Cord

1	78"	LS1FSC	\$ 86	
6	78"	LS6FSC	\$516	
			•	



Tip: Use with Standard shelf light with daisy chain cord only.

# **Bottomline Shelf Lights**

► Need help?

page 170



Tip: Daisy chaining shelf lights together extends power power from one fixture to another within workstations to help keep receptacles clear for other uses.

See page 177 for more information.

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.

Tip: When ordering the Bottomline shelf lights with daisy chain starter cord you do NOT need to order a starter cord or jumper

#### **Standard Includes**

- Steel light housing: paint
- Product details, Mylar reflector
  - Batwing lens
  - Polycarbonate end caps: molded to match housing
  - Cords:
    - Standard and Chicago (including circuit breaker),
       9' cord with three-prong plug at 45° angle:
       black plastic only
    - —Daisy chain, one 56" cord with modular connectors for daisy chaining: black plastic only
  - · Energy efficient electronic ballast
  - Energy efficient 3500K T5 fluorescent light
  - Universal spring brackets for recessed mount and screw-in for flush mount
  - Tool free clips for New York application

# **Required to Specify**

- 1 Style number
- 2 Paint color number for housing and end caps:0835 Black

7018 Pewter

dard Pov 4" 11/4" 11/4"	• Lamp Wattage ower Cord	Style Number	· U.S. Price
′4" 1 <sup>1</sup> /4"		LEGET	
	14 watts	LEGET	
11/4"		L52FT	\$373
	21 watts	L53FT	\$400
4" 1 <sup>1</sup> /4"	28 watts	L54FT	\$431
ago Coro	d Including C	ircuit Breaker	
′4" 1¹/4"	14 watts	L52FTCHI	\$437
11/4"	21 watts	L53FTCHI	\$476
′4" 1¹/4"	28 watts	L54FTCHI	\$508
	:	:	
/ Chain	Cord		
′4" 1¹/4"	14 watts	L52FTY	\$413
11/4"	21 watts	L53FTY	\$437
′4" 1¹/4"	28 watts	L54FTY	\$467
/ Chain	Starter Cord		
′4" 1¹/4"	14 watts	L52FTS	\$413
11/4"	21 watts	L53FTS	\$437
4" 1½"	28 watts	L54FTS	\$467
	11/4" 11/4" 4" 11/4" <b>Chain</b> 4" 11/4" 11/4"	11/4" 21 watts 4" 11/4" 28 watts  7 Chain Starter Cord 4" 11/4" 14 watts 11/4" 21 watts	4" 1½" 14 watts <b>L52FTY</b> 1½" 21 watts <b>L53FTY</b> 4" 1½" 28 watts <b>L54FTY</b> 7 Chain Starter Cord  4" 1½" 14 watts <b>L52FTS</b> 1½" 21 watts <b>L53FTS</b>

# **Specification Guidelines**

Application	Requirement
2 lights	1 starter fixture and 1 daisy chain fixture
3 lights	1 starter fixture and 2 daisy chain fixtures
4 lights	1 starter fixture and 3 daisy chain fixtures
5 lights	1 starter fixture and 4 daisy chain fixtures
6 lights	1 starter fixture and 5 daisy chain fixtures

Note: Daisy chaining minimum of two fixtures; maximum of six fixtures.



# **LED Shelf Lights**

Tip: Maximum number of lights that can be daisy chained is three lights.

#### **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 172

- Aluminum extrusion with plastic cover
- Power supply with cord
- Soft touch switch
- Thin profile accommodates recessed and low profile flush mounting
- Ultra energy efficient LED light source
- Universal magnetic mounting
- · Polycarbonate matte film diffuser
- Continuous dimming

ıc	۱۰ ۵۰	~ ~		h ~ =
	SLVI	ет	ıum	ber

- 2 Plastic color number for cover: 6000 Black
- 6009 Arctic White
- 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify	
Mounting	<ul> <li>Fastener kit for use with wood shelf</li> </ul>	+\$9	Specify with fastener kit.	

Tip: LED standard light comes with a 9' 18 watt power supply.

# Specification Information Dimensions Lamp

<ul> <li>Dimensions</li> </ul>			· Lamp	· Style	·U.S.
D	W	н	Wattage	Number	Base
					Price
				•	

# **LED Standard Light**

Tip: Daisy chain starter light comes with a 60 watt power supply that will support up to three lights in series (11' cord; 6' from power supply to power outlet, 5' from power supply to fixture). Does not include daisy chain jumper cords.

# **LED Daisy Chain Starter Light**

21/2"	18"	1/2"	9.6 watts	LSL18YA	\$545
			-		
				•	



Tip: Daisy chain secondary light does not come with a power supply. Daisy chain cord package (8" and 30") comes standard with each secondary light.

# **LED Daisy Chain Secondary Light**

21/2"	18"	1/2"	9.6 watts	LSL18YB	\$498

# **LED Linear Shelf Lights**

Tip: The power supply for the 17" stand alone only uses a straight plug with a 9' 18 watt 24 volt wall transformer. The power supply for the 31", 44", 58", or 17" starter light uses a 11' 60 watt compact in-line brick with straight plug.

	Standard Includes	Required to Specify
Need help? Product details.	Task light and mounting bracket: 4231 Arctic White     Power supply with cord: black	1 Style number 2 Options, if selected (see below)

- Product details, page 174
- Power supply with cord: black
- Soft touch switch
- · Magnetic and wood mounting brackets
- Continuous range dimmer
  Automatic turn off program
- Color temperature 3500K

	Options	U.S. Price	Required to Specify
Surface Materials	<ul> <li>Painted light housing in 0835 Black</li> </ul>	+\$ 19	Specify with 0835 Black.
Occupancy Sensor	17"W, 31"W, 44"W, and 58"W with stand alone or daisy chain starter	+\$187	Specify with occupancy sensor.
High Output	17"W with stand alone, starter, or secondary	+\$118	Specify with high output.
•	<ul> <li>31"W, 44"W, and 58"W with stand alone or daisy chain starter, or secondary</li> </ul>	+\$201	Specify with high output.

Dim D	ension W	s H	• Style Number	· U.S. Base Price	
17"	Stand	Alone	e Light		
2"	17"	7/10"	LLL17	\$384	

17" Daisy Chain Starter Light					
2"	17"	7/10"	LLL17YA	\$447	

17"	17" Daisy Chain Secondary Light				
2"	17"	7/10"	LLL17YB	\$334	

31" Stand Alone or Daisy Chain Starter Light					
2"	31"	7/10"	LLL31	\$621	
				•	

31" Daisy Chain Secondary Light				ight	
2"	31"	7/10"	LLL31YB	\$514	
:			:	:	

▶ Specification Information, continued on next page









For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.


#### ▶ Specification Information, continued from previous page

Specification Information					
·Dim	nensio	าร	· Style	·U.S.	
D	W	н	Number	Base	
:			•	Price	
			:	:	



# 44" Stand Alone or Daisy Chain Starter Light

2"	44"	7/10"	LLL44	\$ 824
			•	



# 44" Daisy Chain Secondary Light

2"	44"	7/10"	LLL44YB	\$ 690
			•	
			•	

# **58" Stand Alone or Daisy Chain Starter Light**

2"	58"	7/10"	LLL58	\$1055

# **58" Daisy Chain Secondary Light**

2"	58"	7/10"	LLL58YB	\$ 744
				•
			•	



# **Vertical Wire Manager**

Tip: Wire manager can be

	Standard Includes	Required to Specify
Need help? Product details, page 178	Vertical wire manager: plastic	1 Style number 2 Plastic color number: 6000 Black 6009 Arctic White 6249 Platinum Solid 6652 Titanium 6654 Sand 6655 Warm White 6697 Fog

Tip: Wire manager can be
cut in the field to the specific
length needed.

Specification Information						
	Style	·U.S.				
	Number	Price				
48"	TS7PVWM	\$46				

# **Surface Materials**

358
363
364
366
368
370

# **Surface Materials**

This listing includes all the surface material choices that are available for the products in this specification guide.

#### Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specifica-

tion tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface

materials palette is a core collection of finishes that is available across multiple geographies (Americas/EMEA - Europe, Middle East, and Africa/ APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/ surface-materials.

# **Surface Materials**

- Binders include: Surface Materials
- Reference Manual · A complete set of swatch
- cards for hard surfaces, vertical surface fabrics. and seating upholstery

# **Paint**

Tip: All products may not be available in all colors listed below

► See page 364 for an overview of the paint colors available on each component

Established

#### **Steelcase Surfaces**

# **Price Group 1**

#### **Smooth Paint**

4238 Mocha 4239 Clav

Chalk 4240 4242 Milk

#### **Textured Paint**

7207 Black Sand 7225

Slate 3 7237 7238 Fieldstone

Midnight 7239

7241 Arctic White Seagull

Sterling Dark Solid 7250 7360 Merle

# **Price Group 2**

**Smooth Paint** 4700 Warm White

**Smooth Metallic Paint** 4743 Mineral Metallic Champagne Metallic 4798 Sterling Metallic 4799 Platinum Metallic

# 4803 Near Black Metallic **Textured Metallic Paint**

7245 Carbon Metallic 7246 Midnight Metallic

# **Price Group 3**

#### **Accent paint**

Accent paints allow you to choose from a pre-matched color palette of trend driven colors. Refer to the Surface Materials Reference Manual for more information.

Applies to:

• 21/2" round grommet

# **Price Group 1**

# **Smooth Paint**

7241 Arctic White

**Textured Paint** 

7360 Merle

#### **Price Group 2**

### Smooth Paint

0835 Black **9** 

Smooth Metallic Paint 4799 Platinum Metallic

Applies to:

- Answer freestanding desks
- Universal worksurfaces
- Universal tables
- · Universal storage

# **Price Group 3**

# Coatings

1ATT Cast Shadow

#### **Lux Coatings**

4B20 Obsidian 4B22 Matte Brass

4B23 Burnished Bronze 4B24 Night Bronze

4B25 Matte Copper

4B26 Smoked Mica 4B29 Cast Iron

#### **Custom Surfaces**

# **Price Group 3**

# **PerfectMatch**

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program.

# Laminate

Applies to:

- Universal worksurfaces and tables—High-Pressure Laminate
- Answer freestanding corner shelves
- · Universal storage tops
- Infills for FrameOne legs

### Steelcase Surfaces

#### **High-Pressure** Laminate

#### **Price Group 1**

# **Fiber Laminate**

2850 Vanadium Fiber Rhyme Fiber 6

Vellum Fiber 6 2854

Novell Fiber 2859

Granite Fiber Coconut Fiber

Stucco Fiber 6

# **Micro Laminate**

2920 Marl Micro 2921 Gypsum Micro 2922 Clay Micro

#### **Patina Laminate**

2870 Blonde Bronze Patina 2873 Instant Iron Patina

# **Solid Laminate**

2722 Cream 6

Arctic White 2730

2746 Black 2759 Warm White

2811 Mist **3** 

2883 Seagull

2884 Milk 2885 Dune

2HAA Persian Salt

Rose 2HAB

2HAC Indigo

2HAD Green Citrine

2HAF Dark Olivine

Cloudy 2HAF 2HMG Merle

2HWU Clay

2HWV Chalk

#### **Speckle Laminate**

2820 Coffee Speckle 3 2823 Driftwood Speckle 2824 Smoke Speckle 2825 Vanadium Speckle

# **Woodgrain Laminate**

2406 Clear Cherry G 2409 Clear Maple

2410 Graphite Walnut

Natural Cherry 2412 Medium Cherry 2422

2511 Winter on Maple 2535 Virginia Walnut

Blackwood 6 2538 Clear Walnut

Blonde on Maple 6 2592 2714 

Clear Oak 2HAK

2HAN Ash Noce 2HAT Acacia

2HAW Ash Wenge 2HBN Bisque Noce

2HBW Bisque Wenge 2HCN Clay Noce

2HCW Clay Wenge

2HSN Storm Noce 2HSW Storm Wenge

2HWA Grey Kingswood 2HWB Planked Walnut

2HWD Resolute Walnut 2HWE Natural Recon

2HWF Smoked Walnut Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials veneers and laminates of the same name

are not an exact match but do

coordinate with each other.

### **Price Group 2**

# **Textured Laminate**

2UH1 Reclaimed Aggregate

2UH2 Reclaimed Gravel

2UH4 Cement\*

2UH6 Sheetrock

2TH2 Fawn Cypress Saddle Oak

2TH5 Veranda Teak Walnut Heights 2TH7

\*2UH4 Cement has limited availability, determined by product sizing and/or options.

## **Price Group 3**

# **Solid Laminate**

24H1 Satin White

Satin Black 24H2

24H3 Satin Stone 24H4 Satin Mocha

# **Custom Surfaces**

# **Open Line** Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$102 U.S. per unit, plus the cost of the laminate. High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Universal worksurfaces and Universal storage tops, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

#### **Laminate Approval and Material Requirements**

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

Visit www.steelcase.com

# For additional informa-

tion, refer to the Steelcase Surface Materials Reference Manual.

#### Wood

#### Applies to:

- Universal worksurfaces and tables—wood veneer
- · Universal storage tops and fronts
- Infills for FrameOne legs (not available in composite veneer)

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

#### **Steelcase Surfaces**

**Veneer** are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Tip: Answer panel wood trims are only available with quarter-cut finishes with the exception of maple finishes. Maple on wood trims is only available with flat-cut finishes. For ordering simplicity, both flat-cut and quarter-cut finishes can be specified on panel trims. However, for all finishes except maple, if a flat-cut finish is selected, the trims will have the coordinating quarter-cut finish. For maple finishes, if quarter-cut is selected, the trims will have the coordinating flat-cut finish. Blending panel trims with other wood products that have flat-cut finishes may be visually acceptable for most applications. If a more exact match is desired for non-maple finishes, please specify quarter-cut finishes for the entire project. If a more exact match is desired for maple finishes, please specify flat-cut finishes for the entire project.

**Open-pore finish** is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

#### Veneer

#### **Wood Group 1**

#### Flat-Cut Open-Pore

3062 FC/OP Graphite Walnut

3402 FC/OP Clear Cherry (Aged)

3412 FC/OP Natural Cherry **3** 

3422 FC/OP Medium Cherry 3522 FC/OP Clear Maple

3592 FC/OP Blonde on Maple **3** 

3702 FC/OP Clear Walnut

3712 FC/OP Natural Walnut 3752 FC/OP Medium Walnut **9** 

3762 FC/OP Dark Walnut 3772 FC/OP Medium Mahogany on Walnut

# Flat-Cut Open-Pore, Natural Veneer

3342 FC/OP Black Walnut

S5A2 FC/OP Blanch Maple

37A2 FC/OP Thunder Walnut

# **Quarter-Cut Open-Pore**

3042 QC/OP Ash **3** 

3222 QC/OP Clear Maple

3292 QC/OP Blonde on Maple 3

3302 QC/OP Clear Walnut

3312 QC/OP Natural Walnut

3352 QC/OP Medium Walnut 1

3362 QC/OP Dark Walnut

3372 QC/OP Medium Mahogany on Walnut

3382 QC/OP Graphite Walnut

# Quarter-Cut Open-Pore, Natural Veneer

32A2 QC/OP Blanch Maple

33A2 QC/OP Thunder Walnut

3392 QC/OP Black Walnut

#### **Rift-Cut Open-Pore**

3602 RC/OP Desert Oak

#### Rift-Cut Full-Fill, Natural Veneer

36A2 RC/OP Volcanic Oak

# **Wood Group 3**

# Flat-Cut Open-Pore, Natural Veneer

3082 FC/OP Washed Walnut

# **Wood Group 1**

# **Open-Pore, Planked Veneer**

3P41 OP Planked Cherry

3P51 OP Planked Maple 3P61 OP Planked Oak

3P71 OP Planked Walnut

3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

#### Full-Fill

**Full-fill finish** is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

### **Wood Group 2**

# Flat-Cut Full-Fill

3064 FC/FF Graphite Walnut

3404 FC/FF Clear Cherry (Aged)

3414 FC/FF Natural Cherry 6

3424 FC/FF Medium Cherry

3524 FC/FF Clear Maple

3544 FC/FF Blonde on Maple **3** 

3544 FC/FF Blonde on Maple 3704 FC/FF Clear Walnut

3714 FC/FF Natural Walnut

3754 FC/FF Medium Walnut **3** 

3764 FC/FF Dark Walnut

3774 FC/FF Medium Mahogany on Walnut

#### Flat-Cut Full-Fill, Natural Veneer

3734 FC/FF Black Walnut

#### **Quarter-Cut Full-Fill**

3224 QC/FF Clear Maple

294 QC/FF Blonde on Maple 6

3304 QC/FF Clear Walnut

3314 QC/FF Natural Walnut 3354 QC/FF Medium Walnut

3354 QC/FF Medium Walnut **3**364 QC/FF Dark Walnut

3374 QC/FF Medium Mahogany on Walnut

3384 QC/FF Graphite Walnut

# Quarter-Cut Full-Fill, Natural Veneer

3394 QC/FF Black Walnut

# Rift-Cut Full-Fill

3604 RC/FF Desert Oak

#### **Wood Group 3**

# Flat-Cut Full-Fill, Natural Veneer

3084 FC/FF Washed Walnut

#### **Premium Veneers**

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However. because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as a Wood Group 3 as part of our Select Surfaces program, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

# **Wood Group 3**

#### **Quarter-Cut Open-Pore**

3832 QC/OP Figured Anegre

#### **Select Surfaces**

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit *steelcase.com/surface-materials* under the Select Surfaces section.

#### **Composite Veneer**

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are available as part of our Select Surfaces program, with Wood Group 1 pricing.

### **Wood Group 1**

#### Flat-Cut Open-Pore

3JDX FC/OP Oak Composite 3JJX FC/OP Walnut Composite

#### **Quarter-Cut Open-Pore**

3F8X QC/OP European Walnut Composite 3GGX QC/OP Zebrano Composite 3HGX QC/OP Oak Composite 3HVX QC/OP Walnut Composite

3ZNX QC/OP Night Cerused Oak Composite

# **Custom Surfaces**

**Customiz stain** is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

Established

# **Plastic**

#### Steelcase Surfaces

Tip: The following two plastics are available for existing customers only. The matching paints have moved to the Surface Materials Reference Manual.

6651 Tungsten **6**6652 Titanium **6** 

#### Applies to:

- 1 mm and 3 mm front edge profile on Universal systems worksurfaces and tables
- 1 mm edge profile on Answer Freestanding corner shelves
- 1 mm square edge profile on Universal storage laminate tops

6000	Black	6636	Mist
6009	Arctic White	6654	Sand
6034	Natural Cherry	6655	Warm White
6036	Medium Cherry	6695	Midnight
6037	Winter on Maple	6697	Fog
6038	Blonde on Maple <b>6</b>	6698	Fieldstone
6041	Natural Walnut <b>6</b>	66WA	Grey Kingswood
6052	Milk	66WB	Planked Walnut
6053	Seagull	66WD	Resolute Walnut
6169	Stone	66WE	Natural Recon
6170	Mocha	66WF	Smoked Walnut
61AA	Persian Salt	66WU	Clay
61AB	Rose	66WV	Chalk
61AC	Indigo	6703	Ash Wenge
61AD	Green Citrine	6704	Storm Wenge
61AE	Dark Olivine	6705	Bisque Wenge
61AF	Cloudy	6706	Clay Wenge
6213	Acacia	6707	Ash Noce
6219	Clear Oak	6708	Bisque Noce
6231	Graphite Walnut	6709	Clay Noce
6237	Clear Maple	6710	Storm Noce
6242	Virginia Walnut	6T02	Fawn Cypress
6243	Blackwood <b>3</b>	6T04	Saddle Oak
6245	Clear Walnut	6T05	Veranda Teak
6249	Platinum Solid	6T07	Walnut Heights
6271	Plywood	6T08	Aggregate
6527	Merle	6T09	Gravel
6619	Ice <b>G</b>	6T10	Cement
6631	Cream <b>(3</b>	6T12	Sheetrock
6635	Dawn <b>G</b>		

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

#### **Accessory Paint**

#### **Steelcase Surfaces**

Applies to:

- Adjustable-height legs with glides
- Universal table bases
- Universal lateral files with c:scape pulls
   4140 Arctic White Gloss

4140 Arctic White Gloss 4144 Black Gloss

# Metal

#### **Steelcase Surfaces**

Applies to:

2½" round grommet9201 Polished Chrome9211 Nickel

Applies to:

X-base and T-base
 Rolished Aluminum

# **Plated Metal**

#### **Steelcase Surfaces**

Applies to

Universal storage pulls
0835 Black 9201 Polished Chrome

9211 Nickel 9212 Silver

## Vertical S<u>urface</u>

► See Surface Materials Reference Manual for a listing of available fabrics for Divisio side screen.

Applies to:

· Hutch kit tackboards

#### **Steelcase Surfaces**

#### Price Group A

#### **Sprite**

5540 Khaki 5541 Snow 5542 Butter 5543 Linen 5544 Sherbet

5545 Powder 5546 Harvest

5547 Sky Kiwi 5548

#### **Price Group 1**

#### Abacus (3)

P123 Portico P124 Opus P125 Cusp P126 Artifact

#### Alloy

P525 Polar P526 Skim P527 Bubbly P528 Tern P529 Shore P530 Asti P531 Silver P532 Oxide

P533 Element P534 Construct

P535 Currency P536 Iron

#### **Boccie**

P200 New Rice P201 New Almond P203 New Camel P204 New Onal P205 New Mist P206 New Plum P208 New Spearmint P209 New Sky

#### Buzz2

5F03 Tomato 5F04 Red **G** 5F05 Burgundy Sky **G** 5F06 5F07 Blue 5F08 Navy 5F15 Stone 5F16 Grey 5F17 Black

5G50 **Dunegrass** 5G51 Sable 5G55 Pumpkin 5G57 Rouge

Meadow 5G61 Cyan 5G62 Atlantic 5G63 Crocus 5G64 Alpine

Tornado

5G65 Charm

5G59

P505 Shell P506 Mimosa P507 Birch P508 Sparkle

P509 Ginkgo P510 Debut P511 Clover

Twilight

P513 Lapel

P409 Cement P410 Pebble P411 Beech P412 Dune P414 Sprout

P417

P416 Maple

Slate

**Pianista** P420 Sand P421 Mist P422 Rain P423 Natural P424 Café P425 Denim

P426 Carbon P427 Stone

P428 Flax P429 Oat P430 Wheat

Maize

**Rhythm** 

P431

P555 Allegro P556 Tempo P557 Refrain P558 Pitch P560 Melody P562 Opus

#### **Tinsel**

P515 Sugar P516 Lit P517 Ego P518 Fizz P519 Muse P520 Depth P521 Bliss P522 Grow P523 Dolce P524 Boost

#### **Price Group 2**

#### **Bariolage**

G200 New Ftude New Andante 3 G201 G202 New Cantata 6 G203 New Adagio G205 New Ballata

Code

5FA1 Fossil 5FA2 Gabbro 5FA3 Reed 5FA4 Bluff 5FA5 Sea Salt 5FA6 Cannon 5FA7 Tussah 5FA8 Mica 5FA9 Ecru

5FB1 Bamboo

#### **Dovetail by Designtex**

5H39 Light Mocha 5H40 Pebble 5H41 Warm White 5H42 Sandstone 5H43 Honeycomb 5H44 Terra 5H45 Honeydew 5H46 Denim 5H47 Storm 5H48 Ice Blue 5H49 Aura 5H50 Darkest Grey

#### Flip: Orbit

5F85 Mud Pie **G** Petoskey 5F87 5F88 Pluto **3** 5F89 Papyrus Blizzard 5F91 5F92 Briquette

Flip: TexHex

5F75 Mud Pie **3** 5F77 Petoskey 5F78 Pluto **3** 5F79 Papyrus 5F97 Blizzard 5F98 Briquette

#### **Fresco**

G001 Sandrift G002 Mistiblu G003 Faon G006 Chamoline

#### Intersection

P211 Summit P212 Chalk P213 Lace

#### Latch

Seashell P600 P601 Clam P602 Eggshell P603 Zen P604 Cool Grav P605 Armor P606 Sentinel P607 Rve P608 Billow P609 Nimbus

#### **SoftNext**

5H27 Obsidian 5H28 Foggy Night 5H29 Greystone 5H30 Mocha 5H31 Clav Sandstone 5H32 5H33 Chalk 5H34 Midnight

5H35 Blue Mica 5H36 Jade 5H37

Burnt Umber 5H38 Cinnabar

#### Stencil

P455 Midnight Mulberry P456 P457 Cracked Pepper Denim P458 P459 Chartreuse P460 Bittersweet P461 Mauvelous P462 Bermuda P463 Concrete P464 Orchid P465 Parchment P466 Silk Sea Salt P467 P468 Honeydew Sepia

#### **Price Group 3**

#### Billiard Multi-Use by Designtex

5H11 Poppy Tangelo 5H12 Citrine/Citron 5H13 5H14 Avocado 5H16 Indigo Mallard 5H17 5H18 Teak 5H19 Cumulus 5H20 Pewter 5H21 Gunmetal 5H22 Ink Rose Quartz 5H23 5H24 Sea Salt 5H25 Storm Cloud

Olivine

5H26

Applies to:

Universal screens

#### **Price Group 1**

B11772

#### **Price Group 2**

Code Cogent: Connect Designtex: Gamut Intersection Latch Stencil

Tip: Designtex: Gamut and Designtex: Crossweave are part of the Select Surfaces program.

See Surface Materials Reference Manual for more information on the Select Surfaces program.

#### **Price Group 3**

Billiard Multi-Use by Designtex

#### **Select Surfaces**

#### For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/ surface-materials under the Select Surfaces section.

Applies to:

Sarto screens

#### **Price Group A**

Sprite

#### **Price Group 1**

Abacus (3) Allov **Boccie** Buzz2 Charm Era Lapel Link Optic

Pianista

Rhythm

Tinsel

Established

#### **Price Group 2**

Bariolage Cogent: Connect Flip: Orbit Flip: TexHex Fresco Intersection Latch Stencil

Applies to:

- Universal screens
- Sarto screens

#### **Custom Surfaces**

#### Price Group COM (Customer's Own Material)

## Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

• Visit www.steelcase.com

# For additional information regarding Customer's

Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

See Surface Materials Reference Manual for a listing of available seating upholstery colors.

#### Seating Upholstery

See Surface Materials
Reference Manual for a
listing of available fabrics for
Divisio side screen.

Applies to:

- Mobile pedestal cushion top
- Basic cushion enhanced
- \* Not available on basic cushion enhanced

#### **Steelcase Surfaces**

#### **Price Group 1**

Buzz2 Era

Jacks **(3** Link

Chainmail

group 2.

New Black Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

#### **Price Group 2**

Cogent: Connect Foundation\* New Black Nitelights Stand In\* Tip: New Black upholstery has color numbers in both price group 1 and price

#### **Price Group 3**

Billiard Multi-Use by Designtex Gaja Redeem Retrieve

#### **Price Group 5**

Bo Peep Remix

#### **Price Group 6**

Brisa\*

#### **Price Group 7**

Steelcut Trio

#### Leather

Café\*

Steelcase Leather\*

#### **Elmosoft Leather**

Elmosoft Leather\*

#### **Select Surfaces**

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

#### Custom Surfaces Price Group COM (Customer's Own Material)


### Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:


• Visit www.steelcase.com

Established

# **Specification Guidelines for Directional Fabrics**



The standard application direction of fabric on hutch kit tackboard is warp horizontal. Standard Steelcase fabrics were designed for this application direction.



**The optional application direction** of fabrics on hutch kit tackboard is warp vertical. This is most commonly used on COMs designed for warp vertical application.

For more information about the warp direction of fabrics, see the *Surface Materials Reference Manual*.

# **Paint Color Availability Matrix**

Legend			ı	ı	ı			l	ı		ı	ı		ı	ı				ı	l	ı	l	ı			
■ Not available ■ Available □ Available with exceptions ■ Established	Paint Price Group 1 (Smooth)	<b>4238</b> Mocha	<b>4239</b> Clay	<b>4240</b> Chalk	<b>4242</b> Milk	Paint Price Group 1 (Textured)	<b>7207</b> Black	7225 Sand	7237 Slate <b>(</b>	7238 Fieldstone	7239 Midnight	7241 Arctic White	7243 Seagull	7250 Sterling Dark Solid	<b>7360</b> Merle	Paint Price Group 2 (Metallic)	4743 Mineral Metallic	4750 Champagne Metallic	4798 Sterling Metallic	4799 Platinum Metallic	4803 Near Black Metallic	7245 Carbon Metallic	7246 Midnight Metallic	Paint Price Group 3 (Coatings)	1ATT Cast Shadow	
Storage		H																_								
Universal storage																										
Universal overhead bins and shelves, upmount bin brackets, and hutch kits		-	-	-	-		-		-		-	-	•	-	-				•		-					
Worksurfaces, Desks, and Tables																										
Cantilevers, center support panels, and end panels		-					•				-						•		•						•	
Answer Freestanding Desk supports and modesty panels		•	•	•	•		•				-		•		•		•		•		•					
Universal legs, double post C-legs, and columns			•		•		•			-	-	-		-							•	•				
Adjustable-height legs			-		-							-		-											•	
Universal table bases		•		•					•	•		•	•		•		•					•	•			
FrameOne legs and supports		•	•	•	•			•	•	•	•	•	•	•	•		•	•	•		•	•	•			
Service module package																									•	
Shelf side support bracket																									•	
Worksurface Screens																										
Universal privacy/modesty screen brackets		•	•	•	•		•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	
Universal privacy screen screen brackets		•	•	•	•		•	•	•	•	•		•	•			•	•	•		•	•	•		•	
Sarto privacy/modesty screen brackets		•	•	•	•		•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	
Sarto privacy screen brackets		•	•	•	•		•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	
Lighting																										
Shelf lights		•	•	•	•												•				•	•			•	

Paint Price Group 3 (Lux Coatings)	4B20 Obsidian	4B22 Matte Brass	4B23 Burnished Bronze	4B24 Night Bronze	4B25 Matte Copper	4B26 Smoked Mica	<b>4B29</b> Cast Iron
	_						
							Н
	٠	•	•	•	•	•	•
	•	•	•	•	•	•	•
	٠	•	•	•	•	•	•
	•	•	•	•	•	•	•
	٠	•	•	•	•	•	•
	•	•	•	•	•	•	٠
	٠	•	•	•	•	•	•

# **Recommended Worksurface Edge Finishes**

#### Recommended Edge Colors—High-Pressure Laminate

#### Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

**Laminate Color** 

Lamıı	nate Color	3 mm	mmended or 1 mm Color
Fiber	Laminate		
2850	Vanadium Fiber	6654	Sand
2851	Rhyme Fiber <b>3</b>	6631	Cream <b>3</b>
2854	Vellum Fiber 6	6655	Warm White
2859	Novell Fiber	6695	Midnight Solid
2860	Granite Fiber	6000	Black
2861	Coconut Fiber	6654	Sand
2862	Stucco Fiber <b>6</b>	6053	Seagull
Micro	Laminate		
2920	Marl Micro	6053	Seagull
2921	Gypsum Micro	6654	Sand
2922	Clay Micro	6654	Sand
Patin	a Laminate		
2870	Blonde Bronze Patina	6654	Sand
2873	Instant Iron Patina	6527	Merle
Solid	Laminate		
24H1	Satin White		Arctic White
24H2		6000	Black
	Satin Stone	6169	Stone
	Satin Mocha	6170	Mocha
2722	Cream <b>G</b>	6631	Cream <b>G</b>
2730	Arctic White	6009	Arctic White
2746	Black	6000	Black
2759		6655	Warm White
2811	Mist <b>3</b>	6636	Mist
2883	Seagull	6053	Seagull
2884	Milk	6052	Milk
2885	Dune	6654	Sand
2HAA	Persian Salt	61AA	Persian Salt
2HAB	Rose	61AB	Rose
2HAC	Indigo	61AC	Indigo
2HAD	Green Citrine	61AD	
2HAE	Dark Olivine	61AE	Dark Olivine
2HAF	Cloudy	61AF	Cloudy
2HMG	Merle	6527	Merle
2HWU	Clay	66WU	Clay
2HWV	Chalk	66WV	Chalk
-	kle Laminate		
2820	Coffee Speckle <b>6</b>	6631	Cream <b>G</b>
2823	Driftwood Speckle	6631	Cream <b>G</b>
2824	Smoke Speckle	6636	Mist
2825	Vanadium Speckle	6619	Ice <b>3</b>


			or 1 mm Color
Textu	red Laminate		
2TH2	Fawn Cypress	6T02	Fawn Cypress
2TH4	Saddle Oak	6T04	Saddle Oak
2TH5	Veranda Teak	6T05	Veranda Teak
2TH7	Walnut Heights	6T07	Walnut Heights
2UH1	Reclaimed Aggregate	6T08	Aggregate
2UH2	Reclaimed Gravel	6T09	Gravel
2UH4	Cement	6T10	Cement
2UH6	Sheetrock	6T12	Sheetrock
Wood	grain Laminate		
2406	Clear Cherry 6	6234	Clear Cherry
2409	Clear Maple	6237	Clear Maple
2410	Graphite Walnut	6231	Graphite Walnut
2412	Natural Cherry	6034	Natural Cherry
2422	Medium Cherry	6036	Medium Cherry
2511	Winter on Maple	6037	Winter on Maple
2535	Virginia Walnut	6242	Virginia Walnut
2536	Blackwood <b>3</b>	6243	Blackwood <b>6</b>
2538	Clear Walnut	6245	Clear Walnut
2592	Blonde on Maple <b>G</b>	6038	Blonde on Maple 6
2714	Natural Walnut <b>G</b>	6041	Natural Walnut 📵
2HAK	Clear Oak	6219	Clear Oak
2HAN	Ash Noce	6707	Ash Noce
2HAT	Acacia	6213	Acacia
2HAW	Ash Wenge	6703	Ash Wenge
2HBN	Bisque Noce	6708	Bisque Noce
2HBW	Bisque Wenge	6705	Bisque Wenge
2HCN	Clay Noce	6709	Clay Noce
2HCW	Clay Wenge	6706	Clay Wenge
2HSN	Storm Noce	6710	Storm Noce
2HSW	Storm Wenge	6704	Storm Wenge
2HWA	Grey Kingswood	66WA	Grey Kingswood
2HWB	Planked Walnut	66WB	Planked Walnut
2HWD	Resolute Walnut	66WD	Resolute Walnut
2HWE	Natural Recon	66WE	Natural Recon
2HWF	Smoked Walnut	66WF	Smoked Walnut


Recommended

## **Directional Laminate Grain Directions**

#### **Directional laminates**

are standard with the grain directions shown.





## **Wood Veneer Grain Directions**

#### The appearance of

wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.

#### Universal Systems Worksurfaces—Wood Veneer



Worksurface



Straight, 120°



Worksurface





Corner, Curved-Front Worksurface



Extended Corner, Curved-Front Worksurface







Spanner Worksurface



Bullet Peninsula Worksurface



Jetty Worksurface



**Bubble Jetty** Worksurface



Worksurface

#### Universal Tables—Wood Veneer



Straight Table



Capsule Table



Spanner Table



Peninsula Table



Tapered Peninsula Table



Round Table



Square Table



Rectangle Table







Hex Conference Table

# Resource


# **Resources**

Lock and Keying for Universal Steel Storage Products	374
Style Number Index	376

## **Lock and Keying for Universal Steel Storage Products**

#### **All locking products**

are standard with factoryinstalled, keved-random locks, Consecutive, specific, and random keying are available as field-installed options. Exception: Individual locking drawers are only available with field-installed locks.



Locks consist of a factoryor field-installed lock cylinder and a factory-installed lock

Two types of locks are available—the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

#### **Factory-Installed Keying**

**Factory-installed locks** are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

See below.

#### **Key Random**

₩ FR305 ⇒ FR305

or 

Master ∞ XF1011

#### **Required to Specify**

Master kev random

+\$36

Specify with master key random.

#### **Field-Installed Keying**

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation-random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or kev consecutive lock cylinders.

#### **Key Specific** ⇒ FR350

FR350

₩ FR350

∞√ XF1020

or

Master

Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.


▶See example at right.

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).


**Example** of a typical lock cylinder specification is shown below:

- 10 LOCK9201FR FR320 LOCK9201FR FR350 5
- 15 LOCK9201XF XF1100
- Total
- 877102003SR standard lock tool
- 877102002SR master lock tool

#### **Key Random**



#### **Key Consecutive**



master key.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

374

Master

#### **Field-Installed Lock Cylinders**



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

#### Standard Includes

#### **Required to Specify**

- Lock cylinder: 9201 Polished Chrome or 9250 Ember Chrome
- 9250 Ember Chrome
   Two keys

1 Style number 2 Options, if selected (see below)

. 0, 020 0 0 0 0	. 01,10
) Ember Chrome	2 Ontions if se

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.
Master key random	+\$36 each	Specify master key random.
Master key specific	+\$36 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$36 each	Specify master key consecutive and select beginning key number from XF1001–XF1150.

#### **Specification Information**

·Color	Style	·U.S.	
	Number	Base	
	:	Price	
:		•	

#### FR Series (Standard Keying System) - Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost
	•	

Tip: You can change lock cylinders in the field by using the appropriate lock tool.

#### **Standard Lock Tool**

877102003SR \$
----------------

#### XF Series (Master Keying System) - Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.
:	•	

#### **Master Lock Tool**

877102002SR	\$36



# **Style Number Index**

	Style	Dono	Description	Style	Dono	Description
: -	lumber	Page	Description	Number :	Page	Description
	800DV12	335	Dividers	BFS3042	257	U Tbl Str
	800DV6	335	Dividers	BFS3048	257	U Tbl Str
•	BOORW	335	Rail	: BFS3054	257	U Tbl Str
	377102002SR	375	Master Lock Tool	: BFS3060	257	U Tbl Str
	377102003SR	375	Standard Lock Tool	: BF\$3066	257	U Tbl Str
:	98765	347	Termination Plate	BF\$3072	257	U Tbl Str
	98766	346	Cable/Fiber Reel	BF\$3078	257	U Tbl Str
ં ધ	98767	347	Cord Reels	BFSP48	259	U Tbl Spnr
. 6	99CHT	347	Wire Clips	BFSP52	259	U Tbl Spnr
	AWAG2	345	Round Grommet	BFSP60	259	U Tbl Spnr
. /	AWVBP	345	Power/Power Box	BFSP64	259	U Tbl Spnr
: 4	AWVW	348	Wire Mgr	: BFTP48	261	U Tbl Taprd Pnsl
E	BADJ	268	U Tbl Adj-Hgt Leg	BFTP60	261	U Tbl Taprd Pnsl
E	BADJ4	268	U Tbl Adj-Hgt Leg	BHEX3660	266	Univ Tbl Hex Conf
; E	BADJ4C	268	U Tbl Adj-Hgt Leg	BHEX3666	266	U Tbl Hex Conf
1	BADJC	268	U Tbl Adj-Hgt Leg	<b>₿</b> ВНЕХ3672	266	U Tbl Hex Conf
	BEL2142	265	U Tbl Oval	BHEX4296	266	U Tbl Hex Conf
	BEL3042	265	U Tbl Oval	BHEX48120	266	U Tbl Hex Conf
	BEL3060	265	Univ Tbl Oval	BHEX48150	266	U Tbl Hex Conf
	BEL3648	265	U Tbl Oval	BHEX48180	266	U Tbl Hex Conf
•	BEL3672	265	U Tbl Oval	ВННСХ	220	Connector
	BEL4278	265	U Tbl Oval	ВННСУ	220	Connector
	3EL4276 3EL4896	265	U Tbl Oval	BHHCZ	220	Connector
	3EL4030 3FK2448	258	U Tbl Capsule	BPL	269	U Tbl Post Leg
	3FK2448 3FK3060		•	BPL4		•
		258	U Tbl Capsule		269	U Tbl Post Leg
•	3FK3672	258	U Tbl Capsule	: BPL4C	269	U Tbl Post Leg
	3FK4284	258	U Tbl Capsule	BPLC	269	U Tbl Post Leg
	3FK4896	258	U Tbl Capsule	BT26	267	Univ Tbl Base
:	3FP2736	260	U Tbl Pnsl	: BT36	267	Univ Tbl Base
	BFR30	262	U Tbl Round	BX26	267	U Tbl Base
: 6	BFR36	262	U Tbl Round	; BX36	267	U Tbl Base
	BFR42	262	U Tbl Round	CQDBPU	222	Desk Tether Brckts and Shared Supp Plate
	BFR48	262	U Tbl Round	CQPS	222	Shared Support Plate
E	BFR54	262	U Tbl Round	DVSS2912	280	Divisio Side Screen
; E	BFRQ24	263	U Tbl Square	; FMVF	221	Filler Pkg Pwr/Data
	BFRQ30	263	Univ Tbl Square	<b> </b>	343	Mod Pwr Branch Connector
	BFRQ36	263	U Tbl Square	GAPFCM90X	342	Modular Connector Faceplate
	BFRQ42	263	U Tbl Square	GAPFCMX	342	Mod Pwr Mod Conn Faceplate
	BFRQ48	263	U Tbl Square	GQTUHCX	220	Connector
E	BFRQ54	263	U Tbl Square	GQTUHCY	220	Connector
	3FRR3660	264	U Tbl Rectangle	GQTUHCZ	220	Connector
	3FRR3666	264	U Tbl Rectangle	GSGUH100X	343	Internode Harness
	3FRR3672	264	U Tbl Rectangle	GSGUH100XN	343	Modular Harness
	3FRR4284	264	U Tbl Rectangle	GSGUH120X	343	Modular Harness
	3FRR4896	264	U Tbl Rectangle	GSGUH120XN		Modular Harness
	3FS2430	257	U Tbl Str	GSGUH12X	343	Modular Harness
	3FS2436	257	U Tbl Str	GSGUH12XN	343	Modular Harness
	3FS2442	257	Univ Tbl Str	GSGUH144X	343	Modular Harness
	3FS2448	257	U Tbl Str	GSGUH144XN		Modular Harness
-	3FS2454	257	U Tbl Str	GSGUH22X	343	Modular Harness
	3FS2460	257	U Tbl Str	GSGUH22XN	343	Modular Harness
				•	343	
	3FS2466	257	U Tbl Str	GSGUH28X		Modular Harness
	3FS2472	257	U Tbl Str	GSGUH28XN	343	Modular Harness
	3FS2478	257	U Tbl Str	; GSGUH32X	343	Modular Harness
•	3FS3036	257	U Tbl Str	: GSGUH32XN	343	Modular Harness

Style Number	Page	Description	Style Number	Page	Description	
SGUH38X	343	Modular Harness	. PAB12	339	Attachment Cable	
SGUH38XN	343	Modular Harness	PAB12M	339	Attachment Cable	
SGUH44X	343	Modular Harness	PSPM	277	Sarto Privacy Screens	
SGUH44XN	343	Modular Harness	: PSPS	279	Sarto Privacy Screens	
SGUH50X	343	Modular Harness	PTDMGB1	344	Power Sphere	
SGUH50XN	343	Modular Harness	PTDMGB3	344	Pwr Comm Sphere	
SGUH54X	343	Modular Harness	: PTRSGB1	345	Power Comm Port	
SGUH54XN	343	Modular Harness	R30MBB	302	Flexible Mb Surf	
SGUH64X	343	Modular Harness	: R36MBB	302	Flexible Mb Surf	
SGUH64XN	343	Modular Harness	: R42MBB	302	Flexible Mb Surf	
SGUH76X	343	Modular Harness	R48MBB	302	Flexible Mb Surf	
SGUH76XN	343	Modular Harness	: RAACT1	339	Counterweight Pkg	
SGUH88X	343	Modular Harness	RAACT2	339	Counterweight Pkg	
SGUH88XN	343	Modular Harness	RAACT3	339	Counterweight Pkg	
DIV02	336	Bookends	RAACW1	338	Counterweight Pkg	
DIV20	336	Bookends	RAACW2	338	Counterweight Pkg	
.52FT	352	Bottomline	RAACW3	338	Counterweight Pkg	
.52FTCHI	352	Bottomline	RAACW30	337	Counterweight Pkg	
.52FTS	352	Bottomline	RAACW36	337	Counterweight Pkg	
52FTY	352	Bottomline	RAACW4	338	Counterweight Pkg	
53FT	352	Bottomline	RAACW42	337	Counterweight Pkg	
.53FTCHI	352	Bottomline	RAACW5	338	Counterweight Pkg	
53FTS	352	Bottomline	· RAACW6	338	Counterweight Pkg	
53FTY	352	Bottomline	RAACW7	338	Counterweight Pkg	
54FT	352	Bottomline	RAACW8	338	Counterweight Pkg	
54FTCHI	352	Bottomline	RAACWD	337	Counterweight Pkg	
54FTS	352	Bottomline	RAACWE	337	Counterweight Pkg	
54FTY	352	Bottomline	RAACWF	337	Counterweight Pkg	
LL17	354	LED Linear Shelf Light	RAACWR	338	CW Retro Kit	
LL17YA	354	LED Linear Shelf Light	RAANBRK	339	Anchor Bracket Pkg	
LL17YB	354	LED Linear Shelf Light	RAHF30	334	Hanging Folder Bars	
LL31	354	LED Linear Shelf Light	RAHF36	334	Hanging Folder Bars	
LL31YB	354	LED Linear Shelf Light	RAHF42	334	Hanging Folder Bars	
LL44	355	LED Linear Shelf Light	RASTDIV30	336	Shelf Div Assembly	
LL44YB	355	LED Linear Shelf Light	RASTDIV36	336	Shelf Div Assembly	
LL58	355	LED Linear Shelf Light	RASTDIV42	336	Shelf Div Assembly	
LL58YB	355	LED Linear Shelf Light	RATCL1810		Square Edge Top	
.OCK9201FR	375	Lock Cylinder	RATCL1860	_	Square Edge Top	
		Lock Cylinder	RATCL1866	_		
.OCK9201XF .OCK9250FR	375 375	Lock Cylinder  Lock Cylinder	RATCL1872		Square Edge Top Square Edge Top	
OCK9250XF	375	Lock Cylinder	RATCL1878		Square Edge Top	
S1FSC	351	Daisy Chain Cord	RATCL1876		Square Edge Top	
.S6FSC	351	Daisy Chain Cord	RATCL1890		Square Edge Top	
SL18	353	LED Light	RATCL1890		Square Edge Top	
SL18YA	353	LED Light	RATCL2410		Square Edge Top	
SL18YB	353	LED Light	RATCL2410	_	Square Edge Top	
SM24K		•	•		· · · · · · · · · · · · · · · · · · ·	
	350 350	Standard Light	RATCL2466		Square Edge Top	
SM24KC	350	Standard Light	RATCL2472		Square Edge Top	
SM24KD	350	Standard Light	RATCL2490		Square Edge Top	
SM36K	350	Standard Light	RATCL2496		Square Edge Top	
SM36KC	350	Standard Light	RATCL3636		Square Edge Top	
SM36KD	350	Standard Light	RATCL3672		Square Edge Top	
SM48K	350	Standard Light	RATCL4836		Square Edge Top	
SM48KC	350	Standard Light	* RATCL4872	_ 331	Square Edge Top	

Style Number	Page	Description	Style Number	Page	Description	
RATCW1866_	331	Square Edge Top	:: RBB66LTAK	296	U In the Case Bin	
RATCW1872_	331	Square Edge Top	RBB66QTAK	293	U Ovr the Case Bin	
RATCW1878_	331	Square Edge Top	RBB66TAK	295	U In the Case Bin	
RATCW1884_	331	Square Edge Top	RBB66WTAK	296	U In the Case Bin	
RATCW1890_	331	Square Edge Top	: RBB72LTAK	296	U In the Case Bin	
RATCW1896_	331	Square Edge Top	RBB72QTAK	293	U Ovr the Case Bin	
RATCW2460_	331	Square Edge Top	RBB72TAK	295	U In the Case Bin	
RATCW2466_	331	Square Edge Top	: RBB72WTAK	296	U In the Case Bin	
RATCW2472	331	Square Edge Top	RBKHWM24	298	Wall Bracket	
RATCW2490	331	Square Edge Top	: RBKHWM30	298	Wall Bracket	
RATCW2496	331	Square Edge Top	· RBKHWM36	298	Wall Bracket	
RATF1830F	329	Steel Security Top	RBKHWM42	298	Wall Bracket	
RATF1830P	329	Steel Security Top	RBKHWM48	298	Wall Bracket	
RATF1836F	329	Steel Security Top	· RBKHWM60	298	Wall Bracket	
RATF1836P	329	Steel Security Top	: RBKHWM70	298	Wall Bracket	
RATF1842F	329	Steel Security Top	RBKHWM72	298	Wall Bracket	
RATF1842P	329	Steel Security Top	RBKVOFM	299	Vert OM Brkt	
RATF2430F	329	Steel Security Top	RCHE1715	289	Bsc Cushion E	
RATF2430P	329	Steel Security Top	RCHE1830	311	Bsc Cushion E	
RATF2436F	329	Steel Security Top Steel Security Top	RCHE1836	311	Bsc Cushion E	
RATF2436P	329	Steel Security Top Steel Security Top	RCHE1842	311	Bsc Cushion E	
RATL1830_	330	Square Edge Top	RCHE2315	289	Bsc Cushion E	
RATL1836	330	Square Edge Top	RCHE2430	311	Bsc Cushion E	
RATL1836_ RATL1842	330		RCHE2430	311	Bsc Cushion E	
_		Square Edge Top				
RATL2430_	330	Square Edge Top	RDD182448L/	_	U Dual Door Tower	
RATL2436_	330	Square Edge Top	RDD182448LI	_	U Dual Door Tower	
RATW1830_	331	Square Edge Top	RDD182448R	_	U Dual Door Tower	
RATW1836_	331	Square Edge Top	RDD182448R	_	U Dual Door Tower	
RATW1842_	331	Square Edge Top	RDD18244LA	_	U Dual Door Tower	
RATW2430_	331	Square Edge Top	RDD18244LB		U Dual Door Tower	
RATW2436_	331	Square Edge Top	RDD18244RA	_	U Dual Door Tower	
RBB24LTAK	296	U In the Case Bin	RDD18244RB	_	U Dual Door Tower	
RBB24QTAK	293	U Ovr the Case Bin	RDD18245LC	_	U Dual Door Tower	
RBB24TAK	295	U In the Case Bin	RDD18245LD	_	U Dual Door Tower	
RBB24WTAK	296	U In the Case Bin	RDD18245RC		U Dual Door Tower	
RBB30LTAK	296	U In the Case Bin	RDD18245RD	_	U Dual Door Tower	
RBB30QTAK	293	U Ovr the Case Bin	RDD242448L	_	U Dual Door Tower	
RBB30TAK	295	U In the Case Bin	RDD242448LI	_	U Dual Door Tower	
RBB30WTAK	296	U In the Case Bin	RDD242448R		U Dual Door Tower	
RBB36LTAK	296	U In the Case Bin	: RDD242448R	_	U Dual Door Tower	
RBB36QTAK	293	U Ovr the Case Bin	RDD24244LA	_	U Dual Door Tower	
RBB36TAK	295	U In the Case Bin	RDD24244LB		U Dual Door Tower	
RBB36WTAK	296	U In the Case Bin	RDD24244RA		U Dual Door Tower	
RBB42LTAK	296	U In the Case Bin	RDD24244RB		U Dual Door Tower	
RBB42QTAK	293	U Ovr the Case Bin	RDD24245LC		U Dual Door Tower	
RBB42TAK	295	U In the Case Bin	; RDD24245LD	_	U Dual Door Tower	
RBB42WTAK	296	U In the Case Bin	RDD24245RC	_ 321	U Dual Door Tower	
RBB48LTAK	296	U In the Case Bin	RDD24245RD	_ 321	U Dual Door Tower	
RBB48QTAK	293	U Ovr the Case Bin	RDIV	298	Dividers	
RBB48TAK	295	U In the Case Bin	RDS24TAK	297	U Personal Shelf	
RBB48WTAK	296	U Ovr the Case Bin	RDS30TAK	297	U Personal Shelf	
RBB60LTAK	296	U In the Case Bin	RDS36TAK	297	U Personal Shelf	
RBB60QTAK	293	U Ovr the Case Bin	RDS42TAK	297	U Personal Shelf	
RBB60TAK	295	U In the Case Bin	RDS48TAK	297	U Personal Shelf	
RBB60WTAK	296	U In the Case Bin	: RDV1506	333	Dividers	

Style Number	Page	Description	Style Number	Page	Description	
RDV1512	333	Dividers	RPCW	253, 284	U Ped Counterwght	
RDV151210	333	Dividers	RPDC1830_	310	Cushion Top	
RHK24	250	Hutch Kit	RPDC1836_	310	Cushion Top	
RHK30	250	Hutch Kit	: RPDC1842_	310	Cushion Top	
RHK36	250	Hutch Kit	RPDC2430_	310	Cushion Top	
RHK42	250	Hutch Kit	RPDC2436_	310	Cushion Top	
RHK48	250	Hutch Kit	: RPF1827A_	283	U Fixed Pedestal	
RHK60	250	Hutch Kit	: RPF1827B_	283	U Fixed Pedestal	
RHK66	250	Hutch Kit	RPF2427A_	283	U Fixed Pedestal	
RHK72	250	Hutch Kit	: RPF2427B_	283	U Fixed Pedestal	
RHKCM	251	Hutch Kit Cable Mngr	: RPF3027A_	283	U Fixed Pedestal	
RHKESB	251	Hutch Connector Brkt	RPF3027B_	283	U Fixed Pedestal	
RLF18301_	307	U One-High Lat File	RPM1821C_	288	U Mobile Pedestal	
RLF18301A_	308	U 1.5-High Lat File	. RPM1827A	288	U Mobile Pedestal	
RLF18301B_	308	U 1.5-High Lat File	RPM1827B	288	U Mobile Pedestal	
RLF18301C_	308	U 1.5-High Lat File	RPM2421C_	288	U Mobile Pedestal	
RLF18301D_	309	U 1.5-High Lat File	: RPM2427A_	288	U Mobile Pedestal	
RLF18302	309	U Lat File	RPM2427B	288	U Mobile Pedestal	
RLF18303	324	Univ Lat File	RPULL15W	337	Wood Drawer Pull	
RLF18304_	324	Univ Lat File	RPULL30W	337	Wood Drawer Pull	
RLF18305	325	Univ Lat File	RPULL36W	337	Wood Drawer Pull	
RLF18361	307	U One-High Lat File	RPULL42W	337	Wood Drawer Pull	
RLF18361A	308	U 1.5-High Lat File	. RPXCK2718I		U Conv Kit	
RLF18361B_	308	U 1.5-High Lat File	RPXCK2718		U Conv Kit	
RLF18361C_	308	U 1.5-High Lat File	RPXCK2724		U Conv Kit	
RLF18361D	309	U 1.5-High Lat File	. RPXCK2724		U Conv Kit	
RLF18362	309	U Lat File	RPXCK2730		U Conv Kit	
RLF18363	324	Univ Lat File	RPXCK2730		U Conv Kit	
RLF18364	324	Univ Lat File	RPXDPT	334	Pencil Tray	
RLF18365	325	Univ Lat File	RPXDRS	334	Reference Shelf	
RLF18421	307	U One-High Lat File	RPXTC24F	288	U Ped Cushion Top	
RLF18421A	308	U 1.5-High Lat File	RPXTC24P	288	U Ped Cushion Top	
RLF18421B	308	U 1.5-High Lat File	RPXTCH24F	288	U Ped Cushion Top	
RLF18421C_	308	U 1.5-High Lat File	RPXTCH24P	288	U Ped Cushion Top	
RLF18421D	309	U 1.5-High Lat File	RQS182448L		U Open Side Tower	
RLF18422	309	U Lat File	RQS182448F	_	U Open Side Tower	
RLF18423	324	Univ Lat File	RQS18244LA	_	U Open Side Tower	
RLF18424	324	Univ Lat File	RQS18244R/	_	U Open Side Tower	
	325	Univ Lat File	:	_	U Open Side Tower	
RLF18425_ RLF24301A_	308	U 1.5-High Lat File	RQS18245L0	_	U Open Side Tower	
RLF24301A_	308	-	RQS242448L	_	U Open Side Tower	
RLF24301B_ RLF24301C_	308	U 1.5-High Lat File	RQS242448F		U Open Side Tower	
_		U 1.5-High Lat File		_	•	
RLF24301D_	309	U 1.5-High Lat File U Lat File	RQS24244LA RQS24244RA	_	U Open Side Tower	
RLF24302_	309	Univ Lat File		_	U Open Side Tower	
RLF24303_	324		RQS24245L0	_	U Open Side Tower	
RLF24304_	324	Univ Lat File	RQS24245R0	_	U Open Side Tower	
RLF24305_	325	Univ Lat File	RSB36LTAK	291	U Sld Dr Bin Lam Frnt	
RLF24361A_	308	U 1.5-High Lat File	RSB36TAK	291	U Sldg Dr Bin Stl Frnt	
RLF24361B_	308	U 1.5-High Lat File	RSB36WTAK		U Sldg Dr Bin Wd Frnt	
RLF24361C_	308	U 1.5-High Lat File	RSB42LTAK	291	U Sld Dr Bin Lam Frnt	
RLF24361D_	309	U 1.5-High Lat File	RSB42TAK	291	U Sldg Dr Bin Stl Frnt	
RLF24362_	309	U Lat File	RSB42WTAK		U Sldg Dr Bin Wd Frnt	
RLF24363_	324	Univ Lat File	RSB48LTAK	291	U Sld Dr Bin Lam Frnt	
RLF24364_	324	Univ Lat File	RSB48TAK	291	U Sldg Dr Bin Stl Frnt	
RLF24365_	325	Univ Lat File	: RSB48WTAK	291	U Sldg Dr Bin Wd Frnt	

	Style Number	Page	Description	Style Number	Page	Description	
	RSB60LTAK	291	U Sld Dr Bin Lam Frnt	TS7TIEPLATE	223	U Tie Plates	
:	RSB60TAK	291	U Sldg Dr Bin Stl Frnt	TS7UB2442	241	Bridge	
	RSB60WTAK	291	U Sldg Dr Bin Wd Frnt	TS7UB2448	241	Bridge	
:	RSB66LTAK	291	U Sld Dr Bin Lam Frnt	: TS7UB2460	241	Bridge	
:	RSB66TAK	291	U Sldg Dr Bin Stl Frnt	TS7UC2436	242	Cnr Desk	
:	RSB66WTAK	291	U Sldg Dr Bin Wd Frnt	TS7UC2442	242	Cnr Desk	
:	RSB72LTAK	291	U Sld Dr Bin Lam Frnt	∴ TS7UC2448	242	Cnr Desk	
:	RSB72TAK	291	U Sldg Dr Bin Stl Frnt	TS7UDP2460	235	Double-Pedestal Desk	
:	RSB72WTAK	291	U Sldg Dr Bin Wd Frnt	TS7UDP2466	235	Double-Pedestal Desk	
:	RSC18301A_	308	U One-High Lat File	☐ TS7UDP2472	235	Double-Pedestal Desk	
:	RSC18361A_	308	U One-High Lat File	TS7UDP3060	235	Double-Pedestal Desk	
	RSC18421A_	308	U One-High Lat File	TS7UDP3066	235	Double-Pedestal Desk	
:	RSH24TAK	297	U Shelf	∵ TS7UDP3072	235	Double-Pedestal Desk	
:	RSH30TAK	297	U Shelf	* TS7UNP2460	232	Desk Shell	
	RSH36TAK	297	U Shelf	TS7UNP2466	232	Desk Shell	
:	RSH42TAK	297	U Shelf	TS7UNP2472	232	Desk Shell	
:	RSH48TAK	297	U Shelf	TS7UNP3060	232	Desk Shell	
	RSH60TAK	297	U Shelf	TS7UNP3066	232	Desk Shell	
:	RSH72TAK	297	U Shelf	TS7UNP3072	232	Desk Shell	
	RSS24TAK	303	Slim Shelf	TS7U0H24	245	OTC and Hutch Kit	
:	RSS30TAK	303	Slim Shelf	TS7U0H30	245	OTC and Hutch Kit	
	RSS36TAK	303	Slim Shelf	TS7UOH36	245	OTC and Hutch Kit	
	RSS42TAK	303	Slim Shelf	TS7UOH42	245	OTC and Hutch Kit	
	RSS48TAK	303	Slim Shelf	TS7UOH48	245	OTC and Hutch Kit	
	RSS60TAK	303	Slim Shelf	TS7UOH60	245	OTC and Hutch Kit	
	RSS72TAK	303	Slim Shelf	. TS7UOH66	245	OTC and Hutch Kit	
	RSS96TAK	303	Slim Shelf	: TS7U0H72	245	OTC and Hutch Kit	
	RXADRL15	333	Rails	TS7UPR2424	239	Pedestal Return	
	RXADRL24	335	Rails	TS7UPR2430	239	Pedestal Return	
	RXADRL2442	335	Rails	: TS7UPR2436	239	Pedestal Return	
	RXSA2415	332	Adj Steel Std Shelf	TS7UPR2442	239	Pedestal Return	
•	RXSA3015	332	Adj Steel Std Shelf	TS7UPR2448	239	Pedestal Return	
:	RXSAFFT2415	332	•	TS7UPR2460	239	Pedestal Return	
	RXSG2415	332	Adj Steel Std Shelf Adjustable Glass Shelf	TS7UR2424	239	Return	
			•	•			
	RXSG3015	332	Adjustable Glass Shelf	TS7UR2430	240	Return	
	TS712UPHX	342	Mul. Pwr Infeed	TS7UR2436	240	Return	
•	TS712UPHXN	342	Mul. Pwr Infeed	TS7UR2442	240	Return	
:	TS714WSP	223	U Support Plate	TS7UR2448	240	Return	
:	TS71824TB	301	TB Use w/Wall Chan	TS7UR2460	240	Return	
•	TS71830TB	301	TB Use w/Wall Chan	: TS7USP2460	237	Sgl-Pedestal Desk	
	TS71836TB	301	TB Use w/Wall Chan	TS7USP2466	237	Sgl-Pedestal Desk	
	TS71842TB	301	TB Use w/Wall Chan	TS7USP2472	237	Sgl-Pedestal Desk	
•	TS71848TB	301	TB Use w/Wall Chan	: TS7USP3060	237	Sgl-Pedestal Desk	
	TS71860TB	301	TB Use w/Wall Chan	TS7USP3066	237	Sgl-Pedestal Desk	
:	TS71872TB	301	TB Use w/Wall Chan	TS7USP3072	237	Sgl-Pedestal Desk	
	TS720WSP	223	U Support Plate	TS7WKSPT	224	Reinforcing Chan	
	TS724UPHX	342	Mpp Power Infeed	TS7WKSPT39	224	Reinforcing Chan	
:	TS724UPHXN	342	Mpp Power Infeed	TS7WKSPT48	224	Reinforcing Chan	
•	TS742HB	300	Horiz Brace	TS7WKSPT51	224	Reinforcing Chan	
	TS748HB	300	Horiz Brace	TS7WKSPT54	224	Reinforcing Chan	
:	TS760HB	300	Horiz Brace	TS7WKSPT60	224	Reinforcing Chan	
:	TS772HB	300	Horiz Brace	TS7WKSPT63	224	Reinforcing Chan	
	TS7BSWHC	300	Wall Channels	TS7WKSPT66	224	Reinforcing Chan	
:	TS7PVWM	356	Vertical Wire Mgr	TS7WKSPT72	224	Reinforcing Chan	
	TS7STDIV	299	Dividers	: TS7WWM	346	U WS Wire Mgr	

Style Number	Page	Description	Style Number	Page	Description	
TSAEGROM	346	Grommet Pkg	UE2228L	205	U Ext Corner Wksf	
UADJ	230	U Adj-Hgt Leg	UE2262L	205	U Ext Corner Wksf	
UADJ4	230	U Adj-Hgt Leg	: UE2268L	205	U Ext Corner Wksf	
UADJ4C	230	U Adj-Hgt Leg	: UE2280R	205	U Ext Corner Wksf	
UADJ4M	230	U Adj-Hgt Leg	UE2282R	205	U Ext Corner Wksf	
UADJC	230	U Adj-Hgt Leg	: UE2286R	205	U Ext Corner Wksf	
UADJCOL	230	Adjustable Column	: UE2308L	205	U Ext Corner Wksf	
UB223636	208	U 120° WS CD	UE2328L	205	U Ext Corner Wksf	
UB224242	208	U 120° WS CD	: UE2368L	205	U Ext Corner Wksf	
UB224848	208	U 120° WS CD	UE2380R	205	U Ext Corner Wksf	
UB333636	208	U 120° WS CD	UE2382R	205	U Ext Corner Wksf	
UB334242	208	U 120° WS CD	: UE2386R	205	U Ext Corner Wksf	
UB334848	208	U 120° WS CD	∵ UE24	246	End Support	
UC114242	201	U Cor WS, Front—CD	UE30	246	End Support	
UC124242	201	U Cor WS, Front—CD	: UE3208L	205	U Ext Corner Wksf	
UC214242	201	U Cor WS, Front—CD	: UE3228L	205	U Ext Corner Wksf	
UC223636	201	U Cor WS, Front—CD	UE3268L	205	U Ext Corner Wksf	
UC224242	201	U Cor WS, Front—CD	: UE3280R	205	U Ext Corner Wksf	
UC224848	201	U Cor WS, Front—CD	∵ UE3282R	205	U Ext Corner Wksf	
UC226060	201	U Cor WS, Front—CD	UE3286R	205	U Ext Corner Wksf	
UC334242	201	U Cor WS, Front—CD	: UE3308L	205	U Ext Corner Wksf	
UC334848	201	U Cor WS, Front—CD	. UE3328L	205	U Ext Corner Wksf	
UCANT	223	U On-Mod CANT	UE3368L	205	U Ext Corner Wksf	
UCC113636	203	U Cor WS, Frnt—CD	: UE3380R	205	U Ext Corner Wksf	
UCC114242	203	U Cor WS, Frnt—CD	UE3382R	205	U Ext Corner Wksf	
UCC114848	203	U Cor WS, Frnt—CD	UE3386R	205	U Ext Corner Wksf	
UCC124242	203	U Cor WS, Frnt—CD	: UEC2202L	207	U Ext Corner Wksf	
UCC214242	203	U Cor WS, Frnt—CD	UEC2208L	207	U Ext Corner Wksf	
UCC223636	203	U Cor WS, Frnt—CD	UEC2220R	207	U Ext Corner Wksf	
UCC224242	203	U Cor WS, Frnt—CD	UEC2222L	207	U Ext Corner Wksf	
UCC224848	203	U Cor WS, Frnt—CD	UEC2222R	207	U Ext Corner Wksf	
UCC226060	203	U Cor WS, Frnt—CD	UEC2226R	207	U Ext Corner Wksf	
UCC334242	203	U Cor WS, Frnt—CD	. UEC2228L	207	U Ext Corner Wksf	
UCC334848	203	U Cor WS, Frnt—CD	: UEC2262L	207	U Ext Corner Wksf	
UCF223636	199	U Cnr, FT-Frt WS—CD	UEC2268L	207	U Ext Corner Wksf	
UCF224242	199	U Cnr, FT-Frt WS—CD	UEC2280R	207	U Ext Corner Wksf	
UCF224848	199	U Cnr, FT-Frt WS—CD	UEC2282R	207	U Ext Corner Wksf	
UCF334242	199	U Cnr, FT-Frt WS—CD	UEC2286R	207	U Ext Corner Wksf	
UCF334848	199	U Cnr, FT-Frt WS—CD	UEC2308L	207		
UCL	229	U Dbl Post C-Leg	UEC2328L	207	U Ext Corner Wksf	
UCOL	230	Column	UEC2368L	207	U Ext Corner Wksf	
UCS	247	Corner Support	UEC2380R	207	U Ext Corner Wksf	
UCSP	224	U On-Md Cen Sprt Pnl	UEC2382R	207	U Ext Corner Wksf	
UCSPS	224	U On-Md Cen Sprt Pnl	: UEC2386R	207	U Ext Corner Wksf	
UDC224242	200	U Dual Corner Wksf	UEC3208L	207	U Ext Corner Wksf	
UDC224848	200	U Dual Corner Wksf	UEC3228L	207	U Ext Corner Wksf	
UDC334848	200	U Dual Corner Wksf	: UEC3268L	207	U Ext Corner Wksf	
UDPL	229	U Dbl Post Leg	UEC3280R	207	U Ext Corner Wksf	
UE18	246	End Support	UEC3282R	207	U Ext Corner Wksf	
		U Ext Corner Wksf				
UE2202L	205	U Ext Corner Wksf	UEC3286R	207	U Ext Corner Wksf	
UE2208L	205		: UEC3308L	207	U Ext Corner Wksf	
UE2220R	205	U Ext Corner Wksf	UEC3328L	207	U Ext Corner Wksf	
UE2222L	205	U Ext Corner Wksf	UEC3368L	207	U Ext Corner Wksf	
UE2222R	205	U Ext Corner Wksf	UEC3380R	207	U Ext Corner Wksf	
UE2226R	205	U Ext Corner Wksf	: UEC3382R	207	U Ext Corner Wksf	

	Style Number	Page	Description		Style Number	Page	Description	:
:	UEC3386R	207	U Ext Corner Wksf		UMF18	249	Full-Hgt Modesty Pnl	:
:	UEP24	225	U On-Module End Pnl		UMF21	249	Full-Hgt Modesty Pnl	:
:	UEP24S	225	U On-Module End Pnl		UMF24	249	Full-Hgt Modesty Pnl	:
:	UEP30	225	U On-Module End Pnl	:	UMF27	249	Full-Hgt Modesty Pnl	:
:	UEP30S	225	U On-Module End Pnl		UMF30	249	Full-Hgt Modesty Pnl	
:	UES18	246	Cnr Shelf	:	UMF33	249	Full-Hgt Modesty Pnl	:
	UES24	246	Cnr Shelf		UMF36	249	Full-Hgt Modesty Pnl	:
:	UES30	246	Cnr Shelf	:	UMF39	249	Full-Hgt Modesty Pnl	:
•	UFAL	275	Aligners		UMF42	249	Full-Hgt Modesty Pnl	:
	UFB	252	Flush-Mount Bracket		UMF45	249	Full-Hgt Modesty Pnl	
	UFC24	226	FO Closed Loop	:	UMF48	249	Full-Hgt Modesty Pnl	:
:	UFC24NF	227	Infill for FO Legs		UMF51	249	Full-Hgt Modesty Pnl	
	UFC24T	226, 270	FO Closed Loop	:	UMF54	249	Full-Hgt Modesty Pnl	:
	UFC30	226	FO Closed Loop		UMF57	249	Full-Hgt Modesty Pnl	:
:	UFC30NF	227	Infill for FO Legs		UMF60	249	Full-Hgt Modesty Pnl	
	UFC30T	226, 270	FO Closed Loop		UMF9	249	Full-Hgt Modesty Pnl	:
	UFP UFPM	226, 270	FO Post Loop		UMH15 UMH18	248	Half-Hgt Mod Pnl	
	UFPS	272 275	Uni Prv/ Mod Screen Uni Prv Screen	:	UMH21	248 248	Half-Hgt Mod Pnl Half-Hgt Mod Pnl	:
	UFQ24	275	FO Open Loop		UMH24	248	Half-Hgt Mod Pnl	:
•	UFQ24NF	227	Infill for FO Legs	:	UMH27	248	Half-Hgt Mod Pnl	:
	UFQ24T	226, 270	FO Open Loop		UMH30	248	Half-Hgt Mod Pnl	:
	UFQ30	226	FO Open Loop		UMH33	248	Half-Hgt Mod Pnl	
•	UFQ30NF	227	Infill for FO Legs	:	: UMH36	248	Half-Hgt Mod Pnl	:
	UFQ30T	226, 270	FO Open Loop		UMH39	248	Half-Hgt Mod Pnl	
	UFS1610H	226	FO Inter Support	:	UMH42	248	Half-Hgt Mod Pnl	:
:	UFS1615H	226	FO Inter Support		UMH45	248	Half-Hgt Mod Pnl	
	UFSTOWER24	328	Connector	:	UMH48	248	Half-Hgt Mod Pnl	:
:	UFSTOWER30	328	Connector		UMH51	248	Half-Hgt Mod Pnl	:
:	UHDPL	229	U Dbl Post Leg	;	UMH54	248	Half-Hgt Mod Pnl	:
:	UHPL	228	U Post Leg		UMH57	248	Half-Hgt Mod Pnl	:
:	UJBC2430L	214	U Bubl Jetty WS CD	:	UMH60	248	Half-Hgt Mod Pnl	:
:	UJBC2430R	214	U Bubl Jetty WS CD		<b>UMH9</b>	248	Half-Hgt Mod PnI	:
:	UJBC2436L	214	U Bubl Jetty WS CD	:	UNPL	228	U Post Leg	:
:	UJBC2436R	214	U Bubl Jetty WS CD		UNPL4	228	U Post Leg	:
	UJBC2442L	214	U Bubl Jetty WS CD	:	UNPL4C	228	U Post Leg	:
	UJBC2442R	214	U Bubl Jetty WS CD	:	UNPL4M	228	U Post Leg	:
	UJBC2448L	214	U Bubl Jetty WS CD		UNPLC	228	U Post Leg	:
	UJBC2448R	214	U Bubl Jetty WS CD		UPA2448	211	U Angled Phsl WS CD	:
•	UJC2382R UJC2386R	213	U Jetty WS, Fr CD		UPA2460	211	U Angled Pnsl WS CD U Angled Pnsl WS CD	:
	UJC2388R	213 213	U Jetty WS, Fr CD U Jetty WS, Fr CD		UPA3048 UPA3060	211 211	U Angled Phsl WS CD	:
	UJC3228L	213	U Jetty WS, Fr CD		UPBC2448	210	Bullet Pnsl WS CD/FD	:
•	UJC3268L	213	U Jetty WS, Fr CD	:	UPBC2460	210	Bullet Pnsl WS CD/FD	:
	UJC3288L	213	U Jetty WS, Fr CD		UPBC2466	210	Bullet Pnsl WS CD/FD	
	UJC3328L	213	U Jetty WS, Fr CD	:	UPBC2472	210	Bullet Pnsl WS CD/FD	:
:	UJC3368L	213	U Jetty WS, Fr CD		UPBC3048	210	Bullet Pnsl WS CD/FD	:
:	UJC3382R	213	U Jetty WS, Fr CD	:	UPBC3060	210	U Bullet Penn WS, CD	:
:	UJC3386R	213	U Jetty WS, Fr CD		UPBC3066	210	U Bullet Penn WS, CD	:
:	UJC3388L	213	U Jetty WS, Fr CD	:	UPBC3072	210	U Bullet Penn WS, CD	:
:	UJC3388R	213	U Jetty WS, Fr CD		UPL	228	U Post Leg	:
:	UMCR18	252	Cable Race Chan Pkg	:	UPL4	228	U Post Leg	:
	UMCR36	252	Cable Race Chan Pkg		UPL4C	228	U Post Leg	:
•	UMCR9	252	Cable Race Chan Pkg	:	UPL4M	228	U Post Leg	:
	UMF15	249	Full-Hgt Modesty Pnl		UPLC	228	U Post Leg	:

UPS20	Style Number	Page	Description	Style Number	Page	Description	
USH820	JPS24	247	Pnsl Support	UT1236R	195	U Trans WS CD	
US-1830	JPS30	247	Pnsl Support	UT1242R	195	U Trans WS CD	
USH842	JS1824	181	U Str WS CD	UT1248R	195	U Trans WS CD	
US1642	JS1830	181	U Str WS CD	: UT1254R	195	U Trans WS CD	
US1484	JS1836	181	U Str WS CD	UT1260R	195	U Trans WS CD	
US1864	JS1842	181	U Str WS CD	UT2136L	195	U Trans WS CD	
US1866 181 U Str WS CD UT2154L 195 U Trans WS CD US1866 181 U Str WS CD UT2336R 195 U Trans WS CD US1872 181 U Str WS CD UT2336R 195 U Trans WS CD US1878 181 U Str WS CD UT2334R 195 U Trans WS CD US1878 181 U Str WS CD UT2344R 195 U Trans WS CD US1888 181 U Str WS CD UT2344R 195 U Trans WS CD US1890 181 U Str WS CD UT2344R 195 U Trans WS CD US1890 181 U Str WS CD UT2344R 195 U Trans WS CD US1890 181 U Str WS CD UT2344R 195 U Trans WS CD US2424 181 U Str WS CD UT2336R 195 U Trans WS CD US2424 181 U Str WS CD UT3236L 195 U Trans WS CD US2430 181 U Str WS CD UT3236L 195 U Trans WS CD US2430 181 U Str WS CD UT3236L 195 U Trans WS CD US2432 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2442 181 U Str WS CD UT3236L 195 U Trans WS CD US2446 181 U Str WS CD UT3236L 195 U Trans WS CD US2466 181 U Str WS CD UT1248 196 U Taprd WS CD US2466 181 U Str WS CD UT1248 196 U Taprd WS CD US2472 181 U Str WS CD UT1246 196 U Taprd WS CD US2472 181 U Str WS CD UT1246 196 U Taprd WS CD US2478 181 U Str WS CD UT1246 196 U Taprd WS CD US2478 181 U Str WS CD UT12472 196 U Taprd WS CD US2496 181 U Str WS CD UT12472 196 U Taprd WS CD US2496 181 U Str WS CD UT12360 196 U Taprd WS CD US3030 182 U Str WS CD UT12360 196 U Taprd WS CD US3030 182 U Str WS CD UT12360 196 U Taprd WS CD US3030 192 U Str WS CD UT12360 196 U Taprd WS CD US3030 192 U Str WS CD UT17248 196 U Taprd WS CD US3030 192 U Str WS CD UT17248 196 U Taprd WS CD US3030 192 U Str WS CD UT17248 196 U Taprd WS CD US3030 192 U Str WS CD UT17248 196 U Taprd WS CD US3030 192 U Str WS CD UT17248 197 U Taper-Flat WS CD US3030 192 U Str WS CD UT17248 196 U Taprd WS CD US3030 192 U Str WS CD UT17248 197 U Taper-Flat WS CD US3030 192 U Str WS CD UT17240 197 U Taper-Flat WS CD US3030 192 U Str WS CD UT1	JS1848	181	U Str WS CD	: UT2142L	195	U Trans WS CD	
US1866	JS1854	181	U Str WS CD	UT2148L	195	U Trans WS CD	
US 1872	JS1860	181	U Str WS CD	: UT2154L	195	U Trans WS CD	
UST	JS1866	181	U Str WS CD	: UT2160L	195	U Trans WS CD	
UST	JS1872	181	U Str WS CD	UT2336R	195	U Trans WS CD	
US 1890	JS1878	181	U Str WS CD	UT2342R	195	U Trans WS CD	
US 1896         181         U Str WS CD         UT23260R         195         U Trans WS CD           US24240         181         U Str WS CD         UT3236L         195         U Trans WS CD           US24240         181         U Str WS CD         UT3248L         195         U Trans WS CD           US24242         181         U Str WS CD         UT3254L         195         U Trans WS CD           US2448         181         U Str WS CD         UT3260L         195         U Trans WS CD           US2446         181         U Str WS CD         UT11248         196         U Taprd WS CD           US2466         181         U Str WS CD         UT11222         196         U Taprd WS CD           US2472         181         U Str WS CD         UT12128         198         U Taprd WS CD           US2486         181         U Str WS CD         UT12160         195         U Taprd WS CD           US2484         181         U Str WS CD         UT12160         195         U Taprd WS CD           US2496         181         U Str WS CD         UT12360         196         U Taprd WS CD           US3030         182         U Str WS CD         UT12360         196         U Taprd WS CD <td>JS1884</td> <td>181</td> <td>U Str WS CD</td> <td>∵ UT2348R</td> <td>195</td> <td>U Trans WS CD</td> <td></td>	JS1884	181	U Str WS CD	∵ UT2348R	195	U Trans WS CD	
US24242	JS1890	181	U Str WS CD	UT2354R	195	U Trans WS CD	
US2430         181         U Str WS CD         UT32481         195         U Trans WS CD           US24426         181         U Str WS CD         UT32481         195         U Trans WS CD           US2442         181         U Str WS CD         UT32601         195         U Trans WS CD           US2448         181         U Str WS CD         UT32601         195         U Tang WS CD           US2460         181         U Str WS CD         UT11248         196         U Taprd WS CD           US2466         181         U Str WS CD         UT12122         196         U Taprd WS CD           US2472         181         U Str WS CD         UT12148         196         U Taprd WS CD           US2478         181         U Str WS CD         UT12160         196         U Taprd WS CD           US2489         181         U Str WS CD         UT12312         196         U Taprd WS CD           US3024         181         U Str WS CD         UT12360         196         U Taprd WS CD           US3030         182         U Str WS CD         UT13248         196         U Taprd WS CD           US3040         182         U Str WS CD         UT13260         196         U Taprd WS CD	JS1896	181	U Str WS CD	UT2360R	195	U Trans WS CD	
US2436         181         U Str WS CD         UT3248L         195         U Trans WS CD           US2442         181         U Str WS CD         UT3254L         195         U Trans WS CD           US24454         181         U Str WS CD         UT3260L         195         U Trans WS CD           US2454         181         U Str WS CD         UT11260         196         U Taprd WS CD           US2466         181         U Str WS CD         UT11272         196         U Taprd WS CD           US2472         181         U Str WS CD         UT12148         196         U Taprd WS CD           US2478         181         U Str WS CD         UT12160         196         U Taprd WS CD           US2484         181         U Str WS CD         UT12172         196         U Taprd WS CD           US2496         181         U Str WS CD         UT12348         196         U Taprd WS CD           US2496         181         U Str WS CD         UT12348         196         U Taprd WS CD           US2496         181         U Str WS CD         UT12320         196         U Taprd WS CD           US2490         181         U Str WS CD         UT12322         196         U Taprd WS CD	JS2424	181	U Str WS CD	: UT3236L	195	U Trans WS CD	
US2442         181         U Str WS CD         UT3256L         195         U Trans WS CD           US2448         181         U Str WS CD         UT3260L         195         U Trans WS CD           US2456         181         U Str WS CD         UT11248         196         U Taprd WS CD           US2466         181         U Str WS CD         UT11272         196         U Taprd WS CD           US2472         181         U Str WS CD         UT12148         196         U Taprd WS CD           US2478         181         U Str WS CD         UT12146         196         U Taprd WS CD           US2489         181         U Str WS CD         UT121472         196         U Taprd WS CD           US2499         181         U Str WS CD         UT12360         196         U Taprd WS CD           US30304         182         U Str WS CD         UT12328         196         U Taprd WS CD           US3036         182         U Str WS CD         UT12328         196         U Taprd WS CD           US3042         182         U Str WS CD         UT12328         196         U Taprd WS CD           US3045         182         U Str WS CD         UT12429         197         U Taper-Flat WS CD </td <td>JS2430</td> <td>181</td> <td>U Str WS CD</td> <td>UT3242L</td> <td>195</td> <td>U Trans WS CD</td> <td></td>	JS2430	181	U Str WS CD	UT3242L	195	U Trans WS CD	
US2448         181         U Str WS CD         UT3260L         195         U Trans WS CD           US2454         181         U Str WS CD         UTT1260         196         U Taprd WS CD           US2466         181         U Str WS CD         UTT1272         196         U Taprd WS CD           US2472         181         U Str WS CD         UTT2160         196         U Taprd WS CD           US2478         181         U Str WS CD         UTT2160         196         U Taprd WS CD           US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2490         181         U Str WS CD         UTT2360         196         U Taprd WS CD           US30324         182         U Str WS CD         UTT2360         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3043         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3046         182         U Str WS CD         UTT61272         197         U Taper-Flat WS CD </td <td>JS2436</td> <td>181</td> <td>U Str WS CD</td> <td>UT3248L</td> <td>195</td> <td>U Trans WS CD</td> <td></td>	JS2436	181	U Str WS CD	UT3248L	195	U Trans WS CD	
US2454         181         U Str WS CD         UTT1248         196         U Taprd WS CD           US2466         181         U Str WS CD         UTT1272         196         U Taprd WS CD           US2472         181         U Str WS CD         UTT2148         196         U Taprd WS CD           US2473         181         U Str WS CD         UTT2160         196         U Taprd WS CD           US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2490         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US3024         181         U Str WS CD         UTT2372         196         U Taprd WS CD           US3030         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US30303         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US30403         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US30403         182         U Str WS CD         UTT8260         197         U Taper-Flat WS CD           US30403         182         U Str WS CD         UTT81860         197         U Taper-Flat WS CD	JS2442	181	U Str WS CD	∵ UT3254L	195	U Trans WS CD	
US2466         181         U Str WS CD         UTT1260         196         U Taprd WS CD           US2476         181         U Str WS CD         UTT1272         196         U Taprd WS CD           US2477         181         U Str WS CD         UTT2148         196         U Taprd WS CD           US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2490         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2360         196         U Taprd WS CD           US30324         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT1260         197         U Taper-Flat WS CD           US3048         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD<	JS2448	181	U Str WS CD	UT3260L	195	U Trans WS CD	
US2466         181         U Str WS CD         UTT1272         196         U Taprd WS CD           US2472         181         U Str WS CD         UTT2148         196         U Taprd WS CD           US2478         181         U Str WS CD         UTT2160         196         U Taprd WS CD           US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2360         196         U Taprd WS CD           US3024         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US30303         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3043         182         U Str WS CD         UTT6260         197         U Taper-Flat WS CD           US3046         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD<	JS2454	181	U Str WS CD	UTT1248	196	U Taprd WS CD	
US2472         181         U Str WS CD         UTT2148         196         U Taprd WS CD           US2478         181         U Str WS CD         UTT2160         196         U Taprd WS CD           US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US3024         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT8272         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD </td <td>JS2460</td> <td>181</td> <td>U Str WS CD</td> <td>UTT1260</td> <td>196</td> <td>U Taprd WS CD</td> <td></td>	JS2460	181	U Str WS CD	UTT1260	196	U Taprd WS CD	
US2478         181         U Str WS CD         UTT2160         196         U Taprd WS CD           US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2490         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2360         196         U Taprd WS CD           US30304         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3288         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3043         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3044         182         U Str WS CD         UTT51260         197         U Taper-Flat WS CD           US3045         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF2172         197         U Taper-Flat	JS2466	181	U Str WS CD	UTT1272	196	U Taprd WS CD	
US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US3024         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3030         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3049         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3061         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3062         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3663         182         U Str WS CD         UTTF2160         197         U	JS2472	181	U Str WS CD	UTT2148	196	U Taprd WS CD	
US2484         181         U Str WS CD         UTT2172         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2360         19         U Taprd WS CD           US3024         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3030         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper Flat WS CD           US3049         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3061         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3062         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3663         182         U Str WS CD         UTTF2160         197         U	JS2478	181	U Str WS CD	UTT2160	196	U Taprd WS CD	
US2490         181         U Str WS CD         UTT2348         196         U Taprd WS CD           US2496         181         U Str WS CD         UTT2360         196         U Taprd WS CD           US3024         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3054         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3661         182         U Str WS CD         UTTF2160         197         U	JS2484			: UTT2172		•	
US2496         181         U Str WS CD         UTT2360         196         U Taprd WS CD           US3024         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3030         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Tapre-Flat WS CD           US3054         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3064         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3067         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US4747         209         U Spnr WS CD         UTTF3172         197				:		•	
US3024         182         U Str WS CD         UTT2372         196         U Taprd WS CD           US3030         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Taper WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3064         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3172         197<				· UTT2360		•	
US3030         182         U Str WS CD         UTT3248         196         U Taprd WS CD           US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           USA666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           USPC59         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTF3272 <t< td=""><td></td><td></td><td></td><td>•</td><td></td><td>•</td><td></td></t<>				•		•	
US3036         182         U Str WS CD         UTT3260         196         U Taprd WS CD           US3042         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3054         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3672         182         U Spr WS CD         UTTF3172         197         U Taper-Flat WS CD           USPC47         209         U Spl-Tprd WS CD         UTTF3172				•		•	
US3042         182         U Str WS CD         UTT3272         196         U Taprd WS CD           US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3054         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3172         197         U Taper-Flat WS CD           UST2172         198         U Sgl-Tprd WS CD         UTTR </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td></td>						•	
US3048         182         U Str WS CD         UTTF1260         197         U Taper-Flat WS CD           US3054         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3272         197         U Taper-Flat WS CD           UST2160         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2372         198         U Sgl-Tprd WS CD         UT				•		•	
US3054         182         U Str WS CD         UTTF1272         197         U Taper-Flat WS CD           US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF2372         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Spnr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTR2         197         U Taper-Flat WS CD           UST2172         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2372         198         U Sgl-Tprd WS CD <t< td=""><td>JS3048</td><td>182</td><td></td><td>UTTF1260</td><td>197</td><td>•</td><td></td></t<>	JS3048	182		UTTF1260	197	•	
US3060         182         U Str WS CD         UTTF1360         197         U Taper-Flat WS CD           US3066         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF2372         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2372         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3260         198         U Sgl-Tprd WS CD         UT						•	
US3066         182         U Str WS CD         UTTF1372         197         U Taper-Flat WS CD           US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF3172         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Spnr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3260         197         U Taper-Flat WS CD           UST2160         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2372         198         U Sgl-Tprd WS CD         UTTRW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3260         198         U Sgl-Tprd WS CD         UTTR				•		•	
US3072         182         U Str WS CD         UTTF2160         197         U Taper-Flat WS CD           US3660         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF2372         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Spr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3272         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2372         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td></td>						•	
US3660         182         U Str WS CD         UTTF2172         197         U Taper-Flat WS CD           US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF2372         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Splr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3260         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTRC         219         C Ord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRC         219         C ord and Plug           UST2372         198         U Sgl-Tprd WS CD         UTTRW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           USWS         187         U Str WS PM         UVC2424R						•	
US3666         182         U Str WS CD         UTTF2360         197         U Taper-Flat WS CD           US3672         182         U Str WS CD         UTTF2372         197         U Taper-Flat WS CD           USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Spnr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3260         197         U Taper-Flat WS CD           UST2172         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2360         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L				•		•	
US3672       182       U Str WS CD       UTTF2372       197       U Taper-Flat WS CD         USPC47       209       U Spnr WS CD       UTTF3160       197       U Taper-Flat WS CD         USPC59       209       U Spnr WS CD       UTTF3172       197       U Taper-Flat WS CD         UST1260       198       U Sgl-Tprd WS CD       UTTF3260       197       U Taper-Flat WS CD         UST2160       198       U Sgl-Tprd WS CD       UTTRC       219       Cord and Plug         UST2172       198       U Sgl-Tprd WS CD       UTTRCN       219       Cord and Plug         UST2360       198       U Sgl-Tprd WS CD       UTTRHW       219       Hardwire Power         UST3372       198       U Sgl-Tprd WS CD       UTTRHWN       219       Hardwire Power         UST3260       198       U Sgl-Tprd WS CD       UTTRM       219       Modular Power         UST3272       198       U Sgl-Tprd WS CD       UTTRMN       219       Modular Power         USWS       187       U Str WS PM       UVC2424L       216       U Visitor Wksf         USWSS       191       U Str WS PM       UVC2430L       216       U Visitor Wksf         USWSSSW       187       Strgt Wkf w/S						•	
USPC47         209         U Spnr WS CD         UTTF3160         197         U Taper-Flat WS CD           USPC59         209         U Spnr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3260         197         U Taper-Flat WS CD           UST2160         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2360         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R						•	
USPC59         209         U Spnr WS CD         UTTF3172         197         U Taper-Flat WS CD           UST1260         198         U Sgl-Tprd WS CD         UTTF3260         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2360         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRHWN         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf				•		•	
UST1260         198         U Sgl-Tprd WS CD         UTTF3260         197         U Taper-Flat WS CD           UST1272         198         U Sgl-Tprd WS CD         UTTF3272         197         U Taper-Flat WS CD           UST2160         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRW         219         Hardwire Power           UST2372         198         U Sgl-Tprd WS CD         UTTRWN         219         Hardwire Power           UST3260         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf			·			•	
UST1272         198         U Sgl-Tprd WS CD         UTTF3272         197         U Taper-Flat WS CD           UST2160         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRW         219         Cord and Plug           UST2360         198         U Sgl-Tprd WS CD         UTTRWN         219         Hardwire Power           UST3260         198         U Sgl-Tprd WS CD         UTTRWN         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRWN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSK         187         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf			·			•	
UST2160         198         U Sgl-Tprd WS CD         UTTRC         219         Cord and Plug           UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2360         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf				•		•	
UST2172         198         U Sgl-Tprd WS CD         UTTRCN         219         Cord and Plug           UST2360         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf						•	
UST2360         198         U Sgl-Tprd WS CD         UTTRHW         219         Hardwire Power           UST2372         198         U Sgl-Tprd WS CD         UTTRHWN         219         Hardwire Power           UST3260         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSK         187         U Str WS PM         UVC2424R         217         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf			- :	•		· ·	
UST2372         198         U Sgl-Tprd WS CD         UTTRHWN         219         Hardwire Power           UST3260         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf				:		•	
UST3260         198         U Sgl-Tprd WS CD         UTTRM         219         Modular Power           UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2424R         217         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430L         216         U Visitor Wksf							
UST3272         198         U Sgl-Tprd WS CD         UTTRMN         219         Modular Power           USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSK         187         U Str WS PM         UVC2424R         217         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf				•			
USWS         187         U Str WS PM         UVC2424L         216         U Visitor Wksf           USWSK         187         U Str WS PM         UVC2424R         217         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf			0 1	•			
USWSK         187         U Str WS PM         UVC2424R         217         U Visitor Wksf           USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf			- ·				
USWSS         191         U Str WS PM         UVC2430L         216         U Visitor Wksf           USWSSW         187         Strgt Wkf w/Sft Eg PM         UVC2430R         217         U Visitor Wksf				•			
USWSSW 187 Strgt Wkf w/Sft Eg PM : UVC2430R 217 U Visitor Wksf							
· ·							
EXECUTE TO THE STATE OF THE STA	JSWSSWS JSWSSWS	191	Strgt Wkf w/Sft Eg PM	: UVC2436L	217	U Visitor Wksf	

Style Number	Page	e <b>D</b> escription		Style Number	Page	Description	
UVC243	<b>6R</b> 21	7 U Visitor Wksf		WEC334260	207	U Ext Corner Wksf	
UVC244	<b>2L</b> 21	6 U Visitor Wksf		WEC334272	207	U Ext Corner Wksf	
UVC244	<b>2R</b> 21	7 U Visitor Wksf		WEC334860	207	U Ext Corner Wksf	
UVC244	<b>8L</b> 21	6 U Visitor Wksf		WEC334872	207	U Ext Corner Wksf	
UVC244	<b>8R</b> 21	7 U Visitor Wksf		WEC336042	207	U Ext Corner Wksf	
UVC303	<b>OL</b> 21	6 U Visitor Wksf		WEC336048	207	U Ext Corner Wksf	
UVC303	<b>OR</b> 21	7 U Visitor Wksf		WEC337242	207	U Ext Corner Wksf	
UVC303	<b>6L</b> 21	7 U Visitor Wksf		WEC337248	207	U Ext Corner Wksf	
UVC303	<b>6R</b> 21	7 U Visitor Wksf		WJ234866R	213	Jetty Worksurface FD	
UVC304	<b>2L</b> 21	7 U Visitor Wksf		WJ234872R	213	Jetty Worksurface FD	
UVC304	<b>2R</b> 21	7 U Visitor Wksf		WJ234878R	213	Jetty Worksurface FD	
UVC304	<b>8L</b> 21	7 U Visitor Wksf		WJ326648L	213	Jetty Worksurface FD	
UVC304	<b>8R</b> 21	7 U Visitor Wksf		WJ327248L	213	Jetty Worksurface FD	
WCC113	<b>636</b> 20	3 U Corner Wksf		· WJ327848L	213	Jetty Worksurface FD	
WCC114	<b>242</b> 20	3 U Corner Wksf		WJ334866R	213	Jetty Worksurface FD	
WCC114				WJ334872R	213	Jetty Worksurface FD	
WCC124				· WJ334878R	213	Jetty Worksurface FD	
WCC214				WJ336648L	213	Jetty Worksurface FD	
WCC223				WJ337248L	213	Jetty Worksurface FD	
WCC224				WJ337848L	213	Jetty Worksurface FD	
WCC224				: WPA2448	211	U Angled Pnsl WS FD	
WCC334				WPA2460	211	U Angled Pnsl WS FD	
WCC334				WPA3048	211	U Angled Pnsl WS FD	
WCF223			WS FD	: WPA3060	211	U Angled Phsl WS FD	
WCF224				WS1824	181	U Str WS FD	
WCF224		,		WS1830	181	U Str WS FD	
WCF334		,		: WS1836	181	U Str WS FD	
WCF334		,		WS1842	181	U Str WS FD	
WDC224		,		WS1848	181	U Str WS FD	
WDC224				: WS1854	181	U Str WS FD	
WDC224				WS1860	181	U Str WS FD	
WEC224				: WS1866	181	U Str WS FD	
				:			
WEC224				WS1872	181	U Str WS FD	
WEC224				: WS1878	181	U Str WS FD	
WEC224				: WS1884	181	U Str WS FD	
WEC226				WS1890	181	U Str WS FD	
WEC226				: WS1896	181	U Str WS FD	
WEC227				: WS2424	181	U Str WS FD	
WEC227				W\$2430	181	U Str WS FD	
WEC234				: WS2436	181	U Str WS FD	
WEC234				: WS2442	181	U Str WS FD	
WEC234				: WS2448	181	U Str WS FD	
WEC234				: WS2454	181	U Str WS FD	
WEC236				WS2460	181	U Str WS FD	
WEC236				WS2466	181	U Str WS FD	
WEC237		7 U Ext Corner W	/ksf	WS2472	181	U Str WS FD	
WEC237	<b>248</b> 20			WS2478	181	U Str WS FD	
WEC324	<b>260</b> 20	7 U Ext Corner W	/ksf	WS2484	181	U Str WS FD	
WEC324	<b>272</b> 20	7 U Ext Corner W	/ksf	WS2490	181	U Str WS FD	
WEC324	<b>860</b> 20	7 U Ext Corner W	/ksf	WS2496	181	U Str WS FD	
WEC324	<b>872</b> 20	7 U Ext Corner W	/ksf	WS3024	182	U Str WS FD	
WEC326	<b>042</b> 20	7 U Ext Corner W	/ksf	: WS3030	182	U Str WS FD	
WEC326	<b>048</b> 20	7 U Ext Corner W	/ksf	WS3036	182	U Str WS FD	
WEC327	<b>242</b> 20	7 U Ext Corner W	/ksf	WS3042	182	U Str WS FD	
	<b>248</b> 20	7 U Ext Corner W	/ksf	: WS3048	182	U Str WS FD	

· Style		
Style Number	Page	Description
WS3054	182	U Str WS FD
WS3060	182	U Str WS FD
WS3066	182	U Str WS FD
WS3072	182	U Str WS FD
WSPC4824	209	U Spnr WS FD
WSPC6030	209	U Spnr WS FD
WST1260	198	U Sgl-Taprd WS FD
WST1272	198	U Sgl-Taprd WS FD
WST2160	198	U Sgl-Taprd WS FD
WST2172	198	U Sgl-Taprd WS FD
WST2360	198	U Sgl-Taprd WS FD
W312372	198	U Sgl-Taprd WS FD
WST3260	198	U Sgl-Taprd WS FD
WST3272	198	U Sgl-Taprd WS FD
WT2336	195	U Trans WS FD
WT2342	195	U Trans WS—FD0
WT2348	195	U Trans WS—FD
WT2354 WT2360	195	U Trans WS—FD
	195 195	U Trans WS—FD U Trans WS—FD
WT3236 WT3242	195	U Trans WS—FD
WT3242	195	
WT3248	195	U Trans WS—FD U Trans WS—FD
WT3254	195	U Trans WS—FD
WTT1248	196	U Sgl-Taprd WS FD
WTT1240	196	U Sgl-Tapid WS FD
WTT4272	196	U Sgl-Taprd WS FD
WTT2148	196	U Sgl-Taprd WS FD
WTT2160	196	U Sgl-Taprd WS FD
WTT2172	196	U Sgl-Taprd WS FD
WTT2348	196	U Sgl-Taprd WS FD
WTT2360	196	U Sgl-Taprd WS FD
WTT2372	196	U Sgl-Taprd WS FD
WTT3248	196	U Sgl-Taprd WS FD
WTT3260	196	U Sgl-Taprd WS FD
WTT3272	196	U Sgl-Taprd WS FD
WTTF1260	197	U Taper-Flat WS—FD
WTTF1272	197	U Taper-Flat WS—FD
WTTF1360	197	U Taper-Flat WS—FD
WTTF1372	197	U Taper-Flat WS—FD
WTTF2160	197	U Taper-Flat WS—FD
WTTF2172	197	U Taper-Flat WS—FD
WTTF2360	197	U Taper-Flat WS—FD
WTTF2372	197	U Taper-Flat WS—FD
WTTF3160	197	U Taper-Flat WS—FD
WTTF3172	197	U Taper-Flat WS—FD
WTTF3260	197	U Taper-Flat WS—FD
WTTF3272	197	U Taper-Flat WS—FD
WVC2424L	216	U Visitor Wksf
WVC2424R	217	U Visitor Wksf
WVC2430L	216	U Visitor Wksf
WVC2430R	217	U Visitor Wksf
WVC3030L	216	U Visitor Wksf
WVC3030R	217	U Visitor Wksf
· ·		

#### **Trademark List**

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock 900 Series à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive Flective Flements Ellipse Ember Chrome Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, LessThanFive, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.
- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

- ® The following is a registered trademark of
   Wiremold, West Hartford, CT: Wiremold.
- ® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.
- ® The following is a registered trademark of Security People, Inc.: Digilock.
- The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.
  - The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Agree, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, DeskWizard, Divisio, Donovan, Dune, Duo, Echo, Edge, Elbrook, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Everwall, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top. Flute. Folio. FrameOne. FreeFlow. Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jettv. Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lvric, Malibu, Malibu Too, Mansfield, Marathon, Marien152, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650 Montreal MoreThanFive Move Nadia, Neighbor, nesso, Nickel, Nikko, Nod. Node, Norfolk, Ocular, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Radia, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Karman, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Tenor, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, WorkValet, and
- The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- The following is a trademark of Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone
- The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- The following is a trademark of Clestra Hauserman:
- The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- The following are trademarks of Polyvision: Accord, a<sup>3</sup>. e<sup>3</sup>. Boundri, and Nota.
- The following is a trademark of Bostock Company, Inc: SnapCab.
- The following is a trademark of Williams-Sonoma, Inc: West Elm.
- The following is a trademark of Elena Marquina Testor: nanimarquina.
- The following is a trademark of Forbo International SA: Forbo.
- The following are trademarks of Orangebox Ltd., Cardiff, UK: Air<sup>3</sup>, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.
- TM/8 The following are trademarks or registered trademarks of AMQ Solutions, LLC: AMQ, AMQ logo, KINEX, ILINE, ACTIV, AMOBI, CONCUR, 3F, REVI, S-SERIES, JAKU, SIYA, ZILO, BODI, FL-X, TIZU, EMBANK, TEKTIS, and BIXBY.
- TM® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Holy Day, Last Minute, Wrapp, Foro, Kelly, Noha, Viable, Solar, Sistema, Savina, Designed In The Sun, Cambio, Aleta, Viccarbe (logo), Viccarbe.

Trademarks used here in are the property of Steelcase Inc. or of their respective owners.