Bivi

Sta	tement of Line	6
Pro	duct Details	
	Height-Adjustable Desk and Spine Stability Guidelines	14
	Workstation Design Guidelines and Requirements	17
	Bivi Tables: Basic Overview	18
	Application Guidelines	22
	Thought Starters	25
	Grain Direction	34
	Sarto Screens	36
	Tables	38
	Team Table	40
	Team Theater	41
	Cable Trough	42
	Arches, Arch Accessories, and Screens	44
	Storage	50
	Rumble Seat and Hoodie	52
	Electrical Components	54
	How to Select Monitor Arms for Bivi Tables	62
	Wiring Schematics	63
	How to Calculate Power Needs	64
	Cable Capacities	65
	Distribution and Access	66
	Power Routing Harness Chart	68
	Building Interface	72
	Dual Height Tops	74
	Components and Accessories	76

86 89
99
09
98
99
100
101
108
112
116
117
133
136
496

Statement of Line

Sarto Screens



Centered Screens

Understanding Page 36 Specifying ►Page 86



Side Screens Understanding ➤ Page 36 Specifying ➤ Page 87

Tables



Understanding
► Page 38
Specifying
► Page 89



Understanding
► Page 38
Specifying
► Page 90

Table for One

	D	W	
Table	421/4"	48", 60", or 72"	

Tip: Nominal width is shown here.

Table plus One

	D	W
Table plus One	421/4"	48", 60", or 72"



Understanding Page 38 Specifying Page 91



Understanding Pages 38 Specifying Page 92

Table for Two

	D	W
Table for Two	48" or 60"	48", 60", or 72"

Tip: Nominal width is shown here.

Table plus Two 48", 60", or 72" Table plus Two 48" or 60"

Tables, continued



Understanding
► Page 40
Specifying
► Page 94

Understanding
► Pages 41
Specifying
► Page 96

Team Table

	D	W
Table	60"	48", 60", or 72"

Tip: Total widths for the Team Table are 114", 138", or 162" which includes the 18"D Transaction Top.

Team Theater

	D	W
Theater	60"	48" or 60"

Tip: Total widths for the Team Table are 96" or 120".



Cable Troughs Understanding Page 42

Specifying
Page 98



Slim Leg Understanding ▶ Page 76 Specifying ▶ Page 99



Leg Understanding ▶ Page 76 Specifying ▶ Page 100

Arch



Understanding Page 44 Specifying ► Page 101

	D	W	Н	
Tall Arch	2"	323/8"	44"	
Short Arch	2"	323/8"	13"	

Arch Accessories



Side Storage









Understanding ▶ Page 44





Bike Hook

►Page 44

Specifying
Page 103

Understanding

Holder Planter Understanding Understanding ▶ Page 44 ►Page 44 Specifying Specifying Page 105 ▶Page 105



Markerboards Understanding Page 44 Specifying
Page 104



High Sit Bracket with Modesty **Panel** Understanding ► Page 44 Specifying Page 106



Canopy Understanding Page 44 Specifying Page 104




Arch Infills Understanding ► Page 44 Specifying Page 107

Storage



Understanding Page 50 Specifying Page 108



Understanding Page 50 Specifying Page 109

Trunk

· · · · · · ·	<u> </u>		
	D	Н	
48"W	14"	16"	
60"W	14"	16"	

Trunk Supports

	D	W	Н	
Table Frame Attachment Brackets	1/2"	5"	16 ¹ /2"	
Freestanding Legs	2"	421/4"	11 ¹ /2"	





Understanding Page 50 Specifying
Page 110

Depot

	28½"H	41½"H
13 ⁷ /8"D	•	•

Rumble Seat, Supports, and Hoodie



Understanding Page 52 Specifying
Page 112



Understanding Page 52 Specifying
Page 114

Rumble Seat (with or without Exposed Bracket)

D	W	Н
28"	34", 46", or 58"	16"



Understanding Page 52 Specifying

Rumble Seat Supports

	D	W	Н
Freestanding Legs	28"	34", 46", or 58"	12"
Table Frame Attachment Brackets	51/2"	17"	16 ⁵ ⁄8"



February 2024

Understanding ►Page 42 Specifying Page 116

Hoodie

D	W	Н
28"	58"	381/8"


Trough-Mounted Data Access

Electrical Components, One Circuit




Plug and Play Power Strip - Package of One

- Understanding
- Page 54 Specifying
- Page 117



Plug and Play Power Strip - Package of Two

- Understanding
- Page 54 Specifying
- ▶Page 117



Plug and Play Power Strip - Package of Four

- Understanding
- Page 54
- Specifying Page 117



Accessory Power -Rectangular and Pyramid

- Understanding
- ► Page 66
- Specifying
- ▶ Pages 118–119

Electrical Components, Two Circuit




Hardwire-to-Modular **Power Infeed**

- Understanding
- Page 54
- Specifying
- Page 120




Hardwire-to-Modular Power Infeed, San

- **Francisco**
- Understanding ►Page 54
- Specifying
- ►Page 120




Modular Powerways

- Understanding
- Page 54
- Specifying
- ▶ Page 121



Hardwire Chicago Powerway

- Understanding
- Page 54
- Specifying
- Page 121



Modular Harnesses-Two Circuit

- Understanding
- Page 55
- Specifying
- Page 122



Modular Power Block— Standard Capacity

- Understanding
- ► Page 67
- Specifying ►Page 123



Power Block Connector

- Understanding
- ►Page 67
- Specifying ▶ Page 123




Chicago **Hardwire Box**

- Understanding
- ► Page 67
- Specifying
- Page 123



Duplex

- Receptacle Understanding
- ► Page 67 Specifying
- ►Page 124



Modular Flexible

Receptacle Understanding

- ► Page 67
- Specifying
- Page 125

Electrical Components, Four Circuit



Receptacle

Understanding ► Page 66 Specifying

►Page 126



Modular Powerway, **Four Circuit**

Understanding

► Page 67 Specifying

▶Page 127




Modular **Harness**

Understanding

► Page 67 Specifying

▶Page 128



Utility Pole

Understanding

▶Page 72

Specifying ▶ Page 129




Hardwire-to-Modular **Power Infeed**

Understanding

► Page 73

Specifying

▶Page 129



Power Infeed, **New York**

Understanding

▶Page 73 Specifying

▶Page 130



Power Infeed, San Francisco

Understanding ►Page 73

Specifying

Page 130



Junction Box

Straight/ Flush

Faceplate - Modular Understanding

Page 73

Specifying

Page 131



Power Infeed Cover

Understanding

► Page 66

Specifying ►Page 131



Bezel Receptacle Cover

Understanding

▶Page 67

Specifying

▶Page 132

Top





Understanding
► Page 74
Specifying
► Pages 133–135

Dual Height Tops

	D	W
Upper Dual Top	205/8"	60" or 72"
Lower Dual Top	281/2"	60" or 72"

Tip: Nominal width is shown here.

Components and Accessories



Full Top
Understanding
▶ Page 76
Specifying
▶ Page 136



Half-Round Top
Understanding
▶ Page 76
Specifying
▶ Page 137




Mid Transaction Top
Understanding
▶ Page 76
Specifying
▶ Page 138



Transaction Top
Understanding
▶ Page 76
Specifying
▶ Page 138



Mini Transaction
Top
Understanding
▶ Page 76
Specifying
▶ Page 139



End Hanging Top
Understanding
► Page 76
Specifying
► Page 140



Gallery Panel
Understanding
▶ Page 76
Specifying
▶ Page 141




Table-Mounted
Monitor Arm Brace
Understanding
▶ Page 76
Specifying
▶ Page 142



Lower Footshelf Understanding ▶ Page 48 Specifying ▶ Page 143



Upper Footshelf Understanding ► Page 48 Specifying ► Page 144

Components and Accessories, continued



► Page 76 Specifying ▶Page 145





Leg Modesty

Understanding

- ► Page 76 Specifying
- ►Page 145



Top Shelf

Understanding

- ►Page 76 Specifying
- ►Page 146



Bottom Shelf

Understanding

- ► Page 76 Specifying
- ▶ Page 146



Hooks

Understanding

- Page 76 Specifying
- ►Page 147









Mini Hooks

Understanding

- ▶Page 76
- Specifying ▶ Page 147



Metal Screen

Understanding Page 45

- Specifying
- Page 148



Trough mount

Freestanding

Tackable Screens

Understanding

- Page 44
- Specifying
- Page 150



Organizer

Understanding

- Page 44
- Specifying Page 151



Leg Covers

Understanding

- Page 44
- Specifying
- ▶ Page 152



Trough Covers

Understanding

- ▶ Page 43
- Specifying
- ▶ Page 153



Trough End Covers

Understanding

- Page 44
- Specifying ▶ Page 153



Trough Floor Covers

Understanding

- Page 44
- Specifying ▶ Page 154



Media Support Mount

Understanding

- ► Page 82
- Specifying
- ▶ Page 154



Media Support Shroud

Understanding


- ► Page 82
- Specifying
- ▶ Page 155



Media Support Shelf

Understanding

- ► Page 82
- Specifying ▶ Page 155



Media Support System Value Package


Understanding

- ▶Page 82
- Specifying
- Page 156

Height-Adjustable Desk and Spine Stability Guidelines

Stability Guidelines for Bivi Slim Spine: No Fixed Tops with Slim Legs Only


- Minimum requirement: (1) 60"W + (1) 72"W Trough with Slim Legs or (3) 48"W Troughs + (4) Slim Legs.
- · Maximum requirement: unlimited.
- · Not approved: any combination under 11'W or 132"W.



Stability Guidelines for Bivi Spine: No Fixed Tops with Standard Legs Only or Combination of Slim and Standard Legs

Approved Mixed Applications: (1) Trough + (1) Slim Leg + (1) Standard Leg OR (1) Trough + (2) Standard Legs:


• All Trough widths: 48"W, 60"W, 72"W with Tall Arch or Short Arch.



· All Trough widths: 48"W, 60"W, 72"W with Tall Arch and Bike Hook.


Approved Mixed Applications: (2) Troughs + (1) or (2) Slim Legs + (1) or (2) Standard Legs:

 All Trough widths: 48"W, 60"W, 72"W with Tall Arch, (2) Standard Legs + (1) Slim Leg and Media Support System.




• All Trough widths: 48"W, 60"W, 72"W with Tall Arch or Short Arch.

Approved Applications:




- All Trough widths: 48"W, 60"W, 72"W with Short Arch and Side Storage.
- Trough widths: (1) 48"W combined with (1) 60"W or (1) 72"W with Tall Arch, (2) Standard Legs + (1) Slim Leg and Media Support System.
- Trough widths: (2) 60"W with Tall Arch, (2) Standard Legs + (1) Slim Leg and Media Support System.
- Trough widths: (1) 60"W and (1) 72"W with Tall Arch, (2) Standard Legs + (1) Slim Leg and Media Support System.
- Trough widths: (2) 72"W with Tall Arch, (2) Standard Legs + (1) Slim Leg and Media Support System.

Media Support System:



Media Support System is allowed on Bivi spine applications without fixed tops that are 108"W or wider.



Media Support System is not allowed on Bivi spine applications without fixed tops that are 107"W or smaller.

Non-Approved Mixed Spine Applications:




· All Trough widths: 48"W, 60"W, 72"W with Trunk.



· All Trough widths: 48"W, 60"W, 72"W with Half Round.


Tip: Non-approved mixed spine applications shown apply to applications without tops.




 48"W Troughs with (2) Slim Legs, (1) Standard Leg, (1) Tall Arch + Media Support System.

Stability Guidelines for Bivi Desking System + Spine Applications

Any application combination that removes one or more Bivi static tops for a height-adjustable desk or Half Round Tops are not allowed:



 Half Round Tops are not allowed on settings that have one or more fixed tops removed.



 Trunk storage is only allowed on Bivi applications that have a minimum of two fixed tops on opposite sides.

Workstation Design Guidelines and Requirements

Workstation Design Guidelines and Requirements


Overview

Designed for movement with dynamic

seating, adjustable worktools and Height-Adjustable Desks are important for today's office workers. To determine the best height-adjustable solution, consider these four criteria:

- Adjustability Needed:
 What is the height range
 requirement? (seated or
 sit-to-stand)
- Worksurface Size Needed: What does the physical space look like? (worksurface configuration)
- Equipment/Tools Used: What type of computer equipment and other worktools are being used on the worksurface? (load capacity)
- 4. Use:

What is the Height-Adjustable Desk being used for (individual or shared, touchdown space or full workstation, sit-tostand or seated)?





Risk of Serious Injury. If not used as intended, moving worksurfaces can pinch or injure people, or damage property. Always follow theses Instructions:

- Keep height-adjustment range free from obstructions above and below the worksurface.
- 2. Plan for a minimum 1" gap against a panel or wall.
- 3. Plan for a minimum 1" gap to adjacent furniture.

Tips

Obstructions

Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of Height-Adjustable Desks.

Weight

The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

Width

Specify a minimum 1" gap to adjacent furniture. This eliminates any pinch points between a Height-Adjustable Desk and a fixed object.

Depth


When placing a Height-Adjustable Desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This eliminates pinch points and adds clearances for cable access.

Managing Technology

Design workstations with computer equipment in mind so that the height-adjustment range of the Height-Adjustable Desk is not impeded because of cables. Consider the addition of a cable riser or cable basket to help harness these wires and cables.

Power

Plan easy and unobstructed access to electrical outlets for computer equipment and Height-Adjustable Desks (when applicable).



Risk of serious injury.

Bases-only warranty limitations and potential for

injury: The use of worksurfaces that do not comply with the Steelcase defined criteria and limitations could cause personal injury or property damage due to pinch points, instability, or other problems, and voids all Steelcase Warranties, expressed or implied.

The use of worksurfaces that do not comply with Steelcase criteria voids any Steelcase claims of compliance with ANSI/BIFMA, UL, LEED, or other applicable requirements. The use of non-Steelcase worksurfaces on Steelcase adjustable-height bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. Steelcase is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-Steelcase worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a Steelcase worksurface as intended.

Worksurface Criteria and Limitations


The use of non-Steelcase worksurfaces is not recommended. Any use of a non-Steelcase worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.


Tips

Height-adjustable bases include fasteners intended for use with Steelcase worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:


- Medium-density or higher particleboard or fiberboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater (Ology and Migration SE)
- Thickness of 1¾6" or greater (Series 5 bases)
- · Fasteners located a minimum distance of 1" from any edge

Bivi Tables: Basic Overview





Bivi Table for One is assembled with the Trough at one end of the legs and one Full Top installed.




Bivi Table for Two is assembled with the Trough centered between two Legs and two Full Tops placed on either side.


How to create larger settings:




A Bivi Table plus One can be added to a Bivi Table for One by sharing the inside Leg.



How to create dual height settings:



How to create standing height settings:



How to reconfigure settings:

Bivi can be ordered as individual components (Full Top, Trough, and Legs) to create new configurations.



Bivi Table for One and a Full Top create a Table for Two.





Table for Two (TS8TTWF)

Trough (**TS8RPCT**) and Leg (**TS8RPBSL**)

Bivi Table for Two, a Trough, and a Leg create a Table for One with a Table plus One.



Bivi Table for Two (**TS8TTWF**)

Bivi Half-Round Top (**TS8RW**)

Bivi Table for Two and two Half-Round Tops create a conference table for six.

Application Guidelines



Bivi Table for One and a Table plus One can be attached with users sitting next to or across from each other.




When an architectural obstruction such as a column occurs, one Full Top can be left off.




The maximum number of Tables for Two and Tables plus Two, or Tables for One and Tables plus One, that can be connected is unlimited.

Note: Power is not unlimited. Additional power infeeds may be needed depending on the number of tables connected together.




When four dual height tops are grouped in the middle of a setting, it creates a standing meeting spot for functional teams.



When dual height tops are planned on the end of a setting with a Mini Transaction Top, it creates an impromptu or small meeting spot.

Thought Starters

Nomad 1




Workspaces where mobile workers can set up quickly, connect devices, and work alone or with others:

One of the spaces allows the worker to quickly set the worksurface height with an Ology height-adjustable desk at it's most convenient, comfortable, and appropriate height for the task at hand.

Quantity	Style Number	Description	Options	
1	TS8TTWF	Bivi Table for Two	60"W	
1	TS8SDAF	Bivi Table plus One	60"W	
1	TS8ARCH	Bivi Arch	Tall	
2	TS8ARCH	Bivi Arch	Short	
4	TS2HOLDER	Bivi Holder		
4	TS2PLANTER	Bivi Planter		
2	TS8SCREENM	Bivi Metal Screen (table mounted)		
1	MGELTRQ	Height-Adjustable Desk, Extended Height,	541/2"	

Nomad 2




Workspaces where mobile workers can set up quickly, connect

devices, and work alone or with others: Front and side-to-side privacy elements are tackable and help to eliminate work distractions for short term focus.

Quantity	Style Number	Description	Options
1	TS8TTWF	Bivi Table for Two	48"W
· 2	TS8TTAF	Bivi Table plus Two	48"W
4	TS8ARCH	Bivi Arch	Short
4	TS8ARCHFILL	Bivi Arch Infill	Lower
3	TS8HSMREV	Bivi High Sit Bracket w/ Modesty Panel	48"W
1	TS8P4IFH	Bivi Power Infeed, Hardwire-To-Modular	
3	TS8PBS	Bivi Modular Power Block, standard capacity, 4-circuit, non-PVC	
12	TS8PRD	Bivi Duplex Receptacle	
· 2	TS8P4H	Bivi Modular Harness, 4-circuit	
6	TS8PRCVR	Bivi Bezel Receptacle Cover	
6	TS8PAREC	Bivi Accessory Power, USB strips, rectangular	Clamp-on mount & USB ports
2	TS2CTEC	Bivi Trough End Cover	


Resident 4



Dedicated workspaces focused on individual work: The Campfire Slim Table creates a secondary worksurface and an extra power plug per person. The primary power solution in this setting is contained within the Bivi Trough, with desk height access, and provides three power plugs and two USB ports per person. Storage at the ends of the bench provides a place for personal items and extends the size of the workspace.

Quantity	Style Number	Description	Options	
1	TS8TTWF	Bivi Table for Two	60"W	
1	TS8TTAF	Bivi Table plus Two	60"W	
2	TS8ARCH	Bivi Arch	Short	
2	TS8ARCHFILL	Bivi Arch Infill	Lower	
2	TS2HOLDER	Bivi Holder		
2	TS2PLANTER	Bivi Planter		
2	TS8SCREENTREV	Bivi Tackable Screen	13" X 48"W	
2	TS8TRUNK	Bivi Trunk	Table frame attachment bracket	
1	TS8P4IFH	Bivi Power Infeed, Hardwire-To-Modular		
2	ТЅ8РНВС	Bivi Modular Power Block Connector 4-circuit, non PVC		
4	TS8P4QUAD	Bivi Modular Power, 4-circuit	USB ports	
1	TS8P4H	Bivi Modular Harness, 4-circuit		
4	TS4TPST	Campfire Slim Table		

Functional Team 1




Collaborative setting with individual workspaces and storage for workers from the same department:

End storage keeps shared materials nearby, and applications support standup collaboration. Footshelf is available for foot support when standing and user has convenient access to power and USB ports. The 2" gap between tops provide visual boundaries.

Quantity	Style Number	Description	Options
1	TS8TTWF	Bivi Table for Two	48"W
2	TS8TTAF	Bivi Table plus Two	48"W
4	TS8ARCH	Bivi Arch	Short
4	TS8ARCHFILL	Bivi Arch Infill	Lower
3	TS8HSMREV	Bivi High Sit Bracket with Modesty Panel	48"W
6	TS8FSL	Bivi Lower Footshelf	48"W
1	TS8P4IFH	Bivi Power Infeed, Hardwire-To-Modular	
3	ТЅ8РНВС	Bivi Modular Power Block Connector, 4-circuit	
12	TS8PRD	Bivi Duplex Receptacle	
2	TS8P4H	Bivi Modular Harness, 4-circuit	
6	TS8PAREC	Bivi Accessory Power Data, USB strips, rectangular	Clamp-on mount & USB ports
3	TS8SCREENTREV	Bivi Tackable Screen	19"H X 36"W


Functional Team 2



Dedicated workspaces for a functional team, each team member has a focus zone with privacy elements that help to reduce visual distractions. The upper secondary tops act as a quick meeting space for the team or simply allow individuals to change posture throughout the day, contributing to well being in the office. Depots anchor each side to provide additional visual privacy and a place for storage.

Quantity	Style Number	Description	Options
2	TS8RPCT	Bivi Trough	72"W
3	TS8RPBSL	Bivi Leg	
3	TS8ARCH	Bivi Arch	Short
3	TS8ARCHFILL	Bivi Arch Infill	Lower
2	TS8HSMREV	Bivi High Sit Bracket with Modesty Panel	72"W
2	TS8DHSET	Bivi Dual Top Set	72"W, Right-Hand Lower/ Left-Hand Upper
2	TS8DHSET	Bivi Dual Top Set	72"W, Left-Hand Lower/ Right-Hand Upper
2	TS8DEPOT	Bivi Depot	3 High

Functional Team, includes Meeting Space



This setting for a team of two provides each individual with a focus zone and a standing-height meeting space on the end to share ideas and meet with other team members as the need arises. The Trunk on one end provides storage for personal items.

Quantity	Style Number	Description	Options
1	TS8RPCT	Bivi Trough	72"W
2	TS8RPBSL	Bivi Leg	
2	TS8ARCH	Bivi Arch	Short
2	TS8ARCHFILL	Bivi Arch Infill	Lower
1	TS8HSMREV	Bivi High Sit Bracket with Modesty Panel	72"W
1	TS8DHSET	Bivi Dual Top Set	72"W, Right-Hand Lower/ Left-Hand Upper
1	TS8DHSET	Bivi Dual Top Set	72"W, Left-Hand Lower/ Right-Hand Upper
1	TS8TRUNK	Bivi Trunk	Table Frame Attachment Bracket
1	TS8DHTT	Bivi Mini Transaction Top	


Meeting Space 1



Team meeting space for project teams or impromptu meetings: Tall Arches define space and eliminate distractions. There is easy access to power for shared monitors and personal powering needs. Standing height provides seamless sharing with continued eye-to-eye contact, whether a coworker is sitting in a stool or standing.

Quantity	Style Number	Description	Options
1	TS8TTWF	Bivi Table for Two	60"W
1	TS8TTAF	Bivi Table plus Two	60"W
2	TS8ARCH	Bivi Arch	Tall
2	TS8ARCHFILL	Bivi Arch Infill	Upper
2	TS8ARCHFILL	Bivi Arch Infill	Lower
2	TS8HSMREV	Bivi High Sit Bracket W/ Modesty Panel	60"W
4	TS8FSL	Bivi Lower Footshelf	60"W
2	TS2HOLDER	Bivi Holder	
2	TS2PLANTER	Bivi Planter	
1	TS8P4IFH	Bivi Power Infeed, Hardwire-to-Modular	
2	TS8PBS	Bivi Modular Power Block, standard capacity, 4-circuit, non-PVC	
8	TS8PRD	Bivi Duplex Receptacle	
1	TS8P4H	Bivi Modular Harness, 4-circuit	
4	TS8PRCVR	Bivi Bezel Receptacle Cover	
4	TS8PAREC	Bivi Accessory Power, USB strips, rectangular	Clamp-on mount & USB ports
2	TS2CTEC	Bivi Trough End Cover	


Lounge Bench, Meeting Space 2



Small meeting space in a casual lounge environment: Freestanding trunk holds a monitor for information sharing and Campfire Personal Table can be used for a writing surface or to hold laptops. Secondary Rumble Seat allows additional lounge seating.

Quantity	Style Number	Description	Options	
1	TS8RPCT	Bivi Trough	60"W	
2	TS8RPBSL	Bivi Leg		
1	TS8ARCH	Bivi Arch	Short	
1	TS8SCREENTREV	Bivi Tackable Screen	48"W, Trough mounted	
2	TS8RS	Bivi Rumble Seat	Table frame attachment bracket	
2	TS8TRUNK	Bivi Trunk	Table frame attachment bracket	
1	TS8TRUNK	Bivi Trunk	Freestanding Legs	
1	TS2HOLDER	Bivi Holder		
1	TS2PLANTER	Bivi Planter		
1	TS4TWP	Campfire Personal Table		

Lounge Meeting Space 3




Small meeting space in a casual lounge environment: Rumble Seats with Hoodies provide a semi-private meeting area, or can be used for individual focus in a lounge setting. Campfire Personal Tables can be used for a writing surface or to hold laptops.

Quantity	Style Number	Description	Options	
. 2	TS8RS	Bivi Rumble Seat	Freestanding Legs	
: <u>2</u>	TS3RSH	Bivi Hoodie	Table frame attachment bracket	
· 2	TS4TWP	Campfire Personal Table		

Grain Direction

The appearance of laminate may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to the following illustration for an understanding of grain direction on your installation.




Depot, 2 High, and 3 High



Trunk




Side Storage




Full Tops



Half-Round Top



Transaction Top




Mini Transaction Top

Sarto Screens

Sarto screens provide a light scale boundary element, centered along the bench or on the sides of the worksurface. They are available in one modular height to provide seated visual privacy.

Specifying, page 86



Side screens are attached to the edge of the worksurface with thumbscrew and supported by the centered screen.


Actual Dimensions					
	Centered Screens	Side Screens			
Overall height	231/2"	231/2"			
Width	46", 58", 72"	27", 33"			

Tip: Height is measured from the top of the mounting surface to the top of the screen.


Product Details



Sarto screens are tackable and available in one height at 23¹/2". Centered screens are available in three widths. Side screens are available in two widths.



Brackets are included with centered screens. Two brackets are used with centered screens at 48"W. Three brackets are used with centered screens at 60"W or 72"W.



Bracket is included with side screens. One bracket is used with side screens to mount to the worksurface and clip is used to attach side screen to centered screen.

Gap is 1" between Sarto screen and mounting surface.

Surface Materials

Screen

Fabric

Brackets


Paint

Clips

- · 6009 Arctic White
- 6527 Merle


Tables

Table for One, Table plus One, Table for Two, and Table plus Two Overview



Actual Dimensions						
	Table for One	Table plus One	Table for Two	Table plus Two	Full Top	
Depth	421/4"	421/4"	48" or 60"	48" or 60"	19 ¹ /2", 22 ¹ /2", or 28 ¹ /2"	
Width	50" or 62"	48" or 60"	50", 62", or 74"	48", 60", or 72"	46", 58", or 70"	
Height	281/2"	281/2"	281/2"	281/2"	2"	
Worksurface Thickness	1/2"	1/2"	1/2"	1/2"	1/2"	

Product Details



Cable Troughs are used to hold power, wires, and blocks. Each Cable Trough has four areas for power. Two areas are in the floor of the Trough and one on each side. The power locations on the side of the Cable Trough have knockouts that can be removed if power in these locations is desired for four-circuit power components.




Bivi Full Tops are available in three widths - 48"W, 60"W, and 72"W. The Bivi Full Top can be ordered as a separate component.

Bivi Full Tops are available in three nominal depths -21"D, 24"D, and 30"D.

Cable scallops allow cords and plugs to pass behind the Full Top.



21"D and 24"D nominal Full Tops are not offered on Table for One or plus one due to the misalignment with the leg; it creates an undesirable visual and corner.



Full Tops have a reinforcing channel that runs along the front of the top. The Full Top cantilevers install in the Bivi Leg and tie into the reinforcing channel creating a steel under structure for added strength.

Connections



Plus tables come with one leg and adjustable glides with a 11/2" range. Tables can be connected to an existing table in order to create a benching application. Two tables share one leg.

Weight Capacities

Table for One: 200 pounds

Table for Two: 400 pounds.

Surface Materials

Full Tops

Low-Pressure Laminate, High-Pressure Laminate, and wood veneer


Legs, Cable Trough, and Full Top **Attachment Brackets**

Paint

Team Table


Bivi Team Tables provide a highly functional, fully featured conference table with the Media Support System, Foot Support System, and space for 4–10 people. ▶ Specifying, page 94

One Circuit Plug and Play Power can be optioned on as an easy to install, convenient power solution with 16 power, or 12 power and 4 USB. Additional power available through specification.



Transaction Top utilizes the space at the end of an application to create a collaboration space, providing a place for two additional people.

Media Support System makes it easy to share digital information quickly and transparently. It is compatible with monitors 32"—43" and can support up to 50 pounds.



Tip: Total table width includes the 18"D Transaction Top.


Team Theater

Bivi Team Theater


offers a tiered application where teams can come together to collaborate and share content.

Specifying, page 96

One Circuit Plug and Play Power can be optioned on as an easy to install, convenient power solution with 16 power, or 12 power and 4 USB. Additional power available through specification.



Rumble Seat mounts to the Bivi frame providing lounge posture that is comfortable and durable.



Standing Height creates a tiered setting allowing users posture options and the ability to perch in the standing position.


Foot Support System provides the user with multiple postures while promoting ergonomic wellbeing and active standing.


Size Recommendations Team Theater Recommended Number of People Width 48" Team Theater 4–6 People 96"

120"


96" Team Theater 6-8 People

Cable Trough






Trough-Mounted Data Access, TS8DATA, snaps into a 48"W, 60"W, or 72"W
Trough and provides an opening to fit standard sized communication modules.



Cable Trough End Dimensions




Trough-Mounted Data Access


Product Details



A Trough End Cover (TS2CTEC, package of two) is available if closed end is preferred.



72"W Troughs have a trough stiffener in the center of the trough that is factory installed to add more rigidity. The trough stiffener is $2^1/2^{\text{TD}} \times 3^1/4^{\text{TW}}$. The Metal Screen has been redesigned to work around this stiffener. Order style number TS8SCREENM for a Metal Screen to be used with a 72"W trough.




Bivi Trough Covers come in a quantity of two for 48"W and 60"W Troughs, and in a quantity of three for 72"W Troughs, to straddle over the center Trough Stiffener.

Rectangular openings on each end allow for cables to route through into the Trough.

Surface Materials

Paint

Arches, Arch Accessories, and Screens



Actual Dim	ensions			
Tackable Screens	Actual Width	Nominal Width and the Corresponding Table Width	Overall Height	Screen Insert Height
13"H x 36"W	33"W	48"W Tables with Side Storage	13"H	10"H
19"H x 36"W	33"W	48"W Tables with Side Storage	19"H	16"H
13"H x 48"W	45"W	48"W Tables without Side Storage and 60"W Table with Side Storage	13"H	10"H
19"H x 48"W	45"W	48"W Tables without Side Storage and 60"W Table with Side Storage	19"H	16"H
13"H x 60"W	57"W	60"W Tables without Side Storage and 72"W Table with Side Storage	13"H	10"H
19"H x 60"W	57"W	60"W Tables without Side Storage and 72"W Table with Side Storage	19"H	16"H
13"H x 72"W	69"W	72"W Table	13"H	10"H
19"H x 72"W	69"W	72"W Table	19"H	16"H

Side Storage is available in two widths, 48"W for use with two 24"D tops and 60"W for use with two 30"D tops.

48"W Side Storage can be used with two 30"D tops, but it is not recommended to use 60"W Side storage with two 24"D tops; it creates an undesirable condition sticking out beyond the table tops.

Board Rack measures 9"D x $17\frac{1}{2}$ "W x $23\frac{1}{4}$ "H, and can be attached to the Tall Arch, Short Arch, or a wall. It can support maximum of 50 pounds.

▶ Specifying, page 104

Monitor Mounts measure 21/2"D x 12"W x 121/4"H, and hold one monitor each up to 37" with a maximum of 50 pounds.

► Specifying, page 102

Holder measures 3"D x 26%"W x 3"H, and can be attached to the Tall Arch, Short Arch, Leg, a wall, or

Side Storage


► Specifying, page 105

stand alone.

Bike Hooks measure 5%"D x 4"W x 60"H, and can be installed onto a Tall Arch or mounted onto a wall. ► Specifying, page 103

Metal Screens are shared between two users when installed on a Bivi Table for Two. Metal Screens can accept magnetic accessories on both sides. Metal Screens can be installed anywhere along the span of the Cable Trough.

► Specifying, page 148








Table-Mounted Arm

Brace is installed into the cantilevers and back channel of either the Trough or High Sit Bracket under the Bivi Full Tops.



Product Details



Arches ship standard with screw covers, which are a modified version of the screw covers that ship with Bivi Legs. When installing Arches, the arch screw covers replace the leg screw covers.


Tip: Save leg screw covers for future configurations. Both leg screw covers and arch leg screw covers are supported as service parts.




Side Storage installs onto a Short Arch and is shared between adjacent users. Each end of the Side Storage has open cubbies that can be left open or filled in with Bivi Organizers. Side storage can be mounted on a table for two without additional support.



Side Storage should not be installed next to a Rumble Seat because it overhangs into the user sitting area.



Organizers can be installed into each end of the Side Storage or be used freestanding on a Full Top.



Bike Hooks can be mounted onto a wall.




Two Bike Hooks can be installed on one Tall Arch as long as the two bikes do not exceed 100 pounds and the front tires and rear tires are alternated to avoid both sets of pedals in the same location.

Tip: When ordering Bike Hooks, there are separate style numbers depending on the desired application: TS2ARCHBH for arch mounted, and TS2WALLBH for wall mounted.



Monitor Mounts can be located at the top or bottom location of a Tall Arch and on a Short Arch.


Monitor Mounts hold one monitor each up to 37" with a maximum of 50 pounds.




Markerboards are available in two sizes and have magnetic backs that work with steel surfaces such as Bivi Metal Screens and the center of the Bivi Side Storage.




works with any 48"W or 60"W Trough. It does not work with 72"W Troughs due to a trough stiffener that is factory installed in the center of 72"W Troughs. Metal Screens with style number TS8SCREENM work with any size Trough.



Two canopies cannot be used side-by-side on the 48"W Bivi Tables.



Organizer can be placed by itself on a table or tucked inside Bivi Side Storage.



Planter is a waterproof insert that fits inside Holder to hold live plants.


Holder or Holder with Planter can be attached opposite of other Bivi accessories.




Board Racks can be attached at the bottom location of Tall Arch or a Short Arch.



Board Rack can not be attached at the top location of a Tall Arch.






Side Storage attaches over a Short Arch and creates storage space and a boundary between workers.




Board Rack can be attached to a wall.




Board Rack can be attached opposite of a monitor mount.


Connections




Metal Screens ship with Trough mounting brackets that assemble by screwing two halves together and snapping into the Bivi Cable Trough.



Modesty Panel is tackable and has two sides for cable management. Each side has an access pocket for cords to route into.



Freestanding, Tackable Screen stanchions and base come standard in three plastic color choices with a paint option upcharge.



Leg Covers come in a quantity of one. They are used for aesthetic purposes to cover up strength ribs in Bivi Legs and are not structural. Leg Covers come in half size, when used on a leg that has a Bivi Footshelf, and full size, when no Footshelf is present.




To install Footshelf brackets onto legs manufactured on or before July 17, 2016, order adaptor package, TS8FRETROSR.


Side Storage cannot be

installed where a High Sit Bracket with Modesty Panel

is present, as they interfere



High Sit Bracket with Modesty Panel attaches to Arches and supports Full Tops at standing height applications. At seated height applications, the High Sit Bracket with Modesty Panel provides privacy.




When an Upper Dual Top is installed, there is room for one Mini Hook.



Trough-mounted, Tackable Screen stanchions come standard in three plastic color choices with a paint option upcharge. The base is always painted and replaces the Bivi Trough End Attachment Cover.



Lower Footshelf is painted steel, available in 48", 60", and 72" widths. Footshelf is used for foot support when in a standing



Monitor Mounts will support the following VESA* patterns: 75 mm x 75 mm

100 mm x 100 mm

200 mm x 200 mm

200 mm x 100 mm

Screws for mounting the

Mount are not included.

They should be included

*VESA mount, is a family

of standards defined by the

Video Electronics Standards

Association for mounting flat

panel monitors, TVs, and

other displays to stands or

wall mounts.

with the TV or monitor.


monitor to the Bivi Monitor



Arch Infills are tackable with painted brackets to attach to the upper section of the Tall Arch and the lower section of the Tall Arch and/ or Short Arch **Upper Arch Infill** is also


available with non-tackable

markerboard surface.




 $32^{2/3}$

Lower Footshelf is not recommended to be used with 21"D standing height tops due to possible leg interference.




Footshelf bracket covers the lower half of the Bivi Leg. The footshelf bracket can be shared between two Footshelves. The first ified with the two bracket option and the adjacent fooshelves should be specified with the one bracket




posture.

26'

option.



Mini Hook assembles onto High Sit Bracket with Modesty Panels that are manufactured after 11/6/2017. There can be two Mini Hooks per side if other components are not in use. Assembly holes were added for the Upper Dual Top.



Tackable Screens are available as freestanding or Bivi Trough-mounted. Screens are not a tackboard. but they are tackable.

Upper Footshelf is painted steel, available in 48", 60", and 72" widths. Upper Footshelf can be Footshelf should be specpaired with the Lower Footshelf at standing height to create a footself from standing and sitting posture.

Weight Capacities

Short Arch: 100 pounds per side maximum.

Tall Arch: 100 pounds per side maximum.

Monitor Mount: 50 pounds maximum.

Side Storage: 50 pounds bottom shelf/100 pounds top.

Bike Hook: 50 pounds maximum.

Board Rack: 50 pounds maximum.

Holder: 25 pounds maximum.

Surface Materials

Arches, Arch Infills, High Sit Bracket with Modesty Panel, Monitor Mounts, Metal Screens, Tackable Screens, Upper and Lower Footshelf, Organizers, and Bike Hooks

Metal Screen,
Tackable Screen stanchions, freestanding
Screen bases, and
Trough mounting
brackets

Plastic

Side Storage top

- Low-Pressure Laminate
- · High-Pressure Laminate

Monitor Mount


· Black paint


Storage

Trunk storage attaches to the end of a Bivi Table for Two. It has storage on each end as well as additional storage in the middle. Trunks are also available with freestanding legs for a freestanding application.


Specifying, pages 108-110

Depot storage is freestanding and comes in two high or three high. Depot is not approved to be stacked on top of each other and cannot be wall mounted.







Product Details



Trunk storage attaches to the end of a Bivi Table for Two. It has storage on each end as well as additional storage in the middle.




Trunk cannot be used on a Bivi Table for One.




Trunk is not recommended to be used on a standing height Bivi Table for Two. The trunk table frame attachment brackets only work on the Bivi Leg, not on the Short or Tall Arch. Therefore, Trunk does not line up with the standing height Full Tops.





3-High Depot has the ability to turn the top section around so it faces the Full Top when placed against the end of the Bivi table.



Depot storage comes with feet on each end and a foot in the middle, all with adjustable glides.

Weight Capacities

Trunk: 200 pounds on top, 50 pounds per cubby, and 25 pounds per shelf.

Depots: 200 pounds on top (all sizes) and 50 pounds per cubby (all sizes).

Surface Materials


Trunk top and Depot storage

Laminate

Trunk case and shelves

Paint

Rumble Seat and Hoodie



Actual D	Dimensions				
	Rumble Seat with Freestanding Legs or Table Frame Attachment Brackets	Freestanding Legs	Hoodie	Rumble Seat with Hoodie	
Height	281/2"	12"	381/8"	67 ⁵ /8"	
Seat Height	163/8"	N.A.	N.A.	N.A.	
Depth	28"	28"	28"	28"	
Seat Depth	231/2"	N.A.	N.A.	N.A.	
Width	33 ³ /4", 45 ³ /4", and 57 ³ /4"	34", 46", and 58"	57 ³ /4"	58"	

Product Details



Freestanding Legs connect to the bottom of the 36"W, 48"W, and 60"W Rumble Seat.

Rumble Seats TS3RS and TS3RSBKT, manufactured on 5/21/2017 or before, work with Freestanding Legs TS3RSL2 and Table Frame Attachment Brackets TS3RSTA, manufactured on 5/21/2017 or before. These TS3RS style numbers are no longer available.

Rumble Seats TS8RS, manufactured on 5/22/2017 or after,

work with Freestanding Legs TS8RSL2 and Table Frame Attachment Brackets TS8RSTA, manufactured on 5/22/17 or after.



48"W and 60"W Rumble

Seats can be installed on one or both sides of a Bivi Table for Two. 36"W Rumble Seats are only available on Freestanding Legs. To create this setting, order a Bivi Table for One and move the Cable Trough to the center. Install the Full Top on one side and the Rumble Seat on the other side.



Rumble Seats can connect to a Bivi Table for Two on both sides. To create this setting, order a Rumble Seat with Table Frame Attachment Brackets, two Bivi Legs, and one Bivi Cable Trough.



Rumble Seats cannot be installed in place of a worksurface on a Bivi Table for One.

Tip: Rumble Seat cannot be installed on 48"W Bivi Table for One, but can be installed on a 48"W Bivi Table for Two manufactured on or after 5/22/2017.



Hoodie is only intended to be used attached to a Rumble Seat.

Hoodie comes with two fabric options for the sides and top.

Back panel on Hoodie

is defaulted in mesh. Mesh material used on the Hoodie back panel offers semi-transparency.

Connections




Table Frame Attachment Bracketsconnect the Rumble Seat to the table frame in place of a Full Top on a Bivi Table for Two.



Rumble Seats have connectors that come standard to attach the Hoodie. These connectors need to be located and cut to expose them in order to attach the Hoodie. If you know ahead of time that a Hoodie will be installed, there is an accessory bracket option that supports the Rumble Seat with the connectors exposed from the factory.

Weight Capacity

48"W and 60"W Rumble Seat: Two people, up to 300 pounds each.

36"W Rumble Seat: One person, up to 300 pounds.

Surface Materials

Rumble Seat

Fabric

Freestanding Leg

Paint

Table Frame Attachment Brackets

Paint

Hoodie

- Cogent: Connect 5S25 Graphite 5S26 Licorice
- Mesh: T615 Sultry Smoke

Electrical Components

Plug and Play Corded Power, One Circuit Hardwire-to-Modular Power, Two Circuit


Bivi electrical compo-

nents are simple and easy to install. Power Strips and hardwired Powerways can be installed in the Cable Trough, which provides easy access.

► Specifying, pages 117-132

Bivi Power Strips and Modular and Chicago Hardwired Powerways

have spill-proof technology to prevent electrical shorts.




Modular Powerways,

TS8P260 and TS8P2CHI, have two sections with four receptacles each for a total of eight receptacles.

Steelcase products


are designed and tested for code and standard compliance when installed and used as an integrated product solution in accordance with Steelcase application guidelines and installation instructions. However, the building owner or designated agent is responsible for verifying that the installation is in compliance with local codes and regulations.




Plug and Play Power Strip package of two,

TS8PS2PKREV, has two sections with four receptacles each for a total of eight receptacles.

Plug and Play Power Strip package of four, TS8PS4PKREV, has four sections with four receptacles each for a total of 16 receptacles.



Trough-Mounted Data Access, TS8DATA, snaps into a 48"W, 60"W, or 72"W
Trough and provides an opening to fit standard sized communication modules.



Trough-Mounted Data Access

Plug and Play Power Strips have a 15-amp 10' cord that plugs into a building receptacle.

Product Details

Two-Pack and Four-Pack Power Strips do not connect together as this would cause a potential power failure and hazard. Power Strips must plug into an individual power source.



Power Strips have the first and last receptacle rotated out to accommodate larger power units.



Power Strips have four simplex plugs. The fourth position can have two USB ports optioned in place of the simplex plug.



For the standard Bivi Modular Hardwire Base


Power, when using a 60"W table there is 22" of conduit with 6" of wire length once the power hits the floor for the electrician to work with and connect to the building power source. When using a 48"W table, there are 12" of additional conduit.


Bivi San Francisco Hardwired Modular

Power can be used outside of San Francisco. If more conduit length is desired, it has 72" length of conduit from the point of coming straight out of the table.

The San Francisco Hardwired Base Power


can be used in other areas of the country where local codes allow liquid tight conduit if additional conduit length is desired. Check with local electrical inspectors.






Modular Harnesses

are used when connecting power between two Bivi tables or when two hardwired Powerways are used in one Bivi table.



One circuit plug and play power strips, two circuit modular powerway, and Chicago two circuit hardwired powerway are compatible to install in the top half of the cable trough.



Plug and play power strips, two circuit modular powerway, and Chicago two circuit hardwired powerway do not work on the bottom half of Bivi cable troughs with style numbers beginning with TS8, manufactured on or after August 31, 2016.

Power Specifications

- Single circuit power
- 12-amp system rating
- 15-amp power cord with 15-amp over-current protection
- UL recognized Powered Table System component per UL962


Surface Materials

Power Strips


Paint

Bivi Plug and Play Corded, One Circuit

Plug and Play Power have 6' of conduit between receptacle strips, that gives room to share power between multiple tables in some applications. Plug and Play Power Strips are color coded and connect into each other.




2-Pack Plug and Play Power Strips have maximum of one connection point. 4-Pack Plug and Play Power Strips have maximum of three connection points.




Bivi tables do not have maximum table limit. An unlimited amount of tables can be connected together. Plug and Play Power will need to be plugged into a building outlet in the middle of runs when multiple tables are connected and power is used.

Openings can be skipped to stretch out the power to more users. There is 6' of cord length between Power Strips which allows this. Tip: Skipping openings will reduce cost.



Six Person Example

Provides two (2) plugs per person at the Table for Two at each end and four (4) plugs per person at the Table for Two in the middle of the setting. Requires quantity of one (1) package of four (TS8PS4PKREV) and one (1) building outlet to power up table.



Eight Person Example


Provides two (2) plugs per person. Requires quantity of one (1) package of four (TS8PS4PKREV) and one (1) building outlet to power up table.

Bivi Modular-Hardwire Power, Two Circuit


Modular Powerways, TS8P260, have two Power Strips for a total of eight simplex receptacles (power outlets).



Bivi tables can fit one powerway per Trough, located at the top of the Trough.



When additional Bivi plus One or plus Two tables are added a Two Circuit Modular Harness will be required, TS8P2H.




Modular Hardwire Power can support a maximum of six (6) Powerways, TS8P260, per Power Infeed, Two Circuit, TS8PBT2. After six (6) Powerways, a new power infeed will be required.

Bivi Power Routing Guide	Plugs Per Person	Plug and Play Power Examples	Hardwired Power Examples (require authorized electrician)
	(1) Table for One 4 plugs per person	(1) Package of one, TS8PS1PKREV	N.A.
	(1) Table for One 8 plugs per person	(1) Package of two, TS8PS2PKREV	(1) Powerway, Two Circuit, TS8P260 (1) Base Power-In, Hardwired, 2-circui TS8PBT2
	(1) Table for Two 4 plugs per person	(1) Package of two, TS8PS2PKREV	(1) Powerway, Two Circuit, TS8P260 (1) Base Power-In, Hardwired, 2-circui TS8PBT2
	(1) Table for Two (1) Table plus Two 4 plugs per person	(1) Package of four, TS8PS4PKREV	(2) Powerway, Two Circuit, TS8P260 (1) Modular Harness, Two Circuit, TS8P2H (1) Base Power-In, Hardwired, 2-circui TS8PBT2


Bivi Two Circuit Modular Powerway to Powerway and Modular Harness Routing Chart

Two Circuit (Standard Routing)


- Two circuit modular powerway (TS8P260 to TS8P260)
- Two circuit modular harness (TS8P2H)




72" Harness Length




72" Harness Length




72" Harness Length




72" Harness Length




72" Harness Length




84" Harness Length




122" Harness Length




122" Harness Length




122" Harness Length




122" Harness Length




132" Harness Length




122" Harness Length



132" Harness Length



132" Harness Length



138" Harness Length


Tip: When using SmartTools to specify Bivi, the harness lengths will be determined by the SmartTools software.

Tip: For modular and hardwire powerways, see page 121.


Tip: For modular harnesses, see page 122.

Two Circuit (Non-Standard Routing)


- Two circuit modular powerway (TS8P260 to TS8P260)
- Two circuit modular harness (TS8P2H)



122" Harness Length



122" Harness Length



122" Harness Length

Tip: When using SmartTools to specify Bivi, the harness lengths will be determined by the SmartTools software.

Tip: For modular and hardwire powerways, see page 121. Tip: For modular harnesses, see page 122.

How to Select Monitor Arms for Bivi Tables

Bivi Table-Mounted Monitor Arm Brace:

The new Bivi Table-Mounted Monitor Arm Brace, **TS8TMBRAC**, supports Steelcase worktools monitor arms on Bivi tables. This brace is compatible with 48", 60", and 72" Bivi seated, standing, and dual height applications (some limitations apply depending on the application). Below are step by step instructions on how to order your Bivi Table-Mounted Monitor Arm Brace for your Bivi tables.

1

Know what Bivi application you have and which monitor arms are applicable

Listed on page 79 are all of the monitor arm style numbers that are and are not compatible with particular Bivi applications.

► See page 79


2

Decide which monitor arm you want on your Bivi Table.

After you know your table size and Bivi application, you will need to select your monitor arm. Worktools has a wide range of monitor arms and the Bivi Table-Mounted Monitor Arm Brace is compatible with CF single monitor arms.

Example

CF Plus single monitor arm: **CFPLUS** (Monitor arm style numbers can be found in the *Worktools Specification Guide*)



3

Order your Bivi Table-Mounted Monitor Arm Brace.

Once you know your Bivi application and the Monitor Arm you would like that is compatible you can order your Bivi Table-Mounted Monitor Arm Brace. This brace is not compatible with worksurfaces and support brackets manufactured prior to August 31, 2016.

Style number: TS8TMBRAC

Required selections:

- Width
- 48"
- 60" - 72"
- Mounting plate
- CF

Wiring Schematics

Details for the Electrician

Bivi Four-Circuit Modular-Hardwire

Power offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan.

Tip: All the components in an electrical system must use the same wiring schematic. The components are keyed and color coded to make it impossible to connect mismatched parts.

Black = Four-circuit, 3+1

Brown = Four-circuit, 2+2

Rust = Three-circuit, separate neutral (3SN)


Shared neutral = 10 gauge

Non-shared neutral = 12 gauge


Hot wires = 12 gauge

Four-Circuit, 3+1

Circuit Panel 1




Circuit Panel 2



In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

Single 3-Phase Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Four-Circuit, 2+2

Circuit Panel 1 PHASE PHASE PHASE Circuit 1 Hot Circuit 2 Hot NEUTRAL Circuits 1 and 2 Neutral


Circuit Panel 2

GROUND




In the four-circuit 2+2 schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and supported by their own shared neutral and ground.

: Single 3-Phase : Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Split-Phase Circuit Panel




On a split-phase circuit panel, all four circuits are distributed as shown.

Three-Circuit, Separate neutral




Circuit Panel 2

Ground




In the three-circuit, separate neutral schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.

Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, three circuits are distributed as shown.

Split-Phase Circuit Panel



On a split-phase circuit panel, three circuits are distributed as shown.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

(high)

(low)

Space Heater

Approximate devices	power c	onsumptio	n for coi	mmon
• Device	Wattage	• Amperage : : : :	• Voltage	Number of Devices Supported on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/ Copier (high)	1900	17.3	110	1
Large Printer/ Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater	1500	13.6	110	1


Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

6.8

110

2

Cable Capacities Four Circuit



	Outside Diam	eter of Cable =	.223 (5E)	Outside Diameter of Cable = .310 (6A)		
	Max Capacity (5E) without Power	Max Capacity (5E) with 1- or 2-Circuit Power	Max Capacity (5E) with 4-Circuit Power	Max Capacity (6A) without Power	Max Capacity (6A) with 1- or 2-Circuit Power	Max Capacity (6A) with 4-Circuit Power
A Power Infeed Cover	149	144	141	98	94	92
3 Trough	104	75	55	75	63	45
G Utility Pole	151	146	143	102	98	96


Steelcase February 2024

Note: The TIA recommends a maximum fill rate of 40%.

Note: When routing cables through any combination mentioned above, the capacity is equal to the smallest number.

Distribution and Access

Four Circuit



Wiring and Cabling



Modular Power Block Standard-Capacity

Power includes one power block, provides back-to-back power, and accepts two receptacles per side.





Power Block Connector, Four-Circuit (TS8PHBC)

may be used with a Four-Circuit Modular Powerway (TS8P4QUAD) in place of the Standard-Capacity Power Block to keep the sides of the Bivi Trough covered for a clean aesthetic.



Four-Circuit Modular Powerway (TS8P4QUAD)

is available in three wiring schematics with multiple line options.



Chicago Hardwire Box

is available. It accommodates two receptacles per side.



Duplex Receptacles

are available in 15-amp, isolated, or system ground and are available in three wiring schematics with multiple line options. Receptacles have two outlets and are ordered separately.

Duplex Receptacles

are available in nine plastic colors:

6000 Black 6009 Arctic White

6249 Platinum Solid 6527 Merle

Tungsten 6651 6652 Titanium


6654 Sand

6697 Foa 6B03 Red



Modular Flexible

Receptacles are available in 15-amp, isolated or system ground, with multiple line options. Flexible Receptacles offer easy access to three outlets.



Controlled Receptacle

must be indicated when tying into the building management system. Duplex Receptacles have an option for a factory permanent, pad stamp power icon symbol. Symbol aids in Title 24 compliance.

►See Surface Materials, page 496, for symbol ink colors



USB Receptacles are

2.1 amperage quick charge which is a 50% faster charge than the 1.0 amperage version. USB Receptacles are available in three wiring schematics with multiple line options. USB Receptacles offer easy access to two charging ports. Each port provides 1 amperage of output. USB Receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible.



Bezel Receptacle

Cover installs in the sides of Bivi Trough, providing access to the Four-Circuit Duplex Receptacles.



Modular Harnesses

are used to connect power blocks

▶See Power Routing Harness Chart, page 68, to determine lengths needed.



Power Infeed Cover can be used to conceal conduit

and cables along the floor.





Two Power Strips are

available: rectangular and pyramid. Each have options of power, data, and USB ports. The Rectangular Power Strip has an option for clamp-on mount that works well in the Bivi table scallop at both seated and standing heights.

Rectangular Power Strip with clamp-on

mount works on worksurfaces that range from 1/2" to 21/2" thick.



Trough-Mounted Data Access, TS8DATA, snaps into a 48"W. 60"W. or 72"W

Trough and provides an opening to fit standard sized communication modules.

Three wiring schemat-

ics are available-3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.

All electrical compo-

nents are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.


Local electrical codes

vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Power Routing Harness Chart From Unit to Unit, Four Circuit


B = Standard-Capacity Power Block, four-circuit


Tip: When using SmartTools to specify Bivi, the harness lengths will be determined by the SmartTools software. 48"W Harness Length ΑВ ВА 51" A to A B to B 45" Harness Length 48"W 48"W Α В $A \ to \ B$ 48" Harness Length 60"W 48"W 48"W 111" A B A to A BA **Rumble Seat** B to B 107" Harness Length 60"W 48"W 48"W B to A 107" В **Rumble Seat** Α Harness Length 48"W 60"W A to A 57" ΑВ B A B to B 51" Harness Length 48"W 60"W B to A 54" В Note: A = Connector Block, four-circuit



Note: A = Connector Block, four-circuit

 $B = Standard\text{-}Capacity Power Block, four-circuit}$






Building InterfaceFour Circuit


Building power and data

can interface with Bivi tables from the floor, wall, column, or ceiling. Both modular and hardwire infeeds are available.



Infeeds can enter Bivi tables at either end or anywhere along the Trough.

Infeed Cover



Wiring and Cabling



Hardwire-to-Modular Power Infeed is available in 6, 12, and 24 foot lengths. If a shorter harness is needed, it can be cut by the electrician. The hardwired end is connected by an electrician to a junction box wherever it is located in the building. The harness is routed into the Trough and connected to a power block. Non-PVC is standard. PVC version can be optioned.





Modular Junction Box Faceplate can be ordered separately and used with any modular harness length when 12 and 24 foot lengths are not appropriate. Straight/flush and 90° faceplates are available. A 90° Junction Box Faceplate is recommended for use at a wall or column. Non-PVC is standard. PVC version can be optioned.



be used.



New York Power Infeeds are available. The junction box is mounted to the underside of the Trough. A 50" harness is included to reach the first power block in the Trough. If a shorter harness is needed, it can be cut by the electrician. Non-PVC is standard. PVC version can be optioned. Hardwire-to-Modular Infeeds can also

Hardwired/Chicago Power Infeeds are supplied by the electrician.



San Francisco can use hardwire or modular infeeds. When infeed is coming from floor or wall, liquid tight metallic conduit may be required. In this case, order infeed specific to San Francisco.


Base Power Infeeds are not available



Power and data can enter the Trough through the end or in the middle of a run. ► See Cable Capacities, page 65.

Three wiring schemat-

ics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.



Utility Pole connects to the T-slot in the Bivi Leg.

Non-PVC modular electrical components

are the standard offering with the option to order PVC on some components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Local electrical codes

vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.


Dual Height Tops

Upper Dual Top, Lower Dual Top, Dual Top Set, and Mini Transaction Top




Height of Upper Dual Top to floor is $41^{1}/2^{"}$.

Height of Lower Dual Top to floor is 281/2".



Upper Dual Top (Left-Hand shown)



Lower Dual Top (Left-Hand shown)



Mini Transaction Top

Actual Dimensions				
	Upper Dual Top	Lower Dual Top	Mini Transaction Top	
Depth 1	5"	205/8"	18"	
Depth 2	205/8"	281/2"	N.A.	
Back Edge Width	58" or 70"	58" or 70"	41 ¹ /4"	
Front User Edge Width	22"	37"	N.A.	
Height with Brackets	23/4"	23/4"	23/4"	
Worksurface Thickness	1/2"	1/2"	1/2"	

Upper Dual Tops attach to a combination of High Sit Bracket with Modesty Panel and Short or Tall Arches. There are two depths, 5"D at the shallow end and 205/8"D at the user end.

► Specifying, page 133


Lower Dual Tops attach to a combination of the Bivi Trough and Legs. There are two depths, 20⁵/s"D at the shallow end and 28¹/2"D at the user end.

► Specifying, page 134

Mini Transaction Top attaches at the end of a table with Upper Dual Tops to create a team table or easy collaboration spot.


► Specifying, page 139

Tops are ¹/₂" thick with edge to match laminate color.



21"D tops align with two Upper Dual Tops at standing height.

Product Details



Upper Dual Top comes with a 2"grommet opening for cord management. A black plastic grommet ring ships standard with the Upper Dual Tops.



Dual Top Sets contain an Upper Dual Top and a Lower Dual Top in matching surface materials. For contrasting tops or accent paints, order the tops separately.



Upper Dual Top can not be installed on a Bivi Table for One.



Upper Dual Top can only be installed in the top location of a setting; and the Lower Dual Top can only be installed in the bottom location of a setting.

Surface Materials

Tops


 Low-Pressure Laminate, High-Pressure Laminate, and wood veneer


Attachment brackets


Paint

Components and Accessories

Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, and Media Support System









-	—— 42¹/4" ——	-	→ ← 2
Leg			

В-			Sh	-14
DО	LLU	m	311	еп

Weight Capacities		
Half-Round Top	200 pounds	
Transaction Top	100 pounds	
Mid Transaction Top	50 pounds	
Mini Transaction Top	50 pounds	
Hook	25 pounds	
Top Shelf	30 pounds	
Bottom Shelf	30 pounds	
End Hanging Top	200 pounds	





Top Shelf

Half-Round Top






Transaction Top


Mid Transaction Top





Mini Transaction Top

End Hanging Top







Table-Mounted Monitor Arm Brace

Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, and Media Support System, continued



CF Plus can be mounted to Bivi with the Bivi Table-Mounted Monitor Arm Brace. Specify Adaptor Block (CF) when ordering Brace. Specify Bivi Bracket when ordering **CFPLUS**.



Half-Round Top will not work with a stand alone 48"W or 60"W Bivi Table for Two, due to stability test guidelines. Half-Round Top is approved to work with 72"W Bivi Table for Two.



Half-Round Top is not recommended to be used on a standing height Bivi Table for Two. The overall width is 4" wider than the span of two Full Top depths and the depth of a Bivi Trough. At standing height, the Half-Round Top will overhang the footprint of two Full Tops by 2" on either side.



Half-Round Top will work with 48"W, 60"W, or 72"W Bivi with additional product added to the other end. For example, add a Bivi table or Trunk to a 48" Bivi Table for Two.



Transaction Top attaches at the end of a 60"W Bivi Table for Two at standing height to create a team table or easy collaboration spot.

Mini Transaction Top attaches at the end of either two Upper Dual Tops or two 21"D Tops at standing height.



Transaction Top is not recommended to be used on a Bivi Table for One. It overhangs the Table for One footprint and creates unwelcome edges.



Transaction Top is not recommended to be used at a seated height Bivi Table for Two. The overall width is 56" to match the two Full Tops in a Bivi Table for Two at standing height. This is 4" narrower than a Half-Round Top due to no Trough in the center of a Bivi Table for Two at standing height.



Mini Transaction Top attaches at the end of two Upper Dual Tops to create a small collaboration spot.



End Hanging Top is a 60"W x 18"D top that attaches to the end of a seated height Bivi table run. It is designed to provide extra workstations in a smaller foot print, and to keep the square aesthetic of Bivi.



End Hanging Top is not recommended to be installed on a Bivi Standing Height Table for Two. Brackets are designed to attach into the leg and not the Short or Tall Arch.



End Hanging Top will not work with stand alone 48"W or 60"W Bivi Table for Two due to stabilizing guidelines. End Hanging Top is approved to work with 72"W Bivi Table for Two.



Mid Transaction Top attaches at the end of a 48"W Bivi Table for Two at standing height.



End Hanging Top cannot be installed on a Bivi Table For One. End Hanging Top overhangs past the Table for One and creates unwelcomed edges.

Back and side edges of End Hanging Top have an edge band that is defaulted to match the laminate surface.



Grain direction of End Hanging Top is always side to side.

End Hanging Top works with 60"W Bivi Table for Two. It does not line up with 48"W Bivi Table for Two.



Gallery Panel is a panel that attaches to the Bivi Leg at the end of a run to conceal the understructure of the Bivi frame when a closed visual is desired.

Gallery Panel works with 60"W Bivi Table for Two. It does not line up with 48"W Bivi Table for Two.



Gallery Panel is not recommended to be installed on a Bivi Standing Height Table for Two. Gallery Panel is only 28½"H which would lead to a gap from the panel to the top at standing height.



Gallery Panel cannot be installed on a Bivi Table For One. The Gallery Panel overhangs past the Table for One and creates unwelcome edges.

Back and side edges of Gallery Panel have an edge band that is defaulted to match the laminate surface.



Grain direction is always specified up and down (waterfall) to work with the grain direction of the Bivi Full Tops.

Bivi Monitor Arm Brace Matrix 60" and 72" 60" and 72" 48" Seated and 60" and 72" Standing **Upper and Lower Upper Dual Top** Seated and Standing, 60" and 72" Lower **Tops Dual Tops** without Lower **Dual Top without Dual Tops Upper Dual Top Monitor Arm**

CFPLUS (single arm, no pole)	Yes	Yes	Yes	No
CFPLUS (single arm, on pole)	Yes	Yes	No	No

Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, and Media Support System, continued

Bivi Monitor Arm B	race Matrix, continu			
	48" Seated and Standing	60" and 72" Seated and Standing, 60" and 72" Lower Dual Top without Upper Dual Top	60" and 72" Upper and Lower Tops Dual Tops	60" and 72" Upper Dual Top without Lower Dual Tops
Monitor Arm CF, continu	ed	L		
CFPLUS (dual arm, on pole)	Yes	Yes	No	No
CFPLUS dual arm, on pole with aptop support)	Yes	Yes	No	No
CFSTATIC single, triple, triple wide static configurations)	No	Yes	No	No

Monitor arms and laptop supports with C-clamp brackets are not approved on Bivi tables. Use the table-mounted monitor arm brace to attach monitor mounts. This brace is compatible with seated-, standing-, and dual-height applications of Bivi tables.

Tip: Specify Adapter Block (CF) when ordering Bivi Monitor Arm Brace and specify Bivi Bracket when ordering CFPLUS.


Product Details




Half-Round Top will not work with a stand alone 48"W or 60"W Bivi Table for Two, due to stability test guidelines. Half-Round Top is approved to work with 72"W Bivi Table for Two.



Half-Round Top is not recommended to be used on a standing height Bivi Table for Two. The overall width is 4" wider than the span of two Full Top depths and the depth of a Bivi Trough. At standing height, the Half-Round Top will overhang the footprint of two Full Tops by 2" on either side.





Half-Round Top will work with 48"W, 60"W, or 72"W Bivi with additional product added to the other end. For example, add a Bivi table or Trunk to a 48" Bivi Table for Two.



Transaction Top attaches at the end of a 60"W Bivi Table for Two at standing height to create a team table or easy collaboration spot.


Mini Transaction Top attaches at the end of either two Upper Dual Tops or two 21"D Tops at standing height.



Transaction Top is not recommended to be used on a Bivi Table for One. It overhangs the Table for One footprint and creates unwelcome edges.



Transaction Top is not recommended to be used at a seated height Bivi Table for Two. The overall width is 56" to match the two Full Tops in a Bivi Table for Two at standing height. This is 4" narrower than a Half-Round Top due to no Trough in the center of a Bivi Table for Two at standing height.



Mini Transaction Top attaches at the end of two Upper Dual Tops to create a small collaboration spot.



End Hanging Top is a 60"W x 18"D top that attaches to the end of a seated height Bivi table run. It is designed to provide extra workstations in a smaller foot print, and to keep the square aesthetic of Bivi.



End Hanging Top is not recommended to be installed on a Bivi Standing Height Table for Two. Brackets are designed to attach into the leg and not the Short or Tall Arch.



End Hanging Top will not work with stand alone 48"W or 60"W Bivi Table for Two due to stabilizing guidelines. End Hanging Top is approved to work with 72"W Bivi Table for Two.



Mid Transaction Top attaches at the end of a 48"W Bivi Table for Two at standing height.




End Hanging Top cannot be installed on a Bivi Table For One. End Hanging Top overhangs past the Table for One and creates unwelcomed edges.

Back and side edges of End Hanging Top have an edge band that is defaulted to match the laminate surface.



Grain direction of End Hanging Top is always side to side.

End Hanging Top works with 60"W Bivi Table for Two. It does not line up with 48"W Bivi Table for Two.



Gallery Panel is a panel that attaches to the Bivi Leg at the end of a run to conceal the understructure of the Bivi frame when a closed visual is desired.

Gallery Panel works with 60"W Bivi Table for Two. It does not line up with 48"W Bivi Table for Two.

Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, and Media Support System, continued



Gallery Panel is not recommended to be installed on a Bivi Standing Height Table for Two. Gallery Panel is only 28½"H which would lead to a gap from the panel to the top at standing height.



Gallery Panel cannot be installed on a Bivi Table For One. The Gallery Panel overhangs past the Table for One and creates unwelcome edges.

Back and side edges of Gallery Panel have an edge band that is defaulted to match the laminate surface.



Grain direction is always specified up and down (waterfall) to work with the grain direction of the Bivi Full Tops.

Monitor arms and laptop supports with C-clamp brackets are not recommended on Bivi tables. Use the table-mounted monitor arm brace to attach monitor mounts such as CF to Bivi. This brace is compatible with seated, standing-, and dual-height applications of Bivi tables.





Table-Mounted Monitor Arm Brace is installed in the scallop of the top and does not interfere with the trough. This allows the brace to be used at seated height and standing height.




Table-Mounted Monitor Arm Brace can be used with a screen or a modesty panel installed.



Due to interference with the Bivi Upper Dual Tops, only the following monitor arms can be installed in applications with Upper Dual Top:


CF	Style Numb
Single arm, no pole	CFPLUS



On a Bivi Table for One, the monitors cannot be rotated to where they are hanging over the other side due to possible tipping.

Triple wide monitor arms are available on Bivi Full Tops. The CF triple wide monitor arms can be specified on Bivi standing and seated height 60" and 72" applications. Triple wide monitor arms can not be used on dual-height applications due to interference.

Style numbers FPAEC1BIVI, FPAEC2BIVI, and FPAELC2BIVI can only be used at seated height without a modesty panel installed




Media Support System consists of three parts — Monitor Mount, Shroud, and Shelf — that can have matching or contrasting paint colors. Each item can be ordered separately or as a full kit (package).

Attachment: Media Support System can only be attached to a Bivi Tall Arch. It cannot attach to a Bivi Short Arch or to the lower T-slot in a Bivi Tall Arch


Monitor Dimensions and VESA Patterns:

Media Support System can accommodate monitors ranging from 32" to 43", and less than 50 pounds. System accommodates monitors with the following VESA Patterns:

- 75 mm x 75 mm
- 100 mm x 75 mm
- 100 mm x 100 mm
- 200 mm x 100 mm
- 200 mm x 200 mm
- 300 mm x 200 mm
- 300 mm x 300 mm400 mm x 200 mm
- 400 mm x 400 mm




A grommet opening comes standard in the Media Support Shelf, and an additional grommet can be installed in the Bivi Full Top to manage cables and gain easier access to power.




Media Support Shelf can be used as a way to manage cords and hold small devices such as remotes, display devices, and electronics.

Bivi Trough Accessory Install Guide

48" Bivi Tables




48" Bivi Table Trough has eight (8) predrilled hole patterns in the Trough floor to accept accessories.




Tip: End locations are not recommended dual monitors in the 48" or 60" Bivi

Tip: End locations are not recommended single monitor arms if power is installed.




Possible Top Shelf locations.




Example of mixing monitor arms and Top Shelf accessories.


60" and 72" Bivi Tables



Shelves take up two (2) of the holes side by side.




60" and 72" Bivi Tables Trough has twelve (12) predrilled hole patterns in the Trough floor to accept accessories.




Tip: End locations are not recommended for dual monitors in the 48" or 60" Bivi Tables.

Tip: End locations are not recommended for single monitor arms if power is installed.




Possible top shelf locations. Up to six (6) shelves can be installed in one 60" and 72" Bivi Trough.




Top Shelves

Example of mixing monitor arms and Top Shelf accessories.


Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, and Media Support System, continued




Conference setting can be created by a Bivi 4-pack with an End Hanging Top on both ends to make it into a 6-pack.




Collaboration setting can be created by a Bivi 2-pack with End Hanging Top on one end and with a Media Support Mount and Media Support Shroud on the other side to provide a meeting space.




Gallery Panels are used on each side of a setting when a closed finished visual is desired.




Tech seated setting can include a Bivi 6-pack at seated height with dual monitors on each top and with modesty panels attached.




Tech standing setting can include a Bivi 6-pack at standing height with dual monitors on each top and with modesty panels attached.



Focus zone setting can include a 4-pack of 72"W Bivi Dual Height Tops with CF monitors on each application.



Media Support System can support two full systems with monitors on a single Bivi Tall Arch. If mounted on a standing height table for two, Media Support System requires a transaction top as a counterweight, for stability.



Media Support System cannot be installed on a seated height Bivi For Table Two.

Sarto Screens

Sarto Centered Screens

For Use with Bivi



Standard Includes

- 231/2"H screen: fabric price group 1
- · Trough-mounted brackets: paint price group 1
- Bracket

► Need help? Product details,

page 36

Required to Specify

- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Fabric color number for screen 4 Paint color number for brackets
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W	Prices below	Specify with 48".
	• 60"W	Prices below	Specify with 60".
	• 72"W	Prices below	Specify with 72".

Tip: Fabric is applied horizontally on the screen.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 2	+\$ 51	Specify fabric color number.
Materials	Fabric price group 3	+\$144	Specify fabric color number.
	Fabric price group 4	+\$181	Specify fabric color number.
	Fabric price group 5	+\$220	Specify fabric color number.
	Fabric price group 6	+\$257	Specify fabric color number.
	Fabric price group 7	+\$294	Specify fabric color number.
	Fabric price group 8	+\$334	Specify fabric color number.
	Fabric price group 9	+\$370	Specify fabric color number.
	Fabric price group 10	+\$408	Specify fabric color number.
	Customer's Own Material (COM)	+\$ 21	► See Understanding Customer's Own
	,		Material (COM), page 497.
	Bracket		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 15	Specify paint color number.
	Paint price group 3	+\$ 32	Specify paint color number.
Related Products	Alignment clips		▶ Page 88

Specification Information

Style	·U.S. Base Price	s
Number	48"W 60"W	∶72"W
TS8SSC	\$519 \$580	\$640



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Sarto Side Screens



Standard Includes

Required to Specify

Need help? Product details, page 36

- 231/2"H screen: fabric price group 1
- · Trough-mounted brackets: paint price group 1
- Bracket
- 1 Style number 2 Width (see belo
- 2 Width (see below under Required Selections)
- 3 Fabric color number for screen
- 4 Paint color number for brackets
- 5 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices below	Specify with 24".
	• 30"W	Prices below	Specify with 30".

Tip: Sarto side screens are only designed to be used with Bivi worksurfaces.

Tip: Side screens only use one bracket and must be used in conjuction with a trough

one bracket and must be used in conjuction with a trough mounted centered screen and alignment clips (TS8CLIPT or TS8CLIPL). Side screen bracket clamps to worksurface with thumbscrew.

Tip: Fabric is applied horizontally on the screen.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 2	+\$ 51	Specify fabric color number.
Materials	Fabric price group 3	+\$144	Specify fabric color number.
	Fabric price group 4	+\$181	Specify fabric color number.
	Fabric price group 5	+\$220	Specify fabric color number.
	Fabric price group 6	+\$257	Specify fabric color number.
	Fabric price group 7	+\$294	Specify fabric color number.
	Fabric price group 8	+\$334	Specify fabric color number.
	Fabric price group 9	+\$370	Specify fabric color number.
	Fabric price group 10	+\$408	Specify fabric color number.
	Customer's Own Material (COM)	•	► See Understanding Customer's Own
	,	,	Material (COM), page 497.
	Bracket		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 15	Specify paint color number.
	Paint price group 3	+\$ 32	Specify paint color number.
	AP P		N.D. 00

Related Products · Alignment clips

▶Page 88

Sp	eci	ficat	tion	Inf	01	rma	atioi	1
	-				_	_	_	

• Style	·U.S. Base Prices			
Number	24"W 30"W			
TS8SSD	\$401	\$435		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Sarto Alignment Clips For Use with Bivi

	Standard Includes	Required to Specify
► Need help? Product details, page 36	Alignment clip: plastic	1 Style number 2 Plastic color number: 6009 Arctic White 6527 Merle

Specificat	Specification Information						
• Style Number	·U.S. Price						
L-Clip	·						



Tip: L-clip is used with one side screen extending perpendicular from the end of a Sarto centered screen for

T-Clip

TS8CLIPL

\$11

TS8CLIPT \$19



Tip: T-clip is used with two side screens extending perpendicular from the end of a Sarto centered screen for Bivi.



Tables

Table for One



► Need help?

page 38

Product details,

Tip: Individiual user depth is 281/4"D.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or

Tip: Wood veneer tables have matching flat veneer

SmartTools.

self-edge.

Standard Includes

- 1/2"- thick top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Width: 48"W, 60"W, or 72"W
- Two legs and Cable Trough: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Low-Pressure Laminate color for number top
- 4 Paint color number for legs and Cable Trough
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

Required Selections	U.S. Price	Required to Specify
 • 48"W	Prices below	Specify with 48".
• 60"W	Prices below	Specify with 60".
• 72"W	Prices below	Specify with 72".

	Options	U.S. P	rice		Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	High-Pressure Laminate price group 1	+\$ 132	+\$ 137	+\$ 144	Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 2	· ·			Specify High-Pressure Laminate color number and select plastic for edge.
	•				Specify High-Pressure Laminate color number and select plastic for edge.
	Open Line laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	plus cost of	See Surface Materials Reference Manual.
	Wood veneer top	48"W	60"W	72"W	
	 Wood group 1 	+\$ 689	+\$ 724	+\$ 759	Specify wood color number.
	Wood group 2	+\$ 809			Specify wood color number.
	Wood group 3	+\$1116		+\$1186	Specify wood color number.
	Customiz stain	No cost	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	+\$ 809	+\$ 844	+\$ 879	Specify full-fill finish number.
	Legs and trough				
	Paint price group 1	No cost			Specify paint color number.
	Paint price group 2	+\$ 101			Specify paint color number.
	Paint price group 3	+\$ 198			Specify paint color number.

Tip: For detailed dimensions information, refer to Actual Dimensions,

► Page 38.

Specification Dimension D H	· Style Number	·U.S. Base Prices		s
 :	Humber	48"W	60"W	72"W
421/4" 281/2"	TS8SDWF	\$2376	\$2510	\$2727



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Table plus One



Tip: Individiual user depth is 281/4"D.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or

Tip: Wood veneer tables have matching flat veneer

SmartTools.

self-edge.

► Need help?

page 38

Product details,

Standard Includes

- 1/2"- thick top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Width: 48"W, 60"W, or 72"W
- · One leg and Cable Trough: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Low-Pressure Laminate color number for top
- 4 Paint color number for legs and Cable Trough
- 5 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W	Prices below	Specify with 48".
	• 60"W	Prices below	Specify with 60".
	• 72"W	Prices below	Specify with 72".

	Options	U.S. P	rice		Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	High-Pressure Laminate price group 1	+\$ 132	+\$ 137	+\$ 144	Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 2	· ·			Specify High-Pressure Laminate color number and select plastic for edge.
	•				Specify High-Pressure Laminate color number and select plastic for edge.
	Open Line laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	plus cost of	See Surface Materials Reference Manual.
	Wood veneer top	48"W	60"W	72"W	
	Wood group 1	+\$ 689	+\$ 724	+\$ 759	Specify wood color number.
	Wood group 2	+\$ 809	+\$ 844	+\$ 879	Specify wood color number.
	Wood group 3Customiz stain	+\$1116 No cost	+\$1151 No cost	+\$1186 No cost	Specify wood color number. Specify with Customiz stain.
	• Gustomiz stain	NO COST	NO COST	NO COST	See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	+\$ 809	+\$ 844	+\$ 879	Specify full-fill finish number.
	Legs and trough				
	 Paint price group 1 	No cost			Specify paint color number.
	 Paint price group 2 	+\$ 83			Specify paint color number.
	 Paint price group 3 	+\$ 166			Specify paint color number.

	Spe	cification I	nformation				
	· Dimension D H		•Style Number	· U.S. Base Prices			
ıs	:		:	48"W	60"W	72"W	
	421/4"	281/2"	TS8SDAF	\$1854	\$1967	\$2205	

Tip: For detailed dimension information, refer to Actual Dimensions,

Page 38.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Table for Two



Tip: Individiual user depth for 30"D nominal is 281/4"D and individual user depth for 24"D nominal is 221/4"D.

Standard Includes

- ► Need help? Product details, page 38
- Two 1/2"- thick tops: Low-Pressure Laminate
- 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- · Width: 48"W, 60"W, or 72"W
- Two legs and Cable Trough: paint price group 1
- · Ships ready to assemble

- Required to Specify

 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Table depth (see below under Required Selections)
- 4 Low-Pressure Laminate color number for top
- 5 Paint color number for legs and Cable Trough
- 6 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W • 60"W • 72"W	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".
Depth	24"D per user30"D per user	Prices below Prices below	Specify with 24". Specify with 30".

	Options	U.S. P	rice		Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	 High-Pressure Laminate price group 1 	+\$ 264	+\$ 274	+\$ 288	Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 2	See information at left See information at left			Specify High-Pressure Laminate color number and select plastic for edge. Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 3				
	Open Line laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer top	48"W	60"W	72"W	
	Wood group 1	+\$1378	+\$1448	+\$1517	Specify wood color number.
	Wood group 2	+\$1618	+\$1688	+\$1757	Specify wood color number.
	Wood group 3	+\$2232	+\$2302	+\$2371	Specify wood color number.
	Customiz stain	No cost	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	• Full-fill finish on wood group 1	+\$1618	+\$1688	+\$1757	Specify full-fill finish number.
	Legs and trough				
	D				0 1/ 1 1 1

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tables have matching flat veneer self-edge.

Tip: For detailed dimensions information, refer to Actual Dimensions,

► Page 38.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Spe	Specification Information						
· Dim	ension H	· Style Number	· U.S. Base Prices				
			48"W	60"W	72"W		
24"	281/2"	TS8TTWF	\$2898	\$3099	\$3404		
30"	281/2"	TS8TTWF	\$2968	\$3169	\$3474		

No cost

+\$ 101

+\$ 198

Paint price group 1

· Paint price group 2

· Paint price group 3

Specify paint color number.

Specify paint color number.

Specify paint color number.

Table plus Two



► Need help?

page 38

Product details,

Tip: Individiual user depth for 30"D nominal is 281/4"D and individual user depth for 24"D nominal is 221/4"D.

Standard Includes

- Two 1/2"- thick tops: Low-Pressure Laminate
- 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Width: 48"W, 60"W, or 72"W
- One leg and Cable Trough: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Table depth (see below under Required Selections)
- 4 Low-Pressure Laminate color number for top
- 5 Paint color number for legs and Cable Trough
- 6 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selection	ns U.S. Price	Required to Specify
Width	• 48"W • 60"W • 72"W	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".
Depth	24"D per user30"D per user	Prices below Prices below	Specify with 24". Specify with 30".

	Options	U.S. P	rice		Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	High-Pressure Laminate price group 1	+\$ 264	+\$ 274	+\$ 288	Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 2	See info	rmation at	left	Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 3	See info	rmation at	left	Specify High-Pressure Laminate color number and select plastic for edge.
	Open Line laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer top	48"W	60"W	72"W	
	Wood group 1	+\$1378	+\$1448	+\$1518	Specify wood color number.
	Wood group 2	+\$1618	+\$1688	+\$1758	Specify wood color number.
	 Wood group 3 	+\$2232	+\$2302	+\$2372	Specify wood color number.
	Customiz stain	No cost	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	• Full-fill finish on wood group 1	+\$1618	+\$1688	+\$1758	Specify full-fill finish number.
	Legs and trough				
	 Paint price group 1 	No cost			Specify paint color number.
	 Paint price group 2 	+\$ 83			Specify paint color number.
	 Paint price group 3 	+\$ 166			Specify paint color number.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or

SmartTools.

Tip: Wood veneer tables have matching flat veneer self-edge.

Tip: For detailed dimensions information, refer to Actual Dimensions,

► Page 38.



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor.

See page 1 for details.

Specification Information Dimension Style · U.S. Base Prices D н Number 48"W 60"W 72"W 48" 281/2" **TS8TTAF** \$2365 \$2542 \$2871 60" 281/2" **TS8TTAF** \$2435 \$2612 \$2941

Bivi Team Table



page 40

Tip: Total widths for the Team Table are 115 %", 139 %", and 163 %" which includes the 18"D Transaction Top.

Standard Includes

- Need help?
 Four ½"- thick table tops: Low-Pressure Laminate
 3 mm plastic edges band on front and 1 mm on ba
 - 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
 - Legs, Cable Troughs, Footshelves, High Sit Brackets, Arches, and brackets: paint price group 1
 - Media Support System shroud and tech shelf: paint price group 1
 - Modesty Panels for High Sit Bracket: fabric price group 1
 - Arch infills: fabric price group 1
 - · Monitor mount for Bivi Tall Arch: black
 - · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Low-Pressure Laminate color number for table tops
- 4 Paint color number for frame components
- 5 Paint color number for Media Support System
- 6 Fabric color number for modesty panels
- 7 Fabric color number for arch infills
- 8 Options, if selected (see below)

Specify paint color number.

See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"	Prices at right	Specify with 48"W.
	• 60"	Prices at right	Specify with 60"W.
	• 72"	Prices at right	Specify with 72"W.

	Options	U.S. P	rice		Required to Specify
Surface	Table tops	48"W	60"W	72"W	
Materials	High-Pressure Laminate price group 1	+\$ 665	+\$ 687	+\$ 713	Specify High-Pressure Laminate color number and select plastic for edge.
	 High-Pressure Laminate price group 2 	See info	rmation at	left	Specify High-Pressure Laminate color number and select plastic for edge.
	 High-Pressure Laminate price group 3 	See info	rmation at	left	Specify High-Pressure Laminate color number and select plastic for edge.
	Open Line laminate	+\$ 102 plus cost of laminate	plus cost of	plus cost of	See Surface Materials Reference Manual.
	 Wood group 1 	+\$3479			Specify wood color number.
	• Wood group 2	+\$4079			Specify wood color number.
	Wood group 3	+\$5616		+\$5895	Specify wood color number.
	Customiz stain	No cost			Specify with Customiz stain. See Surface Materials Reference Manual.
	• Full-fill finish on wood group 1	+\$4079	+\$4218	+\$4358	Specify full-fill finish number.
	Frame components				
	Paint price group 1	No cost			Specify paint color number.
	Paint price group 2	+\$ 724			Specify paint color number.
	Paint price group 3	+\$1482			Specify paint color number.
	Frame components with	power			
	 Paint price group 1 	No cost			Specify paint color number.
	Paint price group 2	+\$ 732			Specify paint color number.
	Paint price group 3	+\$1505			Specify paint color number.
	Media Support System				
	Paint price group 1	No cost			Specify paint color number.
	 Paint price group 2 	+\$ 77			Specify paint color number.

+\$ 147

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: When specifying frame component finish, it will be applied to all painted surfaces excluding the shroud which will be specified separately.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

· Paint price group 3

▶Options, continued on next page

▶Options, continued from previous page

Tip: Modesty panel upholstery will apply to both modesty panels.

Tip: Infill upholstery will be applied to all three Arch Infills.

	Options	U.S. Price	Required to Specify
Surface	Modesty Panel uphoiste	ery	
Materials,	 Fabric price group 1 	No cost	Specify fabric color number.
continued	 Fabric price group 2 	+\$ 216	Specify fabric color number.
	 Fabric price group 3 	+\$ 300	Specify fabric color number.
	 Fabric price group 4 	+\$ 402	Specify fabric color number.
	 Fabric price group 5 	+\$ 556	Specify fabric color number.
	 Customer's Own Material (COM) 	+\$ 55	See Customer's Own Material (COM) page 497.
	Arch Infill upholstery		
	 Fabric price group 1 	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$ 228	Specify fabric color number.
	 Fabric price group 3 	+\$ 320	Specify fabric color number.
	 Fabric price group 4 	+\$ 432	Specify fabric color number.
	 Fabric price group 5 	+\$ 584	Specify fabric color number.
	 Customer's Own Material (COM) 	+\$ 55	See Customer's Own Material (COM) page 497.
Power	No power	No cost	Specify with no power.
	• 16 power	+\$1268	Specify with 16 power.
	 12 power/4USB 	+\$1621	Specify with 12 power/4 USB.

Spe	cification	n Information				
Dime	ension H	·Style Number	·U.S. Base	Prices		
:		;	48"W	60"W	72"W	
60"	74"	TS8MEET	\$18,009	\$19,161	\$20,533	





For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Bivi Team Theater



page 41

Tip: Total widths for the Team Theater are 98" and

For laminate group 2 and 3 pricing, please refer to the electronic catalog or

Tip: When specifying component finish, it will be applied to all painted

surfaces.

SmartTools.

Standard Includes

- ► Need help? • Two 1/2"- thick table tops: Low-Pressure Laminate Product details,
 - · 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
 - · Legs, Cable Troughs, Footshelves, High Sit Brackets, Arches, number table tops and brackets: paint price group 1
 - · Upholstered Rumble Seats: fabric price group 1
 - Modesty Panels for High Sit Bracket: fabric price group 1
 - · Arch infills: fabric price group 1
 - · Rumble Seats shipped fully assembled
 - · Theater ships ready to assemble

Required to Specify

- 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Low-Pressure Laminate color for
- 4 Paint color number for components
- 5 Fabric color number for Rumble Seats
- 6 Fabric color number for modesty
- 7 Fabric color number for arch infills
- 8 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W	Prices at right	Specify with 48"W.
	• 60"W	Prices at right	Specify with 60"W.

	Options	U.S. Pric	ce	Required to Specify
Surface	Table tops	48"W	60"W	
Materials	High-Pressure Laminate price group 1	+\$ 264	+\$ 274	Specify High-Pressure Laminate color number and select plastic for edge.
	 High-Pressure Laminate price group 2 	See informa	ation at left	Specify High-Pressure Laminate color number and select plastic for edge
	 High-Pressure Laminate price group 3 	See informa	ation at left	Specify High-Pressure Laminate color number and select plastic for edge.
	Open Line laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of laminate	See Surface Materials Reference Manual.
	 Wood group 1 	+\$1378	+\$1448	Specify wood color number.
	Wood group 2	+\$1618	+\$1688	Specify wood color number.
	Wood group 3	+\$2232	+\$2302	Specify wood color number.
	 Customiz stain 	No cost	No cost	Specify with Customiz stain.
				See Surface Materials Reference
				Manual.
	 Full-fill finish on wood group 1 	+\$1618	+\$1688	Specify full-fill finish number.
	Frame components			
	 Paint price group 1 	No cost		Specify paint color number.
	 Paint price group 2 	+\$ 591		Specify paint color number.
	 Paint price group 3 	+\$1201		Specify paint color number.
	Frame components with	power		
	 Paint price group 1 	No cost		Specify paint color number.
	 Paint price group 2 	+\$ 600		Specify paint color number.
	 Paint price group 3 	+\$1227		Specify paint color number.
	Rumble Seat uphoistery	1		
	 Fabric price group 1 	No cost	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$ 355	+\$ 425	Specify fabric color number.
	 Fabric price group 3 	+\$ 523	+\$ 632	Specify fabric color number.
	 Fabric price group 4 	+\$ 700	+\$ 839	Specify fabric color number.
	 Fabric price group 5 	+\$ 935	+\$1118	Specify fabric color number.
	 Fabric price group 6 	+\$1319	+\$1589	Specify fabric color number.
	 Fabric price group 7 	+\$1709	+\$2049	Specify fabric color number.
	 Fabric price group 8 	+\$2211	+\$2651	Specify fabric color number.
	 Fabric price group 9 	+\$2647	+\$3170	Specify fabric color number.
	Fabric price group 10	+\$3032	+\$3634	Specify fabric color number.
	Customer's Own Material	+\$ 50	+\$ 50	See Customer's Own Material (COM)

page 497.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

(COM)

▶Options, continued on next page


▶Options, continued from previous page

Tip: Modesty panel upholstery will apply to both modesty panels.

Tip: Infill upholstery will be applied to all three Arch Infills.

	Options	U.S. Price	Required to Specify
Surface	Modesty Panel uphoiste	ery	
Materials,	 Fabric price group 1 	No cost	Specify fabric color number.
continued	 Fabric price group 2 	+\$ 216	Specify fabric color number.
	 Fabric price group 3 	+\$ 300	Specify fabric color number.
	 Fabric price group 4 	+\$ 402	Specify fabric color number.
	 Fabric price group 5 	+\$ 556	Specify fabric color number.
	 Customer's Own Material (COM) 	+\$ 55	► See Customer's Own Material (COM) page 497.
	Arch Infill upholstery		
	 Fabric price group 1 	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$ 171	Specify fabric color number.
	 Fabric price group 3 	+\$ 240	Specify fabric color number.
	 Fabric price group 4 	+\$ 324	Specify fabric color number.
	 Fabric price group 5 	+\$ 438	Specify fabric color number.
	 Customer's Own Material (COM) 	+\$ 55	► See Customer's Own Material (COM) page 497.
Power	No power	No cost	Specify with no power.
	 16 power 	+\$1268	Specify with 16 power.
	 12 power/4USB 	+\$1621	Specify with 12 power/4 USB.

Specification Information Dimension Style Number U.S. Base Prices 48"W 60"W 18,263 \$20,364



Tip: For detailed dimensions information, refer to Actual Dimensions,

► Page 38.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Cable Troughs



Standard Includes

Required to Specify

► Need help? Product details, page 42

- Cable Trough: paint price group 1Width: 48"W, 60"W, or 72"W

- 1 Style number
- 2 Paint color number for Cable Trough
- 3 Width (see below under Required Selections)
- 4 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W	Prices below	Specify with 48"W.
	• 60"W	Prices below	Specify with 60"W.
	• 72"W	Prices below	Specify with 72"W.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$47 +\$94	Specify paint color number. Specify paint color number. Specify paint color number.

Specif	ication Info	rmati	on				
·Dimens	ions		·Style	·U.S. Bas	e Prices		
D	D	н	Number	48"W	· 60"W	· 72"W	
at top	at bottom		:	:	:	:	
				:	:	•	
4"	6 ⁵ /8"	8"	TS8RPCT	\$816	\$900	\$989	

Slim Leg



	Standard Includes	Required to Specify
► Need help? Product details, page 76	Leg: paint price group 1	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ▶ See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$47 +\$94	Specify paint color number. Specify paint color number. Specify paint color number.

Spe	cificati	on Infor	mation	
·Dim	ension		·Style	·U.S. Base
; D	W	Н	Number	Price
:			:	
2"	171/4"	281/2"	TS8SLIMLEG	\$632

Leg



Tip: Leg is 42½" wide at bottom of 32½" wide at top. Count with the wider dimension when creating a setting of Bivi Table for One.

Standard Includes

Required to Specify

Need help? Product details, page 76 · Leg: paint price group 1

- 1 Style number
- 2 Paint color number for Leg
- 3 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify	
Surface	 Paint price group 1 	No cost	Specify paint color number.	
Materials	Paint price group 2Paint price group 3	+\$47 +\$94	Specify paint color number. Specify paint color number.	

Spe	ecificati	ion Info	ormation		
Dim D	ensions W	н	•Style Number	· U.S. Base Price	
2"	421/2"	281/2"	TS8RPBSL	\$661	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Arches and Arch Accessories

Arch





•	Need help?
	Product details,
	page 44

Standard Includes

Arch: paint price group 1Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Height (see below under Required Selections)
- 3 Paint color number for arch
- 4 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Height	Short	Prices below	Specify with short.
	• Tall	Prices below	Specify with tall.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$47 +\$94	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

_	ensions	·Style	·U.S. Ba	ase Prices
D	w	Number	Short 13"H	Tall 44"H
2"	323/8"	TS8ARCH	\$649	\$911



► Need help?

page 47

Product details,

Side Storage



Tip: Side Storage is only used on the Bivi Short Arch. It is not designed to work freestanding.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer side storage has matching flat veneer self-edge.

Standard Includes

- Side Storage top: Low-Pressure Laminate
- 1 mm plastic edge band default color to match, if Low-Pressure Laminate selected
- · Metal case: paint price group 1
- · Ships fully assembled

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for side storage top
- 3 Side Storage width (see below under Required Selections)
- 4 Paint color number for metal case
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

			Required Selections	U.S. Price	Required to Specify
Vidth		•	48"W	Prices below	Specify with 48"W.
		•	60"W	Prices below	Specify with 60"W.
			Options	U.S. Price	Required to Specify
Surfac			High-Pressure Laminate side storage		
			High-Pressure Laminate price group 1	+\$ 34	Specify High-Pressure Laminate color number and select plastic for edge.
			High-Pressure Laminate price group 2	See information at left	Specify High-Pressure Laminate color number and select plastic for edge.
			High-Pressure Laminate price group 3	See information at left	Specify High-Pressure Laminate color number and select plastic for edge.
		•	Open Line laminate	+\$102	See Surface Materials Reference
				plus cost of laminate	Manual.
			Wood veneer side storage		
			Wood group 1	+\$253	Specify wood color number.
			Wood group 2	+\$321	Specify wood color number.
			Wood group 3 Customiz stain	+\$463 No cost	Specify wood color number.
		•	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
		•	Full-fill finish on wood group 1	+\$321	Specify full-fill finish number.
			Case finish		
			Paint price group 1	No cost	Specify paint color number.
			Paint price group 2	+\$ 47	Specify paint color number.
		•	Paint price group 3	+\$ 94	Specify paint color number.
Spec	cificati	ion Ir	nformation		
Dime	nsions		·Style	U.S. Base	
D	W	н	Number	Price	
111/2"	48"	8"	TS8ARCHSIDE	\$ 889	
111/2"	60"	8"	TS8ARCHSIDE	\$1005	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Monitor Mount



		S	tandard Include	S	Required to Specify	
Need help? Product details, page 45 • Monitor mount: black pair		nt	Style number			
Spe	cificat	ion Infe	ormation			
D:	· Dimensions · Style			·		
· Dime	ensions		∙Style	· U.S. Price		
Dime	ensions W	н	· Style · Number	· U.S. Price		
				·U.S. Price		

Bike Hook

· ·

Tip: A wall mount can be changed to an arch mount or vice versa via a service parts arch mount (TS2ARCHBHSR) or wall mount (TS2WALLBHSR) hardware package.

	Standard Includes	Required to Specify
Need help? Product details, page 45	 Bike Hook: paint price group 1 Attachment hardware for wall mount or arch mount Ships ready to assemble 	1 Style number2 Paint color number for Bike Hook3 Options, if selected (see below)▶ See Surface Materials, page 496.

Surfa Mate			Paint price group 1 Paint price group 2	No cost +\$47	Specify paint color number. Specify paint color number.
			aint price group 3	+\$94	Specify paint color number.
Spe	cificati	ion Inf	iormation		
Dime	ensions W	н	• Style Number	·U.S. Base Price	
Arch	Moun	t			
51/8"	4"	60"	TS2ARCHBH	\$423	
Wall	Moun	t	•	•	

\$423

U.S. Price

Options

60"

TS2WALLBH



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Required to Specify

Markerboards



Standard Includes Required to Specify

Need help?
Product details,
page 47

► Need help?

page 46

Product details,

Magnetic markerboard: 6650 Sodium

Style number

Spe	cification	Information	
· Dim	ensions H	• Style • Number	· U.S. Price
14"	67/8"	TS2MB14	\$160
30"	6"	TS2MB30	\$193

Canopy



Standard Includes

Required to Specify

Aluminum frame and mounting hardwareWhite fabric: 5VD0 Bivi Canopy Fabric

Style number

Tip: Canopy requires Tall Arch.

Tip: Two Canopies cannot be used side-by-side on the 48"W Bivi tables.

Spec	cificat	ion Inf	ormation		
Dime D	nsions W	н	Style Number	·U.S. Price	
321/2"	573/4"	47/8"	TS2ARCHC	; \$714	

Board Rack



Standard Includes

Required to Specify

► Need help? Product details, page 45 · Board rack: paint price group 1

2 Paint color number for board rack: 4140 Arctic White Gloss

4799 Platinum Metallic 7246 Midnight Metallic

1 Style number



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Spe	cificat	ion Inf	ormation	
· Dim · D	ensions W	н	· Style · Number	·U.S. Price
9"	171/2"	231/4"	TS2ARCHBR	\$714
			•	•

Holder



Standard Includes Required to Specify

- ► Need help? Product details, page 47
- Holder: paint price group 1

- 1 Style number
- 2 Paint color number for Holder
- 3 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$33 +\$63	Specify paint color number. Specify paint color number. Specify paint color number.

Spe	cificat	ion In	formation	
Dim	ensions W	н	• Style Number	· U.S. Base Price
3" :	267/8"	3"	TS2HOLDER	\$291 :

Planter



_			
Stan	dard	nc	udee

Required to Specify

► Need help? Product details, page 47

Planter: black

Style number

Spe	cificati	ion Inf	ormation	
·Dime	nsions		· Style	· U.S. Price
D	W	Н	Number	
<u>:</u>			•	:
27/8"	263/4"	27/8"	TS2PLANTER	\$130
27/8"	26 ³ / ₄ "	27/8"	TS2PLANTER	\$130



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

High Sit Bracket with Modesty Panel



Standard Includes

Required to Specify

► Need help? Product details, page 44

- · High sit bracket with modesty panel
- · Width: 48"W, 60"W, or 72"W
- Modesty panel fabric: fabric price group 1
- Bracket: paint price group 1
- Ships ready to assemble

- 1 Style number
- 2 Width (see below under Requred Selections)
- 3 Fabric number for modesty panel
- 4 Paint color number for bracket
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W	Prices below	Specify with 48".
	• 60"W	Prices below	Specify with 60".
	• 72"W	Prices below	Specify with 72".

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$108	Specify fabric color number.
	 Fabric price group 3 	+\$150	Specify fabric color number.
	 Fabric price group 4 	+\$201	Specify fabric color number.
	 Fabric price group 5 	+\$278	Specify fabric color number.
	 Customer's Own Material 	+\$ 55	► See Understanding Customer's Owr
			Material (COM), page 497.
	Bracket paint		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 9	Specify paint color number.
	Paint price group 3	+\$ 23	Specify paint color number.

Specificatio	n Inform	ation	
Style Number	·U.S. Ba 48"W	se Prices 60"W	; ∶72"W
:	:	:	:
TS8HSMREV	\$932	\$995	\$1056



► See Surface Materials, page 496.

Arch Infill

Upper

	Standard Includes	Required to Specify
Need help? Product details, page 44	 Arch infill fabric: fabric price group 1 Bracket: paint price group 1 Ships ready to assemble 	1 Style number 2 Application (see below under Required Selections) 3 Arch infill type (see below under Required Selections) 4 Fabric number for arch infill 5 Paint color number for bracket 6 Options. if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Application	• Lower	Prices below	Specify with lower.
	• Upper	Prices below	Specify with upper.
Arch Infill	Fabric	Prices below	Specify with fabric.
Туре	Markerboard	Price below	Specify with markerboard.
	Options	U.S. Price	Required to Specify
Surface	Infill		
Materials	 Fabric price group 1 	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$ 57	Specify fabric color number.
	 Fabric price group 3 	+\$ 80	Specify fabric color number.
	 Fabric price group 4 	+\$108	Specify fabric color number.
	 Fabric price group 5 	+\$146	Specify fabric color number.
	Customer's Own Material	+\$ 55	See Understanding Customer's Owr Material (COM), page 497.
	 Markerboard 	+\$111	Specify with markerboard.
	Bracket paint		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 9	Specify paint color number.
	 Paint price group 3 	+\$ 23	Specify paint color number.

Tip: Markerboard only available on Upper Arch Infill.

Number Lower Upper	Specification	n Informat	tion		
: TSBARCHFILL \$395 \$444	Style Number				
	TS8ARCHFILL	\$395	\$444		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Storage

Trunk



Tip: Trunk cannot be used on a Bivi Table for One.

Tip: Both Trunk widths 48"W and 60"W use the same Table Frame Attachment Bracket and Freestanding Legs.

Tip: High-Pressure Laminate trunks have a plastic edge. Please specify a plastic color number for the edge.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer trunks have matching flat veneer self-edge.

Tip: Order Trunk with Table Frame Attachment Bracket to install at the end of a Bivi Table for Two.

Tip: Order Trunk with Freestanding Leg for a Freestanding Trunk.

Standard Includes

· Trunk top: Low-Pressure Laminate Product details, · Case: paint price group 1

► Need help?

page 50

- 1 mm plastic edge band:
- default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected

- · Attachment hardware
- · Ships assembled

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for Trunk top
- 3 Trunk width (see below under Required Selections)
- 4 Plastic color number for edge, if High-Pressure Laminate selected
- 5 Paint color number for case
- 6 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"W • 60"W	Prices below Prices below	Specify with 48"W. Specify with 60"W.
	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Trunk top		
	 High-Pressure Laminate price group 1 	+\$ 41	Specify High-Pressure Laminate color number.
	 High-Pressure Laminate price group 2 	See information at left	Specify High-Pressure Laminate color number.
	High-Pressure Laminate price group 3	See information at left	Specify High-Pressure Laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	► See Surface Materials Reference Manual.
	Wood veneer Trunk top		
	Wood group 1Wood group 2	+\$362 +\$429	Specify wood color number. Specify wood color number.
	Wood group 3Customiz stain	+\$572 No cost	Specify wood color number. Specify with Customiz stain. See Surface Materials Reference
	Full-fill finish on wood group 1	+\$429	Manual. Specify full-fill finish number.
	Case paint		
	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 47	Specify paint color number.
	Paint price group 3	+\$ 94	Specify paint color number.
	Table Frame Attachment		
	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 33	Specify paint color number.
	Paint price group 3	+\$ 63	Specify paint color number.
	Freestanding Leg paint • Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 39	Specify paint color number.
	Paint price group 3	+\$ 80	Specify paint color number.
Supports	No supportTable Frame Attachment	No cost +\$196	Specify with no support. Specify with Table Frame Bracket and
	Bracket • Freestanding Leg	+\$605	select paint color number. Specify with Freestanding Leg and select paint color number.
Specificati	on Information		

Tip: Both Trunk widths 48"W and 60"W use the same Table Frame Attachment Bracket and Freestanding Legs.

· Dime · D	ensions W	Н	• Style Number	· U.S. Base Price
11 ¹ /2"	48"	8"	TS8TRUNK	\$1384
14"	60"	16"	TS8TRUNK	\$1562

Trunk Supports

Standard Includes Required to Specify Need help? • Freestanding Legs for trunk, if selected: paint price group 1 1 Style number Product details, page 50 • Table frame attachment brackets, if selected: paint price group 1 3 Options, if selected (see below) ▶ See Surface Materials, page 496.

	Options	U.S. Pr	ice	Required to Specify
Surface		Bracket	s Legs	
Materials	 Paint price group 1 	No cost	No cost	Specify paint color number.
	 Paint price group 2 	+\$33	+\$39	Specify paint color number.
	 Paint price group 3 	+\$63	+\$80	Specify paint color number.
	 Lux Coatings 	N.A.	+\$80	Specify Lux Coatings color number.

Table Frame Attachment Brackets

1/2"	5"	16 ¹ /2"	TS8STEHTA	\$197

Leveling glidesShips ready to assemble

Freestanding Legs for Trunk

2"	421/4"	11 ¹ /2"	TS8STEHL2	\$605








For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Depots



Standard Includes

Required to Specify

- Need help?
 Product details,
 page 50
- · Depot: Low-Pressure Laminate
- 1 mm plastic edge band:
- default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected
- · Feet with adjustable glides
- · Attachment hardware

- 1 Style number
- 2 Laminate color number for depot
- 3 Plastic color number for edge, if High-Pressure Laminate selected
- 4 Height (see below under Required Selections)
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Height	• 28½"H • 41½"H	Prices below Prices below	Specify with 2 high. Specify with 3 high.

Tip: High-Pressure Laminate depots have a plastic edge. Please specify a plastic color number for the edge.

Tip: Wood veneer depots have matching flat veneer self-edge.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Pric	e	Required to Specify
Surface		2 High	3 High	
Materials	 High-Pressure Laminate price group 1 	+\$ 215	+\$ 318	Specify High-Pressure Laminate color number.
	High-Pressure Laminate price group 2	See informa	tion at left	Specify High-Pressure Laminate color number.
	Open Line laminate	+\$ 102	+\$ 102	► See Surface Materials Reference Manual.
	·	plus cost	plus cost	Specify paint color number.
		of laminate	of laminate	
	Wood veneer	2 High	3 High	
	 Wood group 1 	+\$2189	+\$3529	Specify wood color number.
	Wood group 2	+\$2556	+\$4130	Specify wood color number.
	Wood group 3	+\$3545	+\$5717	Specify wood color number.
	Customiz stain	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	+\$2556	+\$4130	Specify full-fill finish number.

Dimens D	sions W	· Style Number	·U.S. Base Prices
	**	Humber	2 High 3 High 28½"H 41½"H
137/8"	60"	TS8DEPOT	\$1901 \$2943

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Rumble Seat, Supports, and Hoodie

Rumble Seat



Tip: Rumble Seat only fits within a 48"W or 60"W Bivi Table for Two or Table plus Two.

Tip: Rumble Seat fabric relaxes with use creating comfort wrinkles. If the least amount of comfort wrinkles is desired, Congent: Connect fabric is recommended.

Tip: Contrasting seat is available as an option on all sizes of the Rumble Seat. Inner back, outer back, and arms will match each other.

Tip: Table Frame Attachment Bracket is used to attach the 48"W or 60"W Rumble Seat to a Bivi table frame in place of a Full Top in a Table for Two or Table plus Two. 36"W Rumble Seats do not have Table Frame Attachment Bracket option since this size cannot be attached to a table

Tip: 36"W, 48"W, and 60"W Rumble Seats have a Freestanding Legs option.

Tip: Rumble Seats TS8RS, manufactured on 5/22/2017 or after only work with Freestanding Legs TS8RSL2 and Table Frame Attachment Brackets TS8RSTA, manufactured on 5/22/2017 or after.

Standard Includes

Required to Specify

► Need help? Product details, page 52

- Fully upholstered lounge: fabric price group 1
- · Lounge shipped fully assembled

1 Style number

paint color number.

paint color number.

Specify with Freestanding Leg and select

- 2 Fabric color number for lounge
- 3 Options, if selected (see below).
- See Surface Materials, page 496.

			'	oce ourrace materials, page 400.
	Options	U.S. Pric	е	Required to Specify
Surface	Upholstery - 36"W Rumble Seat			
Materials	Fabric price group 1	No cost		Specify fabric color number.
	Fabric price group 2	+\$ 143		Specify fabric color number.
	Fabric price group 3	+\$ 212		Specify fabric color number.
	Fabric price group 4	+\$ 284		Specify fabric color number.
	Fabric price group 5	+\$ 381		Specify fabric color number.
	Fabric price group 5	+\$ 533		Specify fabric color number.
	Fabric price group 7	+\$ 685		Specify fabric color number.
	Fabric price group 8	+\$ 886		Specify fabric color number.
	Fabric price group 9	+\$1064		Specify fabric color number.
	Fabric price group 10	+\$1220		Specify fabric color number.
	Customer's Own Material	+\$ 50)	See Understanding Customer's
	(COM)			Own Material (COM), page 497.
	Upholstery - 48"W Rumble Seat			
	Fabric price group 1	No cost		Specify fabric color number.
	Fabric price group 2	+\$ 182		Specify fabric color number.
	Fabric price group 3	+\$ 264		Specify fabric color number.
	Fabric price group 4	+\$ 353		Specify fabric color number.
		:		
	Fabric price group 5	+\$ 471		Specify fabric color number.
	Fabric price group 6	+\$ 664		Specify fabric color number.
	Fabric price group 7	+\$ 859		Specify fabric color number.
	Fabric price group 8	+\$1110		Specify fabric color number.
	Fabric price group 9	+\$1333		Specify fabric color number.
	Fabric price group 10	+\$1522		Specify fabric color number.
	Customer's Own Material	+\$ 50		See Understanding Customer's
	(COM)			Own Material (COM), page 497.
	Upholstery - 60"W Rumble Seat			
	Fabric price group 1	No cost		Specify fabric color number.
	Fabric price group 2	+\$ 216		Specify fabric color number.
	Fabric price group 3	+\$ 319		Specify fabric color number.
		+\$ 422		
	Fabric price group 4			Specify fabric color number.
	Fabric price group 5	+\$ 562		Specify fabric color number.
	Fabric price group 6	+\$ 799		Specify fabric color number.
	Fabric price group 7	+\$1029		Specify fabric color number.
	Fabric price group 8	+\$1334		Specify fabric color number.
	Fabric price group 9	+\$1594		Specify fabric color number.
	Fabric price group 10	+\$1828		Specify fabric color number.
	Customer's Own Material	+\$ 50		See Understanding Customer's
	(COM)	.,		Own Material (COM), page 497.
	Constrasting seat			
	Contrasting upholstery on seat	+\$ 102		Specify with contrasting seat and select fabric color number.
	Supports	Brackets	Legs	
	Paint price group 1	No cost	No cost	Specify paint color number.
	Paint price group 1 Paint price group 2	+\$ 33	+\$ 52	Specify paint color number.
	1 0 1			
	Paint price group 3Lux Coatings	+\$ 63 N.A.	+\$105 +\$105	Specify paint color number. Specify Lux Coatings color number.
		No ocat		
Supports	No supportTable Frame Attachment Bracket	No cost +\$ 472		Specify with no support. Specify with Table Frame Attachment
				Bracket and select paint color number.
	 Freestanding Leg for Rumble Seat 			•
	- 36"W	+\$1016		Specify with Freestanding Leg and select
				paint color number.
	– 48"W	+\$1038		Specify with Freestanding Leg and select
				point color number

+\$1050

▶Options, continued on next page

- 60"W

▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Brackets	Accessory bracket		
	 Hidden accessory bracket 	No cost	Specify with hidden accessory bracket.
	 Exposed accessory bracket 	No cost	Specify with exposed accessory bracket.

D H	· Style · Number	:		
	:	36"W	48"W	60"W
	:	:		
28" 281/2"	TS8RS	\$2617	\$3076	\$3778



Tip: For 36"W, 48"W, and 60"W Rumble Seat actual dimensions, see Rumble Seat and Hoodie Understanding.

▶Page 52



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Rumble Seat Supports

Tip: For 36"W, 48"W, and 60"W Rumble Seat Freestanding Leg actual dimensions, see Rumble Seat and Hoodie Understanding.

▶Page 52

Tip: Rumble Seats TS8RS, manufactured on 5/22/2017 or after only work with Freestanding Legs TS8RSL2 and Table Frame Attachment Brackets TS8RSTA, manufactured on 5/22/2017 or after.

	Standard Includes	Required to Specify
Need help? Product details, page 52	 Table Frame Attachment Brackets, if selected: paint price group 1 Freestanding Legs, if selected: paint price group 1 Leveling glides 	 1 Style number 2 Paint color number for brackets or Legs 3 Options, if selected (see below) See Surface Materials, page 496.

	Options	U.S. Price		Required to Specify
Surface Materials	Supports Paint price group 1 Paint price group 2 Paint price group 3 Lux Coatings	Brackets No cost +\$33 +\$63 N.A.	Legs No cost +\$ 52 +\$105 +\$105	Specify paint color number. Specify paint color number. Specify paint color number. Specify Lux Coatings color number.

 Dimensions 		S	·Style	·U.S. Base Price
D	W	н	Number	
				•

Table Frame Attachment Brackets

· Attachment hardware

· Shipped ready to assemble

51/2"	17"	16%"	TS8RSTA	\$472
				•

Attachment Bracket is used

Tip: Table Frame



Specification Information					
Dimensions	·Style Number	· U.S. Base Prices			
:	:	36"W 48"W 60"W			
<u>: </u>	:	<u> </u>			

Freestanding Legs

		J - J -		
28"	12"	TS8RSL2	\$1016 \$1038	8 \$1050



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Hoodie



Standard Includes

Required to Specify

- ► Need help? Product details, page 52
- Fully upholstered top and sides: Cogent: Connect: 5S25 Graphite or 5526 Licorice
- Mesh back panel: T615 Sultry SmokeShipped ready to assemble
- Mesh back panel: T615 Sultry Smoke
- 1 Style number
- 2 Connect fabric color number for top and sides
- ► See Surface Materials, page 496.

Trough-Mounted Data Access



	Standard Includes	Required to Specify	
► Need help? Product details, page 42	Metal data access: paint price group 1	1 Style number 2 Paint color number for data access 3 Options, if selected (see below) ► See Surface Materials, page 496.	

	Options	U.S. Price	Required to Specify	
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 9 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.	

Specification Information Dimensions DWH Number Base Price 31/4" 31/2" 21/2" TS8DATA \$60



Electrical Components

One Circuit

Plug and Play Power Strips, One Circuit

Tip: The Plug and Play Power Strips USB option provides three simplex receptacles and one USB port with two USB plugs per strip. The USB option is always located in the fourth port location.

Tip: Plug and Play Power Strips are a UL recognized powered table system component per UL962.


Tip: Plug and play power strips do not work on the bottom half of Bivi cable troughs with style numbers beginning with TS8, manufactured on or after August 31, 2016.

	Standard Includes	Required to Specify
Need help? Product details, page 54	 Power Strip: paint price group 1 12-amp system rating 15-amp power cord with 15-amp over-current protection 10' long cord with wall plug 6' cord length between power strips 	 1 Style number 2 Paint color number for Power Strip 3 Power strip (see below under Required Selections) 4 Options, if selected (see below) See Surface Materials, page 496.


	Required Selections	U.S. Price	Required to Specify		
Power Strips	Package of one Plug and Play Power Strip				
_	• 1 pack: 4 power	No cost	Specify with 4 power.		
	• 1 pack: 3 power and 1 USB	+\$ 88	Specify with 3 power/1 USB.		
	Package of two Plug and Play Power Strips				
	• 2 pack: 4 power	No cost	Specify with 8 power.		
	• 2 pack: 3 power and 1 USB	+\$176	Specify with 6 power/2 USB.		
	Package of four Plug and Play Power Strips				
	 4 pack: 4 power 	No cost	Specify with 16 power.		
	 4 pack: 3 power and 1 USB 	+\$352	Specify with 12 power/4 USB.		

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 9 +\$ 23	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information ·Total Style ·U.S. **Receptacles** Number Base **Price** Package of One TS8PS1PKREV \$ 358



Package of Two TS8PS2PKREV



Package of Four		
16	TS8PS4PKREV	\$1268
	•	
•	•	•

\$ 687

Accessory Power—Rectangular



Standard Includes Required to Specify ► Need help? 1 Style number • Rectangular shaped power and USB strip: Product details, plastic price group 1 2 Cord length (see below under Required page 66 Selections) 3 Mount type (see below under Required Selections) 4 Power/USB/data schematics (see below under Required Selections) 5 Plastic color number for rectangular shaped power 6 Options, if selected (see below) See Surface Materials, page 496.

Tip: Rectangular Power Strip with clamp-on mount works on worksurfaces that range from ½" to 2½" thick.

	Required Selections	U.S. Price	Required to Specify
Cord Length	• 6' cord • 10' cord	No cost +\$ 48	Specify with 6' cord length. Specify with 10' cord length.
Mount Type	Freestanding mount Clamp-on mount	No cost +\$ 33	Specify with freestanding mount. Specify with clamp-on mount.
Freestanding Mount Power /USB/Data Schematics	4 power3 power/1 USB1 USB/2 power/1 USB	No cost +\$ 88 +\$178	Specify with 4 power. Specify with 3 power/1 USB. Specify with 1 USB/2 power/1 USB.
Clamp-On Mount Power/USB/Data Schematics	 4 power 1 open data/2 power/ 1 open data 3 power/1 USB 1 USB/2 power/1 open data 1 USB/2 power/1 USB 	No cost No cost +\$ 88 +\$ 88 +\$178	Specify with 4 power. Specify with 1 open data/2 power/ 1 open data. Specify with 3 power/1 USB. Specify with 1 USB/2 power/1 open data. Specify with 1 USB/2 power/1 USB.

	Options	U.S. Price	Required to Specify
Surface Materials	Plastic price group 1Plastic price group 2	No cost +\$ 12	Specify plastic color number. Specify plastic color number.

Specification Information Style U.S. Number Base Price TS8PAREC \$554



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Accessory Power—Pyramid

TS8PAPYR

\$462



Standard Includes Required to Specify 1 Style number ► Need help? • Freestanding pyramid shaped power and USB: 2 Cord length (see below under Required Product details, plastic price group 1 Selections) page 66 3 Power/USB/data schematics (see below under Required Selections) 4 Plastic color number for pyramid shaped power 5 Options, if selected (see below) ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Cord Length	• 6' cord • 10' cord	No cost +\$48	Specify with 6' cord length. Specify with 10' cord length.
Power/USB/Data Schematics	4 power 1 power/1 USB/1 power/ 1 blank 2 power/1 USB A+C 20W	No cost +\$88 +\$88	Specify with 4 power. Specify with 1 power/1 USB/1 power/ 1 blank. Specify with 2 power/1 USB A+C 20W.
	Options	U.S. Price	Required to Specify
Surface Materials	Plastic price group 1Plastic price group 2	No cost +\$12	Specify plastic color number. Specify plastic color number.
Specification	Information		
Style	·U.S. Base		

*
For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Electrical Components

Two Circuit

Hardwire-to-Modular Power Infeed, Two Circuit



Standard Includes

Required to Specify

► Need help? Product details, page 54

- 2-circuit hardwired base power-in, 3/8" diameter flexible galvanized steel conduit, liquid tight conduit outside of table Trough
- Modular connection for 2-circuit powerways
- · In-line connector

Style	numbar

2 Infeed length (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Infeed Length	• 6'	No cost	Specify with 6'.
	• 12'	+\$ 63	Specify with 12'.
	• 24'	+\$126	Specify with 24'.

Specificat	ion Information		
Style Number	· U.S. Base Price		
TS8PBT2	\$202		

Hardwire-to-Modular Power Infeed, San Francisco



Standard Includes

Required to Specify

► Need help? Product details, pages 55

- 2-circuit hardwire-to-modular base power-in, 3/8" diameter flexible galvanized steel conduit, liquid tight conduit outside of Cable Trough
- · Modular connection for 2-circuit powerways
- · In-line connector to allow connection at middle of run
- San Francisco hardwired base power-in, 3/8" diameter flexible galvanized steel conduit, liquid tight conduit outside of Cable Trough

Style number

Specification Information

· Style	· U.S.
Number	Price
TS2PBT2SF	\$254



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Modular and Hardwire Powerways, Two Circuit

► Need help?

page 54

Surface

Materia

Product details.


Tip: The Modular Powerway USB option provides three simplex receptacles and one USB port with two USB plugs per strip.


Tip: The USB option is always located in the fourth port location and has two USB ports.

Tip: 48"W Bivi tables only allow for one Modular Powerway, TS8P260, or one Chicago Hardwired Powerway per Trough. Each powerway comes with two strips for a total of eight simplex receptacles.

Tip: The 4 power and 4 controlled option comes with 4 controlled receptacles. For designation of controlled receptacles, these come standard with an icon to designate which receptacles are controlled.

Tip: Modular (TS8P260) and hardwire (TS8P2CHI) powerways do not work on the bottom half of Bivi cable troughs with tsyle numbers beginning with TS8, manufactured on or after August 31, 2016.





Sta	ngai	ra II	ICIU	iaes
• 60" r	ower	with t	otal 6	eiaht s

- 60" power with total eight simplex receptacles; if selected: paint price group 1
- · 2-circuit powerway
- 60" powerway for 2-circuit with one line 1 and one line 2 receptacles
- Chicago hardwired junction boxes with eight total simplex receptacles if selected: 6000 Black plastic
- · Shipped ready to install

Ontions

Required to Specify

- 1 Style number
- 2 Infeed length (see below under Required Selections)
- 3 Paint color number for powerway
- 4 Options, if selected (see below)
- See Surface Materials, page 496.

Required Selections U.S. Price Required to Specify

Infeed Length Package of two Plug and Play Power Strips

- 2 pack: 8 power
 2 pack: 6 power and 2 USB
 +\$177
- 2 pack: 4 power and 4 controlled +\$178

Specify with 8 power.
Specify with 6 power/2 USB.
Specify with 4 power and 4 controlled.

U.S. Price Required to Specify

	Options		ricquired to opcoin
•	 Paint price group 1 	No cost	Specify paint color number.
als	 Paint price group 2 	+\$ 9	Specify paint color number.
	 Paint price group 3 	+\$ 23	Specify paint color number.

Specification Information

Style U.S.
Number Base
Price

Modular Powerway, Two Circuit- Line 1 and Line 2

TS8P260 \$797


Hardwired Powerway, Chicago, Two Circuit- Line 1 and Line 2

TS8P2CHI \$797



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Modular Harness, Two Circuit



	Standard Includes	Required to Specify
► Need help? Product details, page 55	Modular harness	Style number

Style		· U.S.	Price										
Number	Infeed Length		: 54"L :	60"L	: 67"L :	:72"L	: 84"L :	: 102"L :	: 114"L :	122"L	132"L	: 138"L :	: 144"L : :
TS8P2H		\$93	\$93	\$107	\$107	\$120	\$133	\$134	\$147	\$218	\$218	\$218	\$218

Electrical Components

Four Circuit

Modular Power Block—Standard Capacity



Tip: Does not work on Bivi tables and Troughs with style numbers beginning with TS2, manufactured prior to August 31, 2016.

	Standard Includes	Required to Specify
► Need help?	 Non-PVC power block 	1 Style number

Product details, page 66

Non-PVC power block

1 Style number

2 Wiring schematics (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Schematics	9 3+1	No cost	Specify with 3+1.
	9 2+2	No cost	Specify with 2+2.
	9 3SN	No cost	Specify with 3SN.

Specificat	ion Information	
Style Number	·U.S. Price	
TS8PBS	\$332 :	

Power Block



	Standard Includes	Required to Specify
Need help? Product details, page 66	Non-PVC, four circuit power block	Style number Wiring schematics (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.

Specificat	ion Information	
Style Number	·U.S. Price	
TS8PHBC	\$61	

Chicago Hardwire Box



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Standard Includes	Required to Specify

► Need help? Product details, page 67 · Hardwire box: black

Style number

·Style	·U.S.
Specification	n Information

Number	Pric
TS8P4CHI	\$488

Duplex Receptacle



Tip: For designation of controlled receptacles, order permanent ink stamp with controlled icon; service part (10639090015R). It includes a pair of stamps, one white and one black. Appropriate receptacles can be stamped at the job site during installation.

	Standard Includes	Required to Specify
Need help? Product details, page 67	15-amp, system standard ground duplex receptacle: plastic	1 Style number 2 Plastic color number for receptacle: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red 3 Wiring schematics (see below under Required Selections) 4 Amperage (see below under Required Selections)

5 Ground type (see below under Required Selections)6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Wiring	3+1		
Schematics	• Line 1	No cost	Specify with 3+1, Line 1.
	• Line 2	No cost	Specify with 3+1, Line 2.
	• Line 3	No cost	Specify with 3+1, Line 3.
	• Line 4	No cost	Specify with 3+1, Line 4.
	2+2		
	• Line 1	No cost	Specify with 2+2, Line 1.
	• Line 2	No cost	Specify with 2+2, Line 2.
	• Line 3	No cost	Specify with 2+2, Line 3.
	• Line 4	No cost	Specify with 2+2, Line 4.
	3SN		
	• Line 1	No cost	Specify with 3SN, Line 1.
	• Line 2	No cost	Specify with 3SN, Line 2.
	• Line 3	No cost	Specify with 3SN, Line 3.
	• Line 4	No cost	Specify with 3SN, Line 4.
Amperage	• 15-amp	No cost	Specify with 15-amp.
	• 20-amp	+\$46	Specify with 20-amp.
Ground Type	System	No cost	Specify with system ground.
	 Isolated 	+\$24	Specify with isolated ground.

	Options	U.S. Price	Required to Specify
Controlled Stamp	No stamp Controlled stamp	No cost +\$ 3	Specify with no stamp. Specify with controlled stamp.

Specification Information

• Style Number	· U.S. Base Price	
TS8PRD	\$62	




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

3 Ground type (see below under Required

Selections)

Modular Flexible Receptacle

page 67



Tip: For designation of controlled receptacles, order permanent ink stamp with controlled icon; service part (1063909001SR). It includes a pair of stamps, one white and one black. Appropriate receptacles can be stamped at the job site during installation.

Tip: Does not work on Bivi tables and Troughs with style numbers beginning with TS2, manufactured prior to August 31, 2016.

Standard Includes Required to Specify • 15-amp, system standard ground duplex receptacle: ► Need help? 1 Style number Product details, 2 Wiring schematics (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring	3+1		
Schematics	• Line 1	No cost	Specify with 3+1, Line 1.
	• Line 2	No cost	Specify with 3+1, Line 2.
	• Line 3	No cost	Specify with 3+1, Line 3.
	• Line 4	No cost	Specify with 3+1, Line 4.
	2+2		
	• Line 1	No cost	Specify with 2+2, Line 1.
	• Line 2	No cost	Specify with 2+2, Line 2.
	• Line 3	No cost	Specify with 2+2, Line 3.
	• Line 4	No cost	Specify with 2+2, Line 4.
	3SN		
	• Line 1	No cost	Specify with 3SN, Line 1.
	• Line 2	No cost	Specify with 3SN, Line 2.
	• Line 3	No cost	Specify with 3SN, Line 3.
	• Line 4	No cost	Specify with 3SN, Line 4.
Ground Type	System	No cost	Specify with system ground.
	 Isolated 	+\$24	Specify with isolated ground.

Specification Information			
• Style Number	·U.S. Base Price		
TS8PFR	\$173		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

USB Receptacle



Tip: Does not work on Bivi tables and Troughs with style numbers beginning with TS2, manufactured prior to August 31, 2016.

Standard Includes

Required to Specify

► Need help? Product details, page 67

• 15-amp, system ground USB Receptacle: plastic

1 Style number

2 Plastic color number for USB Receptacle: 6000 Black

6009 Arctic White 6249 Platinum Solid

6651 Tungsten

6652 Titanium

6654 Sand 6697 Fog

6B03 Red

3 Wiring schematics (see below under

Required Selections)

Required Selections	U.S. Price	Required to Specify
3+1		
• Line 1	No cost	Specify with 3+1, Line 1.
• Line 2	No cost	Specify with 3+1, Line 2.
• Line 3	No cost	Specify with 3+1, Line 3.
• Line 4	No cost	Specify with 3+1, Line 4.
2+2		
• Line 1	No cost	Specify with 2+2, Line 1.
• Line 2	No cost	Specify with 2+2, Line 2.
• Line 3	No cost	Specify with 2+2, Line 3.
• Line 4	No cost	Specify with 2+2, Line 4.
3SN		
• Line 1	No cost	Specify with 3SN, Line 1.
• Line 2	No cost	Specify with 3SN, Line 2.
• Line 3	No cost	Specify with 3SN, Line 3.
• Line 4	No cost	Specify with 3SN, Line 4.
	3+1 • Line 1 • Line 2 • Line 3 • Line 4 2+2 • Line 1 • Line 2 • Line 3 • Line 4 3\$N • Line 1 • Line 2 • Line 3	Line 1 No cost Line 2 No cost Line 3 No cost Line 4 No cost Line 1 No cost Line 2 No cost Line 3 No cost Line 4 No cost Line 1 No cost Line 3 No cost Line 4 No cost Line 4 No cost Line 1 No cost No cost No cost Line 1 No cost No cost Line 1 No cost No cost Line 2 No cost No cost

Specificati	on Information	
· Style Number	·U.S. Price	
<u>:</u>	<u>:</u>	
TS8PUSB	\$149 ·	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Modular Power, Four Circuit



Standard Includes Required to Specify

- ► Need help? Product details, page 67
- Single, four circuit powerway: paint price group 1
- · USB and power options

- 1 Style number
- 2 Paint color number for powerway
- 3 Wiring schematics (see below under Required Selections)
- 4 USB and power options (see below under Required Selections)
- 5 Ground type (see below under Required Selections)
- 6 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Wiring	3+1		
Schematics	• Line 1	No cost	Specify with 3+1, Line 1.
	• Line 2	No cost	Specify with 3+1, Line 2.
	• Line 3	No cost	Specify with 3+1, Line 3.
	• Line 4	No cost	Specify with 3+1, Line 4.
	2+2		
	• Line 1	No cost	Specify with 2+2, Line 1.
	• Line 2	No cost	Specify with 2+2, Line 2.
	• Line 3	No cost	Specify with 2+2, Line 3.
	• Line 4	No cost	Specify with 2+2, Line 4.
	3SN		
	• Line 1	No cost	Specify with 3SN, Line 1.
	• Line 2	No cost	Specify with 3SN, Line 2.
	• Line 3	No cost	Specify with 3SN, Line 3.
	• Line 4	No cost	Specify with 3SN, Line 4.
USB and	• 4 power	No cost	Specify with 4 power.
Power Options	• 3 power/1 USB	+\$88	Specify with 3 power/1 USB.
-	 4 controlled power 	+\$88	Specify with 4 controlled power.
Ground Type	System	No cost	Specify with system ground.
	Isolated	+\$24	Specify with isolated ground.

Tip: The 4 power controlled power option comes with 4 controlled receptacles. For designation of controlled receptacles, these come standard with an icon to designate which receptacles are controlled.

	Options	Oldi Filce	nequired to opening	
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 9 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.	
Specificat	ion Information			

Specification	Specification Information			
• Style Number	·U.S. Base Price			
TS8P4QUAD	\$415			



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Modular Harness, Four Circuit




Standard Includes Required to Specify Need help? Product details, page 66 Selections) 3 Wiring schematics (see below under Required Required Selections) 4 PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Length	• 42"	No cost	Specify with 42".
	• 45"	+\$ 24	Specify with 45".
	• 48"	+\$ 24	Specify with 48".
	• 51"	+\$ 24	Specify with 51".
	• 54"	+\$ 24	Specify with 54".
	• 57"	+\$ 24	Specify with 57".
	• 60"	+\$ 61	Specify with 60".
	• 63"	+\$ 61	Specify with 63".
	• 67"	+\$ 61	Specify with 67".
	• 72"	+\$111	Specify with 72".
	• 84"	+\$111	Specify with 84".
	• 101"	+\$111	Specify with 101".
	• 107"	+\$111	Specify with 107".
	• 111"	+\$126	Specify with 111".
	• 115"	+\$126	Specify with 115".
	• 118"	+\$126	Specify with 118".
	• 121"	+\$126	Specify with 121".
	• 124"	+\$126	Specify with 124".
	• 127"	+\$126	Specify with 127".
	• 144"	+\$167	Specify with 144".
	• 288"	+\$336	Specify with 288".
Wiring	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	Non-PVC	No cost	Specify with non PVC.
	• PVC	- \$ 12	Specify with PVC.

Style Number	· U.S. Base Price	
TS8P4H	\$220	



Utility Pole



Tip: Utility pole reaches a maximum ceiling height of 10'.

Standard Includes

Required to Specify

► Need help? Product details, page 72

- Pole: 8043 Anodized Aluminum
- · Ceiling kit
- · Mounting brackets

|--|

	nsions	Style	·U.S.
D	w	Number	Price
3"	6"	TS8PUP	\$1304

Power Infeed, Hardwire-to-Modular, Four Circuit

page 72



Need help?	
Product details	

Standard Includes

- Non-PVC, modular harness
- Straight/flush junction box faceplate

Required to Specify

- 1 Style number
- 2 Wiring schematics (see below under Required Selections)
- 3 Length (see below under Required Selections)
- 4 PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
Length	• 6'	No cost	Specify with 6'.
	• 12'	+\$120	Specify with 12'.
	• 24'	+\$335	Specify with 24'.
PVC	• Non-PVC	No cost	Specify with non PVC.
	• PVC	- \$ 12	Specify with PVC.

Specification Information ·Style ·U.S. Number **Base** Price TS8P4IFH \$355

Steelcase February 2024



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

Power Infeed, New York, Four Circuit



	Standard Includes	Required to Specify
Need help? Product details, page 73	50" non-PVC infeed harnessJunction boxStrain relief brackets	Style number Wiring schematics (see below under Required Selections) PVC (see below under Required Selections)

	Required Selec	tions U.S. Price	Required to Specify
Wiring	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
PVC	Non-PVC	No cost	Specify with non PVC.
	• PVC	- \$12	Specify with PVC.

Specification	on Information		
• Style Number	· U.S. Base Price		
TS8P4IFNY	\$370		

Power Infeed, San Francisco, Four Circuit



	Standard Includes	Required to Specify
► Need help? Product details, page 73	Non-PVC infeed harness, 144"LStraight/flush junction box faceplate	Style number Wiring schematic (see below under Required Selections)


	Required Selections	U.S. Price	Required to Specify
Wiring	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2 • 3SN	No cost No cost	Specify with 2+2. Specify with 3SN.

Style Number	on Information U.S. Price		
TS8P4IFSF	\$586		



See page 1 for details.

Modular Junction Box Faceplate, Four Circuit



	Standard Includes	Required to Specify
Need help? Product details, page 73	Junction box faceplate	Style number Wiring schematics (see below under Required Selections) Faceplate (see below under Required Selections) PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring	• 3+1	No cost	Specify with 3+1.
Schematics	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
Faceplate	Straight	No cost	Specify with straight faceplate.
-	 90° box faceplate 	+\$74	Specify with 90° box faceplate.
PVC	Non-PVC	No cost	Specify with non PVC.
	• PVC	- \$12	Specify with PVC.
Specification	on Information		

Specification Information		
Style Number	· U.S. Base Price	
TS8PJFM	\$133 :	

Power Infeed Cover



	Standard Includes	Required to Specify
► Need help? Product details, page 67	Power infeed cover: painted steel, price group 1	 1 Style number 2 Paint color number for power infeed cover 3 Options, if selected (see below) See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$33 +\$63	Specify paint color number. Specify paint color number. Specify paint color number.

Style	·U.S.	
Number	Base	
· ·	Price	
TS8PICVR	\$300	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Bezel Receptacle Cover



	Standard Includes	Required to Specify
Need help? Product details, page 67	Bezel receptacle cover: plastic	1 Style number2 Plastic color number for bezel receptacle coverSee Surface Materials, page 496.

Specification Information				
Style Number	·U.S. Price			
TS8PRCVR	\$12			


Dual Height Tops

►Need help?

page 74

Product details,

Upper Dual Tops



Tip: Upper Dual Top attaches to the Tall or Short Arch, TS8ARCH.

Tip: Works only at standing height.

Tip: Add Mini Transaction Top to two Bivi Upper Dual Tops to create a standing height conference setting.

Tip: Only works with High Sit Bracket with Modesty Panel style number TS8HSMREV.

• 1/2"-thick top: Low-Pressure Laminate

Standard Includes

- · 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- · Width: 60" or 72"
- · Mounting bracket: paint price group 1
- · Ships ready to assemble

- **Required to Specify** 1 Style number
- 2 Top width (see below under Required Selections)
- 3 Handedness (see below under Required Selections)
- 4 Low-Pressure Laminate color number for top
- 5 Paint color number for bracket
- 6 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 60"W	Prices below	Specify with 60".
	• 72"W	Prices below	Specify with 72".
Handedness	Right-handed Left-handed	No cost No cost	Specify with right hand. Specify with left hand.

Options U.S. Price Required to Specify Surface **High-Pressure** 60"W 72"W Materials Laminate top +\$ 137 +\$ 144 Specify High-Pressure Laminate · High-Pressure Laminate color number and select plastic price group 1 · High-Pressure Laminate Specify High-Pressure Laminate See information price group 2 at left color number and select plastic for edge. · High-Pressure Laminate See information Specify High-Pressure Laminate price group 3 at left color number and select plastic for edge · Open Line laminate +\$ 102 +\$ 102 ► See Surface Materials Reference plus cost plus cost Manual. of laminate of laminate 60"W 72"W **Wood veneer top** · Wood group 1 +\$ 724 +\$ 759 Specify wood color number. Wood group 2 +\$ 844 +\$ 879 Specify wood color number. Wood group 3 +\$1151 +\$1186 Specify wood color number. · Customiz stain Specify with Customiz stain. No cost No cost ► See Surface Materials Reference Manual. · Full-fill finish on wood group 1 +\$ 844 +\$ 879 Specify full-fill finish number. **Bracket** · Paint price group 1 No cost Specify paint color number. · Paint price group 2 +\$ 33 Specify paint color number. Specify paint color number. +\$ 63 · Paint price group 3

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Tip: Individual user depth is 205/8"D.

Tip: For detailed dimensions information, refer to Actual Dimensions, ► Page 74.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Specification Information

Lower Dual Tops



►Need help?

page 74

Product details,

Tip: Lower Dual Top attaches to the Bivi Legs.

Tip: Works only at seated height.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or

Tip: Wood veneer tops have matching flat veneer

SmartTools.

self-edge.

Standard Includes

- 1/2"-thick top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Width: 60" or 72"
- · Mounting bracket: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Top width (see below under Required Selections)
- 3 Handedness (see below under Required Selections)
- 4 Low-Pressure Laminate color number for top
- 5 Paint color number for bracket
- 6 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 60"W • 72"W	Prices below Prices below	Specify with 60". Specify with 72".
Handedness	Right-handed Left-handed	No cost No cost	Specify with right hand. Specify with left hand.

	Options	U.S. Price	•	Required to Specify
Surface Materials	High-Pressure Laminate top	60"W	72"W	
	High-Pressure Laminate price group 1	+\$ 137	+\$ 144	Specify High-Pressure Laminate color number and select plastic for edge.
	 High-Pressure Laminate price group 2 	See information	on at left	Specify High-Pressure Laminate color number and select plastic for edge.
	High-Pressure Laminate price group 3	See information	on at left	Specify High-Pressure Laminate color number and select plastic for edge.
	Open Line laminate	+\$ 102 plus cost of laminate	+\$ 102 plus cost of lamina	See Surface Materials Reference Manual.
	Wood veneer top	60"W	72"W	
	Wood group 1	+\$ 724	+\$ 759	Specify wood color number.
	 Wood group 2 	+\$ 844	+\$ 879	Specify wood color number.
	Wood group 3	+\$1151	+\$1186	Specify wood color number.
	Customiz stain	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	+\$ 844	+\$ 879	Specify full-fill finish number.
	Bracket			
	Paint price group 1	No cost		Specify paint color number.
	Paint price group 2	+\$ 33		Specify paint color number.
	Paint price group 3	+\$ 63		Specify paint color number.

Tip: Individual user depth is 281/2"D.

Tip: For detailed dimensions information, refer to Actual Dimensions,

► Page 74.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specification Information

• Dimensions • D	Н	·Style Number	·U.S. Ba	se Prices	
. - :		:	60"W	: 72"W	
205/8" - 281/2"	23/4"	TS8DHLWR	\$832	\$910	

Dual Top Set



Tip: In a Dual Top Set, the Upper and Lower Dual Tops will have the same surface materials. For contrasting tops or accents paints, order the tops separately.

Tip: If Upper Dual Top is right handed, Lower Dual Top will be left handed. If Upper Dual Top is left handed, Lower Dual Top will be right handed.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Tip: Only works with High Sit Bracket with Modesty Panel style number TS8HSMREV.

Tip: In a 60"W set, the Upper and Lower Dual Tops will both be 60"W. In a 72"W set, the upper and lower tables will both be 72"W.

Tip: For detailed dimensions information, refer to Actual Dimensions, Page 74.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Standard Includes

Need help?
Product details,
page 74

- Two 1/2"-thick tops: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Width: 60" or 72"
- · Mounting bracket: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Top width (see below under Required Selections)
- 3 Handedness (see below under Required Selections)
- 4 Low-Pressure Laminate color number for top
- 5 Paint color number for bracket
- 6 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Width	• 60"W • 72"W	Prices below Prices below	Specify with 60". Specify with 72".
Handedness	Right-handedLeft-handed	No cost No cost	Specify with right hand. Specify with left hand.

	Options	U.S. Pri	20	Required to Specify	
	<u> </u>			nequired to Specify	
Surface	High-Pressure	60"W	72"W		
Materials	Laminate top				
	High-Pressure Laminate price group 1	+\$ 275	+\$ 288	Specify High-Pressure Laminate color number and select plastic for edge.	
	 High-Pressure Laminate price group 2 	See information at left		Specify High-Pressure Laminate color number and select plastic for edge.	
	 High-Pressure Laminate price group 3 	See informa	ation at left	Specify High-Pressure Laminate color number and select plastic for edge.	
	 Open Line laminate 	+\$ 102	+\$ 102	See Surface Materials Reference	
		plus cost of laminate	plus cost of laminate	Manual.	
	Wood veneer top	60"W	72"W		
	Wood group 1	+\$1448	+\$1517	Specify wood color number.	
	Wood group 2	+\$1687	+\$1757	Specify wood color number.	
	Wood group 3	+\$2302	+\$2372	Specify wood color number.	
	Customiz stain	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.	
	 Full-fill finish on wood group 1 	+\$1687	+\$1757	Specify full-fill finish number.	
	Bracket				
	 Paint price group 1 	No cost		Specify paint color number.	
	Paint price group 2	+\$ 65		Specify paint color number.	
	Paint price group 3	+\$ 129		Specify paint color number.	

Specification Information

• Dimensions		· Style Number	·U.S. Base Prices		
: D		Humber	60"W	;72"W	
205/8" - 30"	23/4"	TS8DHSET	\$1667	\$1821	

Components and Accessories

Full Top



Standard Includes

Required to Specify

- ► Need help? Product details, page 76
- 1/2"-thick Full Top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides:
- default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected
- Mounting bracket: paint price group 1
- Width: 48"W, 60"W, or 72"W
- · Ships ready to assemble
- · Cantilevers: paint

- 1 Style number
- 2 Table width (see below under Required Selections)
- 3 Full Top depth (see below under Required Selections)
- 4 Low-Pressure Laminate color number for Full Top
- 5 Plastic color number for edge, if High-Pressure Laminate selected
- 6 Paint for mounting bracket
- 7 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Select	tions U.S. Price	Required to Specify
Width	• 48"W	Prices below	Specify with 48".
	• 60"W	Prices below	Specify with 60".
	• 72"W	Prices below	Specify with 72".
Depth	• 21"D	Prices below	Specify with 21".
	• 24"D	Prices below	Specify with 24".
	• 30"D	Prices below	Specify with 30".

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Tip: TS8RPFWS comes with the needed cantilevers. They do not need to be ordered separately.

	Options	U.S. P	rice		Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	 High-Pressure Laminate price group 1 	+\$ 132	+\$ 137	+\$ 144	Specify High-Pressure Laminate color number.
	 High-Pressure Laminate price group 2 	See information at left See information at left		left	Specify High-Pressure Laminate color number.
	 High-Pressure Laminate price group 3 			left	Specify High-Pressure Laminate color number.
	Open Line laminate	+\$ 102 plus cost of	+\$ 102 plus cost of	+\$ 102 plus cost of	See Surface Materials Reference Manual.
		laminate	laminate	laminate	
	Wood veneer top	48"W	60"W	72"W	
	 Wood group 1 	+\$ 689	+\$ 724	+\$ 759	Specify wood color number.
	 Wood group 2 	+\$ 809	+\$ 844	+\$ 879	Specify wood color number.
	 Wood group 3 	+\$1116	+\$1151	+\$1186	Specify wood color number.
	Customiz stain	No cost	No cost	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	+\$ 809	+\$ 844	+\$ 879	Specify full-fill finish number.
	Bracket paint				
	Paint price group 1	No cost			Specify paint color number.
	 Paint price group 2 	+\$ 33			Specify paint color number.
	 Paint price group 3 	+\$ 63			Specify paint color number.



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. ► See page 1 for details.

Spe	Specification Information					
· Non D	ninal Dimensions H	· Style Number	•U.S. Ba 48"W	se Price 60"W		
21"	2"	TS8RPFWS	\$538	\$585	\$776	
24"	2"	TS8RPFWS	\$558	\$605	\$796	
30"	2"	TS8RPFWS	\$594	\$641	\$832	
		•			•	

Half-Round Top



Standard Includes

• ½"-thick top: Low-Pressure Laminate

Required to Specify 1 Style number

Need help?
Product details,
page 76

Surface Materials

- 3 mm plastic edge band on front and 1 mm on back and sides:
- default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected
- · Mounting bracket: paint price group 1
- · Ships ready to assemble

- 2 Low-Pressure Laminate color number
- for top 3 Plastic color number for edge, if High-
- Pressure Laminate selected 4 Paint for mounting bracket
- 5 Options, if selected (see below)
- ► See Surface Materials, page 496.

Tip: Half-Round Top only works with a Table for Two at seated height.
Tin: High-Pressure I aminate

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: When placed at each end of a Bivi Table for Two, the Half-Round Top makes a conference table.

Tip: Wood veneer tops have matching flat veneer self-edge.

Options	U.S. Price	Required to Specify
High-Pressure Laminate price group 1	+\$ 137	Specify High-Pressure Laminate color number.
High-Pressure Laminate price group 2	See information at left	Specify High-Pressure Laminate color number.
High-Pressure Laminate price group 3	See information at left	Specify High-Pressure Laminate color number.
Open Line laminate	+\$ 102	See Surface Materials Reference
	plus cost of laminate	Manual.
Wood veneer		
• Wood group 1	+\$ 724	Specify wood color number.
• Wood group 2	+\$ 844	Specify wood color number.
• Wood group 3	+\$1151	Specify wood color number.
Customiz stain	No cost	Specify with Customiz stain.
		See Surface Materials Reference Manual.
• Full-fill finish on wood group 1	+\$ 844	Specify full-fill finish number.
Bracket paint		
5 · · · · · · · · · · · · · · · · · · ·		
 Paint price group 1 	No cost	Specify paint color number.
Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 33 +\$ 63	Specify paint color number. Specify paint color number. Specify paint color number.

Spe	Specification information					
· Dime	ensions W	•Style Number	· U.S. Base Price			
27"	60"	TS8RW	\$819 :			



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Mid Transaction Top and Transaction Top



Standard Includes

Required to Specify

Need help? Product details, page 76

Surface

Materials

- 1/2"-thick top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides:
- default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected
- · Mounting bracket: paint price group 1
- · Ships ready to assemble

- 1 Style number
- 2 Low-Pressure Laminate color number for top
- 3 Plastic color number for edge, if High-Pressure Laminate selected
- 4 Paint for mounting bracket
- 5 Options, if selected (see below)

Required to Specify

► See Surface Materials, page 496.

Tip: Add Transaction Top to a standing height Bivi Table for Two to create a standing height conference setting.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

Tip: Wood veneer tops have matching flat veneer self-edge.

Options	U.S. Price
High-Pressure Laminate price group 1	+\$ 137
High-Pressure Laminate price group 2	See information at left
 High-Pressure Laminate price group 3 	See information at left
 Open Line laminate 	+\$ 102
	plus cost
	of laminate

Specify High-Pressure Laminate color number.
Specify High-Pressure Laminate color number.
Specify High-Pressure Laminate color number.

See Surface Materials Reference Manual.

+\$ 724	Specify wood color number.
+\$ 844	Specify wood color number.
+\$1151	Specify wood color number.
No cost	Specify with Customiz stain.
	See Surface Materials Reference
	Manual.
+\$ 844	Specify full-fill finish number.
No cost	Specify paint color number.
+\$ 33	Specify paint color number.
+\$ 63	Specify paint color number
	+\$ 844 +\$1151 No cost +\$ 844 No cost +\$ 33

Specification Information

· Style	·U.S.
Number	Base
:	Price

Tip: Mid Transaction Top is used at standing height with two 24"D tops. Transaction Top is used at standing height with two 30"D tops.

Tip: Only intended to be used at standing height at the end of two Full Tops.

Mid Transaction Top

		<u>-</u>		
18"	48"	TS8MIDTT	¢ 040	
18	48	I 29MID I I	\$ 918	
		•		

Transaction Top

18"	571/4"	TS8HIGHTT	\$1058			
		and the second s	· · · · · · · · · · · · · · · · · · ·			



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor.

See page 1 for details.

Mini Transaction Top

► Need help?

page 77

Product details,



Tip: Mini Transaction Tops are placed on the wide ends of two Upper Dual Tops.

Standard Includes

• 1/2"-thick top: Low-Pressure Laminate

- 3 mm plastic edge band on front and 1 mm on back and sides:
 - default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selectedMounting bracket: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for top
- 3 Plastic color number for edge, if High-Pressure Laminate selected
- 4 Paint color number for bracket
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate top		
Materials	 High-Pressure Laminate price group 1 	+\$ 137	Specify High-Pressure Laminate color number.
	High-Pressure Laminate price group 2	See information at left	Specify High-Pressure Laminate color number.
	 High-Pressure Laminate price group 3 	See information at left	Specify High-Pressure Laminate color number.
	Open Line laminate	+\$ 102 plus cost	See Surface Materials Reference Manual.
		of laminate	iviai iuai.
	Wood veneer top		
	 Wood group 1 	+\$ 724	Specify wood color number.
	 Wood group 2 	+\$ 844	Specify wood color number.
	 Wood group 3 	+\$1151	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	+\$ 844	Specify full-fill finish number.
	Bracket		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 33	Specify paint color number.
	Paint price group 3	+\$ 63	Specify paint color number.

Specification Information

 Dimensions 		·Style	·U.S.		
D	W	Н	Number	Base	
:			:	Price	
18"	411/4"	2"	TSADHTT	\$617	

Tip: Only intended to be used at standing height at the end of two Upper Dual Tops.

Tip: For detailed dimensions information, refer to Actual Dimensions, page 74.



For Canadian Pricing Multiply U.S. Price by the

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Need help?

page 76

Product details,

End Hanging Top



Tip: End Hanging Top can only be attached to the end of a Bivi run.

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Tip: End Hanging Top can only be attached at seated height.

Standard Includes

- 1/2"-thick top: Low-Pressure Laminate
- · 3 mm plastic edge band on front and 1 mm on back and sides:
 - default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected
- · Mounting bracket: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for top
- 3 Plastic color number for edge, if High-Pressure Laminate selected
- 4 Paint color number for mounting bracket
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate t	top	
Materials	 High-Pressure Laminate 	+\$ 137	Specify High-Pressure Laminate
	price group 1		color number.
	 High-Pressure Laminate 	See information	Specify High-Pressure Laminate
	price group 2	at left	color number.
	High-Pressure Laminate	See information	Specify High-Pressure Laminate
	price group 3	at left	color number.
	Open Line laminate	+\$ 102	► See Surface Materials Reference
		plus cost	Manual.
		of laminate	
	Wood veneer top		
	• Wood group 1	+\$ 724	Specify wood color number.
	Wood group 2	+\$ 844	Specify wood color number.
	Wood group 3	+\$1151	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference
			Manual.
	 Full-fill finish on wood group 1 	+\$ 844	Specify full-fill finish number.
	Mounting bracket		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$ 33	Specify paint color number.
	Paint price group 3	+\$ 63	Specify paint color number

Spe	Specification Information						
· Dimo	ensions W	• Style Number	· U.S. Base Price				
18"	60"	TS8EHTT	\$1183				



Gallery Panel



Tip: Gallery Panel can only be attached to the end of a Bivi run.

Tip: Gallery Panel includes two gap fillers attached to the side of the panel.

Tip: Plywood finish is not available on Gallery Panel.

Tip: High-Pressure Laminate Gallery Panels have a plastic edge. Please specify a plastic color number for the

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer Gallery Panels have matching flat veneer self-edge.

Standard Includes

► Need help? • 1/2"-thick top: Low-Pressure Laminate Product details, page 76

- 3 mm plastic edge band on front and 1 mm on back and sides:
 - default color to match, if Low-Pressure Laminate selected
- plastic, if High-Pressure Laminate selected
- Two gap fillers and mounting bracket: paint price group 1
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for panel
- 3 Plastic color number for edge, if High-Pressure Laminate selected
- 4 Paint color number for gap fillers and mounting bracket
- 5 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
urface	High-Pressure Laminate		
laterials	 High-Pressure Laminate price group 1 	+\$ 137	Specify High-Pressure Laminate color number.
	High-Pressure Laminate	See information	Specify High-Pressure Laminate
	price group 2	at left	color number.
	 High-Pressure Laminate 	See information	Specify High-Pressure Laminate
	price group 3	at left	color number.
	Open Line laminate	+\$ 102	► See Surface Materials Reference
	-	plus cost	Manual.
		of laminate	
	Wood veneer		
	 Wood group 1 	+\$ 724	Specify wood color number.
	Wood group 2	+\$ 844	Specify wood color number.
	Wood group 3	+\$1151	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	• Full-fill finish on wood group 1	+\$ 844	Specify full-fill finish number.
	Gap fillers and mounting bra	cket	
	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 9	Specify paint color number.
	Paint price group 3	+\$ 23	Specify paint color number.

Specification Information

· Dim W	ensions H	• Style Number	· U.S. Base Price	
60"	281/2"	TS8EHGP	; \$952	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Table-Mounted Monitor Arm Brace

Need help?

page 76

Product details,



Tip: Bivi Monitor Arm Braces can be used at seated and standing height with no additional parts.

Tip: Does not include the monitor arm; must be ordered separately.

Tip: See Bivi Monitor Arm Brace Matrix to understand applications and limitations. ► See page 79

Tip: Monitor arms and laptop supports with C-clamp brackets are not approved on Bivi tables.

Tip: Other monitor arm mounting plates are available through specials.

Tip: This brace is not compatible with worksurfaces and support brackets manufactured prior to August 31, 2016.

Standard Includes

· Bivi monitor arm brace

- Mounting plate specific to monitor arm: paint price group 1
- Bracket: 0835 Black only
- · Ships ready to assemble

Required to Specify

- 1 Style number 2 Width (see below under Required
- Selections)
 3 Mounting plate type (see below under Required Selections)
- 4 Page 201 number for mounting plate:
 - 0835 Black 4231 Arctic White
- 4799 Platinum Metallic
- 7018 Pewter
- 5 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selection	ons U.S. Price	Required to Specify	
Width	• 48"W • 60"W • 72"W	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".	
Mounting Plate	• CF	No cost	Specify with CF mount.	

	Options	U.S. Price	Required to Specify
Surface	Mounting plate		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$9	Specify paint color number.

Specification Information Style · U.S. Base Prices · Dimensions D Н Number 48"W 60"W · 72"W 15" 2" **TS8TMBRAC** \$347 \$373 \$379

Lower Footshelf



Tip: Use with high sit/stand tables.

Need help?
Product details,
page 48

- Standard Includes

 Footshelf: paint price group 1

 Width: 48"W, 60"W, or 72"W
- Ships ready to assemble

· Paint price group 3

Bracket

Required to Specify

- 1 Style number
- 2 Paint color number for Footshelf
- 3 Width (see below under Required Selections)
- 4 Bracket count (see below under Required Selections)
- 5 Options, if selected (see below)

Specify paint color number.

► See Surface Materials, page 496.

	Required Selections	s U.S. Price	Required to Specify
Width	• 48"W	Prices below	Specify with 48"W.
	• 60"W	Prices below	Specify with 60"W.
	• 72"W	Prices below	Specify with 72"W.
Bracket	One bracket	No cost	Specify with one bracket.
Count	 Two brackets 	+\$40	Specify with two brackets.

Options U.S. Price Required to Specify Surface Paint Paint price group 1 No cost Specify paint color number. Paint price group 2 +\$39 Specify paint color number.

Spe	Specification Information					
Dime	ensions	· Style	∙U.S. Ba			
; D	Н	Number	48"W	60"W	72"W	
-		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·		
51/2"	2"	TS8FSL	\$441	\$524	\$599	

+\$80

Tip: The first Footshelf should be specified with two brackets and adjacent Footshelves should be specified with one bracket, as they share the inside bracket.

to a Bivi Leg that was manufactured on or before 7/17/16 (style number TS2RPBSL), an adapter bracket is required to attach the Footshelf (TS8FRETROSR).

Tip: When adding a Footshelf



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

Upper Footshelf



Tip: Use with high sit/stand tables.

Standard Includes Need help? Product details, page 48 Ships ready to assemble Bracket

Required to Specify
1 Style number
2 Paint color number for Footshelf
3 Width (see below under Required
Selections)
4 Bracket count (see below under
Required Selections)
5 Options, if selected (see below)
► See Surface Materials, page 496.

Tip: The first Footshelf should
be specified with two brackets
and adjacent Footshelves
should be specified with
one bracket, as they share
the inside bracket.

	Required Selections	U.S. Price	Required to Specify	
Width	• 48"W	Prices below	Specify with 48"W.	
	• 60"W	Prices below	Specify with 60"W.	
	• 72"W	Prices below	Specify with 72"W.	
Bracket	One bracket	No cost	Specify with one bracket.	
Count	 Two brackets 	+\$47	Specify with two brackets.	
			- · · · · · ·	

	Options	U.S. Price	Required to Specify
Surface	Paint		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$39	Specify paint color number.
	 Paint price group 3 	+\$80	Specify paint color number.



Leg Infill



Tip: Leg Infills work at the end of Bivi Tables and Spines. Not recommended in the middle of runs, to allow for power and data cord pass through.

Standard Includes Required to Specify

- Need help?
 Product details,
 page 76
- Leg infill fabric: fabric price group 1
- · Ships ready to assemble

- 1 Style number
- 2 Fabric number for leg infill
- 3 Options, if selected (see below)
- See Surface Materials, page 496.


	Options	U.S. Price	Required to Specify
Surface Materials	 Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Customer's Own Material (COM) 	No cost +\$20 +\$25 +\$34 +\$47 +\$55	Specify fabric color number. See Customer's Own Material (COM), page 497.
Related Products	Standard Leg Leg Modesty		➤ See above ➤ Page 145

Specification Information

\$579

Price
•

Leg Modesty



Þ	Need help?
	Product details,
	page 76

TS8LEGFILL

Standard Includes

- Leg modesty: fabric price group 1
- Bracket: paint
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Fabric number for leg modesty
- 3 Options, if selected (see below)
- See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Customer's Own Material (COM) 	+\$36 +\$51 +\$73 +\$97 +\$55	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. See Customer's Own Material (COM), page 497.
Related	Standard Leg		▶Page 100

Tip: Leg Modesty recommended at the end of Bivi Tables and Spines along with Leg Infills to reduce visual clutter.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information
Style · U.S. Base
Number · Price

TS8LEGMOD

\$690

Top Shelf



	Standard Includes	Required to Specify
Need help? Product details, page 76	Top Shelf: paint price group 1	1 Style number 2 Paint color number for Top Shelf 3 Options, if selected (see below) ▶ See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$33 +\$63	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information							
· Dime	ensions W	Н	• Style Number	· U.S. Base Price			
8 ¹ /2"	19"	8"	TS2ACMS	\$323			

Bottom Shelf



Tip: Bottom Shelf hooks into Bivi Leg.

	Standard Includes	Required to Specify
► Need help? Product details, page 76	Bottom Shelf: paint price group 1	1 Style number2 Paint color number for Bottom Shelf3 Options, if selected (see below)▶ See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$33	Specify paint color number.
	 Paint price group 3 	+\$63	Specify paint color number.

Spe	Specification Information							
· Dime	ensions W	н	• Style Number	· U.S. · Base · Price				
81/2"	181/2"	17"	TS2ACTH	\$311				



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Hooks



Tip: Hook attaches to a Bivi Leg, Arch, or wall.

Surface

Materials

	Standard Includes	Required to Specify
Need help? Product details, page 76	Hooks: paint price group 1	1 Style number 2 Paint color number for hook 3 Options, if selected (see below) ► See Surface Materials, page 496

U.S. Price

No cost

+\$ 9

+\$23

Specification Information							
	ensions W	н	·Style Number	·U.S. Base Price			
Pack	age o	f Two	·	·			
13⁄4"	2"	1"	TS2ACMH2	\$ 81			
 Pack	age o	f Four	·	·			
13/4"	2"	1"	TS2ACMH4	\$130			

Mini Hook



Tip: Mini Hook attaches to Bivi High Sit Bracket with Modesty Panel, TS8HSMREV, manufactured on or after 11/6/2017.

	Standard includes	
Need help?	Mini Hook, quantity of one: paint price group 1	1
Product details,		2
page 76		

· Paint price group 3

Options

· Paint price group 1

• Paint price group 2

· Paint price group 3

Required to Specify

Required to Specify

Specify paint color number.

Specify paint color number.

Specify paint color number.

- 1 Style number
- 2 Paint color number
- 3 Options, if selected (see below)
 ► See Surface Materials, page 496.

Specify paint color number.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2	No cost +\$ 9	Specify paint color number. Specify paint color number.
Materiais	1 and price group 2	τ φ 3	opecity paint color number.

+\$23

Spe	Specification Information						
Dimensions D W H			• Style Number	· U.S. Base Price			
23/4"	13/8"	3"	TS8HOOKMINI	\$33			



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Metal Screen



Tip: Screens are not markerboards. Writing will not erase from the painted surface.

Tip: The Bivi Metal Screen has been redesigned to fit over the stability brace in the 72"W Bivi Trough. Previous Bivi Metal Screen style number TS2SCREEN only works with 48"W and 60"W Bivi Troughs.

	Standard Includes	Required to Specify
Need help? Product details, page 45	Steel screen: paint price group 1 Trough mounting brackets: plastic	 1 Style number 2 Paint color number for steel screen 3 Plastic color number for Trough mounting brackets: 6009 Arctic White 6249 Plastic Solid 6527 Merle 4 Options, if selected (see below) See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$33	Specify paint color number.
	 Paint price group 3 	+\$63	Specify paint color number.
Specificat	ion Information		

·Dimensions			· Style	·U.S.	
D	W	Н	Number	Base Price	
			:	<u>:</u>	
31/3"	30"	14 ¹ / ₄ "	TS8SCREENM	\$323	

► Need help?

page 44

Product details,

Tackable Screens



Trough mount

Tip: 36"W screens do not work on 60"W Bivi tables.

Tip: Plastic is not available for Trough mount base.

Tip: Trough mounted screens can be converted to free-standing by ordering the freestanding base. See Service Parts for more information.

Tip: 36"W screen is intended for 48"W Bivi tables. 48"W screen is intended for 60"W Bivi tables. 60"W screen is intended for 72"W Bivi tables. This leaves 6" on each side for a future side storage to be added without having to add a new screen insert. If no gaps are desired, a 48"W screen may be used on a 48"W table, a 60"W screen may be used on a 60"W table, and a 72"W screen may be used on a 72"W table.

Standard Includes

- Tackable fabric: fabric price group 1
 - Mount base: plastic, if freestanding base selected or steel, paint price group 1, if trough mount base selected
- · Stanchions: plastic
- · Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Fabric color number for tackable screen
- 3 Height (see below under Required Selections)
- 4 Width (see below under Required Selections)
- 5 Mount option (see below under Required Selections)
- 6 Plastic color number for stanchions: 6009 Arctic White 6249 Platinum Solid 6527 Merle
- 7 Options, if selected (see below)
- See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Height	• 13"	Prices at right	Specify with 13".
-	• 19"	Prices at right	Specify with 19".
Width	• 36"	Prices at right	Specify with 36".
	• 48"	Prices at right	Specify with 48".
	• 60"	Prices at right	Specify with 60".
	• 72"	Prices at right	Specify with 72".
Mount Option	Trough mount	No cost	Specify with Trough mount.
-	Freestanding	+\$ 32	Specify with freestanding.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	Fabric price group 1	No cost	Specify fabric color number.
	 Fabric price group 2 	+\$ 73	Specify fabric color number.
	 Fabric price group 3 	+\$101	Specify fabric color number.
	 Fabric price group 4 	+\$134	Specify fabric color number.
	 Fabric price group 5 	+\$186	Specify fabric color number.
	Customer's Own Material	+\$ 55	See Understanding Customer's (COM) Own Material (COM), page 497.
	Freestanding base		
	 Plastic 	No cost	Specify plastic color number.
	 Paint price group 1 	+\$ 44	Specify paint color number.
	 Paint price group 2 	+\$ 52	Specify paint color number.
	 Paint price group 3 	+\$ 65	Specify paint color number.
	Trough mount base		
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 12	Specify paint color number.
	 Paint price group 3 	+\$ 23	Specify paint color number.
	Stanchions		
	 Plastic 	No cost	Specify plastic color number.
	 Paint price group 1 	+\$ 44	Specify paint color number.
	 Paint price group 2 	+\$ 52	Specify paint color number.
	 Paint price group 3 	+\$ 65	Specify paint color number.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specification Information						
· Style Number	· Dimo	ensions H	· U.S. Base Price			
TS8SCREENTREV	36"	13"	\$484			
	36"	19"	\$598			
	48"	13"	\$598			
	48"	19"	\$652			
	60"	13"	\$652			
	60"	19"	\$706			
	72"	13"	\$706			
	72	19"	\$762			

Freestanding

Trough mount

Organizer

Ì	► Need help?
	Product details,
	page 44

Standard Includes

Organizer: paint price group 1

Required to Specify

- 1 Style number
- 2 Paint color number for Organizer
- 3 Options, if selected (see below) ► See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2	No cost +\$33	Specify paint color number. Specify paint color number.
Materiais	Paint price group 3	+\$63	Specify paint color number.

Specification Information						
Dimer D	nsions W	н	• Style Number	· U.S. Base Price		
11½"	141/8"	7"	TS20RGANIZE	\$257		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Need help?

page 44

Product details,

Leg Covers





Tip: Half Cover for use with Footshelf.

Standard Includes

- Leg Cover quantity of one: paint price group 1
- Half or full cover
- Screws: black or silver (depending on paint color)

Required to Specify

- 1 Style number
- 2 Paint color number for leg cover
- 3 Leg Cover application (see below under Required Selections)
- 4 Options, if selected (see below)
- ► See Surface Materials, page 496.

	Required Selections	U.S. Price	Required to Specify
Application	HalfFull	Prices below Prices below	Specify with half. Specify with full.

Options	U.S. Price	Required to Specify			
Package of one					
 Paint price group 1 	No cost	Specify paint color number.			
 Paint price group 2 	+\$ 9	Specify paint color number.			
Paint price group 3	+\$ 23	Specify paint color number.			
Package of eight					
 Paint price group 1 	No cost	Specify paint color number.			
 Paint price group 2 	+\$ 68	Specify paint color number.			
Paint price group 3	+\$124	Specify paint color number.			
	Package of one Paint price group 1 Paint price group 2 Paint price group 3 Package of eight Paint price group 1 Paint price group 2	Package of one Paint price group 1 Paint price group 2 Paint price group 3 Package of eight Paint price group 1 Paint price group 1 Paint price group 2 Paint price group 2 Package of eight			

	Paint price group 2Paint price group 3		+\$ 6 +\$12		Specify paint color number. Specify paint color number.
Spe	cificatio	n Information			
· Dim D	ensions W	·Style Number	·U.S. B Half	ase Prices Full	
Pac	kage of C)ne			
7/8"	2"	TS8LEGCVR	\$ 89	\$121 :	
Pac	kage of E	ight			
7/8" :	2"	TS8LEGCVR8PK	\$317 :	\$377	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

Trough Covers



Tip: Trough covers do not work with troughmounted screens, TS8SCREENTREV.

Standard Includes

Required to Specify

► Need help? • Trough covers: paint price group 1 Product details,

page 43

- 48"W and 60"W troughs: set of two covers
- 72"W trough: set of three covers

- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Paint color number for trough cover
- 4 Options if selected (see below)
- ► See Surface Materials, page 496.

Required Selections	U.S. Price	Required to Specify
• 48"W	Price below	Specify with 48"W.
• 60"W	Price below	Specify with 60"W.
• 72"W	Price below	Specify with 72"W.
	• 48"W • 60"W	• 60"W Price below

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$23 +\$41	Specify fabric color number. Specify fabric color number. Specify fabric color number.

Specification Information

	U.S. Base Prices		
· Style · Number	•48"W	:60"W	•72"W
TS8CTCVR	\$244	\$256	\$278

Trough End Covers



Standard Includes

Required to Specify

- ► Need help? Product details, page 42
- Trough end covers, set of two: paint price group 1
- 1 Style number 2 Paint color number for Trough end covers
- 3 Options, if selected (see below) ► See Surface Materials, page 496.
- Required to Specify

	Options		inequired to opening
Surface	 Paint price group 1 	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$ 9	Specify paint color number.
	 Paint price group 3 	+\$23	Specify paint color number.

Specification Information ·U.S. · Dimensions Style D Number Base **Price** TS2CTEC

\$76



For Canadian Pricing

See page 1 for details.

7/8"

4"

45/8"

Trough Floor Covers



	Standard Includes	Required to Specify
Need help? Product details, page 42	Trough floor covers, set of two: paint price group 1	1 Style number2 Paint color number for Trough floor covers3 Options, if selected (see below)See Surface Materials, page 496.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 9 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.
• Dimensions D W	on Information • Style • Number	·U.S. Base Price	
2 ¹ / ₂ " 8"	TS2CTFC	\$86 :	

Media Support Mount



Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes		Required to Specify
Need help? Product details, page 82	Monitor mount for Bivi Tall Arch: blackMounting bracketShips ready to assemble	Style number

Specification Information Dimensions D W Style Number Price 22" 24" TS8TECHMM \$749



Media Support Shroud



Tip: A Media Support Mount is needed to be able to attach Shelf.

Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes Required to Specify

- ► Need help? Product details, page 82
- Aluminum shroud: paint price group 1
- · Ships ready to assemble

- 1 Style number
- 2 Paint color number for shroud
- 3 Options, if selected (see below)
- See Surface Materials, page 496

		Options	U.S. Price	Required to Specify
Surface	е	Shroud		
Materia	als	Paint price group 1	No cost	Specify paint color number.
		 Paint price group 2 	+\$45	Specify paint color number.
		Paint price group 3	+\$86	Specify paint color number.
Speci	ificatio	n Information		
· Dimen D	sions W	· Style Number	·U.S. Base Price	
<u>: </u>		:	:	
241/2"	451/2"	TS8TECHSHROUD	\$1051	

Media Support Shelf



Tip: A Media Support Mount is needed to be able to attach Shelf.

►See below

Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes	Required to Specify	

Need help? Product details, page 82

- Media Support Shelf: paint price group 1
- · Ships ready to assemble

- 1 Style number
- 2 Paint color number for shroud 3 Options, if selected (see below)
- ► See Surface Materials, page 496

	Options	U.S. Price	Required to Specify
Surface	Shelf		
Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$33 +\$63	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information				
Dime	nsions W	· Style · Number	·U.S. Base Price	
10"	27"	TS8TECHSHELF	\$384	




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Media Support System Value Package



Tip: Media Support System Value Package includes Monitor Mount, Shroud, and Shelf.

Tip: Shroud and shelf will be the same paint color. Order the components (TS8TECHSHROUD and TS8TECHSHELF) seperately if different paint colors are needed.

Tip: Media Support System can only be attached to the Bivi Tall Arch.

Required to Specify Standard Includes ► Need help? · Monitor mount for Bivi Tall Arch: black 1 Style number 2 Paint color number for shroud Product details, • Aluminum shroud: paint price group 1 page 82 · Tech shelf: paint price group 1 3 Paint color number for shelf Mounting brackets 4 Options, if selected (see below) · Ships ready to assemble See Surface Materials, page 496

		Options	U.S. Price	Required to Specify
Surface	е	Shroud		
Materia	als	 Paint price group 1 	No cost	Specify paint color number.
		 Paint price group 2 	+\$45	Specify paint color number.
		 Paint price group 3 	+\$86	Specify paint color number.
		Shelf		
		 Paint price group 1 	No cost	Specify paint color number.
		Paint price group 2	+\$33	Specify paint color number.
		Paint price group 3	+\$63	Specify paint color number.
Spec	ification	n Information		
Dimen		Style	∙u.s.	
; D	W	Number	Base Price	
:		· ·	:	
301/2"	451/2"	TS8TECHSY	\$1877	

