# **Collaborative Surfaces Specification Guide**

### **Availability**

Electronic price list updated with release 202.D (U.S.) and 157.D (Canada), dated December 15, 2025.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an . ollowed by the last order entry date.

### **Surface Materials**

**The surface materials team** has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

▶ For a list of all trademarks, refer to the last page of this specification guide. © 2025 Steelcase Inc.

Working with This Specification Guide	
Ten Tips: How to Get The Most Out of This Book	2
Additional Resources	4
Statement of Line	6
Material Resources	9
Wall Mounted	13
Mobile and Privacy	65
Accessories	81
Resources	89




### For Canadian Pricing

Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:


- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- · Add base and options for total list price.

# **Ten Tips:**

# How to Get the Most Out of This Book



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you



**Use the Statement of** Line pages for an overview of the available components, their sizes, and page references for additional information. Each Understanding chapter includes a statement of line after the table of contents.

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- · Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics



Find cross references by looking for page numbers flagged with an arrow.

### **Product Drawing**


shows you what the product looks like and points out important features.

### **Product Details**

gives specific information on the product and how it is used.

### Connections

describes how the product is assembled or how it attaches to another product.



### **Actual Dimensions** table lists the dimensions

of the product.

### Wiring and Cabling

details the power and cable-management and cable routing capabilities of the product.

### **Surface Materials**

lists what material is used for each part of the product.

### Tip 5

### Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- · Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number

**Product Drawing** 

shows you what the

product looks like.

• Price

### Standard Includes

(under the red or dark grey band) provides a list of what comes standard with the product.

### dot.

(under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

**Required to Specify** 

### Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

# See the forzontal Frame Packages—This Trim Fellow Buildags - Secretary of the following of

### Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

### **Related Products**

provide specification information for products that are directly related.

### Tip 6

### Required to Specify

Specify with Customiz Stain

**Italic typeface** on specifying pages usually identifies wording that you should use in your order.


### Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

**Watch for tips** throughout the text that give you explanations and helpful instructions.

### Tip 8



**Learn what you cannot do** by looking for drawings crossed out with an "X."

### Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

### Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
T\$7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

## **Additional Resources**

### Collaborative Surfaces products are supported with informational materials, tools, and software to help you plan, specify, and order

an installation efficiently.

### **Printed Materials**

### Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www.steelcase.com web site or at village.steelcase.com

### **Computer Tools**

### **Electronic Catalog**

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

### Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

### **Digital Publications**

You can access these digital publications at www.steelcase.com or village.steelcase.com.

### Support

### **Steelcase Capabilities**

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

### For ordering or product assistance, please

call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to: http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: www.steelcase.com.

### **Sustainability**

At Steelcase, we believe business can be a force for good. We create long-lasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies.

To learn more at a corporate level, visit: https://www.steelcase.com/ discover/steelcase/esgoverview/environmental/

Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at Origin.build.

Additional Resources

# **Statement of Line**


### **Wall Mounted**



**Parametric Premium** Whiteboards and Tackboards

Understanding ▶Page 16


Specifying
Pages 28 and 37–38



Flow

Understanding

Page 40 Specifying ▶Page 42




**Horizontal Flow** 

Understanding

Page 44

Specifying
Page 46




Sans

Understanding

Page 48


Specifying
Page 50



Sans Light

Understanding

► Page 51 Specifying ► Page 53



Accord

Understanding Page 54

Specifying ▶Page 55




### Motif

Understanding ▶ Page 56

Specifying

▶Pages 57–58




### Serif

Understanding ▶ Page 59

Specifying

▶Page 60




### Tac

Understanding ▶ Page 61

Specifying

▶Page 62



### Glass

Understanding ▶Page 63

Specifying ▶Page 64

## **Mobile, Privacy, and Accessories**



**Groupwork Screens** 

Understanding ▶Page 66 Specifying
Page 68



**Groupwork Marker** Trays

Understanding Page 66
Specifying

▶ Page 70



**Textura Mobile** 

Understanding ► Page 71

Specifying
Page 72




Verb Personal **Whiteboard** 

Understanding Page 71
Specifying
Page 74



Verb Easel Understanding


▶Page 73 Specifying
Pages 75–76



### **Boundri**

Understanding
►Page 78
Specifying

▶Page 80



### **Collaborative ToolBar**

Understanding ► Page 82 Specifying

▶Page 83



### **Collaborative ToolBar**

Mini

Understanding

▶Page 82

Specifying ▶Page 83

# **Material Resources**

12

# Material Resources

Material Description

aτ	eriai Resources	
	e <sup>3</sup> environmental CeramicSteel	10
	Cleaning/Daily Care and Maintenance	1

# e<sup>3</sup> environmental CeramicSteel

### The e<sup>3</sup> environmental CeramicSteel Difference

Steelcase Premium White Boards incorporate the e3 environmental CeramicSteel surface, which is the first and only ecologically intelligent whiteboard surface to receive a MBDC Cradle to Cradle Bronze certification. Cradle to Cradle certification evaluates products for environmentally safe and healthy materials; energy and water use during production, the ability to recycle and reuse materials, and social responsibility. Steelcase has created its fourth generation of CeramicSteel writing surfaces, e3, which delivers the properties of its best selling writing surface, P3 CeramicSteel, and complies with the Cradle to Cradle certification criteria. Steelcase will continue to follow standards set forth by MBDC Cradle to Cradle certification to reaffirm our commitment to sustainability. For over five decades, millions of boards have been produced around the world using P3 CeramicSteel. Steelcase used this cross section of consumers to gather the information that helped determine what the next generation of writing surfaces should provide. Our internationally renowned R&D team worked with experts in the field of ceramics and technology to create e3 environmental CeramicSteel surface - the new industry standard for superior quality.

### The e<sup>3</sup> environmental CeramicSteel Advantage

The ceramic finish consists of a specially formulated glass substance applied by machine. The e³ environmental CeramicSteel surface is fused to steel at a temperature of approximately 1500 degrees Fahrenheit for whiteboards. It registers at a minimum of five (5) on the revised Mohs hardness scale.

### Benefits of e<sup>3</sup>

- · Ultra-smooth writing surface
- · Improved erasability
- · Greater color contrast
- · Significantly less surface/light distortion
- Optimum eye comfort
- Enhanced visibility
- Reduced chalk pressure, greater adherence
- · Increased chalk/surface contrast
- Accepts magnets

### **Environmental Features**

- Enamel fused to cold-rolled enameling-grade steel
- In all coatings, the total amount of heavy metals cadmium, mercury,
- hexavalent chromium, and lead is less than 0.1%
- · All coatings are free of arsenic and antimony
- · No Volatile Organic Compounds (VOCs)
- Steel core is made from minimum 30% post-consumer and post-industrial waste
- e³ environmental CeramicSteel surface is 99% recyclable

# **Cleaning/Daily Care and Maintenance**

### **Maintenance**

# Before the first use of your CeramicSteel:

- Remove the protective film.
- Wipe board with a clean cloth moistened with a high-quality whiteboard cleaner
- Wipe surface dry with a clean cloth.

### Daily cleaning instructions for your CeramicSteel:

- Wipe surface with a clean cloth moistened with warm water
- Wipe surface dry with a clean cloth.

More thorough cleaning may be required if writing is left on the board for more than two days.

### Textura Fabric Cleaning and Care

Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo.

- For deeper cleaning use alcohol spray or wipes.
   Bleach can be used by following the guidelines below.
- Anti-bacterial sprays and wipes can be used to wipe down the fabric to disinfect.

# General commercial disinfection:

- Use a household bleach (containing approximately 4.5 oz per 100 oz of sodium hypochlorite), which should then be used in a 1:10 dilution.
- Follow the instructions of the brand.
- Measure out the required dose in relation to the quantity of water, soak a white or lightly colored cloth in the solution, squeeze out any access liquid and gently wipe the fabric before leaving dry.

# Acoustic Cleaning and Care

Remove spills immediately using damp, clean cloth. Dab with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. Always test in an inconspicuous area first.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

Note: Fabrics have been developed to withstand regular cleaning maintenance and disinfection. Please follow the manufacturer instructions on cleaning and disinfection agents. We recommend spot testing on an inconspicuous part of the material first. Fabric samples are available for testing by contacting samples@polyvision.com.

### **Markers**

Use any high-quality dry erase marker.



For optimal performance, Steelcase recommends the use of high quality solvent-based dry-erase markers, as opposed to water-based dry-erase markers (also called "low odor markers"). Low odor markers do not perform as well as solvent-based because the water takes longer to dry and the ink clings more aggressively to the board's surface, leaving behind a film. Replace markers when almost dry to avoid poor erasability. Replace the eraser felt regularly. Dirty felt or erasers will result in poor erasability.

### Removing Permanent Marker

Option 1:

- Write over the top of the permanent marker ink with a dry-erase marker
- Simply erase

### Option 2

- Moisten a clean, dry cloth with isopropyl alcohol
- Wipe the board in a circular motion to loosen marker residue
- · Rinse with clear water
- Dry the board with a clean cloth
- Repeat these steps as necessary

### Installer's Instructions for Initial Cleaning at Time of Installation

NOTE: These initial cleaning instructions are shipped with every board.

- For initial cleaning, wipe your board with a clean cloth moistened by a mild, alcohol-based cleaner.
- Rinse with clear water.
   This step is simple, but very important.
- Wipe dry with a clean cloth

# **Material Description**

e³ environmental CeramicSteel is produced by a controlled, continuous coil-coating process. The surface consists of a steel core of .013" and .019" thickness covered on both sides with thin enamel coatings. The ceramic finish is fused to the steel at a temperature of approximately 1500°F for whiteboard and 1250°F for chalkboard.

### Characteristic

### e<sup>3</sup> environmental CeramicSteel

### Writeability

Whiteboards can be written on with any dry-erase, semipermanent, water-soluble, permanent marker, pen, or crayon without damaging the surface. Chalkboards have a superior, low-gloss, matte finish that readily accepts chalk providing a sharp, unbroken line with less pressure and maximum surface adherence.

### **Visibility**

Contrast/waviness for whiteboards (light and dark effects) shall be no greater than 15 when tested with BYK - Gardner Wave Scan 5+ measurement device showing visual acuity (contrast sensitivity) to the human eye at distances greater than 3 meters (10'–0"). Contrast/waviness for chalkboards (light and dark effects) shall be no less than 20 when tested with the contrast measurement test with 773-gram load on chalk. Resolution (visual acuity) shall be based on 3 lines per degree and be visibly maintained beyond the current standard of 3 meters.

### **Erasability**

For whiteboards, dry-erase marker ink can be wiped off easily with a dry cloth or standard eraser. Crayon, semi-permanent, and permanent marker pen inks can be removed with a solvent based cleaner. Chalkboards erase easily with a dry cloth or standard chalk eraser, retains minimal residual chalk dust, and will not leave "ghost writing." Color change (dark/light) after chalk erasing is reduced 60% from traditional surfaces.

# Cleanability (Washability)

WET Ghost measurements on chalkboard surfaces before and after wet cleaning shall not exceed a factor of 0.49. For further care and cleaning instructions, refer to the <a href="https://www.steelcase.com/en/products/category/markerboards/static-boards">www.steelcase.com/en/products/category/markerboards/static-boards</a>.

### Wearability

Vitrified glass-hard ceramic surface fused to light-gauge enameling grade steel at approximately +1250°F for chalkboards and +1500°F for whiteboards. High resistance to impact damage, abrasion, scratching, and color fading. The e³ environmental CeramicSteel surface registers at a minimum of 5 for chalkboards and 6.5 for whiteboards on the revised Mohs hardness scale.


### **Magnet Capability**

The e³ environmental CeramicSteel surfaces are ideal for all magnets and magnetic impregnated materials and will not be scratched or damaged from the contact.

### Flame Resistance

The  $e^3$  surface is 100% non-combustible.

### Low-Gloss Whiteboards



The ultra-smooth finish enables dry markers and chalk to glide easily across the e³ environmental CeramicSteel surface with minimal friction. The surface smoothness allows more dry-erase ink and chalk to be removed, improving erasability and eliminating "ghost writing".


\*All whiteboard erasability tests were conducted using High-Gloss e<sup>3</sup> environmental CeramicSteel surfaces.

### Writeability

Low-Gloss provides the same writing characteristics as High-Gloss.

### **Erasability**


Low-Gloss surfaces will not erase as thoroughly as High-Gloss surfaces. When this occurs, a water-dampened cloth will be required to erase the surface.



Surface distortion (Orange Peel) has been reduced significantly in direct comparison with the competition's surface.

### Cleanability

After normal erasing of Low-Gloss surfaces, solvents may be used to remove harder-to-erase dry marker inks and residue from other pens. Always clear water rinse after using any cleaning agent on the surface.



The e<sup>3</sup> environmental CeramicSteel surface maximizes the performance of reflected light and reduces surface glare, resulting in improved visibility under a wide range of lighting conditions.

# Wall Mounted

/all Mounted		
Understanding Parametr	ics	14
Parametric Premium Wh	iteboards and Tackboards	16
Edge Series		18
110 Series		20
555 Series		22
Polyvision Parametric W	hiteboards	37
Flow		40
Horizontal Flow		44
Sans		48
Sans Light		51
Accord		54
Motif		56
Serif		59
Tac		61
Glass		63

# **Understanding Parametrics**

### What is Parametric?

Parametrics is the ability for a customer to change dimensions of a product within pre-engineered limits.

Customers do not have to go through the specials process for dimensional size changes, thus reducing lead

### **Parametric Premium**

Whiteboards allow for the specification of non-modular sizes in three trim styles to suit a variety of design applications. The two style numbers are PWBWTBRD for whiteboards and PWBTKBRD for tackboards.

### Trim styles:

► Specifying, page 28

- · Edge Series
- 110 Series
- 555 Series

### **Parametric Polyvision**

whiteboards allow for specification of non-modular sizes with or without edge framing, varying by product selected. The two style numbers for Polyvision whiteboards are **PVFLOWPM** for Flow and SANSPM for

### Two edge options are

available:

- · Sans-frameless only, optional accented edge colors
- · Flow- anodized aluminum, framed or frameless

### **Parametric products** requiring digital print graphics will need to

be quoted by Specials. Refer to Sans, Sans Light, or Parametric Premium Whiteboards (modular sizes only) for standard graphic patterns and finish color options.

### **Overall Dimensions**

Premium whiteboard and tackboard dimensions can be ordered to the 1/16 of an inch within these ranges.

For whiteboards, the range of sizes is:

- · Width: 24.25" to 192.25'
- · Height: 18.25" to 48.25"

For tackboards, the range of sizes is:

· Width: 24.25" to 120.25" · Height: 18.25" to 48.25"

Polyvision whiteboard dimensions vary by product selected and orientation. Dimensions can be ordered to the 1/16 of an inch within these ranges. The marker tray option is not available for Sans or Flow parametric.

**SANSPM** the range of sizes is:

Horizontal:

- · Width: 24" to 144" (610 mm to 3658 mm)
- · Height:24" to 46.625" (610 mm to 1184 mm)

Vertical:


- · Width: 24" to 46.625" (610 mm to 1184 mm)
- · Height:46.6875" to 96" (1186 mm to 2438 mm)

### **PVFLOWPM** the range of sizes is:


- Width: 46.6535 (1185 mm) The width for **PVFLOWPM** is a fixed dimension
- Height:60" to 96" (1524 mm to 2438 mm)

# **Parametric Premium Whiteboards and Tackboards**

Edge Series, 110 Series, and 555 Series



<b>Actual Dimensions</b>			
	Edge Series Trim PWBWTBRD PWBTKBRD	110 Series Trim PWBWTBRD PWBTKBRD	555 Series Trim PWBWTBRD PWBTKBRD
Overall Width	W: 24.25" – 192.25" T: 24.25" – 120.25"	W: 24.25" – 192.25" T: 24.25" – 120.25"	W: 24.25" - 192.25" T: 24.25" - 120.25"
Surface Width	1/2" in from Overall Width	11/2" in from Overall Width	33/4" in from Overall Width
Marker Tray Width (dimension will correspond with Overall Width)	18", 24", 36", 48", 60", 72", or 96"	Full-width (blade style)	Full-width (box style)
Overall Height	18.25" – 48.25"	18.25" – 48.25"	18.25" – 48.25"
Surface Height	3/8" in from Overall Width	15/8" in from Overall Width	33/4" in from Overall Width
Trim Depth	3/4" or 19 mm	5/8" or 16 mm	1" or 25 mm
Depth from Wall to Trim Face	11/8" or 29 mm	<sup>7</sup> /8" or 22 mm	1" or 25 mm
Marker Tray Depth	31/2" or 89 mm	25/8" or 67 mm	2 <sup>3</sup> / <sub>4</sub> " or 70 mm
Weight (lbs)	W: 9 lb – 189 <sup>7</sup> /8 lb T: 7 <sup>1</sup> / <sub>2</sub> lb – 87 <sup>3</sup> /8 lb	W: 14 lb – 188 lb T : 8 lb – 74 lb	W: 14 <sup>2</sup> /5 lb – 196 lb T : 8 <sup>1</sup> /2 lb – 75 <sup>3</sup> /5 lb
Weight (kg)	W: 4.1 kg – 86.1 kg T : 3.4 kg – 39.6 kg	W: 6.4 kg – 85.0 kg T : 3.6 kg – 33.6 kg	W: 6.5 kg – 88.9 kg T : 3.9 kg – 34.3 kg




	24"W x 18"H	36"W x 24"H	36"W x 48"H	48"W x 36"H
Overall Width	24 <sup>1</sup> / <sub>4</sub> " or 616 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	481/4" or 1226 mm
Surface Width	233/4" or 603 mm	35¾" or 908 mm	357/8" or 911 mm	47¾" or 1213 mm
Marker Tray Width	18" or 457 mm	24" or 610 mm	24" or 610 mm	36" or 914 mm
Overall Height	18 <sup>1</sup> / <sub>4</sub> " or 464 mm	24 <sup>1</sup> / <sub>4</sub> " or 616 m	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm
Surface Height	17 <sup>7</sup> / <sub>8</sub> or 454 mm	237/8" or 606 mm	47 <sup>3</sup> / <sub>4</sub> " or 1213 mm	357/8" or 911 mm
Frame Depth	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	3/4" or 19 mm	3⁄4" or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm
Depth from Wall to Frame Face	11/8" or 29 mm	11/8" or 29 mm	1½" or 29 mm	1 <sup>1</sup> / <sub>8</sub> " or 29 mm
Marker Tray Depth	31/2" or 89 mm	31/2" or 89 mm	31/2" or 89 mm	31/2" or 89 mm
Weight (WB/TB) lbs	W: 9 lb T: 6.5 lb	W: 18 lb T: 13 lb	W: 35 <sup>7</sup> / <sub>8</sub> lb T: 26 <sup>3</sup> / <sub>8</sub> lb	W: 35 <sup>7</sup> / <sub>8</sub> lb T: 26 <sup>3</sup> / <sub>8</sub> lb
Weight (WB/TB) kg	W: 4.1 kg T: 2.9 kg	W: 8.2 kg T: 5.9 kg	W: 16.2 kg T: 12 kg	W: 16.2 kg T: 12 kg

### ▶ Dimensions, continued from previous page

Dimensions				
	48"W x 48"H	60"W x 48"H	72"W x 48"H	96"W x 48"H
Overall Width	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	60 <sup>1</sup> / <sub>4</sub> " or 1530 mm	72 <sup>1</sup> / <sub>4</sub> " or 1835 mm	96 <sup>1</sup> / <sub>4</sub> " or 2445 mm
Surface Width	47 <sup>3</sup> / <sub>4</sub> " or 1213 mm	59 <sup>3</sup> / <sub>4</sub> " or 1518 mm	73 <sup>1</sup> / <sub>4</sub> " or 1822 mm	95 <sup>3</sup> /4" or 2432 mm
Marker Tray Width	36" or 914 mm	48" or 1219 mm	48" or 1219 mm	48" or 1219 mm
Overall Height	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	47 <sup>7</sup> /8" or 1216 mm			
Frame Depth	<sup>3</sup> /4" or 19 mm			
Depth from Wall to Frame Face	1 <sup>1</sup> /8" or 29 mm			
Marker Tray Depth	31/2" or 89 mm	3 <sup>1</sup> /2" or 89 mm	3 <sup>1</sup> /2" or 89 mm	3 <sup>1</sup> /2" or 89 mm
Weight (WB/TB) lbs	W: 47.5 lb T: 35 lb	W: 59.5 lb T: 43 <sup>7</sup> /8 lb	W: 71 1/3 lb T: 52.5 lb	W: 95 lb T: 70 lb
Weight (WB/TB) kg	W: 27 kg T: 19.9 kg	W: 32.4 kg T: 23.8 kg	W: 32.4 kg T: 23.8 kg	W: 43.1 kg T: 31.7 kg

Dimensions			
	120"W x 48"H	144"W x 48"H	192"W x 48"H
Overall Width	120 <sup>1</sup> / <sub>4</sub> " or 3054 mm	144 <sup>1</sup> / <sub>4</sub> " or 3664 mm	192 <sup>1</sup> /4" or 4883 mm
Surface Width	119 <sup>3</sup> / <sub>4</sub> " or 3651 mm	143 <sup>3</sup> / <sub>4</sub> " or 3651 mm	191 <sup>3</sup> / <sub>4</sub> " or 4870 mm
Marker Tray Width	60" or 1524 mm	72" or 1829 mm	96" or 2438 mm
Overall Height	481/4" or 1226 mm	481/4" or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	47 <sup>7</sup> /8" or 1216 mm	47 <sup>7</sup> /8" or 1216 mm	47 <sup>7</sup> /8" or 1216 mm
Frame Depth	<sup>3</sup> /4" or 19 mm	<sup>3</sup> /4" or 19 mm	<sup>3</sup> / <sub>4</sub> " or 19 mm
Depth from Wall to Frame Face	1 <sup>1</sup> /8" or 29 mm	1 <sup>1</sup> / <sub>8</sub> " or 29 mm	1 <sup>1</sup> /8" or 29 mm
Marker Tray Depth	31/2" or 89 mm	31/2" or 89 mm	31/2" or 89 mm
Weight (WB/TB) lbs	W: 118 ¾ lb T: 87³/8 lb	142 <sup>3</sup> /8 lb	189 <sup>7</sup> /s lb
Weight (WB/TB) kg	W: 53.8 kg T: 39.6 kg	64.6 kg	86.1 kg




Dimensions					
	24"W x 18"H	36"W x 24"H	36"W x 48"H	48"W x 36"H	48"W x 48"H
Overall Width	241/4" or 616 mm	361/4" or 921 mm	361/4" or 921 mm	481/4" or 1226 mm	481/4" or 1226 mm
Surface Width	22 <sup>3</sup> / <sub>4</sub> " or 578 mm	34¾" or 883 mm	34 <sup>3</sup> ⁄ <sub>4</sub> " or 883 mm	46 <sup>3</sup> ⁄ <sub>4</sub> " or 1187 mm	46¾" or 1187 mm
Marker Tray Width	221/2" or 572 mm	34½" or 876 mm	34 <sup>1</sup> /2" or 876 mm	46½" or 1181 mm	46½" or 1181 mm
Overall Height	18 <sup>1</sup> / <sub>4</sub> " or 464 mm	24 <sup>1</sup> / <sub>4</sub> " or 616 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	165/8" or 422 mm	225/8" or 575 mm	465/8" or 1184 mm	34 <sup>3</sup> ⁄ <sub>4</sub> " or 883 mm	465/8" or 1184 mm
Frame Depth	5/8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm
Depth from Wall to Frame Face	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> / <sub>8</sub> " or 22 mm
Marker Tray Depth	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm
Weight (WB/TB) lbs	W: 10.4 lb T: 6 lb	W: 19.5 lb T: 12 lb	W: 35.5 lb T: 261/8 lb	W: 35 lb T: 261/8 lb	W: 47 lb T: 33.5 lb
Weight (WB/TB) kg	W: 4.6 kg T: 2.7 kg	W: 8.8 kg T: 5.4 kg	W: 16 kg T: 11.4 kg	W: 16 kg T: 11.4 kg	W: 21.3 kg T: 15.2 kg

Dimensions, continued on next page

### ▶ Dimensions, continued from previous page

Dimensions				
	60"W x 48"H	72"W x 48"H	96"W x 48"H	120"W x 48"H
Overall Width	60 <sup>1</sup> / <sub>4</sub> " or 1530 mm	721/4" or 1835 mm	961/4" or 2445 mm	120 <sup>1</sup> / <sub>4</sub> " or 3054 mm
Surface Width	58¾" or 1492 mm	703/4" or 1797 mm	943/4" or 2407 mm	118¾" or 3016 mm
Marker Tray Width	58½" or 1486 mm	70½" or 1791 mm	94½" or 2400 mm	118½" or 3010 mm
Overall Height	481/4" or 1226 mm	481/4" or 1226 mm	481/4" or 1226 mm	481/4" or 1226 mm
Surface Height	465/8" or 1184 mm	465/8" or 1184 mm	465/8" or 1184 mm	465/8" or 1184 mm
Frame Depth	5/8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm	5/8" or 16 mm
Depth from Wall to Frame Face	<sup>7</sup> ⁄8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> ⁄8" or 22 mm	<sup>7</sup> ⁄8" or 22 mm
Marker Tray Depth	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm
Weight (WB/TB) lbs	W: 58 <sup>4</sup> / <sub>5</sub> lb T: 41 <sup>5</sup> / <sub>8</sub> lb	W: 70.5 lb T: 50 <sup>3</sup> / <sub>8</sub> lb	W: 94 lb T: 67 lb	117½ lb
Weight (WB/TB) kg	W: 26.7 kg T: 19 kg	W: 32 kg T: 22.8 kg	W: 42.6 kg T: 30.4 kg	53.3 kg

Dimensions		
	144"W x 48"H	192"W x 48"H
Overall Width	144 <sup>1</sup> / <sub>4</sub> " or 3664 mm	192 <sup>1</sup> / <sub>4</sub> " or 4883 mm
Surface Width	1423/4" or 3626 mm	190 <sup>3</sup> / <sub>4</sub> " or 4858 mm
Marker Tray Width	1421/2" or 3620 mm	190½" or4839 mm
Overall Height	481/4" or 1226 mm	481/4" or 1226 mm
Surface Height	465/8" or 1184 mm	465/8" or 1184 mm
Frame Depth	5/8" or 16 mm	5/8" or 16 mm
Depth from Wall to Frame Face	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm
Marker Tray Depth	25/8" or 67 mm	25%" or 67 mm
Weight (WB/TB) lbs	141 lb	188 lb
Weight (WB/TB) kg	64.0 kg	85.0 kg



Dimensions				
	24"W x 18"H	36"W x 24"H	36"W x 48"H	48"W x 36"H
Overall Width	241/4" or 616 mm	361/4" or 921 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	481/4" or 1226 mm
Surface Width	21 <sup>3</sup> ⁄ <sub>4</sub> " or 552 mm	33¾" or 857 mm	33 <sup>3</sup> / <sub>4</sub> " or 857 mm	33 <sup>3</sup> / <sub>4</sub> " or 857 mm
Marker Tray Width	21½" or 546 mm	33½" or 851 mm	33 <sup>1</sup> / <sub>2</sub> " or 851 mm	33 <sup>1</sup> /2" or 851 mm
Overall Height	18 <sup>1</sup> / <sub>4</sub> " or 464 mm	24 <sup>1</sup> /4" or 616 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm
Surface Height	14 <sup>1</sup> / <sub>2</sub> " or 368 mm	20½" or 521 mm	44 <sup>1</sup> /2" or 1130 mm	44 <sup>1</sup> /2" or 1130 mm
Frame Depth	1" or 25 mm	1" or 25 mm	1" or 25 mm	1" or 25 mm
Depth from Wall to Frame Face	1" or 25 mm	1" or 25 mm	1" or 25 mm	1" or 25 mm
Marker Tray Depth	2 <sup>3</sup> ⁄ <sub>4</sub> " or 70 mm	2 <sup>3</sup> ⁄ <sub>4</sub> " or 70 mm	2 <sup>3</sup> /4" or 70 mm	2 <sup>3</sup> / <sub>4</sub> " or 70 mm
Weight (WB/TB) lbs	W: 10.4 lb T: 6.5 lb	W: 19.5 lb T: 12.5 lb	W: 36 <sup>7</sup> /8 lb T: 25 <sup>7</sup> /8 lb	W: 36 <sup>7</sup> / <sub>8</sub> lb T: 25 <sup>7</sup> / <sub>8</sub> lb
Weight (WB/TB) kg	W: 4.6 kg T: 2.9 kg	W: 8.8 kg T: 5.7 kg	W: 16.7 kg T: 11.7 kg	W: 16.7 kg T: 11.7 kg


Dimensions, continued on next page

### ▶ Dimensions, continued from previous page

Dimensions				
	48"W x 48"H	60"W x 48"H	72"W x 48"H	96"W x 48"H
Overall Width	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	601/4" or 1530 mm	72 <sup>1</sup> / <sub>4</sub> " or 1835 mm	86 <sup>1</sup> / <sub>4</sub> " or 2445 mm
Surface Width	45¾" or 1162 mm	57¾" or 1467 mm	69¾" or 1772 mm	93¾" or 2381 mm
Marker Tray Width	45½" or 1156 mm	57½" or 1461 mm	69 <sup>1</sup> / <sub>2</sub> " or 1765 mm	93½" or 2375 mm
Overall Height	481/4" or 1226 mm	481/4" or 1226 mm	481/4" or 1226 mm	481/4" or 1226 mm
Surface Height	44 <sup>1</sup> / <sub>2</sub> " or 1130 mm	44½" or 1130 mm	44½" or 1130 mm	44 <sup>1</sup> / <sub>2</sub> " or 1130 mm
Frame Depth	1" or 25 mm	1" or 25 mm	1" or 25 mm	1" or 25 mm
Depth from Wall to Frame Face	1" or 25 mm	1" or 25 mm	1" or 25 mm	1" or 25 mm
Marker Tray Depth	23/4" or 70 mm	23/4" or 70 mm	23/4" or 70 mm	23/4" or 70 mm
Weight (WB/TB) lbs	W: 49 lb T: 34.5	W: 61 <sup>3</sup> / <sub>8</sub> lb T: 43 <sup>1</sup> / <sub>8</sub> lb	W: 73.5 lb T: 51% lb	W: 98 lb T: 69 lb
Weight (WB/TB) kg	W: 22.2 kg T: 15.7 kg	W: 27.8 kg T: 19.6 kg	W: 33.3 kg T: 23.5 kg	W: 44.5 kg T: 31.3 kg


Dimensions				
	120"W x 48"H	144"W x 48"H	192"W x 48"H	
Overall Width	1201/4" or 3054 mm	144 <sup>1</sup> / <sub>4</sub> " or 3664 mm	192 <sup>1</sup> / <sub>4</sub> " or 4883 mm	
Surface Width	117¾" or 2991 mm	141¾" or 3600 mm	189¾" or 4820 mm	
Marker Tray Width	117½" or 2985 mm	141 <sup>1</sup> / <sub>2</sub> " or 3594 mm	189½" or 4813 mm	
Overall Height	481/4" or 1226 mm	481/4" or 1226 mm	481/4" or 1226 mm	
Surface Height	44 <sup>1</sup> /2" or 1130 mm	44½" or 1130 mm	44½" or 1130 mm	
Frame Depth	1" or 25 mm	1" or 25 mm	1" or 25 mm	
Depth from Wall to Frame Face	1" or 25 mm	1" or 25 mm	1" or 25 mm	
Marker Tray Depth	2 <sup>3</sup> / <sub>4</sub> " or 70 mm	2 <sup>3</sup> / <sub>4</sub> " or 70 mm	2 <sup>3</sup> ⁄ <sub>4</sub> " or 70 mm	
Weight (WB/TB) lbs	122½ lb	147 lb	196 lb	
Weight (WB/TB) kg	55.6 kg	66.7 kg	88.9 kg	

### **Trim and Marker Trays:**




Trim is 1/4" with undersized marker tray. Both are clear anodized aluminum. Trim is also available in 4750 Champagne Metallic.

### 555 Series



Trim is 11/4" with full width box style marker tray. Both are clear anodized

### 110 Series



Trim is  $^{3}\!4\text{"}$  with full width blade style marker tray. Both are clear anodized aluminum.

### **Product Details**

**Sizes of whiteboards and tackboards** are nominal and parametric; refer to actual dimensions for exact specifications.

**Modular size option** allows specification of height and width in predefined combinations.

Whitebo	ards	Tackboar	Tackboards			
Height	Width	Height	Width			
18.25	24.25	18.25	24.25			
24.25	36.25	24.25	36.25			
36.25	48.25	36.25	48.25			
48.25	36.25	48.25	36.25			
48.25	48.25	48.25	48.25			
48.25	60.25	48.25	60.25			
48.25	72.25	48.25	72.25			
48.25	96.25	48.25	96.25			
48.25	120.25	48.25	120.25			
48.25	144.25*					
48.25	192.25*					

Tackboard construction is 3/8" fiber board over 1/8" hardboard.

**Fabric** is available on tackboards only and comes in a selection of standard or Select Surface fabrics. COM is also available.

►See page 90


**The tray width for Edge Series** will correspond to the overall white-board width. See the matrix below for the breakdown. The tray width for 110 and 555 Series will be the width of the board.

Board Width (Inches)	Tray Width
24.25000- 36.00000	18"
36.06250- 48.00000	24"
48.06250- 60.00000	36"
60.06250- 72.00000	48"
72.06250- 96.00000	48"
96.06250-120.00000	60"
120.06250-144.00000	72"
144.06250-192.25000	96"


A no tray option is also available for whiteboards.

### **Connections**


### **Edge Series**



Whiteboard or tackboard



On- and off-module bracket allows for Premium Whiteboards to be mounted on Privacy Wall, Answer, or Kick using a standard metal cleat-mounting system.




2" over panel bracket/ hook mounting system allows for Premium Whiteboards to be mounted on Kick and Avenir.


3" over panel bracket/ hook mounting system allows for Premium Whiteboards to be mounted on Answer and Montage.

### 110/555 Series

**Metal cleat-mounting** system is standard on Edge Series.




Wall-anchored mounting system is standard on 110 and 555 Series.




Spline joints allow larger format boards to be delivered in two equal pieces and require assembly on-site. There will be a visible seam where the boards and marker trays are joined that will not hinder the performance or writeability of the board in any way. They are available as options with upcharge on Edge, 110, and 555 trim types 120.25" and larger in width.

**Additional options for** 110 and 555 Series include maprail, map hook/ clips, flag holder, and roller bracket




1" maprail is of cork construction and allows for versatility with accessories. Maprail is not available on tackboards.


Map hook/clip, flag holder, and roller bracket must be specified with maprail; cannot be specified separately.



1" map hook/clip comes as a set of two and allows for ease in hanging maps and charts for presentation purposes.



1" flag holder allows for convenient hanging of flags.



Roller bracket holds maps or roll-up projection screens and can be ordered if 1" maprail option is selected. Roller bracket is not available on tackboard.



Package of four dryerase markers (black, blue, red, and green) and one eraser is included with whiteboards.


# Parametric Premium Whiteboards and Tackboards, continued PPPW (Privacy Wall) and On/Off Module Bracket Application Guide

### **PPPW (Privacy Wall) Bracket Application Guide**

- On- and off-module bracket for installation of whiteboards and tackboards on Privacy Wall, Answer, and Kick.
- Allows Premium Whiteboards to be mounted on Privacy Wall, Answer, Avenir, or Kick using a standard metal cleat mounting system.
- Ideal application on a Privacy Wall or when spanning multiple Answer/Kick panels with a single whiteboard.
- Not for use with 110 and 555 Series.
- · Cannot install two boards at right angles.
- Ships with four or six non-handed brackets; field-modify for application by removing tabs per instructions.
- The required minimum number of PPPW (Privacy Wall) Brackets must be installed to ensure secure application of board.
- Brackets must be installed in the correct orientation; i.e. left or right hand, as indicated in the key and diagrams below.

NOTE: Space between panel face and rear of board is  $\pm 1/4$ ".

### Standard Mounting Height and Centerline Application



• 48"H x 48"W only


### On-Module — Minimum Bracket Application

Board Width	48"	60	12"	84"	96"	120"	144"	108	192
Minimum Number of Brackets	4	4	4	4	4	4	6	6	6
		-						7	
> <	>	i	<	>	>	i		<	
> <	>	<u>i</u>	<	>	>	į		<	

# Asymmetrical Off-Module Overhang Allowances and Minimum Bracket Application

	Board Width	60"	72"	84"	96"	120"	144"	168"	192"
•	Minimum Number of Brackets	4	4	4	4	4	6	6	6
	Dimension A - Maximum Overhang	18"	22"	25"	29"	36"	38"	38"	38"


NOTE: Bracket direction must be the same as the overhang direction. This example shows right hand bracket installation with right hand overhang.



# Symmetrical Off-Module Overhang Allowances and Minimum Bracket Application

Board Width	60"	72"	84"	96"	120"	144"	168"	192"
Minimum Number of Brackets	4	4	4	4	4	6	6	6
Dimension B - Maximum Overhang	18"	22"	25"	29"	36"	38"	38"	38"

NOTE: Dimension B must be equal on both the left and the right. For example, a 60" board may have a maximum 18" overhang both left and right side.



### KEY:

- Right Hand Application of PPPW Bracket
- < Left Hand Application of PPPW Bracket

# **Digital Print Options**

Digital printing is offered on Parametric Premium Whiteboards, Sans, Sans Light, and Flow products. Digital print graphics are permanently baked into the CeramicSteel surface and are scratch, abrasion, bacteria, chemical, fire, and graffiti resistant. Both standard and custom options are available.

Tip: Flow only available with custom option.

Standard Digital Print Options for Sans, Sans Light, and Premium Whiteboards

Patterns available in:

- 7676 Saffron
- 7677 Peacock
- 7678 Sea Salt
- 7679 Sterling Dark
- 7681 Sand
- 7682 Black




**PV55 Agate** 



**PV56 Brushstroke** 



**PV57 Code** 



PV58 Data




PV59 DNA



**PV60** Hive




**PV61 Skyline** 



**PV62 Soundwave** 



**PV63 Speed** 




### **PV64 Summit**

Patterns available in: • 7679 Sterling Dark

•	7682	Blac
---	------	------

•	•	•	•		•	•	•	•
								•

### **PV65 Dot Grid**



**PV66 Line Grid** 

•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	
•	

### **PV67 Music Lines**

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

# **Parametric Premium Whiteboards and Tackboards**

Edge Series, 110 Series, and 555 Series

Need help?

page 36

Product details,



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

### **Standard Includes**

- Height: 18.25" 48.25"
  - Width: 24.25" 192.25"
  - e<sup>3</sup> environmental CeramicSteel writing surface: 7655 White High Gloss
  - Package of four dry-erase markers (black, blue, red, and green) and one eraser on whiteboards, if selected
  - Fabric on tackboards, if selected
  - · If Edge Series selected:
    - Frame and marker tray: 8043 Clear Anodized Aluminum
    - Metal cleat-mounting system
  - · If 110 Series selected:
  - 3/4" Frame and full-width marker tray: 8043 Clear Anodized Aluminum
  - Wall-anchored mounting system hardware
  - · If 555 Series selected:
  - 11/4" Frame and full-width marker tray: 8043 Clear Anodized Aluminum
  - Wall-anchored mounting system hardware

### **Required to Specify**

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 Trim type (see below under Required Selections)
- 4 Height
- 5 Width
- 6 Fabric color number for tackboard, if selected
- 7 Options, if selected (see below)
- ► See Surface Materials, page 90

Tip: Select parametric size option to specify parametric height and width dimensions within the available range. Select modular size option to specify pre-defined height and width dimension combinations.

Tip: Parametric sizes can be specified to the 1/16 of an inch.

Tip: Only digital print graphic patterns dot grid, line grid, music lines, or custom graphic are available on 18"H x 24"W and 24"H x 36"W boards.

Tip: Digital print available on whiteboard, modular sizes only.

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

Tip: If width is exactly 120.25000"W, digital print or spline joint can be specified, but not both.

	Required Selections	U.S. Price	Required to Specify
Size	Parametric     Modular	No cost No cost	Specify <i>Parametric</i> . Specify <i>Modular</i> .
Trim Type	<ul><li>Edge Series</li><li>110 Series</li><li>555 Series</li></ul>	No cost No cost No cost	Specify with Edge Series trim. Specify with 110 Series trim. Specify with 555 Series trim.

	Options	U.S. Price	Required to Specify		
Surface	Frame				
Materials	<ul> <li>Champagne trim on frame</li> </ul>	Prices at right	Specify with 4750 Champagne Metallic		
	(Available on Edge Series)		trim.		
	Fabric surface on tackboa	rds			
	<ul> <li>Fabric price group 1</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 2</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 3</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 4</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 5</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 6</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 7</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 8</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 9</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group 10</li> </ul>	Prices at right	Specify fabric color number.		
	<ul> <li>Fabric price group COM</li> </ul>	Prices at right	Specify fabric color number.		
	Fabric direction on tackbo	ards			
	<ul> <li>Horizontal application</li> </ul>	No cost	Specify with horizontal application.		
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.		
	Digital print graphic				
	• 18"H x 24"W	+\$292.84	Specify standard or custom print number		
	• 24"H x 36"W	+\$319.55	Specify standard or custom print number		
	• 36"H x 48"W	+\$411.00	Specify standard or custom print number		
	• 48"H x 36"W	+\$411.00	Specify standard or custom print number		
	• 48"H x 48"W	+\$427.44	Specify standard or custom print number		
	• 48"H x 60"W	+\$498.34	Specify standard or custom print number		
	• 48"H x 72"W	+\$555.88	Specify standard or custom print number		
	• 48"H x 96"W	+\$658.63	Specify standard or custom print number		
	• 48"H x 120"W	+\$787.07	Specify standard or custom print number		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

▶Options, continued on next page

### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Surface Materials, continued	Digital print application  • Top  • Bottom	No cost No cost	Specify with top application. Specify with bottom application.
No Marker Tray	Whiteboard width (inches)  • 24.25000–36.25000  • 36.31250–48.25000  • 48.31250–60.25000  • 60.31250–72.25000  • 72.31250–96.25000  • 96.31250–120.25000  • 120.31250–144.25000  • 144.31250–192.25000	-\$ 37.21 -\$ 47.34 -\$ 56.39 -\$ 66.72 -\$ 66.72 -\$ 94.92 -\$105.04 -\$123.10	Specify no tray.
<b>Edge Series</b>			
On- and Off- Module Brackets	• Available on 24.25"W x 18.25"H to 192.25"W x 48.25"H whiteboards	+\$186.78	Specify with on- and off- module brackets.
Over Panel Bracket/Hook	Available on 24.25"W to 60.25"W whith 2" over panel bracket/hook 3" over panel bracket/hook	teboards +\$127.59 +\$127.59	Specify with 2" over panel brackets. Specify with 3" over panel brackets.
Spline Joint	Available on 120.25"W     to 192.25"W whiteboards	+\$357.26	Specify with spline joint.

### 110 Series/555 Series

Tip: The width of the whiteboard will determine the price of the maprail.

Tip: 1" maprail option must be selected if ordering 1" maphook/clip, 1" flag holder, or roller bracket.

Tip: The width of the whiteboard will determine the price of the hooks.

1" Maprail	Whiteboard width (inches)		
	• 24.25000–36.25000	+\$ 13.54	Specify with maprail.
	• 36.31250-48.25000	+\$ 22.17	Specify with maprail.
	· 48.31250-60.25000	+\$ 26.70	Specify with maprail.
	• 60.31250-72.25000	+\$ 35.74	Specify with maprail.
	• 72.31250-96.25000	+\$ 48.87	Specify with maprail.
	• 96.31250-120.25000	+\$ 66.72	Specify with maprail.
	· 120.31250-144.25000	+\$ 81.38	Specify with maprail.
	• 144.31250–192.25000	+\$106.55	Specify with maprail.
1" Map Hook/Cli	p Whiteboard width (inches)		
	• 24.25000–60.18750	+\$ 3.04 (2 hooks)	Specify with map hook/clip.
	· 60.25000-120.18750	+\$ 6.08 (4 hooks)	Specify with map hook/clip.
	· 120.25000-144.25000	+\$ 9.12 (6 hooks)	Specify with map hook/clip.
	• 144.31250–192.25000	+\$ 12.16 (8 hooks)	Specify with map hook/clip.
1" Flag Holder	Available on whiteboards	+\$ 19.17	Specify with flag holder.
Roller Bracket	Available on whiteboards	+\$ 13.54	Specify with roller bracket.
Spline Joint	Available on 120.25"W to 192.25"W whiteboards	+\$357.26	Specify with spline joint.

▶ Specification Information, on next page



### ▶Options, on previous page

Specifica	tion Informatio	on	
•Style Number	•Square Feet	·U.S. Base	• Option (Add \$ to Base Price) Frame Champagne
:	:	Price (Per sq/ft)	Trim : :

### Edge Series — Whiteboard



۷B۱		R	


3.07335 - 5.99999	\$190.52	+\$ 82.30	
6.00000 - 11.99999	\$104.57	+\$115.37	
12.00000 – 15.99999	\$ 67.69	+\$163.28	
16.00000 – 19.99999	\$ 52.84	+\$184.38	
20.00000 – 23.99999	\$ 49.32	+\$205.29	
24.00000 – 31.99999	\$ 45.92	+\$229.24	
32.00000 – 39.99999	\$ 40.84	+\$278.67	
40.00000 – 47.99999	\$ 39.06	+\$322.19	
48.00000 – 63.99999	\$ 37.99	+\$373.13	
64.00000 – 64.41710	\$ 34.21	+\$458.48	
:	:		

<sup>▶</sup> Specification Information, continued on next page



Specification Information									
			·Options (Ad	dd \$ to Base	Price)				
·Style	· Square	·U.S.	Frame	· Fabric	<ul> <li>Fabric</li> </ul>	Fabric	<ul> <li>Fabric</li> </ul>	· Fabric	
Number	Feet	Base	Champagne	Price	Price	Price	Price	Price	
:		Price	Trim	Group 1	Group 2	Group 3	Group 4	Group 5	
		(Per sq/ft)		: :					
						:			

## **Edge Series** — Tackboard



### **PWBTKBRD**

3.07335 - 5.99999	\$190.52	+\$ 82.30	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30	
6.00000 - 11.99999	\$104.57	+\$115.37	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30	
12.00000 – 15.99999	\$ 67.69	+\$163.28	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30	
16.00000 – 19.99999	\$ 52.84	+\$184.38	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30	
20.00000 – 23.99999	\$ 49.32	+\$205.29	No cost	+\$79.46	+\$ 98.90	+\$150.51	+\$197.13	
24.00000 – 31.99999	\$ 45.92	+\$229.24	No cost	+\$88.44	+\$116.47	+\$180.05	+\$238.35	
32.00000 – 39.99999	\$ 40.84	+\$278.67	No cost	+\$91.42	+\$119.49	+\$198.92	+\$261.70	
40.00000 – 40.29210	\$ 39.06	+\$322.19	No cost	+\$98.90	+\$141.53	+\$237.45	+\$315.67	

		Fabric Price Group 7	Fabric Price Group 8	Fabric Price Group 9	Fabric Price Group 10	Fabric Price Group COM
Edge Series — Tackboard, continued	·				•	•
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$250.48	+\$309.52	+\$372.29	+\$443.52	+\$522.12	+\$28.03
	+\$300.90	+\$370.32	+\$437.66	+\$518.64	+\$601.76	+\$28.03

+\$330.24

+\$389.27

+\$405.02

### ▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

+\$473.61

+\$472.37 +\$543.82 +\$636.84

+\$558.41

+\$648.76 +\$28.03


+\$729.21 +\$28.03

Parametric Premium Whiteboards and Tackboards, Edge Series, 110 Series, and 555 Series, continued

### ▶ Specification Information, continued from previous page

Specification Information					
•Style Number	·Square	·U.S.			
Number	Feet	Base			
1		Price			
	:	(Per sq/ft)			
:	:	:			

### 110 Series—Whiteboard



### **PWBWTBRD**


3.07335 - 5.99999	\$90.38
6.00000 - 11.99999	\$51.88
12.00000 – 15.99999	\$37.90
16.00000 – 19.99999	\$33.13
20.00000 – 23.99999	\$31.74
24.00000 – 31.99999	\$30.96
32.00000 – 39.99999	\$29.27
40.00000 – 47.99999	\$29.48
48.00000 - 63.99999	\$28.98
64.00000 – 64.41710	\$27.50

▶ Specification Information, continued on next page



Specifica	Specification Information									
			· Options	Add \$ to Base	Price)					
·Style	· Square	·U.S.	Fabric	· Fabric	Fabric	· Fabric	· Fabric			
Number	Feet	Base	Price	Price	Price	Price	Price			
:	:	Price	Group 1	Group 2	Group 3	Group 4	Group 5			
:		(Per sq/ft)	:		: '	: :				
:	:			:	:	:	:			
•	•		•	•			•			

### 110 Series—Tackboard



### **PWBTKBRD**

3.07335 - 5.99999	\$44.36	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
6.00000 - 11.99999	\$36.31	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
12.00000 – 15.99999	\$31.33	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
16.00000 – 19.99999	\$28.47	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
20.00000 – 23.99999	\$27.21	No cost	+\$79.46	+\$ 98.90	+\$150.51	+\$197.13
24.00000 – 31.99999	\$24.84	No cost	+\$88.44	+\$116.47	+\$180.05	+\$238.35
32.00000 – 39.99999	\$22.15	No cost	+\$91.42	+\$119.49	+\$198.92	+\$261.70
40.00000 – 40.29210	\$22.03	No cost	+\$98.90	+\$141.53	+\$237.45	+\$315.67

	Price	Fabric Price Group 7	Fabric Price Group 8	Fabric Price Group 9	Fabric Price Group 10	Fabric Price Group COM
110 Series — Tackboard, continued	<u> </u>					
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
	+\$250.48	+\$309.52	+\$372.29	+\$443.52	+\$522.12	+\$28.03
	+\$300.90	+\$370.32	+\$437.66	+\$518.64	+\$601.76	+\$28.03
	+\$330.24	+\$405.02	+\$473.61	+\$558.41	+\$648.76	+\$28.03
	+\$389.27	+\$472.37	+\$543.82	+\$636.84	+\$729.21	+\$28.03

### ▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specifica	Specification Information			
Style Number	·Square	·U.S.		
Number	Feet	Base		
:	:	Price		
:		(Per sq/ft)		
	:			

### 555 Series—Whiteboard




PWBWTBRD	3.07335 - 5.99999	\$111.07
	6.00000 – 11.99999	\$ 63.69
	12.00000 – 15.99999	\$ 42.35
	16.00000 – 19.99999	\$ 36.28
	20.00000 - 23.99999	\$ 34.57
	24.00000 – 31.99999	\$ 34.61
	32.00000 - 39.99999	\$ 32.33
	40.00000 – 47.99999	\$ 32.71
	48.00000 - 63.99999	\$ 32.01
	64.00000 – 64.41710	\$ 31.25

▶ Specification Information, continued on next page



Specifica	tion Informatio	n						
			·Options (	Add \$ to Base	Price)			
·Style	· Square	·U.S.	Fabric	· Fabric	Fabric	· Fabric	· Fabric	
Number	Feet	Base	Price	Price	Price	Price	Price	
		Price	Group 1	Group 2	Group 3	Group 4	Group 5	
		(Per sq/ft)	: '			: '	: ·	
			:	:	:		:	
·	•			•			•	

### 555 Series — Tackboard



### **PWBTKBRD**

3.07335 - 5.99999	\$48.87	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
6.00000 - 11.99999	\$40.23	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
12.00000 – 15.99999	\$35.69	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
16.00000 – 19.99999	\$31.56	No cost	+\$67.89	+\$ 83.95	+\$117.97	+\$158.30
20.00000 – 23.99999	\$29.95	No cost	+\$79.46	+\$ 98.90	+\$150.51	+\$197.13
24.00000 – 31.99999	\$28.22	No cost	+\$88.44	+\$116.47	+\$180.05	+\$238.35
32.00000 – 39.99999	\$27.20	No cost	+\$91.42	+\$119.49	+\$198.92	+\$261.70
40.00000 – 40.29210	\$26.90	No cost	+\$98.90	+\$141.53	+\$237.45	+\$315.67

•	Fabric Price Group 7	Fabric Price Group 8	Fabric Price Group 9	Fabric Price Group 10	Fabric Price Group COM
 ·					•
+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
+\$205.33	+\$257.97	+\$317.76	+\$383.91	+\$457.27	+\$28.03
+\$250.48	+\$309.52	+\$372.29	+\$443.52	+\$522.12	+\$28.03
+\$300.90	+\$370.32	+\$437.66	+\$518.64	+\$601.76	+\$28.03
+\$330.24	+\$405.02	+\$473.61	+\$558.41	+\$648.76	+\$28.03
+\$389.27	+\$472.37	+\$543.82	+\$636.84	+\$729.21	+\$28.03



# **Polyvision Parametric Whiteboards**

Sans and Flow

Accented edge optional for parametric Sans. Trim optional for parametric Writing surface is

available in chalkboard or markerboard material types.

### SANSPM

7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS

7673 Merle CS

7674 Platinum Solid CS PV09 Hygienic White Gloss

### **PVFLOWPM**

7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS PV09 Hygienic White Gloss


Actual Dimensions						
	Sans Series	Sans Series	Flow Series	Flow Series		
	SANSPM	SANSPM	PVFLOWPM	PVFLOWPM		
Edge Treatment	Frameless	Frameless	Frameless	Framed		
Panel Orientation	Horizontal	Vertical	Vertical	Vertical		
Overall Width (per panel)	24"-144"	24"-46.625"	46.6535"	46.6535"		
Overall Height (per panel)	24"-46.625"	46.6875"–96"	60"–96"	60"–96"		
Panel Thickness	1/2"	1/2"	1/2"	1/2"		
Depth from Wall to Face	1"	1"	3/4"	1"		
Weight (lb)	7 lb–168 lb	7 lb–102 lb	60 lb-102 lb	60 lb-102 lb		
Weight (kg)	3.17 kg-72.20 kg	3.17 kg-46.26 kg	27.21 kg-46.26 kg	27.21 kg-46.26 kg		

# **Polyvision Parametric Whiteboards**

► Need help?

page 36

Product details,



### **Standard Includes**

· Panel: Polyvision CeramicSteel

Attachment hardware

· Z-brackets available in two orientations Size Ranges: Horizontal:

- Width: 24" to 144" (610 mm-3658 mm) - Height: 24" to 46.625" (610 mm-1184 mm)

Vertical:

- Width: 24" to 46.625" (610 mm-1184 mm)

- Height: 46.6875" to 96" (1186 mm-2438 mm)

1 Style number

2 Panel Orientation (see below under Required Selections)

3 Size (see below under Required Selections)

**Required to Specify** 

4 Surface type (see below under Required Selections)

5 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS 7673 Merle CS 7674 Platinum Solid CS PV09 Hygienic White Gloss

6 Options, if selected (see below)

Tip: Parametric sizes can be specified to the 1/16 of an inch.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

	Required Selections	U.S. Price	Required to Specify
Panel Orientation	Horizontal     Vertical	Prices below Prices below	Specify with horizontal. Specify with vertical.
Size	• Height	Prices below	Specify according to the orientation height range.
	• Width	Prices below	Specify according to the orientation width range.
Surface Type	Chalkboard     Markerboard	No cost No cost	Specify with chalkboard. Specify with markerboard.

	Options	U.S. Price	Required to Specify
Surface	Surface	·	
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$156	Specify ceramic color number.
	Contrasting		
	Non-contrasting accented edge	No cost	Specify with non-contrasting accented edge.
	Contrasting accented edge	+\$139	Specify with contrasting accented edge.
Related Products	Accessories		▶ Page 85

Tip: Accessories are sold separately.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

Page 11

Specificat	tion Information			
Style Number	Orientation	· Height Range	·Width Range	· U.S. Base Price
SANSPM	Horizontal	24"-46.625"	Up to 48"	\$1695
		24"–46.625"	48.062"-72"	\$2312
		24"–46.625"	72.062"–96"	\$2672
		24"–46.625"	96.062"-120"	\$3750
		24"–46.625"	120.062"-144"	\$4136
	Vertical	46.687"–72"	24"-46.625"	\$2312
		72.062"–96"	24"-46.625"	\$2672




For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

# **Polyvision Parametric Whiteboards**

► Need help?

page 36

Product details,



	Selections)
	4 Panel quantity (see below under Required Selections)
	5 Surface type (see below under Required Selections)
	6 CeramicSteel color number for panel: 7655 White High Gloss
īp: Illustration above shows three-panel system.	7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS
	PV09 Hygienic White Gloss 7 Options, if selected (see below)

· Spline joints, included with multiple panels system

**Standard Includes** 

· Attachment hardware

· Panel(s): Polyvision CeramicSteel

Tip: Parametric sizes can be specified to the 1/16 of an inch.

Tip: A panel quantity of one is not available as frameless. Refer to Sans or Sans Light in vertical orientation.

Tip: Individual panel width is 46.65". Width times number of panels equals total system width.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: Accessories are sold separately.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

► Page 11

Required Selections	U.S. Price	Required to Specify
• 60"H–96"H	Prices below	Specify with 60"H-96"H.
Frame	No cost	Specify with frame.
Frameless	No cost	Specify without frame.
Frame quantity of one to eight	Prices below	Specify number of panels.
<ul> <li>Frameless quantity of two to eight</li> </ul>	Prices below	Specify number of panels.
Chalkboard	No cost	Specify with chalkboard.
<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.
	Frame     Frameless     Frame quantity of one to eight     Frameless quantity of two to eight     Chalkboard	Frame     Frameless     Frame quantity of one to eight     Frameless quantity of two to eight     Chalkboard     Prices below     No cost

	Options	U.S. Price	Required to Specify
Surface Materials	Surface Ceramic price group 1 Ceramic price group 2	No cost +\$156 per panel	Specify ceramic color number. Specify ceramic color number.
Related Products	<ul><li>Dry erase markers</li><li>Magnetic eraser with marker holder</li><li>Accessories</li></ul>		▶ Page 86 ▶ Page 84 ▶ Page 85

Style Number	· Height Range	Panel Quantity	• System Width	U.S. Base Price (per system)
VFLOWPM	60"-72"	1	46.654"	\$ 2769
		2	93.307"	\$ 5286
		3	139.961"	\$ 7803
		4	186.614"	\$10,320
		5	233.268"	\$12,837
		6	279.921"	\$15,354
		7	326.575"	\$17,871
		8	373.228"	\$20,388

<sup>▶</sup> Specification Information, continued on next page



**Required to Specify** 


2 Height (see below under Required

1 Style number

Selections)

### ▶ Specification Information, continued from previous page

Specification Information					
•Style Number	· Height Range	• Panel • Quantity	·System Width	· U.S. Base Price (per system)	
PVFLOWPM	72.0625"–96"	1	46.654"	\$ 3231	
		2	93.307"	\$ 6210	
		3	139.961"	\$ 9189	
		4	186.614"	\$12,168	
		5	233.268"	\$15,147	
		6	279.921"	\$18,126	
		7	326.575"	\$21,105	
		8	373.228"	\$24,084	




Tip: Illustration above shows a three-panel system.



# Flow

Flow is a modular panel system with no vertical joint covers providing a large format writing surface. Available as frameless or with outer aluminum frame.

For custom capability and parametrics for special sizes, please see Parametric Collaborative Surfaces.




Actual Dimensions				
	Framed Flow (72"H)	Framed Flow (95 <sup>1</sup> / <sub>4</sub> "H)	Flow Frameless (72"H)	Flow Frameless (95 <sup>1</sup> /4"H)
Single Panel Height	72" or 1830 mm	95 <sup>1</sup> / <sub>4</sub> " or 2420 mm	72" or 1830 mm	951/4" or 2420 mm
Single Panel Width	46.6535" or 1185 mm	46.6535" or 1185 mm	46.6535" or 1185 mm	46.6535" or 1185 mm
Overall Height	721/2"	953⁄4"	72"	951/4"
Depth	½" or 13 mm	½" or 13 mm	½" or 13 mm	½" or 13 mm
Depth from Wall to Face	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	1" or 27 mm	1" or 27 mm
Weight (lbs)	62 lb	82 lb	62 lb	82 lb
Weight (kgs)	28 kg	37 kg	28 kg	37 kg

Tip: Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

Flow Wall System	Flow Wall System Dimensions				
Panel Quantity	Framed Flow Width	Frameless Flow Width			
1	47.1435" or 1197 mm	N.A.			
2	93.797" or 2382 mm	93.307" or 2370 mm			
3	140.451" or 3567 mm	139.961" or 3555 mm			
4	187.105" or 4752 mm	186.615" or 4740 mm			
5	233.759" or 5937 mm	233.269" or 5925 mm			
6	280.413" or 7122 mm	279.923" or 7110 mm			
7	327.067" or 8308 mm	326.577" or 8295 mm			
8	373.721" or 9493 mm	373.231" or 9480 mm			

Tip: Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

# Flow



### **Required to Specify Standard Includes** · Panel(s): Polyvision CeramicSteel ►Need help? 1 Style number Product details, · Attachment hardware 2 Height (see below under Required page 40 · Spline joints, included with multiple panels Selections) 3 Frame (see below under Required system Accessories: basic kit Selections) 4 Panel quantity (see below under Required Selections) 5 Surface type (see below under Required Selections) 6 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS PV09 Hygienic White Gloss

Tip: Height dimensions listed are nominal.

Tip: A panel quantity of one is not available as frameless. Refer to Sans or Sans Light in vertical orientation.

Tip: Flow is the only system that can be mounted sideby-side for for multi-panel use. During installation, be sure to mount panels next to each other that reference the same line number on the sales order and batch number to ensure surface match.

Tip: One accessory kit will be included with each wall system. Not provided with each panel.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶ Page 11

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

	Required Selections	U.S. Price	Required to Specify
Height	• 72"H • 95"H	Prices below Prices below	Specify with 72" high. Specify with 95" high.
Frame	Frame     Frameless	No cost No cost	Specify with frame. Specify without frame.
Panel Quantity	Frame quantity of one to eight	Prices below	Specify number of panels.
	<ul> <li>Frameless quantity of two to eight</li> </ul>	Prices below	Specify number of panels.
Surface Type	<ul><li>Chalkboard</li><li>Markerboard</li></ul>	No cost No cost	Specify with chalkboard. Specify with markerboard.

	Options	U.S. Price	Required to Specify
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$ 156 per panel	Specify ceramic color number.
	<ul> <li>Custom graphic 72"H panel</li> </ul>	+\$1640 per panel	Specify custom graphic number
	Custom graphic 95"H panel	+\$2020 per panel	Specify custom graphic number
Accessory Kit	Basic kit	No cost	Specify with basic kit.
,	<ul> <li>Toolbar kit</li> </ul>	+\$ 212	Specify with toolbar kit.
Related	Dry erase markers		▶ Page 86
Products	<ul> <li>Magnetic eraser with marker h</li> </ul>	nolder	Page 84
	Accessories		▶ Page 85


Style Number	Panel Quantity	· U.S. Base Prices
· · ·	:	72"H :95"H
PVFLOW	1	\$ 2050 \$ 2526
	2	\$ 4100 \$ 5052
	3	\$ 6150 \$ 7578
	4	\$ 8200 \$10,104
	5	\$10,250 \$12,630
	6	\$12,300 \$15,156
	7	\$14,350 \$17,682
	8	\$16,400 \$20,208
	:	

7 Options, if selected (see below)

# **Horizontal Flow**

### Horizontal Flow is a multi-panel panel system with no vertical joint covers providing a large and long format writing surface. Available as frameless or

with outer aluminum frame.



Marker tray, dry erase markers, and eraser come standard with white gloss finish for single panel and right-end panel options. If gray chalk finish is selected then an eraser and marker tray come standard. The optional toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

### Frameless Horizontal Flow, has a precision cut and sealed edge with durable lacquer painted edge. Edges are waterjet cut and sealed with high quality paint. Edges show striations. Frameless edge comes standard in the same finish as specified CeramicSteel color number of the panel.

requires chalk sticks or liquid chalk for writing.

# **Custom graphic option**

is available. Polyvision print number required. Please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

Actual Dimensions					
	Horizontal Framed Flow (48"W)	Horizontal Framed Flow (72"W)	Horizontal Framed Flow (95½"W)		
Single Panel Width	48" or 1220 mm	72" or 1830 mm	95.28" or 2420 mm		
Single Panel Height	46.6535" or 1185 mm	46.6535" or 1185 mm	46.6535" or 1185 mm		
Overall Height	47.1535"	47.1535"	47.1535"		
Depth	½" or 13 mm	1/2" or 13 mm	½" or 13 mm		
Depth from Wall to Face	3⁄4" or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	3⁄4" or 19 mm		
Weight (lbs)	55.1 lb	62 lb	82 lb		
Weight (kgs)	25 kg	28 kg	37 kg		

Tip: Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

Wall System Width Options	Specified Width	Framed Horizontal Flow Actual Width	Frameless Horizontal Flow Actual Width	
12'	144"	144 <sup>1</sup> /2" or 3671 mm	144" or 3658 mm	
14'	168"	168 <sup>1</sup> / <sub>2</sub> " or 4280 mm	168" or 4267 mm	
16'	192"	191.06" or 4853 mm	190.56" or 4840 mm	
18'	216"	216 <sup>1</sup> / <sub>2</sub> " or 5499 mm	216" or 5486 mm	
20'	240"	239.78" or 6090 mm	239.28" or 6078 mm	
24'	288"	286.34" or 7273 mm	285.84" or 7260 mm	
30'	360"	360 <sup>1</sup> /2" or 9157 mm	360" or 9144 mm	


# **Panel Quantities and Layout by Total Width**




144": 72"+72"




168": 48" + 72" + 48"




190.56" :  $95^{1}/4$ " +  $95^{1}/4$ "




216": 72" + 72" + 72"



239.28": 72" + 951/4" + 72"



285.84": 951/4" + 951/4" + 951/4"



360": 72" + 72" + 72" + 72" + 72"

Tip: Panel configurations outside of these layouts are considered custom. Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

Tip: Dimensions configured reference frameless horizontal Flow dimensions. For framed horizontal Flow see table above.


# **Horizontal Flow**

►Need help?

page 44

**Type** 

Product details,



### **Standard Includes**

### · Panel(s): Polyvision CeramicSteel

- · Attachment hardware
- · Spline joints, included with multiple panels system
- · Accessories: basic kit

Markerboard

### 1 Style number

2 Frame (see below under Required Selections)

**Required to Specify** 

- 3 Height (see below under Required Selections)
- 4 Width (see below under Required Selections)
- 5 Surface Type (see below under Required Selections)
- 6 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS PV09 Hygienic White Gloss
- 7 Options, if selected (see below)
- ► See Surface Materials, page 90

equired to Specify

Specify with markerboard.

	nequired Selection	JIIS U.S. PIICE	nequired to specify	
Frame	• Frame	No cost	Specify with frame.	
	<ul> <li>Frameless</li> </ul>	No cost	Specify without frame.	
Height	• 47"H	Prices at right	Specify with 47" high.	
Width	• 144"W	Prices at right	Specify with 144" width.	
	• 168"W	Prices at right	Specify with 168" width.	
	• 192"W	Prices at right	Specify with 192" width.	
	• 216"W	Prices at right	Specify with 216" width.	
	• 240"W	Prices at right	Specify with 240" width.	
	• 288"W	Prices at right	Specify with 288" width.	
	• 360"W	Prices at right	Specify with 360" width.	
Surface	Chalkboard	No cost	Specify with chalkboard.	

No cost

Tip: Height dimensions listed are nominal.

Tip: Width is the total dimension by multiple panels being splined together. These are not single pieces in specified lengths.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Tip: One basic accessory kit will be included with each wall system. Not provided with each panel.

Tip: Sizes are nominal.

Tip: Horizontal Flow (framed) as 8' total width should be ordered from the Flow section. Refer to PVFLOW.

Tip: Horizontal Flow (frameless) as 8' total width should be ordered from the Sans section. Refer to SANS.

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

	Options	U.S. Price	Required to Specify
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$156 per panel	Specify ceramic color number.
	Custom graphic 144"W	Price at right	Specify custom graphic number.
	Custom graphic 168"W	Price at right	Specify custom graphic number.
	Custom graphic 192"W	Price at right	Specify custom graphic number.
	Custom graphic 216"W	Price at right	Specify custom graphic number.
	Custom graphic 240"W	Price at right	Specify custom graphic number.
	Custom graphic 288"W	Price at right	Specify custom graphic number.
	Custom graphic 360"W	Price at right	Specify custom graphic number.
Accessory Kit	Basic kit	No cost	Specify with basic kit.
_	<ul> <li>Toolbar kit</li> </ul>	+\$212	Specify with toolbar kit.
Related	Dry erase markers		▶Page 86
Products	<ul> <li>Magnetic eraser with market</li> </ul>	r holder	▶Page 84
	Accessories		▶Page 85

Specification Information					
Style Number	·Width	·U.S. Base Price	• Option (Add \$ to Base Price)		
	:	47"H	Custom Graphic		
HZPVFLOW	144"	\$ 5599	+\$4479		
	168"	\$ 6159	+\$4927		
	192"	\$ 6719	+\$5375		
	216"	\$ 7839	+\$6271		
	240"	\$ 8959	+\$7167		
	288"	\$10,079	+\$8063		
	360"	\$12,319	+\$9855		

# Sans

**Sans** is a writing board with streamlined, precision cut, frameless edges. Orientation of writing board can be mounted horizontally or vertically.

For custom capability and parametrics for special sizes, please see Parametric Collaborative Surfaces.

> See page 50

Frameless edge comes standard in the same finish as the specified CeramicSteel color number of the panel. Contrasting options are also available. Panel thickness is ½" or 13 mm.

### CeramicSteel surface

is offered in 7655 White High Gloss, 7661 Gray Chalk 6502C CS, 7671 Arctic White 2 CS, 7673 Merle CS, 7674 Platinum Solid CS, and PV09 Hygienic White. 7661 Gray Chalk 6502C CS is a true chalkboard surface that requires chalk sticks or liquid chalk for writing.

Tip: Available with standard graphics and custom graphics. Please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

**Edges** are waterjet cut and sealed with high quality paint. Edges show striations.

Marker tray, dry erase markers, and eraser come standard with all markerboard surfaces. If chalkboard finish is selected then an eraser and marker tray come standard. The optional toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

# **Actual Dimensions (Horizontal Orientation)**


• •	Sans (48"W)	Sans (72"W)	Sans (95"W)
Overall Height	46.6535" or 1185 mm	46.6535" or 1185 mm	46.6535" or 1185 mm
Overall Width	48" or 1220 mm	72" or 1830 mm	95" or 2420 mm
Depth	½" or 13 mm	½" or 13 mm	<sup>1</sup> / <sub>2</sub> " or 13 mm
Depth from Wall to Face	1" or 25 mm	1" or 25 mm	1" or 25 mm
Weight (lbs)	55 lb	82 lb	97 lb
· Weight (kgs)	25 kg	37 kg	44 kg

# **Actual Dimensions (Vertical Orientation)**

	Sans (72"H)	Sans (95"H)
Overall Height	72" or 1830 mm	95" or 2420 mm
Overall Width	46.6535" or 1185 mm	46.6535" or 1185 mm
Depth	½" or 13 mm	1/2" or 13 mm
Depth from Wall to Face	1" or 25 mm	1" or 25 mm
Weight (lbs)	82 lb	97 lb
Weight (kgs)	37 kg	44 kg

Tip: Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

# **Product Details**



Standard corners can be selected for the Sans board. Standard corner option is 90-degree, radius is R45. Compatible with accented edge options.

# **Digital Print Options**

Digital printing is offered on Parametric Premium Whiteboards, Sans, Sans Light, and Flow products. Digital print graphics are permanently baked into the CeramicSteel surface and are scratch, abrasion, bacteria, chemical, fire, and graffiti resistant. Both standard and custom options are available.

Tip: Flow only available with custom option.

Standard Digital Print Options for Sans, Sans Light, and Premium Whiteboards

Patterns available in:

- 7676 Saffron
- 7677 Peacock
- 7678 Sea Salt
- 7679 Sterling Dark
- 7681 Sand
- 7682 Black



**PV55 Agate** 



**PV56 Brushstroke** 



**PV57 Code** 



PV58 Data



PV59 DNA



**PV60** Hive




**PV61 Skyline** 



**PV62 Soundwave** 




**PV63 Speed** 



### **PV64 Summit**

Patterns available in: • 7679 Sterling Dark • 7682 Black

			•				٠
P	<b>V</b> 6	5	D	ot	G	ìri	d




# **PV66 Line Grid**

•	
•	

# **PV67 Music Lines**

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

# Sans



### **Standard Includes Required to Specify** · Panel: Polyvision CeramicSteel 1 Style number · Attachment hardware

- ►Need help? Product details, page 48
- · Magnetic marker tray, dry erase markers, and eraser if 7655 White High Gloss, 7671 Arctic White 2 CS, 7673 Merle CS, 7674 Platinum Solid CS, or PV09 Hygienic White Gloss is selected
- Magnetic marker tray and eraser if 7661 Gray Chalk 6502C CS is selected
- Accented edge: paint price groups 1, 2, and 3, if contrasting is selected
- 2 Size (see below under Required Selections)
- 3 Corner shape (see below under Required Selections)
- 4 Surface type (see below under Required Selections)
- 5 CeramicSteel color number for panel:

7655 White High Gloss

Gray Chalk 6502C CS 7661 Arctic White 2 CS 7671

7673 Merle CS 7674 Platinum Solid CS

PV09 Hygienic White Gloss 6 Options, if selected (see below)

► See Surface Materials, page 90

Tip: Accessories come with all Sans boards. Accessories vary by surface type and color. All Sans boards include a logo on the bottom right corner.

Tip: Sans boards should not be mounted side-by-side due to possible color variation between boards. For a multi-panel system use

Tip: Mounting hardware will be installed on the back of the board to support vertical installation when 72"H or 95"H is specified.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Tip: Contrasting accented edge can only be specified when the panel is selected in 7655 White High Gloss and 7671 Arctic White 2 CS.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: Graphics not available with rounded corners.


Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.


	Required Selections	U.S. Price	Required to Specify
Size	Horizontal		
	• 47"H x 48"W	Prices below	Specify with 47"H x 48"W.
	• 47"H x 72"W	Prices below	Specify with 47"H x 72"W.
	• 47"H x 95"W	Prices below	Specify with 47"H x 95"W.
	Vertical		
	• 72"H x 47"W	Prices below	Specify with 72"H x 47"W.
	• 95"H x 47"W	Prices below	Specify with 95"H x 47"W.
Corner	90 degree corner	No cost	Specify with 90 degree corner
Shape	<ul> <li>Rounded corner</li> </ul>	No cost	Specify with rounded corner.
Surface	Chalkboard	No cost	Specify with chalkboard.
Туре	<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.

	Options	U.S. Price	Required to Specify		
Surface	Surface				
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.		
	Ceramic price group 2	+\$ 156	Specify ceramic color number.		
	<ul> <li>Graphic 47"H x 48"W</li> </ul>	+\$1135	Specify standard or custom graphic number.		
	<ul> <li>Graphic 47"H x 72"W</li> </ul>	+\$1516	Specify standard or custom graphic number.		
	<ul> <li>Graphic 47"H x 95"W</li> </ul>	+\$1765	Specify standard or custom graphic number.		
	<ul> <li>Graphic 72"H x 47"W</li> </ul>	+\$1516	Specify standard or custom graphic number.		
	• Graphic 95"H x 47"W	+\$1765	Specify standard or custom graphic number.		
	Contrasting				
	<ul> <li>Non-contrasting accented</li> </ul>	No cost	Specify with non-contrasting accented		
	edge		edge.		
	<ul> <li>Contrasting accented edge</li> </ul>	+\$ 139	Specify with contrasting accented edge.		
Accessory Kit	Basic kit	No cost	Specify with basic kit.		
	<ul> <li>Toolbar kit</li> </ul>	+\$ 212	Specify with toolbar kit.		
Related Products	Accessories		▶ Page 85		

Style Number	·Height	·U.S. Ba	ase Price	es .	
:	:	47"W	: 48"W	: 72"W	: 95"W
SANS	47"	N.A.	\$1419	\$1895	\$2207
	72"	\$1895	N.A.	N.A.	N.A.
	95"	\$2207	N.A.	N.A.	N.A.

**Sans Light** Sans Light





Edges are waterjet cut and sealed with high quality paint. Edges show striations.

The toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

is offered in 7655 White High Gloss, 7661 Gray Chalk 6502C CS, 7671 Arctic White 2 CS, 7673 Merle CS, 7674 Platinum Solid CS, and PV09 Hygienic White Gloss. 7661 Gray Chalk 6502C CS is a true chalkboard surface and requires chalk sticks or liquid chalk for writing.


Tip: Available with standard graphics and custom graphics. Please contact your Polyvision sales representative

at: sales@polyvision.com to start the process and acquire a custom print job number.

Actual Dimensions (Horizontal Orientation)						
	Sans Light (48"W)	Sans Light (72"W)	Sans Light (95"W)			
Overall Height	46.6535" or 1185 mm	46.6535" or 1185 mm	46.6535" or 1185 mm			
Overall Width	48" or 1220 mm	72" or 1830 mm	95" or 2420 mm			
Depth	<sup>1</sup> / <sub>4</sub> " or 6 <sup>1</sup> / <sub>2</sub> mm	1/4" or 61/2 mm	1/4" or 61/2 mm			
Depth from Wall to Face	⁴⁄5" or 20¹⁄2 mm	⁴⁄5" or 20¹⁄2 mm	⁴⁄5" or 20¹⁄2 mm			
Weight (lbs)	34 lb	50 lb	66 lb			
Weight (kgs)	15 <sup>2</sup> / <sub>5</sub> kg	22½ kg	30 kg			

<b>Actual Dimension</b>	s (Vertical Orientatio	on)
	Sans Light (72"H)	Sans Light (95"H)
Overall Height	72" or 1830 mm	95" or 2420 mm
Overall Width	46.6535" or 1185 mm	46.6535" or 1185 mm
Depth	1/4" or 61/2 mm	1/4" or 61/2 mm
Depth from Wall to Face	⁴⁄5" or 20¹⁄2 mm	4⁄5" or 201∕2 mm
Weight (lbs)	50 lb	66 lb
Weight (kgs)	22½ kg	30 kg
Tip: Dimensions are actual the nearest whole number.	with a height and width tolerar	nce of +/- 1 mm. Selections in electronic catalog are rounded up to

# **Product Details**



Rounded corners can be selected for the Sans board. Standard corner option is 90-degree, radius is R45. Compatible with accented edge options.

# **Digital Print Options**

Digital printing is offered on Parametric Premium Whiteboards, Sans, Sans Light, and Flow products. Digital print graphics are permanently baked into the CeramicSteel surface and are scratch, abrasion, bacteria, chemical, fire, and graffiti resistant. Both standard and custom options are available.

Tip: Flow only available with custom option.

Standard Digital Print Options for Sans, Sans Light, and Premium Whiteboards

Patterns available in:

- 7676 Saffron
- 7677 Peacock
- 7678 Sea Salt
- 7679 Sterling Dark
- 7681 Sand
- 7682 Black



**PV55 Agate** 



**PV56 Brushstroke** 



**PV57 Code** 



**PV58 Data** 



**PV59 DNA** 



**PV60 Hive** 



**PV61 Skyline** 



**PV62 Soundwave** 




**PV63 Speed** 



**PV64 Summit** 

Patterns available in: · 7679 Sterling Dark • 7682 Black

# **PV65 Dot Grid**




**PV66 Line Grid** 

### **PV67 Music Lines**

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

# **Sans Light**



►Need help?

page 51

Product details,

### **Standard Includes**

### · Panel: Polyvision CeramicSteel

# Attachment hardware

 Standard toolbar kit with 7655 White High Gloss, 7671 Arctic White 2 CS, 7674 Platinum Solid CS, or PV09 Hygienic White Gloss. Neon toolbar kit with 7673 Merle CS. Chalk toolbar kit with 7661 Gray Chalk 6502 CS.

# **Required to Specify**

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 Corner shape (see below under Required Selections)
- 4 Surface type (see below under Required Selections)
- 5 CeramicSteel color number for panel:
- 7655 White High Gloss
- 7661 Gray Chalk 6502C CS
- 7671 Arctic White 2 CS
- 7673 Merle CS
- 7674 Platinum Solid CS
- PV09 Hygienic White Gloss
- 6 Options, if selected (see below)
- See Surface Materials, page 90

Tip: Accessories come with all Sans boards. Accessories vary by surface type and color. All Sans boards include a logo on the bottom right corner.

Tip: Mounting hardware will be installed on the back of the board to support vertical installation when 72"H or 95"H is specified.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: Contrasting accented edge can only be specified when the panel is selected in 7671 Arctic White 2 CS.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: Graphics not available with rounded corners.

Tip: For custom graphics, please contact your Polyvision sales representative at: sales@polyvision.com to start the process and acquire a custom print job number.

	Required Selections	U.S. Price	Required to Specify
Size	Horizontal		
	• 47"H x 48"W	Prices below	Specify with 47"H x 48"W.
	• 47"H x 72"W	Prices below	Specify with 47"H x 72"W.
	• 47"H x 95"W	Prices below	Specify with 47"H x 95"W.
	Vertical		
	• 72"H x 47"W	Prices below	Specify with 72"H x 47"W.
	• 95"H x 47"W	Prices below	Specify with 95"H x 47"W.
Corner	90 degree corner	No cost	Specify with 90 degree corner.
Shape	Rounded corner	No cost	Specify with rounded corner.
Surface	Chalkboard	No cost	Specify with chalkboard.
Туре	<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.

	Options	U.S. Price	Required to Specify
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	<ul> <li>Ceramic price group 2</li> </ul>	+\$ 156	Specify ceramic color number.
	<ul> <li>Graphic 47"H x 48"W</li> </ul>	+\$1518	Specify standard or custom graphic number.
	<ul> <li>Graphic 47"H x 72"W</li> </ul>	+\$1630	Specify standard or custom graphic number.
	<ul> <li>Graphic 47"H x 95"W</li> </ul>	+\$1743	Specify standard or custom graphic number.
	<ul> <li>Graphic 72"H x 47"W</li> </ul>	+\$1630	Specify standard or custom graphic number.
	• Graphic 95"H x 47"W	+\$1743	Specify standard or custom graphic number.
	Contrasting		
	<ul> <li>Non-contrasting accented edge</li> </ul>	No cost	Specify with non-contrasting accented edge.
	<ul> <li>Contrasting accented edge</li> </ul>	+\$ 139	Specify with contrasting accented edge.
Related Products	Accessories		▶ Page 85


### **Specification Information** ·Style ·Height · U.S. Base Prices Number 47"W 48"W 72"W 95"W **PVLTSANS** 47" N.A. \$1897 \$2037 \$2179 72" \$2037 N.A. N.A. N.A. 95" \$2179 N.A. N.A. N.A.



# For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.


# **Accord**

Accord is a combination board where writing and sound absorbing features are combined in a streamlined, precision cut, and frameless design.





Accord features four rounded corners R45 mm and installs with Z-brackets. The markerboard has a ½" MDF core. Acoustic material has a 12 mm core. Acoustic Material: Cost effective sound solution—NRC = 0.45–0.80 for 12 mm.




**Accord** features 4 mm protection bumper, material ABS.

Actual Dimensions								
Accord	Height	Width	Depth	Depth from Wall to Face of Writing Surface	Depth Divider Bumper to Face of Writing Surface	Weight (lbs)	Weight (kg)	
Horizontal	47" or 1185 mm	94" or 2375 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	52.69 lbs	23.9 kg	
Double	47" or 1185 mm	119" or 3020 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	76.27 lbs	34.6 kg	
	47" or 1185 mm	142" or 3610 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	97.66 lbs	44.3 kg	
Vertical Double	72" or 1830 mm	94" or 2375 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	81.57 lbs	37 kg	
	95" or 2420 mm	94" or 2375 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	107.36 lbs	48.7 kg	
Horizontal Left	47" or 1185 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	48.06 lbs	21.8 kg	
	47" or 1185 mm	94" or 2425 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	71.65 lbs	32.5 kg	
	47" or 1185 mm	119" or 3015 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	93.03 lbs	42.2 kg	
Vertical	72" or 1830 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	74.29 lbs	33.7 kg	
Left	95" or 2420 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	97.88 lbs	44.4 kg	
Horizontal	47" or 1185 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	48.06 lbs	21.8 kg	
Right	47" or 1185 mm	94" or 2425 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	71.65 lbs	32.5 kg	
	47" or 1185 mm	119" or 3015 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	93.03 lbs	42.2 kg	
Vertical	72" or 1830 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	74.29 lbs	33.7 kg	
Right	95" or 2420 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	97.88 lbs	44.4 kg	

Tip: Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

Accord



Tip: Accord only available with a single CeramicSteel panel application. Panel comes standard with accessories.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Tip: Refer to panel layouts for acoustic panel quantity and placement.

	Standard Includes	Required to Specify
Need help? Product details, page 54	<ul> <li>Polyvision CeramicSteel markerboard with bumper divider and PET tackable acoustic panel(s)</li> <li>Attachment hardware</li> <li>Accessories: toolbar kit</li> </ul>	1 Style number 2 Height (see below under Required Selections) 3 Width (see below under Required Selections) 4 Acoustic panel quantity (see below under Required Selections) 5 CeramicSteel color number for markerboard: 7655 White High Gloss 7671 Arctic White 2 CS 6 PET color number for acoustic panel(s) 7 Options, if selected (see below) See Surface Materials, page 90

	Required Selections	U.S. Price	Required to Specify
Height	• 47"H	Prices below	Specify with 47"H.
	• 72"H	Prices below	Specify with 72"H.
	• 95"H	Prices below	Specify with 95"H.
Width	• 70"W	Prices below	Specify with 70"W.
	• 94"W	Prices below	Specify with 94"W.
	• 119"W	Prices below	Specify with 119"W.
	• 142"W	Prices below	Specify with 142"W.
Acoustic	Quantity 1	Prices below	Specify one acoustic panel.
Panel Quantity	• Quantity 2	Prices below	Specify two acoustic panels.

	Options	U.S. Price	Required to Specify
Surface	Markerboard edge		
Materials	Ceramic price group 1	No cost	Specify edge finish color number.
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify edge finish color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$127	Specify edge finish color number.
Related	Accessories		▶ Page 85
Products			

Specification	on intormatio	n			
• Style Number	·Width	∙U.S. Bas	se Prices		
	:	47"H	72"H	95"H	
Panel Quantity	<sub>/</sub> 1				
PVMRGE	70"	\$2528	\$3439	\$3743	
	94"	\$3034	N.A.	N.A.	
	119"	\$3236	N.A.	N.A.	
	142"	N.A.	N.A.	N.A.	
Panel Quantity	, 2				
PVMRGE	70"	N.A.	N.A.	N.A.	
	94"	\$3439	\$4856	\$5160	
	119"	\$3945	N.A.	N.A.	
	142"	\$4148	N.A.	N.A.	

Tip: Panel quantity refers to the number of acoustic panels selected.



# **Motif**

Motif is a high-performance collaborative panel that can be configured in countless ways to turn unused wall space into places where teams express and share ideas together. Flexible placement encourages spontaneous inspiration while a superior Polyvision CeramicSteel writable worksurface helps teams

effectively capture ideas. Large square panel Extra large rectangle can be mounted as panel can be mounted horizontally or vertically. square or diamond. Small square panel can be mounted as square or diamond. **Small square accent** panel can be mounted as square or diamond. Motif panels have 4 mm Motif panels are frameless and lightweight for radius corners and should be installed with a 6 mm gap easy installation. Motif is in between. Spacer tool is recommended to be installed included with each panel. on drywall. Panels must be mounted four inches off the floor and one inch from


# **Product Details**

### **Standard Digital Print Options for Motif Boards**

- · 221/2" x 221/2"
- PV11 Grey Calendar CS
  PV12 Grey Grid CS



### **Calendar Grid**



**Grey Grid** 

Motif boards are available in Polyvision CeramicSteel. Standard digital print options are printed on 7671 Arctic White 2 CS.

Actual Dimensions							
	Small Square Panel	Large Square Panel	Extra Large Rectangle Panel	Small Square Accent Panel			
Single Panel Height	22 <sup>1</sup> / <sub>2</sub> " or 572 mm	45 <sup>1</sup> / <sub>4</sub> " or 1150 mm	45½" or 1150 mm 90¾" or 2306 mm	22½" or 572 mm			
Single Panel Width	22 <sup>1</sup> / <sub>2</sub> " or 572 mm	45 <sup>1</sup> / <sub>4</sub> " or 1150 mm	90 <sup>3</sup> / <sub>4</sub> " or 2306 mm 45 <sup>1</sup> / <sub>4</sub> " or 1150 mm	22½" or 572 mm			
Depth	.157" or 4 mm	.157" or 4 mm	.157" or 4 mm	.157" or 4 mm			
Depth from Wall to Face	15/16" or 32 <sup>11</sup> /16 mm	15/16" or 32 <sup>11</sup> /16 mm	15/16" or 32 <sup>11</sup> /16 mm	15/16" or 32 <sup>11</sup> /16 mm			
Weight (lbs)	5.7 lb	23.32 lb	46.78 lb	5.7 lb			
Weight (kgs)	2.62 kg	10.58 kg	21.22 kg	2.62 kg			

the ceiling. When mounting panels near a corner, Motif should be placed four inches from the corner of the wall.

Motif Panels

# **Motif Panels**

*Tip: A neon marker will come* ▶ Need help? standard if Merle CS or Sterling Dark Solid CS are specified on the panel. If Seagull CS, Platinum Solid CS, or Arctic White 2 CS are selected then a standard black marker will come standard.

Tip: 903/4"H panels are only available as 451/4"W.


Tip: Small square and large square panels can be mounted as square or diamond.

Tip: Extra large rectangle panel can be mounted horizontally or vertically (451/4"H x 903/4"W or 903/4"H x 451/4"W).

Tip: PV11 Grey Calendar Grid CS and PV12 Grey Grid CS are offered only on small square size panels.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

### **Standard Includes**

# **Required to Specify**

Product details, page 56

- · Panel: Polyvision CeramicSteel
- · Dry erase marker
- · Attachment hardware
- Installation template

- 1 Style number
- 2 Panel size (see below under Required Selections)
- 3 CeramicSteel color number for panel: 7671 Arctic White 2 CS 7672 Seagull CS 7673 Merle CS 7674 Platinum Solid CS

7675 Sterling Dark Solid CS PV11 Grey Calendar Grid CS PV12 Grey Grid CS

	Required Selections	U.S. Price	Required to Specify
Panel Size	<ul> <li>Small square panel (22½"H x 22½"W)</li> </ul>	Prices below	Specify with small square panel.
	<ul> <li>Large square panel (45<sup>1</sup>/<sub>4</sub>"H x 45<sup>1</sup>/<sub>4</sub>"W)</li> </ul>	Prices below	Specify with large square panel.
	<ul> <li>Extra large rectangle panel (45<sup>1</sup>/<sub>4</sub>"H x 90<sup>3</sup>/<sub>4</sub>"W)</li> </ul>	Prices below	Specify with extra large rectangle panel.
	• Extra large rectangle panel (90 <sup>3</sup> / <sub>4</sub> "H x 45 <sup>1</sup> / <sub>4</sub> "W)	Prices below	Specify with extra large rectangle panel.
Related	Dry erase markers		▶ Page 85
Products	<ul> <li>Magnetic eraser with marker h</li> </ul>	older	▶Page 85
	<ul> <li>Motif accent panel</li> </ul>		▶Page 58
	<ul> <li>Accessories</li> </ul>		▶ Page 85

### **Specification Information**

·Style	·Dimensi	ons	·U.S.
Number	W	4	Price

# **Small Square Panel**

MTFPNL	221/2"	221/2"	\$ 553

# **Large Square Panel**

MTFPNL	451/4"	451/4"	\$1525	

# **Extra Large Rectangle Panel**

MTFPNL	903/4"	451/4"	\$2775	
	451/4"	903/4"	\$2775	

# **Motif Accent Panel**



Tip: Small square accent panel can be mounted as square or diamond.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

**MTFPNLA** 

221/2"

221/2"

\$553

▶Page 11

	Standard Includes	Required to Specify
Need help? Product details, page 56	<ul> <li>Panel: Polyvision CeramicSteel: 7665 Saffron Pattern CS</li> <li>Attachment hardware</li> <li>Installation template</li> </ul>	Style number
	Related Products	
	Dry erase markers	▶ Page 85
	Magnetic eraser with marker holder	Page 85
	Motif panels	▶Page 57
	Accessories	▶ Page 85
Specification	n Information	
Style Number	·Dimensions ·U.S. W H Price	



# Serif



**Edges** are waterjet cut and sealed with high quality paint. Edges show striations.

Marker tray, dry erase

markers, and eraser

come standard with Serif. The optional toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing

accessories.

Mounting comes standard with standoff mounts. Mounts vary by size of panel.

# edge corners have a 4 mm radius. Contrasting options are also available.

of the panel. Frameless

Frameless edge comes standard in the same finish as the specified CeramicSteel color number


**CeramicSteel surface** is offered in 7655 White High Gloss or PV09 Hygienic White Gloss

### **Actual Dimensions (Horizontal Orientation) Serif (47"W) Serif (72"W) Serif (95"W)** Overall Height 46.6535" or 1185 mm 46.6535" or 1185 mm 46.6535" or 1185 mm Overall Width 46.6535" or 1185 mm 72" or 1830 mm 95" or 2420 mm Depth 1/4" or 61/2 mm 1/4" or 61/2 mm 1/4" or 61/2 mm Depth from Wall to Face 3/4" or 19 mm 3/4" or 19 mm 3/4" or 19 mm Weight (lbs) 32 lb 50 lb 66 lb 30 kg Weight (kgs) 15 kg 23 kg

Actual Dimensions (Vertical Orientation)				
	Serif (72"H)	Serif (95"H)		
Overall Height	72" or 1830 mm	95" or 2420 mm		
Overall Width	46.6535" or 1185 mm	46.6535" or 1185 mm		
Depth	<sup>1</sup> /4" or 6 <sup>1</sup> /2 mm	<sup>1</sup> /4" or 6 <sup>1</sup> / <sub>2</sub> mm		
Depth from Wall to Face	<sup>3</sup> /4" or 19 mm	<sup>3</sup> / <sub>4</sub> " or 19 mm		
Weight (lbs)	50 lb	66 lb		
Weight (kgs)	23 kg	30 kg		

Tip: Dimensions are actual with a height and width tolerance of +/- 1 mm. Selections in electronic catalog are rounded up to the nearest whole number.

# **Serif**



►Need help?

page 59

Product details,

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

# **Standard Includes**

### · Panel: Polyvision CeramicSteel

- Attachment hardware
- Four standoff mounts, if 47"H x 47"W is selected - Six standoff mounts, if 47"H x 72"W or 47"H x 95"W is selected
- Magnetic marker tray, dry erase markers, and eraser
- · Accented edge: paint, if contrasting is selected

# **Required to Specify**

- 1 Style number 2 Size (see below under Required
- Selections) 3 CeramicSteel color number for panel: 7655 White High Gloss PV09 Hygienic White Gloss
- 4 Options, if selected (see below)
- See Surface Materials, page 90

'	Required Selections	U.S. Price	Required to Specify	
Size	Horizontal	<u> </u>		
	• 47"H x 47"W	Price below	Specify with 47"H x 47"W.	
	• 47"H x 72"W	Price below	Specify with 47"H x 72"W.	
	• 47"H x 95"W	Price below	Specify with 47"H x 95"W.	
	Vertical			
	• 72"H x 47"W	Price below	Specify with 72"H x 47"W.	
	• 95"H x 47"W	Price below	Specify with 95"H x 47"W.	

	Options	U.S. Price	Required to Specify
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$156	Specify ceramic color number.
	Contrasting		
	<ul> <li>Non-contrasting accented edge</li> </ul>	No cost	Specify with non-contrasting accented edge.
	<ul> <li>Contrasting accented edge</li> </ul>	+\$139	Specify with contrasting accented edge
Accessory Kit	Basic kit	No cost	Specify with basic kit.
	<ul> <li>Toolbar kit</li> </ul>	+\$209	Specify with toolbar kit.
Related Products	Accessories		▶ Page 85


Specification Information					
Style Number	Height	·U.S. Ba	Base Prices		
Number	•	47"W	:72"W	: 95"W	
SERIF	47"	\$1528	\$1667	\$1945	
	72"	\$1667	N.A.	N.A.	
	95"	\$1945	N.A.	N.A.	
		:		•	



# **Tac**

# Frameless, fabric wrapped tackboard—


Tac adds another dimension to collaboration by providing a pinnable, flexible space where your best ideas can come to life.



Actual Dimensions					
	Tac Small Square	Tac Small Rectangle	Tac Medium Rectangle	Tac Large Rectangle	
Depth	3/4"	3/4"	3/4"	3/4"	
Width	24"	48"	72"	96"	
Height	24"	36"	48"	48"	
Depth from wall to face	11/4"	11/4"	11/4"	11/4"	
Weight (lb)	5	17	62	80	
Weight (kg)	2.27	7.71	28.12	36.28	

Tip: Rectangles available in horizontal and vertical orientation. Dimensions are actual with a height and width tolerance of +/- 1 mm.

# Tac



Tip: Fabric direction runs horizontal for horizontal orientation. Fabric direction runs vertical for vertical orientation.

Tip: Clean only with waterbased or solvent-based cleaner. Do not saturate.

# **Standard Includes**

- Tackboard: Billiard Multi-Use by Designtex fabric wrapped
- Z-bracket mounting hardware
- Cleaning instructions

Need help? Product details,

page 61

# **Required to Specify**

- 1 Style number 2 Size (see below under Required Selections)
- 3 Tackboard fabric
- See Surface Materials, page 90.

	Required Selections	U.S. Price	Required to Specify
Size	Horizontal		
	• 24"H x 24"W	Price below	Specify with 24"H x 24"W.
	• 36"H x 48"W	Price below	Specify with 36"H x 48"W.
	• 48"H x 72"W	Price below	Specify with 48"H x 72"W.
	• 48"H x 96"W	Price below	Specify with 48"H x 96"W.
	Vertical		
	• 48"H x 36"W	Price below	Specify with 48"H x 36"W.
	• 72"H x 48"W	Price below	Specify with 72"H x 48"W.
	• 96"H x 48"W	Price below	Specify with 96"H x 48"W.
Related Products	• Textura		▶ Page 72

Specificat	tion Info	rmation			
Style Number	• Dime	nsions W	· U.S. Price		
TAC	Horiz	ontal			
	24"	24"	\$ 802		
	36"	48"	\$1204		
	48"	72"	\$1739		
	48"	96"	\$2075		
	Vertic	cal			
	48"	36"	\$1204		
	72"	48"	\$1739		
	96"	48"	\$2075		
			•		



# **Glass**


# High quality glassboard

is made with <sup>3</sup>/16" thick lowiron tempered glass and is non-porous, non-ghosting, and non-staining. With the ability to configure both vertically or horizontally, the compact structure of this glassboard sits close to the wall using a Z-bracket installation. Accepts rare earth magnets.

Thin, smooth, frameless edge.

Glass surface is offered in 25 color options.

Tip: For information on custom color finishes, please contact your Polyvision sales representative at: sales@polyvision.com.




**Glassboard** mounted to the wall with Z-brackets.

<b>Actual Dimension</b>	s (Horizontal Orien	tation)		
:	Glass (48"W)	Glass (72"W)	Glass (96"W)	
Overall Height	48" or 1220 mm	48" or 1220 mm	48" or 1220 mm	
Overall Width	48" or 1220 mm	72" or 1830 mm	96" or 2439 mm	
Depth	<sup>3</sup> /16" or 5 mm	<sup>3</sup> /16" or 5 mm	3/16" or 5 mm	
Depth from Wall to Face	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	<sup>7</sup> /16" or 11.1 mm	
Weight (lbs)	51 lb	76.5 lb	102 lb	
: Weight (kgs)	25.4 kg	38.1 kg	50.8 kg	

Tip: Sizes are nominal.

<b>Actual Dimension</b>	s (Vertical Orienta	tion)
	Glass (72"H)	Glass (96"H)
Overall Height	72" or 1830 mm	96" or 2439 mm
Overall Width	48" or 1220 mm	48" or 1220 mm
Depth	<sup>3</sup> / <sub>16</sub> " or 5 mm	3/ <sub>16</sub> " or 5 mm
Depth from Wall to Face	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	7/ <sub>16</sub> " or 11.1 mm
Weight (lbs)	76.5 lb	102 lb
Weight (kgs)	38.1 kg	50.8 kg

# **Glass**



Tip: Glassboards have a steel backer that support use for rare earth magentic accessories.

Tip: Not compatible with toolbar.

Tip: Glassboards are not intended to be mounted side-by-side as there may be a slight variance in paint batches. Contact sales@ polyvision.com if the design concept of a sales order requires this setup.

Tip: Rectangle glassboards are available in horizontal or vertical orientation. Hardware is attached during manufacturing. Orientation must be selected during the ordering process.

### **Standard Includes**

# **Required to Specify**

► Need help? Product details, page 63

· Glassboard: back painted, magnetic glass

Required Selections U.S. Price

- Z-bracket mounting hardware
- · Cleaning instructions

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 Back painted glass color number
- See Surface Materials, page 90.

**Required to Specify** 


Size	• 48"l • 48"l • 48"l	rizontal H x 48"W H x 72"W H x 96"W		Prices below Prices below Prices below	Specify with 48"H x 48"W. Specify with 48"H x 72"W. Specify with 48"H x 96"W.
	• 72"	rtical H x 48"W H x 48"W		Prices below Prices below	Specify with 72"H x 48"W. Specify with 96"H x 48"W.
Specificat	ion Info	rmation			
• Style Number	· Dime H	nsions W	·U.S. Price		
PVGLASS	Horiz	ontal	· ·		
	48"	48"	\$2426		
	48"	72"	\$3396		
	48"	96"	\$4290		
	Verti	cal			
	72"	48"	\$3396		
	96"	48"	\$4290		




# Mobile and Privacy

# Mobile and Privacy Groupwork Screens and Marker Trays 66 Textura Mobile 71 Verb Whiteboards and Easels 73 Boundri 78

# **Groupwork Screens and Marker Trays**






**Screens** nest easily and require minimal space. The leg bases are 16"D, and each screen nested adds another 11/2" to the depth.



**Marker tray** is available to hold dry erasers and markers. The tray is attached on top of the screen top cap. Marker trays are available in all five screen widths.



Flip-chart pegs are available as an option on the top cap. They are positioned 175/6" apart center to center and are available on one side only. Flip-chart peg top cap works in conjunction with marker trays.

# **Groupwork Screens**

► Need help?

page 66

Product details,



Tip: Screens must be specified with fabric on both sides, e<sup>3</sup> CeramicSteel on both sides, or laminate on both sides. For Canada, screens are available in fabric or e<sup>3</sup> CeramicSteel on both sides only.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: 54"H screens are available in vertical or horizontal fabric direction. 66"H screens are available in vertical fabric direction only.

Tip: e<sup>3</sup> CeramicSteel writing surface is magnetic.

Tip: Three-leg base is used when two or more screens are placed next to each other on angles. Four-leg bases can be used next to each other only in a straight configuration.

Tip: 66"H screens are not available with the three-leg base option.

Tip: Levelers have 1/4" adjustment (higher only) and do not slide. If frequent movement is needed, order screen with casters.

Tip: Flip-chart pegs, located 17<sup>5</sup>/8" apart, are located on only one side of the top cap.



## For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.


### **Standard Includes**


- Tackboard, both sides if selected: Price group A
   Having the average of the side o
- Horizontal or vertical fabric direction, if 54"H screens is selected
- · Vertical fabric direction, if 66"H screen is selected
- e<sup>3</sup> CeramicSteel writing surface, both sides, if selected: 7655 e<sup>3</sup> CeramicSteel White High Gloss
- Laminate markerboard, both sides, if selected: 2977 White Markerboard Laminate
- Frame, top cap, uprights, bottom channel, and four-leg base: paint price group 1
- · Four-leg base with four locking casters: black plastic
- Attachment hardware
- · Shipped ready to assemble

## **Required to Specify**

- Style number
   Fabric color number, 7655 e<sup>3</sup>
   CeramicSteel White High Gloss, or 2977
   White Markerboard Laminate for side 1
- 3 Fabric color number, 7655 e<sup>3</sup> CeramicSteel White High Gloss, or 2977 White Markerboard Laminate for side 2
- 4 Fabric direction for 54"H screen, if selected
- 5 Paint color number for frame
- 6 Options, if selected (see below)
- ► See Surface Materials, page 90

	Options	U.S. Price	Required to Specify
Surface	Fabric surface on tackb	oard	
Materials	Price group A	No cost	Specify fabric color number.
	Fabric price group 1	+\$ 5 per side	Specify fabric color number.
	Fabric price group 2	+\$ 33 per side	Specify fabric color number.
	Fabric price group 3	+\$ 49 per side	Specify fabric color number.
	Fabric price group 4	+\$ 68 per side	Specify fabric color number.
	Fabric price group 5	+\$ 88 per side	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$110 per side	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$129 per side	Specify fabric color number.
	<ul> <li>Fabric price group 7</li> </ul>	+\$150 per side	Specify fabric color number.
	<ul> <li>Fabric price group 9</li> </ul>	+\$170 per side	Specify fabric color number.
	<ul> <li>Fabric price group 10</li> </ul>	+\$191 per side	Specify fabric color number.
	<ul> <li>Fabric price group COM</li> </ul>	+\$ 63 per side	See Surface Materials Reference Manual.
	Fabric direction		
	<ul> <li>Horizontal application</li> </ul>	No cost	Specify with horizontal application.
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.
	e <sup>3</sup> CeramicSteel writing		
	<ul> <li>e<sup>3</sup> CeramicSteel surface on both sides</li> </ul>	+\$ 90	Specify with 7655 White High Gloss.
	Laminate markerboard		
	<ul> <li>2977 White Markerboard Laminate</li> </ul>	No cost	Specify with 2977 White Markerboard Laminate.
	Frame and base		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 46	Specify paint color number.
Base	Three-leg base with three black plastic locking casters	No cost	Specify with three-leg base.
Levelers	Levelers (three or four)	No cost	Specify with levelers.
Flip-Chart Pegs	Top cap with flip-chart pegs on one side	+\$ 51	Specify with flip-chart pegs.
Related Products	Marker trays		▶ Page 70





Spe	cifica	tion Inf	formation				
· Dim	ensions W	Н	• Style • Number	·U.S. Base Price			
54"H	l Scre	ens	·				
16"	24"	54"	TS4S2454	\$1064			
16"	30"	54"	TS4S3054	\$1118			
16"	36"	54"	TS4S3654	\$1164			
16"	42"	54"	TS4S4254	\$1216			
16"	48"	54"	TS4S4854	\$1269			
66"H	l Scre	ens	<u> </u>	<u> </u>			
16"	24"	66"	TS4S2466	\$1164			
16"	30"	66"	TS4S3066	\$1216			
16"	36"	66"	TS4S3666	\$1269			
16"	42"	66"	TS4S4266	\$1318			
16"	48"	66"	TS4S4866	\$1368			



# **Marker Trays**

► Need help?

page 66

Surface

Materials

· Paint price group 1

Paint price group 2

Product details,



Tip: Attachment hardware is included with screen. Tray is affixed to the top cap.

### **Standard Includes Required to Specify** • Marker tray: paint price group 1 1 Style number 2 Paint color number for marker tray

Specify paint color number.

Specify paint color number.

Options	U.S. Price	Required to Specify	
age 66		3 Options, if selected (see below) ► See Surface Materials, page 90	
roduct actails,		Z i dilit coloi fidifibel foi filatici tray	


No cost

+\$12

Dime	ensions W	н	· Style Number	· U.S. Base
	••		Humber	Price
21/2"	24"	1/2"	TS4SR24	\$ 82
21/2"	30"	1/2"	TS4SR30	\$ 89
21/2"	36"	1/2"	TS4SR36	\$105
21/2"	42"	1/2"	TS4SR42	\$111
21/2"	48"	1/2"	TS4SR48	\$120



Textura Mobile Textura Mobile



<b>Actual Dimens</b>	sions	
	Single-Sided Whiteboard	Double-Sided Whiteboard
Overall Height	75" or 1905 mm	75" or 1905 mm
Overall Width	46 <sup>7</sup> /8" or 1190 mm	46 <sup>7</sup> /8" or 1190 mm
Depth (board)	2" or 50 mm	2" or 50 mm
Depth (base)	20 <sup>5</sup> /16" or 516 mm	20 <sup>5</sup> / <sub>16</sub> " or 516 mm
Weight	66 lbs or 30 kg	86 lbs or 39 kg

# **Textura Mobile**



### **Standard Includes Required to Specify**

- ► Need help? Product details, page 71
- Mobile stand with locking casters Single- or double-sided whiteboard comes in 7671 Arctic White 2 CS or PV09 Hygienic White Gloss

markerboard

- Acoustic fabric at bottom for double-sided stands. Single-sided stands receive one side with acoustic top
- 1 Style number
- 2 Acoustic panel fabric, if selected:

DB55 Slip

DB56 Marianna

DB57 Madura

DB58 Tortuga

DB59 Solano

DB60 Blizzard

DB61 Havana

DB62 Scuba PV49 Callan

PV50 Tallow

PV51 Aruba

PV52 Paseo

PV53 Sligo

3 CeramicSteel color number for panel: 7671 Arctic White 2 CS

PV09 Hygienic White Gloss 4 Options, if selected (see below)

► See Surface Materials, page 90.

	Options	U.S. Price	Required to Specify
Surface Materials	Acoustic panel fabric	No cost	Specify with fabric and select color number.
	Surface		
	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify with ceramic color number.
	<ul> <li>Ceramic price group 2 for single-sided markerboard</li> </ul>	+\$107	Specify with ceramic color number.
	<ul> <li>Ceramic price group 2 for double-sided markerboard</li> </ul>	+\$156	Specify with ceramic color number.
Markerboard	Side A markerboard and acoustic panel only	Price below	Specify with markerboard and acoustic panel.
	<ul> <li>Side B acoustic panel only</li> </ul>	No cost	Specify with acoustic panel only.
	Side B markerboard and acoustic panel	Price below	Specify with markerboard and acoustic panel.
Related Products	Accessories		▶ Page 85

Spec	cification	Information		
· Dime	nsions H	·Style Number	U.S. Base P	rices
 : :			Single-Sided Markerboard	Double-Sided Markerboard
467/8"	75"	PVCFSTND	\$3898	\$4417



## **Verb Whiteboards and Easels**


**Verb easel** facilitates effective display, storage, and presentation of Verb whiteboards.

**Verb wall track** offers additional display options for the Verb whiteboards and can add functionality to otherwise blank walls.

#### **Product Details**



**Two-sided easel** comes standard with two shelves on each side and is 36"W.



**Each easel** comes standard with casters for ease of mobility.



The easel top shelf can be used to store markers and erasers and is available only in 6249 platinum solid finish



**Wall track** comes in 6' and 8' lengths and is made from extruded anodized aluminum. It may be easily cut to length in the field.

**Each wall track** comes standard with hooks for use with the whiteboards.

#### **Maintenance**

- Wipe board with a clean cloth moistened by a liquid markerboard cleaner or a solution of 50% water and 50% isopropyl alcohol.
- · Rinse with clear water.
- Wipe dry with a clean cloth If your board is used daily, the cleaning should be performed at least 2-3 times a week.

More thorough cleaning may be required if writing is left on the board for more than two days.

#### **Markers**

Use any high-quality dry erase marker.

**CAUTION!** The use of Low Odor markers may cause ghosting to occur. If Low Odor markers have been used, the surface can be completely cleaned by following the cleaning instructions above. Remember to discard eraser if used with Low Odor markers.

#### Removing Permanent Marker

#### Option 1:

- Write over the top of the permanent marker ink with a dry-erase marker
- Simply erase

#### Option 2:

- Moisten a clean, dry cloth with isopropyl alcohol
- Wipe the board in a circular motion to loosen marker residue
- Rinse with clear water
   Dry the board with a clear
- Dry the board with a clean cloth
- Repeat these steps as necessary

#### Installer's Instructions for Initial Cleaning at Time of Installation

NOTE: These initial cleaning instructions are shipped with every board.

- For initial cleaning, wipe your board with a clean cloth moistened by a mild, alcohol-based cleaner.
- Rinse with clear water.
   This step is simple, but very important.
- Wipe dry with a clean cloth.

#### **Surface Materials**

#### Easel Frame/Legs

- 4750 Champagne Metallic
- · 4799 Platinum Metallic
- 7360 Merle

#### **Easel Display Shelf**

· 7360 Merle

## Easel Shelf Inserts and Top Cap

· 6249 Platinum Solid

#### Wall Track Hook

6249 Platinum Solid

## **Personal Whiteboard**



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Standard Includes	Required to Specify
Two-sided e <sup>3</sup> CeramicSteel with urethane edge molding	Style number

Spe	Specification Information					
· Dim	ensions W	· Style Number	· U.S. Price			
<u> </u>		:				
18"	23"	VWB2	\$287			
:		•	•			





# Standard Includes Required to Specify Need help? • Steel display shelves: 7360 Merle 1 Style number Product details, page 73 • Frame/legs: paint group 1 2 Frame/leg paint color number • Casters: black 3 Options, if selected (see below) • Trough: 6249 Platinum Solid ▶ See Surface Materials, page 90. • Shipped assembled/wrapped

	Options	U.S. Price	Required to Specify
Surface	Frame/legs Paint price group 1 Paint price group 2	No cost	Specify paint color number.
Materials		+\$49	Specify paint color number.



## **Wall Track**



Tip: The wall track style numbers come with four or five hooks. Additional wall track hooks are available.

## Standard Includes Required to Specify

Need help?
Product details,
page 73

- Anodized aluminum track
- Cork insertPlastic hooks

Style number


Dimei	nsions W	Number of Plastic Hooks	• Style Number	· U.S. Price
Wall	Track	·		•
1"	6'	4	VWT6	\$399
1"	8'	5	VWT8	\$490 ·
Wall	Track Hoo	k		•
		1	VWTH	\$ 35
:		:	:	:

## **Boundri**

Boundri is a privacy screen made from think double-sided Polyvision CeramicSteel featuring adjustable mounts that make it easy to transform almost any desk or table into a private workspace. The multifaceted tool can help employees and students maintain safe distances and provide them a personal collaboration tool to keep track of daily tasks and reminders.

**Boundri screens** are 1/s" thick and corners have a 3/20" radius.

**Edges** are coated with high quality, durable paint that matches the surface finish.



Boundri screens are attached with adjustable mounts. 18" and 24" height screens that are available in 24", 36", 48", 60", and 72" widths. The screen and hardware may be used on (nominal) 1/4" to 11/4" thick worksurfaces.

#### **Actual Dimensions**

Height	18", 24"
Width	24", 36", 48", 60", or 72"
Depth	<sup>11</sup> / <sub>64</sub> " or 4 <sup>2</sup> / <sub>5</sub> mm
18"H Weight (lbs)	7, 10, 13, 17, or 20
24"H Weight (lbs)	9, 14, 18, 22, or 27

Tip: Panel sizes are nominal.

Mount Table		
Screen Size (Height x Width)	Number of mounts	
18" x 24", 18" x 36" , 24" x 24", and 24" x 36"	2	
18" x 48", 24" x 36", and 24" x 48"	3	
18" x 60", 18" x 72", 24" x 60", and 24" x 72"	4	

#### **Product Details**

Boundri screens include adjustable brackets with divider/writing surface element for most heightadjustable desks and fixed worksurfaces.


**Screens** are double-sided CeramicSteel and can be mounted to various desks and worksurfaces using the adjustable mounting hardware.

When applying the Boundri screen to the side of Migration or Migration SE desk, at lease a 2" overhang is required.

**Mounts** are not compatible with Elective Elements worksurfaces.

**Mounts** are movable to accommodate various features or interferences on a minimum tabletop thickness of 1/4" or 6 mm and a maximum tabletop thickness of 11/4" or 34 mm.

The number of mounts varies by size of the screen specified. Refer to the mount table below.




## The edge of the screen is coated with a high quality, durable paint that matches the surface finish. Corners have a 4 mm radius.

The screen and hardware may be used on a minimum tabletop thickness of 1/4" or 6 mm and a maximum tabletop thickness of 11/4" or 34 mm.


The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

#### **Application Topics**




#### Privacy/Back Mount

Mount assembles with the screen grip section attaching to the exterior side of the adjustable table-top clamp. Position supports screen installation with zero space gap.



#### Privacy/Top Mount

Mount assembles with the screen grip section attaching to the top side of the adjustable table-top clamp. Application supports screen installation with space gap of 5/8" above worksurface.




#### Side Divider/Top Mount

Multiple mount assembly types are required for this application. Edge bracket assemblies with the screen grip section attaching to the top side of the adjustable table-top clamp. Screen grip piece is positioned to support screen direction.

screen grip and table top plate is positioned to support screen direction. Application supports screen installation with space gap of 5%" above worksurface.

Table-top mount uses



#### Privacy/Modesty

**Mount** assembles with the screen grip section attaching to the exterior side of the adjustable table-top clamp. Screen clamp is rotated 90° prior to attachment. Position supports divider screen installation with benefit of modesty panel.

Boundri screens mount to worksurfaces using an adjustable mount with tightening screw. Bracket positioning is moveable with suggested placement by screen size.


Screen heights and widths cannot be adjusted in the field. Placement of screens on worksurfaces can be adjusted in the field.

**Privacy configuration** allows screen heights and widths to be determined by the orientation of the screen installed.

Modesty is limited to 71/2" on height adjustable desks to maintain proper clearances. Recommended for 18" x 24", 18" x 36", 24" x 24", and 24" x 36" sizes. Larger panels not recommended for use in this orientation.

Boundri panels to be used with FrameOne do not ship with FMSK2 or FMSK3 brackets. Additional brackets would need to be purchased separately. Contact your Collaborative Surfaces Representative with any questions: collabsolutions@steelcase.com.

## Boundri



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: PV09 Hygienic White Gloss is not available on 24"H panels.

Tip: Adjustable divider mount

also sold separately as a single mount without a panel that can be assembled four different ways.

	Standard Includes	Required to Specify
Need help? Product details, page 78	<ul> <li>Panel: double-sided Polyvision CeramicSteel ceramic price group 1</li> <li>Black anodized adjustable mounts: quantity varies by size</li> <li>Installation instructions</li> <li>Cleaning instructions</li> </ul>	1 Style number 2 Height 3 Width 4 CeramicSteel color number for panel: 7671 Arctic White 2 CS 7673 Merle CS 7674 Platinum Solid CS PV09 Hygienic White Gloss 5 Options, if selected (see below) See Surface Materials, page 90.

	Options	U.S. Price	Required to Specify
Height	• 18"H	Prices below	Specify with 18"H.
	• 24"H	Prices below	Specify with 24"H.
Width	• 24"W	Prices below	Specify with 24"W.
	• 36"W	Prices below	Specify with 36"W.
	• 48"W	Prices below	Specify with 48"W.
	• 60"W	Prices below	Specify with 60"W.
	• 72"W	Prices below	Specify with 72"W.
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	<ul> <li>Ceramic price group 2</li> </ul>	+\$105	Specify ceramic color number.
Related	Dry erase markers		▶Page 86
Products	Magnetic eraser with market	er holder	▶Page 84
	Accessories		▶ Page 85

Specification Information							
·Style ·Height ·U.S. Base Prices Number							
:		24"W	:36"W	: 48"W :	60"W	: 72"W	
PVDVSCRN	18"	\$1111	\$1320	\$1528	\$1806	\$1985	
:	24"	\$1153 :	\$1389	\$1570 :	\$1846	\$2028	

## **Adjustable Divider Mount**

PVDVMNT	\$	105



## Accessories

## **Accessories**

Accessories 82

## **Collaborative ToolBars**


#### **Collaborative ToolBar**

is an elegant design element that enhances the functionality of any Polyvision CeramicSteel markerboard. With a unique docking station, it offers a thoughtful home for a magnetic eraser and markers or chalk, ensuring tools stay organized and secure. The ToolBar is intuitive to use, easy to clean, and provides users with the freedom to orient the kit anywhere on the board. With a design that feels good to the touch, it blends functionality with a premium aesthetic.

Kits are available for different writing board finishes. Markers are included with the standard and neon kits. Chalk sticks are included with the chalkboard kits. All kits include a round magnetic eraser and two replacement microfiber cloths.

**Chalk sticks** come with brand chalk stick holders.

**ToolBar mini** is a smaller version that comes standard with two markers and the round magnetic eraser.



Actual Dimensions					
	ToolBar	ToolBar Mini	Eraser		
Depth	12/5" or 35 mm	12/5" or 35 mm	1 <sup>3</sup> / <sub>5</sub> " or 42 mm		
Overall Width	3 <sup>3</sup> ⁄10" or 85 mm	3" or 75 mm	3 <sup>1</sup> / <sub>2</sub> " or 90 mm		
Overall Height	133/5" or 346 mm	5" or 132 mm	3 <sup>1</sup> / <sub>2</sub> " or 90 mm		
Weight (lbs)	1 lb	0.7 lb	0.23 lb		
Weight (kgs)	0.45 kg	0.31 kg	0.10 kg		


## Accessories

#### **Collaborative ToolBar**

► Need help?

page 82

Product details,



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: ToolBar is not compatible with **PVGLASS**.

#### **Standard Includes**

- Standard kit, if selected: ToolBar, round magnetic eraser, four markers (red, green, blue, and black), and two extra microfiber cloths for eraser
- Neon kit, if selected: ToolBar, round magnetic eraser, five expo neon markers (pink, blue, green, orange, and yellow), and two extra microfiber cloths for eraser
- Chalkboard kit, if selected: ToolBar, round magnetic eraser, four white chalk sticks, four chalk stick holders, and two extra microfiber cloths for eraser

#### **Required to Specify**

- 1 Style number
- 2 ToolBar kit type (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify	
ToolBar	<ul> <li>Standard kit</li> </ul>	No cost	Specify with standard kit.	
Kit Type	<ul><li>Neon kit</li><li>Chalkboard kit</li></ul>	No cost No cost	Specify with neon kit. Specify with chalkboard kit.	

Specificatio	n Information	
Style Number	· U.S. Price	
PVTOOLBAR	\$212	

#### **Collaborative ToolBar Mini**



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: ToolBar mini is not compatible with **PVGLASS**.

	Standard Includes
Need help?	<ul> <li>ToolBar mini, round magneti</li> </ul>
Product details,	and blue) and two extra mici

page 82

 ToolBar mini, round magnetic eraser, 2 markers (black and blue) and two extra microfiber cloths for eraser Style number

Required to Specify

Specification	n Information			
Style Number	· U.S. Price			
PVTLBMINI	\$154			



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### **Round Magnetic Eraser**



	Standard Includes	Required to Specify
Need help? Product details, page 82	Round magnetic eraser	Style number

Specificat	ion Information		
Style Number	·U.S. Price		
PVRME	\$35		


### **Replacement Microfiber Cloths for Eraser**

Tip: Compatible with round magnetic eraser.

	Standard Includes	Required to Specify
Need help? Product details, page 82	10 replacement microfiber cloths	Style number

Specificat	on Information	
Style Number	· U.S. Price	
PVMFC	\$22	
:		

## **Magnetic Eraser with Marker Holder**



Tip: Eraser will hold one dry erase marker.

Standard Includes		Required to Specify
	Magnetic eraser with marker holder	Style number
_	ation Information	
•Style Number	· U.S. Price	
MEP1	\$45	



### **Magnetic Eraser Felt Replacements**



Standard	Includes	Required to Specify	
<ul> <li>Replacement</li> </ul>	felt	Style number	

#### **Specification Information**

• Style	·U.S.
Number	Price
EDES	<b>¢</b> 5

#### **Eraser**



Standard Includes	Required to Specify
Eraser	Style number

## Specification Information Style U.S. Number Price

Mulliper	Pric
	:
RE1	\$7

#### **Set of Four V-Board Markers**

Standard Includes

Need help?
Product details,
page 82

• Four V-Board markers

Required to Specify
Style number

Related Products

• Neon dry erase markers (MP5N)

▶ Page 86

Tip: V-Board markers are for use with standard kit. Neon dry erase markers are for use with neon kit.

Specifica	ition Information
Style	·U.S.
Mumbar	Drice

**PVMKRS** \$17



## **Dry Erase Markers**



	Standard Includes	Required to Specify
	Dry erase markers	Style number
Specific	ation Information	
Style Number	· U.S. Price	
Twelve B	Black Markers	
1MP12	\$45 :	
Twelve B	Blue Markers	
2MP12	\$45 :	
Twelve F	Red Markers	
3MP12	\$45 :	
Twelve G	reen Markers	
4MP12	\$45 ·	
Three Bl	ack, Three Blue, Three Red, and	Three Green Markers
MP12	\$45	
One Blac	k, One Blue, One Red, and One G	reen Marker
MP4	\$11 ·	
	n Green, One Neon Blue, One Neo n Yellow Marker	n Pink, One Neon Orange, and
MP5N	\$23	



### **Chalk Sticks**

	Standard Includes	Required to Specify
Need help? Product details, page 82	10 chalk sticks	Style number
Specificati	on Information	
• Style Number	·U.S. Price	
White Chall	k Sticks	
PVWCLK	\$5	
Colored Cha	alk Sticks	
PVCCLK	\$5	
:	:	

### **Chalk Stick Holders**

► Need help?

Product details, page 82	Four white chalk sticks
Specification	on Information
• Style Number	· U.S. Price
PVCSH	\$8

**Standard Includes** 

· Four chalk stick holders



**Required to Specify** 

Style number

## **Magnetic Marker Trays**



MCR24

\$116

	Marker tray: 8043 Clear Anodized Aluminum	Ot to see the se
	Markor Ray. 00-10 Oldar Allouized Aluminum	Style number
Specifica	ation Information	
Style Number	· U.S. Price	
12" Magr	netic Marker Tray	
MCR12	\$ 87	



## **Resources**

#### Resources

Surface Materials	90
Availability Matrices	92
Style Number Index	94

## **Surface Materials**

This listing includes all surface material and/or finish choices applicable to Collaborative Surfaces. Not all surface material and/or finish choices are available on all products. Please refer to the Finish Matrices. ►See page 92 for specific

#### **Paint**

#### **Steelcase Surfaces**

Applies to:

· Groupwork screens

#### **Price Group 1**

product availability.

7207 Black

#### **Price Group 2**

4798 Sterling Metallic 3 4799 Platinum Metallic

Applies to:

 Parametric Premium whiteboards edge trim

#### **Price Group 2**

4750 Champagne Metallic

#### Applies to:

- · Sans accented edge
- · Sans light accented edge
- · Serif accented edge Tip: Refer to Frameless

Whiteboards with Accented Edges Availability Matrix for accented edge color availability, see page 93.

#### **Price Group 1**

7190 Platinum Solid

#### **Price Group 2**

0835 Black

#### **Price Group 3**

PV01 Pomegranate PV02 Papaya PV03 Mango

PV04 Ivy

PV05 Azure

PV06 Truffle PV07 Plum

#### **Accent Paint**

4AV4 Baltic 4AX1 Citron 4AY2 Chili 4CZ5 Honey

4CZ6 Lagoon

Excluded

#### Applies to:

Verb easel frame/legs

#### **Price Group 1**

#### **Textured Paint**

7360 Merle

#### **Price Group 2**

#### **Smooth Metallic Paint**

4750 Champagne Metallic 4799 Platinum Metallic

#### **Metal Paint**

#### **Steelcase Surfaces**

Applies to:

 Parametric Premium whiteboards Flow framed

#### **Price Group 2**

Clear Anodized Aluminum

#### **Whiteboard** Surface

#### **Steelcase Surfaces**

Whiteboards are standard in white high-gloss 7655 e3 environmental CeramicSteel. Optional screenprint patterns are available to provide a guide for writing or drawing. See below for patterns. Tip: Refer to the CeramicSteel Surface availability matrix for product availability, see page 92.

#### Standard (e3 environmental CeramicSteel):

7655 White High Gloss Gray Chalk 6502C CS 7661 7665 Saffron Pattern

7671 Arctic White 2 CS

7672 Seagull 7673 Merle CS

Platinum Solid CS 7674 7675 Sterling Dark

Hygienic White Gloss\* PV09 Grey Calendar Grid CS

PV12 Grey Grid CS

\*PV09 Hygienic White Gloss finish is not available on the 24"H Boundri screen.

#### **Optional digital print** on e<sup>3</sup> environmental CeramicSteel:

Applies to:

- Parametric Premium whiteboards
- Sans
- Sans light

#### **Standard Graphic**

PV55 Agate PV56 Brushstroke

PV57 Code

PV58 Data

PV59 DNA PV60 Hive

PV61 Skyline

PV62 Soundwave

PV63 Speed

PV64 Summit

PV65 Dot Grid

PV66 Line Grid PV68 Music Lines

#### **Graphic Color**

7676 Saffron 7677 Peacock

7678 Sea Salt Sterling Dark

7682 Black

7681 Sand

## **Back Painted**

High quality glassboard is made with 3/16" thick lowiron tempered glass and is non-porous, non-ahostina. and non-staining.

Applies to:

Glass

6521 Truffle 6571 Aubergine Peacock

6576 Jungle Merlot

6578 Lagoon

6579 Saffron 6581 Blue Jay

6584 **Tangerine** Green Citrine/ 6586

Citrus Green 6588 Purple Berry

6589 Mercurv 6591 Merle

6593 Grayscale

6595 Winter 6597 Honey

**6BB1** Cloud 6BB2 Rose Quartz

Olivine **ACB** Black

Sea Salt/ ACC Crystal Spring

ACM Moonlight ACS Sage

PV38 Coastline

PV34 Peacock Feather

## Vertical Surface Fabric

#### **Fabric Tackboard** Surfaces

Tackboard surfaces are available in select Steelcase and Designtex fabrics. All fabrics are applied railroaded, i.e. salvages parallel to floor.

#### Applies to:

- Parametric Premium
- tackboards
- Groupwork screens

#### Steelcase Surfaces

#### Price Group A

#### **Sprite**

5540 Khaki

5541 Snow

5543 Linen 5544 Sherbet

5545 Powder

5547 Sky

#### **Price Group 1**

#### Abacus 🛭

P123 Portico P124 Opus P125 Cusp P126 Artifact

#### Alloy

P525 Polar P526 Skim

P527 Bubbly

P528 Tern P529 Shore

P530 Asti

P531 Silver

P532 Oxide

P533 Element P534 Construct P535 Currency

P536 Iron

#### **Boccie**

P200 New Rice P201 New Almond P203 New Camel

P204 New Opal P205 New Mist

P206 New Plum P208 New Spearmint

P209 New Sky

#### Buzz2

5F03 Tomato

5F04 Red **G** 

5F05 Burgundy Sky **3** 5F06

5F07 Blue

5F08 Navy 5F15 Stone

5F16 Grey

5F17 Black 5G50 Dunegrass

5G51 Sable

5G55 Pumpkin 5G57 Rouge

5G59 Meadow

5G61 Cyan

5G62 Atlantic 5G63 Crocus

5G64 Alpine 5G65 Tornado

#### Charm

P505 Shell P506 Mimosa

P507 Birch P508 Sparkle

P511 Clover

#### Optic

P542 Orion

P548 Whisper P549

P421 Mist

Rain P423

P425 Denim P426

P427 Stone P428 Flax

Oat P430 Wheat P431 Maize

P516 Lit P517 Ego

P562 Opus

P520 Depth

P510 Debut

#### P513 Twilight

P540 Hazel P541 Twinkle

P547 Bath

Breezy P551 Glimmer

#### **Pianista**

P420 Sand

P422

Natural P424 Café

Carbon

## P429

**Rhythm** P555 Allegro P556 Tempo P557 Refrain P560 Melody

## **Tinsel**

Fizz Muse

P522 Grow

P523 Dolce

#### **Price Group 2**

#### **Bariolage**

G200 New Etude

G201 New Andante G

G202 New Cantata G

G203 New Adagio

G204 New Melody

G205 New Ballata

#### Code

5FA1 Fossil

5FA2 Gabbro

5FA3 Reed

5FA4 Bluff

5FA5 Sea Salt

5FA6 Cannon

5FA7 Tussah

5FA9 Ecru 5FB1 Bamboo

#### **Dovetail by Designtex**

5H39 Light Mocha

5H40 Pebble

5H41 Warm White

5H42 Sandstone

5H43 Honeycomb

5H44 Terra

5H45 Honeydew

5H46 Denim

5H47 Storm

5H48 Ice Blue

5H49 Aura 5H50 Darkest Grey

#### Flip: Orbit

5F85 Mud Pie G

5F87 Petoskey

5F89 Papyrus

5F91 Blizzard

5F92 Briquette

#### Flip: TexHex

5F75 Mud Pie **G** 

5F77 Petoskey 5F79 Papyrus

5F97 Blizzard

5F98 Briquette

#### Fresco

G001 Sandrift G002 Mistiblu G003 Faon

#### Intersection

P211 Summit P212 Chalk

P213 Lace

#### Latch

P600 Seashell

P601 Clam

P602 Eggshell

P603 Zen

P604 Cool Gray P605 Armor

P606 Sentinel

P608 Billow

P609 Nimbus

#### **SoftNext**

5H27 Obsidian

5H28 Foggy Night

5H29 Greystone

5H30 Mocha

5H31 Clay

5H32 Sandstone 5H33 Chalk

5H34 Midnight

5H35 Blue Mica

5H36 Jade

5H37 Burnt Umber

5H38 Cinnabar

#### Stencil

P455 Midnight

P456 Mulberry

P457 Cracked Pepper

P458 Denim

P459 Chartreuse

P460 Bittersweet P461 Mauvelous

P462 Bermuda

P463 Concrete

P464 Orchid

P465 Parchment

P466 Silk

P467 Sea Salt

P468 Honeydew P469 Sepia

#### **Price Group 3**

#### **Billiard Multi-Use by Designtex**

5H11 Poppy

5H12 Tangelo

5H13 Citrine/Citron

5H14 Avocado

5H16 Indigo

5H17 Mallard

5H18 Teak

5H19 Cumulus

5H20 Pewter

5H21 Gunmetal

5H22 Ink

5H23 Rose Quartz

5H24 Sea Salt

5H25 Storm Cloud

5H26 Olivine

#### **Acoustic Panel Surfaces**

#### **Steelcase Surfaces**

#### **Price Group 1**

Applies to: · Accord acoustic panel

PV39 Stone

PV40 Dusk

PV41 Storm

PV42 Space

PV43 Aqua PV44 Arbor

#### Carlow

Applies to:

· Textura mobile acoustic panel

PV49 Callan

PV50 Tallow

PV51 Aruba

#### Lucia

Applies to:

· Textura mobile acoustic panel

PV52 Paseo PV53 Sligo

DB55 Slip

DB56 Marianna

DB57 Madura

Tortuga DB58 DB59 Solano

DB60 Blizzard

DB61 Havana DB62 Scuba

## **Billiard Multi-Use by**

**Designtex** 

Applies to: · Tac panel

5H11 Poppy

5H12 Tangelo Citrine/Citron 5H13

5H14 Avocado

5H16 Indigo

5H17 Mallard

5H18 Teak

5H19 Cumulus

5H20 Pewter 5H21 Gunmetal

5H22 Ink

5H26

5H23 Rose Quartz

5H24 Sea Salt 5H25 Storm Cloud Olivine

#### **Select Surfaces**

#### For information on products within

Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit Steelcase. com/selectsurfaces.

#### **Custom Surfaces**

#### **Price Group COM** (Customer's Own Material)

## **Fabric Approval and**

Yardage To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

Visit www.steelcase.com

#### For additional information regarding Customer's

Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

## Laminate Markerboard

#### Steelcase Surfaces

Applies to:

· Groupwork screens White Markerboard Laminate

G = Excluded

## **Availability Matrices**

Trim Availability Matrix					
Legend  • = Not available  ■ = Available  □ = Available with exceptions  3 = Excluded	4750 Champagne Metallic	4798 Sterling Metallic 🕒	4799 Platinum Metallic	<b>7207</b> Black	8043 Clear Anodized Aluminum
Flow	•	•	•	•	
Groupwork Screens	•				•
Parametric Premium Whiteboards				•	

CeramicSteel Surface Availability Matrix											
Legend										l	
• = Not available ■ = Available □ = Available with exceptions	7655 White High Gloss	<b>7661</b> Gray Chalk 6502C CS	7665 Saffron Pattern	7671 Arctic White 2 CS	7672 Seagull	<b>7673</b> Merle CS	7674 Platinum Solid CS	7675 Sterling Dark Solid	<b>PV09</b> Hygienic White Gloss	PV11 Grey Calendar Grid CS	PV12 Grey Grid CS
Accord		•	•		•	•	•	•	•	•	•
Boundri		•	•		•			•		•	•
Flow and Flow Parametric			•		•	•	•	•		•	•
Groupwork Screens		•	•	•	•	•	•	•	•	•	•
Motif	•	•	•						•		
Motif (Accented)	•	•		•	•	•	•	•	•	•	•
Parametric Premium Whiteboards		•	•	•	•	•	•	•	•	•	•
Sans and Sans Parametric			•		•			•		•	•
Sans Light			•		•			•		•	•
Serif	•	•	•	•	•	•	•	•		•	•
Textura Mobile	•	•	•		•	•	•	•		•	•
Verb Personal Whiteboard		•	•	•	•	•	•	•	•	•	•

Digital Print Availability Matrix														
Legend  • = Not available  ■ = Available  □ = Available with exceptions	PV55 Agate	PV56 Brushstroke	PV57 Code	PV58 Data	PV59 DNA	PV60 Hive	PV61 Skyline	PV62 Soundwave	PV63 Speed	PV64 Summit	PV65 Dot Grid	PV66 Line Grid	PV68 Music Lines	Custom Graphic
Accord	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Boundri	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Flow	•	•	•	•	•	•	•	•	•	•	•	•	•	
Motif	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Motif (Accented)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Parametric Premium Whiteboards	•			•				•						
Sans														
Sans Light														
Serif	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Textura Mobile	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Frameless Whitebo	pards with Accented Edge	es	Αv	ail	abi	lity	, M	lat	rix													
Legend  • = Not available  ■ = Available  □ = Available with exception	_	mic	Gray Chalk 6502C CS	Arctic White 2 CS	Merle CS	Platinum Solid CS		Black	Platinum Solid	Pomegranate	Papaya	Mango	lvy	Azure	Truffle	. Plum	nt Paint	Baltic	Citron	Chili	Honey	Lagoon
	e <sup>3</sup> Environmental CeramicSteel	Cerai	7661	7671	7673	7674	Paint	0835	7190	PV01	<b>PV02</b>	PV03	<b>PV04</b>	PV05	<b>PV06</b>	<b>PV07</b>	Acce	4AV4	4AX1	4AY2	4CZ5	4CZ6
Sans	<b>7655</b> White High Gloss		•	•	•	•												•				
	<b>7661</b> Gray Chalk 6502C CS		•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	•	•	•
	<b>7671</b> Arctic White 2 CS		•		•	•																
	<b>7673</b> Merle CS		•	•		•		•	•	•	•	•	•	•	•	•		•	•	•	•	•
	<b>7674</b> Platinum Solid CS		•	•	•			•	•	•	•	•	•	•	•	•		•	•	•	•	•
Sans	<b>7655</b> White High Gloss		•	•		•				-					-							
Light	<b>7661</b> Gray Chalk 6502C CS		•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	•	•	•
	<b>7671</b> Arctic White 2 CS		•		•	•		-					-									
	<b>7673</b> Merle CS		•	•		•		•	•	•	•	•	•	•	•	•		٠	•	•	•	•
· ·	<b>7674</b> Platinum Solid CS		•	•	•			•	•	•	•	•	•	•	•	•		٠	•	•	•	•
Serif	<b>7655</b> White High Gloss		•	•		•																

## **Style Number Index**

	Style Number	Page	Description	Style Number	Page	Description
: :	4MD42	96	Markora Dry Franc	- : —————— : VWT8	76	Wall Track
	1MP12 2MP12	86 86	Markers-Dry Erase Markers-Dry Erase	: VWTH	76 76	Wall Track
	3MP12	86	Markers-Dry Erase		70	wall frack
•	4MP12	86	Markers-Dry Erase	:		
:	ERF5	85	Felt-Replacement For Magnetic Eraser	:		
	HZPVFLOW	47	Horizontal Flow	:		
•	MCR12	88	Tray-Magnetic, Marker	:		
	MCR24	88	Tray-Magnetic, Marker	:		
	MEP1	84	Eraser-Magnetic, with Marker Holder	:		
•	MP12	86	Markers-Dry Erase	:		
	MP4	86	Markers-Dry Erase	•		
•	MP5N	86	Markers-Dry Erase	:		
•	MTFPNL	57	a <sup>3</sup> CeramicSteel Motif Panels	:		
	MTFPNLA	58	a <sup>3</sup> CeramicSteel Motif Accent Panel	:		
•	PVCCLK	87	Colored Chalk Sticks	:		
: 1	PVCFSTND	72	Textura Mobile	:		
: 1	PVCSH	87	Chalk Stick Holders	:		
: 1	PVDVMNT	80	Boundri Mounts	:		
: 1	PVDVSCRN	80	Boundri	:		
<u>.</u>	PVFLOW	42	Flow	:		
: : I	PVFLOWPM	38-39	Para Polyvision Whiteboard, Flow Series	:		
: 1	PVGLASS	64	Glass	:		
: 1	PVLTSANS	53	CeramicSteel Sans Light	:		
: 1	PVMFC	84	Replacement Microfiber Cloths	:		
: 1	PVMKRS	85	Set of Four V-Board Markers	:		
: 1	PVMRGE	55	Accord	:		
: 1	PVRME	84	Round Magnetic Eraser	:		
: 1	PVTLBMINI	83	Collaborative ToolBar Mini	:		
; 1	PVTOOLBAR	83	Collaborative ToolBar	:		
: 1	PVWCLK	87	White Chalk Sticks	:		
: 1	PWBTKBRD	31, 33, 35	Tackboard	:		
: 1	PWBWTBRD	30, 32, 34	Whiteboard	:		
	RE1	85	Eraser-Regular	:		
	SANS	50	CeramicSteel Sans	:		
:	SANSPM	37	Para Polyvision Whiteboard, Sans Series	:		
	SERIF	60	CeramicSteel Serif	:		
•	TAC	62	Tac	:		
	TS4S2454	69	Groupwork Screen	•		
	TS4S2466	69	Groupwork Screen	:		
•	TS4S3054	69	Groupwork Screen	•		
	TS4S3066 TS4S3654	69 69	Groupwork Screen	:		
			Groupwork Screen	:		
•	TS4S3666 TS4S4254	69 69	Groupwork Screen Groupwork Screen	:		
	TS4S4266		Groupwork Screen	:		
	TS4S4854	69 69	Groupwork Screen	:		
	TS4S4866	69	Groupwork Screen	:		
	TS4SR24	70	Groupwork Marker Tray	•		
	TS4SR30	70	Groupwork Marker Tray	:		
•	TS4SR36	70	Groupwork Marker Tray	:		
	TS4SR42	70	Groupwork Marker Tray	:		
•	TS4SR48	70	Groupwork Marker Tray	•		
	VE36	75	Easel	:		
	VWB2	74	Personal Whiteboard	•		
: '	VWT6	76	Wall Track	:		
٠				•		

## **Trademark List**

™/® The following is a non-exhaustive list of trademarks and registered trademarks for products of Steelcase Inc. or one of its related corporate entities: Agree, Airtouch, Alight, Amia, Answer, Aspekt, Avenir, Await, B-Free, Ballet, Bassline, Bindu, Bivi, Bix, Bottomline, Brody, Buoy, Cachet, Campfire, Capa, CF Series, CG 1, Chord, Circa, Clipper, Cobi, Collaboration, Convene, Coupe, Cura, Currency, dash, Divisio, Duo, E-Table 2, Edge Series, Elbrook, Elective Elements, Embold, Empath, Everwall, Exponents, Folio, FrameOne, Gesture, Groupwork, Host, Hosu, i2i, Jenny, Kart, Kathryn, Kick, Lagunitas, Leap, Leela, LessThanFive, LiveBack, LiveSeat, Mackinac, Marien152, Max-Stacker, media:scape, Migration, Millbrae, Mineral, Mitra, Montage, Montara650, MoreThanFive, Move, Node, Ocular, Ology, Opus, Paperflo, Passerelle, Player, Pocket, Potrero415, QiVi, Radia, Regard, Relay, Reply, Ripple, Roam, Sarto, Scoop, Sebastopol, Senti Series, Senza, Shortcut, Sidewalk, Siento, Sieste, SILQ, Soffio, Sorrel, SOTO, Steelcase Eclipse, Steelcase Flex, Steelcase Karman, Steelcase Relay, Steelcase Rise, Steelcase Series, Surround, SW 1, Switch, Sync, Taya, Tenor, Think, Thoughtful, Thread, Together, Train, Trees, Turnstone, Umami, Underscore, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, WorkValet, and X-tenz.

™/® The following are trademarks or registered trademarks of AMQ Solutions, LLC: 3F, Activ, Amobi, Bixby, Bodi, Cluvo, Concur, Embank, FL-X, Iline, Jaku, Kinex, Personality Plus, Revi, S-Series, Siva, Tektis, Tizu, Uptake, and Zilo.

™/® The following are trademarks or registered trademarks of Orangebox Ltd., Cardiff, UK: Air3, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale,

™/® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Aleta, Cambio, Designed in The Sun, Foro, Funda, Holy Day, Kelly, Last Minute, Noha, Savina, Sistema, Sistema, Viable, and Wrapp.

® The following are registered brands of Steelcase Inc. and its family of companies: Steelcase, AMQ, Coalesse, Designtex, Halcon, Orangebox, Smith System, and Viccarbe,

® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.

® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora

® The following is a registered trademark of DuPont, Wilmington, DE: Corian.

® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier

® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein:

® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.

® The following is a registered trademark of Mechanical Plastics Corp. Elmsford, NY: Toggler,

® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.

® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.

® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.

® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa

® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.

® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.

® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.

® The following is a registered trademark of Security People, Inc.: Digilock.

® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.

™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI; ResinCore1,

™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis,

™ The following trademarks are under license from Walter Knoll: Andoo. Bob. Lazlo, Lox. Ribbon, and Together

™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.

™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishhone

™ The following trademarks are under license from Cambridge Sound Management, LLC Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.

The following is a trademark of Electri-Cable Assemblies, Shelton, CT; Interact.

™ The following is a trademark of Clestra Hauserman: IRYS.

The following is a trademark of Wiesner-Hager Möbel GmbH; Nooi.

™ The following are trademarks of Polyvision: Accord, a3, e3, Boundri, and Nota.

™ The following is a trademark of Bostock Company, Inc: SnapCab.

™ The following is a trademark of Williams-Sonoma, Inc: West Elm.

The following is a trademark of Elena Marguina Testor: nanimarguina.

The following is a trademark of Forbo International SA: Forbo

Trademarks used herein are the property of Steelcase Inc. or their respective owners