## **Collaborative Surfaces Specification Guide**

#### **Availability**

Electronic price list updated with release 200.L (U.S.) and 156.L (Canada), dated April 15, 2024.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an . ollowed by the last order entry date.

#### **Surface Materials**

**The surface materials team** has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

▶ For a list of all trademarks, refer to the last page of this specification guide. © 2024 Steelcase Inc.

Working with This Specification Guide	
Ten Tips: How to Get The Most Out of This Book	2
Additional Resources	4
Statement of Line	6
Material Resources	9
Wall Mounted	13
Mobile and Privacy	67
Accessories	83
Resources	91




#### For Canadian Pricing

Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- · Add base and options for total list price.


## **Ten Tips:**

## **How to Get the Most Out of This Book**



**Watch** the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.





Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.




**Find cross references** by looking for page numbers flagged with an arrow.

#### Tip 4

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- · Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- · Application Topics



#### Tip 5

#### Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number

product looks like.

• Price

#### **Standard Includes**


(under the red or dark grey band) provides a list of what comes standard with the product.

## Product Drawing shows you what the

Required to Specify (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

## **Specification Information**

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.



#### Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

#### **Related Products**

provide specification information for products that are directly related.

#### Tip 6

#### Required to Specify

Specify with Customiz Stain

**Italic typeface** on specifying pages usually identifies wording that you should use in your order.


#### Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

**Watch for tips** throughout the text that give you explanations and helpful instructions.

#### Tip 8



**Learn what you cannot do** by looking for drawings crossed out with an "X."

#### Tip 9

**Use the surface materials listings** in the Surface Materials section of this book to find surface material color numbers.

#### Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

### **Additional Resources**

#### Collaborative Surfaces products are supported with informational materials, tools, and software to help you plan, specify, and order

an installation efficiently.

#### **Printed Materials**

#### Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www.steelcase.com web site or at village.steelcase.com

#### **Computer Tools**

#### **Electronic Catalog**

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

#### Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

#### **Digital Publications**

You can access these digital publications at www.steelcase.com or village.steelcase.com.

#### Support

#### **Steelcase Capabilities**

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

#### For ordering or product assistance, please

call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to: http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: www.steelcase.com.

#### Sustainability

At Steelcase, we believe business can be a force for good. We create long-lasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies.


To learn more at a corporate level, visit: https://www.steelcase.com/discover/steelcase/esg-overview/environmental/

Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at Origin.build.

Additional Resources

## **Statement of Line**


#### **Wall Mounted**



**Parametric Premium** Whiteboards and Tackboards

Understanding Pages 16 and 26


Specifying
Pages 28 and 37–38



Flow Understanding

Page 40 Specifying


Page 43



**Horizontal Flow** 

Understanding Page 44


Specifying
Page 46



Sans

Understanding


Page 48 Specifying
Page 50



Sans Light

Understanding


► Page 51 Specifying ► Page 52



Accord

Understanding ► Page 53 Specifying

▶Page 54



#### Motif

Understanding ▶ Page 55

Specifying

▶Pages 56–57




#### Serif

Understanding ▶ Page 58

▶Page 59


Specifying



#### Tac

Understanding ▶ Page 60

Specifying



Understanding



Frank Lloyd Wright **Racine Whiteboard** 

Understanding

Page 64
Specifying

►Page 65



▶Page 61



Page 62 Specifying

▶Page 63

#### **Mobile, Privacy, and Accessories**



**Groupwork Screens** Understanding

▶Page 68

Specifying
Page 70



**Groupwork Marker** Trays

Understanding

Page 68
Specifying

Page 72



**Textura Mobile** 

Understanding

►Page 73

Specifying
Page 74



#### Verb Personal **Whiteboard**

Understanding


Page 73
Specifying
Page 76



Verb Easel Understanding

▶Page 75


Specifying
Page 77



#### **Boundri**

Understanding ▶Page 80

Specifying ▶Page 82



#### **Collaborative ToolBar**

Understanding

► Page 84 Specifying ▶Page 85



#### **Collaborative ToolBar**

Mini

Understanding

▶Page 84

Specifying ▶Page 85

# **Material Resources**

## Material Resources

aterial	Resource	es		
e <sup>3</sup> e	nvironmenta	al CeramicStee	el	

e <sup>3</sup> environmental CeramicSteel	10
Cleaning/Daily Care and Maintenance	11
Material Description	12

## e<sup>3</sup> environmental CeramicSteel

#### The e<sup>3</sup> environmental CeramicSteel Difference

Steelcase Premium White Boards incorporate the e3 environmental CeramicSteel surface, which is the first and only ecologically intelligent whiteboard surface to receive a MBDC Cradle to Cradle Bronze certification. Cradle to Cradle certification evaluates products for environmentally safe and healthy materials; energy and water use during production, the ability to recycle and reuse materials, and social responsibility. Steelcase has created its fourth generation of CeramicSteel writing surfaces, e3, which delivers the properties of its best selling writing surface, P3 CeramicSteel, and complies with the Cradle to Cradle certification criteria. Steelcase will continue to follow standards set forth by MBDC Cradle to Cradle certification to reaffirm our commitment to sustainability. For over five decades, millions of boards have been produced around the world using P3 CeramicSteel. Steelcase used this cross section of consumers to gather the information that helped determine what the next generation of writing surfaces should provide. Our internationally renowned R&D team worked with experts in the field of ceramics and technology to create e3 environmental CeramicSteel surface - the new industry standard for superior quality.

#### The e<sup>3</sup> environmental CeramicSteel Advantage

The ceramic finish consists of a specially formulated glass substance applied by machine. The e³ environmental CeramicSteel surface is fused to steel at a temperature of approximately 1500 degrees Fahrenheit for whiteboards. It registers at a minimum of five (5) on the revised Mohs hardness scale.

#### Benefits of e<sup>3</sup>

- · Ultra-smooth writing surface
- · Improved erasability
- · Greater color contrast
- · Significantly less surface/light distortion
- Optimum eye comfort
- Enhanced visibility
- · Reduced chalk pressure, greater adherence
- · Increased chalk/surface contrast
- Accepts magnets

#### **Environmental Features**

- Enamel fused to cold-rolled enameling-grade steel
- In all coatings, the total amount of heavy metals cadmium, mercury,
- hexavalent chromium, and lead is less than 0.1%
- · All coatings are free of arsenic and antimony
- · No Volatile Organic Compounds (VOCs)
- Steel core is made from minimum 30% post-consumer and post-industrial waste
- e³ environmental CeramicSteel surface is 99% recyclable

## **Cleaning/Daily Care and Maintenance**

#### **Maintenance**

## Before the first use of your CeramicSteel:

- Remove the protective film.
- Wipe board with a clean cloth moistened with a high-quality whiteboard cleaner
- Wipe surface dry with a clean cloth.

#### Daily cleaning instructions for your CeramicSteel:

- Wipe surface with a clean cloth moistened with warm water
- Wipe surface dry with a clean cloth.

More thorough cleaning may be required if writing is left on the board for more than two days.

#### Textura Fabric Cleaning and Care

Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo.

- For deeper cleaning use alcohol spray or wipes.
   Bleach can be used by following the guidelines below.
- Anti-bacterial sprays and wipes can be used to wipe down the fabric to disinfect.

## General commercial disinfection:

- Use a household bleach (containing approximately 4.5 oz per 100 oz of sodium hypochlorite), which should then be used in a 1:10 dilution.
- Follow the instructions of the brand.
- Measure out the required dose in relation to the quantity of water, soak a white or lightly colored cloth in the solution, squeeze out any access liquid and gently wipe the fabric before leaving dry.

## Acoustic Cleaning and Care

Remove spills immediately using damp, clean cloth. Dab with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. Always test in an inconspicuous area first.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

Note: Fabrics have been developed to withstand regular cleaning maintenance and disinfection. Please follow the manufacturer instructions on cleaning and disinfection agents. We recommend spot testing on an inconspicuous part of the material first. Fabric samples are available for testing by contacting samples@polyvision.com.

#### **Markers**

Use any high-quality dry erase marker.



For optimal performance, Steelcase recommends the use of high quality solvent-based dry-erase markers, as opposed to water-based dry-erase markers (also called "low odor markers"). Low odor markers do not perform as well as solvent-based because the water takes longer to dry and the ink clings more aggressively to the board's surface, leaving behind a film. Replace markers when almost dry to avoid poor erasability. Replace the eraser felt regularly. Dirty felt or erasers will result in poor erasability.

#### Removing Permanent Marker

#### Option 1:

- Write over the top of the permanent marker ink with a dry-erase marker
- Simply erase

#### Option 2

- Moisten a clean, dry cloth with isopropyl alcohol
- Wipe the board in a circular motion to loosen marker residue
- · Rinse with clear water
- Dry the board with a clean cloth
- Repeat these steps as necessary

#### Installer's Instructions for Initial Cleaning at Time of Installation

NOTE: These initial cleaning instructions are shipped with every board.

- For initial cleaning, wipe your board with a clean cloth moistened by a mild, alcohol-based cleaner.
- Rinse with clear water.
   This step is simple, but very important.
- Wipe dry with a clean cloth.

## **Material Description**

e³ environmental CeramicSteel is produced by a controlled, continuous coil-coating process. The surface consists of a steel core of .013" and .019" thickness covered on both sides with thin enamel coatings. The ceramic finish is fused to the steel at a temperature of approximately 1500°F for whiteboard and 1250°F for chalkboard.

#### Characteristic

#### e<sup>3</sup> environmental CeramicSteel

#### Writeability

Whiteboards can be written on with any dry-erase, semipermanent, water-soluble, permanent marker, pen, or crayon without damaging the surface. Chalkboards have a superior, low-gloss, matte finish that readily accepts chalk providing a sharp, unbroken line with less pressure and maximum surface adherence.

#### **Visibility**

Contrast/waviness for whiteboards (light and dark effects) shall be no greater than 15 when tested with BYK - Gardner Wave Scan 5+ measurement device showing visual acuity (contrast sensitivity) to the human eye at distances greater than 3 meters (10'–0"). Contrast/waviness for chalkboards (light and dark effects) shall be no less than 20 when tested with the contrast measurement test with 773-gram load on chalk. Resolution (visual acuity) shall be based on 3 lines per degree and be visibly maintained beyond the current standard of 3 meters.

#### **Erasability**

For whiteboards, dry-erase marker ink can be wiped off easily with a dry cloth or standard eraser. Crayon, semi-permanent, and permanent marker pen inks can be removed with a solvent based cleaner. Chalkboards erase easily with a dry cloth or standard chalk eraser, retains minimal residual chalk dust, and will not leave "ghost writing." Color change (dark/light) after chalk erasing is reduced 60% from traditional surfaces.

## Cleanability (Washability)

WET Ghost measurements on chalkboard surfaces before and after wet cleaning shall not exceed a factor of 0.49. For further care and cleaning instructions, refer to the <a href="https://www.steelcase.com/en/products/category/markerboards/static-boards">www.steelcase.com/en/products/category/markerboards/static-boards</a>.

#### Wearability

Vitrified glass-hard ceramic surface fused to light-gauge enameling grade steel at approximately +1250°F for chalkboards and +1500°F for whiteboards. High resistance to impact damage, abrasion, scratching, and color fading. The e³ environmental CeramicSteel surface registers at a minimum of 5 for chalkboards and 6.5 for whiteboards on the revised Mohs hardness scale.


#### **Magnet Capability**

The e³ environmental CeramicSteel surfaces are ideal for all magnets and magnetic impregnated materials and will not be scratched or damaged from the contact.

#### Flame Resistance

The  $e^3$  surface is 100% non-combustible.

#### Low-Gloss Whiteboards



The ultra-smooth finish enables dry markers and chalk to glide easily across the e³ environmental CeramicSteel surface with minimal friction. The surface smoothness allows more dry-erase ink and chalk to be removed, improving erasability and eliminating "ghost writing".


\*All whiteboard erasability tests were conducted using High-Gloss e<sup>3</sup> environmental CeramicSteel surfaces.

#### Writeability

Low-Gloss provides the same writing characteristics as High-Gloss.

#### **Erasability**


Low-Gloss surfaces will not erase as thoroughly as High-Gloss surfaces. When this occurs, a water-dampened cloth will be required to erase the surface.



Surface distortion (Orange Peel) has been reduced significantly in direct comparison with the competition's surface.

#### Cleanability

After normal erasing of Low-Gloss surfaces, solvents may be used to remove harder-to-erase dry marker inks and residue from other pens. Always clear water rinse after using any cleaning agent on the surface.



The e<sup>3</sup> environmental CeramicSteel surface maximizes the performance of reflected light and reduces surface glare, resulting in improved visibility under a wide range of lighting conditions.

## Wall Mounted

/al	l Mounted	
	Understanding Parametrics	14
	Parametric Premium Whiteboards and Tackboards	16
	Polyvision Parametric Whiteboards	36
	Flow	40
	Horizontal Flow	44
	Sans	48
	Sans Light	51
	Accord	53
	Motif	55
	Serif	58
	Tac	60
	Glass	62
	Frank Lloyd Wright Racine Whiteboard	64

## **Understanding Parametrics**

#### What is Parametric?

Parametrics is the ability for a customer to change dimensions of a product within pre-engineered limits.

Customers do not have to go through the specials process for dimensional size changes, thus reducing lead

#### **Parametric Premium**

Whiteboards allow for the specification of non-modular sizes in three trim styles to suit a variety of design applications. The two style numbers are PWBWTBRD for whiteboards and PWBTKBRD for tackboards.

#### Trim styles:

► Specifying, page 28

- · Edge Series
- 110 Series
- 555 Series

#### **Parametric Polyvision**

whiteboards allow for specification of non-modular sizes with or without edge framing, varying by product selected. The two style numbers for Polyvision whiteboards are **PVFLOWPM** for Flow and SANSPM for

#### Two edge options are

available:

- · Sans-frameless only, optional accented edge colors
- · Flow- anodized aluminum, framed or frameless

#### **Parametric products** requiring digital print

graphics will need to be quoted by Specials. Refer to Sans, Sans Light, or Parametric Premium Whiteboards for standard graphic patterns and finish color options.

#### **Overall Dimensions**

Premium whiteboard and tackboard dimensions can be ordered to the 1/16 of an inch within these ranges.

For whiteboards, the range of sizes is:

- · Width: 24.25" to 192.25'
- · Height: 18.25" to 48.25"

For tackboards, the range of sizes is:

- · Width: 24.25" to 120.25" · Height: 18.25" to 48.25"
- Polyvision whiteboard dimensions vary by product selected and orientation. Dimensions can be ordered to the 1/16 of an inch within these ranges. The marker tray option is not available for Sans or Flow parametric.

**SANSPM** the range of sizes is:

Horizontal:

- · Width: 24" to 144" (610 mm to 3658 mm)
- · Height:24" to 46.625" (610 mm to 1184 mm)

Vertical:


- · Width: 24" to 46.625" (610 mm to 1184 mm)
- Height:46.6875" to 96" (1186 mm to 2438 mm)

#### **PVFLOWPM** the range of sizes is:


- Width: 46.6535 (1185 mm) The width for **PVFLOWPM** is a fixed dimension
- Height:60" to 96" (1524 mm to 2438 mm)

## **Parametric Premium Whiteboards and Tackboards**

Edge Series, 110 Series, and 555 Series



<b>Actual Dimensions</b>			
	Edge Series Trim PWBWTBRD PWBTKBRD	110 Series Trim PWBWTBRD PWBTKBRD	555 Series Trim PWBWTBRD PWBTKBRD
Overall Width	W: 24.25" – 192.25" T: 24.25" – 120.25"	W: 24.25" – 192.25" T: 24.25" – 120.25"	W: 24.25" - 192.25" T: 24.25" - 120.25"
Surface Width	1/2" in from Overall Width	11/2" in from Overall Width	3 <sup>3</sup> / <sub>4</sub> " in from Overall Width
Marker Tray Width (dimension will correspond with Overall Width)	18", 24", 36", 48", 60", 72", or 96"	Full-width (blade style)	Full-width (box style)
Overall Height	18.25" – 48.25"	18.25" – 48.25"	18.25" – 48.25"
Surface Height	3/8" in from Overall Width	15/8" in from Overall Width	33/4" in from Overall Width
Trim Depth	3/4" or 19 mm	5/8" or 16 mm	1" or 25 mm
Depth from Wall to Trim Face	11/8" or 29 mm	<sup>7</sup> /8" or 22 mm	1" or 25 mm
Marker Tray Depth	31/2" or 89 mm	25/8" or 67 mm	2 <sup>3</sup> / <sub>4</sub> " or 70 mm
Weight (lbs)	W: 9 lb – 189 <sup>7</sup> /8 lb T: 7 <sup>1</sup> / <sub>2</sub> lb – 87 <sup>3</sup> /8 lb	W: 14 lb – 188 lb T : 8 lb – 74 lb	W: 14 <sup>2</sup> /5 lb – 196 lb T : 8 <sup>1</sup> /2 lb – 75 <sup>3</sup> /5 lb
Weight (kg)	W: 4.1 kg – 86.1 kg T : 3.4 kg – 39.6 kg	W: 6.4 kg – 85.0 kg T : 3.6 kg – 33.6 kg	W: 6.5 kg – 88.9 kg T : 3.9 kg – 34.3 kg




	24"W x 18"H	36"W x 24"H	36"W x 48"H	48"W x 36"H
Overall Width	24 <sup>1</sup> / <sub>4</sub> " or 616 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	361/4" or 921 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Width	233/4" or 603 mm	35¾" or 908 mm	357/8" or 911 mm	47¾" or 1213 mm
Marker Tray Width	18" or 457 mm	24" or 610 mm	24" or 610 mm	36" or 914 mm
Overall Height	18 <sup>1</sup> / <sub>4</sub> " or 464 mm	24 <sup>1</sup> / <sub>4</sub> " or 616 m	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm
Surface Height	17 <sup>7</sup> / <sub>8</sub> or 454 mm	237/8" or 606 mm	47 <sup>3</sup> / <sub>4</sub> " or 1213 mm	357/8" or 911 mm
Frame Depth	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm
Depth from Wall to Frame Face	11/8" or 29 mm	11/8" or 29 mm	11/8" or 29 mm	11/8" or 29 mm
Marker Tray Depth	31/2" or 89 mm	31/2" or 89 mm	31/2" or 89 mm	31/2" or 89 mm
Weight (WB/TB) lbs	W: 9 lb T: 6.5 lb	W: 18 lb T: 13 lb	W: 357/8 lb T: 263/8 lb	W: 35 <sup>7</sup> / <sub>8</sub> lb T: 26 <sup>3</sup> / <sub>8</sub> lb
Weight (WB/TB) kg	W: 4.1 kg T: 2.9 kg	W: 8.2 kg T: 5.9 kg	W: 16.2 kg T: 12 kg	W: 16.2 kg T: 12 kg

#### ▶ Dimensions, continued from previous page

Dimensions				
	48"W x 48"H	60"W x 48"H	72"W x 48"H	96"W x 48"H
Overall Width	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	60 <sup>1</sup> /4" or 1530 mm	72 <sup>1</sup> / <sub>4</sub> " or 1835 mm	96 <sup>1</sup> / <sub>4</sub> " or 2445 mm
Surface Width	47 <sup>3</sup> / <sub>4</sub> " or 1213 mm	59 <sup>3</sup> / <sub>4</sub> " or 1518 mm	73 <sup>1</sup> / <sub>4</sub> " or 1822 mm	95 <sup>3</sup> / <sub>4</sub> " or 2432 mm
Marker Tray Width	36" or 914 mm	48" or 1219 mm	48" or 1219 mm	48" or 1219 mm
Overall Height	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	47 <sup>7</sup> /8" or 1216 mm			
Frame Depth	<sup>3</sup> /4" or 19 mm	<sup>3</sup> / <sub>4</sub> " or 19 mm	<sup>3</sup> /4" or 19 mm	<sup>3</sup> /4" or 19 mm
Depth from Wall to Frame Face	1 <sup>1</sup> /8" or 29 mm			
Marker Tray Depth	31/2" or 89 mm	3 <sup>1</sup> /2" or 89 mm	3 <sup>1</sup> /2" or 89 mm	3 <sup>1</sup> /2" or 89 mm
Weight (WB/TB) lbs	W: 47.5 lb T: 35 lb	W: 59.5 lb T: 43 <sup>7</sup> /8 lb	W: 71 1/3 lb T: 52.5 lb	W: 95 lb T: 70 lb
Weight (WB/TB) kg	W: 27 kg T: 19.9 kg	W: 32.4 kg T: 23.8 kg	W: 32.4 kg T: 23.8 kg	W: 43.1 kg T: 31.7 kg

Dimensions				
	120"W x 48"H	144"W x 48"H	192"W x 48"H	
Overall Width	120 <sup>1</sup> / <sub>4</sub> " or 3054 mm	144 <sup>1</sup> / <sub>4</sub> " or 3664 mm	192 <sup>1</sup> / <sub>4</sub> " or 4883 mm	
Surface Width	119 <sup>3</sup> / <sub>4</sub> " or 3651 mm	143 <sup>3</sup> / <sub>4</sub> " or 3651 mm	191 <sup>3</sup> /4" or 4870 mm	
Marker Tray Width	60" or 1524 mm	72" or 1829 mm	96" or 2438 mm	
Overall Height	481/4" or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	
Surface Height	47 <sup>7</sup> /8" or 1216 mm	47 <sup>7</sup> /8" or 1216 mm	47 <sup>7</sup> /8" or 1216 mm	
Frame Depth	3/4" or 19 mm	<sup>3</sup> / <sub>4</sub> " or 19 mm	<sup>3</sup> / <sub>4</sub> " or 19 mm	
Depth from Wall to Frame Face	1 <sup>1</sup> /8" or 29 mm	1 <sup>1</sup> /8" or 29 mm	1 <sup>1</sup> / <sub>8</sub> " or 29 mm	
Marker Tray Depth	31/2" or 89 mm	31/2" or 89 mm	31/2" or 89 mm	
Weight (WB/TB) lbs	W: 118 ¾ lb T: 87³/8 lb	142 <sup>3</sup> /8 lb	189 <sup>7</sup> /8 lb	
Weight (WB/TB) kg	W: 53.8 kg T: 39.6 kg	64.6 kg	86.1 kg	




Dimensions					
	24"W x 18"H	36"W x 24"H	36"W x 48"H	48"W x 36"H	48"W x 48"H
Overall Width	24 <sup>1</sup> / <sub>4</sub> " or 616 mm	361/4" or 921 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Width	22¾" or 578 mm	34¾" or 883 mm	34¾" or 883 mm	46¾" or 1187 mm	46¾" or 1187 mm
Marker Tray Width	22½" or 572 mm	34½" or 876 mm	34 <sup>1</sup> / <sub>2</sub> " or 876 mm	46 <sup>1</sup> / <sub>2</sub> " or 1181 mm	46½" or 1181 mm
Overall Height	18 <sup>1</sup> / <sub>4</sub> " or 464 mm	24 <sup>1</sup> / <sub>4</sub> " or 616 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	165/8" or 422 mm	225/8" or 575 mm	465/8" or 1184 mm	34 <sup>3</sup> ⁄ <sub>4</sub> " or 883 mm	465⁄8" or 1184 mm
Frame Depth	5⁄8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm	5/8" or 16 mm	5⁄8" or 16 mm
Depth from Wall to Frame Face	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> /8" or 22 mm
Marker Tray Depth	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm
Weight (WB/TB) lbs	W: 10.4 lb T: 6 lb	W: 19.5 lb T: 12 lb	W: 35.5 lb T: 261/8 lb	W: 35 lb T: 261/8 lb	W: 47 lb T: 33.5 lb
Weight (WB/TB) kg	W: 4.6 kg T: 2.7 kg	W: 8.8 kg T: 5.4 kg	W: 16 kg T: 11.4 kg	W: 16 kg T: 11.4 kg	W: 21.3 kg T: 15.2 kg
Dimensions, continu	ued on next page		-	-	-

#### ▶ Dimensions, continued from previous page

Dimensions				
	60"W x 48"H	72"W x 48"H	96"W x 48"H	120"W x 48"H
Overall Width	60 <sup>1</sup> / <sub>4</sub> " or 1530 mm	721/4" or 1835 mm	961/4" or 2445 mm	120 <sup>1</sup> / <sub>4</sub> " or 3054 mm
Surface Width	58 <sup>3</sup> ⁄ <sub>4</sub> " or 1492 mm	70 <sup>3</sup> / <sub>4</sub> " or 1797 mm	94¾" or 2407 mm	118 <sup>3</sup> ⁄ <sub>4</sub> " or 3016 mm
Marker Tray Width	58½" or 1486 mm	70½" or 1791 mm	94½" or 2400 mm	118½" or 3010 mm
Overall Height	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	481/4" or 1226 mm	481/4" or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	465/8" or 1184 mm	465/8" or 1184 mm	465/8" or 1184 mm	465/8" or 1184 mm
Frame Depth	5/8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm	5⁄8" or 16 mm
Depth from Wall to Frame Face	<sup>7</sup> ⁄8" or 22 mm	<sup>7</sup> /8" or 22 mm	<sup>7</sup> ⁄8" or 22 mm	7/8" or 22 mm
Marker Tray Depth	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm	25/8" or 67 mm
Weight (WB/TB) lbs	W: 58 <sup>4</sup> / <sub>5</sub> lb T: 41 <sup>5</sup> / <sub>8</sub> lb	W: 70.5 lb T: 503⁄8 lb	W: 94 lb T: 67 lb	117½ lb
Weight (WB/TB) kg	W: 26.7 kg T: 19 kg	W: 32 kg T: 22.8 kg	W: 42.6 kg T: 30.4 kg	53.3 kg

Dimensions		
	144"W x 48"H	192"W x 48"H
Overall Width	144 <sup>1</sup> / <sub>4</sub> " or 3664 mm	192½" or 4883 mm
Surface Width	142 <sup>3</sup> ⁄ <sub>4</sub> " or 3626 mm	190¾" or 4858 mm
Marker Tray Width	142½" or 3620 mm	190½" or4839 mm
Overall Height	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	465/8" or 1184 mm	465/8" or 1184 mm
Frame Depth	5⁄8" or 16 mm	<sup>5</sup> /8" or 16 mm
Depth from Wall to Frame Face	<sup>7</sup> /8" or 22 mm	7/8" or 22 mm
Marker Tray Depth	25/8" or 67 mm	25/6" or 67 mm
Weight (WB/TB) lbs	141 lb	188 lb
Weight (WB/TB) kg	64.0 kg	85.0 kg




Dimensions				
	24"W x 18"H	36"W x 24"H	36"W x 48"H	48"W x 36"H
Overall Width	241/4" or 616 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm	36 <sup>1</sup> /4" or 921 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Width	21¾" or 552 mm	33¾" or 857 mm	33 <sup>3</sup> /4" or 857 mm	33 <sup>3</sup> / <sub>4</sub> " or 857 mm
Marker Tray Width	21½" or 546 mm	33½" or 851 mm	33 <sup>1</sup> /2" or 851 mm	33 <sup>1</sup> /2" or 851 mm
Overall Height	181/4" or 464 mm	24 <sup>1</sup> / <sub>4</sub> " or 616 mm	48 <sup>1</sup> /4" or 1226 mm	36 <sup>1</sup> / <sub>4</sub> " or 921 mm
Surface Height	14½" or 368 mm	20½" or 521 mm	44 <sup>1</sup> /2" or 1130 mm	44 <sup>1</sup> /2" or 1130 mm
Frame Depth	1" or 25 mm	1" or 25 mm	1" or 25 mm	1" or 25 mm
Depth from Wall to Frame Face	1" or 25 mm	1" or 25 mm	1" or 25 mm	1" or 25 mm
Marker Tray Depth	23/4" or 70 mm	23⁄4" or 70 mm	2 <sup>3</sup> / <sub>4</sub> " or 70 mm	23/4" or 70 mm
Weight (WB/TB) lbs	W: 10.4 lb T: 6.5 lb	W: 19.5 lb T: 12.5 lb	W: 36 <sup>7</sup> /8 lb T: 25 <sup>7</sup> /8 lb	W: 36 <sup>7</sup> /8 lb T: 25 <sup>7</sup> /8 lb
Weight (WB/TB) kg	W: 4.6 kg T: 2.9 kg	W: 8.8 kg T: 5.7 kg	W: 16.7 kg T: 11.7 kg	W: 16.7 kg T: 11.7 kg

#### ▶ Dimensions, continued from previous page

Dimensions				
	48"W x 48"H	60"W x 48"H	72"W x 48"H	96"W x 48"H
Overall Width	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	601/4" or 1530 mm	72 <sup>1</sup> / <sub>4</sub> " or 1835 mm	86 <sup>1</sup> / <sub>4</sub> " or 2445 mm
Surface Width	453/4" or 1162 mm	57 <sup>3</sup> ⁄ <sub>4</sub> " or 1467 mm	69 <sup>3</sup> / <sub>4</sub> " or 1772 mm	933/4" or 2381 mm
Marker Tray Width	45½" or 1156 mm	57½" or 1461 mm	69 <sup>1</sup> /2" or 1765 mm	93½" or 2375 mm
Overall Height	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	481/4" or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm
Surface Height	44 <sup>1</sup> / <sub>2</sub> " or 1130 mm	44½" or 1130 mm	44½" or 1130 mm	44 <sup>1</sup> / <sub>2</sub> " or 1130 mm
Frame Depth	1" or 25 mm			
Depth from Wall to Frame Face	1" or 25 mm			
Marker Tray Depth	2 <sup>3</sup> / <sub>4</sub> " or 70 mm	2 <sup>3</sup> / <sub>4</sub> " or 70 mm	23/4" or 70 mm	23/4" or 70 mm
Weight (WB/TB) lbs	W: 49 lb T: 34.5	W: 613/8 lb T: 431/8 lb	W: 73.5 lb T: 51% lb	W: 98 lb T: 69 lb
Weight (WB/TB) kg	W: 22.2 kg T: 15.7 kg	W: 27.8 kg T: 19.6 kg	W: 33.3 kg T: 23.5 kg	W: 44.5 kg T: 31.3 kg


Dimensions				
	120"W x 48"H	144"W x 48"H	192"W x 48"H	
Overall Width	1201/4" or 3054 mm	144 <sup>1</sup> / <sub>4</sub> " or 3664 mm	192 <sup>1</sup> / <sub>4</sub> " or 4883 mm	
Surface Width	1173/4" or 2991 mm	1413/4" or 3600 mm	189 <sup>3</sup> ⁄ <sub>4</sub> " or 4820 mm	
Marker Tray Width	117½" or 2985 mm	141½" or 3594 mm	189½" or 4813 mm	
Overall Height	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	481/4" or 1226 mm	48 <sup>1</sup> / <sub>4</sub> " or 1226 mm	
Surface Height	441/2" or 1130 mm	441/2" or 1130 mm	44½" or 1130 mm	
Frame Depth	1" or 25 mm	1" or 25 mm	1" or 25 mm	
Depth from Wall to Frame Face	1" or 25 mm	1" or 25 mm	1" or 25 mm	
Marker Tray Depth	23/4" or 70 mm	23/4" or 70 mm	2 <sup>3</sup> ⁄ <sub>4</sub> " or 70 mm	
Weight (WB/TB) lbs	122½ lb	147 lb	196 lb	
Weight (WB/TB) kg	55.6 kg	66.7 kg	88.9 kg	

#### **Trim and Marker Trays:**




Trim is 1/4" with undersized marker tray. Both are clear anodized aluminum. Trim is also available in 4750 Champagne Metallic.

#### 555 Series



Trim is 11/4" with full width box style marker tray. Both are clear anodized

#### 110 Series



Trim is 3/4" with full width blade style marker tray. Both are clear anodized aluminum

#### **Product Details**

**Sizes of whiteboards and tackboards** are nominal and parametric; refer to actual dimensions for exact specifications.

**Modular size option** allows specification of height and width in predefined combinations.

Whiteboards		Tackboa	Tackboards			
Height	Width	Height	Width			
18.25	24.25	18.25	24.25			
24.25	36.25	24.25	36.25			
36.25	48.25	36.25	48.25			
48.25	36.25	48.25	36.25			
48.25	48.25	48.25	48.25			
48.25	60.25	48.25	60.25			
48.25	72.25	48.25	72.25			
48.25	96.25	48.25	96.25			
48.25	120.25	48.25	120.25			
48.25	144.25*					
48.25	192.25*					

**Tackboard** construction is 3/8" fiber board over 1/8" hardboard.

**Fabric** is available on tackboards only and comes in a selection of standard or Select Surface fabrics. COM is also available.

►See page 92


**The tray width for Edge Series** will correspond to the overall white-board width. See the matrix below for the breakdown. The tray width for 110 and 555 Series will be the width of the board.

Board Width (Inches)	Tray Width
24.25000- 36.00000	18"
36.06250- 48.00000	24"
48.06250- 60.00000	36"
60.06250- 72.00000	48"
72.06250- 96.00000	48"
96.06250–120.00000	60"
120.06250-144.00000	72"
144.06250–192.25000	96"


A no tray option is also available for whiteboards.

#### **Connections**

#### **Edge Series**




Whiteboard or tackboard



Whiteboard or tackboard

On- and off-module bracket allows for Premium Whiteboards to be mounted on Privacy Wall, Answer, or Kick using a standard metal cleat-mounting system.




2" over panel bracket/ hook mounting system allows for Premium Whiteboards to be mounted on Kick and Avenir.


**3" over panel bracket/ hook mounting sys- tem** allows for Premium
Whiteboards to be mounted on Answer and Montage.

#### 110/555 Series

**Metal cleat-mounting system** is standard on Edge Series.




**Wall-anchored mounting system** is standard on 110 and 555 Series.



Spline joints allow larger format boards to be delivered in two equal pieces and require assembly on-site. There will be a visible seam where the boards and marker trays are joined that will not hinder the performance or writeability of the board in any way. They are available as options with upcharge on Edge, 110, and 555 trim types 120.25" and larger in width.


Additional options for 110 and 555 Series include maprail, map hook/ clips, flag holder, and roller bracket.




1" maprail is of cork construction and allows for versatility with accessories. Maprail is not available on tackboards.

Map hook/clip, flag holder, and roller bracket must be specified with maprail; cannot be specified separately.


> Steelcase April 2024



**1" map hook/clip** allows for ease in hanging maps and charts for presentation purposes.



1" flag holder allows for convenient hanging of flags.



Roller bracket can be ordered if 1" maprail option is selected. Roller bracket is not available on tackboard.



Package of four dryerase markers (black, blue, red, and green) and one eraser is included with whiteboards.


## Parametric Premium Whiteboards and Tackboards, continued PPPW (Privacy Wall) and On/Off Module Bracket Application Guide

#### **PPPW (Privacy Wall) Bracket Application Guide**

- On- and off-module bracket for installation of whiteboards and tackboards on Privacy Wall, Answer, and Kick.
- Allows Premium Whiteboards to be mounted on Privacy Wall, Answer, Avenir, or Kick using a standard metal cleat mounting system.
- Ideal application on a Privacy Wall or when spanning multiple Answer/Kick panels with a single whiteboard.
- Not for use with 110 and 555 Series.
- · Cannot install two boards at right angles.
- Ships with four or six non-handed brackets; field-modify for application by removing tabs per instructions.
- The required minimum number of PPPW (Privacy Wall) Brackets must be installed to ensure secure application of board.
- Brackets must be installed in the correct orientation; i.e. left or right hand, as indicated in the key and diagrams below.

NOTE: Space between panel face and rear of board is  $\pm 1/4$ ".

#### Standard Mounting Height and Centerline Application



• 48"H x 48"W only


#### On-Module — Minimum Bracket Application

Board Width	48"	60"	72"	84"	96"	120"	144"	168"	192"
Minimum Number of Brackets	4	4	4	4	4	4	6	6	6
		-	$\dashv$		-			7	
> <	>	j	<	>	>	j		7	
> <	>	<u> </u>	<	>	>	<u> </u>		<	

## Asymmetrical Off-Module Overhang Allowances and Minimum Bracket Application

	Board Width	60"	72"	84"	96"	120"	144"	168"	192"
•	Minimum Number of Brackets	4	4	4	4	4	6	6	6
	Dimension A - Maximum Overhang	18"	22"	25"	29"	36"	38"	38"	38"


NOTE: Bracket direction must be the same as the overhang direction. This example shows right hand bracket installation with right hand overhang.



## Symmetrical Off-Module Overhang Allowances and Minimum Bracket Application

Board Width	60"	72"	84"	96"	120"	144"	168"	192"
Minimum Number of Brackets	4	4	4	4	4	6	6	6
Dimension B - Maximum Overhang	18"	22"	25"	29"	36"	38"	38"	38"

NOTE: Dimension B must be equal on both the left and the right. For example, a 60" board may have a maximum 18" overhang both left and right side.



#### KEY:

- Right Hand Application of PPPW Bracket
- < Left Hand Application of PPPW Bracket

## **Digital Print Options**

Digital printing is offered on Parametric Premium Whiteboards, Sans, Sans Light, and Flow products. Digital print graphics are permanently baked into the CeramicSteel surface and are scratch, abrasion, bacteria, chemical, fire, and graffiti resistant. Both standard and custom options are available.

Tip: Flow only available with custom option.

Standard Digital Print Options for Sans, Sans Light, Flow, and Premium Whiteboards

Patterns available in:

- 7676 Saffron
- 7677 Peacock
- 7678 Sea Salt
- 7679 Sterling Dark
- 7681 Sand • 7682
  - Black



PV55 Agate



**PV56 Brushstroke** 



**PV57 Code** 



PV58 Data




**PV59 DNA** 



**PV60 Hive** 




**PV61 Skyline** 



**PV62 Soundwave** 



**PV63 Speed** 




**PV64 Summit** 

Patterns available in:

- 7679 Sterling Dark • 7682 Black

#### **PV65 Dot Grid**



**PV66 Line Grid** 

**PV67 Music Lines** 

### **Parametric Premium Whiteboards and Tackboards**

Edge Series, 110 Series, and 555 Series

► Need help?

page 36

Product details,



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

#### **Standard Includes**

- Height: 18.25" 48.25"
- Width: 24.25" 192.25"
- e<sup>3</sup> environmental CeramicSteel writing surface: 7655 White High Gloss
- Package of four dry-erase markers (black, blue, red, and green) and one eraser on whiteboards, if selected
- Fabric on tackboards, if selected
- If Edge Series selected:
- Frame and marker tray: 8043 Clear Anodized Aluminum
- Metal cleat-mounting system
- · If 110 Series selected:
  - 3/4" Frame and full-width marker tray: 8043 Clear Anodized Aluminum
- Wall-anchored mounting system hardware
- · If 555 Series selected:
- 11/4" Frame and full-width marker tray: 8043 Clear Anodized Aluminum
- Wall-anchored mounting system hardware

#### **Required to Specify**

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 Trim type (see below under Required Selections)
- 4 Height
- 5 Width
- 6 Fabric color number for tackboard, if selected
- 7 Options, if selected (see below)
- ► See Surface Materials, page 92

Tip: Select parametric size option to specify parametric height and width dimensions within the available range. Select modular size option to specify pre-defined height and width dimension combinations.

Tip: Parametric sizes can be specified to the 1/16 of an inch.

Tip: Only digital print graphic patterns dot grid, line grid, music lines, or custom graphic are available on 18"H x 24"W and 24"H x 36"W boards.

Tip: Digital print available on whiteboard, modular sizes only.

Tip: If width is exactly
120.25000"W, digital print or
spline joint can be specified,
but not both.

	Required Selections	U.S. Price	Required to Specify
Size	<ul><li>Parametric</li><li>Modular</li></ul>	No cost No cost	Specify <i>Parametric</i> . Specify <i>Modular</i> .
Trim Type	<ul><li>Edge Series</li><li>110 Series</li><li>555 Series</li></ul>	No cost No cost No cost	Specify with Edge Series trim. Specify with 110 Series trim. Specify with 555 Series trim.

	Options	U.S. Price	Required to Specify					
Surface	Frame							
Materials	<ul> <li>Champagne trim on frame</li> </ul>	Prices at right	Specify with 4750 Champagne Metallic					
	(Available on Edge Series)		trim.					
	Fabric surface on tackboa	rds						
	<ul> <li>Fabric price group 1</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 2</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 3</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 4</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 5</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 6</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 7</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 8</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 9</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group 10</li> </ul>	Prices at right	Specify fabric color number.					
	<ul> <li>Fabric price group COM</li> </ul>	Prices at right	Specify fabric color number.					
	Fabric direction on tackboards							
	<ul> <li>Horizontal application</li> </ul>	No cost	Specify with horizontal application.					
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.					
	Digital print graphic							
	• 18"H x 24"W	+\$285	Specify standard or custom print number.					
	• 24"H x 36"W	+\$311	Specify standard or custom print number.					
	• 36"H x 48"W	+\$400	Specify standard or custom print number.					
	• 48"H x 36"W	+\$400	Specify standard or custom print number.					
	• 48"H x 48"W	+\$416	Specify standard or custom print number.					
	• 48"H x 60"W	+\$485	Specify standard or custom print number.					
	• 48"H x 72"W	+\$541	Specify standard or custom print number.					
	• 48"H x 96"W	+\$641	Specify standard or custom print number.					
	• 48"H x 120"W	+\$766	Specify standard or custom print number.					



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

▶Options, continued on next page

#### ▶Options, continued from previous page

to 192.25"W whiteboards

	Options	U.S. Price	Required to Specify
Surface	Digital print application		_
Materials,	• Top	No cost	Specify with top application.
continued	• Bottom	No cost	Specify with bottom application.
No Marker Tray	Whiteboard width (inches)		
	• 24.25000–36.25000	-\$ 36.21	Specify no tray.
	· 36.31250-48.25000	-\$ 46.07	Specify no tray.
	· 48.31250-60.25000	-\$ 54.88	Specify no tray.
	• 60.31250-72.25000	-\$ 64.93	Specify no tray.
	• 72.31250–96.25000	-\$ 64.93	Specify no tray.
	• 96.31250-120.25000	-\$ 92.38	Specify no tray.
	· 120.31250-144.25000	-\$102.23	Specify no tray.
	• 144.31250–192.25000	-\$119.81	Specify no tray.
Edge Series			
On- and Off-	Available on 24.25"W x 18.25"H	+\$181.78	Specify with on- and off- module
Module Brackets	to 192.25"W x 48.25"H whiteboards		brackets.
Over Panel	Available on 24.25"W to 60.25"W whi	teboards	
Bracket/Hook	<ul> <li>2" over panel bracket/hook</li> </ul>	+\$124.18	Specify with 2" over panel brackets.
	• 3" over panel bracket/hook	+\$124.18	Specify with 3" over panel brackets.
Spline Joint	Available on 120.25"W	+\$347.70	Specify with spline joint.

#### 110 Series

Tip: The width of the whiteboard will determine the price of the maprail.

Tip: 1" maprail option must be selected if ordering 1" maphook/clip, 1" flag holder, or roller bracket.

Tip: The width of the whiteboard will determine the price of the hooks.

1" Maprail	Whiteboard width (inches)		
	<ul> <li>24.25000–36.25000</li> </ul>	+\$ 13.18	Specify with maprail.
	• 36.31250-48.25000	+\$ 21.58	Specify with maprail.
	<ul> <li>48.31250–60.25000</li> </ul>	+\$ 25.99	Specify with maprail.
	• 60.31250-72.25000	+\$ 34.78	Specify with maprail.
	• 72.31250-96.25000	+\$ 47.56	Specify with maprail.
	· 96.31250-120.25000	+\$ 64.93	Specify with maprail.
	· 120.31250-144.25000	+\$ 79.20	Specify with maprail.
	• 144.31250–192.25000	+\$103.70	Specify with maprail.
1" Map Hook/Clip	p Whiteboard width (inches)		
	<ul> <li>24.25000–60.18750</li> </ul>	+\$ 2.96 (2 hooks)	Specify with map hook/clip.
	<ul><li>60.25000–120.18750</li></ul>	+\$ 5.92 (4 hooks)	Specify with map hook/clip.
	· 120.25000-144.25000	+\$ 8.88 (6 hooks)	Specify with map hook/clip.
	• 144.31250–192.25000	+\$ 11.84 (8 hooks)	Specify with map hook/clip.
1" Flag Holder	Available on whiteboards	+\$ 18.66	Specify with flag holder.
Roller Bracket	Available on whiteboards	+\$ 13.80	Specify with roller bracket.
Spline Joint	Available on 120.25"W to 192.25"W whiteboards	+\$347.70	Specify with spline joint.

▶Options, continued on next page



#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
555 Series			
1" Maprail	Whiteboard width (inches)		
-	• 24.25000–36.25000	+\$ 13.18	Specify with maprail.
	• 36.31250-48.25000	+\$ 21.58	Specify with maprail.
	<ul> <li>48.31250–60.25000</li> </ul>	+\$ 25.99	Specify with maprail.
	• 60.31250-72.25000	+\$ 34.78	Specify with maprail.
	• 72.31250–96.25000	+\$ 47.56	Specify with maprail.
	• 96.31250-120.25000	+\$ 64.93	Specify with maprail.
	· 120.31250-144.25000	+\$ 79.20	Specify with maprail.
	• 144.31250–192.25000	+\$103.70	Specify with maprail.
1" Map Hook/Cli	p Whiteboard width (inches)		
-	• 24.25000–60.18750	+\$ 2.96 (2 hooks)	Specify with map hook/clip.
	· 60.25000-120.18750	+\$ 5.92 (4 hooks)	Specify with map hook/clip.
	· 120.25000-144.25000	+\$ 8.88 (6 hooks)	Specify with map hook/clip.
	• 144.31250–192.25000	+\$ 11.84 (8 hooks)	Specify with map hook/clip.
1" Flag Holder	Available on whiteboards	+\$ 18.66	Specify with flag holder.
Roller Bracket	Available on whiteboards	+\$ 13.80	Specify with roller bracket.
Spline Joint	Available on 120.25"W to 192.25"W whiteboards	+\$347.70	Specify with spline joint.

▶Page 87

#### **Specification Information**

Related

**Products** 

Tip: The width of the whiteboard will determine the price of the maprail.

Tip: 1" maprail option must be selected if ordering 1" maphook/clip, 1" flag holder,

Tip: The width of the whiteboard will determine the price of the hooks.

or roller bracket.

			• Option (Add \$ to Base Price)	
·Style	· Square	·U.S.	Frame	
Number	Feet	Base	Champagne	
:	:	Price	Trim	
:	:	(Per sq/ft)		
			•	

Accessories

#### **Edge Series** — Whiteboard



#### **PWBWTBRD**


3.07335 - 5.99999	\$185.42	+\$ 80.29	
6.00000 - 11.99999	\$101.77	+\$112.56	
12.00000 - 15.99999	\$ 65.88	+\$159.30	
16.00000 - 19.99999	\$ 51.43	+\$179.88	
20.00000 – 23.99999	\$ 48.00	+\$200.28	
24.00000 – 31.99999	\$ 44.69	+\$223.65	
32.00000 - 39.99999	\$ 39.75	+\$271.87	
40.00000 – 47.99999	\$ 38.01	+\$314.33	
48.00000 - 63.99999	\$ 36.97	+\$364.03	
64.00000 – 64.41710	\$ 33.29	+\$447.30	

#### ▶ Specification Information, continued on next page

#### ▶ Specification Information, continued from previous page

Specifica	ation Informatio	on								
• Options (Add \$ to Base Price)										
Style	Square	·U.S.	Frame	Fabric	Fabric	Fabric	Fabric	Fabric		
Number	Feet	Base	Champagne	Price	Price	Price	Price	Price		
	:	Price	Trim	Group 1	Group 2	Group 3	Group 4	Group 5		
		(Per sq/ft)								

#### **Edge Series** — Tackboard



#### **PWBTKBRD**

3.07335 - 5.99999	\$185.42	+\$ 80.29	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44	
6.00000 - 11.99999	\$101.77	+\$112.56	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44	
12.00000 – 15.99999	\$ 65.88	+\$159.30	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44	
16.00000 – 19.99999	\$ 51.43	+\$179.88	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44	
20.00000 – 23.99999	\$ 48.00	+\$200.28	No cost	+\$77.52	+\$ 96.49	+\$146.84	+\$192.32	
24.00000 – 31.99999	\$ 44.69	+\$223.65	No cost	+\$86.28	+\$113.63	+\$175.66	+\$232.54	
32.00000 – 39.99999	\$ 39.75	+\$271.87	No cost	+\$89.19	+\$116.58	+\$194.07	+\$255.32	
40.00000 – 40.29210	\$ 38.01	+\$314.33	No cost	+\$96.49	+\$138.08	+\$231.66	+\$307.97	
•	•	•		•	•	•	•	

Fabric	Fabric	Fabric	Fabric	Fabric	Fabric
Price	Price	Price	Price	Price	Price
Group 6	Group 7	Group 8	Group 9	: Group 10	Group
:				:	COM
1	:	:	:	:	:

#### Edge Series — Tackboard, continued

+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
+\$244.37	+\$301.97	+\$363.21	+\$432.70	+\$509.39	+\$27.35
+\$293.56	+\$361.29	+\$426.99	+\$505.99	+\$587.08	+\$27.35
+\$322.19	+\$395.14	+\$462.06	+\$544.79	+\$632.94	+\$27.35
+\$379.78	+\$460.85	+\$530.56	+\$621.31	+\$711.42	+\$27.35

#### ▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Parametric Premium Whiteboards and Tackboards, Edge Series, 110 Series, and 555 Series, continued

#### ▶ Specification Information, continued from previous page

Specifica	Specification Information					
· Style Number	Square	·U.S.				
Number	Feet	Base				
		Price				
:		(Per sq/ft)				
:	:	:				

#### 110 Series—Whiteboard



#### **PWBWTBRD**

3.07335 - 5.99999	\$87.96
6.00000 - 11.99999	\$50.49
12.00000 – 15.99999	\$36.89
16.00000 – 19.99999	\$32.24
20.00000 - 23.99999	\$30.89
24.00000 – 31.99999	\$30.13
32.00000 – 39.99999	\$28.49
40.00000 – 47.99999	\$28.69
48.00000 – 63.99999	\$28.20
64.00000 – 64.41710	\$26.76
:	


▶ Specification Information, continued on next page



#### ▶ Specification Information, continued from previous page

Specifica	Specification Information									
			• Options (Add \$ to Base Price)							
·Style	Square	·U.S.	Fabric	Fabric	Fabric	Fabric	Fabric			
Number	Feet	Base	Price	Price	Price	Price	Price			
:	:	Price	Group 1	Group 2	Group 3	Group 4	Group 5			
		(Per sq/ft)	1							
1	:	•	•		:	•	:			

#### 110 Series—Tackboard



#### **PWBTKBRD**

3.07335 - 5.99999	\$43.17	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44
6.00000 - 11.99999	\$35.34	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44
12.00000 – 15.99999	\$30.49	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44
16.00000 – 19.99999	\$27.71	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44
20.00000 – 23.99999	\$26.48	No cost	+\$77.52	+\$ 96.49	+\$146.84	+\$192.32
24.00000 – 31.99999	\$24.18	No cost	+\$86.28	+\$113.63	+\$175.66	+\$232.54
32.00000 – 39.99999	\$21.56	No cost	+\$89.19	+\$116.58	+\$194.07	+\$255.32
40.00000 – 40.29210	\$21.44	No cost	+\$96.49	+\$138.08	+\$231.66	+\$307.97
•						·

	Fabric Price Group 6	Fabric Price Group 7	Fabric Price Group 8	Fabric Price Group 9	Fabric Price Group 10	Fabric Price Group COM
110 Series — Tackboard, continued	·					•
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$244.37	+\$301.97	+\$363.21	+\$432.70	+\$509.39	+\$27.35
	+\$293.56	+\$361.29	+\$426.99	+\$505.99	+\$587.08	+\$27.35
	+\$322.19	+\$395.14	+\$462.06	+\$544.79	+\$632.94	+\$27.35
	+\$379.78	+\$460.85	+\$530.56	+\$621.31	+\$711.42	+\$27.35

#### ▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Parametric Premium Whiteboards and Tackboards, Edge Series, 110 Series, and 555 Series, continued

#### ▶ Specification Information, continued from previous page

Specifica	pecification Information			
· Style Number	Square	·U.S.		
Number	Feet	Base		
	:	Price		
-	:	(Per sq/ft)		
1	:	:		

#### 555 Series—Whiteboard



PWBWTBRD	3.07335 - 5.99999	\$108.10
	6.00000 – 11.99999	\$ 61.99
	12.00000 – 15.99999	\$ 41.22
	16.00000 – 19.99999	\$ 35.31
	20.00000 – 23.99999	\$ 33.64
	24.00000 – 31.99999	\$ 33.68
	32.00000 - 39.99999	\$ 31.46
	40.00000 – 47.99999	\$ 31.83
	48.00000 - 63.99999	\$ 31.15
	64.00000 – 64.41710	\$ 30.41

▶ Specification Information, continued on next page



#### ▶ Specification Information, continued from previous page


40.00000 - 40.29210

\$26.18

No cost

Specifica	ation Informatio	on					
			·Options (A	Add \$ to Base P	rice)		
Style	Square	·U.S.	Fabric	Fabric	Fabric	Fabric	Fabric
Number	Feet	Base	Price	Price	Price	Price	Price
:	:	Price	: Group 1	Group 2	: Group 3	Group 4	Group 5
		(Per sq/ft)					
:	:	:	:	:	:	:	:

#### 555 Series — Tackboard



PWBTKBRD	3.07335 - 5.99999	\$47.56	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44		
	6.00000 - 11.99999	\$39.15	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44		
	12.00000 – 15.99999	\$34.73	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44		
	16.00000 – 19.99999	\$30.72	No cost	+\$66.23	+\$ 81.90	+\$115.09	+\$154.44		
	20.00000 – 23.99999	\$29.15	No cost	+\$77.52	+\$ 96.49	+\$146.84	+\$192.32		
	24.00000 – 31.99999	\$27.46	No cost	+\$86.28	+\$113.63	+\$175.66	+\$232.54		
	32.00000 – 39.99999	\$26.47	No cost	+\$89.19	+\$116.58	+\$194.07	+\$255.32		

+\$96.49

+\$138.08

+\$293.56

+\$322.19

+\$379.78

+\$361.29

+\$395.14

+\$460.85

+\$426.99

+\$462.06

+\$530.56

+\$505.99

+\$544.79

+\$621.31

+\$587.08

+\$632.94

+\$711.42

+\$27.35

+\$27.35

+\$27.35

+\$231.66 +\$307.97

	Fabric Price Group 6	Fabric Price Group 7	Fabric Price Group 8	Fabric Price Group 9	Fabric Price Group 10	: Fabric : Price : Group
	: :	: :	: :	: :	: :	COM
555 Series — Tackboard, continued						
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$200.32	+\$251.68	+\$310.01	+\$374.55	+\$446.12	+\$27.35
	+\$244.37	+\$301.97	+\$363.21	+\$432.70	+\$509.39	+\$27.35



## **Polyvision Parametric Whiteboards**

Sans and Flow

Accented edge optional for parametric Sans. Trim optional for parametric Writing surface is

available in chalkboard or markerboard material types.

#### SANSPM

7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS 7673 Merle CS

7674 Platinum Solid CS PV09 Hygienic White Gloss

#### **PVFLOWPM**

7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS PV09 Hygienic White Gloss

Actual Dimensions							
	Sans Series	Sans Series	Flow Series	Flow Series			
	SANSPM	SANSPM	PVFLOWPM	PVFLOWPM			
Edge Treatment	Frameless	Frameless	Frameless	Framed			
Panel Orientation	Horizontal	Vertical	Vertical	Vertical			
Overall Width (per panel)	24"-144"	24"-46.625"	46.6535"	46.6535"			
Overall Height (per panel)	24"-46.625"	46.6875"–96"	60"–96"	60"–96"			
Panel Thickness	1/2"	1/2"	1/2"	1/2"			
Depth from Wall to Face	1"	1"	3/4"	1"			
Weight (lb)	7 lb–168 lb	7 lb–102 lb	60 lb-102 lb	60 lb-102 lb			
Weight (kg)	3.17 kg-72.20 kg	3.17 kg-46.26 kg	27.21 kg-46.26 kg	27.21 kg-46.26 kg			

## **Polyvision Parametric Whiteboards**


► Need help?

page 36

**Products** 

Product details,

Sans



#### **Standard Includes**

#### · Panel: Polyvision CeramicSteel

- Attachment hardware
- Z-brackets available in two orientations Size Ranges: Horizontal:
- Width: 24" to 144" (610 mm-3658 mm) - Height: 24" to 46.625" (610 mm-1184 mm)
- Vertical:
   Width: 24" to 46.625" (610 mm-1184 mm)
- Height: 46.6875" to 96" (1186 mm-2438 mm)
- 1 Style number
- 2 Panel Orientation (see below under Required Selections)
- 3 Size (see below under Required Selections)

**Required to Specify** 

- 4 Surface type (see below under Required Selections)
- 5 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS 7673 Merle CS 7674 Platinum Solid CS PV09 Hygienic White Gloss
- 6 Options, if selected (see below)

Tip: Parametric sizes can be specified to the 1/16 of an inch.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

	Required Selections	U.S. Price	Required to Specify
Panel	Horizontal	Prices below	Specify with horizontal.
Orientation	<ul> <li>Vertical</li> </ul>	Prices below	Specify with vertical.
Size	• Height	Prices below	Specify according to the orientation height range.
	• Width	Prices below	Specify according to the orientation width range.
Surface	Chalkboard	No cost	Specify with chalkboard.
Туре	<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.

	Options	U.S. Price	Required to Specify	
Surface	Surface			
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.	
	Ceramic price group 2	+\$152	Specify ceramic color number.	
	Contrasting			
	Non-contrasting accented edge	No cost	Specify with non-contrasting accented edge.	
	Contrasting accented edge	+\$135	Specify with contrasting accented edge.	
Related	Accessories		▶ Page 87	

Tip: Accessories are sold separately.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Specificat	tion Information			
Style Number	Orientation	· Height Range	·Width Range	· U.S. Base Price
SANSPM	Horizontal	24"-46.625"	Up to 48"	\$1650
		24"–46.625"	48.062"-72"	\$2250
		24"–46.625"	72.062"–96"	\$2600
		24"–46.625"	96.062"-120"	\$3650
		24"–46.625"	120.062"-144"	\$4025
	Vertical	46.687"-72"	24"-46.625"	\$2250
		72.062"–96"	24"-46.625"	\$2600
	:	:	:	:




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

## **Polyvision Parametric Whiteboards**

Flow



Tip: Illustration above shows a three-panel system.

Product details, page 36  Attachment hardware Spline joints, included with multiple panels system  Attachment hardware Spline joints, included with multiple panels system  3 Frame (see below under Required Selections) 4 Panel quantity (see below under Required Selections) 5 Surface type (see below under Required Selections) 6 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS			
	,	Attachment hardware	2 Height (see below under Required Selections) 3 Frame (see below under Required Selections) 4 Panel quantity (see below under Required Selections) 5 Surface type (see below under Required Selections) 6 CeramicSteel color number for panel: 7655 White High Gloss

**Required to Specify** 

PV09 Hygienic White Gloss 7 Options, if selected (see below)

**Standard Includes** 

Tip: Parametric sizes can be specified to the 1/16 of an inch.

Tip: A panel quantity of one is not available as frameless. Refer to Sans or Sans Light in vertical orientation.

Tip: Individual panel width is 46.65". Width times number of panels equals total system width.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: Accessories are sold separately.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

► Page 11

	Required Selections	U.S. Price	Required to Specify
Height	• 60"H–96"H	Prices below	Specify with 60"H-96"H.
Frame	Frame     Frameless	No cost No cost	Specify with frame. Specify without frame.
Panel Quantity	<ul><li>Frame quantity of one to eight</li><li>Frameless quantity of two to eight</li></ul>	Prices below Prices below	Specify number of panels. Specify number of panels.
Surface Type	Chalkboard     Markerboard	No cost No cost	Specify with chalkboard. Specify with markerboard.

	Options	U.S. Price	Required to Specify
Surface Materials	Surface • Ceramic price group 1	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$152 per panel	Specify ceramic color number.
Related Products	<ul><li>Dry erase markers</li><li>Magnetic eraser with marker holder</li></ul>		Page 88 Page 86
	Accessories		Page 87


Style Number	· Height Range	· Panel Quantity	· System Width	·U.S. Base Price (per system)
PVFLOWPM	60"-72"	1	46.654"	\$ 2695
		2	93.307"	\$ 5145
		3	139.961"	\$ 7595
		4	186.614"	\$10,045
		5	233.268"	\$12,495
		6	279.921"	\$14,945
		7	326.575"	\$17,395
		8	373.228"	\$19,845
				φ19,045 ·

<sup>▶</sup> Specification Information, continued on next page



#### ▶ Specification Information, continued from previous page

Specificati	Specification Information					
Style Number	Height Range	Panel Quantity	•System Width	· U.S. Base Price (per system)		
PVFLOWPM	72.0625"–96"	1	46.654"	\$ 3145		
		2	93.307"	\$ 6045		
		3	139.961"	\$ 8945		
		4	186.614"	\$11,845		
		5	233.268"	\$14,745		
		6	279.921"	\$17,645		
		7	326.575"	\$20,545		
		8	373.228"	\$23,445		




Tip: Illustration above shows a three-panel system.

## Flow

Flow is a modular panel system with no vertical joint covers providing a large format writing surface. Available as frameless or with outer aluminum frame.

For custom capability and parametrics for special sizes, please see Parametric Collaborative Surfaces.



Actual Dimensions					
	Flow (72"H)	Flow (95 <sup>1</sup> / <sub>4</sub> "H)	Flow Frameless (72"H)	Flow Frameless (95 <sup>1</sup> / <sub>4</sub> "H)	
Single Panel Height	72" or 1830 mm	951/4" or 2420 mm	72" or 1830 mm	95 <sup>1</sup> / <sub>4</sub> " or 2420 mm	
Single Panel Width	47" or 1185 mm	47" or 1185 mm	47" or 1185 mm	47" or 1185 mm	
Depth	<sup>1</sup> / <sub>2</sub> " or 13 mm	½" or 13 mm	3⁄4" or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	
Depth from Wall to Face	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	3⁄4" or 19 mm	1" or 27 mm	1" or 27 mm	
Weight (lbs)	62 lb	82 lb	62 lb	82 lb	
Weight (kgs)	28 kg	37 kg	28 kg	37 kg	

Tip: Sizes are nominal.

Flow Wall System Dimensions				
Panel Quantity	Framed Flow Width	Frameless Flow Width		
1	47 <sup>1</sup> /2" or 1206 mm	N.A.		
2	94 <sup>1</sup> /2" or 2400 mm	94" or 2387 mm		
3	141 <sup>1</sup> /2" or 3594 mm	141" or 3581 mm		
4	188 <sup>1</sup> /2" or 4788 mm	188" or 4775 mm		
5	235 <sup>1</sup> /2" or 5981 mm	235" or 5969 mm		
6	282 <sup>1</sup> /2" or 7175 mm	282" or 7163 mm		
7	329 <sup>1</sup> /2" or 8369 mm	329" or 8356 mm		
8	376 <sup>1</sup> /2" or 9563 mm	376" or 9550 mm		

## **Digital Print Options**

**Digital printing** is offered on Parametric Premium Whiteboards, Sans, Sans Light, and Flow products. Digital print graphics are permanently baked into the CeramicSteel surface and are scratch, abrasion, bacteria, chemical, fire, and graffiti resistant. Both standard and custom options are available.

Tip: Flow only available with custom option.

Standard Digital Print Options for Sans, Sans Light, Flow, and Premium Whiteboards

Patterns available in:
• 7676 Saffron

- 7677 Peacock
- 7678 Sea Salt
- 7679 Sterling Dark
- 7681 Sand
- 7682 Black



**PV55 Agate** 



**PV56 Brushstroke** 



**PV57 Code** 



PV58 Data



**PV59 DNA** 



**PV60 Hive** 




**PV61 Skyline** 



**PV62 Soundwave** 




**PV63 Speed** 



**PV64 Summit** 

Patterns available in: • 7679 Sterling Dark • 7682 Black


**PV65 Dot Grid** 



**PV66 Line Grid** 

**PV67 Music Lines** 

## Flow



#### **Standard Includes**

#### **Required to Specify** · Panel(s): Polyvision CeramicSteel

►Need help? Product details, page 40

· Attachment hardware

· Spline joints, included with multiple panels system

Accessories: basic kit

- 1 Style number
- 2 Height (see below under Required Selections)
- 3 Frame (see below under Required Selections)
- 4 Panel quantity (see below under Required Selections)
- 5 Surface type (see below under Required Selections)
  6 CeramicSteel color number for panel:
- 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS PV09 Hygienic White Gloss
- 7 Options, if selected (see below)

Tip: Height dimensions listed are nominal.

Tip: A panel quantity of one is not available as frameless. Refer to Sans or Sans Light in vertical orientation.

Tip: One accessory kit will be included with each wall system. Not provided with each panel.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

	Required Selections	U.S. Price	Required to Specify
Height	• 72"H • 95"H	Prices below Prices below	Specify with 72" high. Specify with 95" high.
Frame	Frame     Frameless	No cost No cost	Specify with frame. Specify without frame.
Panel Quantity	Frame quantity of one to eight	Prices below	Specify number of panels.
	<ul> <li>Frameless quantity of two to eight</li> </ul>	Prices below	Specify number of panels.
Surface Type	Chalkboard     Markerboard	No cost No cost	Specify with chalkboard. Specify with markerboard.

	Options	U.S. Price	Required to Specify
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$ 152 per panel	Specify ceramic color number.
	<ul> <li>Custom graphic 72"H panel</li> </ul>	+\$1596 per panel	Specify custom graphic number.
	Custom graphic 95"H panel	+\$1966 per panel	Specify custom graphic number.
Accessory Kit	Basic kit	No cost	Specify with basic kit.
	<ul> <li>Toolbar kit</li> </ul>	+\$ 206	Specify with toolbar kit.
Related	Dry erase markers		▶Page 88
Products	<ul> <li>Magnetic eraser with marker h</li> </ul>	nolder	▶ Page 86
	<ul> <li>Accessories</li> </ul>		▶ Page 87


Specification	on Information	
·Style Number	· Panel Quantity	· U.S. Base Prices
	:	72"H 95"H
PVFLOW	1	\$ 1995  \$ 2458
	2	\$ 3990 \$ 4916
	3	\$ 5985 \$ 7374
	4	\$ 7980 \$ 9832
	5	\$ 9975 \$12,290
	6	\$11,970 \$14,748
	7	\$13,965 \$17,206
	8	\$15,960 \$19,664



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

## **Horizontal Flow**

#### Horizontal Flow is a multi-panel panel system with no vertical joint covers providing a large and long format writing surface. Available as frameless or



Actual Dimensions				
	Horizontal Flow (48"W)	Horizontal Flow (72"W)	Horizontal Flow (95½"W)	
Single Panel Width	48" or 1220 mm	72" or 1830 mm	95 <sup>1</sup> / <sub>4</sub> " or 2420 mm	
Single Panel Height	47" or 1185 mm	47" or 1185 mm	47" or 1185 mm	
Depth	<sup>1</sup> / <sub>2</sub> " or 13 mm	½" or 13 mm	½" or 13 mm	
Depth from Wall to Face	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	<sup>3</sup> ⁄ <sub>4</sub> " or 19 mm	3⁄4" or 19 mm	
Weight (lbs)	55.1 lb	62 lb	82 lb	
Weight (kgs)	25 kg	28 kg	37 kg	

Tip: Sizes are nominal.

the same finish as specified CeramicSteel color number

of the panel.

Horizontal Flow Wall System Dimensions				
Wall System Width Options	Framed Horizontal Flow Width	Frameless Horizontal Flow Width		
12'	144 <sup>1</sup> /2" or 3671 mm	144" or 3658 mm		
14'	168 <sup>1</sup> /2" or 4280 mm	168" or 4267 mm		
16'	192 <sup>1</sup> /2" or 4890 mm	192" or 4877 mm		
18'	216 <sup>1</sup> / <sub>2</sub> " or 5499 mm	216" or 5486 mm		
20'	240 <sup>1</sup> /2" or 6109 mm	240" or 6096 mm		
24'	288 <sup>1</sup> /2" or 7328 mm	288" or 7315 mm		
30'	360 <sup>1</sup> /2" or 9157 mm	360" or 9144 mm		


#### **Panel Quantities and Layout by Total Width**




144": 72"+72"




168": 48"+72"+48"




192": 951/4" + 951/4"




216": 72"+72"+72"



240": 72" + 951/4" + 72"






360": 72"+72"+72"+72"+72"

Tip: Panel configurations outside of these layouts are considered custom. Sizes are nominal.

## **Horizontal Flow**

►Need help?

Product details, page 44



#### Standard Includes

#### · Panel(s): Polyvision CeramicSteel

- · Attachment hardware
- · Spline joints, included with multiple panels system
- · Accessories: basic kit

#### 1 Style number

2 Frame (see below under Required Selections)

**Required to Specify** 

- 3 Height (see below under Required Selections)
- 4 Width (see below under Required Selections)
- 5 Surface Type (see below under Required Selections)
- 6 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS PV09 Hygienic White Gloss
- 7 Options, if selected (see below)
- See Surface Materials, page 92

	Required Selections	U.S. Price	Required to Specify
Frame	• Frame	No cost	Specify with frame.
	Frameless	No cost	Specify without frame.
Height	• 47"H	Prices at right	Specify with 47" high.
Width	• 144"W	Prices at right	Specify with 144" width.
	• 168"W	Prices at right	Specify with 168" width.
	• 192"W	Prices at right	Specify with 192" width.
	• 216"W	Prices at right	Specify with 216" width.
	• 240"W	Prices at right	Specify with 240" width.
	• 288"W	Prices at right	Specify with 288" width.
	• 360"W	Prices at right	Specify with 360" width.
Surface	Chalkboard	No cost	Specify with chalkboard.
Туре	<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.

#### **Required to Specify Options U.S. Price** Surface Surface **Materials** · Ceramic price group 1 No cost Specify ceramic color number. Ceramic price group 2 +\$152 per panel Specify ceramic color number. · Custom graphic 144"W Price at right Specify custom graphic number. · Custom graphic 168"W Price at right Specify custom graphic number. · Custom graphic 192"W Price at right Specify custom graphic number. Custom graphic 216"W Specify custom graphic number. Price at right · Custom graphic 240"W Price at right Specify custom graphic number. · Custom graphic 288"W Price at right Specify custom graphic number. Custom graphic 360"W Price at right Specify custom graphic number. **Accessory Kit** · Basic kit Specify with basic kit. No cost Toolbar kit Specify with toolbar kit. +\$206 Related · Dry erase markers ▶Page 88 **Products** · Magnetic eraser with marker holder Page 86 Accessories ▶ Page 87

Tip: Height dimensions listed are nominal.

Tip: Width is the total dimension by multiple panels being splined together. These are not single pieces in specified lengths.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: One basic accessory kit will be included with each wall system. Not provided with each panel.

Tip: Sizes are nominal.

Tip: Horizontal Flow (framed) as 8' total width should be ordered from the Flow section. Refer to **PVFLOW**.

Tip: Horizontal Flow (frameless) as 8' total width should be ordered from the Sans section. Refer to **SANS**.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Specification Information				
Style Number	· Dimension Width	·U.S. Base Price	• Option (Add \$ to Base Price)	
· ·	:	47"H	Custom Graphic	
HZPVFLOW	144"	\$ 5449	+\$4359	
	168"	\$ 5994	+\$4795	
	192"	\$ 6539	+\$5231	
	216"	\$ 7629	+\$6103	
	240"	\$ 8719	+\$6975	
	288"	\$ 9809	+\$7847	
	360"	\$11,989	+\$9591	

### Sans

**Sans** is a writing board with streamlined, precision cut, frameless edges. Orientation of writing board can be mounted horizontally or vertically.

For custom capability and parametrics for special sizes, please see Parametric Collaborative Surfaces.

> See page 50

Frameless edge comes standard in the same finish as the specified CeramicSteel color number of the panel. Contrasting options are also available. Panel thickness is 1/2" or 13 mm.

#### **CeramicSteel surface**

is offered in 7655 White High Gloss, 7661 Gray Chalk 6502C CS, 7671 Arctic White 2 CS, 7673 Merle CS, 7674 Platinum Solid CS, and PV09 Hygienic White. 7661 Gray Chalk 6502C CS is a true chalkboard surface that requires chalk sticks or liquid chalk for writing.

Tip: Available with standard graphics and custom graphics.

**Edges** are waterjet cut and sealed with high quality paint. Edges show striations.

markers, and eraser come standard with all markerboard surfaces. If chalkboard finish is selected then an eraser and marker tray come standard. The optional toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

Marker tray, dry erase


#### **Actual Dimensions (Horizontal Orientation)**

	Sans (48"W)	Sans (72"W)	Sans (95"W)
Overall Height	47" or 1185 mm	47" or 1185 mm	47" or 1185 mm
Overall Width	48" or 1220 mm	72" or 1830 mm	95" or 2420 mm
Depth	½" or 13 mm	½" or 13 mm	½" or 13 mm
Depth from Wall to Face	1" or 25 mm	1" or 25 mm	1" or 25 mm
Weight (lbs)	55 lb	82 lb	97 lb
Weight (kgs)	25 ka	37 ka	44 ka

#### **Actual Dimensions (Vertical Orientation)**

	Sans (72"H)	Sans (95"H)
Overall Height	72" or 1830 mm	95" or 2420 mm
Overall Width	47" or 1185 mm	47" or 1185 mm
Depth	½" or 13 mm	½" or 13 mm
Depth from Wall to Face	1" or 25 mm	1" or 25 mm
Weight (lbs)	82 lb	97 lb
Weight (kgs)	37 kg	44 kg

#### **Product Details**



Rounded corners can be selected for the Sans board. Standard corner option is 90-degree, radius is R45. Compatible with accented edge options.

## **Digital Print Options**

Digital printing is offered on Parametric Premium Whiteboards, Sans, Sans Light, and Flow products. Digital print graphics are permanently baked into the CeramicSteel surface and are scratch, abrasion, bacteria, chemical, fire, and graffiti resistant. Both standard and custom options are available.

Tip: Flow only available with custom option.

Standard Digital Print Options for Sans, Sans Light, Flow, and Premium Whiteboards

Patterns available in:

- 7676 Saffron
- 7677 Peacock
- 7678 Sea Salt
- 7679 Sterling Dark • 7681
- Sand • 7682 Black



PV55 Agate



**PV56 Brushstroke** 



**PV57 Code** 



PV58 Data



**PV59 DNA** 



**PV60** Hive




**PV61 Skyline** 



**PV62 Soundwave** 



**PV63 Speed** 



**PV64 Summit** 

Patterns available in: • 7679 Sterling Dark

acl

			•	•		٠	٠	٠
	٠	٠						
٠	٠	٠						
			•			•	٠	•

**PV65 Dot Grid** 




**PV66 Line Grid** 

•	
•	
•	
•	
•	
•	
•	
-	
•	
•	

**PV67 Music Lines** 

## Sans



	Standard Includes	Required to Specify
Need help? Product details, page 48	<ul> <li>Panel: Polyvision CeramicSteel</li> <li>Attachment hardware</li> <li>Magnetic marker tray, dry erase markers, and eraser if 7655 White High Gloss, 7671 Arctic White 2 CS, 7673 Merle CS, 7674 Platinum Solid CS, or PV09 Hygienic White Gloss is selected</li> <li>Magnetic marker tray and eraser if 7661 Gray Chalk 6502C CS is selected</li> <li>Accented edge: paint price groups 1, 2, and 3, if contrasting is selected</li> </ul>	1 Style number 2 Size (see below under Required Selections) 3 Corner shape (see below under Required Selections) 4 Surface type (see below under Required Selections) 5 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS 7673 Merle CS 7674 Platinum Solid CS PV09 Hygienic White Gloss 6 Options, if selected (see below) See Surface Materials, page 92

Tip: Accessories come with all Sans boards. Accessories vary by surface type and color. All Sans boards include a logo on the bottom right corner.

Tip: Mounting hardware will be installed on the back of the board to support vertical installation when 72"H or 95"H is specified.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: Contrasting accented edge can only be specified when the panel is selected in 7655 White High Gloss and 7671 Arctic White 2 CS.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: Graphics not available with rounded corners.


	Required Selections	U.S. Price	Required to Specify
Size	Horizontal		
	• 47"H x 48"W	Prices below	Specify with 47"H x 48"W.
	• 47"H x 72"W	Prices below	Specify with 47"H x 72"W.
	• 47"H x 95"W	Prices below	Specify with 47"H x 95"W.
	Vertical		
	• 72"H x 47"W	Prices below	Specify with 72"H x 47"W.
	• 95"H x 47"W	Prices below	Specify with 95"H x 47"W.
Corner	90 degree corner	No cost	Specify with 90 degree corner.
Shape	<ul> <li>Rounded corner</li> </ul>	No cost	Specify with rounded corner.
Surface	Chalkboard	No cost	Specify with chalkboard.
Туре	<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.


	Options	U.S. Price	Required to Specify			
Surface	Surface					
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.			
	<ul> <li>Ceramic price group 2</li> </ul>	+\$ 152	Specify ceramic color number.			
	Graphic 47"H x 48"W	+\$1105	Specify standard or custom graphic number.			
	<ul> <li>Graphic 47"H x 72"W</li> </ul>	+\$1475	Specify standard or custom graphic number.			
	<ul> <li>Graphic 47"H x 95"W</li> </ul>	+\$1718	Specify standard or custom graphic number.			
	<ul> <li>Graphic 72"H x 47"W</li> </ul>	+\$1475	Specify standard or custom graphic number.			
	<ul> <li>Graphic 95"H x 47"W</li> </ul>	+\$1718	Specify standard or custom graphic number.			
	Contrasting					
	<ul> <li>Non-contrasting accented</li> </ul>	No cost	Specify with non-contrasting accented			
	edge		edge.			
	<ul> <li>Contrasting accented edge</li> </ul>	+\$ 135	Specify with contrasting accented edge.			
Accessory Kit	Basic kit	No cost	Specify with basic kit.			
	<ul> <li>Toolbar kit</li> </ul>	+\$ 206	Specify with toolbar kit.			
Related Products	Accessories		▶ Page 87			

Style Number	· Dimension Height	· U.S. Base Prices					
Number	:	47"W	: 48"W	: 72"W	: 95"W		
SANS	47"	N.A.	\$1381	\$1844	\$2148		
	72"	\$1844	N.A.	N.A.	N.A.		
	95"	\$2148	N.A.	N.A.	N.A.		



Sans Light Sans Light





is offered in 7655 White High Gloss, 7661 Gray Chalk 6502C CS, 7671 Arctic White 2 CS, 7673 Merle CS, 7674 Platinum Solid CS, and PV09 Hygienic White Gloss. 7661

Gray Chalk 6502C CS is a true chalkboard surface and requires chalk sticks or liquid chalk for writing.

Tip: Available with standard graphics and custom graphics.


**Edges** are waterjet cut and sealed with high quality paint. Edges show striations.

The toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

#### **Actual Dimensions (Horizontal Orientation)** Sans Light (48"W) Sans Light (72"W) Sans Light (95"W) Overall Height 47" or 1185 mm 47" or 1185 mm 47" or 1185 mm Overall Width 95" or 2420 mm 48" or 1220 mm 72" or 1830 mm 1/4" or 61/2 mm 1/4" or 61/2 mm 1/4" or 61/2 mm Depth from Wall to Face 4/5" or 201/2 mm 4/5" or 201/2 mm 4/5" or 201/2 mm Weight (lbs) 34 lb 50 lb 66 lb Weight (kgs) 15<sup>2</sup>/<sub>5</sub> kg 221/2 kg 30 kg


Actual Dimensions (Vertical Orientation)						
	Sans Light (72"H)	Sans Light (95"H)				
Overall Height	72" or 1830 mm	95" or 2420 mm				
Overall Width	47" or 1185 mm	47" or 1185 mm				
Depth	1/4" or 61/2 mm	<sup>1</sup> / <sub>4</sub> " or 6 <sup>1</sup> / <sub>2</sub> mm				
Depth from Wall to Face	⁴⁄5" or 20¹⁄2 mm	4⁄5" or 201∕2 mm				
Weight (lbs)	50 lb	66 lb				
Weight (kgs)	22½ kg	30 kg				

## Product Details



Rounded corners can be selected for the Sans board. Standard corner option is 90-degree, radius is R45. Compatible with accented edge options.

## **Sans Light**



#### **Standard Includes Required to Specify** · Panel: Polyvision CeramicSteel 1 Style number ►Need help? · Attachment hardware 2 Size (see below under Required Product details, Selections) · Standard toolbar kit with 7655 White High Gloss, page 51 7671 Arctic White 2 CS, 7674 Platinum Solid CS, or 3 Corner shape (see below under Required Selections) PV09 Hygienic White Gloss. Neon toolbar kit with 4 Surface type (see below under Required 7673 Merle CS. Chalk toolbar kit with 7661 Gray Chalk Selections) 6502 CS. 5 CeramicSteel color number for panel: 7655 White High Gloss 7661 Gray Chalk 6502C CS 7671 Arctic White 2 CS 7673 Merle CS 7674 Platinum Solid CS PV09 Hygienic White Gloss

Tip: Accessories come with all Sans boards. Accessories vary by surface type and color. All Sans boards include a logo on the bottom right corner.

Tip: Mounting hardware will be installed on the back of the board to support vertical installation when 72"H or 95"H is specified.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: Contrasting accented edge can only be specified when the panel is selected in 7671 Arctic White 2 CS.

Tip: 7661 Gray Chalk 6502C CS is a true chalkboard surface. Chalk sticks and liquid chalk can be used. Liquid chalk requires wet erase.

Tip: Graphics not available with rounded corners.

**Products** 

	Required Selections	U.S. Price	Required to Specify
Size	Horizontal		
	• 47"H x 48"W	Prices below	Specify with 47"H x 48"W.
	• 47"H x 72"W	Prices below	Specify with 47"H x 72"W.
	• 47"H x 95"W	Prices below	Specify with 47"H x 95"W.
	Vertical		
	• 72"H x 47"W	Prices below	Specify with 72"H x 47"W.
	• 95"H x 47"W	Prices below	Specify with 95"H x 47"W.
Corner	90 degree corner	No cost	Specify with 90 degree corner.
Shape	<ul> <li>Rounded corner</li> </ul>	No cost	Specify with rounded corner.
Surface	Chalkboard	No cost	Specify with chalkboard.
Туре	<ul> <li>Markerboard</li> </ul>	No cost	Specify with markerboard.

	Options	U.S. Price	Required to Specify
Surface	Surface	·	_
Materials	<ul> <li>Ceramic price group 1</li> <li>Ceramic price group 2</li> <li>Graphic 47"H x 48"W</li> <li>Graphic 47"H x 72"W</li> <li>Graphic 47"H x 95"W</li> <li>Graphic 72"H x 47"W</li> <li>Graphic 95"H x 47"W</li> </ul>	No cost +\$ 152 +\$1477 +\$1586 +\$1696 +\$1696	Specify ceramic color number. Specify ceramic color number. Specify standard or custom graphic number.
	Contrasting  Non-contrasting accented edge Contrasting accented edge	No cost +\$ 135	Specify with non-contrasting accented edge. Specify with contrasting accented edge.
Related	Accessories		▶Page 87

Style Number	· Dimension Height	· U.S. Base Prices					
		47"W	: 48"W	:72"W	:95"W		
PVLTSANS	47"	N.A.	\$1846	\$1982	\$2120		
	72"	\$1982	N.A.	N.A.	N.A.		
	95"	\$2120	N.A.	N.A.	N.A.		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


See page 1 for details.

6 Options, if selected (see below)
► See Surface Materials, page 92

Accord


## **Accord**

Accord is a combination board where writing and sound absorbing features are combined in a streamlined, precision cut, and frameless design.






Accord features four rounded corners R45 mm and installs with Z-brackets. The markerboard has a ½" MDF core. Acoustic material has a 12 mm core. Acoustic Material: Cost effective sound solution—NRC = 0.45–0.80 for 12 mm.



**Accord** features 4 mm protection bumper, material ABS.

Actual Dim	ensions						
Accord	Height	Width	Depth	Depth from Wall to Face of Writing Surface	Depth Divider Bumper to Face of Writing Surface	Weight (lbs)	Weight (kg)
Horizontal	47" or 1185 mm	94" or 2375 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	52.69 lbs	23.9 kg
Double	47" or 1185 mm	119" or 3020 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	76.27 lbs	34.6 kg
	47" or 1185 mm	142" or 3610 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	97.66 lbs	44.3 kg
Vertical Double	72" or 1830 mm	94" or 2375 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	81.57 lbs	37 kg
	95" or 2420 mm	94" or 2375 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	107.36 lbs	48.7 kg
Horizontal Left	47" or 1185 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	48.06 lbs	21.8 kg
	47" or 1185 mm	94" or 2425 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	71.65 lbs	32.5 kg
	47" or 1185 mm	119" or 3015 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	93.03 lbs	42.2 kg
Vertical	72" or 1830 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	74.29 lbs	33.7 kg
Left	95" or 2420 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	97.88 lbs	44.4 kg
Horizontal	47" or 1185 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	48.06 lbs	21.8 kg
Right	47" or 1185 mm	94" or 2425 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	71.65 lbs	32.5 kg
	47" or 1185 mm	119" or 3015 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	93.03 lbs	42.2 kg
Vertical	72" or 1830 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	74.29 lbs	33.7 kg
Right	95" or 2420 mm	70" or 1780 mm	0.51" or 13 mm	0.86" or 22 mm	0.15" or 4 mm	97.88 lbs	44.4 kg

## **Accord**



Tip: Accord only available with a single CeramicSteel panel application. Panel comes standard with accessories.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Tip: Refer to panel layouts for acoustic panel quantity and placement.

	Standard Includes	Required to Specify
Need help? Product details, page 53	<ul> <li>Polyvision CeramicSteel markerboard with bumper divider and PET tackable acoustic panel(s)</li> <li>Attachment hardware</li> <li>Accessories: toolbar kit</li> </ul>	1 Style number 2 Height (see below under Required Selections) 3 Width (see below under Required Selections) 4 Acoustic panel quantity (see below under Required Selections) 5 CeramicSteel color number for markerboard: 7655 White High Gloss 7671 Arctic White 2 CS 6 PET color number for acoustic panel(s) 7 Options, if selected (see below) ▶ See Surface Materials, page 92

	Required Select	ions U.S. Price	Required to Specify
Height	• 47"H	Prices below	Specify with 47"H.
	• 72"H	Prices below	Specify with 72"H.
	• 95"H	Prices below	Specify with 95"H.
Width	• 70"W	Prices below	Specify with 70"W.
	• 94"W	Prices below	Specify with 94"W.
	• 119"W	Prices below	Specify with 119"W.
	• 142"W	Prices below	Specify with 142"W.
Acoustic	Quantity 1	Prices below	Specify one acoustic panel.
Panel Quantity	• Quantity 2	Prices below	Specify two acoustic panels.

	Options	U.S. Price	Required to Specify
Surface	Markerboard edge		
Materials	Ceramic price group 1	No cost	Specify edge finish color number.
	Paint price group 1	No cost	Specify edge finish color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$124	Specify edge finish color number.
Related Products	Accessories		▶Page 87

Specification	n Information			
Style	·Dimensions		se Prices	
Number	W	: 47"H :	72"H	95"H
Panel Quantity	1			
PVMRGE	70"	\$2496	\$3396	\$3696
	94"	\$2996	N.A.	N.A.
	119"	\$3196	N.A.	N.A.
	142"	N.A.	N.A.	N.A.
Panel Quantity	2			
PVMRGE	70"	N.A.	N.A.	N.A.
	94"	\$3396	\$4796	\$5096
	119"	\$3896	N.A.	N.A.
	142"	\$4096	N.A.	N.A.
	:	:		

Tip: Panel quantity refers to the number of acoustic panels selected.



## **Motif**

Motif is a high-performance collaborative panel that can be configured in countless ways to turn unused wall space into places where teams express and share ideas together. Flexible placement encourages spontaneous inspiration while a superior Polyvision CeramicSteel writable worksurface helps teams effectively capture ideas.

Small square panel can

be mounted as square or

**Small square accent panel** can be mounted as square or diamond.

diamond.

Large square panel can be mounted as square or diamond.

Extra large rectangle panel can be mounted horizontally or vertically.


Motif panels have 4 mm
radius corners and should
be installed with a 6 mm gap
in between. Spacer tool is
included with each panel.

Motif panels are frameless and lightweight for
easy installation. Motif is
recommended to be installed
on drywall. Panels must
be mounted four inches off
the floor and one inch from
the ceiling. When mounting
panels near a corner, Motif
should be placed four inches


#### **Product Details**

#### Standard Digital Print Options for Motif Boards

- · 221/2" x 221/2"
- PV11 Grey Calendar CS
- PV12 Grey Grid CS



**Calendar Grid** 



**Grey Grid** 

**Motif boards** are available in Polyvision CeramicSteel. Standard digital print options are printed on 7671 Arctic White 2 CS.

Actual Dimensions							
	Small Square Panel	Large Square Panel	Extra Large Rectangle Panel	Small Square Accent Panel			
Single Panel Height	22½" or 572 mm	45 <sup>1</sup> / <sub>4</sub> " or 1150 mm	45½" or 1150 mm 90¾" or 2306 mm	22½" or 572 mm			
Single Panel Width	22½" or 572 mm	45 <sup>1</sup> / <sub>4</sub> " or 1150 mm	90 <sup>3</sup> / <sub>4</sub> " or 2306 mm 45 <sup>1</sup> / <sub>4</sub> " or 1150 mm	22½" or 572 mm			
Depth	.157" or 4 mm	.157" or 4 mm	.157" or 4 mm	.157" or 4 mm			
Depth from Wall to Face	15/16" or 32 <sup>11</sup> /16 mm	15/16" or 32 <sup>11</sup> /16 mm	15/16" or 32 <sup>11</sup> /16 mm	15/16" or 32 <sup>11</sup> /16 mm			
Weight (lbs)	5.7 lb	23.32 lb	46.78 lb	5.7 lb			
Weight (kgs)	2.62 kg	10.58 kg	21.22 kg	2.62 kg			

from the corner of the wall.

## **Motif Panels**

Tip: A neon marker will come ▶ Need help? standard if Merle CS or Sterling Dark Solid CS are specified on the panel. If Seagull CS, Platinum Solid CS, or Arctic White 2 CS are selected then a standard black marker will come standard.

Tip: 903/4"H panels are only available as 451/4"W.


Tip: Small square and large square panels can be mounted as square or diamond.

Tip: Extra large rectangle panel can be mounted horizontally or vertically (451/4"H x 903/4"W or 903/4"H x 451/4"W).

Tip: PV11 Grey Calendar Grid CS and PV12 Grey Grid CS are offered only on small square size panels.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

#### **Standard Includes**

· Panel: Polyvision CeramicSteel Product details, · Dry erase marker

page 55

- · Attachment hardware
- Installation template

- 1 Style number
- 2 Panel size (see below under Required Selections)

**Required to Specify** 

3 CeramicSteel color number for panel: 7671 Arctic White 2 CS 7672 Seagull CS 7673 Merle CS 7674 Platinum Solid CS 7675 Sterling Dark Solid CS PV11 Grey Calendar Grid CS

PV12 Grey Grid CS

	Required Selections	U.S. Price	Required to Specify
Panel Size	<ul> <li>Small square panel (22½"H x 22½"W)</li> </ul>	Prices below	Specify with small square panel.
	<ul> <li>Large square panel (45<sup>1</sup>/<sub>4</sub>"H x 45<sup>1</sup>/<sub>4</sub>"W)</li> </ul>	Prices below	Specify with large square panel.
	<ul> <li>Extra large rectangle panel (45<sup>1</sup>/<sub>4</sub>"H x 90<sup>3</sup>/<sub>4</sub>"W)</li> </ul>	Prices below	Specify with extra large rectangle panel.
	• Extra large rectangle panel (903/4"H x 451/4"W)	Prices below	Specify with extra large rectangle panel.
Related	Dry erase markers		▶ Page 87
Products	<ul> <li>Magnetic eraser with marker he</li> </ul>	older	▶Page 87
	Motif accent panel		▶Page 57
	Accessories		▶ Page 87

#### **Specification Information**

·Style	·U.S.	
Number	W H	Price

#### **Small Square Panel**

MTFPNL	22 <sup>1</sup> /2"	221/2"	\$ 546 :	
Large Squa	re Panel			
MTFPNL	451/4"	451/4"	\$1506	

#### **Extra Large Rectangle Panel**

	J			
MTFPNL	903/4"	451/4"	\$2741	
	45 <sup>1</sup> /4"	903/4"	\$2741	
•			•	

## **Motif Accent Panel**



Tip: Small square accent panel can be mounted as square or diamond.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

	Standard Includes	Required to Specify
Need help? Product details, page 55	<ul> <li>Panel: Polyvision CeramicSteel: 7665 Saffron Pattern CS</li> <li>Attachment hardware</li> <li>Installation template</li> </ul>	Style number
	Related Products	
	Dry erase markers     Magnetic eraser with	▶ Page 87 ▶ Page 87

 Magnetic eraser with marker holder

Motif panels

Accessories

Specificati	ion Informa	ation		
Style Number	Dimens		· U.S. Price	
Small Squa	re Accent	Panel	·	
MTFPNLA	221/2"	221/2"	\$546	

Page 56

▶ Page 87



## **Serif**

Serif is a thin CeramicSteel writing board mounted with standoff mounts in a satin chrome finish. Precision cut edges are sealed with a durable lacquer, while rounded corners provide a modern, premium look. Orientation of writing board can be mounted horizontally or vertically.

Frameless edge comes standard in the same finish as the specified CeramicSteel color number of the panel. Frameless edge corners have a 4 mm radius. Contrasting options are also available.

#### CeramicSteel surface

is offered in 7655 White High Gloss or PV09 Hygienic White Gloss.

Tip: For information on custom image finishes, please contact kcathey@polyvision.com.

**Edges** are waterjet cut and sealed with high quality paint. Edges show striations.

**Mounting** comes standard with standoff mounts. Mounts vary by size of panel.

## Marker tray, dry erase markers, and eraser

come standard with Serif. The optional toolbar kit includes markers or chalk sticks depending on the surface type, a round magnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

30 kg

Actual Dimensions (Horizontal Orientation)					
	Serif (47"W)	Serif (72"W)	Serif (95"W)		
Overall Height	47" or 1185 mm	47" or 1185 mm	47" or 1185 mm		
Overall Width	47" or 1185 mm	72" or 1830 mm	95" or 2420 mm		
Depth	<sup>1</sup> /4" or 6 <sup>1</sup> /2 mm	<sup>1</sup> /4" or 6 <sup>1</sup> /2 mm	<sup>1</sup> /4" or 6 <sup>1</sup> /2 mm		
Depth from Wall to Face	<sup>3</sup> /4" or 19 mm	<sup>3</sup> /4" or 19 mm	<sup>3</sup> /4" or 19 mm		
Weight (lbs)	32 lb	50 lb	66 lb		


23 kg

Actual Dimensions (Vertical Orientation)				
	Serif (72"H)	Serif (95"H)		
Overall Height	72" or 1830 mm	95" or 2420 mm		
Overall Width	47" or 1185 mm	47" or 1185 mm		
Depth	<sup>1</sup> /4" or 6 <sup>1</sup> /2 mm	<sup>1</sup> /4" or 6 <sup>1</sup> / <sub>2</sub> mm		
Depth from Wall to Face	<sup>3</sup> /4" or 19 mm	<sup>3</sup> / <sub>4</sub> " or 19 mm		
Weight (lbs)	50 lb	66 lb		
Weight (kgs)	23 kg	30 kg		

Weight (kgs)

15 kg

## Serif



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

#### **Standard Includes**

- Panel: Polyvision CeramicSteel
- · Attachment hardware

►Need help?

page 58

Product details,

- Four standoff mounts, if 47"H x 47"W is selected
- Six standoff mounts, if 47"H x 72"W or 47"H x 95"W is selected
- Magnetic marker tray, dry erase markers, and eraser
- Accented edge: paint, if contrasting is selected

#### **Required to Specify**

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 CeramicSteel color number for panel: 7655 White High Gloss PV09 Hygienic White Gloss
- 4 Options, if selected (see below)
- ► See Surface Materials, page 92

	Required Selections	U.S. Price	Required to Specify						
Size	Horizontal	Horizontal							
	• 47"H x 47"W	Price below	Specify with 47"H x 47"W.						
	• 47"H x 72"W	Price below	Specify with 47"H x 72"W.						
	• 47"H x 95"W	Price below	Specify with 47"H x 95"W.						
	Vertical								
	• 72"H x 47"W	Price below	Specify with 72"H x 47"W.						
	• 95"H x 47"W	Price below	Specify with 95"H x 47"W.						

	Options	U.S. Price	Required to Specify
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$152	Specify ceramic color number.
	Contrasting		
	<ul> <li>Non-contrasting accented edge</li> </ul>	No cost	Specify with non-contrasting accented edge.
	<ul> <li>Contrasting accented edge</li> </ul>	+\$135	Specify with contrasting accented edge.
Accessory Kit	Basic kit	No cost	Specify with basic kit.
	<ul> <li>Toolbar kit</li> </ul>	+\$206	Specify with toolbar kit.
Related Products	Accessories		▶ Page 87


Specifica	ation Informat	ion			
Style Number	Dimension Height	·U.S. Ba	ase Price	s	
•	: -	: 47"W	: 72"W	: 95"W	
SERIF	47"	\$1509	\$1646	\$1921	
	72"	\$1646	N.A.	N.A.	
	95"	\$1921	N.A.	N.A.	
	1	:			



## Tac

## Frameless, fabric wrapped tackboard—


Tac adds another dimension to collaboration by providing a pinnable, flexible space where your best ideas can come to life.



Actual Dimensions						
	Tac Small Square	Tac Small Rectangle	Tac Medium Rectangle	Tac Large Rectangle		
Depth	3/4"	3/4"	3/4"	3/4"		
Width	24"	48"	72"	96"		
Height	24"	36"	48"	48"		
Depth from wall to face	11/4"	11/4"	11/4"	11/4"		
Weight (lb)	5	17	62	80		
Weight (kg)	2.27	7.71	28.12	36.28		

Tip: Rectangles available in horizontal and vertical orientation.

## Tac



► Need help?

page 60

Product details,

Tip: Fabric direction runs horizontal for horizontal orientation. Fabric direction runs vertical for vertical orientation.

Tip: Clean only with waterbased or solvent-based cleaner. Do not saturate.

#### **Standard Includes**

- Tackboard: Billiard Multi-Use by Designtex fabric wrapped
- · Z-bracket mounting hardware
- Cleaning instructions

#### **Required to Specify**

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 Tackboard fabric
- ► See Surface Materials, page 92.

	Required Selections	U.S. Price	Required to Specify
Size	Horizontal		
	• 24"H x 24"W	Price below	Specify with 24"H x 24"W.
	• 36"H x 48"W	Price below	Specify with 36"H x 48"W.
	• 48"H x 72"W	Price below	Specify with 48"H x 72"W.
	• 48"H x 96"W	Price below	Specify with 48"H x 96"W.
	Vertical		
	<ul> <li>48"H x 36"W</li> </ul>	Price below	Specify with 48"H x 36"W.
	• 72"H x 48"W	Price below	Specify with 72"H x 48"W.
	• 96"H x 48"W	Price below	Specify with 96"H x 48"W.
Related Products	Textura		▶Page 74

Specificat	tion Into	rmation	
•Style Number	· Dime H	nsions W	·U.S. Price
TAC	Horiz	ontal	
	24"	24"	\$ 792
	36"	48"	\$1189
	48"	72"	\$1717
	48"	96"	\$2049
	Verti	cal	
	48"	36"	\$1189
	72"	48"	\$1717
	96"	48"	\$2049
	:		:




## **Glass**

**High quality glassboard** is made with <sup>3</sup>/16" thick lowiron tempered glass and is non-porous, non-ghosting, and non-staining. With the ability to configure both vertically or horizontally, the compact structure of this glassboard sits close to the wall using a Z-bracket instal-lation. Accepts rare earth magnets.

Thin, smooth, frameless edge.

Glass surface is offered in 25 color options. Tip: For information on custom color finishes, please contact kcathey@polyvision.com.




Actual Dimensions (Horizontal Orientation)				
	Glass (48"W)	Glass (72"W)	Glass (96"W)	
Overall Height	48" or 1220 mm	48" or 1220 mm	48" or 1220 mm	
Overall Width	48" or 1220 mm	72" or 1830 mm	96" or 2439 mm	
Depth	<sup>3</sup> / <sub>16</sub> " or 5 mm	3/16" or 5 mm	3/16" or 5 mm	
Depth from Wall to Face	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	
Weight (lbs)	51 lb	76.5 lb	102 lb	
Weight (kgs)	25.4 kg	38.1 kg	50.8 kg	

Tip: Sizes are nominal.

Actual Dimensions (Vertical Orientation)				
	Glass (72"H)	Glass (96"H)		
Overall Height	72" or 1830 mm	96" or 2439 mm		
Overall Width	48" or 1220 mm	48" or 1220 mm		
Depth	<sup>3</sup> / <sub>16</sub> " or 5 mm	3/16" or 5 mm		
Depth from Wall to Face	<sup>7</sup> / <sub>16</sub> " or 11.1 mm	7/ <sub>16</sub> " or 11.1 mm		
Weight (lbs)	76.5 lb	102 lb		
Weight (kgs)	38.1 kg	50.8 kg		

## Glass



► Need help?

page 62

Product details,

Tip: Glassboards have a steel backer that support use for rare earth magentic accessories.

Tip: Not compatible with toolbar.

Tip: Rectangle glassboards are available in horizontal or vertical orientation. Hardware is attached during manufacturing. Orientation must be selected during the ordering process.

#### **Standard Includes**

- Glassboard: back painted, magnetic glass
   1 Style
- · Z-bracket mounting hardware
- · Cleaning instructions

#### **Required to Specify**

- 1 Style number
- 2 Size (see below under Required Selections)
- 3 Back painted glass color number
- ► See Surface Materials, page 92.

	Required Selections	U.S. Price	Required to Specify	
Size	Horizontal			
	• 48"H x 48"W	Prices below	Specify with 48"H x 48"W.	
	• 48"H x 72"W	Prices below	Specify with 48"H x 72"W.	
	• 48"H x 96"W	Prices below	Specify with 48"H x 96"W.	
				_
	• 72"H x 48"W	Prices below	Specify with 72"H x 48"W.	
	• 96"H x 48"W	Prices below	Specify with 96"H x 48"W.	

Specification Information					
• Style Number	· Dime H	nsions W	·U.S. Price		
PVGLASS	Horiz	ontal			
	48"	48"	\$2396		
	48"	72"	\$3354		
	48"	96"	\$4237		
	Verti	cal			
	72"	48"	\$3354		
	96"	48"	\$4237		
:	:		:		



## **Frank Lloyd Wright Racine Whiteboard**

## The Frank Lloyd Wright Racine whiteboard rep-

resents the natural, organic shape and depth of the Frank Lloyd Wright Racine furniture collection while maintaining highly functional properties. The writing surface is CeramicSteel and the solution can be customized with accented edges and acoustic/tack material available in numerous colors and patterns.

Frameless edge comes standard in the same finish as the specified CeramicSteel color number of the panel. Contrasting options are also available to match acoustic materials. Panel thickness is 1/2" or 13 mm.

**Edges** are waterjet cut and sealed with high quality paint. Edges show striations.

## **CeramicSteel surface** is offered in 7671 Arctic White 2 CS.

#### Optional toolbar kit

includes markers, a roundmagnetic eraser with replacement microfiber cloths, and the magnetic toolbar to store the writing accessories.

#### Acoustic/tack material is an optional feature. Tackable board with 6 mm sound absorbing properties is available in different colors.

Actual Dimensions					
	Small	Large			
Overall Height	20" or 508 mm	26" or 660 mm			
Overall Width	44" or 1118 mm	60" or 1524 mm			
Depth	<sup>1</sup> /2" or 13 mm	<sup>1</sup> /2" or 13 mm			
Depth from Wall to Face	1" or 25 mm	1" or 25 mm			
Weight (lbs)	40 lb	65 lb			
Weight (kgs)	18 kg	29 kg			

**Required to Specify** 

Specify with 20"H x 44"W.

## Frank Lloyd Wright Racine Whiteboard

Size

**Products** 



Tip: Mounting hardware will be installed on the back of the board.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: Contrasting accented edge can only be specified when the acoustic surface is selected.

Tip: Sizes are nominal.

	Standard Includes	Required to Specify
► Need help? Product details, page 64	Whiteboard: 7671 Arctic White 2 CS CeramicSteel     Attachment hardware	<ul> <li>1 Style number</li> <li>2 Size (see below under Required Selections)</li> <li>3 Options, if selected (see below)</li> <li>See Surface Materials, page 92</li> </ul>

**U.S. Price** 

Prices below

**Required Selections** 

Horizontal

• 20"H x 44"W

	• 26"H x 60"W	Prices below	Specify with 26"H x 60"W.
	Options	U.S. Price	Required to Specify
Accented Edge	Non-contrasting accented edge	No cost	Specify with non-contrasting accented edge.
	<ul> <li>Contrasting accented edge</li> </ul>	+\$135	Specify with contrasting accented edge.
Acoustic	• Small (20"H x 44"W)	+\$150	Specify with small acoustic panel.
Surface	<ul> <li>Large (26"H x 60"W)</li> </ul>	+\$400	Specify with large acoustic panel.
Accessory Kit	Toolbar kit	+\$206	Specify with toolbar kit.
Related	Accessories		Page 87

Specification Information					
• Style Number	• Dime	ensions W	·U.S. Base Prices		
Small			·		
FLWBRD	20"	44"	\$1299		
Large					
FLWBRD	26"	60"	\$1999		
			•		

*
For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details


80


# Mobile and Privacy

Boundri

## Mobile and Privacy68Groupwork Screens and Marker Trays73Textura Mobile73Verb Whiteboards and Easels75

## **Groupwork Screens and Marker Trays**






**Screens** nest easily and require minimal space. The leg bases are 16"D, and each screen nested adds another 11/2" to the depth.



Marker tray is available to hold dry erasers and markers. The tray is attached on top of the screen top cap. Marker trays are available in all five screen widths.



Flip-chart pegs are available as an option on the top cap. They are positioned 175/6" apart center to center and are available on one side only. Flip-chart peg top cap works in conjunction with marker trays.

## **Groupwork Screens**

► Need help?

page 68

Product details,



Tip: Screens must be specified with fabric on both sides, e<sup>3</sup> CeramicSteel on both sides, or laminate on both sides. For Canada, screens are available in fabric or e<sup>3</sup> CeramicSteel on both sides only.

Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Tip: 54"H screens are available in vertical or horizontal fabric direction. 66"H screens are available in vertical fabric direction only.

Tip: e<sup>3</sup> CeramicSteel writing surface is magnetic.

Tip: Three-leg base is used when two or more screens are placed next to each other on angles. Four-leg bases can be used next to each other only in a straight configuration.

Tip: 66"H screens are not available with the three-leg base option.

Tip: Levelers have 1/4" adjustment (higher only) and do not slide. If frequent movement is needed, order screen with casters.

Tip: Flip-chart pegs, located 17<sup>5</sup>/8" apart, are located on only one side of the top cap.



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

#### **Standard Includes**


- Tackboard, both sides if selected: Price group A
  Horizontal or vertical fabric direction, if 54"H screens is
- selectedVertical fabric direction, if 66"H screen is selected
- GramicSteel writing surface, both sides, if selected:
   7655 e³ CeramicSteel White High Gloss
- Laminate markerboard, both sides, if selected: 2977 White Markerboard Laminate
- Frame, top cap, uprights, bottom channel, and four-leg base: paint price group 1
- · Four-leg base with four locking casters: black plastic
- Attachment hardware
- · Shipped ready to assemble

#### **Required to Specify**

- 1 Style number
- 2 Fabric color number, 7655 e<sup>3</sup> CeramicSteel White High Gloss, or 2977 White Markerboard Laminate for side 1
- 3 Fabric color number, 7655 e<sup>3</sup> CeramicSteel White High Gloss, or 2977 White Markerboard Laminate for side 2
- 4 Fabric direction for 54"H screen, if selected
- 5 Paint color number for frame
- 6 Options, if selected (see below)
- ► See Surface Materials, page 92

	Options	U.S. Price	Required to Specify
Surface	Fabric surface on tackb	oard	
Materials	<ul> <li>Price group A</li> </ul>	No cost	Specify fabric color number.
	Fabric price group 1	+\$ 5 per side	Specify fabric color number.
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 32 per side	Specify fabric color number.
	Fabric price group 3	+\$ 48 per side	Specify fabric color number.
	Fabric price group 4	+\$ 66 per side	Specify fabric color number.
	Fabric price group 5	+\$ 86 per side	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$107 per side	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$126 per side	Specify fabric color number.
	Fabric price group 7	+\$146 per side	Specify fabric color number.
	Fabric price group 9	+\$166 per side	Specify fabric color number.
	<ul> <li>Fabric price group 10</li> </ul>	+\$186 per side	Specify fabric color number.
	Fabric price group COM	+\$ 61 per side	See Surface Materials Reference Manual.
	Fabric direction		
	<ul> <li>Horizontal application</li> </ul>	No cost	Specify with horizontal application.
	<ul> <li>Vertical application</li> </ul>	No cost	Specify with vertical application.
	e <sup>3</sup> CeramicSteel writing		
	<ul> <li>e<sup>3</sup> CeramicSteel surface on both sides</li> </ul>	+\$ 88	Specify with 7655 White High Gloss.
	Laminate markerboard		
	<ul> <li>2977 White Markerboard Laminate</li> </ul>	No cost	Specify with 2977 White Markerboard Laminate.
	Frame and base		
	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 45	Specify paint color number.
Base	Three-leg base with three black plastic locking casters	No cost	Specify with three-leg base.
Levelers	Levelers (three or four)	No cost	Specify with levelers.
Flip-Chart Pegs	Top cap with flip-chart pegs on one side	+\$ 50	Specify with flip-chart pegs.
Related Products	Marker trays		▶Page 72

[	
8	8
8	8



· Dime	ensions	;	·Style	·U.S.
D	W	н	Number	Base Price
54"H	Scree	ens		<u> </u>
16"	24"	54"	T\$4\$2454	\$1036
16"	30"	54"	TS4S3054	\$1088
16"	36"	54"	TS4S3654	\$1133
16"	42"	54"	TS4S4254	\$1183
16"	48"	54"	TS4S4854	\$1235
66"H	Scree	ens		<u> </u>
16"	24"	66"	TS4S2466	\$1133
16"	30"	66"	TS4S3066	\$1183
16"	36"	66"	TS4S3666	\$1235
16"	42"	66"	TS4S4266	\$1283
16"	48"	66"	TS4S4866	\$1331



## **Marker Trays**



Tip: Attachment hardware is included with screen. Tray is affixed to the top cap.

#### **Standard Includes Required to Specify**

► Need help? Product details, page 68

• Marker tray: paint price group 1

**Options** 

- 1 Style number
- 2 Paint color number for marker tray
- 3 Options, if selected (see below)
- ► See Surface Materials, page 92


**Required to Specify** 

Surface Materials Specification		• P	Paint price group 1 Paint price group 2	No cost +\$12	Specify paint color number. Specify paint color number.	
	ensions W	н	• Style Number	·U.S. Base Price		
21/2"	24"	1/2"	TS4SR24	\$ 80		
21/2"	30"	1/2"	TS4SR30	\$ 87		
21/2"	36"	1/2"	TS4SR36	\$102		
21/2"	42"	1/2"	TS4SR42	\$108		
21/2"	48"	1/2"	TS4SR48	\$117		

**U.S. Price** 

Textura Mobile

Textura Mobile



Actual Dimensions				
	Single-Sided Whiteboard	Double-Sided Whiteboard		
Overall Height	75" or 1905 mm	75" or 1905 mm		
Overall Width	46 <sup>7</sup> /8" or 1190 mm	46 <sup>7</sup> /8" or 1190 mm		
Depth (board)	2" or 50 mm	2" or 50 mm		
Depth (base)	20 <sup>5</sup> / <sub>16</sub> " or 516 mm	20 <sup>5</sup> / <sub>16</sub> " or 516 mm		
Weight	66 lbs or 30 kg	86 lbs or 39 kg		

## **Textura Mobile**



#### **Standard Includes Required to Specify**

- ► Need help? Product details, page 73
- Mobile stand with locking casters Single- or double-sided whiteboard comes in 7671 Arctic White 2 CS or PV09 Hygienic White Gloss

markerboard

- Acoustic fabric at bottom for double-sided stands. Single-sided stands receive one side with acoustic top
- 1 Style number
- 2 Acoustic panel fabric, if selected: DB55 Slip

DB56 Marianna

DB57 Madura

DB58 Tortuga

DB59 Solano

DB60 Blizzard

DB61 Havana

DB62 Scuba PV49 Callan

PV50 Tallow

PV51 Aruba

PV52 Paseo PV53 Sligo

3 CeramicSteel color number for panel:

7671 Arctic White 2 CS

PV09 Hygienic White Gloss 4 Options, if selected (see below)

► See Surface Materials, page 92.

	Options	U.S. Price	Required to Specify
Surface Materials	Acoustic panel fabric	No cost	Specify with fabric and select color number.
	Surface		
	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify with ceramic color number.
	<ul> <li>Ceramic price group 2 for single-sided markerboard</li> </ul>	+\$104	Specify with ceramic color number.
	<ul> <li>Ceramic price group 2 for double-sided markerboard</li> </ul>	+\$152	Specify with ceramic color number.
Markerboard	Side A markerboard and acoustic panel only	Price below	Specify with markerboard and acoustic panel.
	<ul> <li>Side B acoustic panel only</li> </ul>	No cost	Specify with acoustic panel only.
	Side B markerboard and acoustic panel	Price below	Specify with markerboard and acoustic panel.
Related Products	Accessories		▶Page 87

Spec	cification	Information		
· Dime	nsions H	·Style Number	U.S. Prices	
		:	Single-Sided Markerboard	Double-Sided Markerboard
467/8"	75"	PVCFSTND	\$4103	\$4649



### **Verb Whiteboards and Easels**


**Verb easel** facilitates effective display, storage, and presentation of Verb whiteboards.

**Verb wall track** offers additional display options for the Verb whiteboards and can add functionality to otherwise blank walls.

#### **Product Details**



**Two-sided easel** comes standard with two shelves on each side and is 36"W.



**Each easel** comes standard with casters for ease of mobility.



The easel top shelf can be used to store markers and erasers and is available only in 6249 platinum solid finish



**Wall track** comes in 6' and 8' lengths and is made from extruded anodized aluminum. It may be easily cut to length in the field.

**Each wall track** comes standard with hooks for use with the whiteboards.

#### **Maintenance**

- Wipe board with a clean cloth moistened by a liquid markerboard cleaner or a solution of 50% water and 50% isopropyl alcohol.
- · Rinse with clear water.
- Wipe dry with a clean cloth If your board is used daily, the cleaning should be performed at least 2-3 times a week.

More thorough cleaning may be required if writing is left on the board for more than two days.

#### **Markers**

Use any high-quality dry erase marker.

**CAUTION!** The use of Low Odor markers may cause ghosting to occur. If Low Odor markers have been used, the surface can be completely cleaned by following the cleaning instructions above. Remember to discard eraser if used with Low Odor markers.

#### Removing Permanent Marker

#### Option 1:

- Write over the top of the permanent marker ink with a dry-erase marker
- Simply erase

#### Option 2:

- Moisten a clean, dry cloth with isopropyl alcohol
- Wipe the board in a circular motion to loosen marker residue
- Rinse with clear water
- Dry the board with a clean cloth
- Repeat these steps as necessary

#### Installer's Instructions for Initial Cleaning at Time of Installation

NOTE: These initial cleaning instructions are shipped with every board.

- For initial cleaning, wipe your board with a clean cloth moistened by a mild, alcohol-based cleaner.
- Rinse with clear water.
   This step is simple, but very important.
- Wipe dry with a clean cloth.

#### **Surface Materials**

#### Easel Frame/Legs

- 4750 Champagne Metallic
- · 4799 Platinum Metallic
- · 7360 Merle

#### **Easel Display Shelf**

· 7360 Merle

### Easel Shelf Inserts and

· 6249 Platinum Solid

#### Wall Track Hook

6249 Platinum Solid

# **Personal Whiteboard**



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

►Page 11

Standard Includes	Required to Specify
<ul> <li>Two-sided e<sup>3</sup> CeramicSteel with urethane edge molding</li> </ul>	Style number

Specification Information				
· Dim	ensions W	• Style Number	· U.S. Price	
18"	23"	VWB2	\$279	
:		:	:	



**Easel** Easel



# Standard Includes Required to Specify Need help? • Steel display shelves: 7360 Merle 1 Style number Product details, page 75 • Frame/legs: paint group 1 2 Frame/leg paint color number • Casters: black 3 Options, if selected (see below) • Trough: 6249 Platinum Solid ▶ See Surface Materials, page 92. • Shipped assembled/wrapped

	Options	U.S. Price	Required to Specify
Surface Materials	Frame/legs Paint price group 1 Paint price group 2	No cost +\$48	Specify paint color number. Specify paint color number.

Spe	cification l	Information	
Dime D	ensions W	• Style Number	·U.S. Base Price
'	36"	VE36	\$2305



# **Wall Track**



Tip: The wall track style numbers come with four or five hooks. Additional wall track hooks are available.

#### **Standard Includes Required to Specify** Anodized aluminum track

► Need help? Product details, page 75

· Cork insert · Plastic hooks

Styl	e nun	ıber
------	-------	------

Dim D	ensions W	of Plastic Hooks	•Style Number	· U.S. Price	
Wal	l Track	·	·	·	
1"	6'	4	VWT6	\$388	
1"	8'	5	VWT8	\$476	
Wal	l Track Ho	ok	•	<u> </u>	
		1	VWTH	\$ 34	



# **Boundri**

Boundri is a privacy screen made from think double-sided Polyvision CeramicSteel featuring adjustable mounts that make it easy to transform almost any desk or table into a private workspace. The multifaceted tool can help employees and students maintain safe distances and provide them a personal collaboration tool to keep track of daily tasks and reminders.

**Boundri screens** are <sup>1/5</sup>" thick and corners have a <sup>3</sup>/<sub>20</sub>" radius.

**Edges** are coated with high quality, durable paint that matches the surface finish.

Boundri screens are attached with adjustable mounts. 18" and 24" height screens that are available in 24", 36", 48", 60", and 72" widths. The screen and hardware may be used on (nominal) 1/4" to 11/4" thick worksurfaces.

#### **Actual Dimensions**

Height	18", 24"
Width	24", 36", 48", 60", or 72"
Depth	<sup>11</sup> / <sub>64</sub> " or 4 <sup>2</sup> / <sub>5</sub> mm
18"H Weight (lbs)	7, 10, 13, 17, or 20
24"H Weight (lbs)	9, 14, 18, 22, or 27

Tip: Panel sizes are nominal.

Mount Table				
Screen Size (Height x Width)	Number of mounts			
18" x 24", 18" x 36" , 24" x 24", and 24" x 36"	2			
18" x 48", 24" x 36", and 24" x 48"	3			
18" x 60", 18" x 72", 24" x 60", and 24" x 72"	4			

#### **Product Details**

Boundri screens include adjustable brackets with divider/writing surface element for most heightadjustable desks and fixed worksurfaces.


**Screens** are double-sided CeramicSteel and can be mounted to various desks and worksurfaces using the adjustable mounting hardware.

When applying the Boundri screen to the side of Migration or Migration SE desk, at lease a 2" overhang is required.

**Mounts** are not compatible with Elective Elements worksurfaces.

**Mounts** are movable to accommodate various features or interferences on a minimum tabletop thickness of 1/4" or 6 mm and a maximum tabletop thickness of 11/4" or 34 mm.

The number of mounts varies by size of the screen specified. Refer to the mount table below.




#### The edge of the screen is coated with a high quality, durable paint that matches the surface finish. Corners

have a 4 mm radius.

The screen and hardware may be used on a minimum tabletop thickness of 1/4" or 6 mm and a maximum tabletop thickness of 11/4" or 34 mm.


# The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

#### **Application Topics**




#### **Privacy/Back Mount**

Mount assembles with the screen grip section attaching to the exterior side of the adjustable table-top clamp. Position supports screen installation with zero space gap.



#### Privacy/Top Mount

Mount assembles with the screen grip section attaching to the top side of the adjustable table-top clamp. Application supports screen installation with space gap of 5/8" above worksurface.




#### Side Divider/Top Mount

Multiple mount assembly types are required for this application. Edge bracket assemblies with the screen grip section attaching to the top side of the adjustable table-top clamp. Screen grip piece is positioned to support screen direction. Table-top mount uses screen grip and table top

plate is positioned to support screen direction. Application supports screen installation with space gap of 5/8" above

worksurface.



#### Privacy/Modesty

Mount assembles with the screen grip section attaching to the exterior side of the adjustable table-top clamp. Screen clamp is rotated 90° prior to attachment. Position supports divider screen installation with benefit of modesty panel.

Boundri screens mount to worksurfaces using an adjustable mount with tightening screw. Bracket positioning is moveable with suggested placement by screen size.


Screen heights and widths cannot be adjusted in the field. Placement of screens on worksurfaces can be adjusted in the field.

**Privacy configuration** allows screen heights and widths to be determined by the orientation of the screen installed.

Modesty is limited to 71/2" on height adjustable desks to maintain proper clearances. Recommended for 18" x 24", 18" x 36", 24" x 24", and 24" x 36" sizes. Larger panels not recommended for use in this orientation.

Boundri panels to be used with FrameOne do not ship with FMSK2 or FMSK3 brackets. Additional brackets would need to be purchased separately. Contact your Collaborative Surfaces Representative with any questions: collabsolutions@steelcase.com.

# Boundri



Tip: See CeramicSteel Cleaning/Daily Care and
Maintenance for additional information.

▶Page 11

Tip: PV09 Hygienic White Gloss is not available on 24"H panels.

Tip: Adjustable divider mount also sold separately as a single mount without a panel that can be assembled four different ways.

	Standard Includes	Required to Specify
Need help? Product details, page 80	<ul> <li>Panel: double-sided Polyvision CeramicSteel ceramic price group 1</li> <li>Black anodized adjustable mounts: quantity varies by size</li> <li>Installation instructions</li> <li>Cleaning instructions</li> </ul>	1 Style number 2 Height 3 Width 4 CeramicSteel color number for panel: 7671 Arctic White 2 CS 7673 Merle CS 7674 Platinum Solid CS PV09 Hygienic White Gloss 5 Options, if selected (see below) See Surface Materials, page 92.

	Options	U.S. Price	Required to Specify
Height	• 18"H	Prices below	Specify with 18"H.
	• 24"H	Prices below	Specify with 24"H.
Width	• 24"W	Prices below	Specify with 24"W.
	• 36"W	Prices below	Specify with 36"W.
	• 48"W	Prices below	Specify with 48"W.
	• 60"W	Prices below	Specify with 60"W.
	• 72"W	Prices below	Specify with 72"W.
Surface	Surface		
Materials	<ul> <li>Ceramic price group 1</li> </ul>	No cost	Specify ceramic color number.
	Ceramic price group 2	+\$104	Specify ceramic color number.
Related	Dry erase markers		▶Page 88
Products	<ul> <li>Magnetic eraser with market</li> </ul>	er holder	▶ Page 86
	Accessories		▶ Page 87

Specificati	Specification Information						
Style Number	·Height	·U.S. Ba	ase Price	s			
		24"W	:36"W :	: 48"W :	60"W	: 72"W :	
PVDVSCRN	18"	\$1097	\$1303	\$1509	\$1783	\$1960	
:	24"	\$1138 :	\$1372	\$1550 :	\$1823	\$2003	

#### **Adjustable Divider Mount**

PVDVMNT	\$ 104

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

# Accessories

# **Accessories**

Accessories 84

## **Collaborative ToolBars**


#### **Collaborative ToolBar**

is an elegant design element that enhances the functionality of any Polyvision CeramicSteel markerboard. With a unique docking station, it offers a thoughtful home for a magnetic eraser and markers or chalk, ensuring tools stay organized and secure. The ToolBar is intuitive to use, easy to clean, and provides users with the freedom to orient the kit anywhere on the board. With a design that feels good to the touch, it blends functionality with a premium aesthetic.

Kits are available for different writing board finishes. Markers are included with the standard and neon kits. Chalk sticks are included with the chalkboard kits. All kits include a round magnetic eraser and two replacement microfiber eleths.

**Chalk sticks** come with brand chalk stick holders.

**ToolBar mini** is a smaller version that comes standard with two markers and the round magnetic eraser.



Actual Dimensions			
	ToolBar	ToolBar Mini	Eraser
Depth	12/5" or 35 mm	12/5" or 35 mm	13/5" or 42 mm
Overall Width	3 <sup>3</sup> /10" or 85 mm	3" or 75 mm	31/2" or 90 mm
Overall Height	133/5" or 346 mm	5" or 132 mm	31/2" or 90 mm
Weight (lbs)	1 lb	0.7 lb	0.23 lb
Weight (kgs)	0.45 kg	0.31 kg	0.10 kg

Accessories


# Accessories

#### **Collaborative ToolBar**

► Need help?

page 84

Product details,



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: ToolBar is not compatible with **PVGLASS**.

#### **Standard Includes**

- Standard kit, if selected: ToolBar, round magnetic eraser, four markers (red, green, blue, and black), and two extra microfiber cloths for eraser
- Neon kit, if selected: ToolBar, round magnetic eraser, five expo neon markers (pink, blue, green, orange, and yellow), and two extra microfiber cloths for eraser
- Chalkboard kit, if selected: ToolBar, round magnetic eraser, four white chalk sticks, four chalk stick holders, and two extra microfiber cloths for eraser

#### **Required to Specify**

- 1 Style number
- 2 ToolBar kit type (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify	
ToolBar	Standard kit	No cost	Specify with standard kit.	
Kit Type	<ul><li>Neon kit</li><li>Chalkboard kit</li></ul>	No cost No cost	Specify with neon kit. Specify with chalkboard kit.	

Specification	n Information	
Style Number	·U.S. Price	
TOOLBAR	\$206	

#### **Collaborative ToolBar Mini**



Tip: See CeramicSteel Cleaning/Daily Care and Maintenance for additional information.

▶Page 11

Tip: ToolBar mini is not compatible with **PVGLASS**.

	Standard Include
► Need help?	<ul> <li>ToolBar mini, round magn</li> </ul>

 ToolBar mini, round magnetic eraser, 2 markers (black and blue) and two extra microfiber cloths for eraser Required to Specify
Style number

## Specification Information

Number	Price
PVTLBMINI	\$150

/TLBMINI

Product details,

page 84



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

#### **Round Magnetic Eraser**



	Standard Includes	Required to Specify
► Need help? Product details, page 84	Round magnetic eraser	Style number

Specificat	Specification Information				
Style Number	·U.S. Price				
PVRME	\$34				

#### **Replacement Microfiber Cloths for Eraser**

Tip: Compatible with round magnetic eraser.

•	Need help?
	Product details,
	page 84

• 10 replacement microfiber cloths


**Standard Includes** 

Style number

**Required to Specify** 

Specificati	Specification Information		
• Style Number	·U.S. Price		
PVMFC	\$21		

#### **Magnetic Eraser with Marker Holder**



Tip: Eraser will hold one dry erase marker.

Standard Includes		Required to Specify	
	Magnetic eraser with marker holder	Style number	
Specifica	ation Information		
Style Number	· U.S. Price		
MEP1	\$44		



#### **Magnetic Eraser Felt Replacements**




Standard Includes	Required to Specify
Replacement felt	Style number

#### **Specification Information**

•Style	·U.S.
Number	Price
EDES	<b>\$</b> 5

#### **Eraser**



Standard Includes	Required to Specify
• Eraser	Style number

Specification Information		
•Style Number	· U.S. Price	
RE1	\$7	

#### **Set of Four V-Board Markers**

Standard Includes Required to Specify

Need help? • Four V-Board markers Style number

product details, page 84

• Four V-Board markers

Tip: V-Board markers are for use with standard kit. Neon dry erase markers are for use with neon kit.

Specification	on Information
•Style Number	·U.S. Price
NWKDE	\$17

▶ Page 88



Related Products
• Neon dry erase markers (MP5N)

#### **Dry Erase Markers**



	Standard Includes	Required to Specify
	Dry erase markers	Style number
Considia	ation Information	
_	ation Information	
•Style Number	· U.S. Price	
Twelve B	Black Markers	
1MP12	\$44	
Twelve B	Blue Markers	
2MP12	\$44 :	
Twelve R	led Markers	
3MP12	\$44	
Twelve G	reen Markers	
4MP12	\$44 ·	
Three Bla	ack, Three Blue, Three Red, and 1	hree Green Markers
MP12	\$44	
One Blac	k, One Blue, One Red, and One Gr	een Marker
MP4	\$11	
	n Green, One Neon Blue, One Neon n Yellow Marker	Pink, One Neon Orange, and
MP5N	\$22	
:	:	



#### **Chalk Sticks**

Standard Includes		Required to Specify	
Need help? Product details, page 84	10 chalk sticks	Style number	
Specificati	on Information		
• Style Number	· U.S. Price		
White Chall	k Sticks		
PVWCLK	\$5 :		
Colored Cha	alk Sticks		
PVCCLK	\$5		
:	:		

#### **Chalk Stick Holders**

► Need help?

Product details,

Specificati	ion Information
Style Number	·U.S. Price
VCSH	: \$8

**Standard Includes** 

· Four chalk stick holders

· Four white chalk sticks



**Required to Specify** 

Style number

#### **Magnetic Marker Trays**



MCR24

\$113

	Standard Includes	Required to Specify	
	Marker tray: 8043 Clear Anodized Aluminum	Style number	
Specific	ation Information		
Style Number	· U.S. Price		
12" Magr	netic Marker Tray		
MCR12	\$ 85		
:	:		
: 24" Magr	netic Marker Tray		



# **Resources**

#### Resources

Surface Materials	92
Availability Matrices	94
Style Number Index	96

#### **Surface Materials**

This listing includes all surface material and/or finish choices applicable to Collaborative Surfaces. Not all surface material and/or finish choices are available on all products. Please refer to the Finish Matrices.

►See page 94 for specific product availability.

#### Paint

#### **Steelcase Surfaces**

Applies to:

· Groupwork screens

#### **Price Group 1**

7207 Black

#### **Price Group 2**

4798 Sterling Metallic 4799 Platinum Metallic

Applies to:

 Parametric Premium whiteboards edge trim

#### **Price Group 2**

4750 Champagne Metallic

#### Applies to:

- · Sans accented edge
- · Sans light accented edge
- · Serif accented edge
- · Frank Lloyd Wright Racine accented edge Tip: Refer to Frameless

Whiteboards with Accented Edges Availability Matrix for accented edge color availability, see page 95.

#### **Price Group 1**

7190 Platinum Solid

#### **Price Group 2**

0835 Black

#### **Price Group 3**

Azure

PV01 Pomegranate PV02 Papaya PV03 Mango PV04 lvv

PV06 Truffle

PV05

PV07 Plum

#### **Accent Paint**

4AV4 Baltic 4AX1 Citron 4AY2 Chili 4CZ5 Honey 4CZ6 Lagoon

G = Established

Applies to:

Verb easel frame/legs

#### **Price Group 1**

#### **Textured Paint**

7360 Merle

#### **Price Group 2**

#### **Smooth Metallic Paint**

4750 Champagne Metallic 4799 Platinum Metallic

#### **Metal Paint**

#### **Steelcase Surfaces**

Applies to:

 Parametric Premium whiteboards Flow framed

#### **Price Group 2**

Clear Anodized Aluminum

#### **Whiteboard** Surface

#### **Steelcase Surfaces**

Whiteboards are standard in white high-gloss 7655 e3 environmental CeramicSteel. Optional screenprint patterns are available to provide a guide for writing or drawing. See below for patterns. Tip: Refer to the CeramicSteel Surface availability matrix for product availability, see page 94.

#### Standard (e3 environmental CeramicSteel):

7655 White High Gloss Gray Chalk 6502C CS 7661 7665 Saffron Pattern 7671 Arctic White 2 CS 7672 Seagull

7673 Merle CS Platinum Solid CS 7674

7675 Sterling Dark Hygienic White Gloss\* Grey Calendar Grid CS

PV12 Grey Grid CS

\*PV09 Hygienic White Gloss finish is not available on the 24"H Boundri screen.

#### **Optional digital print** on e<sup>3</sup> environmental CeramicSteel:

Applies to:

- Parametric Premium whiteboards
- Sans
- Sans light

#### **Standard Graphic**

PV55 Agate PV56 Brushstroke PV57 Code

PV58 Data PV59 DNA

PV60 Hive PV61 Skyline

PV62 Soundwave PV63 Speed

PV64 Summit PV65 Dot Grid PV66 Line Grid

PV68 Music Lines

#### **Graphic Color**

7676 Saffron 7677 Peacock 7678 Sea Salt Sterling Dark 7682 Black 7681 Sand

## **Back Painted**

High quality glassboard is made with 3/16" thick lowiron tempered glass and is non-porous, non-ahostina, and non-staining.

Applies to: Glass

6521 Truffle 6571 Aubergine Peacock

6576 Jungle Merlot 6578 Lagoon 6579 Saffron

6581 Blue Jay 6584 **Tangerine** Green Citrine/ 6586

Citrus Green 6588 Purple Berry

6589 Mercurv 6591 Merle 6593 Grayscale

6595 Winter 6597 Honey

**6BB1** Cloud 6BB2 Rose Quartz 6BB3 Olivine **ACB** Black

Sea Salt/ ACC Crystal Spring ACM Moonlight

ACS Sage

# Vertical Surface Fabric

#### **Fabric Tackboard Surfaces**

Tackboard surfaces are available in select Steelcase and Designtex fabrics. All fabrics are applied railroaded, i.e. salvages parallel to floor.

Applies to:

- Parametric Premium
- tackboards Groupwork screens

#### Steelcase Surfaces

#### Price Group A

#### **Sprite**

5540 Khaki 5541 Snow 5543 Linen 5544 Sherbet 5545 Powder 5547 Sky

#### **Price Group 1**

#### Abacus 🛭

P123 Portico P124 Opus P125 Cusp P126 Artifact

#### Alloy

P525 Polar P526 Skim P527 Bubbly P528 Tern

P529 Shore P530 Asti P531 Silver

P532 Oxide P533 Element

P534 Construct P535 Currency P536 Iron

#### **Boccie**

P200 New Rice P201 New Almond P203 New Camel P204 New Opal P205 New Mist P206 New Plum P208 New Spearmint P209 New Sky

#### Buzz2

5F03 Tomato 5F04 Red **G** 5F05 Burgundy Sky **3** 5F06 5F07 Blue 5F08 Navy 5F15 Stone 5F16 Grey 5F17 Black 5G50 Dunegrass 5G51 Sable

5G55 Pumpkin 5G57 Rouge

5G59 Meadow 5G61 Cyan

5G62 Atlantic 5G63 Crocus 5G64 Alpine

5G65 Tornado

Charm P505 Shell P506 Mimosa P507 Birch P508 Sparkle P510 Debut P511 Clover P513 Twilight

#### Lapel

P409 Cement P410 Pebble P411 Beech P412 Dune P414 Sprout P416 Maple

#### **Optic**

P417 Slate

P540 Hazel P541 Twinkle P542 Orion P543 Seaglass P546 Whiskey P547 Bath P548 Whisper P549 Breezy P551 Glimmer

**Pianista** P420 Sand P421 Mist P422 Rain P423 Natural P424 Café P425 Denim P426 Carbon P427 Stone P428 Flax P429 Oat P430 Wheat

#### P431 Maize Rhythm

P555 Allegro P556 Tempo P557 Refrain P558 Pitch P560 Melody P562 Opus

# **Tinsel**P516 Lit P517 Ego P518 Fizz P519 Muse P520 Depth P521 Bliss P522 Grow P523 Dolce

#### **Price Group 2**

# Bariolage G200 New Etude G201 New Andante G G202 New Cantata G G203 New Adagio G204 New Melody G205 New Ballata

#### Code

Oude		
5FA1	Fossil	
5FA2	Gabbro	
5FA3	Reed	
5FA4	Bluff	
5FA5	Sea Salt	
5FA6	Cannon	
5FA7	Tussah	
5FA8	Mica	
5FA9	Ecru	
5FB1	Bamboo	

#### **Dovetail by Designtex**

```
5H39 Light Mocha
5H40 Pebble
5H41 Warm White
5H42 Sandstone
5H43 Honeycomb
5H44 Terra
5H45 Honeydew
5H46 Denim
5H47 Storm
5H48 Ice Blue
5H49 Aura
5H50 Darkest Grey
```

#### Flip: Orbit

5F85	Mud Pie 🛭
5F87	Petoskey
5F88	Pluto <b>3</b>
5F89	Papyrus
5F91	Blizzard
5F92	Briquette

#### Flip: TexHex

5F75	Mud Pie <b>1</b>
5F77	Petoskey
5F78	Pluto 😉
5F79	Papyrus
5F97	Blizzard
5F98	Briquette

#### Fresco

G001	Sandrift
G002	Mistiblu
G003	Faon
G006	Chamoline

#### Established

#### Intersection

P211	Summ
P212	Chalk
P213	Lace

#### Latch

P600	Seasnell
P601	Clam
P602	Eggshell
P603	Zen
P604	Cool Gray
P605	Armor
P606	Sentinel
P607	Rye
P608	Billow
P609	Nimbus

#### SoftNext

30111	ICAL .
5H27	Obsidian
5H28	Foggy Nigh
5H29	Greystone
5H30	Mocha
5H31	Clay
5H32	Sandstone
5H33	Chalk
5H34	Midnight
5H35	Blue Mica
5H36	Jade
5H37	Burnt Umbe
5H38	Cinnabar

#### **Stencil**

P455	Midnight
P456	Mulberry
P457	Cracked Pepper
P458	Denim
P459	Chartreuse
P460	Bittersweet
P461	Mauvelous
P462	Bermuda
P463	Concrete
P464	Orchid
P465	Parchment
P466	Silk
P467	Sea Salt

#### Price Group 3

P468 Honeydew

P469 Sepia

#### Billiard Multi-Use by Designtex

Poppy
Tangelo
Citrine/Citron
Avocado
Indigo
Mallard
Teak
Cumulus
Pewter
Gunmetal
Ink
Rose Quartz
Sea Salt
Storm Cloud
Olivine

# Acoustic Panel Surfaces

#### Steelcase Surfaces

#### **Price Group 1**

#### PET

Applies to:
• Accord acoustic panel

PV39	Stone
PV40	Dusk
PV41	Storm
PV42	Space
PV43	Aqua
PV44	Arbor

#### Applies to:

 Frank Lloyd Wright Racine whiteboard acoustic panel

PV39	Stone
PV40	Dusk
PV41	Storm
PV54	Shadow

#### Carlow

Applies to:
• Textura mobile acoustic panel

PV49	Callan
PV50	Tallow
PV51	Aruba

#### Lucia

Applies to:

 Textura mobile acoustic panel

PV52	Paseo
PV53	Sligo
DB55	Slip
DB56	Marianna
DB57	Madura
DB58	Tortuga
DB59	Solano
DB60	Blizzard
DB61	Havana
DB62	Scuba

#### Dovetail

Α	pplies to:
•	Tac pane

5H41	Warm White
5H42	Sandstone
5H43	Honeycomb
5H44	Terra
5H45	Honeydew
5H46	Denim
5H47	Storm
5H48	Ice Blue
5H49	Aura
5H50	Darkest Grey

5H39 Light Mocha 5H40 Pebble

#### SoftNext

Applies to:

Tac panel

5H27 Obsidian

5H28 Foggy Night

S⊓29	Greystone
5H30	Mocha
5H31	Clay
5H32	Sandstone
5H33	Chalk
5H34	Midnight
5H35	Blue Mica
5H36	Jade
5H37	Burnt Umber
5H38	Cinnabar

#### Billiard Multi-Use by Designtex

Applies to:
• Tac panel

5H11	Рорру
5H12	Tangelo
5H13	Citrine/Citron
5H14	Avocado
5H16	Indigo
5H17	Mallard
5H18	Teak
5H19	Cumulus
5H20	Pewter
5H21	Gunmetal
5H22	Ink
5H23	Rose Quartz
5H24	Sea Salt

#### **Select Surfaces**

5H25 Storm Cloud

5H26 Olivine

# For information on products within Select Surfaces,

including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit Steelcase. com/selectsurfaces.

# Custom Surfaces Price Group COM (Customer's Own

**Fabric Approval and** 

#### Material)

# Yardage To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine

actual yardage requirements:
• Visit www.steelcase.com

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

#### Laminate Markerboard

#### **Steelcase Surfaces**

Applies to:

 Groupwork screens
 2977 White Markerboard Laminate

# **Availability Matrices**

Trim Availability Matrix					
Legend  • = Not available  ■ = Available  □ = Available with exceptions	4750 Champagne Metallic	4798 Sterling Metallic	4799 Platinum Metallic	<b>7207</b> Black	8043 Clear Anodized Aluminum
Flow	•	•	•	•	
Groupwork Screens	•				•
Parametric Premium Whiteboards		•	•	•	

#### CeramicSteel Surface Availability Matrix • = Not available **PV11** Grey Calendar Grid CS CS ■ = Available **PV09** Hygienic White Gloss □ = Available with exceptions **7661** Gray Chalk 6502C 7674 Platinum Solid CS 7675 Sterling Dark Solid 7655 White High Gloss 7671 Arctic White 2 CS PV12 Grey Grid CS **7673** Merle CS **7672** Seagull Accord **Boundri** Flow **Frank Lloyd Wright Racine** Whiteboard **Groupwork Screens** Motif Motif (Accented) **Parametric Premium** Whiteboards Sans Sans Light Serif

•

**Textura Mobile** 

**Verb Personal Whiteboard** 

Digital Print Availability N	latr	ix											
Legend  • = Not available  ■ = Available  □ = Available with exceptions	PV55 Agate	PV56 Brushstroke	PV57 Code	PV58 Data	PV59 DNA	PV60 Hive	PV61 Skyline	PV62 Soundwave	PV63 Speed	PV64 Summit	PV65 Dot Grid	PV66 Line Grid	PV68 Music Lines
Accord	•	•	•	•	•	•	•	•	•	•	•	•	•
Boundri	•	•	•	•	•	•	•	•	•	•	•	•	•
Flow	•	•	•	•	•	•	•	•	•	•	•	•	•
Frank Lloyd Wright Racine Whiteboard	•	•	•	•	•	•	•	•	•	•	•	•	•
Motif	•	•	•	•	•	•	•	•	•	•	•	•	•
Motif (Accented)	•	•	•	•	•	•	•	•	•	•	•	•	•
Parametric Premium Whiteboards													
Sans													
Sans Light													
Serif	•	•	•	•	•	•	•	•	•	•	•	•	•
Textura Mobile	•	•	•	•	•	•	•	•	•	•	•	•	•

Frameless Whitebo	pards with Accented Edg	es	Αv	ail	abi	lity	, N	lat	rix													
Legend																						
= Not available     = Available     = Available     = Available with exception	e <sup>3</sup> Environmental CeramicSteel	Ceramic	<b>7661</b> Gray Chalk 6502C CS	7671 Arctic White 2 CS	<b>7673</b> Merle CS	7674 Platinum Solid CS	Paint	<b>0835</b> Black	7190 Platinum Solid	<b>PV01</b> Pomegranate	PV02 Papaya	PV03 Mango	<b>PV04</b> Ivy	PV05 Azure	PV06 Truffle	PV07 Plum	Accent Paint	4AV4 Baltic	4AX1 Citron	4AY2 Chili	<b>4CZ5</b> Honey	4CZ6 Lagoon
Frank Lloyd Wright Racine Whiteboard	<b>7671</b> Arctic White 2 CS		•			•		•				•						•	•			-
Sans	<b>7655</b> White High Gloss		•							П		П								П		
	<b>7661</b> Gray Chalk 6502C CS					•		-	•		•	-		•		•		•	•	•	•	-
	<b>7671</b> Arctic White 2 CS		•			•														П		
	<b>7673</b> Merle CS		•					-				-				-		•	•	•		-
	7674 Platinum Solid CS		•		-				•			•						•				
Sans	<b>7655</b> White High Gloss		•			-																
Light	<b>7661</b> Gray Chalk 6502C CS		П					•			•			•		•		•	•	•	•	•
	<b>7671</b> Arctic White 2 CS		-			•														П		
	<b>7673</b> Merle CS		•					•			•					•		•	•	•	•	•
	7674 Platinum Solid CS		•					•										•	•			
Serif	<b>7655</b> White High Gloss		•			•																

# **Style Number Index**

Style Number	Page	Description
1MP12	88	Markers-Dry Erase
2MP12	88	Markers-Dry Erase
3MP12	88	Markers-Dry Erase
4MP12	88	Markers-Dry Erase
ERF5	87	Felt-Replacement For Magnetic Eraser
FLWBRD	65	Racine Whiteboard
HZPVFLOW	47	Horizontal Flow
MCR12	90	Tray-Magnetic, Marker
MCR24	90	Tray-Magnetic, Marker
MEP1	86	Eraser-Magnetic, with Marker Holder
MP12	88	Markers-Dry Erase
MP4	88	Markers Dry Frees
MP5N MTFPNL	88 56	Markers-Dry Erase a <sup>3</sup> CeramicSteel Motif Panels
MTFPNLA	57	a <sup>3</sup> CeramicSteel Motif Accent Panel
PVCCLK	89	Colored Chalk Sticks
PVCFSTND	74	Textura Mobile
PVCSH	89	Chalk Stick Holders
PVDVMNT	82	Boundri Mounts
PVDVSCRN	82	Boundri
PVFLOW	43	Flow
PVFLOWPM	38-39	Parametric Polyvision Whiteboard, Flow Ser
PVGLASS	63	Glass
<b>PVLTSANS</b>	52	CeramicSteel Sans Light
PVMFC	86	Replacement Microfiber Cloths
PVMKRS	87	Set of Four V-Board Markers
PVMRGE	54	Accord
PVRME	86	Round Magnetic Eraser
<b>PVTLBMINI</b>	85	Collaborative ToolBar Mini
PVTOOLBAR	85	Collaborative ToolBar
PVWCLK	89	White Chalk Sticks
PWBTKBRD	31, 33, 35	Tackboard
PWBWTBRD	30, 32, 34	Whiteboard
RE1		Eraser-Regular
SANS	50	CeramicSteel Sans
SANSPM	37	Para Polyvision Whiteboard, Sans Series
SERIF	59	CeramicSteel Serif
TAC	61	Tac
TS4S2454 TS4S2466	71 71	Groupwork Screen Groupwork Screen
TS4S3054	71	Groupwork Screen
TS4S3066	71	Groupwork Screen
TS4S3654	71	Groupwork Screen
TS4S3666	71	Groupwork Screen
TS4S4254	71	Groupwork Screen
TS4S4266	71	Groupwork Screen
TS4S4854	71	Groupwork Screen
TS4S4866	71	Groupwork Screen
TS4SR24	72	Groupwork Marker Tray
TS4SR30	72	Groupwork Marker Tray
TS4SR36	72	Groupwork Marker Tray
TS4SR42	72	Groupwork Marker Tray
TS4SR48	72	Groupwork Marker Tray
VE36	77	Easel
VWB2	76	Personal Whiteboard

Style Number	Page	Description	
VWT6	78		
VWT8	78		
VWTH	78	Wall Track	

#### **Trademark List**

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock 900 Series à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive Flective Flements Fllipse Ember Chrome Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, LessThanFive, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- ® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.
- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- <sup>®</sup> The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.
- The following is a registered trademark of Security People, Inc.: Digilock.
- The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.
  - The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Agree, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await. Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, DeskWizard, Divisio, Donovan, Dune, Duo, Echo, Edge, Elbrook, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Everwall, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top. Flute. Folio. FrameOne. FreeFlow. Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn. Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Marien152, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650 Montreal MoreThanFive Move Nadia, Neighbor, nesso, Nickel, Nikko, Nod. Node, Norfolk, Ocular, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Radia, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Karman, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Tenor, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, WorkValet, and
- The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- The following is a trademark of Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- ™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone
- The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- The following is a trademark of Clestra Hauserman:
- The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- The following are trademarks of Polyvision: Accord, a<sup>3</sup>. e<sup>3</sup>. Boundri, and Nota.
- The following is a trademark of Bostock Company, Inc: SnapCab.
- The following is a trademark of Williams-Sonoma, Inc: West Elm.
- The following is a trademark of Elena Marquina Testor: nanimarquina.
- ™ The following is a trademark of Forbo International SA: Forbo.
- The following are trademarks of Orangebox Ltd., Cardiff, UK: Air<sup>3</sup>, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.
- TM/® The following are trademarks or registered trademarks of AMQ Solutions, LLC: AMQ, AMQ logo, KINEX, ILINE, ACTIV, AMOBI, CONCUR, 3F, REVI, S-SERIES, JAKU, SIYA, ZILO, BODI, FL-X, TIZU, EMBANK, TEKTIS, and BIXBY.
- TM/® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Holy Day, Last Minute, Wrapp, Foro, Kelly, Noha, Viable, Solar, Sistema, Savina, Designed In The Sun, Cambio, Aleta, Viccarbe (logo), Viccarbe.

Trademarks used here in are the property of Steelcase Inc. or of their respective owners.