# Collaborative Worktools Catalog

Volume 1 | Americas

When people work together, innovation happens.




2

4	a³™ Cei
10	a³™ Cei
16	a³™ Cei
22	a³™ Cei
28	Acces
29	Cleani
29	PolyVis
30	Warrar
31	Sales F

- a³™ CeramicSteel Motif™
  - eramicSteel Sans™
  - eramicSteel Serif™
  - eramicSteel Flow™
  - ssories
  - ing Instructions
  - ision Studio
  - inty
  - Representatives

# a<sup>3</sup> CeramicSteel Motif


Designed for the way people work today, a<sup>3™</sup> CeramicSteel Motif<sup>™</sup> is a writing surface when needed, and a piece of art when not in use. Bringing functionality and style together as one, this modular panel sytem allows users to personalize their collaborative space.





## a<sup>3</sup> CeramicSteel Motif

Configure this high-performance collaborative panel in countless ways to turn underutilized wall space into places where teams express, share and create ideas together. Flexible arrangement encourages spontaneous inspiration while a superior a<sup>3</sup> CeramicSteel writable worksurface helps teams effectively capture ideas.



#### Specifications

Accessories	Product Color	Description
Black Marker	Arctic White 2 CS, Seagull CS and Platinum Solid CS	Motif panels do not ship with a tray or eraser.
Orange Neon Marker	Sterling Dark Solid CS and Merle CS	Motif panels do not ship with a tray or eraser.
No Marker	Accent Panels	Motif panels do not ship with a tray or eraser.

\*Motif ships complete with the a<sup>3</sup> CeramicSteel panels, one dry erase marker, installation hardware and templates.

Dimensions	Small Square	Large Square	Extra-Large Rectangle*
Single Panel Height	22.5" / 572 mm	45.25" / 1150 mm	45.25" / 1150 mm
Single Panel Width	22.5" / 572 mm	45.25" / 1150 mm	90.75" / 2306 mm
Depth	0.157" / 4 mm	0.157" / 4 mm	0.157" / 4 mm
Depth from Wall to Face	1.31" / 32.68 mm	1.31" / 32.68 mm	1.31" / 32.68 mm
Weight	5.7 lb / 2.62 kg	23.32 lb / 10.58 kg	46.78 lb / 21.22 kg

\* Rotate height and width depending on vertical or horizontal installation.

Neutral Options	Finish	Steelcase Finish Code	Approximate RAL Color	Approximate Pantone <sup>*</sup> Color
Arctic White 2 CS	Gloss	7671	9003	11-4800 TPG Blanc de Blanc
Seagull CS	Gloss	7672	7035	12-4302 TPG Vaporous Gray
Merle CS	Gloss	7673	7043	17-4402 TPG Neutral Gray
Platinum Solid CS	Gloss	7674	7042	18-0503 TPG Gargoyle
Sterling Dark Solid CS	Gloss	7675	7012	18-0201 TPG Castlerock

Gloss	7665
	7665
Gloss	7666
Gloss	7667
Gloss	7668
Gloss	7669
Gloss	-
	Gloss Gloss Gloss

\*Custom surface imaging available on small square and large square panels.

# a<sup>3</sup> CeramicSteel Motif

#### How to Order

Choose your Motif board by specifying:

- 1. Hedberg PDX Catalog
- 2. Style number
- 3. Panel size
- 4. Color

Panel placement is supported by installation templates that can be mounted side by side or individually spaced out. Refer to planning ideas for support.

#### Product Planning Ideas

Create customized configurations using Motif's three standard-sized panels. Below represents a variety of configurations to get your idea started.

#### **Motif: Vertical Wall**



3 Extra-Large Rectangle 4 Small Square (accent or neutral)


#### Motif: Organize and Strategize

Motif: Inspire

Extra-Large and Large square panels can be interchangeable depending on available wall space.







3 Small Square (accent or neutral) 2 Large Square



3 Small Square (accent or neutral) in diamond orientation 1 Large Square in diamond orientation

4 Small Square (accent or neutral)

#### **Standard Material Numbers**

Neutral Material Number	Size	List Price
MTFPNL	Small Square (22.5" x 22.5")	\$399
MTFPNL	Large Square (45.25" x 45.25")	\$1099
MTFPNL	Extra-Large Rectangle (45.25" x 90.75")	\$1999

Accent Material Number	Size
MTFPNLA	Small Square Accent (2

#### Standard Includes

- Panel: a<sup>3</sup> CeramicSteel panel
- Installation hardware and templates
- 1 marker: black marker with Arctic White, Seagull and Platinum panels. Neon orange marker with Merle and Sterling Dark panels. Accent pattern panels do not ship with markers.

#### Customization

With PolyVision Surface Imaging capabilities you can apply custom graphics to the small square and large square panels.

Artwork specifications required. Soft proofs and strikeoffs available upon request.

#### List Price

(22.5" x 22.5")

\$399

ຍູ **CeramicSteel Motif** 

#### **Design Tools**

- Smarttools | PV Catalog
- Revit
- CAD

# a<sup>3</sup> CeramicSteel Sans


A modern take on the traditional framed whiteboard, a<sup>3™</sup> CeramicSteel Sans<sup>™</sup> is sleek, frameless and appears as if it's floating on the wall. Featuring precision-cut, sealed edges and simple installation, the solution removes barriers to workplace inspiration.





# a<sup>3</sup> CeramicSteel Sans


This frameless writing board comes in either horizontal or vertical orientation and features a smooth, inert surface and streamlined edges, sealed for durability and a clean aesthetic. Simple to install with no exposed fasteners, Sans offers a smooth finish in any workplace environment.




#### Specifications

Dimensions	Sans (1220 mm)	Sans (1830 mm)*	Sans (2420 mm)*
Overall Height	47" / 1185 mm	47" / 1185 mm	47" / 1185 mm
Overall Width	48" / 1220 mm	72" / 1830 mm	95" / 2420 mm
Depth	0.51" / 13 mm	0.51" / 13 mm	0.51" / 13 mm
Depth from Wall to Face	1.06" / 27 mm	1.06" / 27 mm	1.06" / 27 mm
Weight	55 lb / 25 kg	82 lb / 37 kg	97 lb / 44 kg

\* Rotate height and width depending on vertical or horizontal installation.



#### Standard Edge Accent Colors Available on White Gloss Panels



\*Coordinates with Steelcase finish options

elcase sh Code	Approximate RAL Color	Approximate Pantone <sup>*</sup> Color
4	9003	Cool Gray 1 C
1	7047	Black 7 C
2	5015	2150 C
3	8022	Neutral Black C
	_	-





## a<sup>3</sup> CeramicSteel Sans

#### How to Order

Choose your Sans board by specifying:

1. Hedberg PDX Catalog


**Product Planning Ideas** 

- 2. Size
- 3. Panel orientation
- 4. Surface color and/or accented edge color


Panel position should be considered when mounting multiple panels side by side. Refer to suggested planning ideas below. To continue product expansion, insert additional intermediate panels between left-end and right-end panels.

Sans can be mounted horizontally or vertically. It is important to note that these are not splined together. The panels are mounted side by side, non-progressively. Adjacent panel configurations are recommended to have a 0.5" gap.

Sans panels are available with accented edges. Color desired should be noted on order along with part number. Accented edges are not recommended for panels placed in side-by-side configurations.



#### Sans: 3-Board Combination



#### **Standard Material Numbers**

Material Number	Size	List Pri
Sans	47" x 48"	\$926
Sans	47" x 72"	\$1235
Sans	47" × 95"	\$1441

#### **Standard Includes**

- Panel: a<sup>3</sup> CeramicSteel panel
- Installation hardware •
- Magnetic marker tray, dry erase markers and eraser if single panel or right-end panel position is selected in 7662 Blue 6107U CS, 7663 Black 6106U CS, or 7664 White 6100 CS
- Magnetic marker tray and eraser if single panel or right-end panel position is selected in 7661 Gray Chalk 6502 CS

#### Customization

Custom sizes available upon request. With PolyVision Surface Imaging capabilities you can apply custom graphics to any Sans panel.


Artwork specifications required. Soft proofs and strikeoffs available upon request.

# cification Guide **Collaborative Worktools**


Single Panel

Sans: Single

#### Sans: Side-by-Side



#### Sans: 3-Board Combination



\*Logo not drawn to scale

14

rice

#### **Design Tools**


- Smarttools | PV Catalog .
- Revit
- CAD

# a<sup>3</sup> CeramicSteel Serif

With a slim profile, clean edges and rounded corners, a<sup>3™</sup> CeramicSteel Serif<sup>™</sup> delivers a blend of design, materiality and functionality for busy collaboration spaces in corporate and educational environments.








# a<sup>3</sup> CeramicSteel Serif


Designed to promote creativity and facilitate teamwork, Serif is a thin CeramicSteel panel mounted with standoff mounts in a satin chrome finish. Precision cut edges are sealed with a durable lacquer, while rounded corners provide a modern, premium look. Available in our brightest white yet, this surface delivers crisp clarity with no shadowing effects, making reading and writing easier than ever.




**Specifications** 

Dimensions	Serif (1185 mm)	Serif (1830 mm)*	Serif (2420 mm)*
Overall Height	47" / 1185 mm	47" / 1185 mm	47" / 1185 mm
Overall Width	47" / 1185 mm	72" / 1830 mm	95" / 2420 mm
Depth	0.25" / 6.5 mm	0.25" / 6.5 mm	0.25" / 6.5 mm
Depth from Wall to Face	0.75" / 19 mm	0.75" / 19 mm	0.75" / 19 mm
Weight	32 lb / 14.5 kg	50 lb / 22.5 kg	66 lb / 30 kg

\* Rotate height and width depending on vertical or horizontal installation.



#### Standard Edge Accent Colors Available on Alpine White Gloss Panels



\*Coordinates with Steelcase finish options

Approximate RAL Color	Approximate Pantone <sup>•</sup> Color
9003	11-4601 TPG Bit of Blue
_	-



# a<sup>3</sup> CeramicSteel Serif

#### How to Order

Choose your Serif board by specifying:

- 1. Size
- 2. Surface color and/or accented edge color

Panel orientation should be considered when mounting multiple panels side by side. The mounting hardware supports panels to be mounted horizontally or vertically during installation. Refer to suggested planning ideas below.

Customize Serif panels with accented edges or Surface Imaging. Specify color name and number desired on order along with part number.

#### Product Planning Ideas

Planning ideas do not reflect specific size.


Serif: Single



#### Serif: Single

Serif: 3-Board Combination





Serif: Side-by-Side



#### PolyVision Part Number for Ordering Direct\*

Material Number	Size	List Price	Description
Serif	47" × 47"	\$1200	A-Serif-1185
Serif	47" × 72"	\$1400	A-Serif-1830
Serif	47" × 95"	\$1600	A-Serif-2420

\*Coming to Hedberg PDX catalog Fall 2019

#### Standard Includes

- Panel: a<sup>3</sup> CeramicSteel panel
- Installation hardware
- Magnetic marker tray, set of dry erase markers and eraser

#### Customization

Custom sizes available upon request. With PolyVision Surface Imaging capabilities you can apply custom graphics to any Serif panel.

Artwork specifications required. Soft proofs and strikeoffs available upon request.

#### **Design Tools**


• Smarttools | PV Catalog


- Revit
- CAD



# a<sup>3</sup> CeramicSteel


This full-height writing system brings collaborative freedom into any workspace. a<sup>3™</sup> CeramicSteel Flow<sup>™</sup> is easy to configure and maximizes wall coverage.





# a<sup>3</sup> CeramicSteel Flow

This large-format CeramicSteel panel system is an easy way to leverage vertical space. A series of vertically oriented writing board panels, of a standard height, are spline jointed together with the option to trim outer edges with an aluminum extrusion, making this modular system easy to install and configure.



#### Specifications

Dimensions	Flow (1830 mm)
Single Panel Height	72" / 1830 mm
Single Panel Width	47" / 1185 mm
Depth	0.5" / 13 mm
Depth from Wall to Face	0.75 / 19 mm
Weight	62 lb / 28 kg

Panel Color	Finish	Steelcase Finish Code	Approximate RAL Color	Approximate Pantone <sup>-</sup> Color
White	Gloss	7664	9003	Cool Gray 1 C
Gray	Chalk	7661	7047	Black 7 C
Surface Imaging	Gloss	_	_	_

\*Logo not drawn to scale

Flow	(2420	mm)
------	-------	-----

95.25" / 2420 mm

47" / 1185 mm

0.5" / 13 mm

0.75 / 19 mm

82 lb / 37 kg

## a<sup>3</sup> CeramicSteel Flow

#### How to Order

Choose your Flow board by specifying:


- 1. Hedberg PDX Catalog
- 2. Size
- 3. Panel position
- 4. Color needed

Panel position should be considered when mounting multiple panels side by side. Refer to suggested planning ideas below. To continue product expansion, insert additional intermediate panels between left-end and right-end panels.

#### Product Planning Ideas


# Flow: Single

#### Flow: 3-Board Combination




#### Flow: Side-by-Side

Single Panel



#### Flow: 4-Board Combination



#### \*Logo not drawn to scale

#### Standard Material Numbers

Material Number	Size	List Price
Flow	72" x 47"	\$1338
Flow	95.25" x 47"	\$1647

#### **Standard Includes**

- Panel: a<sup>3</sup> CeramicSteel panel(s)
- Installation hardware kit
- Magnetic marker tray, dry erase markers and eraser if single panel or right-end panel position is selected in 7664 White 6100 CS
- Magnetic marker tray and eraser if single panel or right-end panel position is selected in 7661 Gray Chalk 6502 CS

#### Customization

Custom sizes available upon request. With PolyVision Surface Imaging capabilities you can apply custom graphics to any Flow panel.

Artwork specifications required. Soft proofs and strikeoffs available upon request.


#### **Design Tools**


- Smarttools | PV Catalog
- Revit
- CAD .

### Accessories

Accessories included with all single and right-end panels.







MATERIAL NUMBER	DESCRIPTION
MCR12	12" magnetic marker tray
MP4	Markers, 4 pack
MP5N	Neon markers, 5 pack
RE1	Brush eraser

# **Cleaning Instructions**

First use of your CeramicSteel:

- 1. If present, remove the protective film.
- 2. Wipe board with a clean cloth moistened with a high-quality whiteboard cleaner.
- 3. Wipe surface dry with a clean cloth.

Daily cleaning instructions for your CeramicSteel:

- 1. Wipe surface with a clean cloth moistened with warm water.
- 2. Wipe surface dry with a clean cloth.

#### Weekly cleaning instructions for your CeramicSteel:

- 1. Wipe surface with a clean cloth moistened with a high-quality whiteboard cleaner. Note: Using a non-appropriate cleaner may result in poor dry erasability due to the buildup of residues from the cleaner on the surface.
- 2. Wipe surface dry with a clean cloth.
- 3. Surfaces used moderately should be cleaned two to three times per week. Surfaces used more intensely may require daily cleaning.

# PolyVision Studio

PolyVision Studio is here to help guide designers through the process to achieve their design vision. With CeramicSteel as the canvas, PolyVision Studio invites you to design custom one-of-a-kind collaborative worktools and works of art.

### Warranty

# Sales Representatives

#### CeramicSteel Surface: Forever warranty

PolyVision warrants that all porcelain-enameled surfaces and/or products made with e<sup>3™</sup> CeramicSteel (Premium Writing Surfaces) or a<sup>3™</sup> CeramicSteel (Collaborative Worktools) will retain their writing and erasing qualities and maintain their gloss variance and color consistency for the life of the building or for as long as the product is in use, whichever comes first.

#### Panel Construction: 10-year limited warranty

PolyVision warrants that our panels, under normal atmospheric conditions and when sealed from moisture, will not delaminate from the substrate or warp for a period of 10 years.

Should any failure to conform to this warranty become apparent, then, upon written notice from the customer, PolyVision, at its option, will correct such nonconformity by repair or replacement. Correction in the manner provided above shall constitute a fulfillment of all liabilities of PolyVision with respect to the quality of the CeramicSteel. The warranty is applicable only under normal usage and maintenance and does not cover defects caused by improper handling, vandalism or abuse, or arising from failure to follow PolyVision's instructions and recommendations for maintenance.

The warranty is voided if any modifications are made to the products by the customer or other trades with or without PolyVision's written consent or prior knowledge. The warranty does not include the cost of removal or reinstallation. This warranty is effective as of June 4, 2009, and supersedes the terms and conditions of all prior surface warranties issued to the customer by PolyVision.

This limited warranty is the sole remedy for product defects, and no other express or implied warranty is provided, including but not limited to any implied warranties of merchantability or fitness for a particular purpose. PolyVision shall not be liable for consequential or incidental damages arising from any product defect.

Contact Information	Service Area
sbatdorf@designtex.com 616 780 0358	Midwest
kbenston@designtex.com 323 203 5121	West Coast
bcarpenter@designtex.com 303 906 5379	Mountain
sdanby@designtex.com 615 804 8002	Central
pdougherty@designtex.com 412 860 9636	Mid Atlantic
dguidera@designtex.com 732 939 0438	New York + New Jersey
dleach@designtex.com 817 637 1902	South Central
sslifka@designtex.com 973 216 5908	Southeast + Caribbean
jwalsh@designtex.com 781 557 7333	New England + Eastern Canada
	sbatdorf@designtex.com 616 780 0358 kbenston@designtex.com 323 203 5121 bcarpenter@designtex.com 303 906 5379 sdanby@designtex.com 615 804 8002 pdougherty@designtex.com 412 860 9636 dguidera@designtex.com 732 939 0438 dleach@designtex.com 817 637 1902 sslifka@designtex.com 973 216 5908 jwalsh@designtex.com

#### **PolyVision Americas**

10700 Abbotts Bridge Road Suite 100 Johns Creek, GA 30097 USA

T 1888 325 6351

E info@polyvision.com

#### **PolyVision Europe**


Zuiderring 56 3600 Genk, Belgium

- T +32 89 32 31 30
- E EMEAsupport@polyvision.com

#### **PolyVision Asia-Pacific**

15th Floor, Kinwick Centre 32 Hollywood Road, Central District Hong Kong

- T +852 2520 0160
- E APACsupport@polyvision.com



©2019 PolyVision Corporation. All rights reserved. Trademarks used herein are the property of PolyVision Corporation or of their respective owner. Pantone is a trademark of Pantone LLC. Use of the Pantone trademark does not imply an endorsement, sponsorship or affiliation. PolyVision Corporation reserves the right to make changes in product design, construction or detail, and to discontinue any product or material without notice.

polyvision.com

