



Icecube

© design by Danny Venlet

- With drainage hose
- With wheels
- With light set
- With light set & wheels
- Serva tray




Icecube




Drainage hose of 196,85 inch included

BOX 1: ICECUBE




Box dimensions (inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Icecube	Box 1	61,81	22,44	22,44	1	18,01	61,29	58,42	2,87

Icecube with wheels



Drainage hose of 196,85 inch included

BOX 1: ICECUBE




Box dimensions (inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Icecube with wheels	Box 1	61,81	22,44	22,44	1	18,01	63,05	60,19	2,87

extremis®


The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. **All dimensions are in inch**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech
sheet
20200316

Icecube with light set




58,86



19,49


20,47



49,76

Drainage hose of 196,85 inch included

BOX 1: ICECUBE



- fitting IP65 for TL


- 2 blue lights (36W)

- 196,85 inch cable


- plug (IP44)

Box dimensions (inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)	
Icecube with light set		Box 1	61,81	22,44	22,44	1	18,01	67,90	65,04	2,87

Icecube with light set & wheels



58,86




19,49

20,98

Drainage hose of 196,85 inch included

BOX 1: ICECUBE



- fitting IP65 for TL

- 2 blue lights (36W)


- 196,85 inch cable

- plug (IP44)

Box dimensions (inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)	
Icecube with light set & wheels		Box 1	61,81	22,44	22,44	1	18,01	69,67	66,80	2,87

Serva tray

Materials & colors



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV colour fastness	Flame retarding
		inch	micron					
Polyethylene	<ul style="list-style-type: none">• Rotation moulded• 100% recyclable• Easy to maintain	0,07 - 0,11	n.a.	0,05 10³lb/ft³	Outdoor & indoor	n.a.	Very good	DIN 4102-B2/M1 **
Hot dip galvanised steel frame	<ul style="list-style-type: none">• Most durable method for protecting metal from rusting• Protective layer• Very long life span• 100% recyclable• Cradle to Cradle Certified™	0,06	50 - 100	0,48 10³lb/ft³	Outdoor & indoor	n.a.	Very good: galvanisation will however become less shiny when used outdoors	NEN-EN 13501-1 A1*
Light	<ul style="list-style-type: none">• IP65• Fixture 2 x 36W (with 2 lamps type FD 36W G13)• Only 220 V	n.a.	n.a.	n.a.	Outdoor & indoor	IP65	/	/

* NEN-EN13501-1 A1

** DIN 4102-B2/M1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Is roughly the same as the Euroclass D/E.

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Do not put out cigarettes on the Icecube.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colours can differ over years and from batch to batch.

Product

- The fixture available from Extremis can be used in the countries participating in the ENEC agreement (main voltage 220 - 240 V, 50 - 60 Hz).
- Watch out: Icecube can contain a large volume of water which entails a risk of drowning.
- Icecube is not a toy or a swimming pool.
- Never use hot water in the Icecube.
- We advise that you only use ice and water in the Icecube. Other materials may damage the item.

Polyethylene

- Very good UV colour fastness.
- Flame retarding: DIN 4102-B2/M1
- Avoid using aggressive and abrasive products.

Applications

Residential: for parties on any imaginable place, garden party, housewarming, bbq, ..

Project: renting companies, hotels, bars & restaurants, event business, hospitality, .. Ideal for receptions and big parties.

How to use



Good to know

- The light fixture available from Extremis can be used in the countries participating in the ENEC agreement (main voltage 220 - 240 V, 50 - 60 Hz)

Spain, UK, Portugal, Switzerland, Greece, Italy, Sweden, the Netherlands, France, Hungary, the Czech Republic, Norway, Ireland, Belgium, Finland, Slovakia, Luxembourg, Germany, Denmark & Austria.

F.a.q.

Q: Where are the cooling elements?

A: There are no cooling elements in the Icecube. The double sided panel works as an isolator and keeps the ice cold.

Q: How to remove the melt water from the Icecube afterwards?

A: The Icecube has a draining hose which evacuates the melt water easily. This way the icecubes stay frozen for a longer time.

Q: What can you do with the Icecube when you are not using it?

A: Then you can use it as a lighting object.

Q: Is there a possibility to obtain a different colour?

A: There are 3 possibilities:
- by use of a colour filter
- by use of coloured TL-lamp
- by use of a coloured TL-lamp + colour filter (to obtain a very nice colour)

Q: How much ice do you need?

A: 44,09 à 55,12 lb. Theoretically, the Icecube fills up to 80 liters of water.

Maintenance

Find maintenance instructions at the downloads section of extremis.com for:

POLYETHYLENE

- Only use the Miraclean sponge when normal cleaning with lukewarm water, soft soap and a normal sponge isn't sufficient!

Website

www.extremis.com/icecube