KWICXSCREEN® Specification Guide

August 2024

2

Table of Contents

A					
A۷	σп		nı	1.7	7
$\neg v$	ап	a	UI.		,

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Screens Kwickswitch Style Number Index

4 9

12

Steelcase Specification Guide

Table of Contents

Steelcase Specification Guide 3



Tip: Panels are offered in white (opaque) or clear and can be ordered plain (no artwork), with stock artwork, or with custom artwork. See image catalog for stock image choices. For custom images, KwickScreen will contact customer directly to receive image files.

Tip: KwickScreen Pro fully encloses for easy storage.

Standard Includes

- Patented C-Tube technology
- Aluminum body: powder coat
- Wheels: 360° swivel
- Medical grade castors

Depth 21"Width 128"Height 65",75"

Warranty 2 YearsCertifications EN Compliant

• Weight 65 lbs,68 lbs

Options		
Height	Height - 160cm	No cost
	Height - 190cm	No cost
Print Type	Clear/See-through	No cost
	Opaque	No cost
Artwork Option	Artwork	No cost
	No Artwork	No cost
	Art	+\$65
Artwork Finish	Grade 01	No cost

Specification Information							
Style Number	Dimensions			Print Type	Artwork		
	D	W	Н		No Artwork	Stock	Custom
KwickScreen Pro							
AKWICKPRO	21"	128"	65" (160CM)	White (Opaque)	\$2020	\$2365	\$2430
	21"	128"	65" (160CM)	Clear/See Through	\$2020	\$2365	\$2430
	21"	128"	75" (190CM)	White (Opaque)	\$2440	\$2770	\$2835
	21"	128"	75" (190CM)	Clear/See Through	\$2440	\$2770	\$2835



Tip: Panels are offered in white (opaque) or clear and can be ordered plain (no artwork), with stock artwork, or with custom artwork. See image catalog for stock image choices. For custom images, KwickScreen will contact customer directly to receive image files.

Tip: KwickScreen Air is wall mounted only.

Tip: Adjustable brackets are slightly two-fold making them suited for a variety of uses. Such as, they have the ability to adjust up and down the spine of a unit for use with a half wall or window, and with a 180 degree range of motion they allow for use with corners.

Standard Includes

- Patented C-Tube technology
- Adjustable brackets
- Aluminum spine
- Steel frame: powder coat
- Medical grade castors
- Single touch point handle

 Depth 	12"
• Width	124"
Height	65",75"
144 1 1 .	0.4 !! 0.0 !!

 Warranty Certifications 2 Years EN Compliant

• Weight 34 lbs,38 lbs

Options		
Height	Height - 160cm	No cost
	Height - 190cm	No cost
Print Type	Clear/See-through	No cost
	Opaque	No cost
Artwork Option	Artwork	No cost
	No Artwork	No cost
	Art	+\$65
Artwork Finish	Grade 01	No cost

Specification Information Dimensions **Print Type** Artwork Style Number D W No Artwork Н Stock Custom **KwickScreen Air AKWICKAIR** 12" 124" 65" (160CM) White (Opaque) \$1600 \$1950 \$2015 12" 124" 65" (160CM) Clear/See Through \$1600 \$1950 \$2015 12" 124" 75" (190CM) White (Opaque) \$1600 \$1950 \$2015 75" (190CM) Clear/See Through 12" 124" \$1950 \$2015 \$1600



Tip: Panels are offered in white (opaque) or clear and can be ordered plain (no artwork), with stock artwork, or with custom artwork. See image catalog for stock image choices. For custom images, KwickScreen will contact customer directly to receive image files.

Tip: Steel uprights close into the main body.

Standard Includes

- Patented C-Tube technology
- Aluminum spine
- Steel frame: powder coat
- Steel uprights
- Medical grade castors
- Dual three-meter screens

24" • Depth • Width 256" • Height 65",75"

 Warranty Certifications 2 Years **EN Compliant**

• Weight 80 lbs,85 lbs

Options		
Height	Height - 160cm	No cost
	Height - 190cm	No cost
Print Type	Clear/See-through	No cost
	Opaque	No cost
Artwork Option	Artwork	No cost
	No Artwork	No cost
	Art	+\$65
Artwork Finish	Grade 01	No cost

Specification Information								
Style Number	Dim	ensions	s	Print Type	Artwork			
	D	W	Н		No Artwork	Stock	Custom	
KwickScr	eeı	า Du	0					
AKWICKDUO	24"	256"	65" (160CM)	White (Opaque)	\$3200	\$3890	\$3955	
	24"	256"	65" (160CM)	Clear/See Through	\$3200	\$3890	\$3955	
	24"	256"	75" (190CM)	White (Opaque)	\$3200	\$3890	\$3955	
	24"	256"	75" (190CM)	Clear/See Through	\$3200	\$3890	\$3955	



Tip: Panels are offered in white (opaque) or clear and can be ordered plain (no artwork), with stock artwork, or with custom artwork. See image catalog for stock image choices. For custom images, KwickScreen will contact customer directly to receive image files.

Tip: Aluminum upright stows away to a small footprint.

Tip: KwickScreen Kin is wall mounted only.

Standard Includes

- Patented C-Tube technology
- Aluminum spine
- Aluminum upright
- Pick and place base
- Single touch point handle

Depth
 Width
 Warranty
 Certifications
 EN Compliant

Height 65",75"Weight 31 lbs,33 lbs

Options		
Height	Height - 160cm	No cost
	Height - 190cm	No cost
Print Type	Clear/See-through	No cost
	Opaque	No cost
Artwork Option	Artwork	No cost
	No Artwork	No cost
	Art	+\$65
Artwork Finish	Grade 01	No cost

Specification Information Style Number **Dimensions Print Type** Artwork D W No Artwork Stock Custom KwickScreen Kin **AKWICKKIN** 20" 65" (160CM) White (Opaque) \$1065 \$1395 \$1460 20" 84" 65" (160CM) Clear/See Through \$1065 \$1395 \$1460 \$1065 \$1395 \$1460 20" 84" 75" (190CM) White (Opaque) 75" (190CM) Clear/See Through \$1065 \$1395 \$1460

Tip: White/Opaque panel comes standard with markerboard on one side, opposite side can be ordered plain (no artwork), with stock artwork, or with custom artwork. See image catalog for stock image choices. For custom images, KwickScreen will contact customer directly to receive image files.

Tip: KwickScreen KwickSketch fully encloses for easy storage.

Standard Includes

- Patented C-Tube technology
- Aluminum body: powder coat (white)
- Wheels: 360° swivel with locks
- Writable markerboard surface

Depth 21"Width 128"Height 75"

• Warranty 2 Years

Certifications
 EN Compliant

• Weight 68 lbs

Options

Height 16

Height - 160cm No cost Height Height - 190cm No cost Clear/See-through Print Type No cost Opaque No cost Artwork Option Artwork No cost No Artwork No cost Art +\$65 Artwork Finish Grade 01 No cost

Specification Information

Style Number	Dim	nensions	;	Print Type	Artwork		
	D	W	Н		No Artwork	Stock	Custom

KwickScreen KwickSketch

AKWICKSKETCH 21" 128" 75" White (Opaque) \$3070 \$3070 \$3135

Kwickswitch



Tip: Custom graphics can be applied onto the film (for example, door numbers).

Tip: A connector cable will be needed for each panel. For each panel, select the length of cable required to connect to your chosen power supply unit location or from the double power rail powering the panel.

Tip: Power rail can either be single (just input) or double (input and output). The connections can be on the left or the right of the power rail. The double power rail can supply another panel with power through its outlet.

Standard Includes

- Switchable film panel
- Film:
 - Parametric height in 1/16" increments ranging from 10"-196"
 - Parametric width in 1/16" increments ranging from 10"-70"
- Power rail: black, white, grey
- Silicone sealant

Options		
Power Rail Type	Double	No cost
	Single	No cost
Connector Cable Length	0.5 Ft	No cost
	3 Ft	+\$28
	6 Ft	+\$30
	16 Ft	+\$37
	32 Ft	+\$48
	49 Ft	+\$60
	65 Ft	+\$71
Custom Graphic	No	No cost
	Yes	+\$390
Trunk Length	No	No cost
	49 Ft	+\$300
Application Type	Panel	No cost
	Swing Door	+\$150
	Coiled Cord	+\$500
	Mating/ Magnetic Contact	+\$500
	Sliding Contact	+\$500
	Cable Chain	+\$1000
	Spooled Cable	+\$2300

Specification Information

Style Number Base Price
Per sq ft

KwickSwitch Switchable Panel



AKSWITCHPANEL \$85

Kwickswitch



Standard Includes

- Power supply unit
- Switch: quantity one

Specification Information

Style Number

Price

KwickSwitch Control Module Pack

AKSWITCHCONTROL \$400



Tip: If additional switches are required, see style AKSWITCHXTRA.



Standard Includes

- Power cord
- US type B to IEC C13

Specification Information

Style Number Cable Type Cable Length Price

KwickSwitch Cabling

AKSWITCHCABLE

Power Cord	3.3'	\$21
	6.6'	\$45
	16.4'	\$32
Connector Cable		
	0.5'	No cost
	3'	\$28
	6'	\$30
	16'	\$37
	32'	\$48
	49'	\$60
	65'	\$71

- Tip: A power cord will be required for each control module pack.
- Tip: A connector cable will be needed for each panel. For each panel, select the length of cable required to connect to your chosen power supply unit location or from the double power rail powering the panel.

Kwickswitch

Standard Includes

Switch: quantity one

Specification Information

Style Number

Price

KwickSwitch Extra Switches

AKSWITCHXTRA \$60

Tip: Extra switches are paired during manufacturing and must be specified with initial order.



• 49' trunking

Specification Information

Style Number Base Price

KwickSwitch Trunking

AKSWITCHTRUNK \$300



Tip: Trunking is used to hide any visible cabling.

Style Number Index

Style Number	Page	Description
AKSWITCHCABLE	10	KwickSwitch Extra Cabling
AKSWITCHCONTROL	10	KwickSwitch Control Module Pack
AKSWITCHPANEL	9	KwickSwitch Switchable Panel & Power Rail
AKSWITCHTRUNK	11	KwickSwitch Trunking Hides Visible Cabling
AKSWITCHXTRA	11	KwickSwitch Extra Switches
AKWICKAIR	5	Kwickscreen - Air
AKWICKDUO	6	Kwickscreen - Duo
AKWICKKIN	7	Kwickscreen - Kin
AKWICKPRO	4	Kwickscreen - Pro
AKWICKSKETCH	8	KwickScreen - KwickSketch