

Privacy Wall

Architectural Wall

Privacy Wall with Privacy Wall Glass Selections is a high performance, moveable wall that gives you the flexibility and variety to accommodate not just today's needs but also the continually changing needs of the future.



Performance Features

Speed + Productivity


Safety + Cleanability

Flexibility

Return on Investment

Sustainability

Statement of Line



01 Slider Doors

Privacy Wall
Full-Height up to 5-Lites
Glass Sliding Doors

Glass Selections
Polished Edge Glass Sliding Door

02 Butt-Hinge Doors

Privacy Wall
Framed Glass Single Swing Doors
Solid Single Swing Doors (Paint + Veneer)
Solid Double Swing Doors (Paint + Veneer)

Glass Selections
Polished Edge Glass Swing Door

03 Pivot-Hinge Doors

Privacy Wall
Framed Glass Single Swing Doors
Solid Single Swing Doors (Paint + Veneer)
Solid Double Swing Doors (Paint + Veneer)

04 Unitized Glass Panels

Privacy Wall + Glass Selections
Full Height
2-Lites
3-Lites (Privacy Wall only)
4-Lites (Privacy Wall only)
5-Lites (Privacy Wall only)

05 Glass + Frame Kits

Glass Selections
Full-Height
Transom-Aligned

06 Power and Communication

Privacy Wall + Glass Selections
5" Base power/communication
Panel surface power/communication

07 Solid Panels

Privacy Wall
Painted, Fabric + Markerboard

08 Clerestory Panels

Privacy Wall + Glass Selections
Clerestory Glass with Solid Panel
(Painted, Fabric + Markerboard)

09 L- and T-Corner Units

Glass Selections
Full-Height
Transom-Aligned

Dimensions	Slider Doors		Butt-Hinge Doors	
	Privacy Wall		Privacy Wall	
	Height:	89-120" in 1" increments	Height:	89-120" in 1" increments (solid full-height) 89-108" in 1" increments (glass full-height) 84" (transom height)
	Width:	41 1/2-60 1/4" in 1/16" increments	Width:	35 13/16" or 37 13/16" (single) 71 5/8" (pair)
	Glass Thickness:	1/4" (6mm), tempered or laminated glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom Glass between muntins can be specified in different finishes.	Glass Thickness:	1/4" (6mm), tempered or laminated glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom
	Glass Selections		Glass Selections	
	Height:	89-120" in 1" increments	Height:	89-120" (40"), 89-108" (42"), 1" increments
	Width:	38-48" in 1/16" increments	Width:	40" and 42"
	Glass Thickness:	3/8" (10mm) or 1/2" (12mm) tempered glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom	Glass Thickness:	1/2" (12mm), tempered glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom
	Pivot-Hinge Doors		Unitized Glass Panels	
Privacy Wall		Privacy Wall + Glass Selections		
Height:	96-120" in 1" increments (solid full-height) 96-108" in 1" increments (glass full-height) 84" (transom height)	Height:	89-120" in 1" increments Standard and Modular sizing	
Width:	37 3/16" (single) 36 3/8" (single with switch) 77 1/2" (pair)	Width:	6-60" in 1/16" increments	
Glass Thickness:	1/4" (6mm), tempered or laminated glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom	Glass Thickness:	1/4" (6mm) tempered or laminated glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom Glass between muntins can be specified in different finishes	
Frame and Glass Kits		L- and T-Corner Units		
Glass Selections		Glass Selections		
Height:	89-120" in 1" increments Standard and Modular sizing	Height:	89-120" in 1" increments Standard and Modular sizing	
Width:	60 1/16-144" in 1/16" increments	Width:	18"	
Glass Thickness:	3/8" (10mm) tempered or laminated glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom	Glass Thickness:	1/4" (6mm) tempered or laminated glass L-Corner: Assembled T-Corner: Frame and Glass Kit +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom	
Solid Panels (Assembled)		Clerestory Panels (Assembled)		
Privacy Wall		Privacy Wall + Glass Selections		
Height:	89-120" in 1" increments Standard and Modular sizing	Height:	96-120" in 1" increments Standard and Modular sizing	
Width:	6-60" in 1/16" increments +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom	Width:	6-60" in 1/16" increments	
		Glass Height:	87" AFF	
		Glass Thickness:	1/4" (6mm) tempered or laminated glass +/- 1/2" vertical allowance at top +/- 3/4" vertical adjustment at bottom	
Power + Communication				
Privacy Wall + Glass Selections				
Modular and hardware				
Power options available				

Information

Limited Lifetime Warranty This limited warranty is the sole remedy for product defect and no other express or implied warranty is provided. Including but not limited to any implied warranties of merchantability or fitness for a particular purpose. Steelcase shall not be liable for any consequential, indirect, special, punitive, or incidental damages.	Certifications Steelcase Privacy Wall product have been designed, engineered and manufactured to meet or exceed all applicable ANSL/BIFMA (American National Standards for Office Furnishings) requirements for safety and performance.	©2025 Steelcase Inc. All rights reserved. All specifications subject to change without notice. Trademarks used herein are the property of Steelcase Inc. or of their respective owners.
--	---	---