Height-Adjustable Desks Specification Guide

Availability

Electronic price list updated with release 206.B (U.S.) and 159.B (Canada), dated October 19, 2026.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a T. Products that are scheduled to be culled are indicated with an X, followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

▶For a list of all trademarks, refer to the last page of this specification guide. © 2026 Steelcase Inc.

For Canadian Pricing
Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:
- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

Working With This Specification Guide
Ten Tips: How to Get the Most Out of This Book 2
Additional Resources 4


Statement of Line 6

Workstation Design Guidelines and Requirements 32
How to Calculate Power Needs 34
Basics of Ergonomic Seating 35
Basics of Standing and Monitor Arm Positioning 36
Worksurface Shape Overview 37
Worksurface Edge Options 38
Height-Adjustable Desks Comparison Chart 40
Worktools Compatibility Charts 48
Steelcase Monitor Arm Guidelines 58
CarbonNeutral Product Certification 60
Ology 63
Steelcase Flex Collection 149
Migration Desking Collection 179
Currency 279
Airtouch 287
Screens, Cable and Power Management 297

Surface Materials 363
Resources 375


Ten Tips:
How to Get the Most Out of This Book

Tip 1



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

Tip 3



Find cross references by looking for page numbers flagged with an arrow.

Tip 4


Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

Product Drawing shows you what the product looks like and points out important features.

Product Details gives specific information on the product and how it is used.

Connections describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities of the product.

Surface Materials lists what material is used for each part of the product.

Steelcase
October 2026

Tip 5

Refer to the specifying pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:


- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
  - Dimensions
  - Style Number
  - Price

Standard Includes
(under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify
(under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information
(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Product Drawing
shows you what the product looks like.



Panels—Thin Trim

Base Horizontal Frame Packages—Thin Trim
For Panel Buildups

Standard Includes | Required to Specify

Options | U.S. Price | Required to Specify

Specification Information

For Canadian Pricing

396 Answer Solutions Specification Guide

Panels—Thin Trim

Base Horizontal Frame Packages—Thin Trim

For Canadian Pricing

Answer Solutions Specification Guide 397

Options
(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products
provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify *with Customiz Stain*


Italic typeface on specifying pages usually identifies wording that you should use in your order.

Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.
Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Product brochures and planning tools can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources website at village.steelcase.com.

This specification guide contains multiple Steelcase product lines which are designed into one specification guide for your convenience.

Additional storage products can be found in the *Storage Specification Guide.*

Printed Materials

Express Program Specification Guide
This specification guide describes all Steelcase and Coalesse products including the finishes and options that are available as Express orders - manufactured and shipped within 7 business days.

Surface Materials Reference Manual
This publication provides:

- An explanation of the surface materials
- "Available on" matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

Computer Tools

Electronic Catalog
Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools – Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project-Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data
Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications
You can access these digital publications at www.steelcase.com or village.steelcase.com.

Planning Ideas

Planning ideas are available to help inspire, envision, and plan great solutions. 2D and 3D AutoCAD drawings, Sketch-Up files, and SmartTools drawings are available on the Planning Ideas site: www.steelcase.com/planningideas.

Support

Steelcase Capabilities
Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

Related Products


Steelcase worktools include a full line of ergonomically designed products that enhances and improves the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting.
▶For additional information, refer to *Steelcase Worktools Specification Guide.*

Sustainability

At Steelcase, we believe business can be a force for good. We create long-lasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies. To learn more at a corporate level, visit: www.steelcase.com/discover/steelcase/esg-overview/environmental/ Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at Origin.build.


Statement of Line

Ology Height-Adjustable Desks




Understanding
▶ Page 64
Specifying
▶ Page 98

Rectangular Desks




Tip: Widths are available parametrically in 1⁄16" increments from 34"–78".




Understanding
▶ Page 64
Specifying
▶ Page 102

Tapered Desks*



**Left-hand units shown. Right-hand units available.*
Tip: Widths are available parametrically in 1⁄16" increments from 58"W–78"W.

Ology Height-Adjustable Desks, continued




Understanding
▶ Page 64
Specifying
▶ Page 106

90° Equal Corner 3-Leg Desks

	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●
29"D or 30"D	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 52"W–78"W.
Tip: 64"W, 70"W, and 76"W 90° equal worksurfaces ship in two pieces.




Understanding
▶ Page 64
Specifying
▶ Page 106

90° Extended Corner 3-Leg Desks*

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●	●

**Left-hand units shown. Right-hand units available.*
Tip: Widths are available parametrically in 1/16" increments from 40"W–78"W.




Understanding
▶ Page 64
Specifying
▶ Page 106

120° Equal Corner 3-Leg Desks

	34"W	40"W	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 34"W–66"W.

Ology Height-Adjustable Desks, continued




Understanding
▶ Page 64
Specifying
▶ Page 124

Rectangular Bases

	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●	●	●
35"D or 36"D	●	●	●	●	●	●	●	●

Tip: Widths are available parametrically in 1⁄16" increments from 34"W–78"W.




Understanding
▶ Page 64
Specifying
▶ Page 124

Tapered Bases*

	58"W	64"W	70"W	76"W
23"D/29"D or 24"D/30"D	●	●	●	●

**Left-hand units shown. Right-hand units available.*
Tip: Widths are available parametrically in 1⁄16" increments from 58"W–78"W.




Understanding
▶ Page 64
Specifying
▶ Page 124

90° Equal Corner 3-Leg Bases

	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●
29"D or 30"D	●	●	●	●	●

Tip: Widths are available parametrically in 1⁄16" increments from 52"W–78"W.




Understanding
▶ Page 64
Specifying
▶ Page 124

90° Extended Corner 3-Leg Bases*

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●	●

**Left-hand units shown. Right-hand units available.*
Tip: Widths are available parametrically in 1⁄16" increments from 40"W–78"W.




Understanding
▶ Page 64
Specifying
▶ Page 124

120° Equal Corner 3-Leg Bases


	34"W	40"W	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

Tip: Widths are available parametrically in 1⁄16" increments from 34"W–66"W.

Modesty Panels and Fixed Personal/Modesty Screens



Understanding
▶ Page 92
Specifying
▶ Page 134



Understanding
▶ Page 315
Specifying
▶ Page 346

Ology Modesty Panels

	34"W	40"W	46"W	58"W	64"W	70"W	76"W
14⅜"H	●	●	●	●	●	●	●

Tip: Widths are available parametrically in 1⁄16" increments from 34"W–78"W.

Tip: Both modular and parametric are undersized by 2½" for square corner and radius corner options. Verify in SmartTools the manufactured width vs modular or parametric widths.

Fixed Personal/Modesty Screens


	30"W	36"W	42"W	48"W
12"H	●	●	●	●
19½"H	●	●	●	●
24"H	●	●	●	●

Tip: 19½"H and 24"H are for privacy use only.


Ology Cable and Power Management




Cable Riser–Leg Connection
Understanding
▶ Page 66
Specifying
▶ Page 135



Cable Riser–Fence Connection
Understanding
▶ Page 67
Specifying
▶ Page 135




Cable Basket
Understanding
▶ Page 67
Specifying
▶ Page 135



Cable Brackets
Understanding
▶ Page 67
Specifying
▶ Page 135

Ology Integrated Storage




Flush steel open front | Proud steel open front | Flush steel open front | Proud steel open front

Understanding
▶ Page 94
Specifying
▶ Page 138

Universal Steel One-High and 1.5-High Open Laterals for Ology Application*


	30"W	36"W	42"W
16"H	●	●	●
22"H	●	●	●

*Right-hand application shown. Left-hand application available.




Understanding
▶ Page 94
Specifying
▶ Page 140

Universal Shrouds



Understanding
▶ Page 96
Specifying
▶ Page 142



Understanding
▶ Page 94
Specifying
▶ Page 141


Universal Filler

Universal Common Tops for Ology Application*

60"W	66"W	72"W	78"W	84"W	90"W	96"W	108"W
●	●	●	●	●	●	●	●

*Right-hand application shown. Left-hand application available.

Ology Integrated Storage, continued




Understanding
▶ Page 96
Specifying
▶ Page 144

Elective Elements One-High Open Plinth Base Pedestals for Ology Application*

	24"W	30"W	36"W	42"W
17¼"D	●	●	●	●

*Right-hand application shown. Left-hand application available.



Understanding
▶ Page 96
Specifying
▶ Page 146


Elective Elements Common Tops for Ology Application*

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W
18"D	●	●	●	●	●	●	●	●	●	●	●	●

	96"W	102"W	108"W	114"W	120"W
18"D	●	●	●	●	●

*Right-hand application shown. Left-hand application available.

Rectangle Steelcase Flex Collection




Understanding
▶ Page 150
Specifying
▶ Page 162


Rectangle Height-Adjustable Desks

	46"W	58"W	70"W
23"D or 24"D	●	●	●
29"D or 30"D	●	●	●

Tip: Widths are available parametrically in 1⁄16" increments from 46"–72".



Left Hand




Right Hand


Understanding
▶ Page 154
Specifying
▶ Page 168

120° Straight Height-Adjustable Desks

	Depth Left	Depth Right	Width Back	Width Front
Left-Hand	22 11/16"	40 7/16"	40 13/16"	71 5/16"
Right-Hand	40 7/16"	22 11/16"	40 13/16"	71 5/16"



Left Hand



Right Hand

Understanding
▶ Page 154
Specifying
▶ Page 170

120° Corner Height-Adjustable Desks

	Depth Left	Depth Right	Width Back	Width Front
Left-Hand	23 1/4"	14 1/4"	42"	42"
Right-Hand	14 1/4"	23 1/4"	42"	42"

Steelcase Flex Collection, continued



Understanding
▶Page 150
Specifying
▶Page 166

Rectangle Height-Adjustable Bases

	46"W	58"W	70"W
23"D or 24"D	●	●	●
29"D or 30"D	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 46"–72".




Understanding
▶Page 157
Specifying
▶Page 172


Curved Screens

	46"W	58"W	70"W
18"H	●	●	●

Personal Spaces Privacy Wraps



120° Desk Mount Privacy Wrap
Understanding
▶Page 158
Specifying
▶Page 173




90° Desk Mount Privacy Wrap
Understanding
▶Page 158
Specifying
▶Page 174


Accessories




Power Hanger
Understanding
▶Page 160
Specifying
▶Page 175




Cable Tray for Flex Rectangle Height-Adjustable Desks
Understanding
▶Page 151
Specifying
▶Page 175




Cable Tray for 120° Flex Height-Adjustable Desks
Understanding
▶Page 155
Specifying
▶Page 176




Cable Brackets
Understanding
▶Page 152
Specifying
▶Page 177



Magnetic Cable Clips
Understanding
▶Page 160
Specifying
▶Page 176




Modesty Panel for 120° Height-Adjustable and 120° Straight Work Table
Understanding
▶Page 155
Specifying
▶Page 178



Magnetic Name Tag
Understanding
▶Page 160
Specifying
▶Page 178


Migration Pro Height-Adjustable Desks



Understanding
▶ Page 186
Specifying
▶ Page 222

Rectangular Desks, T-Leg


	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
23"D or 24"D	●	●	●	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 186
Specifying
▶ Page 222

Rectangular Desks, C-Leg

	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
28"D, 29"D, or 30"D	●	●	●	●	●	●	●	N.A.	N.A.	N.A.




Understanding
▶ Page 186
Specifying
▶ Page 226

Organic Desks, T-Leg

	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
23"D or 24"D	●	●	●	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●	●	●	●


Migration Pro Height-Adjustable Desks, continued



Understanding
▶ Page 186
Specifying
▶ Page 226

Organic Desks, C-Leg


	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
28"D, 29"D, or 30"D	●	●	●	●	●	●	●	N.A.	N.A.	N.A.



Understanding
▶ Page 200
Specifying
▶ Page 230

Rectangular Bases, T-Leg

	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
23"D or 24"D	●	●	●	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●	●	●	●




Understanding
▶ Page 186
Specifying
▶ Page 230

Rectangular Bases, C-Leg

	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
28"D, 29"D, or 30"D	●	●	●	●	●	●	●	N.A.	N.A.	N.A.


Migration Pro with Boost High-Speed Height-Adjustable Desks



Understanding
▶ Page 194
Specifying
▶ Page 232

Rectangular Desks


	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●



Understanding
▶ Page 194
Specifying
▶ Page 236

Organic Desks

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●




Understanding
▶ Page 196
Specifying
▶ Page 239

Rectangular Bases

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●


Migration Intro Height-Adjustable Desks



Understanding
▶ Page 200
Specifying
▶ Page 240

Rectangular Desks


	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●



Understanding
▶ Page 200
Specifying
▶ Page 242

Organic Desks

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●




Understanding
▶ Page 200
Specifying
▶ Page 244


Rectangular Bases

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●	●


Migration Intro and Pro Accessories




Metal Cable Tray
Understanding
▶Page 206
Specifying
▶Page 245




Cable Riser
Understanding
▶Page 206
Specifying
▶Page 246




Small Cable Brackets
Understanding
▶Page 206
Specifying
▶Page 247




Large Cable Brackets
Understanding
▶Page 206
Specifying
▶Page 247




Utility Power Mounting Brackets
Understanding
▶Page 189
Specifying
▶Page 248



Side Screen Knife Edge Adapter Bracket
Understanding
▶Page 189
Specifying
▶Page 248




Obstruction Detection Kit
Understanding
▶Page 189
Specifying
▶Page 249



Maintenance Kit
Understanding
▶Page 189
Specifying
▶Page 249



Caster Kit
Understanding
▶Page 188
Specifying
▶Page 249




Understanding
▶Page 208
Specifying
▶Page 249

Modesty Panel

40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
●	●	●	●	●	●	●	●	●	●


▶**Statement of Line**, continued

Migration SE Height-Adjustable Desks




Understanding
▶ Page 210
Specifying
▶ Page 252

Rectangular Desks, T-Leg




Tip: Widths are available parametrically in 1/16" increments from 46"–76".




Understanding
▶ Page 210
Specifying
▶ Page 254

Rectangular Desks, C-Leg



Tip: Widths are available parametrically in 1/16" increments from 46"–76".

Migration SE Height-Adjustable Desks, continued




Understanding
▶ Page 210
Specifying
▶ Page 256

90° Equal Corner 3-Leg Desks

	52"W	58"W
23"D or 24"D	●	●
29"D or 30"D	●	●

Tip: Widths are parametric by 1/16" from 52"W–60"W.




Understanding
▶ Page 210
Specifying
▶ Page 256

90° Extended Corner 3-Leg Desks*

	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

**Left-hand units shown. Right-hand units available.*

Tip: Widths are parametric by 1/16" from 46"W–76"W.
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W .
Tip: For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.




Understanding
▶ Page 210
Specifying
▶ Page 256

120° Equal Corner 3-Leg Desks


	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●

Tip: Widths are parametric by 1/16" from 46"W–66"W.

Migration SE Height-Adjustable Desks, continued



Understanding
▶ Page 210
Specifying
▶ Page 267




Understanding
▶ Page 210
Specifying
▶ Page 268

Rectangular Bases, T-Leg

	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●
35"D or 36"D	●	●	●	●	●	●

Rectangular Bases, C-Leg

	46"W	52"W	58"W	64"W	70"W	76"W
29"D or 30"D	●	●	●	●	●	●




Understanding
▶ Page 210
Specifying
▶ Page 269

90° Equal Corner 3-Leg Bases

	52"W	58"W
23"D or 24"D	●	●
29"D or 30"D	●	●

Tip: Widths are parametric by 1/16" from 52"W–60"W.



Understanding
▶ Page 210
Specifying
▶ Page 269


90° Extended Corner 3-Leg Bases*

	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

**Left-hand units shown. Right-hand units available.*

Tip: Widths are parametric by 1/16" from 46"W–76"W.
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W .
Tip: For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Migration SE Height-Adjustable Desks, continued




Understanding
▶ Page 210
Specifying
▶ Page 269


120° Equal Corner 3-Leg Bases

	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●


Tip: Widths are parametric by 1/16" from 46"W–76"W.




Flush steel open front



Proud steel open front



Flush steel open front



Proud steel open front


Understanding
▶ Page 220
Specifying
▶ Page 270

Universal One-High and 1.5-High Open Laterals*

For Migration SE Application

	30"W	36"W	42"W
16"H	●	●	●
22"H	●	●	●

*Right-hand application shown. Left-hand application available.



18"D or 18 7/8"D

Understanding
▶ Page 220
Specifying
▶ Page 272


Universal Common Tops*

For Migration SE Application


60"W	66"W	72"W	78"W	84"W	90"W	96"W	108"W
●	●	●	●	●	●	●	●

*Right-hand application shown. Left-hand application available.

Migration SE Height-Adjustable Desks, continued



Understanding
▶ Page 220
Specifying
▶ Page 274



Understanding
▶ Page 220
Specifying
▶ Page 275

Shrouds

For Migration SE Application

	30"W	36"W	42"W
16"H	●	●	●
22"H	●	●	●

Filler


For Migration SE Application

16"H	●
22"H	●


Migration SE Cable and Power Management



Cable Riser–Leg Connection
Understanding
▶ Page 212
Specifying
▶ Page 276




Cable Riser–Fence Connection
Understanding
▶ Page 212
Specifying
▶ Page 276



Cable Brackets
Understanding
▶ Page 212
Specifying
▶ Page 276

Currency

for Use with Ology and Migration SE



Understanding
▶ Page 280
Specifying
▶ Page 284


One-High and 1.5-High Storage for Ology and Migration SE Applications

	30"W	36"W	42"W	48"W	60"W	72"W
15 3/8"H	●	●	●	●	●	●
21 3/8"H	●	●	●	●	●	●


Tip: Parametric depth (18 7/8"D–24"D) is available in 1/16" increments.
Tip: Parametric width (30"W–72"W) is available in 1/16" increments.

Airtouch Height-Adjustable Worksurfaces

Universal Tables




Understanding
▶Page 288
Specifying
▶Page 292





Understanding
▶Page 288
Specifying
▶Page 292

Rectangular Worksurfaces



90° Corner Worksurfaces





Understanding
▶Page 288
Specifying
▶Page 292


120° Equal Worksurfaces



▶**Statement of Line**, continued


Airtouch Height-Adjustable Worksurfaces


For Use with Universal Systems



Understanding
▶Page 288
Specifying
▶Page 294


Rectangular Worksurfaces






Understanding
▶Page 288
Specifying
▶Page 294


90° Corner Worksurfaces






Understanding
▶Page 288
Specifying
▶Page 294

120° Equal Worksurfaces



Screens




Understanding
▶ Page 298
Specifying
▶ Page 332

Universal Privacy/Modesty Screens

	Height Above Worksurface	42"W	48"W	54"W	60"W	66"W
Privacy Mount Height*	19⅕"H	●	●	●	●	●
Privacy/Modesty Mount Height*	13"H	●	●	●	●	●

**Privacy mount height measures 48" from the floor to the top of the screen and privacy/modesty mount height measures 42" from the floor to the top of the screen.*


Tip: Overall screen height is 25⅞"H.



Understanding
▶ Page 302
Specifying
▶ Page 334

Universal Privacy Screens

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13½"H	●	●	●	●	●	●	●	●	●	●	●	●	●
19½"H	●	●	●	●	●	●	●	●	●	●	●	●	●




Understanding
▶ Page 304
Specifying
▶ Page 336

Sarto Privacy/Modesty Screens

	24"W	29"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W
24"H	●	●	●	●	●	●	●	●	●	●
30"H	●	●	●	●	●	●	●	●	●	●


Screens, continued



Understanding
▶ Page 308
Specifying
▶ Page 338


Sarto Privacy Screens

	24"W	29"W	30"W	36"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W	72"W	78"W	84"W	90"W	96"W
13½"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
19½"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
24"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
36"H	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



Understanding
▶ Page 308
Specifying
▶ Page 340


Sarto Alignment Bracket



Understanding
▶ Page 310
Specifying
▶ Page 342

Sarto Curved Screens, L-Screen


	23"–46"W
18½"–24"H	●



Understanding
▶ Page 310
Specifying
▶ Page 344

Sarto Curved Screens, Half Desk-Screen

	23"–46"W
18½"–24"H	●





Understanding
▶ Page 314
Specifying
▶ Page 345

Soffio Screen

	56"W	68"W	80"W
26"H	●	●	●

Screens, continued





Understanding
▶ Page 316
Specifying
▶ Pages 348–350

Worksurface Side Screens

	22"W	23 1/2"W	24"W	28"W	29 1/2"W	30"W
12"H	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●



Understanding
▶ Page 318
Specifying
▶ Page 352

Acrylic Privacy Screens

	22"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W
22"H	●	●	●	●	●	●	●	●



Understanding
▶ Page 319
Specifying
▶ Page 352


Acrylic Modesty Screens

	22"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W
14"H	●	●	●	●	●	●	●	●


Cable and Power Management




Vertical Cable Carrier
Understanding
▶ Page 320
Specifying
▶ Page 353



6"D Wire Manager
Understanding
▶ Page 320
Specifying
▶ Page 353




1¾"D Wire Manager
Understanding
▶ Page 320
Specifying
▶ Page 354



Soft Cable Drop
Understanding
▶ Page 320
Specifying
▶ Page 354




Utility Hook
Understanding
▶ Page 320
Specifying
▶ Page 355




Powerstrip Intro
Understanding
▶ Page 321
Specifying
▶ Page 356




Powerstrip Plus
Understanding
▶ Page 325
Specifying
▶ Page 358




Under Worksurface Utility Power
Understanding
▶ Page 328
Specifying
▶ Page 360



Universal Cable Management Kit, Small
Understanding
▶ Page 330
Specifying
▶ Page 361




Universal Cable Management Kit, Large
Understanding
▶ Page 330
Specifying
▶ Page 361



High-Capacity Cable Riser
Understanding
▶ Page 331
Specifying
▶ Page 362

Workstation Design Guidelines and Requirements



Overview

Designed for movement with dynamic seating, adjustable worktools and height-adjustable desks are important for today's office workers. To determine the best height-adjustable solution, consider these four criteria:

1. Adjustability Needed: What is the height range requirement? (seated or sit-to-stand)
2. Worksurface Size Needed: What does the physical space look like? (worksurface configuration)
3. Equipment/Tools Used: What type of computer equipment and other worktools are being used on the worksurface? (load capacity)
4. Use: What is the height-adjustable desk being used for (individual or shared, touchdown space or full workstation, sit-to-stand or seated)?

⚠WARNING

Risk of Serious Injury. If not used as intended, moving worksurfaces can pinch or injure people, or damage property. Always follow theses Instructions:

1. Keep height-adjustment range free from obstructions above and below the worksurface.
2. Plan for a minimum 1" gap against a panel or wall.
3. Plan for a minimum 1" gap to adjacent furniture.

Tips

Obstructions
Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of height-adjustable desks.


Weight
The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

Width
Specify a minimum 1" gap to adjacent furniture. This minimizes any pinch points between a height-adjustable desk and a fixed object.

Depth
When placing a height-adjustable desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This minimizes pinch points and adds clearances for cable access.

Managing Technology
Design workstations with computer equipment in mind so that the height-adjustment range of the height-adjustable desk is not impeded because of cables. Consider the addition of a cable riser or cable basket to help harness these wires and cables.

Power
Plan easy and unobstructed access to electrical outlets for computer equipment and height-adjustable desks (when applicable).



⚠WARNING

Risk of serious injury.

Bases-only warranty limitations and potential for injury: The use of worksurfaces that do not comply with the Steelcase defined criteria and limitations could cause personal injury or property damage due to pinch points, instability, or other problems, and voids all Steelcase Warranties, expressed or implied.

Potential for non-compliance: The use of worksurfaces that do not comply with Steelcase criteria voids any Steelcase claims of compliance with ANSI/BIFMA, UL, LEED, or other applicable requirements. The use of non-Steelcase worksurfaces on Steelcase adjustable-height bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. Steelcase is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-Steelcase worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a Steelcase worksurface as intended.

Worksurface Criteria and Limitations

The use of non-Steelcase worksurfaces is not recommended. Any use of a non-Steelcase worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.

Mandatory Requirements

Height-adjustable bases include fasteners intended for use with Steelcase worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:

- Medium-density or higher particleboard or fiberboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater (Ology, Flex, and Migration SE)
- Thickness of 1 3/16" or greater
- Fasteners located a minimum distance of 1" from any edge

Any other worksurface construction will require different and/or additional fastening means and these means must be determined by the project's designer, architect, or engineer. For example, solid-surface materials should use appropriate threaded inserts and corresponding fasteners or similar attachment means.

In all cases, all fastener locations provided in the base attachment features must be used (e.g. if attachment plate has six screw holes, all six holes must be used for attachment).

Flammability: Any worksurface or similar large part >10ft ^ 2 must have a flame spread <200 and a smoke developed index <450 when tested per UL 723.

Sharp edges: All accessible edges of the worksurface must meet 1439 test for sharp edges.

Dimensional limitations: Rectangle worksurface depth 23", 24", 28", 29", or 30". Worksurface width for Migration Intro (HA1 styles) not to exceed 78".

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:
The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

If your usage is known in advance:
Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.
▶See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate power consumption for common devices

• Device	• Wattage	• Amperage	• Voltage	• Number of Devices Supported on Single 20 Amp Circuit
Laptop (Low)	30	0.25	120	64
Laptop (High)	100	0.83	120	19
CPU/Desktop Computer (Low)	65	0.54	120	30
CPU/Desktop Computer (High)	150	1.25	120	13
Monitor (Low)	15	0.13	120	128
Monitor (High)	80	0.67	120	24
Phone	5	0.04	120	384
High Power Tablet	10	0.08	120	192
Lower Power Tablet	45	0.38	120	43
Desktop Printer	40	0.33	120	48
42" LCD Screen	120	1.00	120	16
Projector (Small)	50	0.42	120	38
Projector (Medium)	250	2.08	120	8
Projector (Large)	800	6.67	120	2
Desktop Lamp	20	0.17	120	96
Large Printer/Copier	1600	13.33	120	1
Small Printer/Copier	800	6.67	120	2
Paper Shredder (Small)	250	2.08	120	8
Paper Shredder (Large)	800	6.67	120	2
Desktop Fan	25	0.21	120	77
Standing Fan	125	1.04	120	15
Coffee Maker (Low)	500	4.17	120	4
Coffee Maker (High)	1500	12.50	120	1
Microwave (Low)	600	5.00	120	3
Microwave (High)	1000	8.33	120	2
Refrigerator (Low)	200	1.67	120	10
Refrigerator (High)	1500	12.50	120	1
Vacuum (Low)	200	1.67	120	10
Vacuum (High)	1500	12.50	120	1
Space Heater (Low)	400	3.33	120	5
Space Heater (High)	1500	12.50	120	1
Height-Adjustable Desk (Low Power Consumption)*	200	1.67	120	10
Height-Adjustable Desk (High Power Consumption)*	550	4.58	120	3

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.
** Refer to the* Height-Adjustable Desks Specification Guide *for specific product information.*

Basics of Ergonomic Seating



A well-designed, ergonomically advanced chair that allows a full range of healthy postures throughout the day and can contribute to worker wellness and productivity.

Neck is straight or slightly forward.

Shoulders are relaxed so arms hang naturally.

Back has full contact with the backrest (sit all the way back in your chair).

Elbows and forearms can rest comfortably on the arms of your chair, or on worksurfaces.

Lower back fits into curved lumbar support.

Tension is adjusted so backrest reclines easily, yet provides smooth, even support, and encourages postural change.

Top of monitor should be at eye level.

Screen is 20 to 30 inches from the eyes. Screen is at eye level slightly lower and directly in front of worker so head is not turned.

Wrists should be straight when keying or mousing, not bent up or down.


When keying or mousing, forearms are parallel to the floor.

Thighs are parallel to the floor.

Feet are flat on the floor or on a footrest.

Basics of Standing and Monitor Arm Positioning

Height-adjustable desks, when combined with monitor arms, allow a full range of healthy postures throughout the day and can contribute to worker wellbeing and productivity.




Top of monitor should be 0° to 20° below horizontal line of sight.

Avoid locking knees to help maintain good posture.


Feet should be flat on the floor or use foot rest or foot pad.

Height



Top of the monitor should be positioned at or slightly below eye level.

Distance



Monitor should be 20" to 30" from the eyes or approximately an arm's length away.

Worksurface Shape Overview


Extensive worksurface shape and size offering allows designers to meet a variety of planning applications and footprints.




Rectangular
Ology
Migration Pro
Migration Pro High-Speed
Migration Intro
Migration SE
Airtouch




Rectangular with 2" Radius Corners
Ology**
Migration Pro
Migration Pro High-Speed
Migration Intro
Migration SE




Rectangular with 5" Radius Corners
Rectangle Flex Desk
Migration Pro
Migration Pro High-Speed
Migration Intro
Migration SE




Organic Bow Front
Migration Pro
Migration Pro High-Speed
Migration Intro




Organic Bow Front and Back
Migration Pro
Migration Pro High-Speed
Migration Intro




Tapered
Ology




90° Corner
Airtouch




90° Equal
Ology
Migration SE




90° Equal *
Ology



90° Extended
Ology
Migration SE




90° Extended *
Ology



120° Equal
Ology 120° Extended through parametrics
Airtouch
Migration SE



120° Straight Desk
120° Flex Desk




120° Corner Desk
120° Flex Desk

**Worksurfaces equal to and wider than 60 1/16"x 60 1/16" ship in two pieces.*
*** Ology radius corners are 1 1/4".*


Worksurface Edge Options

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available with a 3 mm edge profile.



3 mm edge profile



Knife edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶ See *Surface Materials* in this book for specific PVC-free availability, page 364.
Tip: Universal Tables (rounded corners) have a continuous 3 mm edge.

Edge profile finishes are specified separately from laminate color.

Knife Edge 3 Sides



Rectangular



Rectangular with 2" Radius Corners



Rectangular with 5" Radius Corners



Organic Bow Front



Organic Bow Front and Back

Knife Edge User Side Only



Rectangular



Rectangular with 2" Radius Corners




Rectangular with 5" Radius Corners




Organic Bow Front



Organic Bow Front and Back




Radius corners have rounded corners on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.
Tip: Ology, when optioned with rounded corners and with integrated rail, will have 1¼" radius corners on the two front (user's) corners and 90° corners on the rear two corners.



Square corners and wood veneer worksurfaces have 90° corner on all four sides with a front user's edge.
Tip: Flex rectangle and 120° corner desk wood veneer worksurfaces have radius corners on all four sides.

Wood Veneer Worksurfaces



Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.
Tip: Wood veneer worksurfaces are available on Airtouch through specials.

Radius Corner Edge Profiles


Rectangular


Rectangular with 2" Radius Corners



Rectangular with 5" Radius Corners



Organic Bow Front



Organic Bow Front and Back


Tapered


120° Equal


90° Equal


90° Extended


120° Straight Desk



120° Corner Desk


Square Corner and Wood Edge Profiles


Rectangular


Tapered


120° Equal


90° Equal



90° Extended

Height-Adjustable Desks Comparison Chart

Height-adjustable desks transform to meet the needs of someone 5' to 6'4" tall. Adjustables offer several selections; Ology, Flex, Migration SE, and Airtouch.

The chart below will help you determine which product line best meets your needs.

Ology



Enhanced sit-to-stand height-adjustability
A push button delivers electric adjustability at 1½" per second. Includes three controller options:
- Simple touch
- Active touch
- 4 Pre-sets


Weight capacity of 360 pounds (2-leg) to 500 pounds (3-leg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).
▶See page 70 for worksurface weights.

Adjustables Comparison Chart

	Ology Sit-to-Stand
Range of Adjustment	Extended height: 22⅜" – 48⅞" Basic height: 27⅜" – 46⅖"
Type of Adjustment	Electric
Distributed Weight Capacity	360 pounds (2-leg) 500 pounds (3-leg) *Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300* pounds *(136.1 kg).*
Worksurface Weight	▶See page 70 for worksurface weights
Worksurface Thickness	1"
Controller	Simple touch, Active touch, 4 Pre-sets
Integrated Rail	Yes
Knife Edge	No
Integrated Soft Edge	Yes
Integrated Power	Yes
Motor	Enclosed
Decibel Rating	< 50 dBA
Volts	2-leg: 120v AC/ 3-leg: 100-240v AC
Input Amps	2-leg: 2.5A/ 3-leg: 3.75A
Watts	2-leg: 300W/ 3-leg:450W
Standby Power	0.1W
Frequency and Phase	2-leg: 60 Hz Single Phase/ 3-leg: 50-60Hz
Adjustablilty Speed	1½" per second
Stretcher or Understructure Design	Fixed
Base Only Availability	Yes
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed

Flex Rectangle Height-Adjustable Desks



Enhanced sit-to-stand height-adjustability
A push button delivers electric adjustability up to 1½" per second. Includes two controller options:
- Simple touch
- Active touch

	Weight Capacity
Flex Rectangle	360 pounds

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.
▶See *Storage Specification Guide* for worksurface weights.


Adjustables Comparison Chart

	Flex Rectangle Sit-to-Stand
Range of Adjustment	Extended height: 22⅗"—48⅞" Basic height: 27⅗"—46Ⅸ
Type of Adjustment	Electric
Distributed Weight Capacity	360 pounds
Worksurface Weight	See page 153 for worksurface weights
Worksurface Thickness	1"
Controller	Simple touch, Active touch
Integrated Rail	No
Knife Edge	No
Integrated Soft Edge	No
Integrated Power	Yes
Motor	Enclosed
Decibel Rating	< 45 dBA
Volts	120v AC
Input Amps	2.5A
Watts	300W
Standby Power	0.1W
Frequency and Phase	60 Hz Single Phase
Adjustablilty Speed	1½" per second
Stretcher or Understructure Design	Fixed
Base Only Availability	Yes
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed


▶**Height-Adjustable Desks Comparison Chart**, continued

Flex 120° Height-Adjustable Desks

Extended Height



Basic Height



Enhanced sit-to-stand height-adjustability
A push button delivers electric adjustability up to 1 1/2" per second. Includes two controller options:
- Simple touch
- Active touch

	Weight Capacity
Flex 120° Straight and Flex 120° Corner	540 pounds


Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.
▶See *Storage Specification Guide* for worksurface weights.

Adjustables Comparison Chart


	Flex 120° Straight and Flex 120° Corner Sit-to-Stand
Range of Adjustment	Extended height: 22 3/5"—48 7/10" Basic height: 27 3/5"—46 9/10"
Type of Adjustment	Electric
Distributed Weight Capacity	540 pounds
Worksurface Weight	See page 153 for worksurface weights
Worksurface Thickness	1"
Controller	Simple touch, Active touch
Integrated Rail	No
Knife Edge	No
Integrated Soft Edge	No
Integrated Power	Yes
Motor	Partially enclosed
Decibel Rating	< 45 dBA
Volts	100v-240v AC
Input Amps	3.75A
Watts	450W
Standby Power	0.1W
Frequency and Phase	60 Hz Single Phase
Adjustablilty Speed	1½" per second
Stretcher or Understructure Design	Fixed
Base Only Availability	No
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed

Migration Pro Height-Adjustable Desks

Migration Pro and Pro High-Speed – Extended



Migration Pro – Basic



Migration Pro
Enhanced sit-to-stand height-adjustability
Controller adjusts the height of the desk at a rate of 1 1/2" per second. Includes three options:
- Simple touch
- Active touch
- 3-Preset


Migration Pro with Boost High-Speed
Fast sit-to-stand height-adjustability
Controller adjusts the height of the desk at a rate of 3 1/10" per second. Includes three options:
- Simple touch
- Active touch
- 3-Preset

Adjustables Comparison Chart


	Migration Pro Sit-to-Stand	**Migration Pro with Boost** Sit-to-Stand
Range of Adjustment	Extended height: 22 3/5" – 48 7/10" Basic height: 27 3/5" – 47 3/10"	Extended height: 22 3/5" – 48 7/10"
Type of Adjustment	Electric	Electric
Distributed Weight Capacity	360 pounds	270 pounds
Worksurface Weight	▶See page 213 for worksurface weights	▶See page 213 for worksurface weights
Worksurface Thickness	Ology—1" Universal—1 1/8"	Ology—1" Universal—1 1/8"
Controller	Simple touch, Active touch, 3-Preset	Simple touch, Active touch, 3-Preset
Integrated Rail	No	No
Knife Edge and Knife Edge User Side	Yes	Yes
Integrated Soft Edge	Yes	Yes
Integrated Power	Yes	Yes
Motor	Enclosed	Enclosed
Decibel Rating	< 39 dBA	< 45 dBA
Volts	120V AC	100V-240V AC
Input Amps	2.5A	3.75A
Watts	300W	450W
Standby Power	0.1W	0.1W
Frequency and Phase	60 HZ Single Phase	60 HZ Single Phase
Adjustablilty Speed	1 1/2" per second	3 1/10" per second
Stretcher or Understructure Design	Fixed	Fixed
Base Only Availability	Yes	Yes
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed	Meet or Exceed

Migration Intro Height-Adjustable Desks

Migration Intro – Extended



Migration Intro – Basic



Migration Intro
Easy sit-to-stand height-adjustability
Controller adjusts the height of the desk at a rate of 1 1/5" per second. Includes two options:
- Basic
- Active touch

	Weight Capacity
Migration Pro	360 pounds
Migration Pro with Boost High-Speed	270 pounds
Migration Intro	270 pounds


Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.

▶See page 213 for worksurface weights

Adjustables Comparison Chart

	Migration Intro Sit-to-Stand
Range of Adjustment	Extended height: 22 1/8" – 48 1/4" Basic height: 26 9/10" – 46 3/5"
Type of Adjustment	Electric
Distributed Weight Capacity	270 pounds
Worksurface Weight	▶See page 213 for worksurface weights
Worksurface Thickness	Ology—1" Universal—1 1/8"
Controller	Basic, Active touch
Integrated Rail	No
Knife Edge and Knife Edge User Side	No
Integrated Soft Edge	No
Integrated Power	No
Motor	Enclosed
Decibel Rating	< 45 dBA
Volts	120V AC
Input Amps	4.0A
Watts	480W
Standby Power	0.1W
Frequency and Phase	50-60 HZ Single Phase
Adjustablilty Speed	1 1/5" per second
Stretcher or Understructure Design	Fixed
Base Only Availability	Yes
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed

Migration SE Height-Adjustable Desks




Simple sit-to-stand height-adjustability
Controller adjusts the height of the desk at a rate of 13/10" per second. Includes two options:
- Up/down
- 4-Preset

Weight capacity of 250 pounds (2-leg) and 300 pounds (3-leg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶See page 213 for worksurface weights

Adjustables Comparison Chart

	Migration SE
Range of Adjustment	Extended height: 22⅜"–48⅞" Basic height: 28⅜"–46⅝"
Type of Adjustment	Electric
Distributed Weight Capacity	250 pounds (2-leg) 330 pounds (3-leg)
Worksurface Weight	▶See page 213 for worksurface weights
Worksurface Thickness	1"
Controller	Up/Down, Digital Pre-set
Integrated Rail	No
Knife Edge	No
Integrated Soft Edge	No
Integrated Power	No
Motor	Enclosed
Decibel Rating	< 47 dBA
Volts	100-127v AC, 220-240v AC
Input Amps	5A max for 100–127v AC, 2A max for 220–240v AC
Watts	540W
Standby Power	0.3W
Frequency and Phase	60 Hz (100–127v AC) 50Hz (220–240v AC) Single Phase
Adjustablilty Speed	1⅜" per second
Stretcher or Understructure Design	Telescoping understructure for both T- and C-leg
Base Only Availability	Yes
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed

Airtouch



Collaborative height-adjustability
Weight capacity of 150 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface.
▶See page 291 for worksurface weights.

*Small configurations only.

** 29"D knee depth requirement for worksurface

Adjustables Comparison Chart

	Airtouch Sit-to-Stand
Range of Adjustment	26"—43"
Type of Adjustment	Counterforce Mechanism
Distributed Weight Capacity	150 pounds
Worksurface Weight	▶See page 291 for worksurface weights
Worksurface Thickness	1 3/16"
Controller	Paddle
Integrated Rail	No
Knife Edge	No
Integrated Soft Edge	No
Integrated Power	No
Motor	N.A.
Decibel Rating	N.A.
Volts	N.A.
Input Amps	N.A.
Watts	N.A.
Standby Power	N.A.
Frequency and Phase	N.A.
Adjustablilty Speed	User speed (1 second)
Stretcher or Under-structure Design	N.A.
Base Only Availability	No
**ANSI/BIFMA ** **	Meet or Exceed

Worktools Compatibility Charts


To determine worksurface compatibility with acrylic privacy/modesty screens, SOTO rail, and SlatRail worktools for each configuration and shape, see compatibility chart below.


Tip: The Ology integrated rail option does not apply to these rules because the rail matches the worksurface width.

Tip: Slatwall stanchions are not applicable because they allow Slatwall to overhang mounting area.

Tip: SlatRail stanchions do not work with the same size screen or SOTO rail, (e.g. 48"W SlatRail will not work with 52"W screens) because of clamp location. Specify the SlatRail one size smaller or larger when using in combination (if applicable).
▶See page 318

Ology Desks





Rectangular and Tapered

Side **A** width


Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■

Side **A** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■			
52"W	■	■	■	■		
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■



90° Equal 3-Leg

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■

Side **A** width

SlatRail


Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■

Side **B** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■

Ology Desks, continued



90° Extended 3-Leg

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
40"W							
46"W							
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
40"W	■	■					
46"W	■	■	■				
58"W	■	■	■	■	■		
64"W							
70"W							
76"W							

Side **A** width


SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
40"W						
46"W						
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■

Side **B** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
40"W	■	■	■			
46"W	■	■	■	■		
58"W	■	■	■	■	■	
64"W						
70"W						
76"W						



120° Equal

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side **A** width

SlatRail


Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

Side **B** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

Ology Desks, continued



120° Equal 3-Leg

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side **A** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

Side **B** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

Steelcase Flex Height-Adjustable Desks



Rectangular

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail


Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W
46"W	■	■				
58"W	■	■	■	■		
70"W	■	■	■	■	■	■

Side **A** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W
46"W	■	■	■		
58"W	■	■	■	■	
70"W	■	■	■	■	■

Migration SE Desks



Rectangular

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■


Side **A** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
46"W	■	■	■			
52"W	■	■	■	■		
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■

Tip: Migration SE 90° and 120° corner desks are not available with acrylic privacy/modesty screens, SOTO rail, and SlatRail.

Airtouch Worksurfaces



Rectangular and Rectangular Bi-level

Side **A** width


Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
40"W	■	■					
46"W	■	■	■				
58"W	■	■	■	■	■		

Side **A** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
	■	■	■			
	■	■	■	■		
	■	■	■	■	■	



90° Corner and 90° Corner Bi-Level

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
39¼"W	■	■					
45¼"W	■	■	■				

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

28"W	34"W	40"W	46"W	52"W	58"W	64"W
■	■					
■	■	■				

Side **A** width


SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
39¼"W	■	■	■			
45¼"W	■	■	■	■		

Side **B** width

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W
■	■	■			
■	■	■	■		



120° Equal

Side **A** width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						

Side **B** width

Acrylic Privacy/Modesty/SOTO Rail

28"W	34"W	40"W	46"W	52"W	58"W	64"W
■						

Side **A** width

SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				

Side **B** width

SlatRail

24"W	30"W	36"W	42"W	48"W	60"W
■	■				

Steelcase Monitor Arm Guidelines

Application Guidelines for Migration Pro, Migration Pro with Boost High-Speed, and Migration Intro








Rules:

- Single monitor arm and monitor requires a minimum worksurface size of 23/24"D x 46"W
- Multi monitor set up requires a minimum worksurface size of 28/29/30"D x 58"W
- Up to three single monitor arms with maximum monitor weight of 15 lbs. each
- Maximum of six tiered monitors with a maximum monitor weight of 10 lbs. each (60 lbs. in total)








Tip: Attached monitor arms on freestanding desks must not extend beyond the perimeter of the desk. This includes the front, sides, and back edge of the worksurface.




Dynamic adjustment: Up to three single arms with maximum 15 lbs. each monitor (45 lbs. total)

- **CFINTRO** – 20 lbs.
- **CFPLUS** – 17 lbs.
- **CFPLUSHD** – 28 lbs.
- **CFMAX** – 40 lbs.
- **CFINTROSLIDE** – 20 lbs.
- **CFSTDDUALBAR** – 28 lbs.







Monitor Arm Assemblies	Migration Pro (HA2) and Pro with Boost High-Speed (HA3)	Migration Intro (HA1)
 **CFINTRO**	Yes	Yes
 **CFPLUS—Single**		
 **CFPLUSHD—Single**	Yes	Yes
 **CFMAX**	Yes, with exceptions*.	No
 **CFINTRO (Qty 2)**	Yes	Yes, with exceptions. Modesty panel and cable tray are not allowed.
 **CFPLUS (Qty 2)**	Yes	Yes
 **CFPLUSHD (Qty 2)**	Yes	No

***CFSTATIC** and **CFMAX** does not allow use with modesty panel or cable tray use due to monitor arm bracket size.

Monitor Arm Assemblies	Migration Pro (HA2) and Pro with Boost High-Speed (HA3)	Migration Intro (HA1)
 **CFMAX (Qty 2)**	No	No
 **CFINTRO (Qty 3)**	Yes	No
 **CFPLUS (Qty 3)**	Yes	No
 **CFPLUSHD (Qty 3)**	No	No
 **CFMAX (Qty 3)**	No	No
 **CFINTROSLIDE**	Yes	Yes
 **CFPLUS—Dual**	Yes	Yes, with exceptions. Modesty panel is not allowed.

Monitor Arm Assemblies	Migration Pro (HA2) and Pro with Boost High-Speed (HA3)	Migration Intro (HA1)
 **CFPLUSHD—Dual**	Yes	No
 **CFSTDUALBAR**	Yes	Yes, with exceptions. Modesty panel is not allowed.
 **CFPLUSHD—Triple**	Yes	No

Static adjustment: Up to six tiered monitors with maximum 10 lbs. each monitor (60 lbs. total)
- **CFSTATIC** – Single up to 30 lbs.
- **CFSTATIC** – Triple up to 15 lbs.
- **CFSTATIC** – Triple wide up to 15 lbs.

Monitor Arm Assemblies	Migration Pro (HA2) and Pro with Boost High-Speed (HA3)	Migration Intro (HA1)
 **CFSTATIC—Single**	Yes, with exceptions*.	Yes, with exceptions*.
 **CFSTATIC—Triple**	Yes, with exceptions*.	Yes, with exceptions*.
 **CFSTATIC—Triple Wide**	No	No
 **CFSTATIC—1 over 1**	Yes, with exceptions*.	Yes, with exceptions*.
 **CFSTATIC—2 over 2**	Yes, with exceptions*.	No
 **CFSTATIC—2 over 2 Wide**	No	No
 **CFSTATIC—3 over 3**	Yes, with exceptions*.	No
 **CFSTATIC—3 over 3 Wide**	No	No

***CFSTATIC** and **CFMAX** does not allow use with modesty panel or cable tray use due to monitor arm bracket size.

Steelcase Monitor Arm Guidelines

Supporting Single, Dual, and Triple Monitor Arm Applications on 2 Leg Height-Adjustable Desks

Rules:

- Single monitor arm/monitor requires a minimum worksurface size of 23/24"D x 46"W
- Dual and triple monitor arms/monitors require a minimum worksurface size of 29/30"D x 58"W
- Monitor arms are not permitted on 2 leg desks with casters

For CFPLUS, CFPLUSHD, CFMAX, and CFSTATIC

Monitor Arm Assemblies	**Migration SE** T-Leg Only	**Migration SE** C-Leg Only	**Ology**	**Flex**
Single Dynamic/Single Static Monitor Arm	Approved	Approved	Approved	Approved
Dual Dynamic/Dual Static Monitor Arm	Approved	Approved	Approved	Approved
Triple Dynamic/Triple Static Monitor Arm	Approved	Static only	Approved	Static only

Tip: Attached monitor arms on freestanding tables must not extend beyond the perimeter of the desk (this includes the front, sides, and back edge of the worksurface).

Tip: Ology desk or bench with integrated rail, specify CF monitor arm with C-clamp mount. Monitor arm does not mount to integrated rail.

For CFPRO and CFPROSTATIC

Monitor Arm Assemblies	**Migration Intro**	**Migration Pro/ Pro with Boost**	**Migration SE** T-Leg	**Ology**	**Flex**
Single Dynamic/Single Static	Approved	Approved	Approved	Approved	Approved
Dual Dynamic/Dual Crossbar/Dual Static	Approved	Approved	Approved	Approved	Approved
Triple Dynamic/Triple Static	Approved	Approved	Approved	Approved	Approved

Steelcase Monitor Arm Guidelines

Supporting Tiered Monitor Arm Applications on 2 Leg Height-Adjustable Desks

Rules:

- Minimum worksurface size of 29/30"D x 58"W required for multiple monitors
- Six monitors maximum permitted on 2 leg desk
- 60 lbs total maximum monitor weight per 2 leg desk
- Monitor arm applications are not permitted on 2 legs desks with casters
- When calculating height-adjustable desk lifting capacity, subract the weight of the worksurface, understructure, options, and add-on products (e.g. flat panel monitor arm, monitors, and CPUs)

For CFPLUS, CFPLUSHD, CFMAX, and CFSTATIC

Monitor Arm Assemblies	Migration SE C-Leg Only	Migration SE T-Leg Only	Ology	Flex
One over One Static Monitor Arm	Not Approved	Approved	Approved	Not Approved
Two over Two Static/Wide Static Monitor Arm	Not Approved	Approved	Approved	Not Approved
Three over Three Static/Wide Static Monitor Arm	Not Approved	Approved	Approved	Not Approved

Tip: Ology desk or bench with integrated rail, specify CF monitor arm with C-clamp mount. Monitor arm does not mount to integrated rail.

For CFPROSTATIC

Monitor Arm Assemblies	Migration Intro	Migration Pro/ Pro with Boost	Migration SE C-Leg	Migration SE T-Leg	Ology	Flex
One over One Static	Approved	Approved	Approved	Approved	Approved	Approved
Two over Two Static	Approved	Approved	Approved	Approved	Approved	Approved
Three over Three Static	Not Approved	Approved	Approved	Approved	Approved	Approved

CarbonNeutral Product Certification

CarbonNeutral.com

To be a CarbonNeutral product, the emissions of each desk are measured, calculated and third-party verified across every stage of the desk's lifecycle. The amount of carbon emissions from manufacturing that can't be avoided are offset by investing in trusted projects that focus on emissions avoidance and removal, and social good. Through the investment of these projects, the carbon emissions of these desk options equal zero.

The following style numbers have CarbonNeutral product certification options:

Ology
- **OLSLRQCN**
- **OLELRQCN**
- **OLSLL3CN**
- **OLELL3CN**

Migration SE
- **MGSLTRQCN**
- **MGELTRQCN**
- **MGSLCRQCN**
- **MGELCRQCN**

Migration Intro
- **HA1ER**
- **HA1ERFSC**
- **HA1EO**
- **HA1EOFSC**
- **HA1SRQ**
- **HA1SRQFSC**
- **HA1SO**
- **HA1SOFSC**

Migration Pro
- **HA2ER**
- **HA2ERFSC**
- **HA2EO**
- **HA2EOFSC**
- **HA2SRQ**
- **HA2SRQFSC**
- **HA2SO**
- **HA2SOFSC**

Migration Pro with Boost
- **HA3ER**
- **HA3ERFSC**
- **HA3EO**
- **HA3EOFSC**

Migration Modesty Panel
- **HAMP**
- **HAMPFSC**

Exceptions:
- Stand alone add on accessories are not available with CarbonNeutral product certification.

FSC Mix Product

Desks that are FSC Mix credit help organizations meet their sustainability goals. Worksurfaces are made with a mixture of materials from FSC-certified forests, recycled materials, and/or FSC-controlled wood.

The following style numbers are FSC Mix credit:

Migration Pro
- **HA2ERFSC**
- **HA2EOFSC**
- **HA2SRQFSC**
- **HA2SOFSC**

Migration Pro with Boost High-Speed
- **HA3ERFSC**
- **HA3EOFSC**

Migration Intro
- **HA1ERFSC**
- **HA1EOFSC**
- **HA1SRQFSC**
- **HA1SOFSC**

Migration Pro and Intro Modesty Panel
- **HAMPFSC**

Ology

Understanding

Ology Height-Adjustable Desks **64**
Ology Corner Desks and Bases Size Restrictions **84**
Ology Options Availability Chart **90**
Ology Modesty Panels **92**
Universal Steel One-High and 1.5-High Open Laterals **94**
Elective Elements One-High Open Plinth Base Pedestals and Common Tops **96**


Specifying

Ology Height-Adjustable Rectangular Desks **98**
Ology Height-Adjustable Tapered Desks **102**
Ology Height-Adjustable 3-Leg Corner Desks **106**
Ology Height-Adjustable Bases **124**
Ology Modesty Panels **134**
Ology Cable and Power Management **135**
Active Touch Controller Kit **136**
Universal Steel One-High and 1.5-High Open Laterals **138**
Universal Shrouds **140**
Universal Filler **141**
Universal Common Tops **142**
Elective Elements One-High Open Plinth Base Pedestals **144**
Elective Elements Common Tops **146**

Ology Height-Adjustable Desks

Ology brings together physiology and biology to support wellbeing at work. It allows users to quickly, quietly, and intuitively change posture without disrupting their coworkers. Ology offers a one button solution for quick eye-to-eye collaboration. The integrated rail offers today's workers a range of ergonomic tools. Ology provides Bactiblock, an antimicrobial additive, can be molded into the most frequently touched components.
▶Specifying, page 98.

Desk has a wood core with a High-Pressure Laminate or wood veneer surface and is 1" thick.



Lifting column is controlled by central control box for synchronization. Columns are precision balanced to minimize surface vibrations.


CERTIFIED CARBON NEUTRAL® product
CarbonNeutral.com

Now available as a CarbonNeutral product, making sure our commitment to a more sustainable future helps yours too.

Push button simple touch controller adjusts height at a rate of 1½" per second.

Soft edge, available as option, reduces unhealthy pressure on forearms, as well as feelings of shoulder and neck fatigue. Soft edge is 36"W.

Edge is available in 3 mm edge profile for radius corner and square corner is 3 mm on the user's edge and 1 mm sides and back.




Distribute weight evenly

Base supports a maximum distributed weight load of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.
▶See page 70 for *worksurface weights.*

Access door and tray with power provides user access to 120V and USB A+C 20W power and data as well as cord management. Available as an option.

Integrated rail, available as an option, supports space division, lighting, or worktools to give users choice and control for their physical wellbeing.



Extended height-adjustable base adjusts from 22⅗"H to 48⅞"H in any increment.

Basic height-adjustable base adjusts from 27⅗"H–46⅖"H in any increment.


Active touch controller is Bluetooth-enabled and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.
Tip: Active touch controller is standard.

Leveling glides adjust ½" to install desk on uneven floors. 1" adjustable glides are available as an option.

Product Details


High-Pressure Laminate Desks

Front (user's) edge profile is available in 3 mm edge profile.




PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶See *Surface Materials* in this book for specific PVC-free availability, page 364.


Edge profile finishes are specified separately from laminate color.



Square corners, available as an option, have 90° corners on all four sides with a front user's edge.



Radius corners, available as an option, have 1¼" radius on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.




When radius corners are specified in applications with integrated rail, the front corners of the desk will be radius and the back corners will be square.


Wood Veneer Desks

Front (user's) edge profile is wood veneer with a square (3 mm) radius.


Side and back edges are flat. Wood edge color matches finish specified for desk. Corner style for wood veneer desks are square corners.




Extended ology desks adjust 22⅗"H to 48 7/10"H in any increment. Basic height-adjustable base adjusts from 27⅗"H–46⅖"H in any increment.



Simple touch controller is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.
Tip: Optional antimicrobial additive available.




Active touch controller is Bluetooth-enabled and is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.




4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. The collaboration button can be programmed to raise the desk to an average standing height for shoulder to shoulder/dyadic collaboration. Digital display will show the height of the desk when adjusting and at rest before it enters sleep mode.


Gyroscopic obstruction sensing technology is standard with all Ology desks. The worksurface will backtrack when it makes contact with an object or detects tilt.




Desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.




Integrated rail, available as an option, allows for the mounting of personal/modesty screens, lights, power strips, and other worktools.




The overall dimension of the worksurface is 23"D, 29"D, or 35"D. If full depth worksurfaces are desired, add 1" to each depth.




Integrated rail is optional and must be specified on initial order. It cannot be added after install. Worksurface depth is shortened by 1¾" to accommodate the integrated rail so the overall footprint remains the same.




Cord drop is standard when rail is specified and power door or grommets are not optioned to allow for cords to drop below the surface. Corner desks will have a cord drop on opposite side when power door or grommets are specified on a single side.




Desk overhang for CPU holder or layering of low storage and pedestals is available as an option on rectangular desks. The overhang is 9" and available on 64"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.
Tip: Overhang not available on 35"D or 36"D.



Soft edge, available as an option, is polyurthane and is offered with Bactiblock, an antimicrobial additive. Soft edge is available on rectangular and tapered desks that are 58"W or wider without overhang. With a left or right overhang, soft edge is available on 70"W and 76"W only. Soft edge cannot be used on desks that have overhang on both left and right.



Soft edge can be positioned left or right on desks that are 64"W or wider for use with integrated storage.
Tip: Soft edge is shifted 3" on 64"W, 6" on 70"W, and 9" on 76"W, without overhang.




Worksurface overhang can be positioned left or right on desks that are 70" wide or wider for use with integrated storage.
Tip: Overhang not available on 35"D or 36"D.


Ology desk with integrated storage must be specified with modular widths only. When opting for parametric widths, integrated storage is not available.

Steelcase guidance for height adjustment obstruction sensing technology (OST):


- Always read and follow all instructions and safety messages before positioning and using powered, height-adjustable products. Obstruction Sensing Technology (OST) is primarily intended to protect internal mechanisms and is only one part of the overall product system.
- OST is intended to detect hard, immovable objects that contact the desk during raising or lowering.
- OST may not detect soft and/or flexible objects such as padded arm caps, compliant seating surfaces, and cushion tops of peds.
- OST may not detect dynamic and/or articulating objects such as adjustable chair backs and chair arms.
- Different Steelcase height adjustable desks and benches have different types of OST that does not all behave the same.
- OST is disabled during the recalibration/synchronization process, but the unit moves at a much slower speed.



90˚ desks, 60$^{1}/_{16}$" x 60$^{1}/_{16}$" and wider, are manufactured in two pieces due to laminate sheet size. Flush mounted desk bracing is provided. The desk split is located on the left side if an equal corner is specified. The split is located on the longest side if an extended corner is specified.



90° desks can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths are not required to match.



120° desks can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths must match.

CarbonNeutral.com

CarbonNeutral product in the Ology portfolio helps organizations achieve their carbon emissions goals. Order **OLSLRQCN, OLELRQCN, OLSLL3CN,** or **OLELL3CN** to specify Ology with CarbonNeutral product certification.


Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 1½" per second. Motor is 110V and includes a 10$^{4}/_{5}$' power cord. Motor has 0.1W standby power.


Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Ology desks are NRTL listed, and the Ology base is NRTL listed when constructed in accordance with the assembly directions.


Controller may be placed on either the left or right side of the desk.




Power and data access door and tray with USB A+C 20W is available as an option. The door is 16½"W and centered on the surface, can be off set starting at 64"W providing user access to power, data, and USB A+C 20W, as well as cord management. Corner desks can support the access door on either side of the desk or on both sides and will have a cord drop on opposite side when an integrated rail is specified.




Power strip, located in tray, includes three outlets and easy access to two USB A+C 20W charging ports. Cord length is 10'. Data can be terminated and accessed in the tray, and it is positioned to the right. Both modular furniture and NEMA faceplates can be used. Chicago and California have special requirements. Desks shipping to Illinois and California with the power access door option have a powerstrip with overcurrent protection.




Power and data access door and tray can be positioned left or right on desks that are 64"W or wider for use with integrated storage.
Tip: Power and data access door and tray is shifted 3" on 64"W, 6" on 70"W, and 9" on 76"W, without overhang.




Grommets, available as an option, help manage cable/cords going from the top of desk to the underside. Grommet inside dimensions are 3¼"W X 3¾"D.




Grommets come in pairs. 90º and 120º corners offer pairs of grommets on the left side, right side, or both sides. 90º widths smaller than 58"W and 120º widths smaller than 40"W have a single grommet.
Tip: When grommet is optioned, power and data access door cannot be applied on the same side of the worksurface.




Cable riser supports cable management vertically between the floor and the underside of the desk. It is available in 6527 Merle and is specified separately.
▶Specifying, page 135



Cable riser, with leg connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




Cable basket and cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Specifying, page 135


Cable baskets are available on rectangular, tapered, and 90° corner desks 46 1/16"W or larger, and 120° corner desks 40"W or larger.



Cable baskets inside dimensions are 6"D x 17 3/4"W x 4 1/4"H and the overall dimensions are 8"D x 19 1/2"W x 4 1/2"H.



Cable basket requires 8"D of clearance to install. The cable basket bracket is universal which allows for front or back facing orientation. Front access only when used with integrated rail.



Inside dimensions of cable brackets are 6"D x 2"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate

▶See *Surface Materials,* page 364

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

3 mm edge profile

- Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)

Square 3 mm edge profile

- Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

Soft edge and grommet

- 6527 Merle

Power and Data Access Door and Tray

Door


- Paint
- Anodized Aluminum

Door bezel


- 6527 Merle

Application Topics


Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.
▶See page 32




Modesty panels, available in laminate and wood veneer, attach to the understructure of the desk. It is parametric in width from 1/16". Width of modesty panel can be equal to or less than the width of the desk.
Tip: Full-width modesty panels cannot be used on desks with integrated rail. To use with the integrated rail, the modesty panel must be undersized by a minimum of 20" (rectangular and tapered), or 19" (90°), and 16" (120°) and inset from the edge of the worksurface.



When using modesty panels with integrated storage, modesty panels must be specified 20" smaller than the width of the desk.




Modesty panels may be inset a maximum of 3½" from the back of the worksurface to allow for c-clamping.
Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.




In order to inset, modesty panels must be specified a minimum of 16" or less (rectangular and tapered) or 14" or less (90°) and 10" or less (120°) than the width of the desk understructure.


Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.




Fixed privacy/modesty screens mount on the integrated rail above for privacy and below for modesty.
Tip: 19½"H and 24"H are for privacy use only.




When using fixed screens in the modesty position, the desk must be at least 10" wider than the width of the screen.




When mounting Universal privacy/ modesty screens with One-High integrated storage, desks must be 64"W and wider.




When using fixed screens in the modesty position with One-High integrated storage, the desk must be at least 24" wider than the width of the screen.




Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.




On extended height desks, any storage higher than 18" will impede the height range of the desk. On basic height desks, any storage higher than 23" will impede the height range of the desk.
Tip: Do not place storage underneath controller.



When the power access door is optioned, on extended height desks any storage taller than 15½"H will impede the height range of the desk. On basic height desks, any storage taller than 20½"H will impede the height range of the desk.
Tip: Do not place storage underneath controller.







When optioning both the integrated rail and power access door, monitor arms cannot be c-clamped 5½" on either side of the power door.


Monitor arms cannot be rail mounted.
▶See page 58 for *Steelcase Monitor Arm Guidelines.*

When optioning the integrated rail and using a cable basket, there will not be enough room to C-clamp behind the basket.







When optioning the power access door only, monitor arms cannot be c-clamped behind the power door or within 5½" to either side.



When attaching lighting to the integrated rail, there is a 5¼" mounting free zone on each end of the rail.



When installing SlatRail with a power door only, do not c-clamp the stanchions within 5½" on either side of the power door.




When mounting CPU holders, specify the overhang option.
Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.

Tip: Maximum CPU weight capacity is 40 lbs.

Tip: Only standard Stella or 5" lift and lock mechanisms should be used.

Tip: CPU holders are not allowed on 35"D or 36"D worksurfaces.



On extended height desks, CPUs installed in a CPU holder should not be installed over the foot or exceed 16" high, or it will impede the height range of the desk.


All assemblies meet or exceed ANSI/BIFMA standards.

WARNING


Read base only warranty limitations.
▶See page 32 for *Workstation Design Guidelines and Requirements.*



Keyboard assemblies are not allowed on rectangle or tapered 24"D or smaller and smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.



Steelcase keyboard assemblies can be installed on rectangle or tapered 29"/30"D Ology. Specify desks 46"W and wider and with an 11" track.



For rectangle and tapered desks:
- 23"D/24"D - keyboard not allowed
- 29"D/30"D and 46"W or wider - specify 11" track
- 35"D/36"D - specify up to 17" track

For 90°/120° desks (keyboard mounted on sides):
- 23"D/24"D - keyboard not allowed
- 29"D/30"D - specify 11" track

For 90° desks (keyboard mounted on corner):
- Specify up to 20" track

For 120° desks (keyboard mounted on corner):
- Specify up to 17" track

Installation


Desks ship with pre-drilled holes for mounting bases.

Two-piece tops ship with flush mounted desk bracing.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).
Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight

Worksurface Shape	W	LD	RD	Worksurface Weight	
					
				23"D	**24"D**
Rectangular	34"	23" or 24"	23" or 24"	20 lb	21 lb
	40"	23" or 24"	23" or 24"	24 lb	25 lb
	46"	23" or 24"	23" or 24"	27 lb	29 lb
	52"	23" or 24"	23" or 24"	31 lb	32 lb
	58"	23" or 24"	23" or 24"	35 lb	36 lb
	64"	23" or 24"	23" or 24"	39 lb	40 lb
	70"	23" or 24"	23" or 24"	42 lb	43 lb
	76"	23" or 24"	23" or 24"	46 lb	47 lb
				29"D	**30"D**
	34"	29" or 30"	29" or 30"	26 lb	27 lb
	40"	29" or 30"	29" or 30"	30 lb	31 lb
	46"	29" or 30"	29" or 30"	34 lb	36 lb
	52"	29" or 30"	29" or 30"	39 lb	41 lb
	58"	29" or 30"	29" or 30"	43 lb	45 lb
	64"	29" or 30"	29" or 30"	48 lb	50 lb
	70"	29" or 30"	29" or 30"	52 lb	54 lb
	76"	29" or 30"	29" or 30"	56 lb	59 lb
				35"D	**36"D**
	34"	35" or 36"	35" or 36"	31 lb	32 lb
	40"	35" or 36"	35" or 36"	36 lb	37 lb
	46"	35" or 36"	35" or 36"	42 lb	43 lb
	52"	35" or 36"	35" or 36"	47 lb	48 lb
	58"	35" or 36"	35" or 36"	52 lb	54 lb
	64"	35" or 36"	35" or 36"	58 lb	60 lb
	70"	35" or 36"	35" or 36"	63 lb	65 lb
	76"	35" or 36"	35" or 36"	69 lb	71 lb

	Options			Accessory
Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight	Modesty Panel Weight*
7.8 lb	5.1 lb	N.A.	N.A.	15.2 lb
9.0 lb	5.8 lb	6.9 lb	N.A.	17.6 lb
10.1 lb	6.6 lb	6.9 lb	N.A.	20.0 lb
11.3 lb	7.3 lb	6.9 lb	N.A.	22.4 lb
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb
7.8 lb	5.1 lb	N.A.	N.A.	15.2 lb
9.0 lb	5.8 lb	6.9 lb	N.A.	17.6 lb
10.1 lb	6.6 lb	6.9 lb	N.A.	20.0 lb
11.3 lb	7.3 lb	6.9 lb	N.A.	22.4 lb
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb
8.9 lb	5.1 lb	N.A.	N.A.	15.2 lb
10.1 lb	5.8 lb	6.9 lb	N.A.	17.6 lb
11.1 lb	6.6 lb	6.9 lb	N.A.	20.0 lb
12.3 lb	7.3 lb	6.9 lb	N.A.	22.4 lb
13.5 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
14.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
15.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
17.0 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb


*For detailed modesty panel information, see page 92


Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	W	LD	RD	Worksurface Weight 23"D/29"D	Worksurface Weight 24"D/30"D
					
Tapered	58"	29" or 30"	23" or 24"	39 lb	40 lb
	64"	29" or 30"	23" or 24"	43 lb	45 lb
	70"	29" or 30"	23" or 24"	47 lb	49 lb
	76"	29" or 30"	23" or 24"	51 lb	53 lb
	58"	23" or 24"	29" or 30"	39 lb	40 lb
	64"	23" or 24"	29" or 30"	43 lb	45 lb
	70"	23" or 24"	29" or 30"	47 lb	49 lb
	76"	23" or 24"	29" or 30"	51 lb	53 lb

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight 23"D	Worksurface Weight 24"D
						
90° Equal 3-Leg	52"	23" or 24"	52"	23" or 24"	58.2 lb	59.2 lb
	58"	23" or 24"	58"	23" or 24"	66.6 lb	67.6 lb
	64"	23" or 24"	64"	23" or 24"	75.0 lb	77.0 lb
	70"	23" or 24"	70"	23" or 24"	83.4 lb	85.4 lb
	76"	23" or 24"	76"	23" or 24"	91.8 lb	94.8 lb

	Options			Accessory
Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight	Modesty Panel Weight*
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb

	Options		
Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight
15.1 lb	15.8 lb	N.A.	N.A.
17.5 lb	17.3 lb	6.9 lb each	N.A.
19.6 lb	18.7 lb	6.9 lb each	N.A.
22.0 lb	20.2 lb	6.9 lb each	N.A.
24.3 lb	21.7 lb	6.9 lb each	N.A.


*For detailed modesty panel information, see page 92

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight 23"D/23"D	Worksurface Weight 24"D/24"D
						
90° Extended 3-Leg	40"	23" or 24"	52"	23" or 24"	49.8 lb	50.8 lb
	40"	23" or 24"	58"	23" or 24"	54.1 lb	55.1 lb
	40"	23" or 24"	64"	23" or 24"	58.2 lb	59.2 lb
	40"	23" or 24"	70"	23" or 24"	62.4 lb	63.4 lb
	40"	23" or 24"	76"	23" or 24"	66.6 lb	67.6 lb
	46"	23" or 24"	52"	23" or 24"	54.0 lb	55.0 lb
	46"	23" or 24"	58"	23" or 24"	58.2 lb	59.2 lb
	46"	23" or 24"	64"	23" or 24"	62.4 lb	64.4 lb
	46"	23" or 24"	70"	23" or 24"	66.6 lb	68.6 lb
	46"	23" or 24"	76"	23" or 24"	70.8 lb	72.8 lb
	52"	23" or 24"	40"	23" or 24"	49.8 lb	50.8 lb
	52"	23" or 24"	46"	23" or 24"	54.0 lb	55.0 lb
	52"	23" or 24"	58"	23" or 24"	62.4 lb	63.4 lb
	52"	23" or 24"	64"	23" or 24"	66.6 lb	67.6 lb
	52"	23" or 24"	70"	23" or 24"	70.8 lb	72.8 lb
	52"	23" or 24"	76"	23" or 24"	75.0 lb	77.0 lb
	58"	23" or 24"	40"	23" or 24"	54.1 lb	55.1 lb
	58"	23" or 24"	46"	23" or 24"	58.2 lb	59.2 lb
	58"	23" or 24"	52"	23" or 24"	62.4 lb	63.4 lb
	58"	23" or 24"	64"	23" or 24"	70.8 lb	72.8 lb
	58"	23" or 24"	70"	23" or 24"	75.0 lb	77.0 lb
	58"	23" or 24"	76"	23" or 24"	79.2 lb	81.2 lb
	64"	23" or 24"	40"	23" or 24"	58.2 lb	59.2 lb
	64"	23" or 24"	46"	23" or 24"	62.4 lb	64.4 lb
	64"	23" or 24"	52"	23" or 24"	66.6 lb	67.6 lb
	64"	23" or 24"	58"	23" or 24"	70.8 lb	72.8 lb
	64"	23" or 24"	70"	23" or 24"	79.2 lb	82.2 lb
	64"	23" or 24"	76"	23" or 24"	83.4 lb	86.4 lb


	Options		
Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight
13.5 lb	18.8 lb	6.9 lb each	N.A.
14.6 lb	19.9 lb	6.9 lb each	N.A.
15.7 lb	20.9 lb	6.9 lb each	N.A.
16.9 lb	21.9 lb	6.9 lb each	N.A.
18.0 lb	23.0 lb	6.9 lb each	N.A.
14.7 lb	19.9 lb	6.9 lb each	N.A.
15.8 lb	20.9 lb	6.9 lb each	N.A.
16.9 lb	21.9 lb	6.9 lb each	N.A.
18.1 lb	23.0 lb	6.9 lb each	N.A.
19.2 lb	24.0 lb	6.9 lb each	N.A.
13.5 lb	18.8 lb	6.9 lb each	N.A.
14.7 lb	19.9 lb	6.9 lb each	N.A.
16.3 lb	21.9 lb	6.9 lb each	N.A.
17.4 lb	23.0 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
14.6 lb	19.9 lb	6.9 lb each	N.A.
15.8 lb	20.9 lb	6.9 lb each	N.A.
16.3 lb	21.9 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
20.9 lb	26.1 lb	6.9 lb each	N.A.
15.7 lb	20.9 lb	6.9 lb each	N.A.
16.9 lb	21.9 lb	6.9 lb each	N.A.
17.4 lb	23.0 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
20.8 lb	26.1 lb	6.9 lb each	N.A.
22.0 lb	27.1 lb	6.9 lb each	N.A.

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight 23"D	Worksurface Weight 24"D
						
90° Extended 3-Leg, continued	70"	23" or 24"	40"	23" or 24"	62.4 lb	63.4 lb
	70"	23" or 24"	46"	23" or 24"	66.6 lb	68.6 lb
	70"	23" or 24"	52"	23" or 24"	70.8 lb	72.8 lb
	70"	23" or 24"	58"	23" or 24"	75.0 lb	77.0 lb
	70"	23" or 24"	64"	23" or 24"	79.2 lb	82.2 lb
	70"	23" or 24"	76"	23" or 24"	87.6 lb	90.6 lb
	76"	23" or 24"	40"	23" or 24"	66.6 lb	67.6 lb
	76"	23" or 24"	46"	23" or 24"	70.8 lb	72.8 lb
	76"	23" or 24"	52"	23" or 24"	75.0 lb	77.0 lb
	76"	23" or 24"	58"	23" or 24"	79.2 lb	81.2 lb
	76"	23" or 24"	64"	23" or 24"	83.4 lb	86.4 lb
	76"	23" or 24"	70"	23" or 24"	87.6 lb	90.6 lb


	Options		
Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight
16.9 lb	21.9 lb	6.9 lb each	N.A.
18.1 lb	23.0 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
20.8 lb	26.1 lb	6.9 lb each	N.A.
23.1 lb	28.2 lb	6.9 lb each	N.A.
18.0 lb	23.0 lb	6.9 lb each	N.A.
19.2 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
20.9 lb	26.1 lb	6.9 lb each	N.A.
22.0 lb	27.1 lb	6.9 lb each	N.A.
23.1 lb	28.2 lb	6.9 lb each	N.A.

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	LW	RW	• Worksurface Weight LD and RD 23"D/29"D	• Worksurface Weight LD and RD 23"D/30"D	• Worksurface Weight LD and RD 24"D/29"D
					
90° Extended 3-Leg	46"	40"	48.8 lb	49.3 lb	49.3 lb
	46"	52"	59.3 lb	60.2 lb	59.9 lb
	46"	58"	64.6 lb	65.7 lb	65.2 lb
	46"	64"	69.9 lb	71.2 lb	70.4 lb
	46"	70"	75.2 lb	76.6 lb	75.7 lb
	46"	76"	80.5 lb	82.1 lb	81.0 lb
	46"	78"	82.3 lb	83.9 lb	82.8 lb
	52"	40"	53.0 lb	53.5 lb	53.7 lb
	52"	46"	58.3 lb	59.0 lb	59.0 lb
	52"	58"	68.8 lb	69.9 lb	69.5 lb
	52"	64"	74.1 lb	75.4 lb	74.8 lb
	52"	70"	79.4 lb	80.8 lb	80.1 lb
	52"	76"	84.7 lb	86.3 lb	85.4 lb
	52"	78"	86.5 lb	88.1 lb	87.2 lb
	58"	40"	57.2 lb	57.7 lb	58.0 lb
	58"	46"	62.4 lb	63.1 lb	63.3 lb
	58"	52"	67.7 lb	68.6 lb	68.6 lb
	58"	64"	78.3 lb	79.6 lb	79.2 lb
	58"	70"	83.6 lb	85.0 lb	84.5 lb
	58"	76"	88.9 lb	90.5 lb	89.8 lb
	58"	78"	90.7 lb	92.3 lb	91.5 lb
	64"	40"	61.4 lb	61.9 lb	62.4 lb
	64"	46"	66.6 lb	67.3 lb	67.7 lb
	64"	52"	71.9 lb	72.8 lb	73.0 lb
	64"	58"	77.2 lb	78.3 lb	78.3 lb
	64"	70"	87.8 lb	89.2 lb	88.9 lb
	64"	76"	93.1 lb	94.7 lb	94.2 lb
	64"	78"	94.9 lb	96.5 lb	95.9 lb


• Worksurface Weight LD and RD 24"D/30"D	• Worksurface Weight LD and RD 29"D/29"D	• Worksurface Weight LD and RD 29"D/30"D	• Worksurface Weight LD and RD 30"D/30"D
49.8 lb	N.A.	N.A.	N.A.
60.7 lb	62.4 lb	63.1 lb	63.6 lb
66.2 lb	67.7 lb	68.6 lb	69.1 lb
71.7 lb	73.0 lb	74.1 lb	74.6 lb
77.1 lb	78.3 lb	79.6 lb	80.0 lb
82.6 lb	83.6 lb	85.0 lb	85.5 lb
84.4 lb	85.4 lb	86.9 lb	87.3 lb
54.1 lb	N.A.	N.A.	N.A.
59.6 lb	62.4 lb	63.0 lb	63.6 lb
70.6 lb	73.0 lb	73.9 lb	74.6 lb
76.0 lb	78.3 lb	79.4 lb	80.0 lb
81.5 lb	83.6 lb	84.9 lb	85.5 lb
87.0 lb	88.9 lb	90.3 lb	91.0 lb
88.8 lb	90.7 lb	92.1 lb	92.8 lb
58.5 lb	N.A.	N.A.	N.A.
64.0 lb	67.7 lb	68.3 lb	69.1 lb
69.5 lb	73.0 lb	73.7 lb	74.6 lb
80.4 lb	83.6 lb	84.7 lb	85.5 lb
85.9 lb	88.9 lb	90.1 lb	91.0 lb
91.4 lb	94.2 lb	95.6 lb	96.5 lb
93.2 lb	95.9 lb	97.4 lb	98.3 lb
62.9 lb	N.A.	N.A.	N.A.
68.4 lb	73.0 lb	73.5 lb	74.6 lb
73.8 lb	78.3 lb	79.0 lb	80.0 lb
79.3 lb	83.6 lb	84.5 lb	85.5 lb
90.3 lb	94.2 lb	95.4 lb	96.5 lb
95.7 lb	99.5 lb	100.9 lb	101.9 lb
97.6 lb	101.2 lb	102.7 lb	103.8 lb

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	LW	RW	• Worksurface Weight LD and RD 23"D/29"D	• Worksurface Weight LD and RD 23"D/30"D	• Worksurface Weight LD and RD 24"D/29"D
					
90° Extended 3-Leg	70"	40"	65.5 lb	66.1 lb	66.8 lb
	70"	46"	70.8 lb	71.5 lb	72.1 lb
	70"	52"	76".1 lb	77.0 lb	77.4 lb
	70"	58"	81.4 lb	82.5 lb	82.7 lb
	70"	64"	86.7 lb	88.0 lb	88.0 lb
	70"	76"	97.3 lb	98.9 lb	98.5 lb
	70"	78"	99.0 lb	100.7 lb	100.3 lb
	76"	40"	69.7 lb	70.3 lb	71.2 lb
	76"	46"	75.0 lb	75.7 lb	76.5 lb
	76"	52"	80.3 lb	81.2 lb	81.8 lb
	76"	58"	85.6 lb	86.7 lb	87.0 lb
	76"	64"	90.9 lb	92.1 lb	92.3 lb
	76"	70"	96.2 lb	97.6 lb	97.6 lb
	76"	78"	103.2 lb	104.9 lb	104.7 lb


• Worksurface Weight LD and RD 24"D/30"D	• Worksurface Weight LD and RD 29"D/29"D	• Worksurface Weight LD and RD 29"D/30"D	• Worksurface Weight LD and RD 30"D/30"D
67.3 lb	N.A.	N.A.	N.A.
72.8 lb	78.3 lb	78.8 lb	80.0 lb
78.2 lb	83.6 lb	84.3 lb	85.5 lb
83.7 lb	88.9 lb	89.8 lb	91.0 lb
89.2 lb	94.2 lb	95.2 lb	96.5 lb
100.1 lb	104.8 lb	106.2 lb	107.4 lb
101.9 lb	106.5 lb	108.0 lb	109.2 lb
71.7 lb	N.A.	N.A.	N.A.
77.1 lb	83.6 lb	84.1 lb	85.5 lb
82.6 lb	88.9 lb	89.6 lb	91.0 lb
88.1 lb	94.2 lb	95.1 lb	96.5 lb
93.5 lb	99.5 lb	100.5 lb	101.9 lb
99.0 lb	104.8 lb	106.0 lb	107.4 lb
106.3 lb	111.8 lb	113.3 lb	114.7 lb

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).
Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data acess door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight 23"D	24"D	29"D	30"D
								
120° Equal 3-Leg	34"	23", 24", 29" or 30"	34"	23", 24", 29" or 30"	38.7 lb	39.7 lb	38.9 lb	39.6 lb
	40"	23", 24", 29" or 30"	40"	23", 24", 29" or 30"	47.1 lb	48.1 lb	47.9 lb	48.9 lb
	46"	23", 24", 29" or 30"	46"	23", 24", 29" or 30"	55.5 lb	56.5 lb	57.3 lb	58.5 lb
	52"	23", 24", 29" or 30"	52"	23", 24", 29" or 30"	63.9 lb	65.9 lb	62.7 lb	64.2 lb
	58"	23", 24", 29" or 30"	58"	23", 24", 29" or 30"	72.3 lb	74.3 lb	72.0 lb	73.8 lb
	64"	23", 24", 29" or 30"	64"	23", 24", 29" or 30"	80.7 lb	82.7 lb	81.4 lb	83.5 lb

Tip: Right- and left-hand depths must match.

Understructure Weight	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight
11.8 lb	11.5 lb	N.A.	N.A.
14.2 lb	13.0 lb	N.A.	N.A.
15.1 lb	14.5 lb	N.A.	N.A.
17.5 lb	15.9 lb	6.9 lb each	N.A.
19.6 lb	17.4 lb	6.9 lb each	N.A.
22.0 lb	18.9 lb	6.9 lb each	N.A.

Ology Corner Desks and Bases Size Restrictions

Style	Desks Specified as	Base Price	Desks Specified as	Base Price
90° Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)				
High-Pressure Laminate Desks				
OLELL3	40WL × 23DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 23DR	$4326
	40WL × 24DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 24DR	$4326
	40WL × 23DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 23DR	$4470
	40WL × 24DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 24DR	$4470
	40WL × 23DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 23DR	$4614
	40WL × 24DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 24DR	$4614
	40WL × 23DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 23DR	$4756
	40WL × 24DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 24DR	$4756
	40WL × 23DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 23DR	$4902
	40WL × 24DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 24DR	$4902
	40WL × 23DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 23DR	$4326
	40WL × 24DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 24DR	$4326
	40WL × 23DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 23DR	$4470
	40WL × 24DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 24DR	$4470
	40WL × 23DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 23DR	$4614
	40WL × 24DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 24DR	$4614
	40WL × 23DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 23DR	$4756
	40WL × 24DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 24DR	$4756
	40WL × 23DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 23DR	$4902
	40WL × 24DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 24DR	$4902
	52WL × 29DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 29DR	$4326
	52WL × 29DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 29DR	$4326
	52WL × 30DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 30DR	$4326
	52WL × 30DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 30DR	$4326

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.
Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

90° Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Style	Desks Specified as	Base Price	Desks Specified as	Base Price
Wood Veneer Desks				
OLELL3	40WL × 23DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 23DR	$5880
	40WL × 24DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 24DR	$5880
	40WL × 23DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 23DR	$6047
	40WL × 24DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 24DR	$6047
	40WL × 23DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 23DR	$6214
	40WL × 24DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 24DR	$6214
	40WL × 23DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 23DR	$6375
	40WL × 24DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 24DR	$6375
	40WL × 23DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 23DR	$6552
	40WL × 24DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 24DR	$6552
	40WL × 23DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 23DR	$5880
	40WL × 24DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 24DR	$5880
	40WL × 23DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 23DR	$6047
	40WL × 24DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 24DR	$6047
	40WL × 23DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 23DR	$6214
	40WL × 24DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 24DR	$6214
	40WL × 23DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 23DR	$6375
	40WL × 24DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 24DR	$6375
	40WL × 23DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 23DR	$6552
	40WL × 24DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 24DR	$6552
	52WL × 29DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 29DR	$5880
	52WL × 29DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 29DR	$5880
	52WL × 30DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 30DR	$5880
	52WL × 30DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 30DR	$5880

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.
Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

90° Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Style	Desks Specified as	Base Price	Desks Specified as	Base Price
High-Pressure Laminate Desks				
OLSLL3	40WL × 23DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 23DR	$3988
	40WL × 24DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 24DR	$3988
	40WL × 23DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 23DR	$4117
	40WL × 24DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 24DR	$4117
	40WL × 23DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 23DR	$4251
	40WL × 24DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 24DR	$4251
	40WL × 23DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 23DR	$4385
	40WL × 24DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 24DR	$4385
	40WL × 23DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 23DR	$4515
	40WL × 24DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 24DR	$4515
	40WL × 23DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 23DR	$3988
	40WL × 24DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 24DR	$3988
	40WL × 23DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 23DR	$4117
	40WL × 24DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 24DR	$4117
	40WL × 23DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 23DR	$4251
	40WL × 24DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 24DR	$4251
	40WL × 23DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 23DR	$4385
	40WL × 24DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 24DR	$4385
	40WL × 23DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 23DR	$4515
	40WL × 24DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 24DR	$4515
	52WL × 29DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 29DR	$3988
	52WL × 29DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 29DR	$3988
	52WL × 30DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 30DR	$3988
	52WL × 30DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 30DR	$3988

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.
Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

90° Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Style	Desks Specified as	Base Price	Desks Specified as	Base Price
Wood Veneer Desks				
OLSLL3	40WL × 23DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 23DR	$5547
	40WL × 24DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 24DR	$5547
	40WL × 23DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 23DR	$5695
	40WL × 24DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 24DR	$5695
	40WL × 23DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 23DR	$5851
	40WL × 24DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 24DR	$5851
	40WL × 23DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 23DR	$6004
	40WL × 24DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 24DR	$6004
	40WL × 23DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 23DR	$6165
	40WL × 24DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 24DR	$6165
	40WL × 23DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 23DR	$5547
	40WL × 24DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 24DR	$5547
	40WL × 23DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 23DR	$5695
	40WL × 24DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 24DR	$5695
	40WL × 23DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 23DR	$5851
	40WL × 24DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 24DR	$5851
	40WL × 23DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 23DR	$6004
	40WL × 24DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 24DR	$6004
	40WL × 23DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 23DR	$6165
	40WL × 24DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 24DR	$6165
	52WL × 29DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 29DR	$5547
	52WL × 29DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 29DR	$5547
	52WL × 30DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 30DR	$5547
	52WL × 30DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 30DR	$5547

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.
Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Style	Desks Specified as	Base Price	Desks Specified as	Base Price
90° Corner Base — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)				
OLELL3B	40WL × 23DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 23DR	$4158
	40WL × 24DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 24DR	$4158
	40WL × 23DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 23DR	$4221
	40WL × 24DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 24DR	$4221
	40WL × 23DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 23DR	$4288
	40WL × 24DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 24DR	$4288
	40WL × 23DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 23DR	$4350
	40WL × 24DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 24DR	$4350
	40WL × 23DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 23DR	$4414
	40WL × 24DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 24DR	$4414
	40WL × 23DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 23DR	$4158
	40WL × 24DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 24DR	$4158
	40WL × 23DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 23DR	$4221
	40WL × 24DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 24DR	$4221
	40WL × 23DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 23DR	$4288
	40WL × 24DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 24DR	$4288
	40WL × 23DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 23DR	$4350
	40WL × 24DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 24DR	$4350
	40WL × 23DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 23DR	$4414
	40WL × 24DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 24DR	$4414
	52WL × 29DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 29DR	$4158
	52WL × 29DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 29DR	$4158
	52WL × 30DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 30DR	$4158
	52WL × 30DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 30DR	$4158

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.
Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Style	Desks Specified as	Base Price	Desks Specified as	Base Price
90° Corner Base — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)				
OLSLL3B	40WL × 23DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 23DR	$3829
	40WL × 24DL × 52WR × 29DR	N.A.	40WL × 29DL × 52WR × 24DR	$3829
	40WL × 23DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 23DR	$3891
	40WL × 24DL × 58WR × 29DR	N.A.	40WL × 29DL × 58WR × 24DR	$3891
	40WL × 23DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 23DR	$3947
	40WL × 24DL × 64WR × 29DR	N.A.	40WL × 29DL × 64WR × 24DR	$3947
	40WL × 23DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 23DR	$4008
	40WL × 24DL × 70WR × 29DR	N.A.	40WL × 29DL × 70WR × 24DR	$4008
	40WL × 23DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 23DR	$4065
	40WL × 24DL × 76WR × 29DR	N.A.	40WL × 29DL × 76WR × 24DR	$4065
	40WL × 23DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 23DR	$3829
	40WL × 24DL × 52WR × 30DR	N.A.	40WL × 30DL × 52WR × 24DR	$3829
	40WL × 23DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 23DR	$3891
	40WL × 24DL × 58WR × 30DR	N.A.	40WL × 30DL × 58WR × 24DR	$3891
	40WL × 23DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 23DR	$3947
	40WL × 24DL × 64WR × 30DR	N.A.	40WL × 30DL × 64WR × 24DR	$3947
	40WL × 23DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 23DR	$4008
	40WL × 24DL × 70WR × 30DR	N.A.	40WL × 30DL × 70WR × 24DR	$4008
	40WL × 23DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 23DR	$4065
	40WL × 24DL × 76WR × 30DR	N.A.	40WL × 30DL × 76WR × 24DR	$4065
	52WL × 29DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 29DR	$3829
	52WL × 29DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 29DR	$3829
	52WL × 30DL × 40WR × 23DR	N.A.	52WL × 23DL × 40WR × 30DR	$3829
	52WL × 30DL × 40WR × 24DR	N.A.	52WL × 24DL × 40WR × 30DR	$3829

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.
Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.
Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Ology Options Availability Chart

Available

Not available



	Rectangular							
	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Grommet								
Integrated Rail								
Overhang						Left or Right	Left or Right or Left and Right	Left or Right or Left and Right
Overhang + Power Door						Center	Center	Center
Overhang + Soft Edge							Center	Center
Power Door		Center	Center	Center	Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
Soft Edge					Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center



	Tapered			
	58"W	64"W	70"W	76"W
Grommet				
Integrated Rail				
Power Door	Center	Left, Right or Center	Left, Right or Center	Left, Right or Center
Soft Edge	Center	Left, Right or Center	Left, Right or Center	Left, Right or Center

Tip: When integrated storage is present, power door and soft edge can be positioned left or right on desks that are 64"W or wider. Position must shift away from the storage.


Tip: Overhang can be positioned left or right on desks that are 70" wide or wider when used with integrated storage.

Tip: Overhang not available on 35"D or 36"D.

Tip: When choosing location of power door and soft edge, both will be on the same side.


Tip: 70"W or wider with double overhang does not allow soft edge.

Available
Not available



	90°						
	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Grommet							
Integrated Rail							
Overhang							
Power Door				One or Both Sides	One or Both Sides	One or Both Sides	One or Both Sides
Soft Edge							

Tip: Integrated storage can be used on 90° Ology desks that are 70" wide or wider.




	120°					
	34"W	40"W	46"W	52"W	58"W	64"W
Grommet						
Integrated Rail						
Power Door				One or Both Sides	One or Both Sides	One or Both Sides
Soft Edge						

Tip: Integrated storage can be used on 120° Ology desks that are 52" wide or wider.

Ology Modesty Panels

Modesty panels provide modesty when needed. Modesty panels, available in laminate and veneer, connect to the desk frame.
▶Specifying, page 134

Brackets are attached to the panel.



Actual Dimensions


	Modular Modesty Panels
Width	31½", 37½", 43½", 49½", 54½", 61½", 67½", or 73½"
Height	14⅜"
Overall height	14⅞"
Thickness	¾"

Tip: Overall height is measured from bottom of mounting surface to the bottom of the screen.

Tip: Parametric modesty panel widths can be specified from 34"–78"W in 1/16" increments.

Tip: Verify in SmartTools the manufactured width vs modular or parametric widths, that are undersized by 2½".

Product Details



Gap is ½" between underside of the worksurface and top of modesty panel. Panel can be flush to the worksurface or inset.

Modesty panels, both modular and parametric, are undersized 2½" for square corner or radius corner options. If planning for full width on square corner, add 2½". Verify in SmartTools the manufactured width vs modular or parametric widths.

C-clamp mounting is not allowed with flush mount. C-clamp mount when panel is inset.

Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified, however, laminate specification is only allowed up to 60" wide.

Surface Materials

High-Pressure Laminate Panel

- Laminate

▶See *Surface Materials,* page 364

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

3 mm edge profile

- Plastic

Wood veneer panel

- Wood veneer (standard)
- Customiz stain (option)

Square 3 mm edge profile

- Wood veneer to match panel


Bracket

- 7360 Merle


Application Topics

Modesty panels are parametric in width from 34"W to 78"W in 1/16" increments. Modesty panel can be equal to the width of the desk or shorter.
Tip: When using a modesty panel on straight and taper parametric sized desks, modesty panel width must be verified in CET to avoid interference.


When used with integrated storage, modesty panel must be a minimum of 20" shorter than worksurface width to allow for pinch point clearances.



Full width modesty panels cannot be used on desks with integrated rail.
Tip: To use with the integrated rail, the modesty panel must be undersized by a minimum of 20" (rectangular and tapered) or 19" or less (90°) and 16" or less (120°) than the width of the desk understructure.



Modesty panels may be inset a maximum of 3½" from the back of the worksurface to allow for c-clamping.
Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.



In order to inset, modesty panels must be specified a minimum of 16" or less (rectangular and tapered) or 14" or less (90°) and 10" or less (120°) than the width of the desk understructure. Utilize the mounting plates and screws to attach the modesty panel to the underside of the worksurface.
Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.

Universal or Sarto privacy/modesty screens cannot be used with Ology modesty panels.


When using a modesty panel with Universal or Sarto privacy screens, verify placement in CET to avoid interference.

Universal Steel One-High and 1.5-High Open Laterals

For Ology Application

Universal One-High and 1.5-High open laterals for Ology application seamlessly integrates the Ology desk leg into universal storage. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

▶Specifying, page 138



Wire manager keeps wires tidy and functionally flexes vertically.


Grommet provides a clean area where the desk leg integrates.

Top is 1 3/16"H available in laminate or veneer.

Shroud is painted and provides a finished look for stand-alone applications.


Leveling glides adjust up to 3/4".

Usable depth in One-High open laterals is 11 7/10"D.




1.5–High Open Lateral


Product Details



One-High storage can be used with Ology extended range desks or basic range desks.



1.5-High storage can only be used with Ology basic range desks.




One-High and 1.5-High storage for Ology application have a removeable interior back panel to allow access to the Ology base.


Ology desk with integrated storage must be specified with modular widths only. When opting for parametric widths, integrated storage is not available.

Actual Dimensions

	One-High	1.5-High
Depth with flush steel open front	18"	18"
Depth with proud steel open front	18 7/8"	18 7/8"
Usable depth	11 7/10"	11 7/10"
Width	30", 36", and 42"	30", 36", and 42"
Height	16"	22"



Laminate and wood veneer tops with square edge profile are available. Tops are 1 3/16"H.




Removable interior cover provides access to power outlets that can be located in the panel behind storage unit.

Case Widths and Ology Foot Dimensions


30"W Ology open laterals can house Ology legs of 24" or 30" in length. 36"W and 42"W units can house Ology legs with feet of 24", 30", or 36" in length.

Integrated leg options apply to One-High and 1.5-High units only and are meant for use with Ology height-adjustable desks only.

Application Topics




Application: Ology left




Application: Ology right


Application is determined by which leg of the Ology desk is located inside the storage.



Shroud is used to finish off the back of the storage when application is used as stand-alone unit.




Filler is used in end-of-run applications where end of storage unit will be visible.




No top option on lateral file is available for use with a Universal common top shared with an adjacent lateral.

Universal common top for Ology application, ordered separately, is available in laminate or veneer. Cut-out for Ology leg is available on the left side or the right side of the Universal common top. Ology desk cannot be placed in the middle of the Universal common top.




Ology modesty panel or fixed personal/ modesty screens must be undersized and justified to the outside when used with One-High and 1.5-High storage units. Only one open lateral file is permitted on Ology 90° corner desks.


When used with One-High and 1.5-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.




To help avoid pinch points, the Universal One-High and 1.5-High open laterals for Ology application extends 1" past the back of the Ology worksurface.




Soft edge and power and data access door can be positioned left or right on Ology desks that are 64"W or wider for use with One-High and 1.5-High integrated storage.




Worksurface overhang can be positioned left or right on desks that are 70" wide or wider.
Tip: Overhang not available on 35"D or 36"D.




Ology 90° corners that are 70" wide and wider can be used with One-High and 1.5-High storage units.




Ology 120° corners that are 52" wide and wider can be used with One-High and 1.5-High storage units. Only one open lateral file is permitted on Ology 120° corner desks.



Tapered desks that are 70" wide and wider can be used with One-High and 1.5-High storage units.



When specifying One-High and 1.5 High storage that matches the worksurface depth, only One-High storage should be placed adjacent to the desk.



Pinch point clearances are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

Surface Materials

Lateral case
- Paint

Laminate top
- Laminate
- Open Line laminate (option)

Edge on laminate top
- Plastic


Wood veneer top
- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

Shroud and filler
- Paint

Elective Elements One-High Open Plinth Base Pedestals and Common Tops

For Ology Application

One-High open plinth base pedestal and common top for Ology application seamlessly integrate the Ology desk into Elective Elements. They provide a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.
▶Specifying, pages 144 and 146.




Tip: Use Elective Elements common tops with Ology base to create an Elective Elements height adjustable desk.

Actual Dimensions


One-High Open Plinth Base Pedestal	
Depth	17¼"
Width	24", 30", 36", and 42"
Height	15½"
Common Top	
Depth	18"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96", 102", 108", 114", and 120"
Height	N.A.

Product Details

Pedestal Base



3" Base



Removable interior cover provides access to power outlets that can be located in the panel behind storage unit.

Base widths and Ology foot:
- 24"W Ology base units can house Ology legs 24" in length.
- 30"W Ology base units can house Ology legs of 24" or 30" in length.
- 36"W and 42"W units can house Ology legs of 24", 30", or 36" in length.

Ology desk with integrated storage must be specified with modular widths only. When opting for parametric widths, integrated storage is not available.

Surface Materials

Pedestal case
- Veneer
- Laminate


Laminate top on pedestal and common top
- Laminate
- Open Line laminate (option)

Edges on pedestal and common top
- Wood veneer
- Plastic


Wood veneer top on pedestal and common top
- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

Application Topics

Storage




Application: Ology left




Application: Ology right

Application is determined by which leg of the Ology base is located inside the pedestal.


Common tops for Ology application can be used with two units side-by-side when one storage unit is required for Ology leg integration.




Common top for Ology application, ordered separately, is available in laminate or veneer. Cut-out for Ology leg is available on the left side or the right side of the common top. Ology desk cannot be placed in the middle of the common top.




Common tops for Ology application are available when ganging Ology base units to other Elective Elements pedestals of the same height.



To help avoid pinch points, the pedestal for Ology application extends 1" past the back of the common top.




When specifying One-High storage that matches the worksurface depth, only One-High storage should be placed adjacent to the desk.




Pinch point clearances are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

Desk




Modesty panel or fixed personal/modesty screens must be undersized and justified to the outside of the common top when used with pedestal.


When used with One-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.




Soft edge and power and data access door can be positioned left or right on Ology desks that are 64"W or wider for use with One-High integrated storage.



Worksurface overhang can be positioned left or right on desks that are 70" wide or wider.
Tip: Overhang not available on 35"D or 36"D.




Ology 90° corners that are 70" wide and wider can be used with One-High storage unit.



Ology 120° corners that are 52" wide and wider can be used with One-High storage unit.

Ology Height-Adjustable Rectangular Desks

High-Pressure Laminate or Composite Veneer



Tip: On extended height desks, any storage higher than 18", or 15½" if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 23", or 20½" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: One single monitor is allowed on desks 23"D or deeper and 46"W and wider.
▶See page 58 for *Steelcase Monitor Arm Guidelines.*

Tip: Dual monitors are allowed on 29"D or deeper and 58"W and wider.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

Tip: Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).
▶See page 70 for *worksurface weights.*

Tip: Antimicrobial additives can be specifed only when specifying simple touch controller and/or soft edge.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

	Standard Includes	Required to Specify
▶Need help? Product details, page 64	• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or composite veneer group 1 • Electric height-adjustable sit-to-stand base: paint • Active touch controller • Modular widths: 34"–76" • 1/2" adjustable glides • Power cord: 10⁴⁄₆' • Attachment hardware	1 Style number 2 Desk depth 3 Desk width 4 High-Pressure Laminate or composite veneer for worksurface 5 Plastic color number for profile edge on laminate worksurface, if selected 6 Desk corner style, if laminate desk selected (see below under Required Selections) 7 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 8 Integrated rail (see below under Required Selections) 9 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections) 10 Options, if selected (see below) ▶See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Desk Corner Style (Laminate Desks Only)	• Square corners	No cost	Specify *with square corners.*
	• Radius corners	+$102	Specify *with radius corners.*
Integrated Rail	• Without integrated rail	No cost	Specify *without integrated rail.*
	• With integrated rail	+$504	Specify *with integrated rail.*
Antimicrobial Components	• Non-antimicrobial components	No cost	Specify *with non-antimicrobial components.*
	• Antimicrobial components	No cost	Specify *with antimicrobial components.*

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate desks**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer desks		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$112	Specify composite veneer color number.
	Wood veneer desks		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$123	Specify wood color number.
	• Wood group 3	+$434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶See *Surface Materials Reference Manual.*
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 50	Specify paint color number.
			▶See *Surface Materials*, page 364.
Desk Type	• Parametric width desk	No cost	Specify *with parametric desk type.*

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Overhang	• Desk overhang on left • Desk overhang on right • Desk overhang left and right	No cost No cost No cost	Specify *with desk overhang left.* Specify *with desk overhang right.* Specify *with desk overhang left and right.*
Controller	• Simple touch controller • 4 Pre-set controller	–$ 81 +$ 196	Specify *with simple touch controller.* Specify *with 4 pre-set controller.*
Soft Edge	• With soft edge	+$ 360	Specify *with soft edge.*
Power and Data Access Door, Tray and USB A+C 20W	• Power and data access door, tray and USB A+C 20W: paint group 1 or 2 • Power and data access door, tray and USB A+C 20W: anodized aluminum	+$1268 +$1286	Specify *with power and data access door* and select paint color number. Specify *with power and data access door* and select anodized aluminum.
Power and Data Access Door and Soft Edge Position	• Centered • Left • Right	No cost No cost No cost	Specify *with centered position.* Specify *with left position.* Specify *with right position.*
Grommet	• Grommet	+$ 69	Specify *with grommet.*
Glides	• 1" adjustable glides	+$ 52	Specify *with 1" glides.*
CarbonNeutral Product	CarbonNeutral product certification	+$ 51	Add suffix **CN** to the end of the style number.
Related Products	• Modesty panels • Fixed personal/modesty screens • Cable and power management		▶Page 134 ▶Page 346 ▶Page 135

▶**Specification Information, on next page**

Tip: Overhang not available on 35"D or 36"D.

Tip: 9" overhang is available on desks 64"W and larger. Overhang on both sides is available on 70"W and larger.

Tip: Soft edge is available on desks 58"W and larger. If overhang left or overhang right is selected, soft edge is available on desks 70"W or 76"W. Soft edge cannot be specified on desks that have overhang on both sides.

Tip: Power and data access door is available on desks 40"W or greater.


Tip: Power access door and soft edge can be positioned left or right on desks that are 64"W or wider for use with One-High integrated storage.

Tip: Rectangular desks accommodate either power and data access door or grommet, but not both.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶Options, on previous page


Specification Information



Style Number	Dimensions D	Desk Type	U.S. Base Prices							
		Modular	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	34"W –36"W	36 1/16"W –42"W	42 1/16"W –48"W	48 1/16"W –54"W	54 1/16"W –60"W	60 1/16"W –66"W	66 1/16"W –72"W	72 1/16"W –78"W
High-Pressure Laminate Desks — Extended Height										
OLELRQ	23" or 24"		$2761	$2849	$2934	$3022	$3115	$3212	$3307	$3407
	29" or 30"		$3098	$3193	$3289	$3391	$3494	$3600	$3709	$3821
	35" or 36"		$3436	$3539	$3648	$3758	$3877	$3989	$4112	$4243
Composite Veneer Desks — Extended Height										
OLELRQ	23" or 24"		$3621	$3725	$3819	$3922	$4029	$4143	$4248	$4367
	29" or 30"		$3993	$4105	$4214	$4329	$4444	$4569	$4687	$4817
	35" or 36"		$4367	$4482	$4609	$4732	$4863	$4995	$5127	$5273
Wood Veneer Desks — Extended Height										
OLELRQ	23" or 24"		$3706	$3812	$3908	$4012	$4120	$4235	$4343	$4464
	29" or 30"		$4083	$4196	$4306	$4424	$4538	$4665	$4784	$4917
	35" or 36"		$4459	$4577	$4706	$4830	$4962	$5096	$5229	$5376
High-Pressure Laminate Desks — Basic Height										
OLSLRQ	23" or 24"		$2549	$2626	$2703	$2787	$2870	$2961	$3051	$3142
	29" or 30"		$2857	$2947	$3031	$3128	$3221	$3319	$3420	$3524
	35" or 36"		$3168	$3265	$3363	$3466	$3573	$3676	$3792	$3908
Composite Veneer Desks — Basic Height										
OLSLRQ	23" or 24"		$3409	$3502	$3588	$3687	$3784	$3892	$3992	$4102
	29" or 30"		$3752	$3859	$3956	$4066	$4171	$4288	$4398	$4520
	35" or 36"		$4099	$4208	$4324	$4440	$4559	$4682	$4807	$4938
Wood Veneer Desks — Basic Height										
OLSLRQ	23" or 24"		$3494	$3589	$3677	$3777	$3875	$3984	$4087	$4199
	29" or 30"		$3842	$3950	$4048	$4161	$4265	$4384	$4495	$4620
	35" or 36"		$4191	$4303	$4421	$4538	$4658	$4783	$4909	$5041

Ology Height-Adjustable Tapered Desks

High-Pressure Laminate or Composite Veneer



Tip: On extended height desks, any storage higher than 18"H, or 15½"H if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 23"H, or or 20½" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: One single monitor is allowed on desks 23"D or deeper and 46"W and wider.
▶See *Steelcase Worktools Specification Guide.*

Tip: Dual monitors allowed on 29"D or deeper and 58"W and wider.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

Tip: Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.
▶See page 70 for *worksurface weights.*

Tip: Antimicrobial additives can be specifed only when specifying simple touch controller and/or soft edge.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Soft edge is avail able on desks 58"W and larger.

Tip: Power access door and soft edge can be positioned left or right on desks that are 64"W or wider for use with One-High integrated storage.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

	Standard Includes	Required to Specify
▶Need help? Product details, page 64	• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or composite veneer group 1 • Electric height-adjustable sit-to-stand base: paint • Active touch controller • Modular widths: 58"–76" • 1/2" adjustable glides • Power cord: 10 4/5' • Attachment hardware	1 Style number 2 Desk depth 3 Desk width 4 High-Pressure Laminate or composite veneer for worksurface 5 Plastic color number for profile edge on laminate worksurface, if selected 6 Desk corner style, if laminate desk selected (see below under Required Selections) 7 Paint color number for base 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 8 Integrated rail (see below under Required Selections) 9 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections) 10 Options, if selected (see below) ▶See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Desk Corner Style (Laminate Desks Only)	• Square corners • Radius corners	No cost +$102	Specify *with square corners.* Specify *with radius corners.*
Integrated Rail	• Without integrated rail • With integrated rail	No cost +$504	Specify *without integrated rail.* Specify *with integrated rail.*
Antimicrobial Components	• Non-antimicrobial components • Antimicrobial components	No cost No cost	Specify *with non-antimicrobial components.* Specify *with antimicrobial components.*

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate desks**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer desks		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$112	Specify composite veneer color number.
	Wood veneer desks		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$123	Specify wood color number.
	• Wood group 3	+$434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.* ▶See *Surface Materials Reference Manual.*
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 50	Specify paint color number. ▶See *Surface Materials*, page 364.
Desk Type	• Parametric width desk	No cost	Specify *with parametric desk type.*
Soft Edge	• With soft edge	+$360	Specify *with soft edge.*

▶**Options, continued on next page**


▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Power and Data Access Door, Tray and USB A+C 20W	• Power and data access door, tray and USB A+C 20W: paint group 1 or 2	+$1268	Specify *with power and data access door* and select paint color number.
	• Power and data access door, tray and USB A+C 20W: anodized aluminum	+$1286	Specify *with power and data access door* and select anodized aluminum.
Controller	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 4 Pre-set controller	+$ 196	Specify *with 4 pre-set controller.*
Power and Data Access Door and Soft Edge Position	• Centered	No cost	Specify *with centered position.*
	• Left	No cost	Specify *with left position.*
	• Right	No cost	Specify *with right position.*
Grommet	• Grommet	+$ 69	Specify *with grommet.*
Glides	• 1" adjustable glides	+$ 52	Specify *with 1" glides.*
Related Products	• Modesty panels		▶Page 134
	• Fixed personal/modesty screens		▶Page 346
	• Cable and power management		▶Page 135

Tip: Tapered desks accommodate either power and data access door or grommet, but not both.

Specification Information

Style Number	Dimensions LD	RD	Desk Type	U.S. Base Prices			
			Modular	58"W	64"W	70"W	76"W
			Parametric	58 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W



High-Pressure Laminate Desks — Extended Height

OLELRT	23" or 24"	29" or 30"	$3494	$3600	$3709	$3821
	29" or 30"	23" or 24"	$3494	$3600	$3709	$3821

Composite Veneer Desks — Extended Height

OLELRT	23" or 24"	29" or 30"	$4444	$4569	$4687	$4817
	29" or 30"	23" or 24"	$4444	$4569	$4687	$4817

Wood Veneer Desks — Extended Height

OLELRT	23" or 24"	29" or 30"	$4538	$4665	$4784	$4917
	29" or 30"	23" or 24"	$4538	$4665	$4784	$4917


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions LD	RD	• Desk Type	U.S. Base Prices			
			Modular	58"W	64"W	70"W	76"W
			Parametric	58 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W



High-Pressure Laminate Desks — Basic Height

OLSLRT	23" or 24"	29" or 30"	$3221	$3319	$3420	$3524
	29" or 30"	23" or 24"	$3221	$3319	$3420	$3524

Composite Veneer Desks — Basic Height

OLSLRT	23" or 24"	29" or 30"	$4171	$4288	$4398	$4520
	29" or 30"	23" or 24"	$4171	$4288	$4398	$4520


Wood Veneer Desks — Basic Height

OLSLRT	23" or 24"	29" or 30"	$4265	$4384	$4495	$4620
	29" or 30"	23" or 24"	$4265	$4384	$4495	$4620

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Ology Height-Adjustable 3-Leg Corner Desks

High-Pressure Laminate or Composite Veneer



Tip: On extended height desks, any storage higher than 18"H, or 15½"H if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 23"H, or 20½"H if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 500 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure and options selected.

▶See page 70 for *worksurface weights.*

Tip: Antimicrobial additives can be specifed only when specifying simple touch controller

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: For a conversion chart of old to new 3-leg corner style numbers refer to page 376.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

	Standard Includes	Required to Specify
▶Need help? Product details, page 64	• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or composite veneer group 1 • Electric height-adjustable sit-to-stand base: paint • Active touch controller • Modular widths: – 90° equal corner: 52"–76" – 90° extended corner: 40"–76" – 120° equal corner: 34"–64" • ½" adjustable glides • Power cord: 10⁴⁄₅' • Attachment hardware	1 Style number 2 Desk depth 3 Desk width 4 High-Pressure Laminate or composite veneer for worksurface 5 Plastic color number for profile edge on laminate worksurface, if selected 6 Desk corner style, if laminate desk selected (see below under Required Selections) 7 Paint color number for base 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 8 Integrated rail (see below under Required Selections) 9 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections) 10 Options, if selected (see below) ▶See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Desk Corner Style (Laminate Desks Only)	• Square corners	No cost	Specify *with square corners.*
	• Radius corners	+$ 102	Specify *with radius corners.*
Integrated Rail	• Without integrated rail	No cost	Specify *without integrated rail.*
	• With integrated rail	+$1009	Specify *with integrated rail.*
Antimicrobial Components	• Non-antimicrobial components	No cost	Specify *with non-antimicrobial components.*
	• Antimicrobial components	No cost	Specify *with antimicrobial components.*

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate desks**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$ 115 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer desks		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$ 112	Specify composite veneer color number.
	Wood veneer desks		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$ 123	Specify wood color number.
	• Wood group 3	+$ 434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶See *Surface Materials Reference Manual.*
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 75	Specify paint color number.
			▶See *Surface Materials*, page 364.
Desk Type	• Modular width desk	No cost	Specify *with modular desk type.*
	• Parametric width desk	No cost	Specify *with parametric desk type.*
Controller	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 4 Pre-set controller	+$ 196	Specify *with 4 pre-set controller.*

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Power and Data Access Door, Tray and USB A+C 20W	• Power and data access door on left or right: paint group 1 or 2	+$1268	Specify *with power and data access door on left or right* and select paint color number.
	• Power and data access door on left or right: anodized aluminum	+$1286	Specify *with power and data access door on left or right* and select anodized aluminum.
	• Power and data access door on left and right: paint group 1 or 2	+$2536	Specify *with power and data access door on left and right* and select paint color number.
	• Power and data access door on left and right: anodized aluminum	+$2572	Specify *with power and data access door on left and right* and select anodized aluminum.
Grommet	• Grommet on left- or right-hand side.	+$ 69	Specify *with grommet* and select left- or right-hand sides.
	• Grommet on left- and right-hand side.	+$ 138	Specify *with grommet* and select left- and right-hand sides.
Glides	• 1" adjustable glides	+$ 78	Specify *with 1" glides.*
CarbonNeutral Product	CarbonNeutral product certification	+$ 51	Add suffix **CN** to the end of the style number.
Related Products	• Modesty panels • Fixed personal/modesty screens • Cable and power management		▶Page 134 ▶Page 346 ▶Page 135

Tip: Power and data access door and grommet cannot be located on the same side of the desk.


Tip: Power and data access door is available on desks 58"W or greater.


Tip: When selecting power and data access door or grommet on one side, a cord drop will be standard on opposite side if integrated rail is present.

Tip: CarbonNeutral option is not available for 120° corner desks.

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W—42"W	42 1/16"W—48"W	48 1/16"W—54"W	54 1/16"W—60"W	60 1/16"W—66"W	66 1/16"W—72"W	72 1/16"W—78"W





90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

OLELL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	$4209	$4342	$4476	$4612	$4751
	23" or 24"	46"W	42 1/16"W–48"W	N.A.	N.A.	$4342	$4476	$4612	$4751	$4901
	23" or 24"	52"W	48 1/16"W–54"W	$4209	$4342	$4476	$4612	$4751	$4901	$5051
	23" or 24"	58"W	54 1/16"W–60"W	$4342	$4476	$4612	$4751	$4901	$5051	$5206
	23" or 24"	64"W	60 1/16"W–66"W	$4476	$4612	$4751	$4901	$5051	$5206	$5367
	23" or 24"	70"W	66 1/16"W–72"W	$4612	$4751	$4901	$5051	$5206	$5367	$5539
	23" or 24"	76"W	72 1/16"W–78"W	$4751	$4901	$5051	$5206	$5367	$5539	$5704

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶**Specification Information, continued on next page**

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W





90° 3-Leg Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Pressure Laminate Desks

OLELL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 84	▶See page 84	▶See page 84	▶See page 84	▶See page 84
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$4470	$4614	$4756	$4902	$5053
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 84	$4470	$4614	$4756	$4902	$5053	$5211
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$4470	$4614	$4756	$4902	$5053	$5211	$5366
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$4614	$4756	$4902	$5053	$5211	$5366	$5532
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$4756	$4902	$5053	$5211	$5366	$5532	$5705
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$4902	$5053	$5211	$5366	$5532	$5705	$5868

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D	• Modular Left Width	• Parametric Left Width	• Modular Right Width / Parametric Right Width	• U.S. Base Prices 40"W	46"W	52"W	58"W	64"W	70"W	76"W
					40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W







90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks

OLELL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W–48"W	N.A.	N.A.	$4596	$4751	$4906	$5051	$5206
	29" or 30"	52"W	48 1/16"W–54"W	N.A.	$4596	$4751	$4906	$5051	$5206	$5367
	29" or 30"	58"W	54 1/16"W–60"W	N.A.	$4751	$4906	$5051	$5206	$5367	$5531
	29" or 30"	64"W	60 1/16"W–66"W	N.A.	$4906	$5051	$5206	$5367	$5531	$5694
	29" or 30"	70"W	66 1/16"W–72"W	N.A.	$5051	$5206	$5367	$5531	$5694	$5869
	29" or 30"	76"W	72 1/16"W–78"W	N.A.	$5206	$5367	$5531	$5694	$5869	$6033





90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 23"/24")

Composite Veneer Desks

OLELL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	$5621	$5775	$5930	$6085	$6251
	23" or 24"	46"W	42 1/16"W–48"W	N.A.	N.A.	$5775	$5930	$6085	$6251	$6421
	23" or 24"	52"W	48 1/16"W–54"W	$5621	$5775	$5930	$6066	$6251	$6421	$6593
	23" or 24"	58"W	54 1/16"W–60"W	$5775	$5930	$6066	$6251	$6421	$6593	$6770
	23" or 24"	64"W	60 1/16"W–66"W	$5930	$6085	$6251	$6421	$6593	$6770	$6954
	23" or 24"	70"W	66 1/16"W–72"W	$6085	$6251	$6421	$6593	$6770	$6938	$7143
	23" or 24"	76"W	72 1/16"W–78"W	$6251	$6421	$6593	$6770	$6954	$7143	$7346

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

▶**Specification Information, continued on next page**

▶ **Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions D				U.S. Base Prices						
		Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W—42"W	42 1/16"W—48"W	48 1/16"W—54"W	54 1/16"W—60"W	60 1/16"W—66"W	66 1/16"W—72"W	72 1/16"W—78"W



90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 23"/24"), continued

Wood Veneer Desks

OLELL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	$5763	$5919	$6076	$6231	$6401
	23" or 24"	46"W	42 1/16"W–48"W	N.A.	N.A.	$5919	$6076	$6231	$6401	$6574
	23" or 24"	52"W	48 1/16"W–54"W	$5763	$5919	$6076	$6212	$6401	$6574	$6748
	23" or 24"	58"W	54 1/16"W–60"W	$5919	$6076	$6212	$6401	$6574	$6748	$6927
	23" or 24"	64"W	60 1/16"W–66"W	$6076	$6231	$6401	$6574	$6748	$6927	$7113
	23" or 24"	70"W	66 1/16"W–72"W	$6231	$6401	$6574	$6748	$6927	$7095	$7303
	23" or 24"	76"W	72 1/16"W–78"W	$6401	$6574	$6748	$6927	$7113	$7303	$7512

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶ **Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶Specification Information, continued from previous page

Specification Information

Style Number	Dimensions D				U.S. Base Prices						
		Modular Left Width	Parametric Left Width	Modular Right Width / Parametric Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
					40"W–42"W	42 1/16"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W





90° 3-Leg Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Composite Veneer Desks

OLELL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 85	▶See page 85	▶See page 85	▶See page 85	▶See page 85
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$5903	$6068	$6229	$6402	$6572
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 85	$5903	$6068	$6229	$6402	$6572	$6753
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$5903	$6068	$6229	$6402	$6572	$6753	$6930
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$6068	$6229	$6402	$6572	$6753	$6930	$7121
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$6229	$6402	$6572	$6753	$6930	$7121	$7310
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$6402	$6572	$6753	$6930	$7121	$7310	$7510

Wood Veneer Desks

OLELL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 85	▶See page 85	▶See page 85	▶See page 85	▶See page 85
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$6047	$6214	$6375	$6552	$6725
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 85	$6047	$6214	$6375	$6552	$6725	$6908
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$6047	$6214	$6375	$6552	$6725	$6908	$7087
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$6214	$6375	$6552	$6725	$6908	$7087	$7280
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$6375	$6552	$6725	$6908	$7087	$7280	$7470
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$6552	$6725	$6908	$7087	$7280	$7470	$7676

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

▶Specification Information, continued on next page

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D	• Modular Left Width	• Parametric Left Width	• Modular Right Width / Parametric Right Width	• U.S. Base Prices 40"W	46"W	52"W	58"W	64"W	70"W	76"W
					40"W—42"W	42 1/16"W—48"W	48 1/16"W—54"W	54 1/16"W—60"W	60 1/16"W—66"W	66 1/16"W—72"W	72 1/16"W—78"W



90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 29"/30")

Composite Veneer Desks										
OLELL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W–48"W	N.A.	N.A.	$6029	$6205	$6378	$6551	$6726
	29" or 30"	52"W	48 1/16"W–54"W	N.A.	$6029	$6205	$6378	$6551	$6726	$6909
	29" or 30"	58"W	54 1/16"W–60"W	N.A.	$6205	$6378	$6551	$6726	$6909	$7095
	29" or 30"	64"W	60 1/16"W–66"W	N.A.	$6378	$6551	$6726	$6909	$7095	$7281
	29" or 30"	70"W	66 1/16"W–72"W	N.A.	$6551	$6726	$6909	$7095	$7281	$7474
	29" or 30"	76"W	72 1/16"W–78"W	N.A.	$6726	$6909	$7095	$7281	$7474	$7675
Wood Veneer Desks										
OLELL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W–48"W	N.A.	N.A.	$6173	$6351	$6524	$6701	$6879
	29" or 30"	52"W	48 1/16"W–54"W	N.A.	$6173	$6351	$6524	$6701	$6879	$7064
	29" or 30"	58"W	54 1/16"W–60"W	N.A.	$6351	$6524	$6701	$6879	$7064	$7252
	29" or 30"	64"W	60 1/16"W–66"W	N.A.	$6524	$6701	$6879	$7064	$7252	$7440
	29" or 30"	70"W	66 1/16"W–72"W	N.A.	$6701	$6879	$7064	$7252	$7440	$7634
	29" or 30"	76"W	72 1/16"W–78"W	N.A.	$6879	$7064	$7252	$7440	$7634	$7841

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W



90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

OLSLL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	$3877	$4004	$4128	$4249	$4379
	23" or 24"	46"W	42 1/16"W–48"W	N.A.	N.A.	$4004	$4128	$4249	$4379	$4513
	23" or 24"	52"W	48 1/16"W–54"W	$3877	$4004	$4128	$4249	$4379	$4513	$4654
	23" or 24"	58"W	54 1/16"W–60"W	$4004	$4128	$4249	$4379	$4513	$4654	$4795
	23" or 24"	64"W	60 1/16"W–66"W	$4128	$4249	$4379	$4513	$4654	$4795	$4944
	23" or 24"	70"W	66 1/16"W–72"W	$4249	$4379	$4513	$4654	$4795	$4944	$5102
	23" or 24"	76"W	72 1/16"W–78"W	$4379	$4513	$4654	$4795	$4944	$5102	$5252

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W—42"W	42 1/16"W—48"W	48 1/16"W—54"W	54 1/16"W—60"W	60 1/16"W—66"W	66 1/16"W—72"W	72 1/16"W—78"W





90° 3-Leg Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Pressure Laminate Desks

OLSLL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 86	▶See page 84	▶See page 84	▶See page 84	▶See page 84
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$4117	$4251	$4385	$4515	$4657
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 84	$4117	$4251	$4385	$4515	$4657	$4802
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$4117	$4251	$4385	$4515	$4657	$4802	$4944
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$4251	$4385	$4515	$4657	$4802	$4944	$5095
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$4385	$4515	$4657	$4802	$4944	$5095	$5248
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$4515	$4657	$4802	$4944	$5095	$5248	$5405

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D	• Modular Left Width	• Parametric Left Width	• Modular Right Width	• U.S. Base Prices 40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W







90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks

OLSLL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W–48"W	N.A.	N.A.	$4235	$4379	$4516	$4654	$4795
	29" or 30"	52"W	48 1/16"W–54"W	N.A.	$4235	$4379	$4516	$4654	$4795	$4944
	29" or 30"	58"W	54 1/16"W–60"W	N.A.	$4379	$4516	$4654	$4795	$4944	$5093
	29" or 30"	64"W	60 1/16"W–66"W	N.A.	$4516	$4654	$4795	$4944	$5093	$5246
	29" or 30"	70"W	66 1/16"W–72"W	N.A.	$4654	$4795	$4944	$5093	$5246	$5406
	29" or 30"	76"W	72 1/16"W–78"W	N.A.	$4795	$4944	$5093	$5246	$5406	$5558





90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 23"/24")

Composite Veneer Desks

OLSLL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	$5289	$5437	$5582	$5722	$5879
	23" or 24"	46"W	42 1/16"W–48"W	N.A.	N.A.	$5437	$5582	$5722	$5879	$6033
	23" or 24"	52"W	48 1/16"W–54"W	$5289	$5437	$5582	$5703	$5879	$6033	$6196
	23" or 24"	58"W	54 1/16"W–60"W	$5437	$5582	$5703	$5879	$6033	$6196	$6359
	23" or 24"	64"W	60 1/16"W–66"W	$5582	$5722	$5879	$6033	$6196	$6359	$6531
	23" or 24"	70"W	66 1/16"W–72"W	$5722	$5879	$6033	$6196	$6359	$6531	$6705
	23" or 24"	76"W	72 1/16"W–78"W	$5879	$6033	$6196	$6359	$6531	$6705	$6894

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

▶**Specification Information, continued on next page**

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
		• Modular Left Width	• Parametric Left Width	• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W



90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 23"/24"), continued

Wood Veneer Desks

OLSLL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	$5431	$5581	$5728	$5868	$6029
	23" or 24"	46"W	42 1/16"W–48"W	N.A.	N.A.	$5581	$5728	$5868	$6029	$6186
	23" or 24"	52"W	48 1/16"W–54"W	$5431	$5581	$5728	$5849	$6029	$6186	$6351
	23" or 24"	58"W	54 1/16"W–60"W	$5581	$5728	$5849	$6029	$6186	$6351	$6516
	23" or 24"	64"W	60 1/16"W–66"W	$5728	$5868	$6029	$6186	$6351	$6516	$6690
	23" or 24"	70"W	66 1/16"W–72"W	$5868	$6029	$6186	$6351	$6516	$6690	$6865
	23" or 24"	76"W	72 1/16"W–78"W	$6029	$6186	$6351	$6516	$6690	$6865	$7060

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶ **Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W—42"W	42 1/16"W—48"W	48 1/16"W—54"W	54 1/16"W—60"W	60 1/16"W—66"W	66 1/16"W—72"W	72 1/16"W—78"W





90° 3-Leg Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Composite Veneer Desks

OLSLL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 87	▶See page 87	▶See page 87	▶See page 87	▶See page 87
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$5551	$5705	$5858	$6015	$6177
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 87	$5551	$5705	$5858	$6015	$6177	$6344
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$5551	$5705	$5858	$6015	$6177	$6344	$6508
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$5705	$5858	$6015	$6177	$6344	$6508	$6684
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$5858	$6015	$6177	$6344	$6508	$6684	$6860
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$6015	$6177	$6344	$6508	$6684	$6860	$7047

Wood Veneer Desks

OLSLL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 87	▶See page 87	▶See page 87	▶See page 87	▶See page 87
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$5695	$5851	$6004	$6165	$6330
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 87	$5695	$5851	$6004	$6165	$6330	$6499
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$5695	$5851	$6004	$6165	$6330	$6499	$6665
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$5851	$6004	$6165	$6330	$6499	$6665	$6843
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$6004	$6165	$6330	$6499	$6665	$6843	$7021
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$6165	$6330	$6499	$6665	$6843	$7021	$7213

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶**Specification Information, continued on next page**

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W





90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 29"/30")

Composite Veneer Desks

OLSLL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W–48"W	N.A.	N.A.	$5668	$5833	$5989	$6154	$6315
	29" or 30"	52"W	48 1/16"W–54"W	N.A.	$5668	$5833	$5989	$6154	$6315	$6486
	29" or 30"	58"W	54 1/16"W–60"W	N.A.	$5833	$5989	$6154	$6315	$6486	$6657
	29" or 30"	64"W	60 1/16"W–66"W	N.A.	$5989	$6154	$6315	$6486	$6657	$6833
	29" or 30"	70"W	66 1/16"W–72"W	N.A.	$6154	$6315	$6486	$6657	$6833	$7009
	29" or 30"	76"W	72 1/16"W–78"W	N.A.	$6315	$6486	$6657	$6833	$7009	$7200

Wood Veneer Desks

OLSLL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W–48"W	N.A.	N.A.	$5812	$5979	$6135	$6304	$6468
	29" or 30"	52"W	48 1/16"W–54"W	N.A.	$5812	$5979	$6135	$6304	$6468	$6641
	29" or 30"	58"W	54 1/16"W–60"W	N.A.	$5979	$6135	$6304	$6468	$6641	$6814
	29" or 30"	64"W	60 1/16"W–66"W	N.A.	$6135	$6304	$6468	$6641	$6814	$6992
	29" or 30"	70"W	66 1/16"W–72"W	N.A.	$6304	$6468	$6641	$6814	$6992	$7169
	29" or 30"	76"W	72 1/16"W–78"W	N.A.	$6468	$6641	$6814	$6992	$7169	$7366

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60 1/16"W x 60 1/16"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶Specification Information, continued from previous page

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				• Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	34"W— 36"W	36 1/16"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W



120° 3-Leg Corner Desks — Extended Height

High-Pressure Laminate Desks

OLELW3	23" or 24"	34"W	34"W–36"W	$3877	$4010	$4139	$4271	$4403	$4541
	23" or 24"	40"W	36 1/16"W–42"W	$4010	$4139	$4271	$4403	$4541	$4680
	23" or 24"	46"W	42 1/16"W–48"W	$4139	$4271	$4403	$4541	$4680	$4823
	23" or 24"	52"W	48 1/16"W–54"W	$4271	$4403	$4541	$4680	$4823	$4971
	23" or 24"	58"W	54 1/16"W–60"W	$4403	$4541	$4680	$4823	$4971	$5121
	23" or 24"	64"W	60 1/16"W–66"W	$4541	$4680	$4823	$4971	$5121	$5272

Composite Veneer Desks

OLELW3	23" or 24"	34"W	34"W–36"W	$5002	$5475	$5642	$5774	$5906	$6064
	23" or 24"	40"W	36 1/16"W–42"W	$5475	$5604	$5774	$5926	$6064	$6224
	23" or 24"	46"W	42 1/16"W–48"W	$5642	$5774	$5906	$6085	$6224	$6392
	23" or 24"	52"W	48 1/16"W–54"W	$5774	$5926	$6085	$6224	$6395	$6543
	23" or 24"	58"W	54 1/16"W–60"W	$5906	$6064	$6224	$6395	$6543	$6713
	23" or 24"	64"W	60 1/16"W–66"W	$6064	$6224	$6392	$6543	$6713	$6888

Wood Veneer Desks

OLELW3	23" or 24"	34"W	34"W–36"W	$5116	$5623	$5776	$5925	$6078	$6240
	23" or 24"	40"W	36 1/16"W–42"W	$5623	$5776	$5925	$6078	$6240	$6394
	23" or 24"	46"W	42 1/16"W–48"W	$5776	$5925	$6078	$6240	$6394	$6553
	23" or 24"	52"W	48 1/16"W–54"W	$5925	$6078	$6240	$6394	$6553	$6722
	23" or 24"	58"W	54 1/16"W–60"W	$6078	$6240	$6394	$6553	$6722	$6898
	23" or 24"	64"W	60 1/16"W–66"W	$6240	$6394	$6553	$6722	$6898	$7076


▶Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				• Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	34"W— 36"W	36 1/16"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W



120° 3-Leg Corner Desks — Extended Height

High-Pressure Laminate Desks									
OLELW3	29" or 30"	34"W	34"W–36"W	$4214	$4349	$4477	$4609	$4741	$4874
	29" or 30"	40"W	36 1/16"W–42"W	$4349	$4477	$4609	$4741	$4874	$5015
	29" or 30"	46"W	42 1/16"W–48"W	$4477	$4609	$4741	$4874	$5015	$5161
	29" or 30"	52"W	48 1/16"W–54"W	$4609	$4741	$4874	$5015	$5161	$5311
	29" or 30"	58"W	54 1/16"W–60"W	$4741	$4874	$5015	$5161	$5311	$5458
	29" or 30"	64"W	60 1/16"W–66"W	$4874	$5015	$5161	$5311	$5458	$5609
Composite Veneer Desks									
OLELW3	29" or 30"	34"W	34"W–36"W	$5679	$5837	$5980	$6132	$6285	$6432
	29" or 30"	40"W	36 1/16"W–42"W	$5837	$5980	$6132	$6285	$6432	$6587
	29" or 30"	46"W	42 1/16"W–48"W	$5980	$6132	$6285	$6432	$6587	$6753
	29" or 30"	52"W	48 1/16"W–54"W	$6132	$6285	$6432	$6587	$6753	$6927
	29" or 30"	58"W	54 1/16"W–60"W	$6285	$6432	$6587	$6753	$6927	$7098
	29" or 30"	64"W	60 1/16"W–66"W	$6432	$6587	$6753	$6927	$7098	$7270
Wood Veneer Desks									
OLELW3	29" or 30"	34"W	34"W–36"W	$5827	$5986	$6131	$6284	$6440	$6588
	29" or 30"	40"W	36 1/16"W–42"W	$5986	$6131	$6284	$6440	$6588	$6745
	29" or 30"	46"W	42 1/16"W–48"W	$6131	$6284	$6440	$6588	$6745	$6912
	29" or 30"	52"W	48 1/16"W–54"W	$6284	$6440	$6588	$6745	$6912	$7088
	29" or 30"	58"W	54 1/16"W–60"W	$6440	$6588	$6745	$6912	$7088	$7262
	29" or 30"	64"W	60 1/16"W–66"W	$6588	$6745	$6912	$7088	$7262	$7436


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶Specification Information, continued from previous page

Specification Information

Style Number	Dimensions D				U.S. Base Prices					
				Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
		Modular Left Width	Parametric Left Width	Parametric Right Width	34"W—36"W	36 1/16"W—42"W	42 1/16"W—48"W	48 1/16"W—54"W	54 1/16"W—60"W	60 1/16"W—66"W



120° 3-Leg Corner Desks — Basic Height

High-Pressure Laminate Desks

OLSLW3	23" or 24"	34"W	34"W–36"W	$3572	$3695	$3816	$3936	$4056	$4180
	23" or 24"	40"W	36 1/16"W–42"W	$3695	$3816	$3936	$4056	$4180	$4311
	23" or 24"	46"W	42 1/16"W–48"W	$3816	$3936	$4056	$4180	$4311	$4446
	23" or 24"	52"W	48 1/16"W–54"W	$3936	$4056	$4180	$4311	$4446	$4584
	23" or 24"	58"W	54 1/16"W–60"W	$4056	$4180	$4311	$4446	$4584	$4718
	23" or 24"	64"W	60 1/16"W–66"W	$4180	$4311	$4446	$4584	$4718	$4861

Composite Veneer Desks

OLSLW3	23" or 24"	34"W	34"W–36"W	$4697	$5160	$5319	$5439	$5559	$5703
	23" or 24"	40"W	36 1/16"W–42"W	$5160	$5281	$5439	$5579	$5703	$5855
	23" or 24"	46"W	42 1/16"W–48"W	$5319	$5439	$5559	$5724	$5855	$6015
	23" or 24"	52"W	48 1/16"W–54"W	$5439	$5579	$5724	$5855	$6018	$6156
	23" or 24"	58"W	54 1/16"W–60"W	$5559	$5703	$5855	$6018	$6156	$6310
	23" or 24"	64"W	60 1/16"W–66"W	$5703	$5855	$6015	$6156	$6310	$6477

Wood Veneer Desks

OLSLW3	23" or 24"	34"W	34"W–36"W	$4811	$5308	$5453	$5590	$5731	$5879
	23" or 24"	40"W	36 1/16"W–42"W	$5308	$5453	$5590	$5731	$5879	$6025
	23" or 24"	46"W	42 1/16"W–48"W	$5453	$5590	$5731	$5879	$6025	$6176
	23" or 24"	52"W	48 1/16"W–54"W	$5590	$5731	$5879	$6025	$6176	$6335
	23" or 24"	58"W	54 1/16"W–60"W	$5731	$5879	$6025	$6176	$6335	$6495
	23" or 24"	64"W	60 1/16"W–66"W	$5879	$6025	$6176	$6335	$6495	$6665


▶Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				• Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	34"W— 36"W	36 1/16"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W



120° 3-Leg Corner Desks — Basic Height

High Pressure Laminate Desks

OLSLW3	29" or 30"	34"W	34"W–36"W	$3883	$4006	$4127	$4246	$4367	$4490
	29" or 30"	40"W	36 1/16"W–42"W	$4006	$4127	$4246	$4367	$4490	$4621
	29" or 30"	46"W	42 1/16"W–48"W	$4127	$4246	$4367	$4490	$4621	$4753
	29" or 30"	52"W	48 1/16"W–54"W	$4246	$4367	$4490	$4621	$4753	$4891
	29" or 30"	58"W	54 1/16"W–60"W	$4367	$4490	$4621	$4753	$4891	$5027
	29" or 30"	64"W	60 1/16"W–66"W	$4490	$4621	$4753	$4891	$5027	$5168

Composite Veneer Desks


OLSLW3	29" or 30"	34"W	34"W–36"W	$5348	$5494	$5630	$5769	$5911	$6048
	29" or 30"	40"W	36 1/16"W–42"W	$5494	$5630	$5769	$5911	$6048	$6193
	29" or 30"	46"W	42 1/16"W–48"W	$5630	$5769	$5911	$6048	$6193	$6345
	29" or 30"	52"W	48 1/16"W–54"W	$5769	$5911	$6048	$6193	$6345	$6507
	29" or 30"	58"W	54 1/16"W–60"W	$5911	$6048	$6193	$6345	$6507	$6667
	29" or 30"	64"W	60 1/16"W–66"W	$6048	$6193	$6345	$6507	$6667	$6829

Wood Veneer Desks

OLSLW3	29" or 30"	34"W	34"W–36"W	$5496	$5643	$5781	$5921	$6066	$6204
	29" or 30"	40"W	36 1/16"W–42"W	$5643	$5781	$5921	$6066	$6204	$6351
	29" or 30"	46"W	42 1/16"W–48"W	$5781	$5921	$6066	$6204	$6351	$6504
	29" or 30"	52"W	48 1/16"W–54"W	$5921	$6066	$6204	$6351	$6504	$6668
	29" or 30"	58"W	54 1/16"W–60"W	$6066	$6204	$6351	$6504	$6668	$6831
	29" or 30"	64"W	60 1/16"W–66"W	$6204	$6351	$6504	$6668	$6831	$6995

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Ology Height-Adjustable Bases



Tip: Any storage higher than 18"H will impede lowest height range of worksurface. On basic height desks, any storage higher than 23"H will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: One single monitor is allowed on desks 23"D or deeper, and 46"W and wider.
▶See page 58 for *Steelcase Monitor Arm Guidelines.*

Tip: Dual monitors allowed on 29"D or deeper, and 58"W and wider.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

Tip: Base supports a maximum distributed weight capacity of 360 pounds (2-leg). When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).
▶See page 70 for *understructure weights.*

Tip: Antimicrobial additives can be specifed only when specifying simple touch controller.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: 9" overhang is available on desks 64"W and larger. Overhang on both sides is available on 70"W and 76"W only.

Tip: Overhang not available on 35"D or 36"D.

Tip: Overhang is available on rectangular bases only.

	Standard Includes	Required to Specify
▶Need help? Product details, page 64	• Electric height-adjustable sit-to-stand base: paint • Active touch controller • Modular width: – Rectangular base: 34"–76" – Tapered base: 58"–76" – 90° equal corner base: 52"–76" – 90° extended corner base: 40"–76" – 120° equal corner base: 34"–64" • ½" adjustable glides • Power cord: 10⁴⁄₆' • Attachment hardware	1 Style number 2 Desk depth 3 Desk width 4 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 5 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections) 6 Options, if selected (see below) ▶See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Antimicrobial Components	• Non-antimicrobial components	No cost	Specify *with non-antimicrobial components.*
	• Antimicrobial components	No cost	Specify *with antimicrobial components.*


	Options	U.S. Price	Required to Specify
Surface Materials	**Bases**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2 for rectangular and tapered bases	+$ 50	Specify paint color number.
	• Paint price group 2 for corner bases	+$ 75	Specify paint color number.
			▶See *Surface Materials,* page 364.
Desk Type	• Parametric width desk	No cost	Specify *with parametric desk type.*
Overhang	• Desk overhang on left	No cost	Specify *with desk overhang left.*
	• Desk overhang on right	No cost	Specify *with desk overhang right.*
	• Desk overhang left and right	No cost	Specify *with desk overhang left and right.*
Glides	• 1" adjustable glides	+$ 26 per glide	Specify *with 1" glides.*
Controller	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 4 pre-set controller	+$196	Specify *with 4 pre-set controller.*

⚠WARNING

Read base only warranty limitations.
▶See page 32 for *Workstation Design Guidelines and Requirements.*


Specification Information

Style Number	Dimension D	Desk Type	U.S. Base Prices							
		Modular	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	34"W –36"W	36 1/16"W –42"W	42 1/16"W –48"W	48 1/16"W –54"W	54 1/16"W –60"W	60 1/16"W –66"W	66 1/16"W –72"W	72 1/16"W –78"W



Rectangular Bases — Extended Height

OLELRQB	23" or 24"	$2605	$2688	$2774	$2863	$2951	$3052	$3150	$3247
	29" or 30"	$2935	$3028	$3125	$3225	$3263	$3315	$3347	$3367
	35" or 36"	$3225	$3253	$3288	$3305	$3334	$3382	$3397	$3402



Rectangular Bases — Basic Height

OLSLRQB	23" or 24"	$2401	$2477	$2557	$2639	$2723	$2816	$2903	$2994
	29" or 30"	$2706	$2792	$2880	$2975	$3005	$3059	$3087	$3104
	35" or 36"	$2975	$3001	$3033	$3045	$3075	$3117	$3129	$3137


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**


Specification Information

Style Number	Dimensions LD	Dimensions RD	Desk Type	U.S. Base Prices			
			Modular	58"W	64"W	70"W	76"W
			Parametric	58 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W



Tapered Bases — Extended Height

OLELRTB	23" or 24"	29" or 30"	$3263	$3315	$3347	$3367
	29" or 30"	23" or 24"	$3263	$3315	$3347	$3367



Tapered Bases — Basic Height

OLSLRTB	23" or 24"	29" or 30"	$3005	$3059	$3087	$3104
	29" or 30"	23" or 24"	$3005	$3059	$3087	$3104


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W–42"W	42 1/16"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W



90° Corner 3-Leg Bases — Extended Height (Same Depth Both Ends 23"/24")

OLELL3B	23" or 24"	40"W	40"W—42"W	N.A.	N.A.	$3984	$4047	$4109	$4172	$4236
	23" or 24"	46"W	42 1/16"W—48"W	N.A.	N.A.	$4047	$4109	$4172	$4236	$4301
	23" or 24"	52"W	48 1/16"W—54"W	$3984	$4047	$4109	$4172	$4236	$4301	$4364
	23" or 24"	58"W	54 1/16"W—60"W	$4047	$4109	$4172	$4236	$4301	$4364	$4427
	23" or 24"	64"W	60 1/16"W—66"W	$4109	$4172	$4236	$4301	$4364	$4427	$4490
	23" or 24"	70"W	66 1/16"W—72"W	$4172	$4236	$4301	$4364	$4427	$4490	$4555
	23" or 24"	76"W	72 1/16"W—76"W	$4236	$4301	$4364	$4427	$4490	$4555	$4623

Tip: At least one side must be 52"W or greater.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W



90° Corner 3-Leg Bases — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

OLELL3B	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 88	▶See page 88	▶See page 88	▶See page 88	▶See page 88
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$4221	$4288	$4350	$4414	$4476
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 88	$4221	$4288	$4350	$4414	$4476	$4542
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$4221	$4288	$4350	$4414	$4476	$4542	$4604
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$4288	$4350	$4414	$4476	$4542	$4604	$4668
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$4350	$4414	$4476	$4542	$4604	$4668	$4731
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$4414	$4476	$4542	$4604	$4668	$4731	$4801

Tip: At least one side must be 52"W or greater.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**


Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W–42"W	42 1/16"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W



90° Corner 3-Leg Bases — Extended Height (Same Depth Both Ends 29"/30")

OLELL3B	29" or 30"	40"W	40"W—42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W—48"W	N.A.	N.A.	$4395	$4460	$4526	$4588	$4653
	29" or 30"	52"W	48 1/16"W—54"W	N.A.	$4395	$4460	$4526	$4588	$4653	$4714
	29" or 30"	58"W	54 1/16"W—60"W	N.A.	$4460	$4526	$4588	$4653	$4714	$4781
	29" or 30"	64"W	60 1/16"W—66"W	N.A.	$4526	$4588	$4653	$4714	$4781	$4843
	29" or 30"	70"W	66 1/16"W—72"W	N.A.	$4588	$4653	$4714	$4781	$4843	$4907
	29" or 30"	76"W	72 1/16"W—78"W	N.A.	$4653	$4714	$4781	$4843	$4907	$4971



90° Corner 3-Leg Bases — Basic Height (Same Depth Both Ends 23"/24")

OLSLL3B	23" or 24"	40"W	40"W—42"W	N.A.	N.A.	$3671	$3729	$3787	$3848	$3904
	23" or 24"	46"W	42 1/16"W—48"W	N.A.	N.A.	$3729	$3787	$3848	$3904	$3962
	23" or 24"	52"W	48 1/16"W—54"W	$3671	$3729	$3787	$3848	$3904	$3962	$4022
	23" or 24"	58"W	54 1/16"W—60"W	$3729	$3787	$3848	$3904	$3962	$4022	$4080
	23" or 24"	64"W	60 1/16"W—66"W	$3787	$3848	$3904	$3962	$4022	$4080	$4138
	23" or 24"	70"W	66 1/16"W—72"W	$3848	$3904	$3962	$4022	$4080	$4138	$4195
	23" or 24"	76"W	72 1/16"W—78"W	$3904	$3962	$4022	$4080	$4138	$4195	$4260

Tip: At least one side must be 52"W or greater.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices						
				• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	40"W— 42"W	42 1/16"W— 48"W	48 1/16"W— 54"W	54 1/16"W— 60"W	60 1/16"W— 66"W	66 1/16"W— 72"W	72 1/16"W— 78"W



90° Corner 3-Leg Bases — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

OLSLL3B	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	▶See page 89	▶See page 89	▶See page 89	▶See page 89	▶See page 89
	23" or 24" R/L	29" or 30" L/R	46"W	42 1/16"W–48"W	N.A.	N.A.	$3891	$3947	$4008	$4065	$4127
	23" or 24" R/L	29" or 30" L/R	52"W	48 1/16"W–54"W	▶See page 89	$3891	$3947	$4008	$4065	$4127	$4183
	23" or 24" R/L	29" or 30" L/R	58"W	54 1/16"W–60"W	$3891	$3947	$4008	$4065	$4127	$4183	$4241
	23" or 24" R/L	29" or 30" L/R	64"W	60 1/16"W–66"W	$3947	$4008	$4065	$4127	$4183	$4241	$4299
	23" or 24" R/L	29" or 30" L/R	70"W	66 1/16"W–72"W	$4008	$4065	$4127	$4183	$4241	$4299	$4356
	23" or 24" R/L	29" or 30" L/R	76"W	72 1/16"W–78"W	$4065	$4127	$4183	$4241	$4299	$4356	$4422

Tip: At least one side must be 52"W or greater.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions D				U.S. Base Prices						
				Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Modular Left Width	Parametric Left Width	Parametric Right Width	40"W–42"W	42 1/16"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W



90° Corner 3-Leg Base — Basic Height (Same Depth Both Ends 29"/30")

OLSLL3B	29" or 30"	40"W	40"W—42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 1/16"W—48"W	N.A.	N.A.	$4052	$4109	$4168	$4226	$4288
	29" or 30"	52"W	48 1/16"W—54"W	N.A.	$4052	$4109	$4168	$4226	$4288	$4343
	29" or 30"	58"W	54 1/16"W—60"W	N.A.	$4109	$4168	$4226	$4288	$4343	$4403
	29" or 30"	64"W	60 1/16"W—66"W	N.A.	$4168	$4226	$4288	$4343	$4403	$4460
	29" or 30"	70"W	66 1/16"W—72"W	N.A.	$4226	$4288	$4343	$4403	$4460	$4521
	29" or 30"	76"W	72 1/16"W—78"W	N.A.	$4288	$4343	$4403	$4460	$4521	$4583

Tip: At least one side must be 52"W or greater.


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**


Specification Information

Style Number	Dimensions D			U.S. Base Prices					
			• Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	34"W	36 1/16"W	42 1/16"W	48 1/16"W	54 1/16"W	60 1/16"W
					–36"W	–42"W	–48"W	–54"W	–60"W	–66"W



120° 3-Leg Corner Bases — Extended Height

OLELW3B	23" or 24"	34"W	34"W—36"W	$3776	$3836	$3896	$3957	$4018	$4080
		40"W	36 1/16"W—42"W	$3836	$3896	$3957	$4018	$4080	$4141
		46"W	42 1/16"W—48"W	$3896	$3957	$4018	$4080	$4141	$4204
		52"W	48 1/16"W—54"W	$3957	$4018	$4080	$4141	$4204	$4265
		58"W	54 1/16"W—60"W	$4018	$4080	$4141	$4204	$4265	$4326
		64"W	60 1/16"W—66"W	$4080	$4141	$4204	$4265	$4326	$4387



120° 3-Leg Corner Bases — Extended Height

OLELW3B	29" or 30"	34"W	34"W—36"W	$3943	$4005	$4065	$4128	$4188	$4248
		40"W	36 1/16"W—42"W	$4005	$4065	$4128	$4188	$4248	$4310
		46"W	42 1/16"W—48"W	$4065	$4128	$4188	$4248	$4310	$4370
		52"W	48 1/16"W—54"W	$4128	$4188	$4248	$4310	$4370	$4431
		58"W	54 1/16"W—60"W	$4188	$4248	$4310	$4370	$4431	$4493
		64"W	60 1/16"W—66"W	$4248	$4310	$4370	$4431	$4493	$4555


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶Specification Information, continued from previous page


Specification Information

Style Number	Dimensions D			U.S. Base Prices					
			Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
		Modular Left Width	Parametric Left Width	Parametric Right Width					
				34"W	36 1/16"W	42 1/16"W	48 1/16"W	54 1/16"W	60 1/16"W
				–36"W	–42"W	–48"W	–54"W	–60"W	–66"W



120° Corner 3-Leg Bases — Basic Height

OLSLW3B	23" or 24"	34"W	34"W—36"W	$3467	$3523	$3577	$3637	$3694	$3752
		40"W	36 1/16"W—42"W	$3523	$3577	$3637	$3694	$3752	$3808
		46"W	42 1/16"W—48"W	$3577	$3637	$3694	$3752	$3808	$3865
		52"W	48 1/16"W—54"W	$3637	$3694	$3752	$3808	$3865	$3920
		58"W	54 1/16"W—60"W	$3694	$3752	$3808	$3865	$3920	$3976
		64"W	60 1/16"W—66"W	$3752	$3808	$3865	$3920	$3976	$4034




120° 3-Leg Corner Bases — Basic Height

OLSLW3B	29" or 30"	34"W	34"W—36"W	$3634	$3691	$3749	$3806	$3859	$3915
		40"W	36 1/16"W—42"W	$3691	$3749	$3806	$3859	$3915	$3972
		46"W	42 1/16"W—48"W	$3749	$3806	$3859	$3915	$3972	$4028
		52"W	48 1/16"W—54"W	$3806	$3859	$3915	$3972	$4028	$4084
		58"W	54 1/16"W—60"W	$3859	$3915	$3972	$4028	$4084	$4139
		64"W	60 1/16"W—66"W	$3915	$3972	$4028	$4084	$4139	$4195

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Ology Modesty Panels

High-Pressure Laminate or Composite Veneer



Tip: Full width modesty panels cannot be used on desks with integrated rail. To use with the integrated rail, the modesty panel must be undersized by a minimum of 20" (rectangular and tapered) or 19" (90°) and 16" (120°), and inset from the edge of the worksurface.

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Modular and parametric modesty panels are undersized 2½" to account for desks with radius corners.

Modular and parametric modesty panels are undersized by 2½" for square corner and radius corner options to account for desks with radius corners.

Tip: When using a modesty panel on straight and taper parametric sized desks, modesty panel width must be verified in CET to avoid interference.

Tip: Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified, however, laminate specification is only allowed up to 60" wide.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 92	• Panel: High-Pressure Laminate price group 1 or composite veneer group 1 • Modular widths: 34"—76" • Attachment hardware	1 Style number 2 Panel type (see below under Required Selections) 3 Panel width 4 High-Pressure Laminate or composite veneer for panel 5 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Panel Type	• Modular width panel	No cost	Specify *with modular panel type.*
	• Parametric width panel	No cost	Specify *with parametric panel type.*

	Options	U.S. Price	Required to Specify
Surface Materials	**High-Pressure Laminate**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer		
	• Composite veneer group 1	Prices below	Specify composite veneer color number.
	• Composite veneer group 2	+$112	Specify composite veneer color number.
	Wood veneer		
	• Wood group 1	Prices below	Specify wood color number.
	• Wood group 2	+$123	Specify wood color number.
	• Wood group 3	+$434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶ See *Surface Materials Reference Manual.*
	Grain direction		
	• Horizontal grain direction	No cost	Specify *with horizontal grain direction.*
	• Vertical grain direction	No cost	Specify *with vertical grain direction.*

Specification Information

Style Number	Panel Type	U.S. Base Prices							
	Modular	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
	Parametric	34"W–36"W	36 1/16"W–42"W	42 1/16"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	72 1/16"W–78"W
	Weight	15.2 lb	17.6 lb	20.0 lb	22.4 lb	24.8 lb	27.3 lb	29.7 lb	32.1 lb

High-Pressure Laminate

OLMP	$324	$326	$333	$339	$343	$355	$363	$372

Composite Veneer

OLMP	$403	$409	$418	$424	$428	$442	$453	$466


Wood Veneer

OLMP	$410	$419	$428	$434	$438	$452	$462	$475

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Ology Cable and Power Management

Cable Riser



Fence connection



Leg connection

Tip: Cable riser leg connection is not compatible with the Flex height adjustable desk.


Standard Includes	Required to Specify
▶ Need help? Product details, page 66	1 Style number 2 Options, if selected (see below)
• Cable riser with fence connection: 7360 Merle paint • Attachment hardware	

Options	U.S. Price	Required to Specify
Connection		
• Fence	No cost	Specify *with fence connection.*
• Leg	+$172	Specify *with leg connection.*

Specification Information

Style Number	U.S. Base Price
OLCR	$118

Cable Basket



Tip: Cable baskets are compatible with rectangular, tapered, or 90° corner desks 46⅛"W or larger and 120° corner desks 40"W or larger.


Tip: Cable basket attaches to the worksurface with brackets, which requires an 8" depth clearance to mount.

Standard Includes	Required to Specify
▶ Need help? Product details, page 66	Style number
• Cable basket: 6527 Merle plastic	

Specification Information

Dimensions D	W	H	Style Number	Weight	U.S. Price
8"	18"	4½"	**OLCB**	1.0 lb	$93

Cable Brackets



Standard Includes	Required to Specify
▶ Need help? Product details, page 66	Style number
• Cable brackets, quantity of four: 6527 Merle plastic	


Specification Information

Dimensions D	H	Style Number	Weight	U.S. Price
6"	2"	**OLCBK4**	0.5 lb	$55

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Active Touch Controller Kit

For Ology Desks



Tip: Active touch controller kit can upgrade any exisitng Ology desk or base as a replacement to the up/down or 4-preset programmable controller.

Tip: Tapered and rectangle Ology desks require the standard 2-leg application; corner Ology desks require 3-leg application.

Standard Includes	Required to Specify
• Active touch controller • 2-leg application	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Leg Application	• 3-leg	+$219	Specify *with 3-leg.*


Specification Information

Style Number	U.S. Base Price
OLATKT	$438

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Steel One-High and 1.5-High Open Laterals

For Ology Application



Drawings show right-hand application, left hand is also available.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

Tip: Only available for Ology desks specified with modular widths.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


	Standard Includes	Required to Specify
▶ Need help? Product details, page 94	• Lateral case: paint price group 1 • 1 3/16"H top: laminate price group 1, if selected – Edge: plastic • 1 3/16"H top: composite veneer group 1, if selected • Four adjustable leveling glides • Grommet • Wire manager • Ganging hardware	1 Style number 2 Paint color number for lateral case 3 Width (see below under Required Selections) 4 Laminate color number for top, if laminate top selected 5 Plastic color number for edge, if laminate top selected 6 Composite veneer color number for top, if composite veneer selected 7 Front style (see below under Required Selections) 8 Application (see below under Required Selections) 9 Options, if selected (see below) ▶ See *Surface Materials,* page 364.


	Required Selections	U.S. Price	Required to Specify
Width	• 30"W	Prices at right	Specify *with 30" width.*
	• 36"W	Prices at right	Specify *with 36" width.*
	• 42"W	Prices at right	Specify *with 42" width.*
Front Style	• Flush steel front	Prices at right	Specify *with flush steel front.*
	• Proud steel front	Prices at right	Specify *with proud steel front.*
Application	• Right hand	No cost	Specify *with right-hand application.*
	• Left hand	No cost	Specify *with left-hand application.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$125	Specify paint color number.
	• Paint price group 3	+$216	Specify paint color number.
Tops	**No top**		
	• For use beneath a Universal common top	–$167	Specify *with no top.*
	Laminate top		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1	+$679	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2	+$724	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1	+$747	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2	+$796	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 3	+$913	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶ See *Surface Materials Reference Manual.*
Related Products	• Universal common tops		▶ Page 142
	• Universal shrouds		▶ Page 140
	• Universal filler		▶ Page 141

Specification Information

Style Number	Dimensions D		W	H	U.S. Base Prices	
	Flush Steel Front	Proud Steel Front			Flush Steel Front	Proud Steel Front
One-High Open Lateral						
RSCHAD	18"	18⅞"	30"	16"	$1726	$1826
	18"	18⅞"	36"	16"	$1906	$2029
	18"	18⅞"	42"	16"	$2076	$2210
1.5-High Open Lateral						
RSCBHAD	18"	18⅞"	30"	22"	$2103	$2226
	18"	18⅞"	36"	22"	$2322	$2473
	18"	18⅞"	42"	22"	$2532	$2695





For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Universal Shrouds

For Use with Universal Steel One-High and 1.5-High Open Laterals, Ology Application

	Standard Includes	Required to Specify
▶ Need help? Product details, page 94	• Shroud: paint price group 1 • Attachment hardware	1 Style number 2 Width (see below under Required Selections) 3 Paint color number for shroud 4 Options, if selected (see below) ▶ See *Surface Materials,* page 364.


Tip: Universal shroud width must match width of the universal Steel One-High or 1.5-High open lateral for Ology applications.

	Required Selections	U.S. Price	Required to Specify
Width	• 30"W	No cost	Specify *with 30" width.*
	• 36"W	No cost	Specify *with 36" width.*
	• 42"W	No cost	Specify *with 42" width.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$51	Specify paint color number.
	• Paint price group 3	+$83	Specify paint color number.
Related Products	• Universal Steel One-High and 1.5-High open lateral files for Ology application		▶ Page 138


Specification Information

Dimensions D	Dimensions H	Style Number	U.S. Base Price



One-High Shroud

6"	16"	**RPXSHAD**	$131



1.5-High Shroud

6"	22"	**RPXSBHAD**	$147

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Filler

For Use with Universal Steel One-High and 1.5-High Open Laterals, Ology Application

Standard Includes	Required to Specify
▶ Need help? Product details, page 94 • Filler: paint • Attachment hardware	1 Style number 2 Paint color number for filler ▶ See *Surface Materials,* page 364.

Related Products	
• Universal Steel One-High and 1.5-High open lateral files for Ology applications	▶ Page 138

Specification Information



One-High Filler

Dimensions D	Dimensions H	Style Number	U.S. Price
6"	16"	**RPXFHAD**	$ 93




1.5-High Filler

Dimensions D	Dimensions H	Style Number	U.S. Price
6"	22"	**RPXFBHAD**	$115

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Common Tops

For Use with Universal Steel One-High and 1.5-High Open Laterals and Credenzas, Ology Application



Drawing shows right-hand application, left hand is also available.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 96	• 1 3/16"H top: laminate price group 1, if selected – Edge: plastic • 1 3/16"H top: composite veneer group 1, if selected	1 Style number 2 Width (see below under Required Selections) 3 Laminate color number for top, if laminate top selected 4 Plastic color number for edge, if laminate top selected 5 Composite veneer color number for top, if composite veneer selected 6 Front style (see below under Required Selections) 7 Application (see below under Required Selections) 8 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Width	• 60"W	Prices at right	Specify *with 60" width.*
	• 66"W	Prices at right	Specify *with 66" width.*
	• 72"W	Prices at right	Specify *with 72" width.*
	• 78"W	Prices at right	Specify *with 78" width.*
	• 84"W	Prices at right	Specify *with 84" width.*
	• 90"W	Prices at right	Specify *with 90" width.*
	• 96"W	Prices at right	Specify *with 96" width.*
	• 108"W	Prices at right	Specify *with 108" width.*
Front Style	• Flush front	No cost	Specify *with flush front.*
	• Proud front	No cost	Specify *with proud front.*
Application	• Right hand	No cost	Specify *with right-hand application.*
	• Left hand	No cost	Specify *with left-hand application.*

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.


	Options	U.S. Price	Required to Specify
Surface Materials	**Laminate top**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1	Prices at right	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1	Prices at right	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 3	See information at left	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.* ▶ See *Surface Materials Reference Manual.*
Related Products	• Universal Steel One-High and 1.5-High open lateral files for Ology application		▶ Page 138
	• Universal shrouds		▶ Page 140
	• Universal filler		▶ Page 141

For composite veneers, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Style Number	Dimensions D Flush Front	D Proud Front	W	U.S. Base Prices Laminate Price Group 1	Composite Veneer Group 1	Wood Group 1
RATCTHAD	18"	18⅞"	60"	$ 530	$1190	$1256
	18"	18⅞"	66"	$ 612	$1255	$1321
	18"	18⅞"	72"	$ 691	$1316	$1382
	18"	18⅞"	78"	$ 873	$1574	$1640
	18"	18⅞"	84"	$ 986	$1791	$1873
	18"	18⅞"	90"	$1098	$1893	$1975
	18"	18⅞"	96"	$1212	$2088	$2170
	18"	18⅞"	108"	$1455	N.A.	N.A.




Tip: Cannot order veneer on 108"W Universal common top.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Elective Elements One-High Open Plinth Base Pedestals

For Ology Application



Tip: Ships without top. Picture shows fully assembled product. To specify a top, see style number ***E6WSHAD****.*
▶ Page 146

Tip: Leveling glides adjust up to ¾".

For laminate price group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Only available for Ology desks specified with modular widths.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 96	• Case with back panel: composite veneer group 1 • Grommet in top of case • Removable interior cover • Skeleton bone wire manager	1 Style number 2 Width (see below under Required Selections) 3 Composite veneer number for case 4 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Price below	Specify *with 24"W.*
	• 30"W	Price below	Specify *with 30"W.*
	• 36"W	Price below	Specify *with 36"W.*
	• 42"W	Price below	Specify *with 42"W.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Case**		
	• Laminate price group 1	–$241	Specify laminate color number.
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	–$204 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer group 1	Prices below	Specify composite veneer color number.
	• Composite veneer group 2	+$ 68	Specify composite veneer color number.
	• Wood group 1	+$ 56	Specify wood color number.
	• Wood group 2	+$ 75	Specify wood color number.
	• Wood group 3	+$267	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
Grain Direction	• No grain direction	No cost	Specify *with no grain direction.*
	• Vertical	No cost	Specify *with vertical grain direction.*
	• Horizontal	No cost	Specify *with horizontal grain direction.*
Related Products	• Common top for Ology application		▶ Page 146
	• Ology height-adjustable desks		▶ Page 98


Specification Information

Style Number	Dimensions D	H	W	U.S. Base Price	Option (Add $ to Base Price) Omit Back Panel
E6PDHAD	17¼"	15½"	24"	$2500	–$196
	17¼"	15½"	30"	$2669	–$224
	17¼"	15½"	36"	$2834	–$249
	17¼"	15½"	42"	$3006	–$279

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.




Elective Elements Common Tops

For Ology Application



Tip: Drawings show right-hand application, left hand is also available.

	Standard Includes	Required to Specify
▶Need help? Product details, page 96	• Tops: composite veneer group 1 veneer or laminate price group 1 • Composite veneer tops with wood edge: – 3 mm wood square profile on user side – 0.5 mm veneer on other sides • Laminate tops with plastic edge: – 3 mm plastic edge on user's side – 1 mm plastic edge on other sides, plastic default to match user's side • Laminate tops with wood edge: – Solid wood edge on user's side – 1 mm plastic edge on other sides, plastic default to match worksurface	1 Style number 2 Width (see below under Required Selections) 3 Composite veneer or laminate color number 4 Wood edge color number for all sides on wood worksurfaces, if selected 5 Plastic edge color number for all sides on laminate worksurfaces, if selected 6 Tops profile (see below under Required Selections) 7 Application (see below under Required Selections) 8 Options, if selected (see below) ▶See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices at right	Specify *with 24"W.*
	• 30"W	Prices at right	Specify *with 30"W.*
	• 36"W	Prices at right	Specify *with 36"W.*
	• 42"W	Prices at right	Specify *with 42"W.*
	• 48"W	Prices at right	Specify *with 48"W.*
	• 54"W	Prices at right	Specify *with 54"W.*
	• 60"W	Prices at right	Specify *with 60"W.*
	• 66"W	Prices at right	Specify *with 66"W.*
	• 72"W	Prices at right	Specify *with 72"W.*
	• 78"W	Prices at right	Specify *with 78"W.*
	• 84"W	Prices at right	Specify *with 84"W.*
	• 90"W	Prices at right	Specify *with 90"W.*
	• 96"W	Prices at right	Specify *with 96"W.*
	• 102"W	Prices at right	Specify *with 102"W.*
	• 108"W	Prices at right	Specify *with 108"W.*
	• 114"W	Prices at right	Specify *with 114"W.*
	• 120"W	Prices at right	Specify *with 120"W.*
Wood Common Top Edge Profile  Wood Square Profile		Prices at right	
Laminate Common Top Edge Profile  Plastic Square Profile  Wood Square Profile			
Application	• Left-hand application	No cost	Specify *with Ology left-hand application.*
	• Right-hand application	No cost	Specify *with Ology right-hand application.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Composite veneer common top**		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	Prices at right	Specify composite veneer color number.
	Wood veneer common top		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	Prices at right	Specify wood color number.
	• Wood group 3	Prices at right	Specify wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Laminate common top**		
	• Laminate price group 1	Prices below	Specify laminate color number.
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	Prices below plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Grain Direction	**Veneer tops**		
	• Long grain	No cost	Specify *with long grain.*
	• Short grain	No cost	Specify *with short grain.*
	Laminate tops		
	• No grain direction	No cost	Specify *with no grain direction.*
	• Long grain	No cost	Specify *with long grain.*
	• Short grain (on 60"W)	No cost	Specify *with short grain.*
Related Products	• Elective Elements One-High open plinth base pedestals for Ology application		▶ Page 144
	• Ology modesty panels		▶ Page 134
	• Fixed personal/modesty screens		▶ Page 346
	• Ology height-adjustable desks		▶ Page 98


For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Shroud top surface follows worksurface grain direction.

Tip: Short grain on laminate tops is only available on 60"W.

Specification Information

• Style Number	• Dimensions		• U.S. Base Prices					• Options (Add $ to Base Price)			
	D	W	Composite Veneer Group 1	Wood Group 1	Laminate Group 1						
			Composite Veneer Square Edge	Wood Square Edge	3 mm Plastic Square Edge	Composite Veneer Square Edge	Wood Square Edge	Composite Veneer	Wood		Open Line Laminate
								Composite Veneer Group 2	Wood Group 2	Wood Group 3	



E6WSHAD	18"	24"	$ 815	$ 927	$ 333	$ 694	$ 694	+$ 45	+$ 49	+$166	–$367
	18"	30"	$ 865	$ 977	$ 383	$ 744	$ 744	+$ 45	+$ 49	+$166	–$367
	18"	36"	$ 887	$ 999	$ 405	$ 766	$ 766	+$ 76	+$ 83	+$290	–$367
	18"	42"	$ 983	$1108	$ 441	$ 856	$ 856	+$ 76	+$ 83	+$290	–$425
	18"	48"	$1061	$1186	$ 519	$ 934	$ 934	+$ 76	+$ 83	+$290	–$425
	18"	54"	$1097	$1222	$ 555	$ 970	$ 970	+$ 76	+$ 83	+$290	–$425
	18"	60"	$1196	$1336	$ 592	$1054	$1054	+$112	+$123	+$433	–$490
	18"	66"	$1272	$1412	$ 668	$1130	$1130	+$112	+$123	+$433	–$490
	18"	72"	$1359	$1499	$ 755	$1217	$1217	+$112	+$123	+$433	–$490
	18"	78"	$1432	$1572	$ 828	$1290	$1290	+$112	+$123	+$433	–$490
	18"	84"	$1739	$1879	$1135	$1597	$1597	+$112	+$123	+$433	–$490
	18"	90"	$2030	$2170	$1426	$1888	$1888	+$112	+$123	+$433	–$490
	18"	96"	$2335	$2475	$1731	$2193	$2193	+$112	+$123	+$433	–$490
	18"	102"	$2684	$2839	$2018	$2531	$2531	+$155	+$171	+$595	–$549
	18"	108"	$3085	$3240	$2419	$2932	$2932	+$155	+$171	+$595	–$549
	18"	114"	$3550	$3705	$2884	$3397	$3397	+$155	+$171	+$595	–$549
	18"	120"	$4081	$4236	$3415	$3928	$3928	+$155	+$171	+$595	–$549

Steelcase Flex Collection

Understanding


Height-Adjustable Desks and Bases **150**
120° Height-Adjustable Desks **154**
Curved Screens **157**
Personal Spaces **158**
Accessories **160**

Specifying

Rectangle Height-Adjustable Desks and Bases **162**
120° Height-Adjustable Desks **168**
Curved Screens **172**
Personal Spaces **173**
Accessories **175**

Flex Rectangle Height-Adjustable Desks and Bases

Height-adjustable desks bring mobility and wellbeing, allowing users to change posture and location to suit their work needs. Optional integrated power includes a single power cord that comes out of the desk for ease of movement.
▶ Specifying, pages 162–166



Desk has a wood core with a High-Pressure Laminate or wood veneer surface, and is 1" thick.

Edge is available in 3 mm edge profile, when High-Pressure Laminate is selected.

Square edge is available in 3 mm edge profile, when wood veneer is selected.

Basic height-adjustable base adjusts from 27⅜"H–46⁹⁄₁₀"H in any increment.

Push button simple touch controller adjusts height at a rate of 1½" per second.

Base supports a maximum distributed weight load of 360 pounds (2-leg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.
▶ See page 153 for *worksurface weights*.

Lifting column is controlled by central control box for synchronization. Columns are precision balanced to minimize surface vibrations.



Extended height-adjustable base adjusts from 22⅜"H to 48⁷⁄₁₀"H in any increment.

Brakes are available as an option or can be specified separately. Brake can be activated by the user to fix the mobile desk into place and is engaged by spinning the ring to the floor.
Tip: Brake is recommend for use on hard floors.


Active touch controller is Bluetooth-enabled and is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

Directional rollers provide intentional user mobility.

Product Details

High-Pressure Laminate Desks

Edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Desks

Edge profile is wood veneer with a square (3 mm) radius.


Simple touch controller is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.
Tip: Available with an antimicrobial option.

Active touch controller is Bluetooth-enabled and is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.
Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.

Obstruction sensing technology is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

The overall depth of the worksurface is 23"D, 24"D, 29"D, or 30"D.

Desk overhang for CPU holder or layering of low storage and pedestals is available as an option. The overhang is 9" and available on 58"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.




Extended height Flex desks adjust 22⅜"H to 48⅞₁₀"H in any increment. Basic height-adjustable base adjusts from 27⅜"H–46⅜₁₀"H in any increment.

Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 1½" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Flex desks and bases are listed by ETL.




Cable trays are available as an option or can be ordered separately. 46"W–57¹⁵⁄₁₆"W desks use the 28" cable tray. 58"W–72"W desks use the 40"W cable tray. When specifying a desk overhang, see the chart below for additional guidelines.

	Worksurface Width			
Overhang	46"W–57¹⁵⁄₁₆"W	58"W–65¹⁵⁄₁₆"W	66"W–69¹⁵⁄₁₆"W	70"W–72"W
None	28"W Cable Tray	40"W Cable Tray		
Left or Right		28"W Cable Tray	40"W Cable Tray	
Left and Right				28"W Cable Tray


Integrated power is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks 57¹⁵⁄₁₆"W and under receive three power outlets in the understructure and desks 58"W and above receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.


Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Magnetic cable clips are optimized for the Flex braided one-cord out solution. However, the magnetic cable clips will work on Ology, Migration SE, and the standard Flex power cords. The clips are used to manage power cords out of the users way. Orderable as a separate style number.



Cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Specifying, page 177



Inside dimensions of cable brackets are 6"D x 2¼"W x ½"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate

▶See *Surface Materials,* page 364

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

3 mm edge profile

- Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)

Square 3 mm edge profile

- Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7243 Seagull
- 7360 Merle

Foot

- Paint

Rollers

- 6053 Seagull
- 6205 Black
- 6249 Platinum Solid
- 6527 Merle

Brake

- 6527 Merle

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.
Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Similar Steelcase Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

On extended height desks, any storage higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 23 7/10" will impede the height range of the desk.
Tip: Do not place storage underneath controller.

When mounting CPU holders, specify the overhang option.
Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.

All assemblies meet or exceed ANSI/BIFMA standards.

⚠WARNING

Read base only warranty limitations.
▶See page 153 for *Workstation Design Guidelines and Requirements.*

Keyboard assemblies are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

Installation


Desks ship with pre-drilled holes for mounting bases.


Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 360 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options.
Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.
Tip: Flex 90° desk mounted wraps will work on Flex rectangular height-adjustable desks 23"D x 52"W and above.

Worksurface Weight

							Options		Accessory
Worksurface Shape	**W**	**D**	**Worksurface Weight**		**Understructure Weight**	**Leg Clearance (A)**	**Integrated Power Weight**	**Desk Mounted Wrap**	**Curved Screen***
			23"D	**24"D**					
Rectangular	46"	23" or 24"	27 lb	29 lb	7.1 lb	9½"	5.0 lb	29 lb	1.9 lb
	58"	23" or 24"	35 lb	36 lb	9.4 lb	9½"	5.0 lb	29 lb	3.7 lb
	70"	23" or 24"	42 lb	43 lb	11.7 lb	9½"	5.0 lb	29 lb	5.5 lb
			29"D	**30"D**					
	46"	29" or 30"	34 lb	36 lb	7.1 lb	12½"	5.0 lb	29 lb	1.9 lb
	58"	29" or 30"	43 lb	45 lb	9.4 lb	12½"	5.0 lb	29 lb	3.7 lb
	70"	29" or 30"	52 lb	54 lb	11.7 lb	12½"	5.0 lb	29 lb	5.5 lb






*For detailed curved screen information, see page 157.

120° Height-Adjustable Desks

120° height-adjustable desks bring mobility and wellbeing, allowing users to change posture and location to suit their work needs. Optional integrated power includes a single power cord that comes out of the desk for ease of movement.
▶ Specifying, pages 168–170

Edge is available in 3 mm edge profile, when High-Pressure Laminate is selected.

Desk has a wood core with a High-Pressure Laminate or wood veneer surface, and is 1" thick.



120˚ Straight


Lifting columns are controlled by a central control box for synchronization. Columns are precision balanced to minimize surface vibrations.

Push button simple touch controller adjusts height at a rate of 1½" per second.

Base is available in extended or basic height: extended height-adjustable base adjusts from 22$^{3}/_{5}$"H to 48$^{7}/_{10}$"H in any increment.

Base supports a maximum distributed weight load of 540 pounds (3-leg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

Basic height-adjustable base adjusts from 27$^{3}/_{5}$"H–46$^{9}/_{10}$"H in any increment.



120˚ Corner


Active touch controller is Bluetooth-enabled; is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

Slide glide on 120° height-adjustable desks provides intentional user mobility.

Product Details

High-Pressure Laminate Desks

Edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Desks


Edge profile is wood veneer with a square (3 mm) radius.

Simple touch controller is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller. *Tip: Available with an antimicrobial option.*


Active touch controller is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders. *Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

Obstruction sensing technology is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

120° Straight




Left Hand




Right Hand

120° Corner




Left Hand



Right Hand

Extended height Flex desks adjust 22⅜"H to 48⅞₁₀"H in any increment.

Basic height-adjustable base adjusts from 27⅜"H–46⅜₁₀"H in any increment.



Modesty panels are available on the 120° height-adjustable desks as an option, or can be ordered separately. The two piece design provides modesty for the user, and attachment for the magnetic cable clips to keep the height-adjustable power cord out of the users way.

Steelcase guidance for height adjustment obstruction sensing technology (OST):

- Always read and follow all instructions and safety messages before positioning and using powered, height-adjustable products. Obstruction Sensing Technology (OST) is primarily intended to protect internal mechanisms and is only one part of the overall product system.
- OST is intended to detect hard, immovable objects that contact the desk during raising or lowering.
- OST may not detect soft and/or flexible objects such as padded arm caps, compliant seating surfaces, and cushion tops of peds.
- OST may not detect dynamic and/or articulating objects such as adjustable chair backs and chair arms.
- Different Steelcase height adjustable desks and benches have different types of OST that does not all behave the same.
- OST is disabled during the recalibration/synchronization process, but the unit moves at a much slower speed.


Monitor arms approved for use with Flex 120° height-adjustable desks are: **CSFSTDDUALBAR**, **CFINTROSLIDE**, **CFINTRO**.

Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 1½" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Flex desks and bases are listed by ETL.




120° cable tray is available on the 120° height-adjustable desks as an option, or can be ordered separately.


Integrated power is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, a braided cord option is available. Curly cord is also available for extra cord management.


Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Magnetic cable clips are optimized for the Flex braided one-cord out solution. However, the magnetic cable clips will work on Ology, Migration SE, and the standard Flex power cords. The clips are used to manage power cords out of the users way. Orderable as a option on the 120° Flex height-adjustable desks, or as a separate style number.



Cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Specifying, page 177



Inside dimensions of cable brackets are 6"D x 2¼"W x ½"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate

▶See *Surface Materials,* page 364

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual*.

3 mm edge profile

- Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)

Square 3 mm edge profile

- Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7243 Seagull
- 7360 Merle

Desk slide glide

- 6527 Merle

Modesty panel

- Paint

Modesty panel bracket

- 6527 Merle

Magnetic cable clips

- 6053 Seagull

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish color for color reference purposes. *Tip: Braided cord color is defaulted to 9007 Sterling.*

Finish	Similar Steelcase Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

On extended height desks, any storage higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 23 7/10" will impede the height range of the desk. *Tip: Do not place storage underneath controller.*

All assemblies meet or exceed ANSI/BIFMA standards.


⚠WARNING

Read base only warranty limitations.

Keyboard assemblies are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

Flex Curved Screens

Curved screens provide user adjustable privacy and modesty for height-adjustable desks and work tables.
▶Specifying, page 172



Curved screens are attached to the worksurface with magnetic brackets allowing for user adjustability between privacy and modesty modes.

Curved screens are pin tackable.

Curved screens can be ordered as single or pair to optimized privacy needs.

Actual Dimensions

Width	46", 58", or 70"
Height	18"
Weight	1.9 lb, 3.7 lb, 5.5 lb
Depth	½"

Product Details

Curved screens perform to an NRC rating of 0.45.

Application Topics

Curved screens are sized to work with modular size desks. Mounting a pair of screens on a parametric sized desk will create a gap between screens.
Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.

Curved screen is mounted with a ⅝" cord drop.

Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Privacy configuration provides 11½" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Modesty configuration provides 3½" of screen above the worksurface and 13½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

When ordering a single screen, selecting the correct hand is important. Handedness is assigned from the user position when the curved screen is mounted in privacy mode.

Single curved screens mounted to a modular size desk will cover half the width of the desk. If more coverage is desired, order the next size larger of screens.
Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.

Curved screens are allowed on rectangular 5" radius and organic bow front worksurfaces from Migration Pro, Migration Pro High-Speed, and Migration Intro.
Tip: Screens are not allowed with the knife edge option.

Surface Materials

Screen
- Fabric

Tip: Some thin, light colored fabrics are not available on these screens. Please see Surface Materials *for available fabric finishes.*
▶Page 370

Brackets
- 6527 Merle


Personal Spaces

Desk Mount Privacy Wraps

Tackable acoustic privacy wraps offer acoustic privacy and personalization for the user.
▶Specifying, pages 173–174

Upholstery details continue the curvature of the wrap.

120° desk mount privacy wraps are attached via brackets to the 120° straight and 120° corner height-adjustable desks.



Integrated light option minimizes shadows under privacy wrap, and enhances backdrop for video calls.

Wrap knit covers the entire frame creating a warm and enclosed privacy element.

Actual Dimensions


120° Privacy Wrap

Width Left	40 9/10"
Width Right	40 9/10"
Height	45 1/4"

Upholstery details continue the curvature of the wrap.

Integrated light option minimizes shadows under privacy wrap, and enhances backdrop for video calls.

90° desk mount privacy wrap attaches to Flex rectangular height-adjustable desks and worksurfaces that offer a 5" radius corner.



Frame can accept magnetic name tag or Flex freestanding screens to add personalization and privacy to the workstation.

Actual Dimensions

90° Privacy Wrap

Depth	25 4/5"
Width	52 9/10"
Height	45 1/4"

Wrap Knit and Light Finish Matrix

Wrap Finish Name	Wrap Finish Code	Light Finish Name	Light Finish Code
Dark Grey/ Merle	5KJ1	Merle	6527
Blue	5KJ2	Seagull	6053
Light Grey/ Platinum	5KJ3	Seagull	6053
Light Brown/ Beige	5KJ4	Milk	6052


Application Topics

90° desk mount privacy wraps are allowed on rectangular 5" radius and 28/29/30"D organic bow front worksurfaces from Migration Pro, Migration Pro High-Speed, and Migration Intro.
Tip: Privacy wrap is not allowed with the following worksurface options: knife edge profile, 23"D, mounted on the same side as an overhang.

Tip: Desks must be 52"W and wider.

Accessories

Flex accessories can be used across the collection to provide functionality and personalization.
▶Specifying, pages 175–178



Magnetic name tag attaches to all privacy wraps for personal notes in the workstation. Name tags have an erasable finish and are sold in packages of two or ten.

Power hangers are available in two configurations: four power and three power with USB.

Power hangers hang from the pegs on work tables.

Magnetic cable clips manage the height adjustable power cord. Cable cliips are sold in packages of two or ten.

Actual Dimensions

	Depth	Width	Height
Power Hanger	2 3/10"	10"	1 3/8"

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Finish	Similar Steelcase Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Product Details


Power hangers are standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Power hangers are available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.


Power hangers are weighted and have a rubberized back to allow them to sit firmly on the worksurface.

Power cords should not be routed in walkways or where subject to damage.


Over-current protection is standard on power hangers. The reset button is located on the side of the power hanger. If the over-current protection trips, reset by pushing the button back into place.




Rectangular cable trays are available as an option or can be ordered separately. 46"W–57$^{15}/_{16}$"W desks use the 28"W cable tray. 58"W–72"W desks use the 40"W cable tray. When specifying a desk overhang, see additional cable tray specifying details chart on page 175.



120° cable tray is available on the 120° height-adjustable desks as an option, or can be ordered separately.




Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Specifying, page 177



Inside dimensions of cable brackets are 6"D x 2¼"W x ½"H.



Magnetic cable clips are finished in 6053 Seagull with a 6527 Merle magnet logo.

Surface Materials

Power hangers
- 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia
- 4CZ8 Light Peacock
- 7243 Seagull
- 7360 Merle

Rectangular and 120° cable trays
- P631 Dark Heather Grey

Cable bracket
- 6527 Merle


Cable riser
- 7360 Merle

Cable catch
- P630 Medium Heather Grey
- P631 Dark Heather Grey

Magnetic cable clips
- 6053 Seagull with 6527 Merle magnet symbol

Magnetic name tag
- 6009 Arctic White (erasable)

Rectangle Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Composite veneer group 2 upcharge is in addition to the composite veneer group 1 cost.

Tip: Veneer group 3 upcharge is in addition to the veneer group 1 cost.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

▶See page 161

▶Need help? Product details, page 150

Standard Includes

- Worksurface:
  - – High-Pressure Laminate price group 1 with 3 mm plastic edge
  - – Composite veneer price group 1 with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 1
- Active touch controller
- Foot: paint price group 1
- Roller: plastic
- Modular widths: 46", 58", or 70"
- Attachment hardware
- No overhang on worksurface
- Power cord: 10' with standard plug

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 High-Pressure Laminate or composite veneer color number for worksurface
5 Plastic color number for edge on laminate worksurface, if selected
6 Paint color number for base
7 Paint color number for foot
8 Plastic color number for roller
9 Options, if selected (see below)

▶See *Surface Materials,* page 364.

Options	U.S. Price	Required to Specify
Surface Materials		
Top		
• High-Pressure Laminate price group 1	Prices at right	Specify laminate color number.
• High-Pressure Laminate price group 2		
– 46"W–54"W	+$ 28	Specify laminate color number.
– 54 1/16"W–72"W	+$ 37	Specify laminate color number.
• High-Pressure Laminate price group 3		
– 46"W–54"W	+$ 55	Specify laminate color number.
– 54 1/16"W–72"W	+$ 74	Specify laminate color number.
• Open Line laminate	+$115 plus cost of laminate	▶See *Surface Materials Reference Manual.*
• Composite veneer price group 1	Prices at right	Specify composite veneer color number.
• Composite veneer price group 2	+$112	Specify composite veneer color number.
• Veneer price group 1	Prices at right	Specify veneer color number.
• Veneer price group 3	+$434	Specify veneer color number.
• Customiz stain	No cost	Specify *with customiz stain.*
Base		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 25	Specify paint color number.
Foot		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 25	Specify paint color number.
• Paint price group 3	+$ 46	Specify paint color number.
Size		
• Modular	No cost	Specify modular.
• Parametric	No cost	Specify parametric.
Overhang		
• No overhang	No cost	Specify *with no overhang.*
• Overhang—left	No cost	Specify *with overhang left.*
• Overhang—left and right	No cost	Specify *with overhang left and right.*
• Overhang—right	No cost	Specify *with overhang right.*

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Power Configuration	• No under worksurface power	No cost	Specify *with no under worksurface power.*
	• Under worksurface only		
	– 46"W–57 15/16"W	+$ 537	Specify *with under worksurface power.*
	– 58"W–72"W	+$ 573	Specify *with under worksurface power.*
	• Under worksurface clamp with USB A+C 20W		
	– 46"W–57 15/16"W	+$ 903	Specify *with under worksurface clamp with USB A+C 20W.*
	– 58"W–72"W	+$ 940	Specify *with under worksurface clamp with USB A+C 20W.*
	• Under worksurface clamp with USB-C		
	– 46"W–57 15/16"W	+$1265	Specify *with under worksurface clamp with USB-C.*
	– 58"W–72"W	+$1300	Specify *with under worksurface clamp with USB-C.*
Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$ 83	Specify *with 10' braided cord.*
	• 20' standard cord	+$ 83	Specify *with 20' standard cord.*
	• 20' braided cord	+$ 248	Specify *with 20' braided cord.*
	• 8' curly cord	+$ 360	Specify *with 8' curly cord.*
Power Plug Type	• Standard NEMA 5-15 3-prong	No cost	Specify *with standard NEMA 5-15 3-prong.*
	• Thread low profile plug	+$ 45	Specify *with thread low profile plug.*
PVC	• With PVC	No cost	Specify *with PVC.*
	• Non PVC	+$ 38	Specify *with non PVC.*
Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• With cable tray	Price at right	Specify *with cable tray.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
Antimicrobial	• Non-antimicrobial	No cost	Specify *with non-antimicrobial.*
	• With antimicrobial	No cost	Specify *with antimicrobial.*
Brake	• No brake	No cost	Specify *with no brake.*
	• With brake	+$ 78	Specify *with brake.*

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.
▶See *Steelcase Worktools Specification Guide.*


Tip: For desks 29"/30"D x 58"W and greater additional monitor arm configurations are allowed.
▶See *Steelcase Worktools Specification Guide.*

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

▶**Specification Information, on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.



▶ **Options, on previous page**

Specification Information


• Style Number	• Depth		• U.S. Base Prices Width					• Option
		Modular	46"W	N.A.	58"W	N.A.	70"W	(Add $ to
		Parametric	46"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	Base Price) Cable Tray

Rectangle Height-Adjustable Desks

High-Pressure Laminate Price Group 1—Basic Height							
FLXSRQ	23" or 24"	$2703	$2787	$2870	$2961	$3051	+$206
	29" or 30"	$3031	$3128	$3221	$3319	$3420	+$232
Composite Veneer Price Group 1—Basic Height							
FLXSRQ	23" or 24"	$3588	$3687	$3784	$3892	$3992	+$206
	29" or 30"	$3956	$4066	$4171	$4288	$4398	+$232
Veneer Price Group 1—Basic Height							
FLXSRQ	23" or 24"	$3677	$3777	$3875	$3984	$4087	+$206
	29" or 30"	$4048	$4161	$4265	$4384	$4495	+$232
High-Pressure Laminate Price Group 1—Extended Height							
FLXERQ	23" or 24"	$2934	$3022	$3115	$3212	$3307	+$206
	29" or 30"	$3289	$3391	$3494	$3600	$3709	+$232
Composite Veneer Price Group 1—Extended Height							
FLXERQ	23" or 24"	$3819	$3922	$4029	$4143	$4248	+$206
	29" or 30"	$4214	$4329	$4444	$4569	$4687	+$232
Veneer Price Group 1—Extended Height							
FLXERQ	23" or 24"	$3908	$4012	$4120	$4235	$4343	+$206
	29" or 30"	$4306	$4424	$4538	$4665	$4784	+$232

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Rectangle Height-Adjustable Bases



▶ Need help? Product details, page 150

Standard Includes	Required to Specify
• Electric height-adjustable sit-to-stand base: paint price group 1 • Foot: paint price group 1 • Roller: plastic • Active touch controller • Modular widths: 46", 58", or 70" • Attachment hardware • No overhang on worksurface • Power cord: 10' with standard plug	1 Style number 2 Base depth 3 Base width 4 Paint color number for base 5 Paint color number for foot 6 Plastic color number for roller 7 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

	Options	U.S. Price	Required to Specify
Surface Materials	**Base**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 25	Specify paint color number.
	Foot		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 25	Specify paint color number.
	• Paint price group 3	+$ 46	Specify paint color number.
Size	• Modular	No cost	Specify modular.
	• Parametric	No cost	Specify parametric.
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Overhang—left	No cost	Specify *with overhang left.*
	• Overhang—left and right	No cost	Specify *with overhang left and right.*
	• Overhang—right	No cost	Specify *with overhang right.*
Power Configuration	• No under worksurface power	No cost	Specify *with no under worksurface power.*
	• Under worksurface only		
	– 46"W–57 15/16"W	+$ 537	Specify *with under worksurface power.*
	– 58"W–72"W	+$ 573	Specify *with under worksurface power.*
	• Under worksurface clamp with USB A+C 20W		
	– 46"W–57 15/16"W	+$ 903	Specify *with under worksurface clamp with USB A+C 20W.*
	– 58"W–72"W	+$ 940	Specify *with under worksurface clamp with USB A+C 20W.*
	• Under worksurface clamp with USB-C		
	– 46"W–57 15/16"W	+$1265	Specify *with under worksurface clamp with USB-C.*
	– 58"W–72"W	+$1300	Specify *with under worksurface clamp with USB-C.*
Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$ 83	Specify *with 10' braided cord.*
	• 20' standard cord	+$ 83	Specify *with 20' standard cord.*
	• 20' braided cord	+$ 248	Specify *with 20' braided cord.*
	• 8' curly cord	+$ 360	Specify *with 8' curly cord.*
Power Plug Type	• Standard NEMA 5-15 3-prong	No cost	Specify *with standard NEMA 5-15 3-prong.*
	• Thread low profile plug	+$ 45	Specify *with thread low profile plug.*
PVC	• With PVC	No cost	Specify *with PVC.*
	• Non PVC	+$ 38	Specify *with non PVC.*
Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• With cable tray	Price at right	Specify *with cable tray.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
Antimicrobial	• Non-antimicrobial	No cost	Specify *with non-antimicrobial.*
	• With antimicrobial	No cost	Specify *with antimicrobial.*
Brake	• No brake	No cost	Specify *with no brake.*
	• With brake	+$ 78	Specify *with brake.*

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.


Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.
▶ See page 161.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.
▶ See *Steelcase Worktools Specification Guide.*

Tip: For desks 29"/30"D x 58"W and greater additional monitor arm configurations are allowed.
▶ See *Steelcase Worktools Specification Guide.*

Tip: Antimicrobial can be specified only when specifying simple touch controller.



Specification Information

Style Number	Depth		U.S. Base Prices Width					Option
		Modular	46"W	N.A.	58"W	N.A.	70"W	(Add $ to
		Parametric	46"W–48"W	48 1/16"W–54"W	54 1/16"W–60"W	60 1/16"W–66"W	66 1/16"W–72"W	Base Price) Cable Tray

Rectangle Height-Adjustable Bases

Basic Height


FLXSRQB	23" or 24"	$2557	$2639	$2723	$2816	$2903	+$206
	29" or 30"	$2880	$2975	$3005	$3059	$3087	+$232

Extended Height

FLXERQB	23" or 24"	$2774	$2863	$2951	$3052	$3150	+$206
	29" or 30"	$3125	$3225	$3263	$3315	$3347	+$232

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

120° Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Composite veneer group 2 upcharge is in addition to the composite veneer group 1 cost.

Tip: Veneer group 2 and veneer group 3 upcharge is in addition to the veneer group 1 cost.

▶ Need help? Product details, page 154

Standard Includes	Required to Specify
• Worksurface: – High-Pressure Laminate price group 1 with 3 mm plastic edge – Composite veneer price group 1 with matching 3 mm square edge, if selected • Electric height-adjustable sit-to-stand base: paint price group 1 • Active touch controller • Power cord: 10' with standard plug • Slide glide: plastic • Attachment hardware	1 Style number 2 Desk depth 3 Desk width 4 High-Pressure Laminate or composite veneer color number for worksurface 5 Plastic color number for edge on laminate worksurface, if selected 6 Paint color number for base 7 Plastic color number for glide 8 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Options	U.S. Price	Required to Specify
Surface Materials	**Top**		
	• High-Pressure Laminate price group 1	Prices at right	Specify laminate color number.
	• High-Pressure Laminate price group 2	+$ 37	Specify laminate color number.
	• High-Pressure Laminate price group 3	+$ 72	Specify laminate color number.
	• Open Line laminate	+$ 115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	• Composite veneer price group 1	+$ 816	Specify composite veneer color number.
	• Composite veneer price group 2	+$ 112	Specify composite veneer color number.
	• Veneer price group 1	+$ 898	Specify veneer color number.
	• Veneer price group 2	+$ 123	Specify veneer color number.
	• Veneer price group 3	+$ 434	Specify veneer color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 25	Specify paint color number.
	Modesty panel		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 23	Specify paint color number.
	• Paint price group 3	+$ 42	Specify paint color number.
Handedness	• Left hand	No cost	Specify left hand.
	• Right hand	No cost	Specify right hand.
Depth—Left	• 22 11/16"	No cost	Specify 22 11/16"D left.
	• 40 7/16"	No cost	Specify 40 7/16"D left.
Depth—Right	• 22 11/16"	No cost	Specify 22 11/16"D right.
	• 40 7/16"	No cost	Specify 40 7/16"D right.
Power Configuration	• No under worksurface power	No cost	Specify *with no under worksurface power.*
	• Under worksurface only	+$ 573	Specify *with under worksurface power.*
	• Under worksurface clamp with USB A+C 20W	+$ 940	Specify *with under worksurface clamp with USB A+C 20W.*
	• Under worksurface clamp with USB-C	+$1300	Specify *with under worksurface clamp with USB-C.*
Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$ 83	Specify *with 10' braided cord.*
	• 20' standard cord	+$ 83	Specify *with 20' standard cord.*
	• 20' braided cord	+$ 248	Specify *with 20' braided cord.*
	• 8' curly cord	+$ 360	Specify *with 8' curly cord.*

▶ **Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Power Plug Type	• Standard NEMA 5-15 3-prong	No cost	Specify *with standard NEMA 5-15 3-prong.*
	• Thread low profile plug	+$ 45	Specify *with thread low profile plug.*
PVC	• With PVC	No cost	Specify *with PVC.*
	• Non PVC	+$ 38	Specify *with non PVC.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
Antimicrobial	• Non-antimicrobial	No cost	Specify *with non-antimicrobial.*
	• With antimicrobial	No cost	Specify *with antimicrobial.*
Magnetic Cable Clips	• No magnetic cable clips	No cost	Specify *with no magnetic cable clips.*
	• With magnetic cable clips	+$107	Specify *with magnetic cable clips.*
Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• With cable tray	+$206	Specify *with cable tray.*
Modesty Panel	• No modesty panel	No cost	Specify *with no modesty panel.*
	• Modesty panel	+$733	Specify *with modesty panel.*


Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Tip: Magnetic cable clips come in a pack of two when ordered with the height-adjustable desk style number.

Specification Information

Style Number	U.S. Base Price



120° Straight Desk Height-Adjustable, Basic Height


FLXSWS3	$3417

120° Straight Desk Height-Adjustable, Extended Height

FLXEWS3	$3717

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

120° Height-Adjustable Corner Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Composite veneer group 2 upcharge is in addition to the composite veneer group 1 cost.

Tip: Veneer group 2 and veneer group 3 upcharge is in addition to the veneer group 1 cost.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ Need help? Product details, page 154

Standard Includes

- Worksurface:
  - – High-Pressure Laminate price group 1 with 3 mm plastic edge
  - – Composite veneer price group 1 with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 1
- Active touch controller
- Power cord: 10' with standard plug
- Slide glide: plastic
- Attachment hardware

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 High-Pressure Laminate or composite veneer color number for worksurface
5 Plastic color number for edge on laminate worksurface, if selected
6 Paint color number for base
7 Plastic color number for glide
8 Options, if selected (see below)
▶ See *Surface Materials,* page 364.

Options	U.S. Price	Required to Specify
Surface Materials		
Top		
• High-Pressure Laminate price group 1	Prices at right	Specify laminate color number.
• High-Pressure Laminate price group 2	+$ 37	Specify laminate color number.
• High-Pressure Laminate price group 3	+$ 72	Specify laminate color number.
• Open Line laminate	+$ 115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
• Composite veneer price group 1	+$ 816	Specify composite veneer color number.
• Composite veneer price group 2	+$ 112	Specify composite veneer color number.
• Veneer price group 1	+$ 898	Specify veneer color number.
• Veneer price group 2	+$ 123	Specify veneer color number.
• Veneer price group 3	+$ 434	Specify veneer color number.
• Customiz stain	No cost	Specify *with customiz stain.*
Base		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 25	Specify paint color number.
Modesty panel		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$ 23	Specify paint color number.
• Paint price group 3	+$ 42	Specify paint color number.
Handedness		
• Left hand	No cost	Specify left hand.
• Right hand	No cost	Specify right hand.
Depth—Left		
• 14¼"	No cost	Specify 14¼"D left.
• 23¼"	No cost	Specify 23¼"D left.
Depth—Right		
• 14¼"	No cost	Specify 14¼"D right.
• 23¼"	No cost	Specify 23¼"D right.
Power Configuration		
• No under worksurface power	No cost	Specify *with no under worksurface power.*
• Under worksurface only	+$ 573	Specify *with under worksurface power.*
• Under worksurface clamp with USB A+C 20W	+$ 940	Specify *with under worksurface clamp with USB A+C 20W.*
• Under worksurface clamp with USB-C	+$1300	Specify *with under worksurface clamp with USB-C.*
Power Cord		
• 10' standard cord	No cost	Specify *with 10' standard cord.*
• 10' braided cord	+$ 83	Specify *with 10' braided cord.*
• 20' standard cord	+$ 83	Specify *with 20' standard cord.*
• 20' braided cord	+$ 248	Specify *with 20' braided cord.*
• 8' curly cord	+$ 360	Specify *with 8' curly cord.*
Power Plug Type		
• Standard NEMA 5-15 3-prong	No cost	Specify *with standard NEMA 5-15 3-prong.*
• Thread low profile plug	+$ 45	Specify *with thread low profile plug.*
PVC		
• With PVC	No cost	Specify *with PVC.*
• Non PVC	+$ 38	Specify *with non PVC.*

▶ **Options, continued on next page**

Options, continued from previous page


	Options	U.S. Price	Required to Specify
Controller	• Active touch controller • Simple touch controller	No cost –$ 81	Specify *with active touch controller.* Specify *with simple touch controller.*
Antimicrobial	• Non-antimicrobial • With antimicrobial	No cost No cost	Specify *with non-antimicrobial.* Specify *with antimicrobial.*
Magnetic Cable Clips	• No magnetic cable clips • With magnetic cable clips	No cost +$107	Specify *with no magnetic cable clips.* Specify *with magnetic cable clips.*
Cable Tray	• No cable tray • With cable tray	No cost +$206	Specify *with no cable tray.* Specify *with cable tray.*
Modesty Panel	• No modesty panel • Modesty panel	No cost +$733	Specify *with no modesty panel.* Specify *with modesty panel.*

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Tip: Magnetic cable clips come in a pack of two when ordered with the height-adjustable desk style number.

Specification Information

Style Number	U.S. Base Price



120° Corner Desk Height-Adjustable, Basic Height


FLXSWC3	$3453

120° Corner Desk Height-Adjustable, Extended Height

FLXEWC3	$3753

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Curved Screens



Tip: Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Tip: When choosing contrasting fabrics, outside and inside screen fabric must stay within same fabric family.

Tip: Handedness is only needed to specify when ordering single curved screen.

Standard Includes	Required to Specify
▶ Need help? Product details, page 157	1 Style number 2 Fabric color number for screen 3 Options, if selected (see below) ▶ See *Surface Materials,* page 364.
• Curved desk screen: fabric price group A or 1 • Magnet attachment housing: 6527 Merle • Attachment hardware	

	Options	U.S. Price	Required to Specify
Surface Materials	**Inside screen**		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group A	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 28	Specify fabric color number.
	• Fabric price group 3	+$ 74	Specify fabric color number.
	• Fabric price group 4	+$ 94	Specify fabric color number.
	• Fabric price group 5	+$115	Specify fabric color number.
	• Fabric price group 6	+$133	Specify fabric color number.
	• Fabric price group 7	+$153	Specify fabric color number.
	• Fabric price group 8	+$174	Specify fabric color number.
	• Fabric price group 9	+$193	Specify fabric color number.
	• Fabric price group 10	+$213	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 9	▶ See *Surface Materials Reference Manual.*
	Outside screen		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group A	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 28	Specify fabric color number.
	• Fabric price group 3	+$ 74	Specify fabric color number.
	• Fabric price group 4	+$ 94	Specify fabric color number.
	• Fabric price group 5	+$115	Specify fabric color number.
	• Fabric price group 6	+$133	Specify fabric color number.
	• Fabric price group 7	+$153	Specify fabric color number.
	• Fabric price group 8	+$174	Specify fabric color number.
	• Fabric price group 9	+$193	Specify fabric color number.
	• Fabric price group 10	+$213	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 9	▶ See *Surface Materials Reference Manual.*
Handedness	• Left hand privacy/ right hand modesty	No cost	Specify *with left hand privacy/ right hand modesty.*
	• Right hand privacy/ left hand modesty	No cost	Specify *with right hand privacy/ left hand modesty.*


Specification Information

Dimensions D	Dimensions H	Style Number	U.S. Base Prices Desk Width 46"W	58"W	70"W
Single					
½"	18"	**FLXCS**	$ 764	$ 882	$ 998
Pair					
½"	18"	**FLXCSP**	$1528	$1764	$1996

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Personal Spaces

120° Desk Mount Privacy Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.
▶See page 159.

Tip: 120° desk mounted privacy wrap is optimized for use with the 120° straight and 120° corner height-adjustable tables.

Standard Includes	Required to Specify
▶Need help? Product details, page 158	1 Style number 2 Fabric color number for wrap 3 Plastic color number for light, if selected 4 Options, if selected (see below) ▶See *Surface Materials,* page 364.
• 45¼"H wrap: knit – 5KJ1 Merle – 5KJ2 Cloud – 5KJ3 Fog – 5KJ4 Sand • Light, if selected: plastic – 6052 Milk – 6053 Seagull – 6527 Merle	

	Options	U.S. Price	Required to Specify
Light	• No light • With light – 10 pack	No cost +$ 934 +$9339	Specify *with no light.* Specify *with light.* Specify *with light pack.*

Specification Information

• **Style Number**	• **U.S. Base Price**

Quantity 1

FLXDWW	$ 2586


Quantity 10

FLXDWW10	$24,223

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Personal Spaces

90° Desk Mount Privacy Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.
▶See page 159.

Standard Includes	Required to Specify
▶Need help? Product details, page 158	1 Style number 2 Fabric color number for wrap 3 Plastic color number for light, if selected 4 Options, if selected (see below) ▶See *Surface Materials,* page 364.
• 45¼"H wrap: knit – 5KJ1 Merle – 5KJ2 Cloud – 5KJ3 Fog – 5KJ4 Sand • Light, if selected: plastic – 6052 Milk – 6053 Seagull – 6527 Merle	

Options	U.S. Price	Required to Specify
Handedness		
• Left hand	No cost	Select left hand.
• Right hand	No cost	Select right hand.
Light		
• No light	No cost	Specify *with no light.*
• With light	+$ 934	Specify *with light.*
– 10 pack	+$9339	Specify *with light pack.*

Specification Information

• Style Number	• U.S. Base Price

Quantity 1

FLXDWR	$ 2586


Quantity 10

FLXDWR10	$24,223

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Accessories

Power Hanger



Tip: Power hangers shipping to Illinois will receive 9' power cord.

Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Tip: Standard plug is a NEMA 5-15 3-prong plug.


	Standard Includes	Required to Specify
▶Need help? Product details, page 160	• Rubberized hanger back: 7360 Merle paint • Cover: – 4AY2 Chili – 4AZ5 Marlin – 4BQ7 Fuchsia – 4CZ8 Light Peacock – 7243 Seagull – 7360 Merle • Power cord: 10' with standard plug	1 Style number 2 Plastic color number for cover 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Power Configuration	• 4 power	No cost	Specify *with 4 power.*
	• 3 power 1 USB A+C	+$134	Specify *with 4 power 1 USB A+C.*
Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$ 83	Specify *with 10' braided cord.*
	• 20' standard cord	+$ 83	Specify *with 20' standard cord.*
	• 20' braided cord	+$248	Specify *with 20' braided cord.*
Power Plug Type	• Standard NEMA 5-15 3-prong	No cost	Specify *with standard NEMA 5-15 3-prong.*
	• Thread low profile plug	+$ 45	Specify *with thread low profile plug.*
PVC	• With PVC	No cost	Specify *with PVC.*
	• Non PVC	+$ 38	Specify *with non PVC.*

Specification Information

Style Number	U.S. Base Price
FLXPH	$606

Cable Tray for Rectangle Height-Adjustable Desks



Tip: 46"W–57 15/16"W desks use the 28"W cable tray. 58"W–72"W desks use the 48"W cable tray.
▶See page 161.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


	Standard Includes	Required to Specify
▶Need help? Product details, page 160	• Cable tray: P631 Dark Heather Grey molded PET felt • Attachment hardware • 28"W cable tray, if 46"W–57 15/16"W worksurface selected • 40"W cable tray, if 58"W–72"W worksurface selected	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Worksurface Depth	• 23"	Prices below	Specify 23" depth.
	• 24"	Prices below	Specify 24" depth.
	• 29"	Prices below	Specify 29" depth.
	• 30"	Prices below	Specify 30" depth.

Specification Information

Style Number	U.S. Prices Worksurface Depth	
	23"D/24"D	29"D/30"D
FLXCT	$206	$232

Cable Tray for 120° Height-Adjustable Desks




Tip: Flex 120° cable tray can be used with the Flex 120° straight and Flex 120° corner height-adjustable desks.

Standard Includes	Required to Specify
▶ Need help? Product details, page 160	• Cable tray: P631 Dark Heather Grey molded PET felt • Attachment hardware	Style number

Specification Information

• Style Number	• U.S. Price
FLXWCT	$206

Magnetic Cable Clips



Standard Includes	Required to Specify
▶ Need help? Product details, page 160	• Magnetic clips: 6053 Seagull	Style number

Specification Information

• Style Number	• U.S. Price

Magnetic Cable Clips, Quantity 2


FLXMCC2	$110

Magnetic Cable Clips, Quantity 10

FLXMCC10	$435

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Cable Brackets



Tip: Cable brackets can be used instead of cable trays or will fit inside footprint of 29"/30"D cable trays.


Standard Includes	Required to Specify
• Cable brackets, quantity of four: 6527 Merle	Style number

▶ Need help? Product details, page 160

Specification Information

Style Number	U.S. Price
FLXCBK4	$53

Cable Riser



Tip: Cable riser leg connection is not compatible with the Flex height-adjustable desk.


Standard Includes	Required to Specify
• Cable riser with fence connection: 7360 Merle paint • Attachment hardware	Style number

▶ Need help? Product details, page 160

Specification Information

Style Number	U.S. Price
OLCR	$118

Brakes for Rectangle Height-Adjustable Desks



Standard Includes	Required to Specify
• Two brakes: 6527 Merle • Attachment hardware	Style number


▶ Need help? Product details, page 160

Specification Information

Style Number	U.S. Price
FLXBRK	$78

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

120° Modesty Panel



Tip: Modesty panel can be used with 120° straight and corner height-adjustable desks and 120° straight seated height work table.


Standard Includes	Required to Specify
▶ Need help? Product details, page 160	1 Style number 2 Paint color number for modesty panel 3 Options, if selected (see below) ▶ See *Surface Materials,* page 364.
• Modesty panel: paint price group 1	

Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+$23	Specify paint color number.
• Paint price group 3	+$42	Specify paint color number.

Specification Information

• Style Number	• U.S. Base Price
FLXWMP	$746

Magnetic Name Tags



Tip: Magnetic name tags work on the privacy wraps.

Standard Includes	Required to Specify
▶ Need help? Product details, page 160	Style number
• Name tags: 6009 Arctic White	

Specification Information

• Style Number	• U.S. Price

Quantity 2

FLXMNT2	$ 177

Quantity 10

FLXMNT10	$1145

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Desking Collection

Understanding

Migration Desking Collection Comparison Chart **180**

Migration Desking Collection Options Availability Chart **181**

Migration Pro Height-Adjustable Desks and Bases **186**

Migration Pro with Boost High-Speed Height-Adjustable Desks and Bases **194**

Migration Intro Height-Adjustable Desks and Bases **200**

Migration Pro and Intro Cable Management **206**

Migration Pro and Intro Modesty Panels **208**

Migration SE Height-Adjustable Desks and Bases **210**

Universal One-High and 1.5-High Open Laterals for Migration SE **220**

Specifying

Migration Pro Height-Adjustable Desks **222**

Migration Pro Height-Adjustable Bases **230**

Migration Pro with Boost High-Speed Height-Adjustable Desks **232**

Migration Pro with Boost High-Speed Height-Adjustable Bases **239**

Migration Intro Height-Adjustable Desks **240**

Migration Intro Height-Adjustable Bases **244**

Migration Intro and Pro Accessories **245**

Migration SE Height Adjustable Desks **252**

Migration SE Height Adjustable Bases **254**

Universal One-High and 1.5-High Open Laterals for Migration SE **270**

Universal Common Tops for Migration SE **272**

Universal Shrouds for Migration SE **274**

Universal Fillers for Migration SE **275**

Migration SE Cable Management **276**

Migration SE Accessories **277**

Migration Desking Collection Comparison Chart

Desk Type	Migration SE	Migration Intro	Migration Pro	Migration Pro with Boost High-Speed
Style Number Prefix	**MG**	**HA1**	**HA2**	**HA3**
Design				
Worksurface Shapes	Rectangular **90°** **120°**	Rectangular **Organic**	Rectangular **Organic**	Rectangular **Organic**
Column Shape	Rectangular	Rectangular	Rectangular **Round**	Rectangular
Worksurface Edge	Flat	Flat	Flat, **knife edge**, **knife edge user side**, **soft edge**	Flat, **knife edge**, **knife edge user side**, **soft edge**
Worksurface Thickness	Ology (1" thick)	Ology (1" thick) **Universal (1⅛" thick)**	Ology (1" thick) **Universal (1⅛" thick)**	Ology (1" thick) **Universal (1⅛" thick)**
Integrated Power	None	None	Flush mount, pop-up	Flush mount, pop-up
Understructure	**Telescopic**	Fixed	Fixed	Fixed
Cable Management	Cable brackets, riser	Cable brackets, riser, **tray**, **grommets**	Cable brackets, riser, **tray**, **grommets**	Cable brackets, riser, **tray**, **grommets**
Sustainability Styles	Carbon Neutral	Carbon Neutral FSC Mix*	Carbon Neutral FSC Mix*	Carbon Neutral FSC Mix*
Worksurface Finishes	High-Pressure Laminate Veneer	Low-Pressure Laminate High-Pressure Laminate	Low-Pressure Laminate High-Pressure Laminate Veneer	High-Pressure Laminate Veneer
Base Finishes	4	3	**24**	**24**
Performance				
Range of Adjustment	Extended height: 22 3/5" – 48 7/10" **Basic height:** **28 3/10" – 46 9/10"**	Extended height: 22 1/8" – 48 1/4" Basic height: 26 9/10" – 46 3/5"	Extended height: 22 3/5" – 48 7/10" Basic height: 27 3/5" – 47 3/10"	Extended height: 22 3/5" – 48 7/10"
Controller	Up/Down, 4 Preset	Basic, **Active Touch**	Simple Touch, **Active Touch**, 3-Preset	Simple Touch, **Active Touch**, 3-Preset
Distributed Weight Capacity	250 pounds	270 pounds	**360 pounds**	270 pounds
Adjustability Speed	1 3/10" per second	1⅕" per second	1½" per second	**3 1/10" per second**
Decibel Rating	< 47 dBA	< 45 dBA	**< 39 dBA**	< 45 dBA

Tip: Bolded text indicated product differentiators.

*FSC Mix—The product is made with a mixture of materials from FSC-certified forests, recycled materials, and/or FSC-controlled wood.

Migration Desking Collection Options Availability Chart

Migration Pro (HA2) Options Availability Chart

Rectangular and Organic	Desk Widths									
	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
Options:	40" – 45 15/16"	46" – 51 15/16"	52" – 57 15/16"	58" – 63 15/16"	64" – 69 15/16"	70" – 75 15/16"	76" – 81 15/16"	82" – 87 15/16"	88" – 93 15/16"	94" – 96 15/16"
Knife Edge* (User Side and 3 Sides)										
Worksurfaces Thickness	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick
Grommets	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
No Overhang										
No Overhang + Flush or Pop-Up Power	Center	Center	Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
No Overhang + Soft Edge**					Starts at 64"W w/ 3-preset controller					
No Overhang + Cable Tray	Small	Small	Small	Medium	Medium	Large	Large	Large	Large	Large
1 Overhang										
1 Overhang + Flush or Pop-Up Power				Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
1 Overhang + Soft Edge**						Starts at 70"W w/ 3-preset controller				
1 Overhang + Cable Tray				Small	Medium	Medium	Large	Large	Large	Large
2 Overhangs										
2 Overhangs + Flush and Pop-Up Power					Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
2 Overhangs + Soft Edge**							Starts at 76"W w/ 3-preset controller			
2 Overhangs + Cable Tray					Small	Medium	Medium	Large	Large	Large
Rectangular Column										
Round Column										
T-Leg										
C-Leg***										
1" Spacer										
Slide Glide										
Casters****										

Available
Not Available

* Knife edge and knife edge user side is only available on High-Pressure Laminate worksurfaces.
Tip: Knife edge and knife edge user side only is not allowed on Universal top thickness.
** Soft edge is only available on rectangular laminate worksurfaces. Soft edge is centered between the cantilevers. If one overhang is selected, the soft edge will be off-center on the worksurface. Soft edge cannot be specified on a knife edge worksurface.
*** C-leg is only available with rectangular columns and is only available in 28", 29", or 30" depths.
**** Casters only available on T-leg desks and bases.
Tip: Grommets can be specified left, right, and/or center. When overhang is also specified, grommet positions will match the understructure width, not the work-surface width.
Tip: Metal cable trays are not available on organic bow front and back worksurfaces.
Tip: Flush and pop-up power can be specified on center. Left or right positions availability depend on width and overhang conditions. Only one integrated power feature can be specified per desk.
Tip: Metal cable trays are available in three widths: 30", 42", and 52".
Tip: See the Migration Pro understanding pages for detailed information on worksurface overhang(s).
Tip: Overhang not available on basic height Migration Pro desks.

Migration Pro with Boost High-Speed (HA3) Options Availability Chart

Rectangular and Organic	Desk Widths						
	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Options:	40" – 45 15/16"	46" – 51 15/16"	52" – 57 15/16"	58" – 63 15/16"	64" – 69 15/16"	70" – 75 15/16"	76" – 78"
Knife Edge* (User Side and 3 Sides)							
Worksurfaces Thickness	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick
Grommets	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
Flush or Pop-Up Power	Center	Center	Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
Soft Edge**					Starts at 64"W w/ 3-preset controller		
Metal Cable Tray	Small	Small	Small	Medium	Medium	Large	Large
1" Spacer							
Slide Glide							
Casters***							

Available
Not Available

* Knife edge and knife edge user side is only available on laminate worksurfaces.
Tip: Knife edge and knife edge user side only is not allowed on Universal top thickness.
** Soft edge is only available on rectangular laminate worksurfaces.
*** Casters only available on T-leg desks and bases.
Tip: Metal cable trays are not available on organic bow front and back worksurfaces.
Tip: Flush and pop-up power can be specified on center. Left or right positions availability depend on width and overhang conditions. Only one integrated power feature can be specified per desk.
Tip: Metal cable trays are available in three widths: 30", 42", and 52".
Tip: Modular widths have a standard 3" overhang on both sides. Parametric width overhangs will vary. Use the SmartTools dimension tool to determine exact overhang.

Migration Intro (HA1) Options Availability Chart

Rectangular and Organic	Desk Widths						
	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Options:	40" – 45 15/16"	46" – 51 15/16"	52" – 57 15/16"	58" – 63 15/16"	64" – 69 15/16"	70" – 75 15/16"	76" – 78 15/16"
Worksurfaces Thickness	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick	1" and 1 1/8" thick
Grommets	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center
Metal Cable Tray	Small	Small	Small	Medium	Medium	Large	Large

Available
Not Available

Tip: Grommets can be specified left, center, and/or right.
Tip: Metal cable trays are not available on organic bow front and back worksurfaces.
Tip: Metal cable trays are available in three widths: 30", 42", and 52".
Tip: Modular widths have a standard 3" overhang on both sides. Parametric width overhangs will vary. Use the SmartTools dimension tool to determine exact overhang.

Migration SE (MG) Options Availability Chart

Rectangular	Desk Widths					
	46"W	52"W	58"W	64"W	70"W	76"W
Options:	46" – 51 15/16"	52" – 57 15/16"	58" – 63 15/16"	64" – 69 15/16"	70" – 75 15/16"	76"
No Overhang						
1 Overhang			3", 6"	3", 6", 9", 12"	3", 6", 9", 12"	6", 9", 12"
1 Overhang + Height-Saver Foot						
T-Leg						
C-Leg*						
Miter Foot						
Height-Saver Foot**						

Available
Not Available

* C-leg is only available in 29" or 30" depths.
** Height-saver foot is only available in 29" or 30" deep, T-leg desk configurations.
Tip: 76" wide worksurfaces have a standard 4" overhang on both sides.
Tip: Modular and parametric widths have a standard 1" overhang on both sides.

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

	Desk Without Knife Edge		Desk With Knife Edge*	
Screen Type	**Square or 2" Radius**	**5" Radius**	**Square or 2" Radius**	**5" Radius**
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 3"	N.A.	N.A.
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	N.A.	Max Screen Width = Depth of Desk	N.A.

** Knife edge is an option on Migration Pro.*

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.
Tip: To add a side screen to a Migration Pro knife edge desk, option Sarto side screen and Migration side knife attachment brackets.
Tip: Sarto curved screens, Flex curved, and Flex privacy wrap are not allowed on Migration Pro desks with side knife edge.


Migration Pro Height-Adjustable Desks and Bases

Migration Pro is a high-performance height-adjustable desk that is designed and engineered to match the unique needs of users.
▶Specifying, pages 222, 226, and 226

CarbonNeutral.com
Now available as a CarbonNeutral product.

Available as a FSC Mix product, the worksurface is made with a mixture of materials from FSC-certified forests, recycled materials, and/or FSC-controlled wood. The FSC Mix credit claim number is published on the customer invoice.


Rectangular worksurfaces are available with square or radius corner options. The radius corner option can be specified with 2" or 5" radius.



Worksurface has a wood core with a Low-Pressure Laminate, High-Pressure Laminate, or wood veneer surface Standard thickness is Ology 1", with Universal 1⅛" thickness available as an option.

Controller adjusts the height of the desk at a rate of 1½" per second. Three options are available - active touch, simple touch, and 3-preset with digital display.

Soft edge, available as an option, reduces unhealthy pressure on forearms, as well as feelings of shoulder and neck fatigue. Soft edge is 36"W.



Distribute weight evenly

Lifting column is controlled by a central box for synchronization. Columns are precision balanced to minimize surface vibrations.

Rectangular columns are offered in both T- and C-leg configurations.


Base supports a maximum distributed weight capacity of 360 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶See page 213 for *worksurface weights.*

Edge is available in 3 mm edge profile.

Organic worksurfaces are available in bow front or bow front and back options. Bow front has 5" radius corners at the back.

Round columns are offered in T-leg configurations.

Active touch controller is Bluetooth-enabled and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.



Extended height-adjustable base adjusts from 22⅜"–48⅞" in any increment.

Basic height-adjustable base adjusts from 27⅜"–47⅜" in any increment.


Leveling glides adjust ½" to install desk on uneven floors. Slide glides, 1" adjustable spacers, and casters are available as an option.

Knife edge, available as an option, is a thin profile worksurface edge that is available in two options: user side only or wrapping three sides of the desk.


Product Details

High-Pressure Laminate Desks

Front (user's) edge profile is available in 3 mm edge profile.




3 mm plastic edge profile



Knife edge profile


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶See *Surface Materials* in this book for specific PVC-free availability, page 364.

Edge profile finishes are specified separately from laminate color.




Knife edge with 3 mm user and side edges is available on rectangular and organic worksurfaces as an option. On radius corners the knife edge wraps to the back of the worksurface.
Tip: Knife edge is available on laminate worksurfaces only.


Tip: Knife edge and soft edge cannot be specified together.




Knife edge is 15° and edge profile is 1/2". Overall thickness of worksurface is 1".
Tip: The sloping underside of the edge is finished to match the backer on the underside of worksurface.

Tip: Monitor arms and power strips can still be c-clamped at the back of the worksurface.





Knife edge profiles available are 3 sided knife edge and user side knife edge.



Soft edge, available as an option, is made of polyurethane and is offered on rectangular worksurfaces 58"W or wider without overhang. When specified with a left or right overhang or left and right overhang, soft edge availability varies.
▶See *Migration Pro Options Availability Chart*, page 181.
Tip: Soft edge is available on laminate worksurfaces only.


Tip: Soft edge is available as non-antimicrobial only.

Tip: Soft edge and knife edge cannot be specified together.

Tip: Soft edge, when specified with 3-preset controller, has additional width limitations due to the size of the controller.

Wood Veneer Desks


Front (user's) edge profile is wood veneer with a square 3 mm radius.




3 mm wood square profile




Rectangular worksurfaces are available with square or radius corners.





Square corners are standard on rectangular desks and have 90° corners on all four sides.






Radius corners, available as an option on rectangular desks, have 2" or 5" radius on all four sides with a continuous 3 mm user's edge. Radius corners eliminate sharp edges suitable for freestanding desks.
Tip: Wood veneer worksurfaces are available with a 5" radius only.






Organic worksurfaces are available in two shapes: bow front or bow front and back.
Tip: Side screens are not allowed on organic worksurface shapes.



Organic bow front worksurfaces have a 5" radius on the back corners.




Organic bow front and back worksurfaces are symmetric.
Tip: Organic bow front and back worksurfaces work with Soffio screens only.


Tip: Metal cable tray cannot be specified with organic bow front and back worksurfaces.

Desks that are FSC Mix credit help organizations meet their sustainability goals. Order **HA2ERFSC, HA2EOFSC, HA2SRQFSC,** or **HA2SOFSC** to specify Migration Pro with FSC product certification.
Tip: Product is not labeled. The FSC Mix credit claim number is published on the customer invoice.

Tip: FSC worksurfaces have minimal worksurface finish limitations.




Rectangular and organic worksurface sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture, eliminating any pinch points.




The overall width of the worksurface is 40"W–96"W. Modular widths account for 1" pinch point on each side. Parametric widths are available in 1/16" increments.


Worksurfaces 78" and wider may have different configuration and application rules.
▶See *Migration Pro Options Availability Chart*, page 181




The overall depth of the worksurface is 23", 24", 28", 29", or 30". Modular depths account for a 1" pinch point clearance at the back or full depth is available.




Extended height desks adjust 22 3/5"H to 48 7/10"H in any increment.




Basic height desks adjust from 27 3/5"H to 47 3/10"H in any increment.




T-leg configuration with round or rectangular columns is an option for 23", 24", 28", 29", and 30" depth options. All worksurface widths are available with this option.




C-leg rectangular column configuration is an option for 28", 29", and 30" depth options, maximizing user knee depth clearance below the desk. Worksurfaces up to 78"W are available with this option.
Tip: Round columns are not available as a C-leg configuration.



1" glide spacer is available as an option. Added to the existing glide, it raises the overall height of the glide by 1/2" for uneven floors.




Caster kit is available for 28", 29", or 30"D, and up to 78"W T-leg desks and bases.



Slide glides are available as an option to aid in user-controlled mobility within the workstation.
Tip: Overall height of desk is increased by 1/2".




Caster kit is available as an option or style number for retrofit on Migration Pro T-leg desks.




Casters add 2" to total height of Migration Pro T-leg height-adjustable desks.



When casters are optioned on Migration Pro T-leg, no monitor arms can be added to the desk.




Active touch controller is standard, Bluetooth-enabled, and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.
Tip: When specified on knife edge worksurfaces, a knife edge adapter is shipped with the controller.




Simple touch controller is available as an option and easily adjusts the desk by lifting up or pressing down on the controller.
Tip: Simple touch is available as non-antimicrobial only.


Tip: When specified on knife edge worksurfaces, a knife edge adapter is shipped with the controller.



When knife edge is specified, an adapter is shipped with active touch and simple touch controllers for ease of use.



Three preset controller with digital display is available as an option and easily adjusts the desk by pushing the up and down arrows. It allows users to set the seated and standing height positions. Digital display will show the height of the desk when adjusting and at rest before it enters sleep mode.
Tip: Does not use a knife edge adapter bracket. The controller is not mounted flush to front of worksurface, it is inset mounted underneath the desk at the knife edge transition.



Desks adjust at a rate of 1 1/2" per second.

Gyroscopic obstruction sensing technology is standard with all Migration Pro desks. The worksurface will backtrack when it contacts an object or detects tilt.
Tip: Desks greater than 78"W ship with two obstruction sensing dongles.

Steelcase guidance for height adjustment obstruction sensing technology (OST):

- Always read and follow all instructions and safety messages before positioning and using powered, height-adjustable products. Obstruction Sensing Technology (OST) is primarily intended to protect internal mechanisms and is only one part of the overall product system.
- OST is intended to detect hard, immovable objects that contact the desk during raising or lowering.
- OST may not detect soft and/or flexible objects such as padded arm caps, compliant seating surfaces, and cushion tops of peds.
- OST may not detect dynamic and/or articulating objects such as adjustable chair backs and chair arms.
- Different Steelcase height adjustable desks and benches have different types of OST that does not all behave the same.
- OST is disabled during the recalibration/synchronization process, but the unit moves at a much slower speed.


Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 1 1/2" per second. Motor is 110V and includes a 10 1/2' power cord. Motor has 0.1W standby power.


Ships with 10 1/2' power cord. To meet Chicago power cord requirements, refer to the Migration Pro assembly directions.
Tip: If specifying flush mount or pop-up power with utility power the desk power cord is 4'. Utility power cord is available in three options: standard smooth straight, braided, or curly. Standard and braided cords are 10'. Curly cord is 163".

Underwriters Laboratory (UL) Listed. Migration Pro desks are designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Height-adjustable base is UL listed when constructed in accordance with assembly directions. Local electrical codes vary; consult the local authority having jurisdiction to verify the product as installed is compliant with local code.


Round grommets, available as an option, help manage cable and cords routing from above to below the desk.
Tip: Grommets are centered between the base, not the worksurface, when overhang is specified.



Round grommet inside dimension is 2".




Grommets can be specified left, right, and/or center on the worksurface.
Tip: Grommets are centered between the base, not the worksurface, when overhang is specified.




Metal cable tray, available as an option, manages cables and disguises clamps and power strips at the worksurface for a clean aesthetic.
Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.

*Tip: Worktools smart straps **DSBULKSTRP**, can be ordered separately to manage bundled cables in the tray.*


Tip: Metal cable tray can be ordered separately; however, pilot holes will not be provided.
▶Specifying, page 245




Small and large cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Understanding, page 206




Flush and pop-up powerstrips are available as an option and can be specified left, right or center depending on the worksurface width.
Tip: Only one integrated power feature can be specified per desk.
▶See *Migration Pro Options Availability Chart*, page 181.




3 power



2 power
1 USB A+C 20W



2 Power
1 Data




1 Power
1 USB-C 100W


Flush and pop-up power are available in four power configurations:

Hedberg Option Code	Power Configuration
3P	3 power
2P1D	2 power, 1 data
2P1AC20	2 power, 1 USB A+C 20W
1P1C100	1 power, 1 USB-C 100W


Flush and pop-up options:




Without overcurrent protection




Without overcurrent protection





With overcurrent protection



With overcurrent protection









Flush and pop-up powerstrips with utility power optioned ship with worksurface mounting brackets. Can be used in conjunction with metal cable tray or small and large cable brackets.

USB A+C 20W




Flush and pop-up powerstrips USB A+C 20W recommended for charging cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices.

Dual 45W
or
100W USB-C




USB-C 100W recommended for all the above and compact laptops.
Tip: For USB-C 100W port, use USB-C charging cable rated for 100W use for full charging benefits. Charging cables not included.



Universal cable management kit, ordered separately, is designed to mount the utility power and mounting brackets would be unused.
Tip: The flush and pop-up powerstrip should not be enclosed within the universal cable management tray because the tray will not fully open. The tray should be mounted to the side.

Optional data port adapter information chart.
(Coupler/jack not included)
Note: Please verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.

Adapter	Manufacturer
BBB	L-Com Keystone Modular
BBB	NETCONNECT, and 110 Connect Series Modular Jack
BBB	Siemon ZMAX Style
BBB	Allen Tel Versa Tap Series
BBB	Leviton Quick Port Series
BBB	Belden REVConnect
BBB	HDMI Adapter Cable
CCC	Hubbell Nextspeed Keystone Series
CCC	ADC Truenet series
DDD	Blank (no coupler/jack)
EEE	Ortronics TracJack Series
FFF	Panduit Mini-Com Series
HHH	Video Monitor Jack/DB-15, panel mount solder style



Overcurrent protection is included as standard with flush or pop-up power with utility power configurations with more than three outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

Overcurrent protection via circuit breaker prevents the powerstrip from drawing more than 15 amps of power.

Flush or pop-up power plug options are:
- Standard NEMA 5-15, 3 prong
- 90° NEMA 5-15, 3 prong
- Thread low profile plug

Powerstrips with C-clamp or front edge mount are field-installed and provide users with convenient power access and/or utility power beneath the worksurface.
▶See page 245 for *Migration Pro and Intro Cable Management.*

Surface Materials

Low-Pressure Laminate Desks
- Laminate

▶See page 364

3 mm edge profile
- Plastic

High-Pressure Laminate Desks
- Laminate

▶See page 364
- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.
▶See *Surface Materials Reference Manual.*
Tip: FSC worksurfaces and modesty panels are not available with an OLL option.

3 mm edge profile
- Plastic

Wood Veneer Desk
- Wood veneer (standard)
- Customiz stain (option)

3 mm square edge profile
- Wood veneer to match desk

Height-Adjustable Base
- Paint

Soft edge and utility power mounting bracket
- 6527 Merle

Round grommet, and controller knife edge adapters
- 6000 Black

Flush mount frame and faceplate
- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6527 Merle

Pop-up powerstrip frame/lid and faceplate
- 0835 Black
- 4799 Platinum Metallic
- 7241 Arctic White
- 7243 Seagull
- 7360 Merle

Tip: When selecting 4799 Platinum Metallic on the pop-up powerstrip, the faceplate will be 7360 Merle.

Flush mount and pop-up power cord finishes
Standard smooth straight and curly cord
- Black
- White

Braided cord
- 9009 Black
- 9011 Seagull

Metal cable tray
- Paint


Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.




21"H pedestal


On extended height desks, any storage higher than 18½" will impede the height range of the desk.
Tip: Do not place storage underneath controller.




Integrated storage, designed for Migration SE, cannot be used with Migration Pro.




Migration Pro basic height desks can be integrated with Aisla HIU storage.
▶See Aisla HIU Low Storage in *Aisla Specification Guide.*







Overhang is not available on Migration basic desks that integrate with storage.




Modesty panels, ordered separately, are parametric in 1/16" increments from 40"-96". Modesty panels are specified to match the desk options. Widths will vary depending on if knife edge, square or radius corners are specified.
▶Specifying, page 249




When optioning either flush or pop-up power, flat panel monitor arms cannot be c-clamped behind the power. Install arm to the side.




5" radius corners, optioned on rectangular and standard on organic bow front worksurfaces, ship with pilot holes for Flex curved screens **(FLXCS)**, and Flex 90° desk mount privacy wrap **(FLXDWR)**.
Tip: Flex screens and wraps are not allowed on knife edge worksurfaces.



When attaching 90° desk mount privacy wrap (FLXDWR) to 5" radius corners or organic bow front worksurfaces, a worksurface overhang is not allowed on the same side the wrap is mounting.
Tip: A worksurface overhang can be specified on the opposite side as the wrap is mounted.




Flex privacy wrap (FLXDWR) is not allowed on 23"D worksurfaces or 24"D bow front worksurfaces.




When attaching Sarto privacy or privacy/modesty screens to the side of a knife edge worksurface, select Migration side knife attachment bracket option for the screen to receive the knife edge adapter brackets.
Tip: Standard attachment brackets will be sent with both "no brackets" and "Migration side knife attachment bracket" options.

Tip: Sarto privacy and Sarto privacy/modesty side screens are not allowed with organic bow front and back worksurfaces.




Universal and Sarto privacy/modesty screens can be installed with the metal cable tray.
Tip: When specifying a Sarto privacy/modesty screen equal to or greater than 60"W to use with the cable tray, select the with metal cable tray application option.

Tip: Screen width must be 10½" wider than metal cable tray.




CPU holders that require less than 12"D clearance on T-leg desks, and 15"D on C-leg desks may be mounted inboard of legs.
Tip: Maximum total weight of CPU holder and CPU is 40 pounds. CPU weight should not exceed 25 pounds.

Tip: CPU holders are not intended for use on 23" or 24" deep desks without specifying worksurface overhang.




When no overhang is specified up to 76"W, modular widths have a standard 3" overhang on both sides.
Tip: Parametric width overhangs will vary. Use the SmartTools dimension tool to determine exact overhang.



Desk overhang for CPU holder or layering of low storage and pedestals is available as an option. The overhang is 9" and available on 58"W or wider desks. Desk widths 64"W or larger allow for single or dual overhang.
▶See *Migration Pro Options Availability Chart*, page 181.
Tip: When specifying parametric width and left or right overhang, the overhang on the opposite side will vary. When dual overhangs are selected, both overhangs will match. Use the SmartTools dimension tool to determine exact overhang.

Tip: Desks 82"-87 15/16"W may be specified with single or dual overhang. Desks 88"W and wider will have dual overhang.




On extended height desks, CPUs installed in a CPU holder should not be installed over the foot or exceed 15 3/4" high, or it will impede the height range of the desk.
Tip: Vertical locking and non-locking CPU cradles ***CPRCCL*** *and* ***CPRCCN*** *are not allowed on extended height desks.*

All assemblies meet or exceed ANSI/BIFMA standards.


Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.



Distribute weight evenly

Height-adjustable base supports a maximum distributed weight capacity of 360 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶See page 213 for worksurface weights.



Controllers can be mounted on either the left- or right-hand side of the desk.

Migration Pro with Boost High-Speed Height-Adjustable Desks and Bases

Migration Pro with boost high-speed is a height-adjustable desk equipped with advanced technology that enriches the user experience allowing for quick posture changes.
▶Specifying, pages 232, 236, and 239


CarbonNeutral.com

Now available as a CarbonNeutral product.

Available as a FSC Mix product, the worksurface is made with a mixture of materials from FSC-certified forests, recycled materials, and/or FSC-controlled wood. The FSC Mix credit claim number is published on the customer invoice.


Rectangular worksurfaces are available with square or radius corner options. The radius corner option can be specified with 2" or 5" radius.

Worksurface has a wood core with a High-Pressure Laminate or wood veneer surface. Standard thickness is Ology 1", with Universal 1⅛" thickness available as an option.



Distribute weight evenly

Base supports a maximum distributed weight capacity of 270 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶See page 213 for *worksurface weights.*




Soft edge, available as an option, reduces unhealthy pressure on forearms, as well as feelings of shoulder and neck fatigue. Soft edge is 36"W.

Controller adjusts the height of the desk at a rate of 3 1/10" per second. Three options are available—active touch, simple touch, and 3-preset with digital display.

Lifting column is controlled by a central box for synchronization. Columns are precision balanced to minimize surface vibrations.

Extended height-adjustable base adjusts from 22 3/5"–48 7/10" in any increment.



Edge is available in 3 mm edge profile.

Knife edge, available as an option, is a thin profile worksurface edge that is available in two options: user side only or wrapping three sides of the desk.

Organic worksurfaces are available in bow front or bow front and back options. Bow front has 5" radius corners at the back.

Active touch controller is Bluetooth-enabled and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.


Columns are rectangular shaped and are available as a T-leg configuration.

Leveling glides adjust ½" to install desk on uneven floors. Slide glides, 1" adjustable spacers, and casters are available as an option.


Product Details

High-Pressure Laminate Desks

Front (user's) edge profile is available in 3 mm edge profile.




3 mm plastic edge profile



Knife edge profile


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶See *Surface Materials* in this book for specific PVC-free availability, page 364.

Edge profile finishes are specified separately from laminate color.




Knife edge with 3 mm user and side edges is available on rectangular and organic worksurfaces as an option. On radius corners the knife edge wraps to the back of the worksurface.
Tip: Knife edge is available on laminate worksurfaces only.


Tip: Knife edge and soft edge cannot be specified together.




Knife edge is 15° and edge profile is 1/2". Overall thickness of worksurface is 1".
Tip: The sloping underside of the edge is finished to match the backer on the underside of worksurface.

Tip: Monitor arms and power strips can still be c-clamped at the back of the worksurface.





Knife edge profiles available are 3 sided knife edge and user side knife edge.



Soft edge, available as an option, is made of polyurethane and is offered on rectangular worksurfaces 58"W or wider without overhang.
▶See *Migration Pro with Boost High-Speed Options Availability Chart*, page 181

Tip: Soft edge is available on laminate worksurfaces only.


Tip: Soft edge is available as non-antimicrobial only.

Tip: Soft edge and knife edge cannot be specified together.

Tip: Soft edge, when specified with 3-preset controller, has additional width limitations due to the size of the controller.

Wood Veneer Desks


Front (user's) edge profile is wood veneer with a square 3 mm radius.




3 mm wood square profile




Rectangular worksurfaces are available with square or radius corners.




Square corners are standard on rectangular desks and have 90° corners on all four sides.






Radius corners, available as an option on rectangular desks, have 2" or 5" radius on all four sides with a continuous 3 mm user's edge. Radius corners eliminate sharp edges suitable for freestanding desks.
Tip: Wood veneer worksurfaces are available with a 5" radius only.






Organic worksurfaces are available in two shapes: bow front or bow front and back.
Tip: Side screens are not allowed on organic worksurface shapes.



Organic bow front worksurfaces have a 5" radius on the back corners.




Organic bow front and back worksurfaces are symmetric.
Tip: Organic bow front and back worksurfaces work with Soffio screens only.


Tip: Metal cable tray cannot be specified with organic bow front and back worksurfaces.

Desks that are FSC Mix credit help organizations meet their sustainability goals. Order **HA3ERFSC** or **HA3EOFSC** to specify Migration Pro with FSC product certification.
Tip: Product is not labeled. The FSC Mix credit claim number is published on the customer invoice.


Tip: FSC worksurfaces have minimal worksurface finish limitations.




Rectangular and organic worksurface sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture, eliminating any pinch points.




The overall width of the worksurface is 40"W–78"W. Modular widths account for 1" pinch point on each side. Parametric widths are available in 1/16" increments.




The overall depth of the worksurface is 23", 24", 28", 29", or 30". Modular depths account for a 1" pinch point clearance at the back or full depth is available.
Tip: Sarto privacy and Sarto privacy/modesty side screens are not allowed with rectangular 5" radius corners or organic bow front and bow front and back worksurfaces.




Extended height desks adjust 22 3/5" to 48 7/10" in any increment.




T-leg rectangular column configuration is standard for 23", 24", 28", 29", and 30" depth options.



1" glide spacer is available as an option. Added to the existing glide, it raises the overall height of the glide by 1/2" for uneven floors.




Caster kit is available for 28", 29", or 30"D, and up to 78"W T-leg desks and bases.



Slide glides are available as an option to aid in user-controlled mobility within the workstation.
Tip: Overall height of desk is increased by 1/2".




Caster kit is available as an option or style number for retrofit on Migration Pro T-leg desks.




Casters add 2" to total height of Migration Pro T-leg height-adjustable desks.



When casters are optioned on Migration Pro T-leg, no monitor arms can be added to the desk.




Active touch controller is standard, Bluetooth-enabled, and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.
Tip: When specified on knife edge worksurfaces, a knife edge adapter is shipped with the controller.




Simple touch controller is available as an option and easily adjusts the desk by lifting up or pressing down on the controller.
Tip: Simple touch is available as non-antimicrobial only.


Tip: When specified on knife edge worksurfaces, a knife edge adapter is shipped with the controller.



When knife edge is specified, an adapter is shipped with active touch and simple touch controllers for ease of use.



Three preset controller with digital display is available as an option and easily adjusts the desk by pushing the up and down arrows. It allows users to set the seated and standing height positions. Digital display will show the height of the desk when adjusting and at rest before it enters sleep mode.
Tip: Does not use a knife edge adapter bracket. The controller is not mounted flush to front of worksurface, it is inset mounted underneath the desk at the knife edge transition.



Desks adjust at a rate of 3 1/10" per second.

Gyroscopic obstruction sensing technology is standard with all Migration Pro desks. The worksurface will backtrack when it contacts an object or detects tilt.

Steelcase guidance for height adjustment obstruction sensing technology (OST):

- Always read and follow all instructions and safety messages before positioning and using powered, height-adjustable products. Obstruction Sensing Technology (OST) is primarily intended to protect internal mechanisms and is only one part of the overall product system.
- OST is intended to detect hard, immovable objects that contact the desk during raising or lowering.
- OST may not detect soft and/or flexible objects such as padded arm caps, compliant seating surfaces, and cushion tops of peds.
- OST may not detect dynamic and/or articulating objects such as adjustable chair backs and chair arms.
- Different Steelcase height adjustable desks and benches have different types of OST that does not all behave the same.
- OST is disabled during the recalibration/synchronization process, but the unit moves at a much slower speed.


Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 3 1/10" per second. Motor is 110V and includes a 10 1/2' power cord. Motor has 0.1W standby power.


Ships with 10 1/2' power cord. To meet Chicago power cord requirements, refer to the Migration Pro assembly directions.
Tip: If specifying flush mount or pop-up power with utility power the desk power cord is 4'. Utility power cord is available in three options: standard smooth straight, braided, or curly. Standard and braided cords are 10'. Curly cord is 163".

Underwriters Laboratory (UL) Listed. Migration Pro desks are designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Height-adjustable base is UL listed when constructed in accordance with assembly directions. Local electrical codes vary; consult the local authority having jurisdiction to verify the product as installed is compliant with local code.


Round grommets, available as an option, help manage cable and cords routing from above to below the desk.



Round grommet inside dimension is 2".




Grommets can be specified left, right, and/or center on the worksurface.




Metal cable tray, available as an option, manages cables and disguises clamps and power strips at the worksurface for a clean aesthetic.
Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.

*Tip: Worktools smart straps **DSBULKSTRP**, can be ordered separately to manage bundled cables in the tray.*


Tip: Metal cable tray can be ordered separately; however, pilot holes will not be provided.
▶Specifying, page 245




Small and large cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Understanding, page 206.




Flush and pop-up powerstrips are available as an option and can be specified left, right, or center depending on the worksurface width.
Tip: Only one integrated power feature can be specified per desk.
▶See *Migration Pro with Boost High-Speed Options Availability Chart*, page 181.



3 power



2 power
1 USB A+C 20W



2 Power
1 Data




1 Power
1 USB-C 100W


Flush and pop-up power are available in four power configurations:

Hedberg Option Code	Power Configuration
3P	3 power
2P1D	2 power, 1 data
2P1AC20	2 power, 1 USB A+C 20W
1P1C100	1 power, 1 USB-C 100W


Pop-up and flush options:




Without overcurrent protection




Without overcurrent protection




With overcurrent protection




With overcurrent protection




4 outlet




7 outlet




9 outlet




4 outlet



7 outlet




9 outlet



Flush and pop-up powerstrips with utility power optioned ship with worksurface mounting brackets. Can be used in conjunction with metal cable tray or small and large cable brackets.

USB A+C 20W




Flush and pop-up powerstrips USB A+C 20W recommended for charging cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices.

Dual 45W
or
100W USB-C




USB-C 100W recommended for all the above and compact laptops.
Tip: For USB-C 100W port, use USB-C charging cable rated for 100W use for full charging benefits. Charging cables not included.



Universal cable management kit, ordered separately, is designed to mount the utility power and mounting brackets would be unused.
Tip: The flush and pop-up powerstrip should not be enclosed within the universal cable management tray because the tray will not fully open. The tray should be mounted to the side.

Optional data port adapter information chart.
(Coupler/jack not included)
Note: Please verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.

Adapter	Manufacturer
BBB	L-Com Keystone Modular
BBB	NETCONNECT, and 110 Connect Series Modular Jack
BBB	Siemon ZMAX Style
BBB	Allen Tel Versa Tap Series
BBB	Leviton Quick Port Series
BBB	Belden REVConnect
BBB	HDMI Adapter Cable
CCC	Hubbell Nextspeed Keystone Series
CCC	ADC Truenet series
DDD	Blank (no coupler/jack)
EEE	Ortronics TracJack Series
FFF	Panduit Mini-Com Series
HHH	Video Monitor Jack/DB-15, panel mount solder style



Overcurrent protection is included as standard with flush or pop-up power with utility power configurations with more than three outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

Overcurrent protection via circuit breaker prevents the powerstrip from drawing more than 15 amps of power.

Flush or pop-up power plug options are:
- Standard NEMA 5-15, 3 prong
- 90° NEMA 5-15, 3 prong
- Thread low profile plug

Powerstrips with C-clamp or front edge mount are field-installed and provide users with convenient power access and/or utility power beneath the worksurface.
▶See page 245 for *Migration Pro and Intro Cable Management*.

Surface Materials

High-Pressure Laminate Desks
- Laminate

▶See page 364
- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.
▶See *Surface Materials Reference Manual.*
Tip: FSC worksurfaces and modesty panels are not available with an OLL option.

3 mm edge profile
- Plastic

Wood Veneer Desk
- Wood veneer (standard)
- Customiz stain (option)

3 mm square edge profile
- Wood veneer to match desk

Height-Adjustable Base
- Paint

Soft edge and utility power mounting bracket
- 6527 Merle

Round grommet and controller knife edge adapters
- 6000 Black

Flush mount frame and faceplate
- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6527 Merle

Pop-up powerstrip frame/lid and faceplate
- 0835 Black
- 4799 Platinum Metallic
- 7241 Arctic White
- 7243 Seagull
- 7360 Merle

Tip: When selecting 4799 Platinum Metallic on the pop-up powerstrip, the faceplate will be 7360 Merle.


Flush mount and pop-up power cord finishes
Standard smooth straight and curly cord
- Black
- White

Braided cord
- 9009 Black
- 9011 Seagull

Metal cable tray
- Paint


Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.




21"H pedestal


On extended height desks, any storage higher than 18½" will impede the height range of the desk.
Tip: Do not place storage underneath controller.




Integrated storage, designed for Migration SE, cannot be used with Migration Pro with boost high-speed.




Modesty panels, ordered separately, are parametric in 1/16" increments from 40"–96". Modesty panels are specified to match the desk options. Widths will vary depending on if knife edge, square or radius corners are specified.
▶ Specifying, page 249




When optioning either flush or pop-up power, flat panel monitor arms cannot be c-clamped behind the power. Install arm to the side.




5" radius corners, optioned on rectangular and standard on organic bow front worksurfaces, ship with pilot holes for Flex curved screens **(FLXCS)**, and Flex 90° desk mount privacy wrap **(FLXDWR)**.
Tip: Flex screens and wraps are not allowed on knife edge worksurfaces.



Flex privacy wrap (FLXDWR) is not allowed on 23"D worksurfaces or 24"D bow front worksurfaces.




When attaching Sarto privacy or privacy/modesty screens to the side of a knife edge worksurface, select Migration side knife attachment bracket option for the screen to receive the knife edge adapter brackets.
Tip: Sarto privacy and Sarto privacy/modesty side screens are not allowed with rectangular 5" radius corners or organic bow front and bow front and back worksurfaces.




Universal and Sarto privacy/modesty screens can be installed with the metal cable tray.
Tip: When specifying a Sarto privacy/modesty screen equal to or greater than 60"W to use with the cable tray, select the with metal cable tray application option.

Tip: Screen width must be 10½" wider than metal cable tray.




CPU holders that require less than 12"D clearance on T-leg desks may be mounted inboard of legs.
Tip: Maximum total weight of CPU holder and CPU is 40 pounds. CPU weight should not exceed 25 pounds.

Tip: CPU holders are not intended for use on 23" or 24" deep desks.



Modular widths have a standard 3" overhang on both sides.
Tip: Parametric width overhangs will vary. Use the SmartTools dimension tool to determine exact overhang.




On extended height desks, CPUs installed in a CPU holder should not be installed over the foot or exceed 15¾" high, or it will impede the height range of the desk.
*Tip: Vertical locking and non-locking CPU cradles **CPRCCL** and **CPRCCN** are not allowed on extended height desks.*

All assemblies meet or exceed ANSI/BIFMA standards.


Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.



Distribute weight evenly

Height-adjustable base supports a maximum distributed weight capacity of 270 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶ See page 213 for worksurface weights.



Controllers can be mounted on either the left- or right-hand side of the desk.

Migration Intro Height-Adjustable Desks and Bases

Migration Intro is a simply designed height-adjustable desk complete with the essential features that support the posture needs of users.
▶Specifying, page 222

Available as a FSC Mix product, the worksurface is made with a mixture of materials from FSC-certified forests, recycled materials, and/or FSC-controlled wood. The FSC Mix credit claim number is published on the customer invoice.

Worksurface has a wood core with a Low-Pressure Laminate or High-Pressure Laminate surface. Standard thickness is Ology 1", with Universal 1⅛" thickness available as an option.


Edge is available in 3 mm edge profile.

Paddle controllers adjust the height of the desk at a rate of 1⅕" per second. Two options are available–basic or active touch.

Primary column with integrated control PCB connects to the secondary column via a motor cable and is run by an external power supply.


Organic worksurfaces are available in bow front or bow front and back options. Bow front has 5" radius corners at the back.

Leveling glides adjust 1/2" to install desk on uneven floors.



CERTIFIED CARBON NEUTRAL product
CarbonNeutral.com
Now available as a CarbonNeutral product.

Rectangular worksurfaces are available with square or radius corner options. The radius corner option can be specified with 2" or 5" radius.



Distribute weight evenly

Base supports a maximum distributed weight capacity of 270 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶See page 213 for *worksurface weights.*

Extended height-adjustable base adjusts from 22 1/8"–48 1/4" in any increment.

Columns are rectangular shaped and are available as a T-leg configuration.


Basic height-adjustable base adjusts from 26 9/10"–46 3/5" in any increment.

Active touch controller is Bluetooth-enabled and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

Product Details

High-Pressure Laminate Desks

Front (user's) edge profile is available in 3 mm edge profile.




3 mm plastic edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶See *Surface Materials* in this book for specific PVC-free availability, page 364.


Edge profile finishes are specified separately from laminate color.




Rectangular worksurfaces are available with square or radius corners.




Square corners are standard on rectangular desks and have 90° corners on all four sides.






Radius corners, available as an option on rectangular desks, have 2" or 5" radius on all four sides with a continuous 3 mm user's edge. Radius corners eliminate sharp edges suitable for freestanding desks.






Organic worksurfaces are available in two shapes: bow front or bow front and back.
Tip: Side screens are not allowed on organic worksurface shapes.



Organic bow front worksurfaces have a 5" radius on the back corners.




Organic bow front and back worksurfaces are symmetric.
Tip: Organic bow front and back worksurfaces work with Soffio screens only.


Tip: Metal cable tray cannot be specified with organic bow front and back worksurfaces.

Desks that are FSC Mix Credit help organizations meet their sustainability goals. Order **HA1ERFSC**, **HA1EOFSC HA1SRQFSC**, or **HA1SOFSC** to specify Migration Intro with FSC product certification.
Tip: Product is not labeled. The FSC Mix credit claim number is published on the customer invoice.


Tip: FSC worksurfaces have minimal worksurface finish limitations.




Rectangular and organic worksurface sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture, eliminating any pinch points.




The overall width of the worksurface is 40"W–78"W. Modular widths account for 1" pinch point on each side. Parametric widths are available in 1/16" increments.




The overall depth of the worksurface is 23", 24", 28", 29", or 30". Modular depths account for a 1" pinch point clearance at the back, or full depth is available.




Extended height desks adjust 22⅛"H to 48¼"H in any increment.




Basic height desks adjust from 26 9/10"H to 46 3/5"H in any increment.




Basic controller is standard and easily adjusts the desk by lifting up or pressing down on the controller.



Active touch controller, available as an option, is Bluetooth-enabled and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.



Desks adjust at a rate of 1 1/5" per second.



T-leg rectangular column configuration is standard for 23", 24", 28", 29", and 30" depth options.

Gyroscopic obstruction sensing technology is standard with all Migration Intro desks. The worksurface will backtrack when it contacts an object or detects tilt.
Tip: Desks greater than 72"W ship with a secondary obstruction sensing dongle.

Steelcase guidance for height adjustment obstruction sensing technology (OST):

- Always read and follow all instructions and safety messages before positioning and using powered, height-adjustable products. Obstruction Sensing Technology (OST) is primarily intended to protect internal mechanisms and is only one part of the overall product system.
- OST is intended to detect hard, immovable objects that contact the desk during raising or lowering.
- OST may not detect soft and/or flexible objects such as padded arm caps, compliant seating surfaces, and cushion tops of peds.
- OST may not detect dynamic and/or articulating objects such as adjustable chair backs and chair arms.
- Different Steelcase height adjustable desks and benches have different types of OST that does not all behave the same.
- OST is disabled during the recalibration/synchronization process, but the unit moves at a much slower speed.

Wiring and Cabling


Primary and secondary electric columns operate quietly and adjust at 1 1/5" per second.

External power supply is 110V and has 0.1W standby power.


Ships with 10 1/2" power cord. To meet Chicago power cord requirements, refer to the Migration Intro assembly directions.

Underwriters Laboratory (UL) Listed. Migration Intro desks are designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Height-adjustable base is UL listed when constructed in accordance with assembly directions. Local electrical codes vary; consult the local authority having jurisdiction to verify the product as installed is compliant with local code.


Round grommets, available as an option, help manage cable and cords routing from above to below the desk.



Round grommet inside dimension is 2".




Grommets can be specified left, right, and/or center on the worksurface.



Metal cable tray, available as an option, manages cables and disguises clamps and power strips at the worksurface for a clean aesthetic.
Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.

*Tip: Worktools smart straps **(DSBULKSTRP)** can be ordered separately to manage bundled cables in the tray.*

Tip: Metal cable tray can be ordered separately; however, pilot holes will not be provided.
▶ Specifying, page 245



Small and large cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶ Understanding, page 206

Power strips with C-clamp or front edge mount are field-installed and provide users with convenient power access and/or utility power beneath the worksurface.
▶ See page 206 for *Migration Pro and Intro Cable Management.*

Surface Materials

Low-Pressure Laminate Desks

- Laminate

▶ See page 364

3 mm edge profile
- Plastic

High-Pressure Laminate Desks

- Laminate

▶ See page 364

- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.
▶ See *Surface Materials Reference Manual.*
Tip: FSC worksurfaces and modesty panels are not available with an OLL option.

3 mm edge profile
- Plastic


Height-adjustable base
- 0835 Black
- 4231 Arctic White
- 4243 Merle
- 4799 Platinum Metallic

Round grommet
- 6000 Black

Metal cable tray
- Paint


Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.




21"H pedestal


On extended height desks, any storage higher than 17 3/4" will impede the height range of the desk.
Tip: Do not place storage underneath controller.




Integrated storage, designed for Migration SE, cannot be used with Migration Intro.




Modesty panels, ordered separately, are parametric in 1/16" increments from 40"–96". Modesty panels are specified to match the desk options. Widths will vary depending on whether square or radius corners are specified.
▶Specifying, page 249



5" radius corners, optioned on rectangular and standard on organic bow front worksurfaces, ship with pilot holes for Flex curved screens **(FLXCS)**, and Flex 90° desk mount privacy wrap **(FLXDWR)**.




Flex privacy wrap (FLXDWR) is not allowed on 23"D worksurfaces or 24"D bow front worksurfaces.




Universal and Sarto privacy/modesty screens can be installed with the metal cable tray.
Tip: When specifying a Sarto privacy/modesty screen equal to or greater than 60"W to use with the cable tray, select the with metal cable tray application option.


Tip: Screen width must be 10 1/2" wider than the metal cable tray.



CPU holders that require less than 12"D clearance may be mounted inboard of legs.
Tip: Maximum total weight of CPU holder and CPU is 40 pounds. CPU weight should not exceed 25 pounds.



Modular widths have a standard 3" overhang on both sides.
Tip: Parametric width overhangs will vary. Use the SmartTools dimension tool to determine exact overhang.




On extended height desks, CPUs installed in a CPU holder should not be installed over the foot or exceed 15" high, or it will impede the height range of the desk.
Tip: Vertical locking and non-locking CPU cradles ***CPRCCL*** *and* ***CPRCCN*** *are not allowed on extended height desks.*

All assemblies meet or exceed ANSI/BIFMA standards.


Desks ship with pre-drilled holes for mounting bases.


Height-adjustable base requires attachment to the worksurface.



Distribute weight evenly

Height-adjustable base supports a maximum distributed weight capacity of 270 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, channel, and options selected.
▶See page 213 for worksurface weights.





Controllers can be mounted on either the left- or right-hand side of the desk.
Tip: Controller must be located next to the primary leg, which is labeled 1A on the part label.



Installation

Migration Pro (HA2) bases support a maximum distributed weight capacity of 360 pounds.

Migration Pro with boost high-speed (HA3) bases support a maximum distributed weight capacity of 270 pounds.

Migration Intro (HA1) bases support a maximum distributed weight capacity of 270 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options (i.e., integrated power, soft edge, or cable tray).

Worksurface Weight

Worksurface Shape	W	D	Worksurface Weight					Options				Accessory
								Under structure Weight*	Flush and Pop-Up Power** Weight	Soft Edge Weight	Cable Tray Weight	Modesty Panel Weight
												
												
			23"D	24"D	28"D	29"D	30"D					
Rectangular	40"	23", 24", 28", 29", or 30"	26 lb	27 lb	32 lb	33 lb	34 lb	5.6 lb	4.0 lb	N.A.	6.6 lb	12.3 lb
	46"	23", 24", 28", 29", or 30"	30 lb	32 lb	37 lb	38 lb	39 lb	6.8 lb	4.0 lb	N.A.	6.6 lb	14.1 lb
	52"	23", 24", 28", 29", or 30"	34 lb	36 lb	42 lb	43 lb	45 lb	7.8 lb	4.0 lb	N.A.	6.6 lb	16.0 lb
	58"	23", 24", 28", 29", or 30"	38 lb	40 lb	46 lb	48 lb	50 lb	9.0 lb	4.0 lb	2.6 lb	9.1 lb	17.8 lb
	64"	23", 24", 28", 29", or 30"	42 lb	44 lb	51 lb	53 lb	55 lb	10.1 lb	4.0 lb	2.6 lb	9.1 lb	19.7 lb
	70"	23", 24", 28", 29", or 30"	46 lb	48 lb	56 lb	58 lb	60 lb	11.2 lb	4.0 lb	2.6 lb	11.5 lb	21.5 lb
	76"	23", 24", 28", 29", or 30"	50 lb	52 lb	61 lb	63 lb	65 lb	12.4 lb	4.0 lb	2.6 lb	11.5 lb	23.4 lb
	82"	23", 24", 28", 29", or 30"	54 lb	56 lb	66 lb	68 lb	70 lb	12.4 lb	4.0 lb	2.6 lb	11.5 lb	25.2 lb
	88"	23", 24", 28", 29", or 30"	58 lb	60 lb	70 lb	73 lb	76 lb	12.4 lb	4.0 lb	2.6 lb	11.5 lb	27.1 lb
	94"	23", 24", 28", 29", or 30"	62 lb	65 lb	75 lb	78 lb	81 lb	12.4 lb	4.0 lb	2.6 lb	11.5 lb	28.9 lb

*Understructure weight is without optional worksurface overhang (available on Migration Pro only).
** Flush and pop-up power weights include two utility power options. Without utility power, the weight is two pounds.
Tip: Not all worksurface widths and options are available on all desks. See options availability chart for each product (prefixes HA1, HA2, and HA3).

Migration Pro and Intro Cable Management


Both vertical and horizontal cable management are important elements for cleaning up the cords that exists beneath today's height-adjustable desks.

Metal cable tray manages cables and power at worksurface height for a clean aesthetic. Available as an option or can be ordered separately.
▶Specifying, page 245

Small and large cable brackets, ordered separately, manage cables and cords horizontally under the worksurface.
▶Specifying, page 247

Universal cable management kit, ordered separately, provides easy management and access to cords, cables, and utility power under the desk.
▶Specifying, page 248


Cable riser, ordered separately, supports high-capacity cable management vertically from the floor to the underside of the desk. Leg attachment is available in 24 paint finishes. Chain is available in 6527 Merle or 6053 Seagull.
▶Specifying, page 246




Metal cable tray




Small cable brackets




Large cable brackets






Universal cable management kit




Migration Pro and Intro cable riser

Product Details




Metal cable tray, available as an option, manages cables and disguises clamps and power strips at the worksurface for a clean aesthetic.
Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.


Tip: Metal cable tray can be ordered separately; however, pilot holes will not be provided.




Metal cable tray is a fixed height 2 1/4" above the worksurface. The overall height of the tray is 7 1/4".




Inside dimension of the metal cable tray is 5 1/2". The overall depth of the tray is 6 1/4".
*Tip: CF maximum-duty arm bracket **(CFSPSGLBASE)**, does not fit within the metal cable tray.*



Smart straps are available in a bulk pack of 100 straps, **DSBULKSTRP.**
Tip: Smart straps can be used to manage bundled cables in the metal cable tray.




Metal cable tray, when optioned, is sized to not interfere with grommet locations and work with Universal and Sarto privacy/modesty screens.
Tip: If ordered separately, the mounting brackets require under worksurface clearance that is 1 1/2" shorter than the metal cable tray width.



Metal cable tray can be installed with Sarto and Universal privacy/modesty screens. When specifying a Sarto screen equal to or greater than 60"W to use with the cable tray, select **WTRAYAPP** option.
Tip: Screen width must be 10 1/2" wider than metal cable tray.






Small and large cable brackets, ordered separately, support horizontal cable management below the worksurface.



Inside dimensions of the small cable brackets are 3 5/8"D x 1 3/8"W x 1 3/16"H.




Inside dimensions of the large cable bracket are 6"D x 2 1/4"W x 1/2"H.

	Metal Tray Width	Minimum Allowed Desk Width	Minimum Allowed Screen Width
Small	30"W	40"W	41 1/2"W
Medium	41 1/2"W	48"W	52"W
Large	52"W	58"W	63 1/2"W


Tip: Follow the minimum width rules when mounting a metal cable tray only or when used in combination with Sarto or Universal privacy/modesty screens.

Tip: When specifying separately from the desk, verify fit in the field to ensure it is mounted free from interferences with worksurface options (i.e. integrated flush or pop-up power, grommets, etc.).





Universal cable management tray is designed to fit behind the understructure on Migration Pro and Intro for both T- and C-leg configurations.
Tip: On C-leg desks, universal cable management tray and modesty panel cannot be used together.

Tip: Universal cable management trays and flush mount power option will not fit on 23/24"D T-leg or 28/29/30"D C-leg desks because of interference.




Universal cable management tray - small tray, **DSMTRAYSM**, holds four outlets and large tray, **DSTRAYLG**, holds seven outlets under worksurface utility power.





Universal cable management tray is available in two sizes: small and large.



Cable riser connects to the back of the leg. The inside dimensions of the high-capacity chain are $1^{1}/_{4}$"D x $1^{7}/_{16}$"W to accommodate a variety of cord sizes. Overall depth of chain is $1^{7}/_{16}$".
Tip: Select the rectangular column shape to work with Migration Intro and Migration Pro with boost high-speed.

Tip: Migration Pro is available with a rectangular or round column option.

Surface Materials

Metal cable tray
- Paint

Cable brackets and universal cable management kit
- 6527 Merle

Cable riser
Leg connection
- Paint

Chain
- 6053 Seagull
- 6527 Merle


Desk Width	Maximum Allowed Universal Tray Size
40"W–45$^{15}/_{16}$"W	Small
46"W–51$^{15}/_{16}$"W	Small
52"W–57$^{15}/_{16}$"W	Small
58"W–63$^{15}/_{16}$"W	Large
64"W–69$^{15}/_{16}$"W	Large and Small
70"W–75$^{15}/_{16}$"W	Large and Small
76"W–96"W	Two Large

Tip: If optioning integrated flush or pop-up power, grommets, or mounting screens, the universal cable management tray size recommendations may not apply. Fit should be verified in the field.

Migration Pro and Intro Modesty Panels

Modesty panels provide modesty when applications require this aesthetic. Modesty panels, available in laminate and veneer, attach to the worksurface.
▶ Specifying, page 249

CERTIFIED CARBON NEUTRAL® product
CarbonNeutral.com
Now available as a CarbonNeutral product.




Actual Dimensions

	Modesty Panel Widths (Flush to back of worksurface)	
	Without Knife Edge and Knife Edge User Side	**With Knife Edge and Knife Edge User Side**
Rectangular worksurface with square corners	1/8" shorter than desk width	4" shorter than desk width
Rectangular worksurface with 2" radius corners	4" shorter than desk width	11" shorter than desk width
Rectangular worksurface with 5" radius corners	10" shorter than desk width	11" shorter than desk width
Organic bow front worksurface	10" shorter than desk width	11" shorter than desk width
Organic bow front and back worksurface	Inset only	Inset only
Height	14 3/8"	14 3/8"
Overall height	14 7/8"	14 7/8"
Thickness	3/4"	3/4"

* Modesty panel will align with the knife edge transition at the back of the worksurface.
Tip: Size determined by desk width, corner type, and knife edge condition.
Tip: Overall height is measured from bottom of worksurface to bottom of panel.
Tip: Parametric modesty panel widths can be specified from 40"W to 96"W in 1/16" increments.


Product Details

Modesty panels are parametric in width from 40"W to 96"W in 1/16" increments. To specify modesty panel, desk width, worksurface shape, and knife edge condition must be selected to provide full width modesty.




Gap is 1/4" between underside of worksurface and top of modesty panel. Panel can be flush to the worksurface or inset.
*Tip: CF C-clamp, **CFSERIESCC**, fits with the modesty panel with or without scallop.*

*Tip: CF maximum-duty arm C-clamp, **CFSPSGLBASE**, does not fit with the modesty panel in any condition.*



Modesty panel can be optioned with a scallop on laminate panels only.

Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified. Grain direction specification is only allowed up to 60" wide.



Surface Materials

Low-Pressure Laminate Desks

- Laminate

▶ See page 364

3 mm edge profile

- Plastic

High-Pressure Laminate Panel

- Laminate

▶ See page 364

- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶ See *Surface Materials Reference Manual.*

Tip: FSC worksurfaces and modesty panels are not available with an OLL option.

3 mm edge profile

- Plastic

Wood Veneer Panel

- Wood veneer (standard)
- Customiz stain (option)

3 mm edge profile

- Wood veneer to match panel


Bracket

- 7360 Merle

Application Topics

When specifying a modesty panel, consider flush or pop-up power and/or grommets to cleanly manage cables below the desk.
Tip: If specifying veneer modesty panel, the scallop is not an option, so a grommet is recommended.

Tip: On C-leg desk configurations, universal cable management tray and modesty panel cannot be used together.



Modesty panels may be inset a maximum of 3 1/2" from the back of the worksurface on C-leg desks. On T-leg desks the maximum inset varies by worksurface depth; 23"D maximum is 4 1/2" and 30"D is 8".
Tip: Inset modesty panels do not work with pop-up power on 23" or 24"D T-leg or C-leg desks. Flush power, round grommets, and cable brackets do not work on C-leg desks.

Privacy/modesty, curved, or wrap screens cannot be used with a modesty panel.


When using a modesty, panel with Universal or Sarto privacy screens verify placement in CET to avoid interference.

Migration SE Height-Adjustable Desks and Bases

Migration SE supports wellbeing at work by allowing users to move between seated and standing postures throughout the workday.
▶Specifiying, page 252

CERTIFIED CARBON NEUTRAL® product
CarbonNeutral.com

Now available as a CarbonNeutral product, making sure our commitment to a more sustainable future helps yours too.



Desk has a wood core with a High-Pressure Laminate or wood veneer surface and is 1" thick.

Internal motors with electronic synchronization drive.

The basic height adjustable base adjusts from 28 3/10"–46 9/10" in any increment.

Leveling glides adjust ½" to install desk on uneven floors.

Migration SE desks are available in 90° and 120° 3-leg configurations.

Corners are available in both square or radius options. The radius corner option offers both a 2" and 5" radius.

Push button controller adjusts height at a rate of 1 3/10" per second. Two options are available—up/down or 4 pre-set.

Base supports a maximum distributed weight capacity of 250 pounds (2-leg) and 330 pounds (3-leg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface.
▶See page 213 for *worksurface weights*.

Edge is available in 3 mm edge profile.

Desk foot is available in square, mitered edge, or height saver foot with casters.


The extended height adjustable base adjusts from 22 5/8"-48 7/10" in any increment.

Migration SE offers both T- and C-leg configurations on rectangle desks, and T-leg configurations on 3-leg corner desks.

Product Details


High-Pressure Laminate Desks

Front (user's) edge profile is available in 3 mm edge profile.





PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.
▶See *Surface Materials* in this book for specific PVC-free availability, page 364.

Edge profile finishes are specified separately from laminate color.



Square corners are standard and have 90° corners on all four sides.






Radius corners are available as an option on rectangle desks with 2" radius or 5" radius on all four corners and will include 3 mm edge profile on all sides.
Tip: Radius corners are not available on 90° and 120° corner desks.

Wood Veneer Desks

Front (user's) edge profile is wood veneer with a square (3 mm) radius.

Side and back edges are flat. Wood edge color matches finish specified for desk.


Overhang is available as an option. The maximum overhang available as a standard option is 12"W.
Tip: 76"W rectangle desks come with a 4" overhang on each side.



23", 24", 29", or 30"

23", 24", 29", or 30"


90° corner desks can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths are not required to match. Right- and left-hand widths are not required to match.
Tip: If left or right width is greater than 60"W, then the opposite side width must be less than or equal to 60"W.



23" or 24"


120° corner desks can be specified 23" or 24" deep. Right- and left-hand depths must match and right- and left-hand widths must match.

Overhangs on 90° corner desks are allowed on one side only. Overhangs on 120° corner desks are not allowed.




T-leg configuration is available on rectangle and corner desks. Rectangle T-leg desks are available in 23"/24", 28"/29"/30", and 35"/36" depth options. Corner T-leg desks are available in 23", 24", 29", and 30" depth options.


Corner desks are 3-leg desks and are available in a T-leg configuration.



C-leg configuration is available on rectangle desks only in a 29"/30" depth option to maximize leg clearance below.




Squared-edge foot offers a squared front and back edge flush to the floor. The glide adjustments on this foot are ½".




Mitered-edge foot is available as an option on rectangle desks. This style of foot offers a mitered front and back edge flush to the floor. The glide adjustments on this foot are ½".
Tip: Mitered-edge foot is only available on rectangle desks.


Slide glides are available and can be added for user mobility.
▶See page 277




Height saver foot is available as an option on T-leg rectangle desks. This style foot offers 50 mm casters without changing the height range of the desk. The front two casters lock while the back two casters do not lock.



Migration SE extended height adjustable desk adjusts from 22⅗"–48⅞" in any increment. The basic height adjustable desk adjusts from 28¾"–46⅝" in any increment.



Up/down controller is available as an option and easily adjusts height of desk, at a rate of 1¾" per second, by simply pushing the up and down arrows.





4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. When activated, the digital display will show the height of desk.

Obstruction sensing technology is standard with all Migration SE desks. The worksurface will backtrack when it makes contact with an object.

Steelcase guidance for height adjustment obstruction sensing technology (OST):

- Always read and follow all instructions and safety messages before positioning and using powered, height-adjustable products. Obstruction Sensing Technology (OST) is primarily intended to protect internal mechanisms and is only one part of the overall product system.
- OST is intended to detect hard, immovable objects that contact the desk during raising or lowering.
- OST may not detect soft and/or flexible objects such as padded arm caps, compliant seating surfaces, and cushion tops of peds.
- OST may not detect dynamic and/or articulating objects such as adjustable chair backs and chair arms.
- Different Steelcase height adjustable desks and benches have different types of OST that does not all behave the same.
- OST is disabled during the recalibration/synchronization process, but the unit moves at a much slower speed.





Rectangle and corner desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.


CarbonNeutral.com


CarbonNeutral product in the Migration SE portfolio helps organizations achieve their carbon emissions goals. Order **MGSLTRQCN, MGELTRQCN, MGSLCRQCN,** or **MGELCRQCN** to specify Migration SE with CarbonNeutral product certification.

Wiring and Cabling

Electric motor with whisper quiet operation adjusts at 1 3⁄10" per second. Motor is 24V DC and includes a 9' power cord. Motor for 2-leg desk has a 0.3W standby power and 3-leg desk has a 0.1W standby power.


Migration SE desks and bases are listed by ETL.
Tip: Migration SE base only is ETL recognized because alternative worksurfaces do not create an ETL listed product.
▶See page 32







Controller can be mounted on either the left- or right-hand side of the top and is field-installed.

Power and data strips are field-installed on either a SOTO rail or worksurface. Specify appropriate attachment bracket depending on application.
▶See page 320 for *Cable and Power Management.*






Cable riser–fence connections inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. The fence connection can go to the leg or the fence. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.
▶Specifying, page 276



Inside dimensions of cable brackets are 3 5⁄8"D x 1 3⁄8"W x 13⁄16"H.



Cable management includes two cable clips and two ties to help manage desk cables.

Surface Materials

High-Pressure Laminate Desk

- Laminate

▶See page 364

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

3 mm edge profile

- Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)


Square 3 mm edge profile

- Wood veneer to match desk

Height-adjustable base
4799 Platinum Metallic
7207 Black
7241 Arctic White
7360 Merle
Tip: 2-leg understructure will always be 7207 Black.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.



SOTO rail and SlatRail mount to desks to support worktools, freeing up desk space.
▶See *Steelcase Worktools Specification Guide.*

Integrated storage is allowed on Migration SE rectangle and corner desks. Two storage units may be used on one rectangle desk, however, user space will be limited. Only one storage unit can be used on corner desks.

76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application. The desk extends past the integrated storage below.


Integrated storage on Migration SE corner desks cannot be used if the desk has an overhang.

Migration SE 90° corners with one side that is 70"W and wider can be used with integrated storage.


Migration SE 120° corners that are 52"W or wider can be used with integrated storage.

Integrated storage cannot be used on Migration SE desk with 5" radius corners.

When attaching 90° desk mount privacy wrap to the Migration SE worksurface with radius corners, a worksurface overhang is not allowed on either side of the worksurface.




Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.




21"H pedestal

On extended height desks, any storage higher than 18 3/10" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on 23"D or smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.



Steelcase keyboard assemblies can be installed on 29"/30"D Migration SE. Specify with an 11" track.

WARNING

Read base only warranty limitations.
▶See page 32 for *Workstation Design Guidelines and Requirements.*

Installation

Desks ship with pre-drilled holes for mounting bases.



Height-adjustable base requires attachment to the worksurface.

Base supports a maximum of distributed weight capacity of 250 pounds (2-leg rectangle) and 330 pounds (3-leg corner).
Tip: When calculating lifting capacity of rectangle desks, subtract the weight of the worksurface (see below) and the weight of the understructure (18.2 pounds).

Tip: When calculating lifting capacity of corner desks, subtract the weight of the worksurface (see below) and the weight of the understructure (27.8 pounds).


Base supports a maximum distributed weight capacity of 250 pounds (2-leg) and 330 pounds (3-leg).
Tip: When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Desk Weight


Worksurface Shape	W	LD	RD	Worksurface Weight
Rectangle Desk				
T-Leg  **C-Leg** 				
Rectangular— 23" or 24"D	46"	23" or 24"	23" or 24"	30 lb
	52"	23" or 24"	23" or 24"	34 lb
	58"	23" or 24"	23" or 24"	38 lb
	64"	23" or 24"	23" or 24"	42 lb
	70"	23" or 24"	23" or 24"	46 lb
	76"	23" or 24"	23" or 24"	51.8 lb
Rectangular— 28", 29", or 30"D	46"	29" or 30"	29" or 30"	38 lb
	52"	29" or 30"	29" or 30"	43 lb
	58"	29" or 30"	29" or 30"	48 lb
	64"	29" or 30"	29" or 30"	53 lb
	70"	29" or 30"	29" or 30"	58 lb
	76"	29" or 30"	29" or 30"	62.6 lb
Rectangular— 35" or 36"D	46"	35" or 36"	35" or 36"	46 lb
	52"	35" or 36"	35" or 36"	52 lb
	58"	35" or 36"	35" or 36"	58 lb
	64"	35" or 36"	35" or 36"	64 lb
	70"	35" or 36"	35" or 36"	70 lb
	76"	35" or 36"	35" or 36"	75.5 lb

Tip: C-leg is available in 29" and 30" depth only.


Desk Weight

Worksurface Shape			Worksurface Weight			
	LW	RW	LD and RD 23"D/23"D	LD and RD 23"D/24"D	LD and RD 23"D/29"D	LD and RD 23"D/30"D
						
90° Corner 3-Leg	46"	52"	49.5 lb	50.3 lb	54.4 lb	55.3 lb
	46"	58"	53.4 lb	54.4 lb	59.4 lb	60.4 lb
	46"	64"	57.3 lb	58.5 lb	64.3 lb	65.5 lb
	46"	70"	61.2 lb	62.6 lb	69.3 lb	70.6 lb
	46"	76"	65.2 lb	66.7 lb	74.2 lb	75.7 lb
	52"	46"	49.5 lb	50.1 lb	53.4 lb	54.1 lb
	52"	52"	54.4 lb	55.2 lb	59.4 lb	60.2 lb
	52"	58"	58.3 lb	59.3 lb	64.3 lb	65.3 lb
	52"	64"	62.3 lb	63.4 lb	69.2 lb	70.4 lb
	52"	70"	66.2 lb	67.5 lb	74.2 lb	75.5 lb
	52"	76"	70.1 lb	71.6 lb	79.1 lb	80.6 lb
	58"	46"	53.4 lb	54.1 lb	57.3 lb	58 lb
	58"	52"	58.3 lb	59.2 lb	63.3 lb	64.1 lb
	58"	58"	62.3 lb	63.3 lb	68.2 lb	69.2 lb
	58"	64"	66.2 lb	67.3 lb	73.2 lb	74.3 lb
	58"	70"	70.1 lb	71.4 lb	78.1 lb	79.4 lb
	58"	76"	74 lb	75.5 lb	83 lb	84.6 lb
	64"	46"	57.3 lb	58 lb	61.2 lb	61.9 lb
	64"	52"	62.3 lb	63.1 lb	67.2 lb	68 lb
	64"	58"	66.2 lb	67.2 lb	72.1 lb	73.1 lb
	70"	46"	61.2 lb	61.9 lb	65.2 lb	65.8 lb
	70"	52"	66.2 lb	67 lb	71.1 lb	71.9 lb
	70"	58"	70.1 lb	71.1 lb	76.1 lb	77.1 lb
	76"	46"	65.2 lb	65.8 lb	69.1 lb	69.7 lb
	76"	52"	70.1 lb	70.9 lb	75 lb	75.9 lb
	76"	58"	74 lb	75 lb	80 lb	81 lb


Desk Weight

Worksurface Shape			Worksurface Weight		
	LW	RW	LD and RD 24"D/24"D	LD and RD 24"D/29"D	LD and RD 24"D/30"D
					
90° Corner 3-Leg	46"	52"	50.9 lb	54.9 lb	55.7 lb
	46"	58"	55 lb	59.9 lb	60.8 lb
	46"	64"	59.1 lb	64.8 lb	65.9 lb
	46"	70"	63.2 lb	69.7 lb	71 lb
	46"	76"	67.3 lb	74.7 lb	76.2 lb
	52"	46"	50.9 lb	54.1 lb	54.7 lb
	52"	52"	56 lb	60 lb	60.8 lb
	52"	58"	60.1 lb	65 lb	65.9 lb
	52"	64"	64.2 lb	69.9 lb	71 lb
	52"	70"	68.3 lb	74.8 lb	76.1 lb
	52"	76"	72.4 lb	79.8 lb	81.3 lb
	58"	46"	55 lb	58.2 lb	58.8 lb
	58"	52"	60.1 lb	64.1 lb	64.9 lb
	58"	58"	64.2 lb	69 lb	70 lb
	58"	64"	68.3 lb	74 lb	75.1 lb
	58"	70"	72.4 lb	78.9 lb	80.2 lb
	58"	76"	76.5 lb	83.9 lb	85.3 lb
	64"	46"	59.1 lb	62.2 lb	62.9 lb
	64"	52"	64.2 lb	68.2 lb	69 lb
	64"	58"	68.3 lb	73.1 lb	74.1 lb
	70"	46"	63.2 lb	66.3 lb	67 lb
	70"	52"	68.3 lb	72.3 lb	73.1 lb
	70"	58"	72.4 lb	77.2 lb	78.2 lb
	76"	46"	67.3 lb	70.4 lb	71 lb
	76"	52"	72.4 lb	76.4 lb	77.2 lb
	76"	58"	76.2 lb	81.3 lb	82.3 lb

Desk Weight

Worksurface Shape			Worksurface Weight		
	LW	RW	LD and RD 29"D/29"D	LD and RD 29"D/30"D	LD and RD 30"D/30"D
					
90° Corner 3-Leg	46"	52"	57.3 lb	58 lb	58.4 lb
	46"	58"	62.3 lb	63.1 lb	63.5 lb
	46"	64"	67.2 lb	68.2 lb	68.7 lb
	46"	70"	72.2 lb	73.3 lb	73.8 lb
	46"	76"	77.1 lb	78.4 lb	78.9 lb
	52"	46"	57.3 lb	57.8 lb	58.4 lb
	52"	52"	63.3 lb	63.9 lb	64.6 lb
	52"	58"	68.2 lb	69 lb	69.7 lb
	52"	64"	73.2 lb	74.2 lb	74.8 lb
	52"	70"	78.1 lb	79.3 lb	79.9 lb
	52"	76"	83 lb	84.4 lb	85 lb
	58"	46"	62.3 lb	62.8 lb	63.5 lb
	58"	52"	68.2 lb	68.9 lb	69.7 lb
	58"	58"	73.2 lb	74 lb	74.8 lb
	58"	64"	78.1 lb	79.1 lb	79.9 lb
	58"	70"	83 lb	84.2 lb	85 lb
	58"	76"	88 lb	89.3 lb	90.1 lb
	64"	46"	67.2 lb	67.7 lb	68.7 lb
	64"	52"	73.2 lb	73.8 lb	74.8 lb
	64"	58"	78.1 lb	78.9 lb	79.9 lb
	70"	46"	72.2 lb	72.6 lb	73.8 lb
	70"	52"	78.1 lb	78.8 lb	79.9 lb
	70"	58"	83 lb	83.9 lb	85 lb
	76"	46"	77.1 lb	77.6 lb	78.9 lb
	76"	52"	83 lb	83.7 lb	85 lb
	76"	58"	88 lb	88.8 lb	90.1 lb

Desk Weight

Worksurface Shape			Worksurface Weight	
	LW	RW	LD and RD 23"D/23"D	LD and RD 24"D/24"D
				
120° Corner 3-Leg	46"	46"	58 lb	59.7 lb
	52"	52"	66.9 lb	68.9 lb
	58"	58"	75.9 lb	46.8 lb
	64"	64"	84.8 lb	46.8 lb

Overhang

	Rectangle Desk	Overhang				
		3"W	4"W	6"W	9"W	12"W
Desk Width	46"–57.9"	N.A.	N.A.	N.A.	N.A.	N.A.
	58"–63.9"	•	N.A.	•	N.A.	N.A.
	64"–70"	•	N.A.	•	•	•
	70.06"–75.9"	N.A.	N.A.	•	•	•
	76"*	N.A.	•	•	•	•

**Tip: 76"W has a standard 4" overhang on both sides.*

	90° 3-Leg Corner Desk	Overhang			
		3"W	6"W	9"W	12"W
Desk Width	46"–57.9"	N.A.	N.A.	N.A.	N.A.
	58"–63.9"	•	•	•	•
	64"–69.9"	•	•	•	•
	70"–75.9"	•	•	•	•
	76"	•	•	•	•


Tip: Overhangs are allowed on one side only.
Tip: 120° corner desks do not allow overhangs.

Universal One-High and 1.5-High Open Laterals

For Migration SE Application

Universal One-High and 1.5-High open laterals for Migration SE application seamlessly integrates the Migration SE T-leg into universal storage. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

▶Specifying, page 270



Wire manager keeps wires tidy and functionally flexes vertically.

Grommet provides a clean area where the desk leg integrates.

Top is 1 3/16"H available in laminate or veneer.

Leveling glides adjust up to ¾".


Shroud is painted and provides a finished look for stand-alone applications.

Usable depth in One-High and 1.5-High open laterals is 10 7/10"D.


Actual Dimensions

	One-High	1.5-High
Depth with flush steel open front	18"	18"
Depth with proud steel open front	18 7/8"	18 7/8"
Usable Depth	10 7/10"	10 7/10"
Width	30", 36", and 42"	30", 36", and 42"
Height	16"	22"


Product Details




One-High storage can be used with Migration SE with T-leg extended range desks or basic range desks.




1.5-High storage can only be used with Migration SE with T-leg basic range desks.



One-High and 1.5-High storage for Migration SE with T-leg application have a removeable interior back panel to allow access to the Migration SE with T-leg base.



Laminate and wood veneer tops with square edge profile are available. Tops are 1 3/16"H.



Removable interior cover provides access to power outlets that can be located in the panel behind storage unit.

Integrated open laterals do not accommodate 24"D, 30"D, or 36"D Migration SE worksurfaces.


Case Widths and Migration SE Foot Dimensions

		Migration SE Worksurface Depth		
		23"	29"	35"
Migration SE Open Lateral Width	30"	•	N.A.	N.A.
	36"	•	•	•
	42"	•	•	•


30"W Migration SE open laterals are not permitted with 29"D or 35"D Migration SE desks due to the size of the desk foot. All other integrated storage widths are permitted with all Migration SE desk depths.

Integrated leg options apply to One-High and 1.5-High units only and are meant for use with Migration SE T-leg height-adjustable rectangle and corner desks.

Application Topics




Application: Migration SE left




Application: Migration SE right


Application is determined by which leg of the Migration SE desk is located inside the storage.



Shroud is used to finish off the back of the storage when application is used as stand-alone unit.



Filler is used in end-of-run applications where end of storage unit will be visible.



No top option on lateral file is available for use with a Universal common top shared with an adjacent lateral.

Universal common top for Migration SE application, ordered separately, is available in laminate or veneer. Cut-out for Migration SE T-leg is available on the left side or the right side of the Universal common top. Migration SE desk cannot be placed in the middle of the Universal common top.

76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application. The desk extends past the Universal One-High and 1.5-High open lateral storage below.


Integrated storage on Migration SE corner desks cannot be used if the desk has an overhang.

Migration SE 90° corners with one side that is 70"W and wider can be used with integrated storage.


Migration SE 120° corners that are 52"W or wider can be used with integrated storage.

Integrated storage cannot be used on Migration SE rectangle desk with 5" radius corners.


Universal privacy/modesty or Sarto privacy/modesty screens must be undersized and justified to the outside when used with One-High and 1.5-High storage units.




When used with One-High and 1.5-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.



To help avoid pinch points, the Universal One-High and 1.5-High open laterals for Migration SE application extend 1" past the back of the Migration SE worksurface. Open laterals for Migration SE are only available on Migration SE T-leg desks 23"D, 29"D, and 35"D.



When specifying One-High and 1.5-High storage that matches the worksurface depth, only One-High storage should be placed adjacent to the desk.



Pinch point clearances are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

Universal One-High and 1.5-High open laterals for Migration SE application can only be used with Migration SE T-leg desks.

Surface Materials

Lateral case
- Paint


Laminate top
- Laminate
- Open Line laminate (option)

Edge on laminate top
- Plastic


Wood veneer top
- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

Shroud and filler
- Paint

Migration Pro Height-Adjustable Desks



Rectangle Column Shape Shown



Round Column Shape Shown

Tip: C-leg is only available with rectangle columns and is only available in 28", 29", or 30" depths.

Tip: Knife edge is only available on laminate worksurfaces and for Ology 1" top thickness.

Tip: Overhang not available on basic height Migration Pro desks.

Tip: Soft edge cannot be specified on a knife edge worksurface.

Tip: Soft edge is only available on rectangular laminate worksurface, and centered between the cantilevers. If one overhang is selected, the soft edge will be off-center on the worksurface.

▶ Need help? Product details, page 186

Standard Includes

- Worksurface: Low-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Active touch controller
- Square corners, if selected
- Depth: 23", 24", 28", 29", or 30"
- Modular width: 40", 46", 52", 58", 64", 70", 76", 82", 88", or 94"
- 1/2" glide
- Power cord: 10 1/2'
- Attachment hardware

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 Application (see below under Required Selections)
5 Top thickness (see below under Required Selections)
6 Column shape (see below under Required Selections)
7 Leg type (see below under Required Selections)
8 Corner (see below under Required Selections)
9 Edge profile (see below under Required Selections)
10 Overhang and overhang width, if selected (see below under Required Selections)
11 Glides (see below under Required Selections)
12 Controller (see below under Required Selections)
13 Low-Pressure Laminate, High-Pressure Laminate, composite veneer, or wood color for worksurface
14 Plastic color number for profile edge on laminate worksurface
15 Paint color number for lower base
16 Options, if selected (see below)

▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Application	• Freestanding	No cost	Specify *with freestanding application.*
	• Storage attachment	No cost	Specify *with storage attachment.*
Top Thickness	• Ology 1"	No cost	Specify *with Ology 1" top.*
	• Universal 1.185"	+$ 55	Specify *with Universal 1.185" top.*
Column Shape	• Rectangle	No cost	Specify *with rectangle column.*
	• Round	No cost	Specify *with round column.*
Leg Type	• T-leg configuration	No cost	Specify *with T-leg configuration.*
	• C-leg configuration	No cost	Specify *with C-leg configuration.*
Corner	• Square corner	No cost	Specify *with square corner.*
	• Radius 2" corner	+$102	Specify *with radius 2" corner.*
	• Radius 5" corner	+$102	Specify *with radius 5" corner.*
Edge Profile	• 3 mm plastic edge	No cost	Specify *with 3 mm plastic edge.*
	• 3 mm wood edge	No cost	Specify *with 3 mm wood edge.*
	• Knife edge user side only	+$ 60	Specify *with knife edge user side only.*
	• Knife edge	+$181	Specify *with knife edge.*
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Left overhang	No cost	Specify *with left overhang.*
	• Right overhang	No cost	Specify *with right overhang.*
	• Left and right overhang	No cost	Specify *with left and right overhang.*
	Overhang width		
	• 9"W	No cost	Specify *with 9"W overhang.*
Glides and Casters	• 1/2" glide	No cost	Specify *with 1/2" glide.*
	• Slide glide	+$ 35	Specify *with slide glide.*
	• 1" adjustable spacer	+$ 51	Specify *with 1" adjustable spacer.*
	• Casters	+$ 87	Specify *with casters.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 3-preset controller	+$136	Specify *with 3-preset controller.*

	Options	U.S. Price	Required to Specify
Size Option	• Modular width desk	No cost	Specify *with modular width desk.*
	• Parametric width desk	No cost	Specify *with parametric width desk.*
Soft Edge	• Soft edge	+$360	Specify *with soft edge.*
Surface Materials	**High-Pressure Laminate desk**		
	• Laminate price group 1	Prices at right	Specify laminate color number.
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate (OLL)	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Wood veneer desk		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$178	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$189	Specify wood color number.
	• Wood group 3	+$500	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶ See *Surface Materials Reference Manual.*
	Height-adjustable base		
	• Base lower paint group 2	+$ 25	Specify paint color number.
	• Base upper paint group 2	+$ 25	Specify paint color number.
	• Base lower paint group 3	+$ 46	Specify paint color number.
	• Base upper paint group 3	+$ 46	Specify paint color number.
			▶ See *Surface Materials*, page 364
	Metal cable tray		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 29	Specify paint color number.
			▶ See *Surface Materials*, page 364
Grommet and Integrated Power – Left Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on left.*
	• Flush power	+$540	Specify *with flush power on left* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on left* and specify paint color number.
Grommet and Integrated Power– Center Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on center.*
	• Flush power	+$540	Specify *with flush power on center* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on center* and specify paint color number.
Grommet and Integrated Power – Right Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on right.*
	• Flush power	+$540	Specify *with flush power on right* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on right* and specify paint color number.
Height– Adjustable Base Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 4' standard cord	No cost	Specify *with 4' standard cord.*

▶ **Options, continued on next page**

Tip: Soft edge option is not available on Low-Pressure Laminate worksurfaces.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Base upper paint finish defaults to match base lower paint finish.

Tip: Only one flush or pop-up integrated power can be specified per desk.

Tip: When overhang is also specified, left, right, and/or center grommet positions will match the understructure width, not the worksurface width.

Tip: When flush or pop-up power is specified with utility power, a 4' height-adjustable base power cord is automatically shipped.

Tip: Height-adjustable base must be specified with 10½' power cord unless utility power is optioned. When selecting 4' cord to minimize cable management, ***DSPINTRO*** *or* ***DSPOWER*** *with utility power is required.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Flush and Pop-Up Power Configuration	• 3 power	No cost	Specify *with 3 power.*
	• 2 power 1 data	No cost	Specify *with 2 power 1 data.*
	• 2 power 1 USB A+C 20W	+$ 88	Specify *with 2 power 1 USB A+C 20W.*
	• 1 power, 1 USB C 100W	+$348	Specify *with 1 power, 1 USB C 100W.*
Flush and Pop-Up Utility Power Configuration	• No utility	No cost	Specify *with no utility.*
	• No utility with overcurrent protection	+$ 73	Specify *with no utility w/OCP.*
	• 1 utility, 1 female plug, tray	+$180	Specify *with 1 utility, 1 female plug, tray.*
	• 2 utility, 1 female plug, tray	+$360	Specify *with 2 utility, 1 female plug, tray.*
	• 3 utility, tray mount	+$540	Specify *with 3 utility, tray mount.*
Flush and Pop-Up Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$287	Specify *with 10' braided cord.*
	• 163" curly cord	+$407	Specify *with 163" curly cord.*
Flush and Pop-Up Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA 3-prong.*
	• 90° NEMA	+$ 51	Specify *with 90° NEMA.*
	• Thread low profile plug	+$ 56	Specify *with thread low profile plug.*
Flush and Pop-Up Power Cord Color	**Standard and curly cord**		
	• Black	No cost	Specify *with black cord.*
	• White	No cost	Specify *with white cord.*
	Braided cord		
	• 9009 Black	No cost	Specify *with 9009 Black cord.*
	• 9011 Seagull	No cost	Specify *with 9011 Seagull cord.*
Sustainability	• Without Carbon Neutral	No cost	Specify *without Carbon Neutral.*
	• With Carbon Neutral	+$ 49	Specify *with Carbon Neutral.*
FSC Worksurface	• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.
Metal Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• Metal tray		
	– 30"W	+$246	Specify *with metal tray.*
	– 42"W	+$302	Specify *with metal tray.*
	– 52"W	+$357	Specify *with metal tray.*
Related Products	• Cable brackets		▶Page 247
	• Modesty panel		▶Page 249
	• Maintenance kit		▶Page 249


Tip: Metal cable tray dimension will be automatically determined based on desk dimensions and overhang, if selected.

Tip: Actual width of 42"W cable tray is 41½".


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices									
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W	78 1/16"W – 84"W	84 1/16"W – 90"W	90 1/16"W – 96"W



Rectangle Column



Round Column

Low-Pressure Laminate Pro Desk—Extended

HA2ER	23" or 24"	$2456	$2490	$2524	$2569	$2614	$2659	$2704	$2809	$2854	$2899
	28", 29", or 30"	$2495	$2529	$2563	$2608	$2653	$2698	$2743	$2848	$2893	$2938

High-Pressure Laminate Pro Desk—Extended

HA2ER	23" or 24"	$2522	$2556	$2590	$2635	$2680	$2725	$2770	$2875	$2920	$2965
	28", 29", or 30"	$2561	$2595	$2629	$2674	$2719	$2764	$2809	$2914	$2959	$3004

Composite Veneer Group 1 Pro Desk—Extended

HA2ER	23" or 24"	$3377	$3428	$3479	$3541	$3603	$3665	$3727	$3849	$3911	$3973
	28", 29", or 30"	$3455	$3506	$3557	$3619	$3681	$3743	$3805	$3927	$3989	$4051

Wood Group 1 Pro Desk—Extended

HA2ER	23" or 24"	$3377	$3428	$3479	$3541	$3603	$3665	$3727	$3849	$3911	$3973
	28", 29", or 30"	$3455	$3506	$3557	$3619	$3681	$3743	$3805	$3927	$3989	$4051

Low-Pressure Laminate Pro Desk—Basic

HA2SRQ	23" or 24"	$2204	$2238	$2272	$2317	$2362	$2407	$2452	$2557	$2602	$2647
	28", 29", or 30"	$2243	$2277	$2311	$2356	$2401	$2446	$2491	$2596	$2641	$2686

High-Pressure Laminate Pro Desk—Basic

HA2SRQ	23" or 24"	$2270	$2304	$2338	$2383	$2428	$2473	$2518	$2623	$2668	$2713
	28", 29", or 30"	$2309	$2343	$2377	$2422	$2467	$2512	$2557	$2662	$2707	$2752

Composite Veneer Group 1 Pro Desk—Basic


HA2SRQ	23" or 24"	$3125	$3176	$3227	$3289	$3351	$3413	$3475	$3597	$3659	$3721
	28", 29", or 30"	$3203	$3254	$3305	$3367	$3429	$3491	$3553	$3675	$3737	$3799

Wood Group 1 Pro Desk—Basic


HA2SRQ	23" or 24"	$3125	$3176	$3227	$3289	$3351	$3413	$3475	$3597	$3659	$3721
	28", 29", or 30"	$3203	$3254	$3305	$3367	$3429	$3491	$3553	$3675	$3737	$3799

Migration Pro Height-Adjustable Desks

Organic Desks



Rectangle Column Shape Shown



Round Column Shape Shown

▶ Need help? Product details, page 186

Standard Includes

- Worksurface: Low-Pressure Laminate price group 1 with 3 mm plastic edge
- Organic worksurface: bow front or bow front and back
- Electric height-adjustable sit-to-stand base: paint
- Active touch controller
- Depth: 23", 24", 28", 29", or 30"
- Modular width: 40", 46", 52", 58", 64", 70", 76", 82", 88", or 94"
- 1/2" glide
- Power cord: 10 1/2'
- Attachment hardware

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 Application (see below under Required Selections)
5 Top thickness (see below under Required Selections)
6 Column shape (see below under Required Selections)
7 Leg type (see below under Required Selections)
8 Shape type (see below under Required Selections)
9 Edge profile (see below under Required Selections)
10 Overhang and overhang width, if selected (see below under Required Selections)
11 Glides (see below under Required Selections)
12 Controller (see below under Required Selections)
13 Low-Pressure Laminate, High-Pressure Laminate, composite veneer, or wood color for worksurface
14 Plastic color number for profile edge on laminate worksurface
15 Paint color number for lower base
16 Options, if selected (see below)

▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Application	• Freestanding	No cost	Specify *with freestanding application.*
	• Storage attachment	No cost	Specify *with storage attachment.*
Top Thickness	• Ology 1"	No cost	Specify *with Ology 1" top.*
	• Universal 1.185"	+$ 55	Specify *with Universal 1.185" top.*
Column Shape	• Rectangle	No cost	Specify *with rectangle column.*
	• Round	No cost	Specify *with round column.*
Leg Type	• T-leg configuration	No cost	Specify *with T-leg configuration.*
	• C-leg configuration	No cost	Specify *with C-leg configuration.*
Shape type	• Bow front	No cost	Specify *with bow front.*
	• Bow front and back	No cost	Specify *with bow front and back.*
Edge Profile	• 3 mm plastic edge	No cost	Specify *with 3 mm plastic edge.*
	• 3 mm wood edge	No cost	Specify *with 3 mm wood edge.*
	• Knife edge user side only	+$ 60	Specify *with knife edge user side only.*
	• Knife edge	+$181	Specify *with knife edge.*
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Left overhang	No cost	Specify *with left overhang.*
	• Right overhang	No cost	Specify *with right overhang.*
	• Left and right overhang	No cost	Specify *with left and right overhang.*
	Overhang width		
	• 9"W	No cost	Specify *with 9"W overhang.*
Glides and Casters	• 1/2" glide	No cost	Specify *with 1/2" glide.*
	• Slide glide	+$ 35	Specify *with slide glide.*
	• 1" adjustable spacer	+$ 51	Specify *with 1" adjustable spacer.*
	• Casters	+$ 87	Specify *with casters.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 3-preset controller	+$136	Specify *with 3-preset controller.*

Tip: C-leg is only available with rectangle columns and is only available in 28", 29", or 30" depths.

Tip: Knife edge is only available on laminate worksurfaces and for Ology 1" top thickness.

Tip: Overhang not available on basic height Migration Pro desks.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, on next page**

▶**Required Selections, on previous page**

	Options	U.S. Price	Required to Specify
Size Option	• Modular width desk	No cost	Specify *with modular width desk.*
	• Parametric width desk	No cost	Specify *with parametric width desk.*
Surface Materials	**High-Pressure Laminate desk**		
	• Laminate price group 1	Prices at right	Specify laminate color number.
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate (OLL)	+$115 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Wood veneer desk		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$178	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$189	Specify wood color number.
	• Wood group 3	+$500	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.* ▶See *Surface Materials Reference Manual.*
	Height-adjustable base		
	• Base lower paint group 2	+$ 25	Specify paint color number.
	• Base upper paint group 2	+$ 25	Specify paint color number.
	• Base lower paint group 3	+$ 46	Specify paint color number.
	• Base upper paint group 3	+$ 46	Specify paint color number. ▶See *Surface Materials*, page 364
	Metal cable tray		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 29	Specify paint color number. ▶See *Surface Materials*, page 364
Grommet and Integrated Power – Left Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on left.*
	• Flush power	+$540	Specify *with flush power on left* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on left* and specify paint color number.
Grommet and Integrated Power – Center Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on center.*
	• Flush power	+$540	Specify *with flush power on center* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on center* and specify paint color number.
Grommet and Integrated Power – Right Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on right.*
	• Flush power	+$540	Specify *with flush power on right* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on right* and specify paint color number.
Height–Adjustable Base Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 4' standard cord	No cost	Specify *with 4' standard cord.*
Flush and Pop-Up Power Configuration	• 3 power	No cost	Specify *with 3 power.*
	• 2 power 1 data	No cost	Specify *with 2 power 1 data.*
	• 2 power 1 USB A+C 20W	+$ 88	Specify *with 2 power 1 USB A+C 20W.*
	• 1 power, 1 USB C 100W	+$348	Specify *with 1 power, 1 USB C 100W.*

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Base upper paint finish defaults to match base lower paint finish.

Tip: Only one flush or pop-up integrated power can be specified per desk.

Tip: When overhang is also specified, left, right, and/or center grommet positions will match the understructure width, not the worksurface width.

Tip: When flush or pop-up power is specified with utility power, a 4' height-adjustable base power cord is automatically shipped.

Tip: Height-adjustable base must be specified with 10½' power cord unless utility power is optioned. When selecting 4' cord to minimize cable management, ***DSPINTRO*** *or* ***DSPOWER*** *with utility power is required.*

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Flush and Pop-Up Utility Power Configuration	• No utility	No cost	Specify *with no utility.*
	• No utility with overcurrent protection	+$ 73	Specify *with no utility w/OCP.*
	• 1 utility, 1 female plug, tray	+$180	Specify *with 1 utility, 1 female plug, tray.*
	• 2 utility, 1 female plug, tray	+$360	Specify *with 2 utility, 1 female plug, tray.*
	• 3 utility, tray mount	+$540	Specify *with 3 utility, tray mount.*
Flush and Pop-Up Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$287	Specify *with 10' braided cord.*
	• 163" curly cord	+$407	Specify *with 163" curly cord.*
Flush and Pop-Up Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA 3-prong.*
	• 90° NEMA	+$ 51	Specify *with 90° NEMA.*
	• Thread low profile plug	+$ 56	Specify *with thread low profile plug.*
Flush and Pop-Up Power Cord Color	**Standard and curly cord**		
	• Black	No cost	Specify *with black cord.*
	• White	No cost	Specify *with white cord.*
	Braided cord		
	• 9009 Black	No cost	Specify *with 9009 Black cord.*
	• 9011 Seagull	No cost	Specify *with 9011 Seagull cord.*
Sustainability	• Without Carbon Neutral	No cost	Specify *without Carbon Neutral.*
	• With Carbon Neutral	+$ 49	Specify *with Carbon Neutral.*
FSC Worksurface	• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.
Metal Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• Metal tray		
	– 30"W	+$246	Specify *with metal tray.*
	– 42"W	+$302	Specify *with metal tray.*
	– 52"W	+$357	Specify *with metal tray.*
Related Products	• Cable brackets		▶Page 247
	• Modesty panel		▶Page 249
	• Maintenance kit		▶Page 249

Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.


Tip: Actual width of 42"W cable tray is 41½".

Tip: Metal cable tray dimension will be automatically determined based on desk dimensions and overhang, if selected.


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices									
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W	78 1/16"W – 84"W	84 1/16"W – 90"W	90 1/16"W – 96"W



Rectangle Column



Round Column

Low-Pressure Laminate Pro Desk—Extended

HA2EO	23" or 24"	$2558	$2592	$2626	$2671	$2716	$2761	$2806	$2911	$2956	$3001
	28", 29", or 30"	$2597	$2631	$2665	$2710	$2755	$2800	$2845	$2950	$2995	$3040

High-Pressure Laminate Pro Organic Desk—Extended

HA2EO	23" or 24"	$2624	$2658	$2692	$2737	$2782	$2827	$2872	$2977	$3022	$3067
	28", 29", or 30"	$2663	$2697	$2731	$2776	$2821	$2866	$2911	$3016	$3061	$3106

Composite Veneer Group 1 Pro Organic Desk—Extended

HA2EO	23" or 24"	$3479	$3530	$3581	$3643	$3705	$3767	$3829	$3951	$4013	$4075
	28", 29", or 30"	$3557	$3608	$3659	$3721	$3783	$3845	$3907	$4029	$4091	$4153

Wood Group 1 Pro Organic Desk—Extended

HA2EO	23" or 24"	$3479	$3530	$3581	$3643	$3705	$3767	$3829	$3951	$4013	$4075
	28", 29", or 30"	$3557	$3608	$3659	$3721	$3783	$3845	$3907	$4029	$4091	$4153

Low-Pressure Laminate Pro Organic Desk—Basic

HA2SO	23" or 24"	$2306	$2340	$2374	$2419	$2464	$2509	$2554	$2659	$2704	$2749
	28", 29", or 30"	$2345	$2379	$2413	$2458	$2503	$2548	$2593	$2698	$2743	$2788

High-Pressure Laminate Pro Organic Desk—Basic

HA2SO	23" or 24"	$2372	$2406	$2440	$2485	$2530	$2575	$2620	$2725	$2770	$2815
	28", 29", or 30"	$2411	$2445	$2479	$2524	$2569	$2614	$2659	$2764	$2809	$2854


Composite Veneer Group 1 Pro Organic Desk—Basic

HA2SO	23" or 24"	$3227	$3278	$3329	$3391	$3453	$3515	$3577	$3699	$3761	$3823
	28", 29", or 30"	$3305	$3356	$3407	$3469	$3531	$3593	$3655	$3777	$3839	$3901


Wood Group 1 Pro Organic Desk—Basic

HA2SO	23" or 24"	$3227	$3278	$3329	$3391	$3453	$3515	$3577	$3699	$3761	$3823
	28", 29", or 30"	$3305	$3356	$3407	$3469	$3531	$3593	$3655	$3777	$3839	$3901

Migration Pro Height-Adjustable Bases



Rectangular Column Shape Shown



Round Column Shape Shown

Tip: C-leg is only available with rectangular columns and is only available in 28", 29", or 30" depths.

Tip: Overhang not available on basic height Migration Pro bases.

Tip: Base upper paint finish defaults to match base lower paint finish.

Tip: Height-adjustable base must be specified with 10½' power cord unless utility power is optioned. When selecting 4' cord to minimize cable management, ***DSPINTRO*** *or* ***DSPOWER*** *with utility power is required.*

▶ Need help? Product details, page 186

Standard Includes

- Electric height-adjustable sit-to-stand base: paint
- Active touch controller
- Depth: 23", 24", 28", 29", or 30"
- Modular width: 40", 46", 52", 58", 64", 70", 76", 82", 88", or 94"
- ½" glide
- Power cord: 10½'
- Attachment hardware

Required to Specify


1 Style number
2 Base depth
3 Base width
4 Application (see below under Required Selections)
5 Column shape (see below under Required Selections)
6 Leg type (see below under Required Selections)
7 Overhang and overhang width, if selected (see below under Required Selections)
8 Glides (see below under Required Selections)
9 Controller (see below under Required Selections)
10 Paint color number for lower base
11 Options, if selected (see below)
▶ See *Surface Materials*, page 364


	Required Selections	U.S. Price	Required to Specify
Application	• Freestanding	No cost	Specify *with freestanding application.*
	• Storage attachment	No cost	Specify *with storage attachment.*
Column Shape	• Rectangle	No cost	Specify *with rectangle column.*
	• Round	No cost	Specify *with round column.*
Leg Type	• T-leg configuration	No cost	Specify *with T-leg configuration.*
	• C-leg configuration	No cost	Specify *with C-leg configuration.*
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Left overhang	No cost	Specify *with left overhang.*
	• Right overhang	No cost	Specify *with right overhang.*
	• Left and right overhang	No cost	Specify *with left and right overhang.*
	Overhang width		
	• 9"W	No cost	Specify *with 9"W overhang.*
Glides and Casters	• ½" glide	No cost	Specify *with ½" glide.*
	• Slide glide	+$ 35	Specify *with slide glide.*
	• 1" adjustable spacer	+$ 51	Specify *with 1" adjustable spacer.*
	• Casters	+$ 87	Specify *with casters.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 3-preset controller	+$136	Specify *with 3-preset controller.*

	Options	U.S. Price	Required to Specify
Size Option	• Modular width	No cost	Specify *with modular width.*
	• Parametric width	No cost	Specify *with parametric width.*
Surface Materials	• Base lower paint group 2	+$ 25	Specify paint color number.
	• Base upper paint group 2	+$ 25	Specify paint color number.
	• Base lower paint group 3	+$ 46	Specify paint color number.
	• Base upper paint group 3	+$ 46	Specify paint color number.
			▶ See *Surface Materials*, page 364
Height–Adjustable Base Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 4' standard cord	No cost	Specify *with 4' standard cord.*
Related Products	• Cable brackets		▶ Page 247
	• Modesty panel		▶ Page 249
	• Maintenance kit		▶ Page 249

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices									
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W	78 1/16"W – 84"W	84 1/16"W – 90"W	90 1/16"W – 96"W





Pro Rectangular Base—Extended


HA2ERB	23" or 24"	$2259	$2276	$2293	$2310	$2327	$2344	$2361	$2438	$2455	$2472
	28", 29", or 30"	$2281	$2298	$2315	$2332	$2349	$2366	$2383	$2460	$2477	$2494

Pro Rectangular Base—Basic

HA2SRB	23" or 24"	$2007	$2024	$2041	$2058	$2075	$2092	$2109	$2186	$2203	$2220
	28", 29", or 30"	$2029	$2046	$2063	$2080	$2097	$2114	$2131	$2208	$2225	$2242

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Pro with Boost High-Speed Height-Adjustable Desks



▶ Need help? Product details, page 194

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Column shape: rectangle
- T-leg configuration
- Active touch controller
- Square corners, if selected
- Depth: 23", 24", 28", 29", or 30"
- Modular width: 40", 46", 52", 58", 64", 70", or 76"
- 1/2" glide
- Power cord: 10 1/2'
- Attachment hardware

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 Top thickness (see below under Required Selections)
5 Corner (see below under Required Selections)
6 Edge profile (see below under Required Selections)
7 Glides (see below under Required Selections)
8 Controller (see below under Required Selections)
9 High-Pressure Laminate, composite veneer, or wood color for worksurface
10 Plastic color number for profile edge on laminate worksurface
11 Paint color number for lower base
12 Options, if selected (see below)

▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Top Thickness	• Ology 1"	No cost	Specify *with Ology 1" top.*
	• Universal 1.185"	+$ 55	Specify *with Universal 1.185" top.*
Corner	• Square corner	No cost	Specify *with square corner.*
	• Radius 2" corner	+$102	Specify *with radius 2" corner.*
	• Radius 5" corner	+$102	Specify *with radius 5" corner.*
Edge Profile	• 3 mm plastic edge	No cost	Specify *with 3 mm plastic edge.*
	• 3 mm wood edge	No cost	Specify *with 3 mm wood edge.*
	• Knife edge user side only	+$ 60	Specify *with knife edge user side only.*
	• Knife edge	+$181	Specify *with knife edge.*
Glides and Casters	• 1/2" glide	No cost	Specify *with 1/2" glide.*
	• Slide glide	+$ 35	Specify *with slide glide.*
	• 1" adjustable spacer	+$ 51	Specify *with 1" adjustable spacer.*
	• Casters	+$ 87	Specify *with casters.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 3-preset controller	+$136	Specify *with 3-preset controller.*

Tip: Knife edge is only available on laminate worksurfaces and for Ology 1" top thickness.

Tip: Soft edge cannot be specified on a knife edge worksurface.

Tip: Soft edge is only available on rectangular laminate worksurface, and centered between the cantilevers. If one overhang is selected, the soft edge will be off-center on the worksurface.

	Options	U.S. Price	Required to Specify
Size Option	• Modular width desk	No cost	Specify *with modular width desk.*
	• Parametric width desk	No cost	Specify *with parametric width desk.*
Soft Edge	• Soft edge	+$360	Specify *with soft edge.*
Surface Materials	**High-Pressure Laminate desk**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate (OLL)	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Wood veneer desk		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$178	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$189	Specify wood color number.
	• Wood group 3	+$500	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶ See *Surface Materials Reference Manual.*

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Height-adjustable base**		
Tip: Base upper paint finish defaults to match base lower paint finish.	• Base lower paint group 2	+$ 25	Specify paint color number.
	• Base upper paint group 2	+$ 25	Specify paint color number.
	• Base lower paint group 3	+$ 46	Specify paint color number.
	• Base upper paint group 3	+$ 46	Specify paint color number.
			▶See *Surface Materials*, page 364
	Metal cable tray		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 29	Specify paint color number.
			▶See *Surface Materials*, page 364
Grommet and Integrated Power – Left Position	• None	No cost	Specify *with none.*
Tip: Only one flush or pop-up integrated power can be specified per desk.	• Round grommet	+$ 33	Specify *with round grommet on left.*
	• Flush power	+$540	Specify *with flush power on left* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on left* and specify paint color number.
Grommet and Integrated Power – Center Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on center.*
	• Flush power	+$540	Specify *with flush power on center* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on center* and specify paint color number.
Grommet and Integrated Power – Right Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on right.*
	• Flush power	+$540	Specify *with flush power on right* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on right* and specify paint color number.
Height–Adjustable Base Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
Tip: When flush or pop-up power is specified with utility power, a 4' height-adjustable base power cord is automatically shipped.	• 4' standard cord	No cost	Specify *with 4' standard cord.*
Flush and Pop-Up Power Configuration	• 3 power	No cost	Specify *with 3 power.*
	• 2 power 1 data	No cost	Specify *with 2 power 1 data.*
	• 2 power 1 USB A+C 20W	+$ 88	Specify *with 2 power 1 USB A+C 20W.*
	• 1 power, 1 USB C 100W	+$348	Specify *with 1 power, 1 USB C 100W.*
Flush and Pop-Up Utility Power Configuration	• No utility	No cost	Specify *with no utility.*
Tip: Height-adjustable base must be specified with 10½' power cord unless utility power is optioned. When selecting 4' cord to minimize cable management, ***DSPINTRO*** *or* ***DSPOWER*** *with utility power is required.*	• No utility with overcurrent protection	+$ 73	Specify *with no utility w/OCP.*
	• 1 utility, 1 female plug, tray	+$180	Specify *with 1 utility, 1 female plug, tray.*
	• 2 utility, 1 female plug, tray	+$360	Specify *with 2 utility, 1 female plug, tray.*
	• 3 utility, tray mount	+$540	Specify *with 3 utility, tray mount.*
Flush and Pop-Up Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$287	Specify *with 10' braided cord.*
	• 163" curly cord	+$407	Specify *with 163" curly cord.*
Flush and Pop-Up Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA 3-prong.*
	• 90° NEMA	+$ 51	Specify *with 90° NEMA.*
	• Thread low profile plug	+$ 56	Specify *with thread low profile plug.*

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Options, continued from previous page**


	Options	U.S. Price	Required to Specify
Flush and Pop-Up Power Cord Color	**Standard and curly cord**		
	• Black	No cost	Specify *with black cord.*
	• White	No cost	Specify *with white cord.*
	Braided cord		
	• 9009 Black	No cost	Specify *with 9009 Black cord.*
	• 9011 Seagull	No cost	Specify *with 9011 Seagull cord.*
Sustainability	• Without Carbon Neutral	No cost	Specify *without Carbon Neutral.*
	• With Carbon Neutral	+$ 49	Specify *with Carbon Neutral.*
FSC Worksurface	• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.
Metal Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• Metal tray		
	– 30"W	+$246	Specify *with metal tray.*
	– 42"W	+$302	Specify *with metal tray.*
	– 52"W	+$357	Specify *with metal tray.*
Related Products	• Cable brackets		▶ Page 247
	• Modesty panel		▶ Page 249
	• Maintenance kit		▶ Page 249.

Tip: Metal cable tray dimension will be automatically determined based on desk dimensions.

Tip: Actual width of 42"W cable tray is 41½".

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices						
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W



High-Pressure Laminate Pro High-Speed Desk—Extended

HA3ER	23" or 24"	$2884	$2918	$2952	$2997	$3042	$3087	$3132
	28", 29", or 30"	$2923	$2957	$2991	$3036	$3081	$3126	$3171

Composite Veneer Group 1 Pro High-Speed Desk—Extended

HA3ER	23" or 24"	$3739	$3790	$3841	$3903	$3965	$4027	$4089
	28", 29", or 30"	$3817	$3868	$3919	$3981	$4043	$4105	$4167


Wood Group 1 Pro High-Speed Desk—Extended

HA3ER	23" or 24"	$3739	$3790	$3841	$3903	$3965	$4027	$4089
	28", 29", or 30"	$3817	$3868	$3919	$3981	$4043	$4105	$4167

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Pro with Boost High-Speed Height-Adjustable Desks

Organic Desks



▶ Need help? Product details, page 194

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Column shape: rectangle
- T-leg configuration
- Active touch controller
- Depth: 23", 24", 28", 29", or 30"
- Modular width: 40", 46", 52", 58", 64", 70", or 76"
- 1/2" glide
- Power cord: 10 1/2'
- Attachment hardware

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 Shape type (see below under Required Selections)
5 Top thickness (see below under Required Selections)
6 Edge profile (see below under Required Selections)
7 Glides (see below under Required Selections)
8 Controller (see below under Required Selections)
9 High-Pressure Laminate, composite veneer, or wood color for worksurface
10 Plastic color number for profile edge on laminate worksurface
11 Paint color number for lower base
12 Options, if selected (see below)

▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Shape Type	• Bow front	No cost	Specify *with bow front.*
	• Bow front and back	No cost	Specify *with bow front and back.*
Top Thickness	• Ology 1"	No cost	Specify *with Ology 1" top.*
	• Universal 1.185"	+$ 55	Specify *with Universal 1.185" top.*
Edge Profile	• 3 mm plastic edge	No cost	Specify *with 3 mm plastic edge.*
	• 3 mm wood edge	No cost	Specify *with 3 mm wood edge.*
	• Knife edge user side only	+$ 60	Specify *with knife edge user side only.*
	• Knife edge	+$181	Specify *with knife edge.*
Glides and Casters	• 1/2" glide	No cost	Specify *with 1/2" glide.*
	• Slide glide	+$ 35	Specify *with slide glide.*
	• 1" adjustable spacer	+$ 51	Specify *with 1" adjustable spacer.*
	• Casters	+$ 87	Specify *with casters.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 3-preset controller	+$136	Specify *with 3-preset controller.*

Tip: Knife edge is only available on laminate worksurfaces and for Ology 1" top thickness.

	Options	U.S. Price	Required to Specify
Size Option	• Modular width desk	No cost	Specify *with modular width desk.*
	• Parametric width desk	No cost	Specify *with parametric width desk.*
Surface Materials	**High-Pressure Laminate desk**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate (OLL)	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Wood veneer desk		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$178	Specify composite veneer color number.
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$189	Specify wood color number.
	• Wood group 3	+$500	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶ See *Surface Materials Reference Manual.*

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

▶ **Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Height-adjustable base**		
Tip: Base upper paint finish defaults to match base lower paint finish.	• Base lower paint group 2	+$ 25	Specify paint color number.
	• Base upper paint group 2	+$ 25	Specify paint color number.
	• Base lower paint group 3	+$ 46	Specify paint color number.
	• Base upper paint group 3	+$ 46	Specify paint color number.
			▶See *Surface Materials*, page 364
	Metal cable tray		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 29	Specify paint color number.
			▶See *Surface Materials*, page 364
Grommet and Integrated Power – Left Position	• None	No cost	Specify *with none.*
Tip: Only one flush or pop-up integrated power can be specified per desk.	• Round grommet	+$ 33	Specify *with round grommet on left.*
	• Flush power	+$540	Specify *with flush power on left* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on left* and specify paint color number.
Grommet and Integrated Power— Center Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on center.*
	• Flush power	+$540	Specify *with flush power on center* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on center* and specify paint color number.
Grommet and Integrated Power – Right Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on right.*
	• Flush power	+$540	Specify *with flush power on right* and specify plastic color number.
	• Pop-up power	+$540	Specify *with pop-up power on right* and specify paint color number.
Height–Adjustable Base Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
Tip: When flush or pop-up power is specified with utility power, a 4' height-adjustable base power cord is automatically shipped.	• 4' standard cord	No cost	Specify *with 4' standard cord.*
Flush and Pop-Up Power Configuration	• 3 power	No cost	Specify *with 3 power.*
	• 2 power 1 data	No cost	Specify *with 2 power 1 data.*
	• 2 power 1 USB A+C 20W	+$ 88	Specify *with 2 power 1 USB A+C 20W.*
	• 1 power, 1 USB C 100W	+$348	Specify *with 1 power, 1 USB C 100W.*
Flush and Pop-Up Utility Power Configuration	• No utility	No cost	Specify *with no utility.*
*Tip: Height-adjustable base must be specified with 10½' power cord unless utility power is optioned. When selecting 4' cord to minimize cable management, **DSPINTRO** or **DSPOWER** with utility power is required.*	• No utility with overcurrent protection	+$ 73	Specify *with no utility w/OCP.*
	• 1 utility, 1 female plug, tray	+$180	Specify *with 1 utility, 1 female plug, tray.*
	• 2 utility, 1 female plug, tray	+$360	Specify *with 2 utility, 1 female plug, tray.*
	• 3 utility, tray mount	+$540	Specify *with 3 utility, tray mount.*
Flush and Pop-Up Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 10' braided cord	+$287	Specify *with 10' braided cord.*
	• 163" curly cord	+$407	Specify *with 163" curly cord.*
Flush and Pop-Up Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA 3-prong.*
	• 90° NEMA	+$ 51	Specify *with 90° NEMA.*
	• Thread low profile plug	+$ 56	Specify *with thread low profile plug.*

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Flush and Pop-Up Power Cord Color	**Standard and curly cord**		
	• Black	No cost	Specify *with black cord.*
	• White	No cost	Specify *with white cord.*
	Braided cord		
	• 9009 Black	No cost	Specify *with 9009 Black cord.*
	• 9011 Seagull	No cost	Specify *with 9011 Seagull cord.*
Sustainability	• Without Carbon Neutral	No cost	Specify *without Carbon Neutral.*
	• With Carbon Neutral	+$ 49	Specify *with Carbon Neutral.*
FSC Worksurface	• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.
Metal Cable Tray	• No cable tray	No cost	Specify *with no cable tray.*
	• Metal tray		
	– 30"W	+$246	Specify *with metal tray.*
	– 42"W	+$302	Specify *with metal tray.*
	– 52"W	+$357	Specify *with metal tray.*
Related Products	• Cable brackets		▶ Page 247
	• Modesty panel		▶ Page 249
	• Maintenance kit		▶ Page 249.


Tip: Metal cable tray dimension will be automatically determined based on desk dimensions.

Tip: Actual width of 42"W cable tray is 41½".

Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices						
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W



High-Pressure Laminate Pro High-Speed Organic Desk—Extended

HA3EO	23" or 24"	$2986	$3020	$3054	$3099	$3144	$3189	$3234
	28", 29", or 30"	$3025	$3059	$3093	$3138	$3183	$3228	$3273

Composite Veneer Group 1 Pro High-Speed Organic Desk—Extended


HA3EO	23" or 24"	$3841	$3892	$3943	$4005	$4067	$4129	$4191
	28", 29", or 30"	$3919	$3970	$4021	$4083	$4145	$4207	$4269

Wood Group 1 Pro High-Speed Organic Desk—Extended

HA3EO	23" or 24"	$3841	$3892	$3943	$4005	$4067	$4129	$4191
	28", 29", or 30"	$3919	$3970	$4021	$4083	$4145	$4207	$4269

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Pro with Boost High-Speed Height-Adjustable Bases



▶ Need help? Product details, page 194

Standard Includes	Required to Specify
• Electric height-adjustable sit-to-stand base: paint • Active touch controller • Column shape: rectangle • T-leg configuration • Depth: 23", 24", 28", 29", or 30" • Modular width: 40", 46", 52", 58", 64", 70", 76" • 1/2" glide • Power cord: 10 1/2' • Attachment hardware	1 Style number 2 Base depth 3 Base width 4 Glides (see below under Required Selections) 5 Controller (see below under Required Selections) 6 Paint color number for lower base 7 Options, if selected (see below) ▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Glides and Casters	• 1/2" glide	No cost	Specify *with 1/2" glide.*
	• Slide glide	+$ 35	Specify *with slide glide.*
	• 1" adjustable spacer	+$ 51	Specify *with 1" adjustable spacer.*
	• Casters	+$ 87	Specify *with casters.*
Controller	• Active touch controller	No cost	Specify *with active touch controller.*
	• Simple touch controller	–$ 81	Specify *with simple touch controller.*
	• 3-preset controller	+$136	Specify *with 3-preset controller.*

	Options	U.S. Price	Required to Specify
Size Option	• Modular width	No cost	Specify *with modular width desk.*
	• Parametric width	No cost	Specify *with parametric width desk.*
Surface Materials	• Base lower paint group 2	+$ 25	Specify paint color number.
	• Base upper paint group 2	+$ 25	Specify paint color number.
	• Base lower paint group 3	+$ 46	Specify paint color number.
	• Base upper paint group 3	+$ 46	Specify paint color number.
			▶ See *Surface Materials*, page 364
Height–Adjustable Base Power Cord	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 4' standard cord	No cost	Specify *with 4' standard cord.*
Related Products	• Cable brackets		▶ Page 247
	• Modesty panel		▶ Page 249
	• Maintenance kit		▶ Page 249

Tip: Base upper paint finish defaults to match base lower paint finish.

Tip: Height-adjustable base must be specified with 10 1/2' power cord unless utility power is optioned. When selecting 4' cord to minimize cable management, ***DSPINTRO*** *or* ***DSPOWER*** *with utility power is required.*


Specification Information

Pro High-Speed Rectangular Base—Extended

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices						
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W
HA3ERB	23" or 24"		$2621	$2638	$2655	$2672	$2689	$2706	$2723
	28", 29", or 30"		$2643	$2660	$2677	$2694	$2711	$2728	$2745

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Intro Height-Adjustable Desks



▶ Need help? Product details, page 200

Standard Includes

- Worksurface: Low-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Column shape: rectangle
- T-leg configuration
- Basic controller
- Square corners, if selected
- Depth: 23", 24", 28", 29", or 30"
- Modular width: 40", 46", 52", 58", 64", 70", or 76"
- 1/2" glide
- Power cord: 10 1/2'
- Attachment hardware

Required to Specify

1 Style number
2 Desk depth
3 Desk width
4 Top thickness (see below under Required Selections)
5 Corner (see below under Required Selections)
6 Controller (see below under Required Selections)
7 Low-Pressure Laminate or High-Pressure Laminate color for worksurface
8 Plastic color number for profile edge on laminate worksurface
9 Paint color number for base
10 Options, if selected (see below)

▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Top Thickness	• Ology 1"	No cost	Specify *with Ology 1" top.*
	• Universal 1.185"	+$ 55	Specify *with Universal 1.185" top.*
Corner	• Square corner	No cost	Specify *with square corner.*
	• Radius 2" corner	+$102	Specify *with radius 2" corner.*
	• Radius 5" corner	+$102	Specify *with radius 5" corner.*
Controller	• Basic controller	No cost	Specify *with basic controller.*
	• Active touch controller	+$ 81	Specify *with active touch controller.*

	Options	U.S. Price	Required to Specify
Size Option	• Modular width desk	No cost	Specify *with modular width desk.*
	• Parametric width desk	No cost	Specify *with parametric width desk.*
Surface Materials	**High-Pressure Laminate desk**		
	• Laminate price group 1	Prices at right	Specify laminate color number.
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate (OLL)	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Height-adjustable base		
	• 0835 Black	No cost	Specify *with 0835 Black.*
	• 4231 Arctic White	No cost	Specify *with 4231 Arctic White.*
	• 4243 Merle Smooth	No cost	Specify *with 4243 Merle Smooth.*
	• 4799 Platinum Metallic	+$ 50	Specify *with 4799 Platinum Metallic.*
	Metal cable tray		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 29	Specify paint color number.
			▶ See *Surface Materials*, page 364
Grommet—Left Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on left.*
Grommet—Center Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on center.*
Grommet—Right Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on right.*

▶ **Options, continued on next page**

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued from previous page**


	Options	U.S. Price	Required to Specify
Sustainability	• Without Carbon Neutral • With Carbon Neutral	No cost +$ 49	Specify *without Carbon Neutral.* Specify *with Carbon Neutral.*
FSC Worksurface	• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.
Metal Cable Tray	• No cable tray • Metal tray – 30"W – 42"W – 52"W	No cost +$246 +$302 +$357	Specify *with no cable tray.* Specify *with metal tray.* Specify *with metal tray.* Specify *with metal tray.*
Related Products	• Cable brackets • Modesty panel • Maintenance kit		▶ Page 247 ▶ Page 249 ▶ Page 249

Tip: Metal cable tray dimension will be automatically determined based on desk dimensions.

Tip: Actual width of 42"W cable tray is 41½".

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices 40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W



Low-Pressure Laminate Intro Desk—Extended

HA1ER	23" or 24"	$1810	$1844	$1878	$1923	$1968	$2013	$2118
	28", 29", or 30"	$1849	$1883	$1917	$1962	$2007	$2052	$2157

High-Pressure Laminate Intro Desk—Extended

HA1ER	23" or 24"	$1876	$1910	$1944	$1989	$2034	$2079	$2184
	28", 29", or 30"	$1915	$1949	$1983	$2028	$2073	$2118	$2223

Low-Pressure Laminate Intro Desk—Basic

HA1SRQ	23" or 24"	$1625	$1659	$1693	$1738	$1783	$1828	$1933
	28", 29", or 30"	$1664	$1698	$1732	$1777	$1822	$1867	$1972


High-Pressure Laminate Intro Desk—Basic

HA1SRQ	23" or 24"	$1691	$1725	$1759	$1804	$1849	$1894	$1999
	28", 29", or 30"	$1730	$1764	$1798	$1843	$1888	$1933	$2038

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Intro Height-Adjustable Desks

Organic Desks



▶ Need help? Product details, page 200

Standard Includes	Required to Specify
• Worksurface: Low-Pressure Laminate price group 1 with 3 mm plastic edge • Organic worksurface: bow front or bow front and back • Electric height-adjustable sit-to-stand base: paint • Column shape: rectangle • T-leg configuration • Basic controller • Depth: 23", 24", 28", 29", or 30" • Modular width: 40", 46", 52", 58", 64", 70", or 76" • 1/2" glide • Power cord: 10 1/2' • Attachment hardware	1 Style number 2 Desk depth 3 Desk width 4 Top thickness (see below under Required Selections) 5 Shape type (see below under Required Selections) 6 Controller (see below under Required Selections) 7 Low-Pressure Laminate or High-Pressure Laminate color for worksurface 8 Plastic color number for profile edge on laminate worksurface 9 Paint color number for base 10 Options, if selected (see below) ▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Shape Type	• Bow front	No cost	Specify *with bow front.*
	• Bow front and back	No cost	Specify *with bow front and back.*
Top Thickness	• Ology 1"	No cost	Specify *with Ology 1" top.*
	• Universal 1.185"	+$ 55	Specify *with Universal 1.185" top.*
Controller	• Basic controller	No cost	Specify *with basic controller.*
	• Active touch controller	+$ 81	Specify *with active touch controller.*

	Options	U.S. Price	Required to Specify
Size Option	• Modular width desk	No cost	Specify *with modular width desk.*
	• Parametric width desk	No cost	Specify *with parametric width desk.*
Surface Materials	**High-Pressure Laminate desk**		
	• Laminate price group 1	Prices at right	Specify laminate color number.
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate (OLL)	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Height-adjustable base		
	• 4231 Arctic White	No cost	Specify *with 4231 Arctic White.*
	• 4243 Merle Smooth	No cost	Specify *with 4243 Merle Smooth.*
	• 4799 Platinum Metallic	No cost	Specify *with 4799 Platinum Metallic.*
	Metal cable tray		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 17	Specify paint color number.
	• Paint price group 3	+$ 29	Specify paint color number.
			▶ See *Surface Materials*, page 364
Grommet – Left Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on left.*
Grommet – Center Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on center.*
Grommet – Right Position	• None	No cost	Specify *with none.*
	• Round grommet	+$ 33	Specify *with round grommet on right.*

▶ **Options, continued on next page**

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ **Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Sustainability	• Without Carbon Neutral • With Carbon Neutral	No cost +$ 49	Specify *without Carbon Neutral.* Specify *with Carbon Neutral.*
FSC Worksurface	• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.
Metal Cable Tray	• No cable tray • Metal tray – 30"W – 42"W – 52"W	No cost +$246 +$302 +$357	Specify *with no cable tray.* Specify *with metal tray.* Specify *with metal tray.* Specify *with metal tray.*
Related Products	• Cable brackets • Modesty panel • Maintenance kit		▶ Page 247 ▶ Page 249 ▶ Page 249


Tip: Metal cable tray dimension will be automatically determined based on desk dimensions.

Tip: Actual width of 42"W cable tray is 41½".

Tip: Metal cable tray is not available as an option on organic bow front and back worksurfaces.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices 40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W



Low-Pressure Laminate Intro Organic Desk—Extended

HA1EO	23" or 24"	$1912	$1946	$1980	$2025	$2070	$2115	$2220
	28", 29", or 30"	$1951	$1985	$2019	$2064	$2109	$2154	$2259

High-Pressure Laminate Intro Organic Desk—Extended

HA1EO	23" or 24"	$1978	$2012	$2046	$2091	$2136	$2181	$2286
	28", 29", or 30"	$2017	$2051	$2085	$2130	$2175	$2220	$2325

Low-Pressure Laminate Intro Organic Desk—Basic


HA1SO	23" or 24"	$1727	$1761	$1795	$1840	$1885	$1930	$2035
	28", 29", or 30"	$1766	$1800	$1834	$1879	$1924	$1969	$2074

High-Pressure Laminate Intro Organic Desk—Basic

HA1SO	23" or 24"	$1793	$1827	$1861	$1906	$1951	$1996	$2101
	28", 29", or 30"	$1832	$1866	$1900	$1945	$1990	$2035	$2140

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Intro Height-Adjustable Bases



▶ Need help? Product details, page 200

Standard Includes	Required to Specify
• Electric height-adjustable sit-to-stand base: paint • Basic controller • Column shape: rectangle • T-leg configuration • Depth: 23", 24", 28", 29", or 30" • Modular width: 40", 46", 52", 58", 64", 70", or 76" • 1/2" glide • Power cord: 10 1/2' • Attachment hardware	1 Style number 2 Base depth 3 Base width 4 Controller (see below under Required Selections) 5 Paint color number for base base 6 Options, if selected (see below) ▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Controller	• Basic controller	No cost	Specify *with basic controller.*
	• Active touch controller	+$81	Specify *with active touch controller.*

	Options	U.S. Price	Required to Specify
Size Option	• Modular width	No cost	Specify *with modular width.*
	• Parametric width	No cost	Specify *with parametric width.*
Surface Materials	• 0835 Black	No cost	Specify *with 0835 Black.*
	• 4231 Arctic White	No cost	Specify *with 4231 Arctic White.*
	• 4243 Merle Smooth	No cost	Specify *with 4243 Merle Smooth.*
	• 4799 Platinum Metallic	+$50	Specify *with 4799 Platinum Metallic.*
Related Products	• Cable brackets		▶ Page 247
	• Modesty panel		▶ Page 249
	• Maintenance kit		▶ Page 249


Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices						
		Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W
Intro Rectangular Base—Extended									
HA1ERB	23" or 24"		$1613	$1630	$1647	$1664	$1681	$1698	$1775
	28", 29", or 30"		$1635	$1652	$1669	$1686	$1703	$1720	$1797
Intro Rectangular Base—Basic									
HA1SRB	23" or 24"		$1428	$1445	$1462	$1479	$1496	$1513	$1590
	28", 29", or 30"		$1450	$1467	$1484	$1501	$1518	$1535	$1612

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration Intro and Pro Accessories

Metal Cable Tray



Standard Includes	Required to Specify
▶ Need help? Product details, page 202	• Cable tray: paint price group 1 • Attachment hardware

1 Style number
2 Tray width
3 Paint color number for tray
▶ See *Surface Materials*, page 364

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$29	Specify paint color number.

▶ See *Surface Materials*, page 364


Specification Information

Style Number	Dimensions W	H	U.S. Base Price
HACTM	30" (Small)	7"	$246
	42" (Medium)	7"	$302
	52" (Large)	7"	$357

Tip: Actual width of 42"W cable tray is 41½".

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Cable Riser



Standard Includes	Required to Specify
▶ Need help? Product details, page 202	• Cable riser: paint price group 1 • Chain: plastic price group 1 • Attachment hardware	1 Style number 2 Column shape 3 Paint color number for cable riser 4 Plastic color number for chain ▶ See *Surface Materials*, page 364


	Options	U.S. Price	Required to Specify
Column Shape	• Rectangle column	No cost	Specify *with rectangle column.*
	• Round column	No cost	Specify *with round column.*
Surface Materials	**Cable riser**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$17	Specify paint color number.
	• Paint price group 3	+$29	Specify paint color number.
			▶ See *Surface Materials*, page 364
	Chain		
	• 6053 Seagull	No cost	Specify *with 6053 Seagull.*
	• 6527 Merle	No cost	Specify *with 6527 Merle.*

Specification Information

Style Number	U.S. Base Price
HACR	$357

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Small Cable Brackets




Standard Includes	Required to Specify
▶ Need help? Product details, page 202	• Cable brackets, quantity of four: 6527 Merle plastic	Style number

Specification Information

Dimensions D	Dimensions H	Style Number	Weight	U.S. Price
$3\frac{5}{8}$"	$\frac{13}{16}$"	**HACBKS4**	0.5 lb	$53

Large Cable Brackets



Standard Includes	Required to Specify
▶ Need help? Product details, page 202	• Cable brackets, quantity of four: 6527 Merle plastic	Style number


Specification Information

Dimensions D	Dimensions H	Style Number	Weight	U.S. Price
6"	2"	**HACBKL4**	0.5 lb	$55

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Utility Power Mounting Brackets

For Powerstrip Intro, Powerstrip Plus, Flush Powerstrip, Pop-up Powerstrip, and Under Worksurface Utility Power




Standard Includes	Required to Specify
▶ Need help? Product details, page 189	• Mounting brackets quantity of 10: 6527 Merle Plastic	Style number

Specification Information

Style Number	U.S. Price
HAUPBK10	$275

Side Screen Knife Edge Adapter Bracket for Migration Pro and Migration Pro High-Speed Desks

For Sarto Privacy and Sarto Privacy/Modesty Side Screens



Tip: To install Sarto privacy and Sarto privacy/modesty screens on a knife edge worksurface if the Migration side knife attachment bracket option was not selected when ordering.


Standard Includes	Required to Specify
▶ Need help? Product details, page 189	• Knife edge adapter brackets for screens, quantity of 10: 6527 Merle plastic	Style number

Specification Information

Style Number	U.S. Price
HAKEBK10	$164

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Obstruction Detection Kit




Tip: Desks are standard with obstruction sensing technology. Order kit for additional sensing technology.

Standard Includes	Required to Specify
▶ Need help? Product details, page 189	Style number
• Obstruction detection sensor, quantity of 10 • T-splitter, quantity of 10 • Splitter cable, quantity of 10 • Attachment hardware	

Specification Information

Style Number	U.S. Price
HAODKT10	$658

Maintenance Kit



Tip: Includes electronic parts to aid in troubleshooting height-adjustable desks. Compatible with Migration Intro, Migration Pro, Ology, Flex, and Slim Leg HAD.

Standard Includes	Required to Specify
▶ Need help? Product details, page 189	Style number
• Hard case with electrical components for Migration Pro and Intro	

Specification Information

Style Number	U.S. Price
HAMKT	$1042

Caster Kit




Standard Includes	Required to Specify
▶ Need help? Product details, page 196	Style number
• Caster kit, quantity of 4 • 2 lock and 2 non-lock casters	

Specification Information

Style Number	U.S. Price
CASTERKIT	$87

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Modesty Panel



Standard Includes	Required to Specify
▶ Need help? Product details, page 208	1 Style number 2 Worksurface width 3 Worksurface shape type (see below under Required Selections) 4 Worksurface corner shape (see below under Required Selections) 5 Worksurface edge profile (see below under Required Selections) 6 Low-Pressure Laminate, High-Pressure Laminate, composite veneer, or wood color for panel 7 Plastic color number for profile edge on laminate panel, if selected 8 Options, if selected (see below) ▶ See *Surface Materials*, page 364
• Modesty panel: Low-Pressure Laminate price group 1 with 3 mm plastic edge • Modular width: 40", 46", 52", 58", 64", 70", 76", 82", 88", or 94" • Attachment hardware	

Tip: Modesty panels are not allowed on organic bow front and back worksurfaces unless they are inset.

Required Selections	U.S. Price	Required to Specify
Worksurface Shape Type		
• Rectangle	No cost	Specify *with rectangle shape.*
• Bow front	No cost	Specify *with bow front shape.*
Worksurface Corner Shape		
• Square corner	No cost	Specify *with square corner.*
• Radius 2" corner	No cost	Specify *with radius 2" corner.*
• Radius 5" corner	No cost	Specify *with radius 5" corner.*
Worksurface Edge Profile		
• No knife edge	No cost	Specify *with no knife edge.*
• Knife edge user side only	No cost	Specify *with knife edge user side only.*
• Knife edge	No cost	Specify *with knife edge.*

Tip: Scallop option is available on laminate only.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.


Tip: Vertical grain direction is only allowed up to 60"W.

Options	U.S. Price	Required to Specify
Size Option		
• Modular width desk	No cost	Specify *with modular width desk.*
• Parametric width desk	No cost	Specify *with parametric width desk.*
Scallop		
• No scallop	No cost	Specify *with no scallop.*
• With scallop	+$ 33	Specify *with scallop.*
Surface Materials		
High-Pressure Laminate panel		
• Laminate price group 1	Prices at right	Specify laminate color number.
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate (OLL)	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Wood veneer panel		
• Composite veneer group 1	Prices at right	Specify composite veneer color number.
• Composite veneer group 2	+$178	Specify composite veneer color number.
• Wood group 1	Prices at right	Specify wood color number.
• Wood group 2	+$189	Specify wood color number.
• Wood group 3	+$500	Specify wood color number.
• Customiz stain	No cost	Specify with customiz stain.
		▶ See *Surface Materials Reference Manual.*
Grain Direction		
• No grain direction	No cost	Specify *with no grain direction.*
• Vertical	No cost	Specify *with vertical grain direction.*
• Horizontal	No cost	Specify *with horizontal grain direction.*
Sustainability		
• Without Carbon Neutral	No cost	Specify *without Carbon Neutral.*
• With Carbon Neutral	+$ 49	Specify *with Carbon Neutral.*
FSC Worksurface		
• FSC Mix credit product	+$ 44	Add suffix **FSC** to the end of the style number.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Style Number	Panel Type	U.S. Base Prices									
	Modular	40"W	46"W	52"W	58"W	64"W	70"W	76"W	82"W	88"W	94"W
	Parametric	40 1/16"W – 42"W	42 1/16"W – 48"W	48 1/16"W – 54"W	54 1/16"W – 60"W	60 1/16"W – 66"W	66 1/16"W – 72"W	72 1/16"W – 78"W	78 1/16"W – 84"W	84 1/16"W – 90"W	90 1/16"W – 96"W



Low-Pressure Laminate Panel

HAMP		$236	$247	$258	$269	$280	$291	$302	$313	$324	$335

High-Pressure Laminate Panel

HAMP		$302	$313	$324	$335	$346	$357	$368	$379	$390	$401

Composite Veneer Group 1 Panel

HAMP		$387	$409	$431	$453	$475	$497	$519	$541	$563	$585


Wood Group 1 Panel

HAMP		$387	$409	$431	$453	$475	$497	$519	$541	$563	$585

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration SE Height-Adjustable Desks

T-Leg



▶Need help? Product details, page 210

Standard Includes

- Worksurface with square corners: High-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Square or radius (if selected) corners
- Depth: 23", 24", 28", 29", 29", 30", 35", or 36"
- Width: 46", 52", 58", 64", 70", or 76"
- Power cord: 9'
- ½" adjustable glides
- Attachment hardware

Required to Specify

1 Style number
2 Desk type (see below under Required Selections)
3 Overhang and overhang width, if selected (see below under Required Selections)
4 Controller (see below under Required Selections)
5 Foot (see below under Required Selections)
6 Corner (see below under Required Selections)
7 Desk depth
8 Desk width
9 High-Pressure Laminate, composite veneer, or wood color for worksurface
10 Plastic color number for profile edge, if selected
11 Paint color number for base:
4799 Platinum Metallic
7207 Black
7241 Arctic White
7360 Merle
12 Options, if selected (see below)
▶See *Surface Materials*, page 364

Tip: 76"W Migration SE desks ship standard with a 4" overhang on both sides.

Tip: The height saver with casters option is only available on 29/30"D or 35/36"D desks.

Tip: On extended height desks, any storage higher than 18 3/10" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.
▶See page 213 for overhang rules.

Tip: 5" corner radius option available on desks 58"W or wider.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.
▶See *Steelcase Worktools Specification Guide.*

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

	Required Selections	U.S. Price	Required to Specify
Desk Type	• Parametric width desk	No cost	Specify *with parametric desk type.*
	• Modular width desk	No cost	Specify *with modular desk type.*
Controller	• Up/down controller	No cost	Specify *with up/down controller.*
	• 4 pre-set controller	+$ 81	Specify *with 4 pre-set controller.*
Foot	• Squared-edge foot	No cost	Specify *with squared-edge foot.*
	• Mitered-edge foot	No cost	Specify *with mitered-edge foot.*
	• Height saver with casters	+$228	Specify *with height saver with caster.*
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Left overhang	No cost	Specify *with left overhang.*
	• Right overhang	No cost	Specify *with right overhang.*
	Overhang width		
	• 3"W	No cost	Specify *with 3"W overhang.*
	• 6"W	No cost	Specify *with 6"W overhang.*
	• 9"W	No cost	Specify *with 9"W overhang.*
	• 12"W	No cost	Specify *with 12"W overhang.*
Corner	• Square corner	No cost	Specify *with square corner.*
	• Radius corner	+$102	Specify *with radius corner.*
	Corner radius		
	• 2" radius	No cost	Specify *with 2" radius.*
	• 5" radius	No cost	Specify *with 5" radius.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Laminate desks**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115	▶See *Surface Materials Reference Manual.*
	Composite veneer desks		
	Composite veneer group 1	Prices at right	Specify composite veneer color number.
	Composite veneer group 2	+$112	Specify composite veneer color number.

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.


▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Wood veneer desks**		
	• Wood group 1	Prices below	Specify wood color number.
	• Wood group 2	+$123	Specify wood color number.
	• Wood group 3	+$434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain*.
			▶See *Surface Materials Reference Manual*.
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 49	Specify paint color number.
			▶See *Surface Materials*, page 364
CarbonNeutral Product	CarbonNeutral product certification	+$ 49	Add suffix **CN** to the end of the style number.
Related Products	• Privacy/modesty screens		▶Pages 332–334
	• Cable and power management		▶Page 276

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.
▶See page 213 for *worksurface weights.*

*Tip: CarbonNeutral option is not available for GSA styles **MGSLTRQG** and **MGELTRQG**.*



*Tip: **MGSLTRQG** and **MGELTRQG** are for GSA use only.*

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices					
		Modular	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	46"W	46 1/16"W -52"W	52 1/16"W -58"W	58 1/16"W -64"W	64 1/16"W -70"W	70 1/16"W -76"W

High-Pressure Laminate Desks—Basic Height

MGSLTRQ **MGSLTRQG**	23" or 24"	$1893	$1929	$1969	$2017	$2066	$2116
	28", 29", or 30"	$1930	$1970	$2009	$2056	$2110	$2161
	35" or 36"	$1971	$2010	$2050	$2110	$2161	$2214

Composite Veneer Group 1 Desks—Basic Height

MGSLTRQ **MGSLTRQG**	23" or 24"	$2746	$2792	$2845	$2909	$2970	$3034
	28", 29", or 30"	$2819	$2871	$2922	$2986	$3048	$3113
	35" or 36"	$2890	$2945	$3002	$3076	$3135	$3206

Wood Group 1 Desks—Basic Height

MGSLTRQ **MGSLTRQG**	23" or 24"	$2831	$2880	$2932	$2998	$3060	$3127
	28", 29", or 30"	$2908	$2961	$3013	$3078	$3143	$3207
	35" or 36"	$2983	$3039	$3096	$3173	$3233	$3305

High-Pressure Laminate Desks—Extended Height

MGELTRQ **MGELTRQG**	23" or 24"	$2086	$2127	$2167	$2221	$2277	$2333
	28", 29", or 30"	$2129	$2168	$2212	$2269	$2326	$2382
	35" or 36"	$2174	$2214	$2259	$2326	$2382	$2442

Composite Veneer Group 1 Desks—Extended Height

MGELTRQ **MGELTRQG**	23" or 24"	$2939	$2990	$3043	$3113	$3181	$3251
	28", 29", or 30"	$3018	$3069	$3125	$3199	$3264	$3334
	35" or 36"	$3093	$3149	$3211	$3292	$3356	$3434


Wood Group 1 Desks—Extended Height

MGELTRQ **MGELTRQG**	23" or 24"	$3024	$3078	$3130	$3202	$3271	$3344
	28", 29", or 30"	$3107	$3159	$3216	$3291	$3359	$3428
	35" or 36"	$3186	$3243	$3305	$3389	$3454	$3533

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Migration SE Height-Adjustable Desks

C-Leg



▶Need help? Product details, page 210

Standard Includes

- Worksurface with square corners: High-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Square corners
- Depth: 29" or 30"
- Width: 46", 52", 58", 64", 70", or 76"
- Power cord: 9'
- ½" adjustable glides
- Attachment hardware

Required to Specify

1 Style number
2 Desk type (see below under Required Selections)
3 Overhang and overhang width, if selected (see below under Required Selections)
4 Controller (see below under Required Selections)
5 Corner (see below under Required Selections)
6 Desk depth
7 Desk width
8 High-Pressure Laminate, composite veneer, or wood color for worksurface
9 Plastic color number for profile edge, if selected
10 Paint color number for base:
4799 Platinum Metallic
7207 Black
7241 Arctic White
7360 Merle
11 Options, if selected (see below)
▶See *Surface Materials*, page 364

Tip: 76"W Migration SE desks ship standard with a 4" overhang on both sides.

Tip: On extended height desks, any storage higher than 18 3/10" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.
▶See page 213 for overhang rules.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.
▶See *Steelcase Worktools Specification Guide.*

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

Tip: 5" corner radius option available on desks 58"W or wider.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

	Required Selections	U.S. Price	Required to Specify
Desk Type	• Parametric width desk	No cost	Specify *with parametric desk type.*
	• Modular width desk	No cost	Specify *with modular desk type.*
Controller	• Up/down controller	No cost	Specify *with up/down controller.*
	• 4 pre-set controller	+$ 81	Specify *with 4 pre-set controller.*
Foot	• Squared-edge	No cost	Specify *with squared-edge foot.*
	• Mitered-edge	No cost	Specify *with mitered-edge foot.*
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Left overhang	No cost	Specify *with left overhang.*
	• Right overhang	No cost	Specify *with right overhang.*
	Overhang width		
	• 3"W	No cost	Specify *with 3"W overhang.*
	• 6"W	No cost	Specify *with 6"W overhang.*
	• 9"W	No cost	Specify *with 9"W overhang.*
	• 12"W	No cost	Specify *with 12"W overhang.*
Corner	• Square corner	No cost	Specify *with square corner.*
	• Radius corner	+$102	Specify *with radius corner.*
	Corner radius		
	• 2" radius	No cost	Specify *with 2" radius.*
	• 5" radius	No cost	Specify *with 5" radius.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Laminate desks**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115	▶See *Surface Materials Reference Manual.*
	Composite veneer desks		
	• Composite veneer group 1	Prices at right	Specify composite veneer color number.
	• Composite veneer group 2	+$112	Specify composite veneer color number.

▶**Options, continued on next page**

▶**Options, continued from previous page**


	Options	U.S. Price	Required to Specify
Surface Materials, continued	**Wood veneer desks**		
	• Wood group 1	Prices below	Specify wood color number.
	• Wood group 2	+$123	Specify wood color number.
	• Wood group 3	+$434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain*.
			▶See *Surface Materials Reference Manual*.
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 49	Specify paint color number.
			▶See *Surface Materials*, page 364
CarbonNeutral Product	CarbonNeutral product certification	+$ 49	Add suffix **CN** to the end of the style number.
Related Products	• Privacy/modesty screens		▶Pages 332–334
	• Cable and power management		▶Page 276

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.
▶See page 213 for *worksurface weights*.

*Tip: CarbonNeutral option is not available for GSA styles **MGSLTRQG** and **MGELTRQG**.*

Specification Information


Style Number	Dimensions Depth	Desk Type	U.S. Base Prices					
		Modular	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	46"W	46 1/16"W -52"W	52 1/16"W -58"W	58 1/16"W -64"W	64 1/16"W -70"W	70 1/16"W -76"W
High-Pressure Laminate Desks—Basic Height								
MGSLCRQ	29" or 30"		$1930	$1970	$2009	$2056	$2110	$2161
MGSLCRQG								
Composite Veneer Group 1 Desks—Basic Height								
MGSLCRQ	29" or 30"		$2819	$2871	$2922	$2986	$3048	$3113
MGSLCRQG								
Wood Group 1 Desks—Basic Height								
MGSLCRQ	29" or 30"		$2908	$2961	$3013	$3078	$3143	$3207
MGSLCRQG								
High-Pressure Laminate Desks—Extended Height								
MGELCRQ	29" or 30"		$2129	$2168	$2212	$2269	$2326	$2382
MGELCRQG								
Composite Veneer Group 1 Desks—Extended Height								
MGELCRQ	29"or 30"		$3018	$3069	$3125	$3199	$3264	$3334
MGELCRQG								
Wood Group 1 Desks—Extended Height								
MGELCRQ	29"or 30"		$3107	$3159	$3216	$3291	$3359	$3428
MGELCRQG								



*Tip: **MGSLCRQG** and **MGELCRQG** are for GSA use only.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Migration SE Height-Adjustable 3-Leg Corner Desk



Tip: On extended height desks, any storage higher than 18 3/10" will impede the height range of the desk. On basic height desks, any storage higher than 24" will impede the height range of the desk. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 330 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Tip: If left or right width is greater than 60"W, then the opposite side width must be less than or equal to 60"W.

Tip: Overhang is not allowed on 120° corner desks.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


	Standard Includes	Required to Specify
▶ Need help? Product details, page 210	• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or composite veneer group 1 • Electric height-adjustable sit-to-stand base: paint price group 1 • Up/down controller • Depth: – 90° equal corner: 23", 24", 29", 30" – 90° extended corner: 23", 24", 29", 30" – 120° equal corner: 23", 24" • Modular widths: – 90° corner: 46"–76" – 120° equal corner: 46"–64" • ½" adjustable glides • Power cord: 9' • Attachment hardware	1 Style number 2 Desk type (see below under Required Selections) 3 Overhang and overhang width, if selected (see below under Required Selections) 4 Controller (see below under Required Selections) 5 Desk depth 6 Desk width 7 High-Pressure Laminate or composite veneer for worksurface 8 Plastic color number for profile edge on laminate worksurface, if selected 9 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 10 Options, if selected (see below) ▶ See *Surface Materials*, page 364

	Required Selections	U.S. Price	Required to Specify
Desk Type	• Parametric width desk	No cost	Specify *with parametric desk type.*
	• Modular width desk	No cost	Specify *with modular desk type.*
Controller	• Up/down controller	No cost	Specify *with up/down controller.*
	• 4 pre-set controller	+$ 81	Specify *with 4 pre-set controller.*
Overhang	• No overhang	No cost	Specify *with no overhang.*
	• Left overhang	No cost	Specify *with left overhang.*
	• Right overhang	No cost	Specify *with right overhang.*
	Overhang width		
	• 3"W	No cost	Specify *with 3"W overhang.*
	• 6"W	No cost	Specify *with 6"W overhang.*
	• 9"W	No cost	Specify *with 9"W overhang.*
	• 12"W	No cost	Specify *with 12"W overhang.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Laminate desks**		
	• Laminate price group 2	See information at left	Specify laminate color number.
	• Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115	▶ See *Surface Materials Reference Manual.*
	Composite veneer desks		
	• Composite veneer group 1	No cost	Specify composite veneer color number.
	• Composite veneer group 2	+$112	Specify composite veneer color number.
	Wood veneer desks		
	• Wood group 1	Prices at right	Specify wood color number.
	• Wood group 2	+$123	Specify wood color number.
	• Wood group 3	+$434	Specify wood color number.
	• Customiz stain	No cost	Specify *with customiz stain.*
			▶ See *Surface Materials Reference Manual.*
	Base		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 75	Specify paint color number.
			▶ See *Surface Materials*, page 364
Related Products	• Privacy/modesty screens		▶ Pages 332–334
	• Cable and power management		▶ Page 276

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				• Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W



90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

MGSLTLC **MGSLTLCG**	23" or 24"	46"	46"	N.A.	$2924	$3012	$3101	$3195	$3291
	23" or 24"	52"	46 1/16"–52"	$2924	$3012	$3101	$3195	$3291	$3389
	23" or 24"	58"	52 1/16"–58"	$3012	$3101	$3195	$3291	$3389	$3491
	23" or 24"	64"	58 1/16"–64"	$3101	$3195	$3291	$3389	$3491	$3595
	23" or 24"	70"	64 1/16"–70"	$3195	$3291	$3389	$3491	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	$3291	$3389	$3491	$3595	N.A.	N.A.

90° 3-Leg Corner Desks—Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Pressure Laminate Desks

MGSLTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	$2981	$3071	$3164	$3257	$3355
	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	$2981	$3071	$3164	$3257	$3355	$3456
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	$3071	$3164	$3257	$3355	$3456	$3560
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	$3164	$3257	$3355	$3456	$3560	$3667
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"–70"	$3257	$3355	$3456	$3560	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	$3355	$3456	$3560	$3667	N.A.	N.A.

*Tip: **MGSLTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.
Tip: Widths are parametric in 1/16" increments.


▶**Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W– 52"W	52 1/16"W– 58"W	58 1/16"W– 64"W	64 1/16"W– 70"W	70 1/16"W– 76"W





90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks

MGSLTLC MGSLTLCG	29" or 30"	46"	46"	N.A.	$2981	$3071	$3164	$3257	$3355
	29" or 30"	52"	46 1/16"–52"	$2981	$3071	$3164	$3257	$3355	$3456
	29" or 30"	58"	52 1/16"–58"	$3071	$3164	$3257	$3355	$3456	$3560
	29" or 30"	64"	58 1/16"–64"	$3164	$3257	$3355	$3456	$3560	$3667
	29" or 30"	70"	64 1/16"–70"	$3257	$3355	$3456	$3560	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	$3355	$3456	$3560	$3667	N.A.	N.A.

90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

Composite Veneer Desks

MGSLTLC	23" or 24"	46"	46"	N.A.	$4357	$4466	$4574	$4695	$4811
	23" or 24"	52"	46 1/16"–52"	$4357	$4466	$4574	$4695	$4811	$4931
	23" or 24"	58"	52 1/16"–58"	$4466	$4574	$4695	$4811	$4931	$5055
	23" or 24"	64"	58 1/16"–64"	$4574	$4695	$4811	$4931	$5055	$5182
	23" or 24"	70"	64 1/16"–70"	$4695	$4811	$4931	$5055	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	$4811	$4931	$5055	$5182	N.A.	N.A.

Wood Veneer Desks

MGSLTLC	23" or 24"	46"	46"	N.A.	$4501	$4612	$4720	$4845	$4964
	23" or 24"	52"	46 1/16"–52"	$4501	$4612	$4720	$4845	$4964	$5086
	23" or 24"	58"	52 1/16"–58"	$4612	$4720	$4845	$4964	$5086	$5212
	23" or 24"	64"	58 1/16"–64"	$4720	$4845	$4964	$5086	$5212	$5341
	23" or 24"	70"	64 1/16"–70"	$4845	$4964	$5086	$5212	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	$4964	$5086	$5212	$5341	N.A.	N.A.

*Tip: **MGSLTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W . For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."
Tip: Widths are parametric in 1/16" increments.

▶ **Specification Information, continued on next page**

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W

90° 3-Leg Corner Desks—Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Composite Veneer Desks

MGSLTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	$4414	$4525	$4637	$4757	$4875
	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	$4414	$4525	$4637	$4757	$4875	$4998
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	$4525	$4637	$4757	$4875	$4998	$5124
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	$4637	$4757	$4875	$4998	$5124	$5254
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"–70"	$4757	$4875	$4998	$5124	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	$4875	$4998	$5124	$5254	N.A.	N.A.

Wood Veneer Desks

MGSLTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	$4558	$4671	$4783	$4907	$5028
	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	$4558	$4671	$4783	$4907	$5028	$5153
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	$4671	$4783	$4907	$5028	$5153	$5281
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	$4783	$4907	$5028	$5153	$5281	$5413
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"–70"	$4907	$5028	$5153	$5281	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	$5028	$5153	$5281	$5413	N.A.	N.A.

*Tip: **MGSLTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.
Tip: Widths are parametric in 1/16" increments.

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions D				U.S. Base Prices					
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W

90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 29"/30")

Composite Veneer Desks

MGSLTLC MGSLTLCG	29" or 30"	46"	46"	N.A.	$4414	$4525	$4637	$4757	$4875
	29" or 30"	52"	46 1/16"–52"	$4414	$4525	$4637	$4757	$4875	$4998
	29" or 30"	58"	52 1/16"–58"	$4525	$4637	$4757	$4875	$4998	$5124
	29" or 30"	64"	58 1/16"–64"	$4637	$4757	$4875	$4998	$5124	$5254
	29" or 30"	70"	64 1/16"–70"	$4757	$4875	$4998	$5124	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	$4875	$4998	$5124	$5254	N.A.	N.A.

Wood Veneer Desks

MGSLTLC MGSLTLCG	29" or 30"	46"	46"	N.A.	$4558	$4671	$4783	$4907	$5028
	29" or 30"	52"	46 1/16"–52"	$4558	$4671	$4783	$4907	$5028	$5153
	29" or 30"	58"	52 1/16"–58"	$4671	$4783	$4907	$5028	$5153	$5281
	29" or 30"	64"	58 1/16"–64"	$4783	$4907	$5028	$5153	$5281	$5413
	29" or 30"	70"	64 1/16"–70"	$4907	$5028	$5153	$5281	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	$5028	$5153	$5281	$5413	N.A.	N.A.

*Tip: **MGSLTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.
Tip: Widths are parametric in 1/16" increments.


▶ **Specification Information, continued on next page**


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices					
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W





90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

MGELTLC MGELTLCG	23" or 24"	46"	46"	N.A.	$3220	$3317	$3416	$3518	$3624
	23" or 24"	52"	46 1/16"–52"	$3220	$3317	$3416	$3518	$3624	$3733
	23" or 24"	58"	52 1/16"–58"	$3317	$3416	$3518	$3624	$3733	$3845
	23" or 24"	64"	58 1/16"–64"	$3416	$3518	$3624	$3733	$3845	$3959
	23" or 24"	70"	64 1/16"–70"	$3518	$3624	$3733	$3845	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	$3624	$3733	$3845	$3959	N.A.	N.A.

90° 3-Leg Corner Desks—Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Pressure Laminate Desks

MGELTLC MGELTLCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	$3286	$3385	$3487	$3591	$3698
	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	$3286	$3385	$3487	$3591	$3698	$3810
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	$3385	$3487	$3591	$3698	$3810	$3924
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	$3487	$3591	$3698	$3810	$3924	$4041
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16–70"	$3591	$3698	$3810	$3924	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	$3698	$3810	$3924	$4041	N.A.	N.A.

*Tip: **MGELTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W .
For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.
Tip: Widths are parametric in 1/16" increments.

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions D				U.S. Base Prices					
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W

90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks

MGELTLC MGELTLCG	29" or 30"	46"	46"	N.A.	$3286	$3385	$3487	$3591	$3698
	29" or 30"	52"	46 1/16"–52"	$3286	$3385	$3487	$3591	$3698	$3810
	29" or 30"	58"	52 1/16"–58"	$3385	$3487	$3591	$3698	$3810	$3924
	29" or 30"	64"	58 1/16"–64"	$3487	$3591	$3698	$3810	$3924	$4041
	29" or 30"	70"	64 1/16"–70"	$3591	$3698	$3810	$3924	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	$3698	$3810	$3924	$4041	N.A.	N.A.

90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

Composite Veneer Desks

MGELTLC MGELTLCG	23" or 24"	46"	46"	N.A.	$4653	$4771	$4889	$5018	$5144
	23" or 24"	52"	46 1/16"–52"	$4653	$4771	$4889	$5018	$5144	$5275
	23" or 24"	58"	52 1/16"–58"	$4771	$4889	$5018	$5144	$5275	$5409
	23" or 24"	64"	58 1/16"–64"	$4889	$5018	$5144	$5275	$5409	$5546
	23" or 24"	70"	64 1/16"–70"	$5018	$5144	$5275	$5409	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	$5144	$5275	$5409	$5546	N.A.	N.A.

Wood Veneer Desks

MGELTLC MGELTLCG	23" or 24"	46"	46"	N.A.	$4797	$4917	$5035	$5168	$5297
	23" or 24"	52"	46 1/16"–52"	$4797	$4917	$5035	$5168	$5297	$5430
	23" or 24"	58"	52 1/16"–58"	$4917	$5035	$5168	$5297	$5430	$5566
	23" or 24"	64"	58 1/16"–64"	$5035	$5168	$5297	$5430	$5566	$5705
	23" or 24"	70"	64 1/16"–70"	$5168	$5297	$5430	$5566	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	$5297	$5430	$5566	$5705	N.A.	N.A.

*Tip: **MGELTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W .
For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."
Tip: Widths are parametric in 1/16" increments.

▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D	• Modular Left Width	• Parametric Left Width	Modular Right Width	• U.S. Base Prices 46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W

90° 3-Leg Corner Desks—Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Composite Veneer Desks

MGELTLC MGELTLCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	$4719	$4839	$4960	$5091	$5218
	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	$4719	$4839	$4960	$5091	$5218	$5352
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	$4839	$4960	$5091	$5218	$5352	$5488
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	$4960	$5091	$5218	$5352	$5488	$5628
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"–70"	$5091	$5218	$5352	$5488	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	$5218	$5352	$5488	$5628	N.A.	N.A.

Wood Veneer Desks

MGELTLC MGELTLCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	$4863	$4985	$5106	$5241	$5371
	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	$4863	$4985	$5106	$5241	$5371	$5507
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	$4985	$5106	$5241	$5371	$5507	$5645
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	$5106	$5241	$5371	$5507	$5645	$5787
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"–70"	$5241	$5371	$5507	$5645	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	$5371	$5507	$5645	$5787	N.A.	N.A.

*Tip: **MGELTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W .
For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."
Tip: Widths are parametric in 1/16" increments.

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

Style Number	Dimensions D				U.S. Base Prices					
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W

90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 29"/30")

Composite Veneer Desks

MGELTLC **MGELTLCG**	29" or 30"	46"	46"	N.A.	$4719	$4839	$4960	$5091	$5218
	29" or 30"	52"	46 1/16"–52"	$4719	$4839	$4960	$5091	$5218	$5352
	29" or 30"	58"	52 1/16"–58"	$4839	$4960	$5091	$5218	$5352	$5488
	29" or 30"	64"	58 1/16"–64"	$4960	$5091	$5218	$5352	$5488	$5628
	29" or 30"	70"	64 1/16"–70"	$5091	$5218	$5352	$5488	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	$5218	$5352	$5488	$5628	N.A.	N.A.

Wood Veneer Desks

MGELTLC **MGELTLCG**	29" or 30"	46"	46"	N.A.	$4863	$4985	$5106	$5241	$5371
	29" or 30"	52"	46 1/16"–52"	$4863	$4985	$5106	$5241	$5371	$5507
	29" or 30"	58"	52 1/16"–58"	$4985	$5106	$5241	$5371	$5507	$5645
	29" or 30"	64"	58 1/16"–64"	$5106	$5241	$5371	$5507	$5645	$5787
	29" or 30"	70"	64 1/16"–70"	$5241	$5371	$5507	$5645	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	$5371	$5507	$5645	$5787	N.A.	N.A.

*Tip: **MGELTLCG** is for GSA use only.*
Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W . For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."
Tip: Widths are parametric in 1/16" increments.


▶ **Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶**Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D				• U.S. Base Prices				
				Modular Right Width	46"W	52"W	58"W	64"W	
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–66"W



120° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

MGSLTWC MGSLTWCG	23" or 24"	46"	46"	$2955	N.A.	N.A.	N.A.	N.A.
	23" or 24"	52"	46 1/16"–52"	N.A.	$3161	N.A.	N.A.	N.A.
	23" or 24"	58"	52 1/16"–58"	N.A.	N.A.	$3352	N.A.	N.A.
	23" or 24"	64"	58 1/16"–64"	N.A.	N.A.	N.A.	$3556	N.A.
	23" or 24"		64 1/16"–66"	N.A.	N.A.	N.A.	N.A.	$3772

120° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

Composite Veneer Desks

MGSLTWC MGSLTWCG	23" or 24"	46"	46"	$4458	N.A.	N.A.	N.A.	N.A.
	23" or 24"	52"	46 1/16"–52"	N.A.	$4705	N.A.	N.A.	N.A.
	23" or 24"	58"	52 1/16"–58"	N.A.	N.A.	$4924	N.A.	N.A.
	23" or 24"	64"	58 1/16"–64"	N.A.	N.A.	N.A.	$5172	N.A.
	23" or 24"		64 1/16"–66"	N.A.	N.A.	N.A.	N.A.	$5388

Wood Veneer Desks

MGSLTWC MGSLTWCG	23" or 24"	46"	46"	$4609	N.A.	N.A.	N.A.	N.A.
	23" or 24"	52"	46 1/16"–52"	N.A.	$4860	N.A.	N.A.	N.A.
	23" or 24"	58"	52 1/16"–58"	N.A.	N.A.	$5082	N.A.	N.A.
	23" or 24"	64"	58 1/16"–64"	N.A.	N.A.	N.A.	$5333	N.A.
	23" or 24"		64 1/16"–66"	N.A.	N.A.	N.A.	N.A.	$5549

*Tip: **MGSLTWCG** is for GSA use only.*
Tip: Width left and width right must match.
Tip: Widths are parametric by 1/16" from 46"-66".


▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D	• Modular Left Width	• Parametric Left Width	Modular Right Width	• U.S. Base Prices 46"W	52"W	58"W	64"W	
				Parametric Right Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–66"W



120° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

MGELTWC MGELTWCG	23" or 24"	46"	46"	$3193	N.A.	N.A.	N.A.	N.A.
	23" or 24"	52"	46 1/16"–52"	N.A.	$3412	N.A.	N.A.	N.A.
	23" or 24"	58"	52 1/16"–58"	N.A.	N.A.	$3618	N.A.	N.A.
	23" or 24"	64"	58 1/16"–64"	N.A.	N.A.	N.A.	$3843	N.A.
	23" or 24"		64 1/16"–66"	N.A.	N.A.	N.A.	N.A.	$4076

120° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

Composite Veneer Desks

MGELTWC MGELTWCG	23" or 24"	46"	46"	$4696	N.A.	N.A.	N.A.	N.A.
	23" or 24"	52"	46 1/16"–52"	N.A.	$4956	N.A.	N.A.	N.A.
	23" or 24"	58"	52 1/16"–58"	N.A.	N.A.	$5190	N.A.	N.A.
	23" or 24"	64"	58 1/16"–64"	N.A.	N.A.	N.A.	$5459	N.A.
	23" or 24"		64 1/16"–66"	N.A.	N.A.	N.A.	N.A.	$5692

Wood Veneer Desks


MGELTWC MGELTWCG	23" or 24"	46"	46"	$4847	N.A.	N.A.	N.A.	N.A.
	23" or 24"	52"	46 1/16"–52"	N.A.	$5111	N.A.	N.A.	N.A.
	23" or 24"	58"	52 1/16"–58"	N.A.	N.A.	$5348	N.A.	N.A.
	23" or 24"	64"	58 1/16"–64"	N.A.	N.A.	N.A.	$5620	N.A.
	23" or 24"		64 1/16"–66"	N.A.	N.A.	N.A.	N.A.	$5853

*Tip: **MGELTWCG** is for GSA use only.*
Tip: Width left and width right must match.
Tip: Widths are parametric by 1/16" from 46"-66".

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration SE Height-Adjustable Bases

T-Leg



Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick.

	Standard Includes	Required to Specify
▶Need help? Product details, page 210	• Electric height-adjustable sit-to-stand base: paint price group 1 • Depth: 23", 24", 28", 29", 30", 35", or 36" • Power cord: 9' • ½" adjustable glides • Attachment hardware	1 Style number 2 Depth 3 Paint color number for base: 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle 4 Controller (see below under Required Selections) 5 Foot (see below under Required Selections) 6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Controller	• Up/down controller • 4 pre-set controller	No cost +$ 81	Specify *with up/down controller.* Specify *with 4 pre-set controller.*
Foot	• Squared-edge foot • Mitered-edge foot • Height saver with casters	No cost No cost +$228	Specify *with squared-edge foot.* Specify *with mitered-edge foot.* Specify *with height saver with caster.*

Tip: The height saver with casters option is only available on 29/30"D or 35/36"D base.

	Options	U.S. Price	Required to Specify
Surface Materials	**Base** • Paint price group 1 • Paint price group 2	 No cost +$ 49	 Specify paint color number. Specify paint color number. ▶See *Surface Materials*, page 364
Related Products	• Privacy/modesty screens • Cable and power management		▶Pages 332–334 ▶Page 276

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.
▶See *Steelcase Worktools Specification Guide.*

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Worksurface for use on this base needs to be 2" wider than the base.

WARNING

Read base only warranty limitations.
▶See page 32 for *Workstation Design Guidelines and Requirements.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specification Information

• Style Number	• Depth	• U.S. Base Price

Rectangular Base—Basic Height


MGSLTRQB	23" or 24"	$1480
	28", 29", or 30"	$1480
	35" or 36"	$1480

Rectangular Base—Extended Height

MGELTRQB	23" or 24"	$1649
	28", 29", or 30"	$1649
	35" or 36"	$1649

Migration SE Height-Adjustable Bases

C-Leg



Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.
▶See *Steelcase Worktools Specification Guide.*

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.
▶See page 58, *Steelcase Monitor Arm Guidelines.*

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Tip: Worksurface for use on this base needs to be 2" wider than the base.

⚠WARNING

Read base only warranty limitations.
▶See page 32 for *Workstation Design Guidelines and Requirements.*

	Standard Includes	Required to Specify
▶Need help? Product details, page 210	• Electric height-adjustable sit-to-stand base: paint price group 1 • Depth: 29" or 30" • Power cord: 9' • ½" adjustable glides • Attachment hardware	1 Style number 2 Depth 3 Paint color number for base: 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle 4 Controller (see below under Required Selections) 5 Foot (see below under Required Selections) 6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Controller	• Up/down controller • 4 pre-set controller	No cost +$81	Specify *with up/down controller.* Specify *with 4 pre-set controller.*
Foot	• Squared-edge • Mitered-edge	No cost No cost	Specify *with squared-edge foot.* Specify *with mitered-edge foot.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Base**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$49	Specify paint color number.
			▶See *Surface Materials*, page 364
Related Products	• Privacy/modesty screens • Cable and power management		▶Pages 332–334 ▶Page 276

Specification Information

• Style Number	• Depth	• U.S. Base Price

Rectangular Base—Basic Height


MGSLCRQB	29" or 30"	$1480

Rectangular Base—Extended Height

MGELCRQB	29" or 30"	$1649

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Migration SE Height-Adjustable 3-Leg Corner Bases



▶ Need help? Product details, page 210

Standard Includes	Required to Specify
• Electric height-adjustable sit-to-stand base: paint price group 1 • Up/down controller • Width: 46", 52", 58", 64", 70", or 76" • Depth: – 90° corner: 23", 24", 29", 30" – 120° corner: 23", 24" • ½" adjustable glides • Power cord: 9' • Attachment hardware	1 Style number 2 Desk depth 3 Controller (see below under Required Selections) 4 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 5 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Controller	• Up/down controller • 4 Pre-set controller	No cost +$81	Specify *with up/down controller.* Specify *with 4 pre-set controller.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Base** • Paint price group 1 • Paint price group 2	 No cost +$75	 Specify paint color number. Specify paint color number. ▶ See *Surface Materials*, page 364
Related Products	• Privacy/modesty screens • Cable and power management		▶ Pages 332–334 ▶ Page 276

Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick

Tip: On extended height desks, any storage higher than 18 3/10" will impede the height range of the desk. On basic height desks, any storage higher than 24" will impede the height range of the desk. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 330 pounds. When calaculating lifting capacity, subtract the weight of the worksurface and understructure.

Specification Information

• Style Number	• Depth	• U.S. Base Price

90° 3-Leg Corner Base—Basic Height

MGSLTLCB	23" or 24"	$2708
	29" or 30"	$2708

90° 3-Leg Corner Base—Extended Height

MGELTLCB	23" or 24"	$2928
	29" or 30"	$2928

120° 3-Leg Corner Base—Basic Height

MGSLTWCB	23" or 24"	$2708


120° 3-Leg Corner Base—Extended Height

MGELTWCB	23" or 24"	$2928

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal One-High and 1.5-High Open Laterals

for Migration SE Application



Drawings show right-hand application, left hand is also available.

Tip: Open laterals are only for Migration SE T-leg desks.

Tip: 30"W integrated storage is not permitted with 29"D and 35"D Migration SE worksurfaces due to the size of the desk foot. All other integrated storage widths are permitted with all Migration SE desk depths.
▶See page 221 for chart showing restrictions

Tip: Migration SE desk depth is necessary in specification for integrated storage due to the placement of the Migration SE leg.

Tip: Right-hand or left-hand application is determined by which leg of the Migration SE desk is located inside the storage.

Tip: 76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a standalone application.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶Need help? Product details, page 220

Standard Includes	Required to Specify
• Lateral case: paint price group 1 • 1 3/16"H top: laminate price group 1, if selected - Edge: plastic • 1 3/16"H top: composite veneer group 1, if selected • Four adjustable leveling glides • Grommet • Wire manager • Ganging hardware	1 Style number 2 Paint color number for lateral case 3 Width (see below under Required Selections) 4 Migration SE desk depth (see below under Required Selections) 5 Laminate color number for top, if laminate top selected 6 Plastic color number for edge, if laminate top selected 7 Composite veneer color number for top, if composite veneer top selected 8 Front style (see below under Required Selections) 9 Application (see below under Required Selections) 10 Options, if selected (see below) ▶See *Surface Materials,* page 364.


	Required Selections	U.S. Price	Required to Specify
Width	• 30"W	Prices at right	Specify *with 30"W.*
	• 36"W	Prices at right	Specify *with 36"W.*
	• 42"W	Prices at right	Specify *with 42"W.*
Migration SE Desk Depth	• 23"D	No cost	Specify *with 23"D.*
	• 29"D	No cost	Specify *with 29"D.*
	• 35"D	No cost	Specify *with 35"D.*
Front Style	• Flush steel front	Prices at right	Specify *with flush steel front.*
	• Proud steel front	Prices at right	Specify *with proud steel front.*
Application	• Right hand	No cost	Specify *with right-hand application.*
	• Left hand	No cost	Specify *with left-hand application.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$125	Specify paint color number.
	• Paint price group 3	+$216	Specify paint color number.
Tops	**No top**		
	• For use beneath a Universal common top	–$167	Specify *with no top.*
	Laminate top		
	• High-Pressure Laminate price group 2	+$ 19	Specify laminate color number.
	• High-Pressure Laminate price group 3	+$ 37	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1 top	+$679	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2 top	+$724	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1 veneer top	+$747	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 2 veneer top	+$796	Specify *with wood veneer top* and indicate wood color number.
	• Wood group 3 veneer top	+$913	Specify *with wood veneer top* and indicate wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.* ▶See *Surface Materials Reference Manual.*

Related Products


- Universal common tops for Migration SE application ▶ Page 272
- Universal shrouds ▶ Page 274
- Universal filler ▶ Page 275

Specification Information



One-High Open Lateral

Style Number	D Flush Steel Front	D Proud Steel Front	W	H	U.S. Base Prices Flush Steel Front	U.S. Base Prices Proud Steel Front
RSCMHAD	18"	18⅞"	30"	16"	$1726	$1826
	18"	18⅞"	36"	16"	$1906	$2029
	18"	18⅞"	42"	16"	$2076	$2210




1.5-High Open Lateral

Style Number	D Flush Steel Front	D Proud Steel Front	W	H	U.S. Base Prices Flush Steel Front	U.S. Base Prices Proud Steel Front
RSCMBHAD	18"	18⅞"	30"	22"	$2103	$2226
	18"	18⅞"	36"	22"	$2322	$2473
	18"	18⅞"	42"	22"	$2532	$2695

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Common Tops

for Migration SE Application



Drawing shows right-hand application, left hand is also available.

Tip: 76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application.

Tip: Right-hand or left-hand application is determined by which leg of the Migration SE desk is located inside the storage.

For composite veneers, wood and laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 220	• 1 3/16"H top: laminate price group 1, if selected – Edge: plastic • 1 3/16"H top: composite veneer group 1, if selected	1 Style number 2 Width (see below under Required Selections) 3 Migration SE desk depth (see below under Required Selections) 4 Laminate color number for top, if laminate top selected 5 Plastic color number for edge, if laminate top selected 6 Composite veneer color number for top, if composite veneer top selected 7 Front style (see below under Required Selections) 8 Application (see below under Required Selections) 9 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Width	• 60"W	Prices at right	Specify *with 60"W.*
	• 66"W	Prices at right	Specify *with 66"W.*
	• 72"W	Prices at right	Specify *with 72"W.*
	• 78"W	Prices at right	Specify *with 78"W.*
	• 84"W	Prices at right	Specify *with 84"W.*
	• 90"W	Prices at right	Specify *with 90"W.*
	• 96"W	Prices at right	Specify *with 96"W.*
	• 108"W	Prices at right	Specify *with 108"W.*
Migration SE Desk Depth	• 23"W	No cost	Specify *with 23"D.*
	• 29"W	No cost	Specify *with 29"D.*
	• 35"W	No cost	Specify *with 35"D.*
Front Style	• Flush front	No cost	Specify *with flush front.*
	• Proud front	No cost	Specify *with proud front.*
Application	• Right hand	No cost	Specify *with right-hand application.*
	• Left hand	No cost	Specify *with left-hand application.*


	Options	U.S. Price	Required to Specify
Surface Materials	**Laminate top**		
	• High-Pressure Laminate price group 2	See information at left	Specify laminate color number.
	• High-Pressure Laminate price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
	Composite veneer top		
	• Composite veneer group 1	Prices at right	Specify *with composite veneer top* and indicate composite veneer color number.
	• Composite veneer group 2	See information at left	Specify *with composite veneer top* and indicate composite veneer color number.
	Wood veneer top		
	• Wood group 1	Prices at right	Specify *with wood veneer top and* indicate wood color number.
	• Wood group 2	See information at left	Specify *with wood veneer top and* indicate wood color number.
	• Wood group 3	See information at left	Specify *with wood veneer top and* indicate wood color number.
	• Customiz stain	No cost	Specify *with Customiz stain.*
			▶ See *Surface Materials Reference Manual.*

Related Products

Related Products	• Universal One-High and open lateral 1.5-High for Migration SE application	▶ Page 270
	• Universal shrouds	▶ Page 274
	• Universal filler	▶ Page 275

Specification Information

Style Number	Dimensions D		W	U.S. Base Prices		
	Flush Front	Proud Front		Laminate	Composite Veneer	Veneer
RATCTMHAD	18"	18⅞"	60"	$ 525	$1178	$1244
	18"	18⅞"	66"	$ 609	$1242	$1308
	18"	18⅞"	72"	$ 680	$1303	$1369
	18"	18⅞"	78"	$ 864	$1561	$1627
	18"	18⅞"	84"	$ 978	$1772	$1854
	18"	18⅞"	90"	$1091	$1876	$1958
	18"	18⅞"	96"	$1200	$2068	$2150
	18"	18⅞"	108"	$1444	N.A.	N.A.



Tip: Can not order veneer on 108"W Universal common top.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Shrouds

for Migration SE Application

Standard Includes	Required to Specify
▶ Need help? Product details, page 220	• Shroud: paint price group 1 • Attachment hardware	1 Style number 2 Width (see below under Required Selections) 3 Paint color number for shroud 4 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

Tip: Shroud width must match width of the universal One-High or 1.5-High open lateral for Migration SE applications.


	Required Selections	U.S. Price	Required to Specify
Width	• 30"W	No cost	Specify *with 30"W.*
	• 36"W	No cost	Specify *with 36"W.*
	• 42"W	No cost	Specify *with 42"W.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$51	Specify paint color number.
	• Paint price group 3	+$83	Specify paint color number.
Related Products	• Universal One-High and 1.5-High open lateral files for Migration SE application		▶ Page 270

Specification Information


Dimensions D	Dimensions H	Style Number	U.S. Base Price

One-High Shroud



7"	16"	**RPXSMHAD**	$131

1.5-High Shroud



7"	22"	**RPXSMBHAD**	$147

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Fillers
for Migration SE Application

Standard Includes	Required to Specify
▶ Need help? Product details, page 220 • Filler: paint • Attachment hardware	1 Style number 2 Paint color number for filler ▶ See *Surface Materials,* page 364.

Related Products

• Universal One-High and 1.5-High open lateral files for Migration SE applications	▶ Page 270

Specification Information



One-High Filler

D	H	Style Number	U.S. Price
7"	16"	**RPXFMHAD**	$ 93




1.5-High Filler

D	H	Style Number	U.S. Price
7"	22"	**RPXFMBHAD**	$115

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Migration SE Cable and Power Management

Cable Riser



Fence connection



Leg connection


	Standard Includes	Required to Specify
▶ Need help? Product details, page 212	• Cable riser with fence connection: 7360 Merle paint • Attachment hardware	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Connection	• Fence • Leg	No cost +$166	Specify *with fence connection.* Specify *with leg connection.*

Specification Information

Style Number	U.S. Base Price
MIGCR	$121

Cable Brackets



	Standard Includes	Required to Specify
▶ Need help? Product details, page 212	• Cable brackets, quantity of four: 6527 Merle plastic	Style number


Specification Information

Style Number	Weight	U.S. Price
MIGCBK4	0.5 lb	$53

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Accessories

Slide Glides




	Standard Includes	Required to Specify
▶ Need help? Product details, page 211250	• Slide glides, quantity of four, basic or extended height range control box: black plastic	Style number

Specification Information

Style Number	U.S. Price
MGSGLD	$35

Desk and Bench Switch Kit





	Standard Includes	Required to Specify
▶ Need help? Product details, page 45	• Up/down controller, basic or extended height range control box: black plastic	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Controller	• Up/down controller	No cost	Specify *with up/down controller.*
	• 4 pre-set controller	+$81	Specify *with 4 pre-set controller.*
Height Range	• Basic	No cost	Specify *with basic range.*
	• Extended	No cost	Specify *with extended range.*

Specification Information

Style Number	U.S. Base Price
MGDSKT	$317

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Currency

Understanding

Universal One-High and 1.5-High Open Laterals **280**


Specifying

Universal One-High and 1.5-High Open Laterals **284**

One-High and 1.5-High Open Storage for Ology and Migration SE Applications

One-High and 1.5-High open storage are available with options to accommodate Ology and Migration SE integration. They provide a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with the open storage configuration.


▶Specifying, page 284



Wire manager keeps wires tidy and functionally flexes vertically.

Grommet provides a clean area where the desk leg integrates.

Units come without tops. Tops for Ology and Migration SE applications are ordered separately (style number **CRHADCT**).



Usable depth in One-High and 1.5-High open storage is 10⅘"D for Ology application and 9⅝"D for Migration SE applications.

Shelf thickness is ¾".

Leveling glides adjust to install on uneven floors and have a 1¼" adjustable glide range.

⚠CAUTION

1.5-High HAD integrated storage can only be used with basic height Ology and Migration SE.


Actual Dimensions

	One-High	1.5-High
Depth	18⅞"–24"	18⅞"–24"
Usable Depth for Ology application	10²/₅"*	10²/₅"*
Usable Depth for Migration SE application	9³/₁₀"	9³/₁₀"
Width	30"–72"	30"–72"
Height	15⅜"	21⅜"


** Top depth is 18⅞", case depth is 18", to align with any other open low storage (example: open credenza).*

** The case on One-High and 1.5-High open units is 18⅛"D. When top is added, the top matches the depth of units with drawers and doors.*


Product Details



One-High open storage can be used with Ology extended range desks, Ology basic range desks and Migration SE extended range desks and Migration SE basic range desks.





1.5-High open storage can be used with Ology basic range desks and Migration SE basic range desks.




One-High and 1.5-High open storage have a merle painted steel, removable interior back panel to allow access to the base.

One-High and 1.5-High open storage cannot be interchanged. Use Ology open storage with Ology desk and Migration SE open storage with Migration SE desk.






Units smaller than or equal to 42"W have one opening. Units 42 1/16" and larger have a center support.




Open back



Finished back

Ology and Migration SE open units offer an option of open back or a finished back for use in applications where the back of the unit is exposed, such as an aisle-way.
Tip: Units have removable back to allow access to desk leg and can be specified with open or finished back.

Ology desk with integrated storage must be specified with modular widths only. When opting for parametrics widths, integrated storage is not available.




Open back units for Ology desks have 6" clearance. Open back units for Migration SE units have 7 2/25" clearance.

Integrated storage options that apply to One-High and 1.5-High units are only meant for use with the specified height-adjustable desk. For example, open storage specified for Migration SE cannot later be blended with Ology.

Integrated open laterals do not accommodate 24"D, 30"D, or 36"D Migration SE worksurfaces. *See* actual dimensions chart on next page.

Application Topics

Base units are non-handed. Handedness is identified in the specification of the tops, which are ordered separately.




Application is determined by which leg of the desk is located inside the storage.


Location of the Ology and Migration SE port in tops is determined by the application orientation. If right leg is integrated into storage, it is a right application. Ology or Migration SE desks cannot be placed in the middle of the common top.

Tops for Ology and Migration SE application feature a cutout for legs and are used on individual storage units.


Common tops for Ology and Migration SE application can be used with two units side-by-side when one storage unit is required for leg integration.



Common tops for Ology and Migration SE open units application are available when ganging height adjustable desk integrated storage units to other lower storage units of the same height and depth.



Universal privacy/ modesty screens must be undersized and justified to the outside when used with a storage unit.



To help avoid pinch points, the One-High and 1.5-High lower storage for height-adjustable desk application extends 1" past the back of the height-adjustable desk worksurface.

Surface Materials

Case
- Low-Pressure Laminate
- High-Pressure Laminate

Tip: For more information on Low-Pressure and High-Pressure Laminate, please see Surface Materials.
▶Page 364

Wire manager
- Merle plastic

Grommet
- Merle paint

Currency

HAD Integrated Storage Case Widths and Desk Dimensions


	Ology Desk Depth					
Case Width	23"	24"	29"	30"	35"	36"
30"–35 15/16"	●	●	●	●	N.A.	N.A.
36"–41 15/16"	●	●	●	●	●	●
42"–72"	●	●	●	●	●	●

	Migration SE Desk Depth					
Case Width	23"	24"	29"	30"	35"	36"
30"–35 15/16"	●	N.A.	N.A.	N.A.	N.A.	N.A.
36"–41 15/16"	●	N.A.	●	N.A.	●	N.A.
42"–72"	●	N.A.	●	N.A.	●	N.A.

Tip: C-leg only available with HAD integrated storage when desk is 29"D.

One-High and 1.5-High Open Storage

For Ology and Migration SE Applications



Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

	Standard Includes	Required to Specify
▶Need help? Product details, page 280	• Case, One-High and 1.5-High: – Low-Pressure Laminate price group 1 • Removable interior cover • Shelf, if 1.5-High unit is selected • Grommet: merle paint • Wire manager: merle plastic • 1¼" adjustable leveling glides • Shipped fully assembled	1 Style number 2 Size type (see below under Required Selections) 3 Depth (see below under Required Selections) 4 Width (see below under Required Selections) 5 Desk type (see below under Required Selections) 6 Low-Pressure Laminate color number for case 7 Options, if selected (see below) ▶See *Surface Materials*, page 364.

	Required Selections	U.S. Price	Required to Specify
Size Type	• Modular	No cost	Specify *with modular.*
	• Parametric	No cost	Specify *with parametric.*
Depth	• 18⅞"D	Prices at right	Specify 18⅞" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 30"W	Prices at right	Specify 30" width.
	• 36"W	Prices at right	Specify 36" width.
	• 42"W	Prices at right	Specify 42" width.
	• 48"W	Prices at right	Specify 48" width.
	• 60"W	Prices at right	Specify 60" width.
	• 72"W	Prices at right	Specify 72" width.
Desk Type	• Migration SE	No cost	Specify *with Migration SE.*
	• Ology	No cost	Specify *with Ology.*

	Options	U.S. Price	Required to Specify
Surface Materials	**Case**		
	• Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	• High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	• High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	• High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶See *Surface Material Reference Manual.*
Back Panel	• No back panel	No cost	Specify *without back panel.*
	• With a back panel 30"W–42"W	+$199	Specify *with back panel.*
	• With a back panel 42 1/16"W–72"W	+$213	Specify *with back panel.*


For laminate price group 2 and higher pricing, *please refer to the electronic catalog or SmartTools.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specification Information


Dimensions			Style Number		U.S. Base Prices					
Modular Depth	Parametric Depth	Modular Height		Modular Width	30"	36"	42"	48"	60"	72"
				Parametric Width	30"	30 1/16" –36"	36 1/16" –42"	42 1/16" –48"	48 1/16" –60"	60 1/16" –72"

One-High Open Storage for Ology and Migration SE Application



Low-Pressure Laminate									
18 7/8"	N.A.	15 3/8"	**CRHAD1H**	$ 970	$ 970	$ 978	$1009	$1039	$1073
24"	18 15/16"–24"	15 3/8"	**CRHAD1H**	$1018	$1018	$1025	$1060	$1091	$1126
High-Pressure Laminate									
18 7/8"	N.A.	15 3/8"	**CRHAD1H**	$1212	$1212	$1221	$1263	$1300	$1340
24"	18 15/16"–24"	15 3/8"	**CRHAD1H**	$1273	$1273	$1282	$1324	$1363	$1407

1.5-High Open Storage for Ology and Migration SE Application



Low-Pressure Laminate									
18 7/8"	N.A.	21 3/8"	**CRHAD15H**	$1010	$1010	$1019	$1050	$1081	$1113
24"	18 15/16"–24"	21 3/8"	**CRHAD15H**	$1061	$1061	$1070	$1103	$1135	$1168
High-Pressure Laminate									
18 7/8"	N.A.	21 3/8"	**CRHAD15H**	$1264	$1264	$1274	$1312	$1351	$1391
24"	18 15/16"–24"	21 3/8"	**CRHAD15H**	$1325	$1325	$1336	$1379	$1418	$1459

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Currency

Airtouch

Understanding

Height-Adjustable Worksurfaces **288**


Height-Adjustable Worksurfaces

Universal Tables **292**

Universal Systems **294**

Airtouch Height-Adjustable Worksurfaces

Airtouch worksurfaces support computer-intensive users and mobile users in single occupant, multi-occupant, or high-churn environments. They allow users to quickly and effortlessly raise and lower their worksurfaces between seated and standing positions.
▶Specifying, page 292



Worksurface has a wood core with a High-Pressure Laminate surface and is $1\frac{3}{16}$" thick.

Edge is available in 3 mm profile.

Base allows unique applications without having to tether any power cords.

Leveling glides adjust 1" to install unit on uneven floors.

Ergonomic lift handle activates smooth, effortless height adjustments.


Airtouch has an adjustment feature on the column which allows the unit to function properly with any weight up to 150 pounds. *Tip: When calculating lifting capacity, subtract the weight of the worksurface.*
▶See page 291 for worksurface weights.

Height-adjustable column adjusts from 26"H to 43"H in any increment.

Product Details

High-Pressure Laminate Worksurfaces

Front (user's) edge profile is available in 3 mm edge profile.




3 mm
edge profile


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.
Tip: Universal Tables have a continuous 3 mm edge.

Edge profile finishes are specified separately from laminate color.

Edge profile provides a flush interface with universal pedestals.




Universal tables have 2" radius corners on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for free-standing furniture.




Universal Systems have 90° corners on all four sides with a front user's edge.


Airtouch height-adjustable tables are available in straight and corner shapes.



Airtouch worksurfaces adjust 26"H to 43"H in any increment.



At least a 1¾" gap must separate backs of a table and panels to accommodate cables and prevent pinching. A 1" gap separates sides and adjacent furniture.



Worksurface overhang for pedestal storage varies by shape and size of worksurface.

Surface Materials

High-Pressure Laminate Tables

- Laminate

▶See page 364

- Open Line laminate (option)
  A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶See *Surface Materials Reference Manual.*

3 mm

- Plastic

Height-adjustable base

- 4799 Platinum
- 7207 Black


Height-adjustable column

- 4799 Platinum paint

Application Topics

Moving tables can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable worksurfaces.


Airtouch is designed to support up to 150 pounds including the worksurface. An adjustable feature on the column allows the amount of lift assist to be set for various cargo loads.




The gauge located near the top of the column shows the amount of lift assist in use. The amount of lift assist can be dialed up for heavier loads and dialed down for lighter loads. If the unit is not moving smoothly, the lift assist mechanism needs to be adjusted. For example, if the top raises too fast, dial the lift assist down. If the top is difficult to raise, dial the lift assist up.

Typical worktool weights are:
Laptop 5–8 lb
Small flat screen 10–16 lb
Monitor arm 10–14 lb
Desk lamp 5–10 lb
Keyboard 2–3 lb
Inch of paper 2½ lb
Desk phone 3–5 lb

Worksurface travels at the speed designated by the user. Users can adjust the table from seated to standing in one natural motion (approximately 1 second).



Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.




Screens mount to worksurfaces in privacy or below the worksurface for modesty.

▶See *Worktools Compatibility Charts,* page 48, for help determining appropriate screen widths for each Airtouch worksurface size.

SOTO rail and SlatRail mount to worksurfaces to support worktools, freeing up worksurface space.


▶See *Worktools Compatibility Charts,* page 48, for help determining appropriate SOTO rail and SlatRail widths for each Airtouch worksurface size.



Any storage higher than 24½" will impede the lower height range of worksurface.
Tip: Do not place storage underneath paddle.

Worksurface weight plates may be necessary to order if there is not enough weight on the worksurface. Applications using the smallest width worksurface without additional worktools (i.e. touchdown spaces) will require these counterweights (946900053SR).

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on height-adjustable desks. They do not meet minimum safety requirements.


Installation


Worksurfaces ship with pre-drilled holes for mounting bases.

Airtouch column requires attachment to the base and worksurface.


Base supports a maximum distributed weight capacity of 150 pounds.
Tip: When calculating lifting capacity, subtract the weight of the worksurface.


Worksurface Weight






Worksurface Shape	W	LD	RD	Style Number	Worksurface Weight
Universal Tables					
Rectangular – 22¼"D	40"	22¼"	22¼"	BAPSS2442	30.6 lb
	46"	22¼"	22¼"	BAPSS2448	35.0 lb
	58"	22¼"	22¼"	BAPSS2460	44.8 lb
Rectangular – 28¼"D	40"	28¼"	28¼"	BAPSS3042	38.3 lb
	46"	28¼"	28¼"	BAPSS3048	44.8 lb
	58"	28¼"	28¼"	BAPSS3060	55.8 lb







Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight
90° Corner	39¼"	22¼"	39¼"	22¼"	BAPSC2442	45.9 lb
	45¼"	22¼"	45¼"	22¼"	BAPSC2448	59.0 lb
120° Equal	34"	22¼"	34"	22¼"	BAPB2436	55.8 lb


Worksurface Weight





Worksurface Shape	W	LD	RD	Style Number	Worksurface Weight
For use with Universal Systems					
Rectangular – 22¼"D	40"	22¼"	22¼"	UAPSS2442	30.6 lb
	46"	22¼"	22¼"	UAPSS2448	35.0 lb
	58"	22¼"	22¼"	UAPSS2460	44.8 lb
Rectangular – 28¼"D	40"	28¼"	28¼"	UAPSS3042	38.3 lb
	46"	28¼"	28¼"	UAPSS3048	44.8 lb
	58"	28¼"	28¼"	UAPSS3060	55.8 lb






Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight
90° Corner	39¼"	16¼"	39¼"	16¼"	UAPSC1842	30.6 lb
	39¼"	22¼"	39¼"	22¼"	UAPSC2442	45.9 lb
	45¼"	22¼"	45¼"	22¼"	UAPSC2448	59.0 lb
120° Equal	34"	22¼"	34"	22¼"	UAPB2436	55.8 lb

Airtouch Height-Adjustable Worksurfaces

High-Pressure Laminate Universal Tables



Tip: Airtouch height-adjustable base requires assembly and attachment to the worksurface.

Tip: Worksurfaces ship with pre-drilled holes for mounting bases.

Tip: Any storage higher than 24½" will impede the lower height range of the worksurface. Do not place storage underneath paddle.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: An adjustment feature on the column allows the unit to function property with any load up to 150 pounds, including the worksurface.

Tip: Counterweights may be necessary to order if there is not enough load on the worksurface. Order service part (946900053SR).

Tip: For help determining privacy/modesty screen, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 48.

Tip: Wood veneer worksurface options are available through specials.

Tip: Paint surface options apply to base only. Paint surface option does not apply to column.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with single column height-adjustable tables.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


	Standard Includes	Required to Specify
▶ Need help? Product details, page 288	• High-Pressure Laminate price group 1 • High-Pressure Laminate worksurface edge: plastic 3 mm edge • Worksurface corners: radius • Height-adjustable column mechanism: 4799 Platinum • Height-adjustable mechanism base: paint • Attachment hardware	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for profile edge on laminate worksurface 4 Paint color number for base: 4799 Platinum Metallic 7207 Black 5 Options, if selected (see below) ▶ See Surface Materials, page 364.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 63	Specify paint color number.
	• Laminate price group 2	See information below	Specify laminate color number.
	• Laminate price group 3	See information below	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Related Products	• Slatwall, SlatRail, and Freestanding Worktools		▶ See *Steelcase Worktools Specification Guide.*
	• SOTO rail		▶ See *Steelcase Worktools Specification Guide.*
	• Flat panel arms		▶ See *Steelcase Worktools Specification Guide.*
	• Privacy/modesty screens		▶ Pages 332–334
	• Acrylic screens		▶ Page 318
	• Cable and power management		▶ Page 353

Specification Information

Dimensions W	LD	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge

Rectangular Tables





Tip: 58" privacy/modesty screens should not be specified with 22¼"D rectangular worksurfaces.


Tip: Base supports a maximum distributed weight capacity of 150 pounds. When calculating lifting capacity, subtract the weight of the worksurface.
▶See page 291 *worksurface weights.*

W	LD	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
22¼"D				
40"	22¼"	22¼"	**BAPSS2442**	$3967
46"	22¼"	22¼"	**BAPSS2448**	$4023
58"	22¼"	22¼"	**BAPSS2460**	$4148
28¼"D				
40"	28¼"	28¼"	**BAPSS3042**	$4128
46"	28¼"	28¼"	**BAPSS3048**	$4190
58"	28¼"	28¼"	**BAPSS3060**	$4320

Specification Information


Dimensions LW	LD	RW	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge

90° Corner Tables



LW	LD	RW	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
39¼"	22¼"	39¼"	22¼"	**BAPSC2442**	$4341
45¼"	22¼"	45¼"	22¼"	**BAPSC2448**	$4411

120° Equal Table




LW	LD	RW	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge
34"	22¼"	34"	22¼"	**BAPB2436**	$4900

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Airtouch Height-Adjustable Worksurfaces

High-Pressure Laminate Universal Systems



Tip: Airtouch height-adjustable base requires assembly and attachment to the worksurface.

Tip: Worksurfaces ship with pre-drilled holes for mounting bases.

Tip: An adjustment feature on the column allows the unit to function property with any load up to 150 pounds, including the worksurface.

For laminate group 2 and 3 pricing, *please refer to the electronic catalog or SmartTools.*

Tip: Any storage higher than 24½" will impede the lower height range of the worksurface. Do not place storage underneath paddle.

Tip: Counterweights may be necessary to order if there is not enough load on the worksurface. Order service part (946900053SR).

Tip: For help determining privacy/modesty screen, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 48.

Tip: Wood veneer worksurface options are available through specials.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with single column height-adjustable tables.

Tip: Paint surface options apply to base only. Paint surface option does not apply to column.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 288	• High-Pressure Laminate price group 1 • High-Pressure Laminate worksurface edge: plastic 3 mm edge • Worksurface corners: 90° • Height-adjustable column mechanism: 4799 Platinum • Height-adjustable mechanism base: paint • Attachment hardware	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for profile edge on laminate worksurface 4 Paint color number for base: 4799 Platinum Metallic, 7207 Black 5 Options, if selected (see below) ▶ See Surface Materials, page 364.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 63	Specify paint color number.
	• Laminate price group 2	See information below	Specify laminate color number.
	• Laminate price group 3	See information below	Specify laminate color number.
	• Open Line laminate	+$115 plus cost of laminate	▶ See *Surface Materials Reference Manual.*
Related Products	• Slatwall, SlatRail, and Freestanding Worktools		▶ See *Steelcase Worktools Specification Guide.*
	• SOTO rail		▶ See *Steelcase Worktools Specification Guide.*
	• Flat panel arms		▶ See *Steelcase Worktools Specification Guide.*
	• Privacy/modesty screens		▶ Pages 332–334
	• Acrylic screens		▶ Page 352
	• Cable and power management		▶ Page 353

Tip: 58" privacy/modesty screens should not be specified with 22¼"D rectangular worksurfaces.

Specification Information


Dimensions W	LD	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge

Rectangular Worksurfaces



22¼"D

40"	22¼"	22¼"	**UAPSS2442**	$3882
46"	22¼"	22¼"	**UAPSS2448**	$3937
58"	22¼"	22¼"	**UAPSS2460**	$4042




28¼"D

40"	28¼"	28¼"	**UAPSS3042**	$4023
46"	28¼"	28¼"	**UAPSS3048**	$4084
58"	28¼"	28¼"	**UAPSS3060**	$4207

Specification Information


Dimensions LW	LD	RW	RD	Style Number	U.S. Base Price High-Pressure Laminate Plastic 3 mm Edge No Suffix

90° Corner Worksurfaces



39¼"	16¼"	39¼"	16¼"	**UAPSC1842**	$4161
39¼"	22¼"	39¼"	22¼"	**UAPSC2442**	$4188
45¼"	22¼"	45¼"	22¼"	**UAPSC2448**	$4252

120° Equal Worksurface



34"	22¼"	34"	22¼"	**UAPB2436**	$4733

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Screens, Cable and Power Management

Understanding

Universal Privacy/Modesty Screens 298
Universal Privacy Screens and Aligners 302
Sarto Privacy/Modesty Screens 304
Sarto Privacy Screens 308
Sarto Curved Screens 310
Universal and Sarto Screens Specific Guidelines 312
Soffio Screen 314
Fixed Personal/Modesty Screens 315
Worksurface Side Screens 316
Acrylic Screens 318
Cable and Power Management 320

Specifying


Universal Privacy/Modesty Screens 332
Universal Privacy Screens and Aligners 334
Sarto Privacy/Modesty Screens 336
Sarto Privacy Screens 338
Sarto Alignment Clip 340
Sarto Curved Screens 342
Soffio Screen 345
Fixed Personal/Modesty Screens 346
Worksurface Side Screens 348
Acrylic Screens 352
Cable and Power Management 353

Universal Privacy/Modesty Screens

Universal privacy/ modesty screen provides a boundary element for height-adjustable desks and fixed worksurfaces. It can be used with Ology desk, Migration Desking Collection, Airtouch, Elective Elements, Universal tables, and Universal panel mount worksurfaces. Privacy/modesty screens are not to be used on height-adjustable benching.
▶Specifying, page 332

Universal privacy/ modesty screens are available in one height, 25 7/10", with two mount location options to provide either privacy or privacy/modesty.

Universal privacy/ modesty screens cannot be used on surfaces that have intergrated rails or an additive SOTO rail.




The screen is attached to the worksurface using simple L-brackets and 1" screws.

Universal privacy/ modesty screen is pin tackable.

Actual Dimensions

Width	42", 48", 54", 60", or 66"
Height	25 7/10"
Weight	9.79 lb, 10.315 lb, 10.84 lb, 11.365 lb, 11.89 lb
Thickness	¾"

Product Details



The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide constrast or dark heather grey for a uniform visual.

The screen may be used on ¾"–1½" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

Surface Materials

Screen
- Fabric


▶See *Surface Materials,* page 364.

Edge (upper segment)
- 7360 Merle

Edge (lower segment)
- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET


Brackets
- 7360 Merle

Application Topics




Universal privacy/modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3¾" in from each side of the screen.
Tip: When specifying grommets on Ology, verify the position of the screen in CET SmartTools Planning.


Screen height attachment locations are determined when specifying privacy (top of screen will be at 48") or privacy/modesty (top of screen will be at 42"). The location cannot be changed in the field.



Privacy configuration provides 19⅕" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 48"H Answer panel.



Screen can be mounted with a 1⅛" cord drop or flush with no cord drop.



Privacy/modesty configuration provides 13" of screen above the worksurface and 11⁷⁄₁₀" of screen below the worksurace. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.


Both the privacy and privacy/modesty configurations allow the height-adjustable desks to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

Privacy/modesty screens must never be wider than the surface to which they are attached.
Tip: It is recommended that CET SmartTools Planning aid be used to ensure proper application of screen to worksurface or tables.

Universal privacy/modesty screens cannot be used with 58"W Ology desks with leg integrated into storage. The smallest screen width is 42" which would collide with the storage. Must use a minimum 64"W desk when using storage and Universal privacy/modesty screens.

Universal privacy/modesty screens cannot be used with Ology and Migration Pro/Intro modesty panels.

When used with One-High integrated storage, Universal privacy/modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.



Universal privacy/modesty screen can be installed with the Migration metal cable tray. Tray can be optioned on the desk or ordered separately.
Tip: Screen width must be 10½" wider than metal cable tray.

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.


Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Universal Privacy Screens and Aligners

Universal privacy screens provide a boundary and privacy element for height adjustable desks and fixed worksurfaces. It can be used with Ology, Migration Desking Collection, Elective Elements, panel supported Universal worksurfaces, and TS Series worksurfaces.
▶ Specifying, page 334




Actual Dimensions

Height	12½" or 18½"
Overall Height	13½" or 19½"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"


Tip: Overall height is measured from top of mounting surface to the top of the screen.

Tip: 13½"H screen aligns with a 42" datum from the floor. 19½" screen aligns with a 48" datum from the floor.

Product Details




Universal privacy screens are tackable and available in 13½"H and 19½"H, and have widths from 24"W to 96"W.




The edge of the screen is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide contrast or dark heather grey for a uniform visual.

The screen may be used on ¾"–1½" thick worksurface.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



When fabric screens are placed directly adjacent to each other, a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



Brackets are included with screens. Two brackets are used on all screens.

Universal privacy screen slides onto brackets.

Surface Materials

Screen
- Fabric

▶ See *Surface Materials,* page 364.

Edge (upper segment)
- 7360 Merle

Edge (lower segment)
- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

Brackets
- 7241 Textured Arctic White
- 7360 Textured Merle
- 4799 Platinum

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed


Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Sarto Privacy/Modesty Screens

Sarto privacy/modesty screen provides a boundary element for height-adjustable desks and fixed worksurfaces. It can be used with Ology desk, Migration Desking Collection, Airtouch, Elective Elements, Universal tables, and Universal panel mount worksurfaces. Sarto privacy/modesty screens are not to be used on height-adjustable benching.
▶Specifying, page 336

Sarto privacy/modesty screens are available in overall heights from 24" to 30", with a privacy height option to provide varying levels of privacy and modesty.



Sarto privacy/modesty screen is pin tackable.

The screen is attached to the worksurface using simple L-brackets and 1" screws.

Actual Dimensions	
Width	23"–70"
Height	24"–30"
Thickness	9/16"

Product Details


The screen may be used on ¾"–1½" thick worksurfaces.

Screens are available in modular or parametric sizes.


The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

Weight of screens are calculated as follows: Screen: 0.0044 pounds per inch^2 Bracket: 0.2 pounds per bracket.


Application Topics



Sarto privacy/ modesty screen mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3¾" in from each side of the screen. Two L-brackets are included with screens narrower than 60"W. Three or four L-brackets are included on screens 60"W and wider.




Worksurface type is available for screens 60" wide or wider, and allows the Sarto privacy/modesty screen to mount to a scalloped worksurface (for example Bivi Height-Adjustable Desk).



Screen can be mounted to the back edge of the worksurface with a 1⅛" cord drop or flush with no cord drop.

Screens 36"W and narrower can be mounted as side screens, and are always mounted flush to the edge of the worksurface. This application grows the footprint of the workstation by 9⁄16" per screen.

Screens are specified with a privacy height above the worksurface. A 1" thick worksurface is assumed. This privacy height sets the position of the brackets and cannot be changed in the field.



Screens are specified by first selecting an overall screen height (24"–30"), then specifying a privacy height. Privacy height is measured from the top of the screen to the top of the worksurface. Allowable privacy height selection changes based on the specified overall height.

All privacy heights allow a height adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

To match screens ordered on or before June 20, 2021, please consult the following information to determine proper privacy height.

- 24"H Screen, Privacy/ Modesty Configuration – Privacy Height = 13½"
- 24"H Screen, Privacy Configuration – Privacy Height = 16½"
- 30"H Screen, Privacy Configuration – Privacy Height = 22½"

Sarto privacy/modesty screens can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.


- Example 1—Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2—Tables with cabby leg or double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

Sarto privacy/modesty screens cannot be used with Ology or Migration Pro/ Intro modesty panels.

When a parametric Sarto screen is used on a parametric Ology desk, verify the screen width and placement in CET SmartTools planning to avoid interference.

Privacy/modesty screens can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

Privacy/modesty screens must never be wider than the surface to which they are attached. *Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.*



Sarto privacy/modesty screens can be installed with the Migration metal cable tray. When specifying a Sarto screen equal to or greater than 60"W to use with the cable tray, select the "with tray application" option. The metal tray is an option with the desk or can be ordered separately. *Tip: Screen width must be 10½" wider than the metal cable tray.*

Surface Materials

Screen

- Fabric

▶See *Surface Materials,* page 364.

Brackets

- 7360 Merle

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2 1/2"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed


Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.

Sarto Privacy Screens

Sarto privacy screens provide a light scale boundary and privacy element for height-adjustable desks and fixed worksurfaces. It can be used with Ology, Migration Desking Collection, Elective Elements, universal worksurfaces, and TS Series worksurfaces.

▶ Specifying, page 338




Actual Dimensions

Screen Height	12½"–34½"
Overall Height	13½"–25½"
Width	24"–96"

Tip: Overall height is measured from top of mounting surface to the top of the screen.


Product Details



Sarto privacy screens are tackable. They are available in four modular heights, 13½"H, 19½"H, 23½"H, and 35½"H, and have widths ranging from 24"W to 96"W. Screens can also be specified parametrically.

The screen may be used on ¾"–1½" thick worksurfaces.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.
Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.



Brackets and hard stops are included with screens. Screens narrower than 60"W use two brackets, while screens 60"W and larger utilize three brackets. The third bracket is centered on the width of the screen.

Offset brackets are included with 29"W screens, to help maintain apporpriate pinch points between the screen and adjacent objects. Side screen option is available for screens 36"W and narrower.

Sarto privacy screen slides onto brackets.

Alignment brackets are available to help eliminate gapping and misalignment between back and side screens. Alignment brackets are available as their own style (**PSCB**).

Weight of screens are calculated as follows: Screen: 0.0044 pounds per inch^2 Bracket: 1.2 pounds per bracket.

Surface Materials

Screen
- Fabric

▶ See *Surface Materials,* page 364.

Brackets and hard stops
- 7360 Merle

Maximum Rear Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or Square with Knife Edge or 2" Radius	5" Radius	2" Radius with Knife Edge or 5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Universal Privacy/Modesty Screen (**UFPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy Screen (**PSPS**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 3"	Max Screen Width = Width of Desk Minus 5"
Sarto Privacy/Modesty Screen (**PSPM**)	Max Screen Width = Width of Desk	Max Screen Width = Width of Desk Minus 2½"	Max Screen Width = Width of Desk Minus 5"

Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Rear screens are not compatible with Migration Pro and Intro organic bow front and back shape.


Maximum Side Screen Sizes Based on Worksurface Edge Types on Migration Intro, Migration Pro, and Pro with Boost High-Speed

Screen Type	Square or 2" Radius without Knife Edge	Square or 2" Radius with Knife Edge	5" Radius without Knife Edge	5" Radius with Knife Edge
Universal Privacy Screen (**UFPS**)	Max Screen Width = Depth of Desk	N/A	Max Screen Width = Depth of Desk Minus 3"	N/A
Sarto Privacy Screen (**PSPS**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk Minus 4"	Max Screen Width = Depth of Desk Minus 4"
Sarto Privacy/Modesty Screen (**PSPM**) with Option SIDESCN Selected	Max Screen Width = Depth of Desk	Max Screen Width = Depth of Desk	N/A	N/A


Tip: Measurements provided do not include cutouts and overhang rules.
Tip: Side screens are not compatible with Migration Pro and Intro organic bow front and back shape.


Sarto Curved Screens

Sarto curved screens provide light scale privacy and modesty for height-adjustable desks and work tables.
▶Specifying, pages 342–344



Sarto curved screens sit flush against the worksurface. If 1" cord drop is needed, please reach out to Specials for alternative bracket.







Actual Dimensions

	L-Screen	Half-Desk Screen
Overall Width	43"–66"	43", 49", or 55"
Depth	20"	20"
Width	23"–46"	23", 29", or 35"
Height	17.909", 18", or 24"	17.909", 18", or 24"
Thickness	7/8"	7/8"
Weight: 18"H	5.7 lb, 6.5 lb, 7.2 lb	5.0 lb, 5.6 lb, 6.2 lb
Weight: 24"H	7.3 lb, 8.4 lb, 9.4 lb	6.4 lb, 7.2 lb, 8.0 lb

Application Topics




Half desk screens are sized to work with modular size desks. Mounting a pair of half desk screens on a parametric sized desk will create a gap between screens. Parametric width screens are available to create a full wrap of parametric worksurfaces.
Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.



L-screens are sized to work with popular sized modular width desks. When mounted, the modular widths of the L-screen are designed to cover two thirds of the back of the worksurface.
Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.

Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.



Screens are specified by first selecting an overall screen height (18"-24"), then specifying a privacy height. Privacy height is measured from the top of the screen to the top of the worksurface. Allowable privacy height selection changes based on the specified overall height.

All privacy heights allow a height-adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

To match screens ordered on or before June 20, 2021, please consult the following information to determine proper privacy height.
- 24"H Screen, Privacy/ Modesty Configuration
  – Privacy Height = 13½"
- 24"H Screen, Privacy Configuration
  – Privacy Height = 16½"

When ordering a single screen, selecting the correct hand is important. Handedness is assigned from the user position when the curved screen is mounted.

Screen is not applicable on shaped worksurface edges (knife edge, bullnose, P-edge, etc).

Surface Materials

Screen
- Fabric


Tip: Some thin, light colored fabrics are not available on these screens. Please see Surface Materials *for available fabric finishes.*
▶Page 370

Brackets
- 6527 Merle

Universal and Sarto Screens Specific Guidelines

Migration SE Specific Guidelines

Rectangular 29"D and 35"D




All guidelines assume the screen is centered on the desk.


Screens are sized to be a minimum of 4" smaller than worksurfaces. They can be placed anywhere along the back edge of a desk but cannot extend past the desk edge.

Ology Specific Guidelines

Rectangular 23"D, 29"D, and 35"D



Tapered 23"D and 29"D




The screen can be placed on the back edge of an Ology without an integrated rail desk utilizing either the 1⅛" cord drop or no cord drop placement. Screens are sized to be a minimum of 4" smaller than worksurfaces. Optional cable trays and grommets on Ology may cause some interference with screen mounting brackets.

Legend


- No interference
- Interference or cannot be used
- Cannot specify a grommet

Ology Specific Guidelines, continued

90° Corner 23"D



120° Corner 23"D



All guidelines assume the screen is centered on the desk.

When using the universal or sarto privacy/modesty screen on Ology with 1⅛" cable drop, there are no limits on the horizontal placement of the cable tray beneath the desk.

The Universal and Sarto privacy/modesty screens can not be used with the Ology modesty panel without causing interference.

When a parametric Sarto screen is used on a parametric Ology desk, verify the screen width and placement in CET SmartTools planning to avoid interference.

The universal or sarto privacy/modesty screen can be used on either back edge of a 90° or 120° corner desk configuration.


Ology desks using an integrated storage leg may only mount the universal privacy/modesty screen in the privacy position and cannot use sarto screens due to interference. See SmartTools for more information.

The universal or sarto privacy/modesty screen does not mount to an Ology rail or into the Ology cantilevers.


If using overhangs, the leg must be at least 3½" in from its standard position to avoid interference with the screen bracket.

Airtouch Specific Guidelines


Rectangular 22¼"D and 28¼"D



90° 22¼"D



120° 22¼"D



Universal or sarto privacy/modesty screen weight should be considered, along with other items to be used on Airtouch, so as not to exceed weight limit.


Universal or sarto privacy/modesty screens can be placed on the back edge of an Airtouch worksurface, utilizing either the 1⅛" cord drop or no cord drop placement without creating interference. The screen must be narrower than the width of the worksurface. Screen cannot exceed the width of table.

Legend

- No interference
- Interference or cannot be used
- Cannot specify a grommet

Soffio Screen

Soffio screen provides privacy and modesty in nearly infinite configurations for height-adjustable desks and fixed worksurfaces.
▶Specifying, page 345



Screen is attached to the worksurface with brackets.

Screen is pin tackable.


Screen includes corrugations, allowing for the screen to curve at any point along the width.

Actual Dimensions

Desk width	56", 68", or 80"
Height	26"
Weight	2.9 lb, 3.6 lb, 4.2 lb
Thickness	1"

Application Topics

Screen is available in three standard sizes, allowing for a variety of mounting configurations on desks of different sizes.
Tip: It is strongly recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.



Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Screen provides 13" of screen above the worksurface and 12" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

Screen is not handed. The screen can be mounted in a right- or left-hand configuration.

Screen is not applicable on shaped worksurface edges (knife edge, bullnose, P-edge, etc).

Surface Materials

Screen
- Fabric


Brackets
- 6527 Merle

Fixed Personal/Modesty Screens


Personal screens are tackable and provide variable privacy when and where it is needed. The screens can be used on the Ology integrated rail and the SOTO rail. 19½"H and 24"H are not intended for use in modesty position when used with a height-adjustable desk.
▶Specifying, page 346

Fixed personal screens are available in three heights; 12", 19½", and 24" - and four widths to accommodate varying levels of privacy. Height is measured from the top of the mounting surface to the top of the screen.


Brackets are attached to the screen.



Product Details



Personal screens can be mounted on the rail. The overall height from the floor will vary depending on the height of the adjustable worksurface.



Gap is 1" between personal screen and rail.

Surface Materials

Infill
- Fabric

Brackets
- 4799 Platinum paint

front




back




Fabric without pattern is recommended when using a COM fabric to provide a consistent visual. Fabric with patterns could result in the above visual.


Application Topics



19½"H and 24"H personal screens cannot be used in the modesty position on Ology desks.



When attaching fixed personal/modesty screens to the Ology integrated rail, there is a 5¼" mounting free zone on each end of the rail.



When using fixed screens in the modesty position, the desk must be at least 10" larger than the width of the screen.

When used with One-High integrated storage, fixed modesty screens must be a minimum of 24" shorter than worksurface width to allow for pinch point clearances.

Actual Dimensions

	Fixed Personal/Modesty Screens
Width	30", 36", 42", or 48"
Height	11", 18½", or 23"
Overall height	12", 19½", or 24"
Thickness	¾"


Tip: Overall height is measured from top of mounting surface to the top of the screen.

Worksurface Side Screens

For Use on Desking, Benching, and Table Worksurfaces with Varying Thickness

Worksurface side screens provide a territorial boundary between users. Fabric, frosted glass, or clear glass screens are available for different levels of privacy. They are used on worksurfaces 0.808", 1", 1.185" and 1.5" thick.


▶Specifying, pages 348—350



Actual Dimensions

	Fabric and Glass Screen	Application
Width	22" or 28"	FrameOne, Ology, Migration SE, and Flex worksurfaces
	24" or 30"	Elective Elements and Universal worksurfaces
	23½" or 29½"	Universal worksurfaces with cord drop
Height	12" or 19½"	
Fabric Screen Thickness	¾"	
Glass Thickness	¼"	
Worksurface Bracket Clamp	0.808" thickness	FrameOne worksurfaces
	1" thickness	Ology, Migration SE, and Flex worksurfaces
	1.185" thickness	Universal worksurfaces
	1.5" thickness	Elective Elements worksurfaces

Product Details



Worksurface side screens attach with two screws (#8 x ½" large buttonhead wood screws) through the clamp at the front on the underneath of the worksurface. The bracket clamp must be flush to the worksurface flat front edge.

Worsurfaces 0.808" thick utilize the smallest clamp at the front (FrameOne).

Worsurfaces 1" thick utilize a different clamp at the front (Ology, Migration SE, Flex).


Worksurfaces 1.185" thick utilize another clamp at the front (Universal).

Worksurfaces 1.5" thick utilize the largest clamp at the front (Elective Elements).
Tip: Worksurface bracket clamp must be used with the corresponding top thickness as noted above.

Application Topics

Side screens run parallel to the side (depth) of a worksurface only. They can attach anywhere along the front edge of a worksurface as long as the underworksurface clearance is free from any obstructions.

Worksurface side screen must be clear of any obstruction or interference on top of the worksurface.



The width of screens can be equal to or less than the depth of the worksurface to which it will attach. No overhang is allowed. Some restrictions apply due to location of worksurface legs and supports.
Tip: Consult SmartTools for any application restrictions.

Surface Materials

Bracket
- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

Screen
- 6500 Clear Glass
- 6530 Frosted Glass
- Fabric

▶See *Surface Materials*, page 364.

Acrylic Screens


Acrylic Privacy Screens



▶ Specifying, page 352

Tip: Screen may need to be shorter than worksurface width. To determine screen and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 48.

Product Details



Privacy screen provides lightweight space division above worksurface.


Gap between worksurface and screen is 1" to allow for cable feed through.

Privacy screen top is a fixed height 19" above worksurface.

Privacy screen can be used in combination with modesty screen.

Privacy screen ships with Universal clamps for field installation.

Application Topics



SlatRail stanchions mount on the outside of the screen

SlatRail stanchions will not work with the screen

SlatRail stanchions mount on the inside of the screen

Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens.

Surface Materials

Screen
- 6544 Frost only

Universal clamp
- 0835 Black
- 4799 Platinum

Actual Dimensions

Depth	¼"
Width	22", 28", 34", 40", 46", 52", 58", and 64"
Height	22"


Acrylic Modesty Screens



▶Specifying, page 352

Tip: Screen may need to be shorter than worksurface width. To determine screen and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 48.

Product Details



Modesty screen provides below worksurface modesty.

Gap between worksurface and screen/cableway is 1" to allow for cable feed through.

Modesty screen top is a fixed height ¼" above and 12½" below worksurface.

Modesty screen can be used in combination with privacy screen.

Modesty screen ships with Universal clamps for field installation.

When used with One-High integrated storage, acrylic modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

Application Topics

SlatRail Width

Screen Width	24"	30"	36"	42"	48"	60"
22"						
25"/28"						
31"/34"						
37"/40"						
43"/46"						
49"/52"						
55"/58"						
61"/64"						

SlatRail stanchions mount on the outside of the screen

SlatRail stanchions will not work with the screen

SlatRail stanchions mount on the inside of the screen

Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens.

Surface Materials

Screen
- 6544 Frost only

Universal clamp
- 0835 Black
- 4799 Platinum

Actual Dimensions

Depth	¼"
Width	22", 28", 34", 40", 46", 52", 58", and 64"
Height	14"

Cable and Power Management

Vertical Cable Carrier



▶ Specifying, page 353

Product Details

Vertical cable carrier has a 52" flexible spine with two management channels to manage cords from below worksurface to the floor.

Vertical cable carrier bracket attaches to the underside of the worksurface and weighted base sits on floor.


Surface Materials

Vertical cable carrier
- 6688 Steel

Actual Dimensions

Width	2½"
Height	52"
Weight	1 lb

6"D Wire Managers



▶ Specifying, page 353

Product Details

Wire manager is flexible to manage cords underneath the worksurface.

PVC-free ABX material is resistant to fatigue and recyclable


Surface Materials

Wire manager
- 6000 Black
- 6249 Platinum

Actual Dimensions

Depth	6"
Width	30", 36", 42", 48", 54", and 60"
Height	1"

1¾"D Wire Managers



▶ Specifying, page 354

Product Details

Wire manager is flexible to manage cords underneath the worksurface.

PVC-free polypropylene material is resistant to fatigue and recyclable.


Surface Materials

Wire manager
- 6000 Black

Actual Dimensions

Depth	1¾"
Width	6", 12", 18", 23¼", 30", 35", 42", and 48"
Height	1¾"

Soft Cable Drop



▶ Specifying, page 354

Product Details

Soft cable drop ships with two utility hooks that attach to the underside of the height-adjustable desk.

Soft cable drop comes in one size; 36"W x 11"H.

Soft cable drop is felted PET and will stretch and conform, dependent on the weight of the cords stored.

Surface Materials

Soft cable drop
- Soft PET in P631 Dark Heather Grey

Utility hooks
- Steel painted black

Actual Dimensions

Depth	36"
Height	11"

Utility Hook



▶ Specifying, page 355

Product Details

Utility hook installs underneath the height-adjustable desk on the right or left side of the user to gold laptop backs, backpacks, etc.

Utility hook has a weight limit of 20 pounds.


Surface Materials


Utility hooks
- Steel painted black


Actual Dimensions


Depth	3"
Width	1"
Height	3¼"


Powerstrip Intro











▶Specifying, page 356

Product Details

Powerstrip intro offers desktop C-clamped powerstrips with combinations of power outlets, USB A+C 20W, and optional under worksurface utility power 4 or 7 power outlets.

Desktop power configuration options and specifications include:
- Two power
- One power and USB A+C 20W
- Two power and one USB-A+C 20W
- Power outlet is 15A, 120V, 60Hz
- Tamper resistant power outlets

Meets spill test criteria.


Two power with 20 watt intelligent USB A+C:
- If only USB-C in use: delivers what the device needs up to 20 watts
- If only USB-A in use, up to 10 watts
- If both USB A+C in use, USB-A delivers up to 10 watts and 10 watts to USB-C. If USB-A device needs less than 10W, the remainder up to 20 watts goes to the USB-C device
- USB-A watt/amp output (2 port) is 10W/2A per port with dedicated charging ports

C-clamp is designed to accommodate worksurfaces up to 1½" thick.

USB A+C 20W




Powerstrip intro USB ports are recommended for charging: cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices. Not recommended for devices needing higher output, more than 20-watts, like compact laptops. *See* Powerstrip Plus for higher output USB options.




Cable management clips, 2-pack, comes standard with each powerstrip. Mounts under the worksurface to manage cords.
Tip: Cord clip screw length for minimum worksurface thickness of ¾".

Powerstrip intro without optional under worksurface utility power includes a 9-foot standard smooth cord with a diameter of ⅜".



Powerstrip intro includes a standard straight 3-prong plug. An overcurrent protection (OCP) 90-degree plug is also an option. Check with your local authorities having jurisdiction to see if overcurrent protection is required.

Optional Under Worksurface Utility Power



The bottom of each utility powerstrip block has slots. The slots allow the block to slide onto raised bars in the universal cable management trays, sold separately. These help keep the powerstrip in place when the tray is opened or closed.

Optional under worksurface utility power blocks do not ship with independent mounting hardware. They are designed to mount into the universal cable management kit without additional hardware. Kit sold separately.

Universal cable management tray - small tray, **DSTRAYSM**, holds four outlets and large tray, **DSTRAYLG**, holds seven outlets under worksurface utility power.

Overcurrent protection, OCP, via a circuit breaker prevents one powerstrip intro assembly from drawing more than 15 amps of power.

Overcurrent protection is included as standard with powerstrip intro configurations with more than three outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

Overcurrent protection (OCP) includes a circuit breaker rated for 15 amps.


Powerstrip intro with optional under worksurface utility power comes standard with OCP inline box and optional 6-foot or 8-foot standard smooth power cord with a diameter of ⅜". Choice of standard straight or 90 degree NEMA 5-15 3-prong plug.


Surface Materials

Housing
- 6009 Arctic White
- 6527 Merle

Tip: Arctic white housing will have white cord and merle housing will have black cord.

Actual Dimensions





	2 Port	3 Port
D	3 1/16"	3 7/16"
W	3 1/16"	4 11/16"
H	1 5/8"	1 5/8"


Underwriters Laboratory (UL) Listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.


Certifications include:
- cULus




	Without under worksurface utility power	With under worksurface utility power
Power cord length	9' or 163" curly cord	6' and 8' options or 163" curly cord
Nema 5-15 3 prong plug options	Standard Straight 1 3/8" x 1" x 7/8"	Standard Straight
	90° with Overcurrent Protection (OCP) in plug 2 1/16" x 1 5/8" x 1 7/16"	Standard 90°
Overcurrent Protection (OCP)	90° OCP plug	Included with utility power as an inline box









Standard 3-Prong Plug







Overcurrent Protection (OCP) 90° Plug




Tip: When no under work-surface utility power is specified this plug will be provided.



Optional Under Worksurface Utility Power







Powerstrip Intro vs. Powerstrip Plus

Product Name	Power Strip Intro	Powerstrip Plus
Number of Worksurfaces Power Configurations	3 Power outlets and USB A+C 20W	12 Power outlets, USB A+C 20W, USB-C 45W or 100W and Data *Tip: Data port provides an open space for a customer-supplied technology module.*
20W USB A+C	Yes	Yes
45W or 100W USB-C	No	Yes
Mounting Options	C-Clamp	C-Clamp, Rail, Front Edge or Flush Mount
Under Worksurface Utilitiy Power Options	4 Outlets or 7 Outlets	4 Outlets 7 Outlets or 9 Outlets
Overcurrent Protection (OCP)	Optional with no utility power Standard with more than three power outlets Standard with utility power	Optional with no utility power Standard with more than three power outlets Standard with utility power
Cord Options	Standard and Curly	Standard, Braided or Curly
Plug Options	**Desktop powerstrip** Standard NEMA or 90 Degree NEMA with overcurrent protection **Desktop powerstrip with optional under worksurface utility powerstrip** Standard NEMA 90 Degree NEMA *OCP is inline box with utility power.	Standard NEMA 90 Degree NEMA Thread Low Profile


Powerstrip Plus



Without overcurrent protection



With overcurrent protection




▶Specifying, page 358

Product Details


Desktop power offers multiple power, USB, and data options; and can be specified with a C-clamp, rail mount, or front edge mount. Meets spill test criteria.

C-clamp is designed to accommodate worksurfaces between ½" and 1⅜" thick. Also available with rail mount or front edge mount.

Under worksurface optional utility power blocks do not ship with independent mounting hardware. They are designed to mount into the Universal cable management kit without additional hardware. Kit sold separately.




Cable management kit comes standard with each powerstrip. Mounts under the worksurface to manage cords.
Tip: Cord clip screw length for minimum worksurface thickness of ¾".



The bottom of each utility powerstrip block has slots. The slots allow the block to slide onto raised bars in the universal cable management kit. These help keep the powerstrip in place when the tray is opened or closed. Universal cable management kit sold separately.

USB A+C 20W




Powerstrip Plus's USB A+C 20W recommended for charging: cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices.

Dual 45W
or
100W USB-C



USB-C 100W recommended for all of the above and compact laptops.

Overcurrent protection via a circuit breaker prevents one powerstrip plus assembly from drawing more than 15 amps of power.




Overcurrent protection is included as standard with powerstrip plus configurations with more than three outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

Power plug options:
- Standard NEMA 5-15 3 prong
- 90 degree NEMA 5-15 3 prong
- Thread low profile plug

Surface Materials

Desktop power
- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6302 Baltic
- 6338 Chili
- 6527 Merle
- 6BD1 Aubergine
- 6BD2 Peacock
- 6BD5 Honey
- 6BD6 Lagoon
- 6BD7 Saffron
- 6BE2 Light Peacock

Power cord options and lengths:
- Smooth straight 6', 8', or 10': Black or White
- Braided 6', 8', or 10': Black or Seagull
- Curly cord 8' or 163": Black or White



Braided cord
- 9009 Black
- 9011 Seagull

Actual Dimensions

Diameter of Powerstrip Plus power cords:

Standard	⅓"
Braided	⅖"
Curly (coiled area 1½" diameter)	⅓"

Underwriters Laboratory (UL) Listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.

Power configurations options guide


Hedberg Option Code	Number per Powerstrip: Power Outlet	USB A+C/ Low Wattage	USB-C/ High Wattage	Data
3P	3			
2P1AC20	2	1 – 20W		
2P1AC1D	2	1 – 20W		1
2P1C100	2		1 –100W	
3P1AC	3	1 – 20W		
1P1AC1C100	1	1 – 20W	1 – 100W	
2P1AC1C100	2	1 – 20W	1 – 100W	
2P2AC	2	2 – 20W		
3P2AC20	3	2 – 20W		
3P1AC201D	3	1 – 20W		1
2P1ACC100D	2	1 – 20W	1 – 100W	1
2P2C45	2		2 – 45W	

Tip: For USB-C 100W port, use USB-C charging cable rated for 100W use for full charging benefits. Charging cables not included.


Tip: Data port provides an open space for a customer-supplied technology module.

Optional data port adapter information chart. (Coupler/jack not included)
Tip: Please verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.


Adapter	Manufacturer
BBB	L-Com Keystone Modular
BBB	NETCONNECT, and 110 Connect Series Modular Jack
BBB	Siemon ZMAX Style
BBB	Allen Tel Versa Tap Series
BBB	Leviton Quick Port Series
BBB	Belden REVConnect
BBB	HDMI Adapter Cable
CCC	Hubbell Nextspeed Keystone Series
CCC	ADC Truenet series
DDD	Blank (no coupler/jack)
EEE	Ortronics TracJack Series
FFF	Panduit Mini-Com Series
HHH	Video Monitor Jack/DB-15, panel mount solder style




3 power




1 data, 2 power,
1 USB A+C 20W




1 USB A+C 20W,
3 power




1 data, 3 power,
1 USB A+C 20W



1 USB A+C 20W,
2 power




1 100W USB-C,
2 power




1 USB A+C 20W, 2 power,
1 USB A+C 20W




1 100W USB-C,
1 USB A+C 20W, 2 power




1 100W USB-C,
1 USB A+C 20W, 1 power



2 USB A+C 20W,
3 power





1 data, 1 100W USB-C,
1 USB A+C 20W, 2 power




Tip: Data port provides an open space for a customer-supplied technology module.

Optional Under Worksurface Utility Power Dimensions






Under Worksurface Utility Power




▶ Specifying, page 360

Product Details


Under worksurface utility power provides multiple power outlets for plugging in a height adjustable desk, computer, and desktop necessities with a one cord out solution.




Cable management kit comes standard and mounts under the worksurface to manage cords.
Tip: Cord clip screw length for minimum worksurface thickness of ¾".




Under worksurface utility power does not ship with independent mounting hardware. The blocks are designed to mount into the universal cable management kit without additional hardware. Kit sold separately.



The bottom of each utility powerstip block has slots. The slots allow the block to slide onto raised bars in the universal cable management kit trays. This design helps keep the powerstrip in place when the tray is opened or closed. Universal cable management kit's smart straps, if selected, are used to hold the power cord in place.
▶ See page 361 for universal cable management kit understanding content.






Overcurrent protection is required by UL on these products.

UL Listed: Utility power block outlets are hardwired together in a complete, UL listed assembly.
Tip: Underwriters laboratory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.

Power plug options:
- Standard NEMA 5-15 3 prong
- 90 degree NEMA 5-15 3 prong
- Thread low profile plug

Surface Materials

Power cord options and lengths:
- Smooth straight 6', 8', or 10': Black or White
- Braided 6', 8', or 10': Black or Seagull
- Curly cord 8' or 163": Black or White



Braided cord
- 9009 Black
- 9011 Seagull

Actual Dimensions


Power blocks

Depth	2"
Width	8¼"
Thickness	1"


Four outlets total – One utility block, with three outlets each and one floating female outlet

Seven outlets total – Two utility block, with three outlets each and one floating female outlet

Nine outlets total – Three utility block, with three outlets each.





Floating female outlet for oversized plugs or power supplies.



Optional standard NEMA 3-prong plug, 90º or thread low profile plug.


Dimensions





Optional under worksurface utility power available with:
-NEMA 90°
-Standard NEMA 5-15 3-prong
-Thread low profile plug

Universal Cable Management Kit



▶ Specifying, page 361

Product Details


Universal cable management kit provides easy management and access to cords, cables, and power blocks under a workstation.


Optional smart straps allow for easy management of cables and cords in the cable management tray. The large tray ships with 10 straps and the small tray ships with five straps. Straps are 5 3/4" long.

Cable management tray is designed to fit behind the stretcher bar and understructure of most Steelcase height-adjustable tables. *Tip: Exceptions are Ology desks with integrated rail or modesty panel.*


Cable management tray provides tool-free and hardware-free mounting of under worksurface power from the powerstrip plus.


Cable management tray allows for a 4/5" gap around all four sides between the tray and the worksurface when mounted to allow for cable egress.






The small cable management tray is designed to hold one utility powerstrip and it has four outlets. The tray does not have the capacity to hold more than one utility powerstrip.







The large cable management tray holds two utility powerstrips in the raised bars section. There is capacity to add three utility powerstrips, two in the raised bar area and one more in the tray, strapped down.


Surface Materials


Cable tray

- 6205 Black


Actual Dimensions

Depth	6 5/16" (7 4/5" with bracket)
Width	15 1/2", 30"
Height	2 5/8" (3 1/2" when installed)





High-Capacity Cable Riser



▶ Specifying, page 362

Product Details

High-capacity cable riser provides vertical cable management for multiple, heavy gauge cords; recommended for height-adjustable worksurfaces to a magnetic metal surface connection.

Easy cord installation and disassembly with a robust hold to keep cords in place.

Each link lays flat against the other to form a concealed front to hide cords and provide a clean aesthetic.


Links will move uniformly together keeping cables aligned and well managed.

Universal fit for most applications.

Application

Recommended for height-adjustable worksurfaces.

Attaches to the underside of the top along the back edge to route cords and cables from top to power source.
Tip: Do not use with standard integrated storage or within enclosed areas that would restrict the movement of the cable riser's links.



Top bracket can pivot to 90 degrees and attaches directly underneath the worksurface with screws.

Bottom bracket attaches to magnetic metal surfaces near a power receptacle via a rubber-coated magnet to avoid scratching.

Ideal for use with height-adjustable desks paired with Answer fence, beam, panel system, Bivi Slim Leg application, and benching applications.

Top bracket footprint needed: 2 1/2"D by 2"W.

Top thickness – 1" plus with hardware included. If installing on less than 1" thick surface, shorter screw lengths must be obtained.

Screw length – 7/8"

Links can be rotated 180° degrees for customization.

Minimum bend radius is 1 3/16".

Surface Materials

Two choices for blending in with the furniture's palette aesthetic.

Cable Riser
- 6053 Seagull
- 6527 Merle

Actual Dimensions

Cable Riser Assembly


Depth	1 7/16"
Width	1 31/32"
Length	41 5/16" (including brackets and links)

Internal Cavity

Depth	1 1/4"
Width	1 7/16"

Cable riser weight is 1.2 pounds (without cords).

Universal Privacy/Modesty Screens



Tip: Universal privacy/modesty screens can be attached to ¾"–1½" thick worksurface, including height adjustable worksurfaces, universal worksurfaces, and Elective Elements worksurfaces.

Tip: The screens weigh between 9.79 pounds and 11.89 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The universal privacy/modesty screen is intended for use on the back of a worksurface.

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1⅛" cord drop or no cord drop. See understanding pages for product specific application guidelines.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 298	• Screen: privacy or privacy/modesty: fabric price group 1 • Brackets: 7360 Merle • Edge: PET	1 Style number 2 Width (see below under Required Selections) 3 Mount location (see below under Required Selections) 4 Fabric color number for screen 5 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 6 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Width	• 42"W	Prices below	Specify width.
	• 48"W	Prices below	Specify width.
	• 54"W	Prices below	Specify width.
	• 60"W	Prices below	Specify width.
	• 66"W	Prices below	Specify width.
Mount Location	• Privacy (19⅕" above the worksurface, 5½" below the worksurface)	No cost	Specify *with privacy application.*
	• Privacy/modesty (13" above the worksurface, 11 7/10" below the worksurface)	No cost	Specify *with privacy/modesty application.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 63	Specify fabric color number.
	• Fabric price group 3	+$181	Specify fabric color number.
	• Fabric price group 4	+$231	Specify fabric color number.
	• Fabric price group 5	+$277	Specify fabric color number.
	• Fabric price group 6	+$323	Specify fabric color number.
	• Fabric price group 7	+$375	Specify fabric color number.
	• Fabric price group 8	+$421	Specify fabric color number.
	• Fabric price group 9	+$468	Specify fabric color number.
	• Fabric price group 10	+$516	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	▶ See *Surface Materials Reference Manual.*


Specification Information

Style Number	U.S. Base Prices 42"W	48"W	54"W	60"W	66"W
UFPM	$763	$811	$862	$915	$966

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Universal Privacy Screens and Aligners

Universal Privacy Screens



Standard Includes	Required to Specify
▶ Need help? Product details, page 302	• Screen: fabric price group 1 • Brackets: paint price group 1 • Edge: PET	1 Style number 2 Width (see below under Required Selections) 3 Height (see below under Required Selections) 4 Fabric color number for screen 5 Bracket finish color number 6 Edge color: P630 Medium Heather Grey PET P631 Dark Heather Grey PET 7 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Width	• 24"W	Prices at right	Specify width.
	• 30"W	Prices at right	Specify width.
	• 36"W	Prices at right	Specify width.
	• 42"W	Prices at right	Specify width.
	• 48"W	Prices at right	Specify width.
	• 54"W	Prices at right	Specify width.
	• 60"W	Prices at right	Specify width.
	• 66"W	Prices at right	Specify width.
	• 72"W	Prices at right	Specify width.
	• 78"W	Prices at right	Specify width.
	• 84"W	Prices at right	Specify width.
	• 90"W	Prices at right	Specify width.
	• 96"W	Prices at right	Specify width.
Height	• 13½"H	Prices at right	Specify height.
	• 19½"H	Prices at right	Specify height.

Tip: 13½"H screen will align at a 42" datum. 19½"H screen will align at a 48" datum.

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 55	Specify fabric color number.
	• Fabric price group 3	+$148	Specify fabric color number.
	• Fabric price group 4	+$185	Specify fabric color number.
	• Fabric price group 5	+$228	Specify fabric color number.
	• Fabric price group 6	+$266	Specify fabric color number.
	• Fabric price group 7	+$308	Specify fabric color number.
	• Fabric price group 8	+$345	Specify fabric color number.
	• Fabric price group 9	+$386	Specify fabric color number.
	• Fabric price group 10	+$424	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	▶ See *Surface Materials Reference Manual.*
	Bracket		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 18	Specify paint color number.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Style Number	Height	U.S. Base Prices 24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W
UFPS	13½"	$499	$536	$570	$609	$644	$682	$719	$755
	19½"	$570	$627	$685	$742	$804	$860	$917	$972

▶ **Specification Information, continued from above**

Style Number	Height	U.S. Base Prices 72"W	78"W	84"W	90"W	96"W
UFPS	13½"	$ 794	$ 829	$ 863	$ 900	$ 937
	19½"	$1032	$1089	$1143	$1200	$1254

Aligners



Tip: Aligners are for use with fabric screens only.

Standard Includes	Required to Specify
• Aligner, package of 10: translucent plastic	Style number


▶ Need help? Product details, page 302

Specification Information

Style Number	U.S. Price
UFAL	$41

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Sarto Privacy/Modesty Screens



Tip: Sarto privacy/modesty screens can be attached to ¾"–1½" thick worksurface, including Ology, Migration SE, Elective Elements, universal tables, and universal panel-mount worksurfaces.

Tip: The screens weigh between 3.51 and 11.64 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces. See understanding pages to calculate screen weight.

Tip: Worksurface type option adds a fourth worksurface bracket and repositions brackets to avoid worksurface scallops.

Tip: Side screen option changes standard brackets for smaller L-brackets and only mount flush to the side of the worksurface. Side screen option is only available on screens 36"W and narrower.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 298	• Screen: fabric price group 1 • Brackets: 7360 Merle	1 Style number 2 Size option (see below under Required Selections) 3 Width (see below under Required Selections) 4 Height (see below under Required Selections) 5 Privacy height (see below under Required Selections) 6 Worksurface type (see below under Required Selections) 7 Screen type (see below under Required Selections) 8 Fabric color number for screen 9 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections			U.S. Price	Required to Specify
Size Option	• Modular			No cost	Specify *with modular.*
	• Parametric			No cost	Specify *with parametric.*
Width	**Modular**	**Parametric**			
	• N.A.	23"W–28 15/16"W		Prices at right	Specify width.
	• 24"W	N.A.		Prices at right	Specify width.
	• 29"W	29"W		Prices at right	Specify width.
	• N.A.	29 1/16"W–36"W		Prices at right	Specify width.
	• 42"W	36 1/16"W–42"W		Prices at right	Specify width.
	• 46"W	N.A.		Prices at right	Specify width.
	• 48"W	42 1/16"W–48"W		Prices at right	Specify width.
	• 54"W	48 1/16"W–54"W		Prices at right	Specify width.
	• 58"W	N.A.		Prices at right	Specify width.
	• 60"W	54 1/16"W–60"W		Prices at right	Specify width.
	• 66"W	60 1/16"W–66"W		Prices at right	Specify width.
	• 70"W	66 1/16"W–70"W		Prices at right	Specify width.
Height	**Modular**	**Parametric**			
	• 24"H	24"H		Prices at right	Specify height.
	• 30"H	24½"H–30"H		Prices at right	Specify height.
Privacy Height	**Screen Height**	**Minimum Privacy Height**	**Maximum Privacy Height**		
	• 24"H	9"H	16½"H	No cost	Specify privacy height.
	• 24½"H	9½"H	17"H	No cost	Specify privacy height.
	• 25"H	10"H	17½"H	No cost	Specify privacy height.
	• 25½"H	10½"H	18"H	No cost	Specify privacy height.
	• 26"H	11"H	18½"H	No cost	Specify privacy height.
	• 26½"H	11½"H	19"H	No cost	Specify privacy height.
	• 27"H	12"H	19½"H	No cost	Specify privacy height.
	• 27½"H	12½"H	20"H	No cost	Specify privacy height.
	• 28"H	13"H	20½"H	No cost	Specify privacy height.
	• 28½"H	13½"H	21"H	No cost	Specify privacy height.
	• 29"H	14"H	21½"H	No cost	Specify privacy height.
	• 29½"H	14½"H	22"H	No cost	Specify privacy height.
	• 30"H	15"H	22½"H	No cost	Specify privacy height.
Worksurface Type	**For screens 60"W or greater**				
	• Without scallop			No cost	Specify *without scallop.*
	• With scallop			+$61	Specify *with scallop.*
Screen Type	• Rear screen			No cost	Specify *with rear screen.*
	• Side screen			No cost	Specify *with side screen.*

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1⅛" cord drop or no cord drop when mounted to the rear of a worksurface. See understanding pages for product specific application guidelines.


*Tip: To install 24"–30"W side screens on the Migration Pro desks (**HA2** or **HA3**) with knife edge, the Migration side knife attachment bracket option must be specified. When selecting attachment brackets for side screens, standard attachment brackets will come with any selection.*

*Tip: Metal cable tray, ordered as an option on Migration desks (**HA1**, **HA2**, or **HA3**) or separately (**HACTM**) can be installed with Sarto privacy/modesty screens. When specifying a Sarto screen 60"W or wider, specify the "with tray application" option.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 2	+$ 63	Specify fabric color number.
	• Fabric price group 3	+$181	Specify fabric color number.
	• Fabric price group 4	+$231	Specify fabric color number.
	• Fabric price group 5	+$277	Specify fabric color number.
	• Fabric price group 6	+$323	Specify fabric color number.
	• Fabric price group 7	+$375	Specify fabric color number.
	• Fabric price group 8	+$421	Specify fabric color number.
	• Fabric price group 9	+$468	Specify fabric color number.
	• Fabric price group 10	+$516	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	▶ See *Surface Materials Reference Manual.*
Attachment Brackets	• No brackets	No cost	Specify *with no brackets.*
	• Migration side knife attachment bracket	+$ 17	Specify *with Migration side knife attachment bracket.*
Metal Cable Tray Application	• No tray application	No cost	Specify *with no tray application.*
	• With tray application	No cost	Specify *with tray application.*

Specification Information


• Style Number	• Parametric Height		• U.S. Base Prices								
		Modular width	24"W	29"W	N.A.	42"W	46"W or 48"W	54"W	58"W or 60"W	66"W	70"W
		Parametric width	23"W–28 15/16"W	29"W	29 1/16"W –36"W	36 1/16"W –42"W	42 1/16"W –48"W	48 1/16"W –54"W	54 1/16"W –60"W	60 1/16"W –66"W	66 1/16"W –70"W



PSPM	24"	$482	$540	$576	$610	$645	$682	$719	$757	$794
	24½"–30"	$657	$725	$759	$794	$830	$868	$906	$943	$978

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Sarto Privacy Screens



Standard Includes	Required to Specify
▶Need help? Product details, page 308	• Screen: fabric price group 1 • Brackets and hard stops: 7360 Merle	1 Style number 2 Size option (see below under Required Selections) 3 Width (see below under Required Selections) 4 Height (see below under Required Selections) 5 Screen type (see below under Required Selections) 6 Fabric color number for screen 7 Options, if selected (see below) ▶See *Surface Materials,* page 364.

	Required Selections		U.S. Price	Required to Specify
Size Options	• Modular		No cost	Specify *with modular.*
	• Parametric		No cost	Specify *with parametric.*
Width	**Modular**	**Parametric**		
	• 24"W	24"W	Prices at right	Specify width.
	• 29"W	N.A.	Prices at right	Specify width.
	• 30"W	24 1/16"W–30"W	Prices at right	Specify width.
	• 36"W	30 1/16"W–36"W	Prices at right	Specify width.
	• 42"W	36 1/16"W–42"W	Prices at right	Specify width.
	• 46"W	N.A.	Prices at right	Specify width.
	• 48"W	42 1/16"W–48"W	Prices at right	Specify width.
	• 54"W	48 1/16"W–54"W	Prices at right	Specify width.
	• 58"W	N.A.	Prices at right	Specify width.
	• 60"W	54 1/16"W–60"W	Prices at right	Specify width.
	• 66"W	60 1/16"W–66"W	Prices at right	Specify width.
	• 70"W	N.A.	Prices at right	Specify width.
	• 72"W	66 1/16"W–72"W	Prices at right	Specify width.
	• 78"W	72 1/16"W–78"W	Prices at right	Specify width.
	• 84"W	78 1/16"W–84"W	Prices at right	Specify width.
	• 90"W	84 1/16"W–90"W	Prices at right	Specify width.
	• 96"W	90 1/16"W–96"W	Prices at right	Specify width.
Height	**Modular**	**Parametric**		
	• 13½"H	13½"H	Prices at right	Specify height.
	• 19½"H	14"H–19½"H	Prices at right	Specify height.
	• 23½"H	20"H–24"H	Prices at right	Specify height.
	• N.A.	24½"H–30"H	Prices at right	Specify height.
	• 35½"H	30½"H–35½"H	Prices at right	Specify height.
Screen Type	• Rear screen		No cost	Specify *with rear screen.*
	• Side screen		No cost	Specify *with side screen.*

Tip: Side screen option changes brackets smaller L-brackets and only mount flush to the side of the worksurface. Side screen option is only available on screens 36"W and narrower.


*Tip: To install 24"–30"W side screens on the Migration Pro desks (**HA2** or **HA3**) with knife edge, the Migration side knife attachment bracket option must be specified.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 2	+$ 55	Specify fabric color number.
	• Fabric price group 3	+$148	Specify fabric color number.
	• Fabric price group 4	+$185	Specify fabric color number.
	• Fabric price group 5	+$228	Specify fabric color number.
	• Fabric price group 6	+$266	Specify fabric color number.
	• Fabric price group 7	+$308	Specify fabric color number.
	• Fabric price group 8	+$345	Specify fabric color number.
	• Fabric price group 9	+$386	Specify fabric color number.
	• Fabric price group 10	+$424	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	▶See *Surface Materials Reference Manual.*
Attachment Brackets	• No brackets	No cost	Specify *with no brackets.*
	• Migration side knife attachment bracket	+$ 17	Specify *with Migration side knife attachment bracket.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Specification Information


Style Number	Parametric Height		U.S. Base Prices											
		Modular Width	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
		Paramtric Width	24"W	24 1/16"W –30"W	30 1/16"W –36"W	36 1/16"W –42"W	42 1/16"W –48"W	48 1/16"W –54"W	54 1/16"W –60"W	60 1/16"W –66"W	66 1/16"W –72"W	72 1/16"W –78"W	78 1/16"W –84"W	84 1/16"W –90"W	90 1/16"W –96"W



PSPS	13½"H	$362	$388	$416	$441	$468	$498	$524	$ 551	$ 578	$ 625	$ 651	$ 679	$ 705
	14"–19½"	$413	$456	$498	$540	$581	$623	$665	$ 705	$ 752	$ 821	$ 859	$ 906	$ 945
	20"–24"	$504	$540	$576	$610	$645	$682	$719	$ 757	$ 794	$ 839	$ 884	$ 930	$ 974
	24½"–30"	$690	$725	$759	$794	$830	$868	$906	$ 943	$ 978	$1026	$1083	$1139	$1205
	30½"–35½"	$782	$820	$853	$887	$922	$959	$996	$1033	$1072	$1117	$1166	$1217	$1268

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Sarto Alignment Clip



Tip: Alignment clip is for use with Sarto privacy or Sarto privacy/modesty screens.

Tip: Alignment clip is for Sarto screens in perpendicular applications.

Standard Includes	Required to Specify
▶ Need help? Product details, page 308	• Alignment clip: 7360 Merle	Style number


Specification Information

• Style Number	• U.S. Price
PSCB	$7

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Sarto Curved Screens

L-Screen



Tip: Sarto screens can be attached to ¾" – 1½" thick worksurfaces, including Ology, Migration SE, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.

Tip: Screens weigh between 5.7 and 9 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: Fabric is applied horizontally on the screen.

Tip: All Sarto curved screens have a 20" side leg depth.

Tip: Width refers to the distance from the corner of the worksurface to the edge of the screen when the screen is applied to the back of a worksurface.

Tip: Sarto curved screens sit flush against the worksurface. If 1" cord drop is needed, please reach out to Specials for alternative bracket.

▶ Need help? Product details, page 310


Standard Includes	Required to Specify
• Desk screen: fabric price group 1 • Brackets: 7360 Merle	1 Style number 2 Size option (see below under Required Selections) 3 Width (see below under Required Selections) 4 Height (see below under Required Selections) 5 Handedness (see below under Required Selections) 6 Privacy height (see below under Required Selections) 7 Fabric color number for screen 8 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

Required Selections			U.S. Price	Required to Specify
Size Options	• Modular		No cost	Specify *with modular.*
	• Parametric		No cost	Specify *with parametric.*
Width	**Modular**	**Parametric**		
	• 23"W	23"W	Prices at right	Specify width.
	• 29"W	23 1/16"W–29"W	Prices at right	Specify width.
	• 35"W	29 1/16"W–35"W	Prices at right	Specify width.
	• 41"W	35 1/16"W–41"W	Prices at right	Specify width.
	• 46"W	41 1/16"W–46"W	Prices at right	Specify width.
Height	**Modular**	**Parametric**		
	• 17.909"H		No cost	Specify height.
	• 18"H	18"H	Prices at right	Specify height.
	• 24"H	18½"H–24"H	Prices at right	Specify height.
Handedness	• Left-hand application		No cost	Specify *with left-hand application.*
	• Right-hand application		No cost	Specify *with right-hand application.*

Privacy Height	Screen Height	Minimum Privacy Height	Maximum Privacy Height	U.S. Price	Required to Specify
	• 18"H	7"H	10½"H	No cost	Specify privacy height.
	• 18½"H	7"H	11"H	No cost	Specify privacy height.
	• 19"H	7"H	11½"H	No cost	Specify privacy height.
	• 19½"H	7"H	12"H	No cost	Specify privacy height.
	• 20"H	7"H	12½"H	No cost	Specify privacy height.
	• 20½"H	7"H	13"H	No cost	Specify privacy height.
	• 21"H	7"H	13½"H	No cost	Specify privacy height.
	• 21½"H	7"H	14"H	No cost	Specify privacy height.
	• 22"H	7"H	14½"H	No cost	Specify privacy height.
	• 22½"H	7½"H	15"H	No cost	Specify privacy height.
	• 23"H	8"H	15½"H	No cost	Specify privacy height.
	• 23½"H	8½"H	16"H	No cost	Specify privacy height.
	• 24"H	9"H	16½"H	No cost	Specify privacy height.

Options	U.S. Price	Required to Specify
Surface Materials		
• Fabric price group 2	+$ 55	Specify fabric color number.
• Fabric price group 3	+$148	Specify fabric color number.
• Fabric price group 4	+$186	Specify fabric color number.
• Fabric price group 5	+$229	Specify fabric color number.
• Fabric price group 6	+$266	Specify fabric color number.
• Fabric price group 7	+$308	Specify fabric color number.
• Fabric price group 8	+$346	Specify fabric color number.
• Fabric price group 9	+$387	Specify fabric color number.
• Fabric price group 10	+$424	Specify fabric color number.
• Customer's Own Material (COM)	+$ 26	▶ See *Surface Materials Reference Manual.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.




Specification Information

Style Number	Parametric Height	Modular Width / Parametric Width	U.S. Base Prices				
			23"W	29"W	35"W	41"W	46"W
			23"W	23 1/16"W – 29"W	29 1/16"W – 35"W	35 1/16"W – 41"W	41 1/16"W – 46"W
PLSCRN	18"H		$654	$724	$791	$857	$926
	18½"–24"		$676	$746	$813	$879	$948

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Sarto Curved Screens

Half-Desk Screen



Tip: Sarto curved screens can be attached to ¾" – 1½" thick worksurfaces, including Ology, Migration SE, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.

Tip: Screens weigh between 5.0 and 8 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: Fabric is applied horizontally on the screen.

Tip: All Sarto curved screens have a 20" side leg depth.

Tip: Width refers to the distance from the corner of the worksurface to the edge of the screen when the screen is applied to the back of a worksurface.

Tip: Two half-desk screens (one LH and one RH) are required to wrap a full worksurface.

Tip: Sarto curved screens sit flush against the worksurface. If 1" cord drop is needed, please reach out to Specials for alternative bracket.

▶ Need help? Product details, page 310

Standard Includes	Required to Specify
• Curved desk screen: fabric price group 1 • Brackets: 7360 Merle	1 Style number 2 Width (see below under Required Selections) 3 Height (see below under Required Selections) 4 Handedness (see below under Required Selections) 5 Privacy height (see below under Required Selections) 6 Fabric color number for screen 7 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

	Required Selections		U.S. Price	Required to Specify
Width	• 23"W		Price below	Specify *with 23"W.*
	• 29"W		Price below	Specify *with 29"W.*
	• 35"W		Price below	Specify *with 35"W.*
Height	**Modular**	**Parametric**		
	• 17.909"H		No cost	Specify height.
	• 18"H	18"H	No cost	Specify height.
	• 24"H	18½"H-24"H	+$ 22	Specify height.
Handedness	• Left-hand application		No cost	Specify *with left-hand application.*
	• Right-hand application		No cost	Specify *with right-hand application.*

Privacy Height	Screen Height	Minimum Privacy Height	Maximum Privacy Height	U.S. Price	Required to Specify
	• 18"H	7"H	10½"H	No cost	Specify privacy height.
	• 18½"H	7"H	11"H	No cost	Specify privacy height.
	• 19"H	7"H	11½"H	No cost	Specify privacy height.
	• 19½"H	7"H	12"H	No cost	Specify privacy height.
	• 20"H	7"H	12½"H	No cost	Specify privacy height.
	• 20½"H	7"H	13"H	No cost	Specify privacy height.
	• 21"H	7"H	13½"H	No cost	Specify privacy height.
	• 21½"H	7"H	14"H	No cost	Specify privacy height.
	• 22"H	7"H	14½"H	No cost	Specify privacy height.
	• 22½"H	7½"H	15"H	No cost	Specify privacy height.
	• 23"H	8"H	15½"H	No cost	Specify privacy height.
	• 23½"H	8½"H	16"H	No cost	Specify privacy height.
	• 24"H	9"H	16½"H	No cost	Specify privacy height.


	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 2	+$ 55	Specify fabric color number.
	• Fabric price group 3	+$148	Specify fabric color number.
	• Fabric price group 4	+$186	Specify fabric color number.
	• Fabric price group 5	+$229	Specify fabric color number.
	• Fabric price group 6	+$266	Specify fabric color number.
	• Fabric price group 7	+$308	Specify fabric color number.
	• Fabric price group 8	+$346	Specify fabric color number.
	• Fabric price group 9	+$387	Specify fabric color number.
	• Fabric price group 10	+$424	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	▶ See *Surface Materials Reference Manual.*

Specification Information

• Style Number	• U.S. Base Prices 23"W	29"W	35"W
PHSCRN	$654	$724	$791

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Soffio Screen



Tip: Soffio screens can be attached to ¾" – 1½" thick worksurfaces, including Ology, Migration SE, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.

Tip: Screens weigh between 2.9 and 4.2 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: Fabric is applied horizontally on the screen.

Standard Includes	Required to Specify
▶ Need help? Product details, page 314	1 Style number 2 Desk width (see below under Required Selections) 3 Fabric color number for screen ▶ See *Surface Materials,* page 364.
• 26"H curved desk screen: fabric price group 3 • Brackets: 6527 Merle	

	Required Selections	U.S. Price	Required to Specify
Width	• 56"W	Price below	Specify *with 56"W.*
	• 68"W	Price below	Specify *with 68"W.*
	• 80"W	Price below	Specify *with 80"W.*

	Options	U.S. Price	Required to Specify
Surface Materials	• Fabric price group 3	No cost	Specify fabric color number.
	• Fabric price group 4	+$274	Specify fabric color number.

Specification Information

• Style Number	• U.S. Base Prices Desk Width		
	56"W	68"W	80"W
SSCRN	$1200	$1282	$1360

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Fixed Personal/Modesty Screens


Tip: Fixed personal/modesty screens are for use with Ology integrated rail and SOTO rail.


Tip: When using COM fabric, it is recommended that non-patterned fabric be used to provide a consistent visual between adjacent screens, and from one side to the other.


Tip: 19½"H and 24"H are for personal only.

Tip: 19½"H and 24"H screens are not intended for use in the modesty position when used with a height-adjustable desk.

Tip: For Ology desks 52"W and smaller, when using fixed screens in the modesty position, the screen must be sized 10" smaller than the width of the desk.







Standard Includes	Required to Specify
▶ Need help? Product details, page 315 • Personal/modesty screens: fabric price group 1 • Brackets: 4799 Platinum	1 Style number 2 Fabric color number for screen 3 Options, if selected (see below) ▶ See *Surface Materials,* page 364.

Options		U.S. Price			Required to Specify
	Fabric	**12"H**	**19½"H**	**24"H**	
Surface Materials	• Fabric price group 1	No cost	No cost	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 41	+$ 55	+$ 66	Specify fabric color number.
	• Fabric price group 3	+$108	+$148	+$185	Specify fabric color number.
	• Fabric price group 4	+$140	+$185	+$229	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	+$ 26	+$ 26	▶ See *Surface Materials Reference Manual.*

Specification Information

12"H Screens

Width	Weight	Style Number	U.S. Base Price
30"	3.4 lb	**CQSF3012**	$293
36"	3.9 lb	**CQSF3612**	$344
42"	4.3 lb	**CQSF4212**	$385
48"	4.7 lb	**CQSF4812**	$436

19½"H Screens

Width	Weight	Style Number	U.S. Base Price
30"	4.2 lb	**CQSF3019**	$452
36"	4.7 lb	**CQSF3619**	$502
42"	5.5 lb	**CQSF4219**	$551
48"	6.5 lb	**CQSF4819**	$594


24"H Screens

Width	Weight	Style Number	U.S. Base Price
30"	4.9 lb	**CQSF3024**	$607
36"	5.5 lb	**CQSF3624**	$660
42"	6.1 lb	**CQSF4224**	$707
48"	7.4 lb	**CQSF4824**	$754

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Worksurface Fabric Side Screens

For Use on Desking, Benching, and Table Worksurfaces with Varying Thickness



Tip: The worksurface side screen is intended to clamp to the front of a worksurface.

Tip: The worksurface side screen does not work on knife edge profiles.

Tip: Fabric is applied horizontally on the screen.

	Standard Includes	Required to Specify
▶Need help? Product details, page 316	• Screen: fabric price group 1 • Bracket with integrated worksurface clamp: paint price group 1	1 Style number 2 Height (see below under Required Selections) 3 Width (see below under Required Selections) 4 Options, if selected (see below) ▶See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Height	• 12"H	Prices below	Specify *with 12"H.*
	• 19½"H	Prices below	Specify *with 19½"H.*
Width	**FrameOne, Ology, Migration SE, and Flex**		
	• 22"W	Prices below	Specify *with 22"W.*
	• 28"W	Prices below	Specify *with 28"W.*
	Elective Elements and Universal		
	• 24"W	Prices below	Specify *with 24"W.*
	• 30"W	Prices below	Specify *with 30"W.*
	Universal with Cord Drop		
	• 23½"W	Prices below	Specify *with 23½"W.*
	• 29½"W	Prices below	Specify *with 29½"W.*

	Options	U.S. Price	Required to Specify
Bracket Finish	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 18	Specify paint color number.
Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+$ 43	Specify fabric color number.
	• Fabric price group 3	+$121	Specify fabric color number.
	• Fabric price group 4	+$151	Specify fabric color number.
	• Fabric price group 5	+$184	Specify fabric color number.
	• Fabric price group 6	+$215	Specify fabric color number.
	• Fabric price group 7	+$248	Specify fabric color number.
	• Fabric price group 8	+$281	Specify fabric color number.
	• Fabric price group 9	+$312	Specify fabric color number.
	• Fabric price group 10	+$343	Specify fabric color number.
	• Customer's Own Material (COM)	+$ 26	▶See *Surface Materials Reference Manual.*

Specification Information


Style Number	Dimensions H	Dimensions W	U.S. Base Prices
Fabric Side Screen for Use with FrameOne (0.808") Worksurface Thickness			
WKSSFF	12"	22"	$1124
	12"	28"	$1211
	19½"	22"	$1232
	19½"	28"	$1319

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶Specification Information, continued from previous page

Specification Information



Fabric Side Screen for Use with Ology, Migration SE, and Flex (1") Worksurface Thicknesses

Style Number	Dimensions H	Dimensions W	U.S. Base Prices
WKSSFHA	12"	22"	$1124
	12"	28"	$1211
	19½"	22"	$1232
	19½"	28"	$1319

Fabric Side Screen for Use with Universal (1.185") Worksurface Thickness

Style Number	Dimensions H	Dimensions W	U.S. Base Prices
WKSSFU	12"	24"	$1139
	12"	30"	$1226
	19½"	24"	$1247
	19½"	30"	$1334
	For Use with Cord Drop Worksurfaces		
	12"	23½"	$1139
	12"	29½"	$1226
	19½"	23½"	$1247
	19½"	29½"	$1334


Fabric Side Screen for Use with Elective Elements (1.5") Worksurface Thickness

Style Number	Dimensions H	Dimensions W	U.S. Base Prices
WKSSFE	12"	24"	$1139
	12"	30"	$1226
	19½"	24"	$1247
	19½"	30"	$1334

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Worksurface Glass Side Screens

For Use on Desking, Benching, and Table Worksurfaces with Varying Thickness



Tip: The worksurface side screen is intended to clamp to the front of a worksurface.

Tip: The worksurface side screen does not work on knife edge profiles.

	Standard Includes	Required to Specify
▶Need help? Product details, page 316	• Screen: 6500 Clear Glass • Bracket with integrated worksurface clamp: paint price group 1	1 Style number 2 Height (see below under Required Selections) 3 Width (see below under Required Selections) 4 Options, if selected (see below) ▶See *Surface Materials,* page 364.

	Required Selections	U.S. Price	Required to Specify
Height	• 12"H	Prices below	Specify *with 12"H.*
	• 19½"H	Prices below	Specify *with 19½"H.*
Width	**FrameOne, Ology, Migration SE, and Flex**		
	• 22"W	Prices below	Specify *with 22"W.*
	• 28"W	Prices below	Specify *with 28"W.*
	Elective Elements and Universal		
	• 24"W	Prices below	Specify *with 24"W.*
	• 30"W	Prices below	Specify *with 30"W.*
	Universal with Cord Drop		
	• 23½"W	Prices below	Specify *with 23½"W.*
	• 29½"W	Prices below	Specify *with 29½"W.*

	Options	U.S. Price	Required to Specify
Bracket Finish	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 18	Specify paint color number.
Surface Materials	• 6500 Clear Glass	No cost	Specify *with 6500 Clear Glass.*
	• 6530 Frosted Glass	+$194	Specify *with 6530 Frosted Glass.*

Specification Information

Glass Side Screen for Use with FrameOne (0.808") Worksurface Thickness

Style Number	Dimensions H	W	U.S. Base Prices
WKSSGF	12"	22"	$ 772
	12"	28"	$ 859
	19½"	22"	$ 919
	19½"	28"	$1006

Glass Side Screen for Use with Ology, Migration SE, and Flex (1") Worksurface Thicknesses


Style Number	Dimensions H	W	U.S. Base Prices
WKSSGHA	12"	22"	$ 772
	12"	28"	$ 859
	19½"	22"	$ 919
	19½"	28"	$1006

▶**Specification Information, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶ **Specification Information, continued from previous page**

Specification Information



Glass Side Screen for Use with Universal (1.185") Worksurface Thickness

Style Number	Dimensions H	W	U.S. Base Prices
WKSSGU	12"	24"	$ 802
	12"	30"	$ 889
	19 1/2"	24"	$ 949
	19 1/2"	30"	$1036
	For use with Cord Drop Worksurfaces		
	12"	23 1/2"	$ 802
	12"	29 1/2"	$ 889
	19 1/2"	23 1/2"	$ 949
	19 1/2"	29 1/2"	$1036

Glass Side Screen for Use with Elective Elements (1.5") Worksurface Thickness

WKSSGE	12"	24"	$ 802
	12"	30"	$ 889
	19 1/2"	24"	$ 949
	19 1/2"	30"	$1036

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Acrylic Screens


Tip: Screen may need to be shorter than worksurface width. To determine screen and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 48.

Tip: 58"W and 64"W screens are not recommended for use with 22¼"D rectangular Airtouch worksurfaces.



Tip: 58"W and 64"W screens ship with three Universal clamps. All other screen widths ship with two Universal clamps.





For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Standard Includes	Required to Specify
▶Need help? Product details, page 318 • Screen: 6544 Frost only • Universal clamps: paint	1 Style number 2 Paint color number for Universal clamp: 0835 Black 4799 Platinum

Specification Information

Privacy Screens Only

Screen Width	Weight	Style Number	U.S. Price
22"	5.67 lb	**AP22**	$ 565
28"	5.77 lb	**AP28**	$ 592
34"	6.17 lb	**AP34**	$ 625
40"	6.57 lb	**AP40**	$ 654
46"	6.77 lb	**AP46**	$ 690
52"	6.97 lb	**AP52**	$ 721
58"	7.27 lb	**AP58**	$ 806
64"	7.77 lb	**AP64**	$ 835

Modesty Screens Only

22"	4.27 lb	**AM22**	$ 515
28"	4.57 lb	**AM28**	$ 549
34"	4.87 lb	**AM34**	$ 578
40"	5.17 lb	**AM40**	$ 606
46"	5.52 lb	**AM46**	$ 641
52"	5.77 lb	**AM52**	$ 672
58"	5.97 lb	**AM58**	$ 755
64"	6.27 lb	**AM64**	$ 779

Modesty and Privacy Screens

22"	8.07 lb	**AMP22**	$ 919
28"	8.57 lb	**AMP28**	$ 984
34"	9.27 lb	**AMP34**	$1042
40"	9.97 lb	**AMP40**	$1107
46"	10.52 lb	**AMP46**	$1173
52"	10.97 lb	**AMP52**	$1237
58"	11.47 lb	**AMP58**	$1348
64"	12.27 lb	**AMP64**	$1409

Cable and Power Management

Vertical Cable Carrier



Tip: Vertical cable carrier is recommended for use with height-adjustable worksurfaces.


Tip: Vertical cable carrier affixes under the worksurface and has a weighted base to hold it in place.

Standard Includes		Required to Specify
▶Need help? Product details, page 320	• Cable carrier: 6688 Steel • Attachment hardware	Style number

Specification Information

Dimensions W	Dimensions H	Style Number	U.S. Price
2½"	52"	**AHCC**	$261

6"D Wire Managers



Tip: Wire manager attaches to a clip that is affixed to the underside of a worksurface.


Standard Includes		Required to Specify
▶Need help? Product details, page 320	• Wire manager: 6000 Black or 6249 Platinum • Attachment hardware	Style number

Specification Information

Dimensions D	Dimensions W	Dimensions H	Weight	Style Number	U.S. Price
6"	30"	2"	0.13 lb	**AWMXL30**	$114
6"	36"	2"	0.24 lb	**AWMXL36**	$131
6"	42"	2"	0.34 lb	**AWMXL42**	$149
6"	48"	2"	0.44 lb	**AWMXL48**	$162
6"	54"	2"	0.56 lb	**AWMXL54**	$182
6"	60"	2"	0.65 lb	**AWMXL60**	$202

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

1¾"D Wire Managers




Standard Includes	Required to Specify
▶ Need help? Product details, page 320 • Wire manager: 6000 Black • Attachment hardware	Style number

Tip: Actual width of AWM23 is 23¼".

Specification Information

Dimensions D	W	H	Weight	Style Number	U.S. Price
1¼"	6"	1¾"	0.13 lb	**AWM06**	$ 40
1¼"	12"	1¾"	0.24 lb	**AWM12**	$ 52
1¼"	18"	1¾"	0.34 lb	**AWM18**	$ 59
1¼"	23"	1¾"	0.44 lb	**AWM23**	$ 68
1¼"	30"	1¾"	0.56 lb	**AWM30**	$ 79
1¼"	35"	1¾"	0.65 lb	**AWM35**	$ 86
1¼"	42	1¾"	0.77 lb	**AWM42**	$ 96
1¼"	48	1¾"	0.88 lb	**AWM48**	$108

Soft Cable Drop
For Height-Adjustable Desk



Standard Includes	Required to Specify
▶ Need help? Product details, page 320 • Cable management for Height-Adjustable Desks and bases: — Soft PET in P631 Dark Heather Grey • Attachment hardware	Style number

Tip: This cable drop can be added to worksurfaces with a thickness of 1" or more (Examples are Migration SE and Ology).

Tip: In the ordering process, this should be added to your pick list in SmartTools as it will not automatically snap on non-Bivi product.

Specification Information

Dimensions W	H	Style Number	U.S. Price
36"	11"	**TS8HADCBLD**	$344

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Utility Hook
For Height-Adjustable Desk



Tip: Weight limit is 20 pounds.

Tip: In the ordering process, this should be added to your pick list in SmartTools as it will not automatically snap on non-Bivi product.


Standard Includes	Required to Specify
▶Need help? Product details, page 320 • Utility hook: steel painted black	Style number


Specification Information


Dimensions D	W	H	Style Number	U.S. Price
3"	1"	3 1/4"	**TS8HADUHK**	$23

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Powerstrip Intro









Tip: C-clamp is designed to accommodate worksurfaces up to 1½" thick.

Tip: Overcurrent protection includes a 15 amp circuit breaker.






For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 321	• Powerstrip intro: plastic • Straight 3-prong plug • C-clamp mount	1 Style number 2 Desktop power configuration (see below under Required Selections) 3 Plastic color number for housing: 6009 Arctic White 6527 Merle 4 Options, (if selected) see below

	Required Selections	U.S. Price	Required to Specify
Desktop Power Configuration	• Two power outlets	No cost	Specify *with two power outlets.*
	• One power outlet with one A+C 20W	+$ 45	Specify *with one power outlet with one A+C 20W.*
	• Two power outlets with one USB A+C 20W	+$137	Specify *with two power outlets with one USB A+C 20W.*

	Options	U.S. Price	Required to Specify
Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA plug.*
	• 90° NEMA with overcurrent protection (OCP, used when desktop power only is specified, no utility power)	+$ 58	Specify *with 90° NEMA plug with overcurrent protection (OCP).*
	• 90° NEMA (No OCP, used when utility power option is specified)	+$ 41	Specify *with 90° NEMA (no OCP).*
Under Worksurface Utility Power Configuration	• Four outlets total—one utility block, with three outlets each, and one floating female outlet	+$145	Specify *with one utility and one female plug.*
	• Seven outlets total—two utility blocks, with three outlets each, and one floating female outlet	+$288	Specify *with two utility and one female plug.*
Power Cord Lengths Without Under Worksurface Utility Power	• 9' standard	No cost	Specify *with 9' standard cord.*
	• 163" curly cord	+$327	Specify *with 163" curly cord.*
Power Cord Lengths With Under Worksurface Utility Power	• 6' standard	No cost	Specify *with 6' standard cord.*
	• 8' standard	+$ 23	Specify *with 8' standard cord.*
	• 163" curly cord	+$327	Specify *with 163" curly cord.*



Specification Information

Dimensions D	W	H	Style Number	U.S. Base Price
3"	3"	3⅛"	**DSPINTRO**	$231

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Powerstrip Plus



C-clamp



Front edge mount



Flush mount

Tip: C-clamp is designed to accommodate worksurfaces between ½" and 1⅜" thick.

Tip: Desktop power cord exit extends ½" off of the back of the worksurface when C-clamped.

Tip: 20-watt USB-C provides wattage to charge cell phones and tablets. 100-watt USB-C is needed to charge larger devices like compact laptops.

Tip: Cord length between desktop power and under-worksurface power is 48" and length between under-worksurface blocks is 24".

Tip: Power cord 8' curly cannot be specified with power plug type thread low profile.

Tip: Cord clip screw length for minimum worksurface thickness of ¾".

Tip: Flush mount requires top surface to be field cut. See assembly directions for details.

Tip: Flush mount faceplate mounts flat just above worksurface.

Tip: For USB-C 100W port, use USB-C charging cable rated for 100W use for full charging benefits. Charging cables not included.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 325	• Powerstrip plus: plastic price group 1 and group 2 • 8' standard power cord: black or white • C-clamp mount • Cord managers	1 Style number 2 Desktop power mount (see below under Required Selections) 3 Desktop power configuration (see below under Required Selections) 4 Plastic color number for powerstrip 5 Plastic color number for power cord 6 Options, (if selected) see below ▶ Surface Materials, see page 364.


	Required Selections	U.S. Price	Required to Specify
Desktop Power Mount	• C-clamp	No cost	Specify *with C-clamp power mount.*
	• Front edge under mount	+$ 23	Specify *with front-edge under mount.*
	• Rail mount	+$ 36	Specify *with rail power mount.*
Desktop Power Configuration	• Three power outlets	No cost	Specify *with three power outlets.*
	• Two power outlets with USB A+C 20-watt	+$ 72	Specify *with two power outlets with USB A+C 20-watt.*
	• Two power outlets with USB A+C 20W and open data port	+$108	Specify *with two power outlets with USB A+C 20W and open data port.*
	• Three power outlets with USB A+C 20W	+$108	Specify *with three power outlets with USB A+C 20W.*
	• Three power with dual USB A+C 20-watt and open data port	+$145	Specify *with three power with dual USB A+C 20-watt and open data port.*
	• Two power outlets with dual 45W USB-C	+$167	Specify *with two power outlets with dual 45-watt USB-C.*
	• Three power with two dual USB A+C 20-watt	+$288	Specify *with three power with two dual USB A+C 20-watt.*
	• Two power with USB A+C 20W	+$361	Specify *with two power with USB A+C 20W.*
	• Two power outlets with 100-watt USB-C	+$361	Specify *with two power outlets with 100-watt USB-C.*
	• One power outlet with USB A+C 20W and 100-watt USB-C	+$503	Specify *with one power outlet with USB A+C 20W and 100-watt USB-C.*
	• Two power outlets with USB A+C 20W and 100-watt USB-C	+$577	Specify *with two power outlets with USB A+C 20W and 100-watt USB-C.*
	• Two power outlets with dual 10-watt USB-A, 100-watt USB-C, and open data port	+$647	Specify *with two power outlets with USB A+C 20W, 100-watt USB-C, and open data port.*
Flush Mount Only	• Two power outlets and open data port	No cost	Specify *with two power outlets and open data port.*
	• One power outlet with 100-watt USB-C	+$280	Specify *with one power outlet with 100-watt USB-C.*

Tip: For Bivi with a ½" thick top surface, a shorter screw length is needed.


Tip: Data port provides an open space for a customer-supplied technology module.

Tip: Underworksurface power blocks do not ship with independent mounting hardware. They are designed to mount into the Universal cable management kit without additional hardware. Kit sold separately.


Tip: Overcurrent protection includes a 15 amp circuit breaker.




Without overcurrent protection




With overcurrent protection



with optional under worksurface utility power with 4 outlets



with optional under worksurface utility power with 7 outlets



with optional under worksurface utility power with 9 outlets

	Options	U.S. Price	Required to Specify
Surface Materials	**Power**		
	• Plastic price groups 1 and 2	No cost	Specify plastic color number.
Under Worksurface (Utility) Power Configuration	• No under worksurface power	No cost	Specify *with no utility.*
	• No under worksurface with overcurrent protection	+$ 58	Specify *with no utility and with overcurrent protection.*
	• Four outlets total—one utility block, with three outlets each, and one floating female outlet	+$145	Specify *with one utility and one female plug.*
	• Seven outlets total—two utility blocks, with three outlets each, and one floating female outlet	+$288	Specify *with two utility and one female plug.*
	• Nine outlets total—three utility blocks, with three outlets each	+$434	Specify *with three utility.*
Power Cord	• 6' standard cord	–$ 23	Specify *with 6' standard cord.*
	• 8' standard cord	No cost	Specify *with 8' standard cord.*
	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 6' braided cord	+$ 77	Specify *with 6' braided cord.*
	• 8' braided cord	+$231	Specify *with 8' braided cord.*
	• 10' braided cord	+$231	Specify *with 10' braided cord.*
	• 8' curly cord	+$288	Specify *with 8' curly cord.*
	• 163" curly cord	+$327	Specify *with 163" curly cord.*
Power Cord Color	**Standard and curly cord**		
	• Black	No cost	Specify *with black cord.*
	• White	No cost	Specify *with white cord.*
	Braided cord		
	• Black	No cost	Specify *with black braided cord.*
	• Seagull	No cost	Specify *with seagull braided cord.*
Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA plug.*
	• 90° NEMA	+$ 41	Specify *with 90° NEMA plug.*
	• Thread low profile	+$ 45	Specify *with Thread low profile plug.*

Specification Information

• Style Number	• U.S. Base Price
DSPOWER	$448

Tip: Configurations with outlets under the worksurface are standard with overcurrent protection.

Tip: Check with your local fire inspector and other authorities with jurisdiction, to understand if overcurrent protection is required for your municipality on units without under worksurface outlets.

Tip: Height adjustable desks can be plugged into powerstrip plus for a 'one cord down' solution.


Tip: When using powerstrip plus with nine outlets under worksurface utility power, specify one large and one small universal cable management kit.

Tip: Do not use a vertical cable manager with a curly cord or braided cord.

Tip: Curly power cord cannot be used with power plug type thread.

Tip: Specify 163" curly cord and 90° NEMA plug together and add additional cord management near the plug for a more secure power connection during desk movement.

Under Worksurface Utility Power



Tip: Underworksurface power blocks do not ship with independent mounting hardware. They are designed to mount into the universal cable management kit without additional hardware. Kit sold separately.

Tip: Overcurrent protection includes a 15 amp circuit breaker.

Tip: Do not use a vertical cable manager with a curly cord or baided cord.

Tip: Cord length between blocks is 24", if applicable.

Tip: Never plug a powerstrip into another powerstrip.

Tip: 4 outlet utility block fits in the small tray universal cable management kit, 7 outlet utility block fits in large tray universal cable management kit, and 9 outlets with three utility blocks, specify one large and one small universal cable management kit. Kit sold separately.

Tip: Power cord 8' curly cannot be specified with power plug type thread low profile.

Tip: Cord clip screw length for minimum worksurface thickness of ¾".

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 325	• Under worksurface utility power: 4 outlets • 8' standard cord: plastic • Circuit breaker • Cord managers • Power blocks in merle finish	1 Style number 2 Under worksurface utility power configuration (see below under Required Selections) 3 Options, (if selected) see below

	Required Selections	U.S. Price	Required to Specify
Under Worksurface Utility Power Configuration	• Four outlets total – one utility block, with three outlets each and one floating female outlet	No cost	Specify *with one utility and one female plug.*
	• Seven outlets total – two utility blocks, with three outlets each and one floating female outlet	+$137	Specify *with two utility and one female plug.*
	• Nine outlets total – three utility blocks, with three outlets each	+$275	Specify *with three utility.*

	Options	U.S. Price	Required to Specify
Power Cord	• 6' standard cord	–$ 23	Specify *with 6' standard cord.*
	• 8' standard cord	No cost	Specify *with 8' standard cord.*
	• 10' standard cord	No cost	Specify *with 10' standard cord.*
	• 6' braided cord	+$ 77	Specify *with 6' braided cord.*
	• 8' braided cord	+$231	Specify *with 8' braided cord.*
	• 10' braided cord	+$231	Specify *with 10' braided cord.*
	• 8' curly cord	+$288	Specify *with 8' curly cord.*
	• 163" curly cord	+$327	Specify *with 163" curly cord.*
Power Cord Color	**Standard and curly cord**		
	• Black	No cost	Specify *with black cord.*
	• White	No cost	Specify *with white cord.*
	Braided cord		
	• Black	No cost	Specify *with black braided cord.*
	• Seagull	No cost	Specify *with seagull braided cord.*
Power Plug Type	• Standard NEMA 3-prong	No cost	Specify *with standard NEMA plug.*
	• 90° NEMA	+$ 41	Specify *with 90° NEMA plug.*
	• Thread low profile	+$ 45	Specify *with Thread low profile plug.*
Related Products	• Universal cable management kits		▶ Page 361

Specification Information


Style Number	U.S. Base Price
DSUP	$206


Universal Cable Management Kit(s)

	Standard Includes	Required to Specify
▶ Need help? Product details, page 330	• Cable management tray: 6205 Black • Five red rubber: smart straps, if small cable management kit is selected • 10 red rubber: smart straps, if large cable management kit is selected • Attachment hardware	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Strap	• Smart straps	No cost	Specify *with smart straps.*

Tip: The weight limit of the 15½" tray is five pounds, while the weight limit of the 30" tray is 10 pounds.





Tip: When installed, tray provides ⅘" of clearance on all sides to allow for cable egres between the underside of the worksurface and the top of the tray.

Tip: Tray attachment hardware accomodates worksurfaces more than ¾" in thickness. Screws may pop through thinner worksurfaces.

Specification Information

Small Cable Management Kit


Dimensions D	W	H	Style Number	U.S. Price
6 5/16"	15½"	3½"	**DSTRAYSM**	$108

Large Cable Management Kit

Dimensions D	W	H	Style Number	U.S. Price
6 5/16"	30"	3½"	**DSTRAYLG**	$145

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

High-Capacity Cable Riser



Tip: Screw attachment to the underside of the mounting surface.

Tip: Magnetic bottom bracket attaches to metal magnetic surface.

Tip: Do not use with integrated storage.

Tip: Do not use within an enclosed area that would restrict the movement of the cable riser's links.

Tip: Total weight is 1.2 pounds (without cords).

Standard Includes		Required to Specify
▶ Need help? Product details, page 331	• High capacity vertical cable riser: plastic • Attachment hardware for top bracket • Magnetic bottom bracket	1 Style number 2 Plastic color number for cable riser: 6053 Seagull 6527 Merle

Related Products	
• Powerstrip Intro	▶ Page 356
• Powerstrip Plus	▶ Page 358

Specification Information

Dimensions D	W	L	Style Number	U.S. Price
1 7/16"	1 31/32"	41 5/16"	**DSVCMHC**	$224

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Surface Materials

Surface Materials 364
Directional Laminate Grain Directions 372
Wood Veneer Grain Directions 373

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/EMEA – Europe, Middle East, and Africa/APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see *steelcase.com/surface-materials*.

Surface Materials Binders include:
- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Steelcase Surfaces

Applies to:
- USB powerstrip with clamp mount brackets

4140 Arctic White
4799 Platinum Metallic
7360 Merle

Applies to:
- USB powerstrip with rail mount brackets

4799 Platinum Metallic

Ⓔ = Excluded

Applies to:
- Ology bases
- Migration SE bases
- Flex height-adjustable desk lifting columns

Price Group 1

Textured Paint
7207 Black
7241 Arctic White
7360 Merle

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Applies to:
- Ology power and data access trays

Price Group 1

Textured Paint
7207 Black
7241 Arctic White
7360 Merle

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Metal and Accessory Paint

8043 Clear Anodized Aluminum

Applies to:
- Worksurface side screen bracket

Price Group 1

Textured Paint
7207 Black
7241 Arctic White
7360 Merle

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Applies to:
- Clamps for Privacy/Modesty Screens

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Smooth Paint
0835 Black

Applies to:
- Airtouch height-adjustable bases

Price Group 1

7207 Black

Price Group 2

4799 Platinum

Tip: Airtouch lifting column is available in 4799 Platinum only.

Applies to:
- Universal Steel One-High open lateral for Ology
- Universal shrouds for Ology
- Universal filler for Ology

Price Group 1

Smooth Paint
4238 Mocha
4239 Clay
4240 Chalk
4242 Milk

Textured Paint
7207 Black
7225 Sand
7237 Slate
7238 Fieldstone
7239 Midnight Ⓔ
7241 Arctic White
7243 Seagull
7278 Dark Bronze
7360 Merle

Price Group 2

Smooth Metallic Paint
4750 Champagne Metallic
4798 Sterling Metallic Ⓔ
4799 Platinum Metallic
4803 Near Black Metallic

Smooth Paint
4700 Warm White

Applies to:
- Universal privacy screens

Price Group 1

Textured Paint
7241 Arctic White
7360 Merle

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Applies to:
- Universal privacy/modesty screen brackets
- Sarto privacy/modesty screen brackets
- Sarto privacy screen brackets and hard stops
- Sarto curved screen brackets
- Soffio curved screen brackets

Price Group 1

Textured Paint
7360 Merle

Steelcase Surfaces

Applies to:
- Screen mounting brackets
- Slatwall screens

Price Group 1

7207 Black
7225 Sand
7241 Arctic White
7243 Seagull

Price Group 2

4750 Champagne Metallic
4798 Sterling Metallic Ⓔ
4799 Platinum Metallic

Applies to:
- Flex height-adjustable desk feet

Price Group 1

Smooth Paint
4238 Mocha
4239 Clay
4240 Chalk
4242 Milk
4710 Low Gloss Black*

Textured Paint
7207 Black
7225 Sand
7237 Slate
7238 Fieldstone
7239 Midnight Ⓔ
7241 Arctic White
7243 Seagull
7250 Sterling Dark Solid
7278 Dark Bronze
7360 Merle

Price Group 2

Smooth Metallic Paint
4750 Champagne Metallic
4798 Sterling Metallic Ⓔ
4799 Platinum Metallic
4803 Near Black Metallic

Smooth Paint
4700 Warm White

Applies to:
- Power hanger cover

4AY2 Chili
4AZ5 Marlin
4BQ7 Fuchsia
4CZ8 Light Peacock
7243 Seagull
7360 Merle

Applies to:
- Flex height-adjustable desk feet
- Privacy back wrap bracket
- Universal storage

Price Group 3

Accent Paint
1ATG Rose Quartz
4AV3 Blue Jay
4AV4 Baltic
4AX1 Citron
4AY2 Chili
4AZ5 Marlin
4CL7 Sandstone
4CL8 Smokey Plum
4CZ5 Honey
4CZ6 Lagoon
4CZ8 Light Peacock

Coatings
1ATT Cast Shadow

Lux Coatings
4B20 Obsidian
4B22 Matte Brass
4B23 Burnished Bronze
4B24 Night Bronze
4B25 Matte Copper
4B29 Cast Iron

Steelcase Surfaces

Applies to:
- Migration Intro bases

Price Group 1

Smooth Paint
4231 Arctic White

Price Group 2

Smooth Metallic Paint
4799 Platinum

Smooth Paint
4243 Merle

Applies to:
- Migration Pro bases
- Migration Pro High-Speed bases
- Cable tray
- Cable riser

Price Group 1

Smooth Paint
4231 Arctic White
4238 Mocha
4239 Clay
4240 Chalk
4242 Milk
4858 Seagull

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Smooth Paint
0835 Black
4243 Merle
4700 Warm White

Price Group 3

Accent Paint
4AV4 Baltic
4AY2 Chili
4CL1 Dark Olivine
4CL4 Sea Glass
4CL6 Terra
4CL7 Sandstone
4CL8 Smokey Plum
4CZ5 Honey

Lux Coatings
4B20 Lux Obsidian
4B22 Matte Brass
4B23 Burnished Bronze
4B24 Night Bronze
4B25 Matte Copper

Ⓔ = Excluded

Applies to:
- Pop-up power option on Migration Pro and Migration Pro High-Speed

Price Group 1

Textured Paint
7241 Arctic White
7243 Seagull
7360 Merle

Price Group 2

Smooth Metallic Paint
4799 Platinum Metallic

Smooth Paint
0835 Black

Custom Surfaces

Price Group 3

PerfectMatch
PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.
Tip: Price Group 3 paints are not available on height-adjustable bench bases.

Laminate

Tip: All products may not be available in all colors listed below.

Steelcase Surfaces

High-Pressure Laminate

Price Group 1

Applies to:
- Ology desks
- Ology modesty panels
- Migration Pro desks
- Migration Pro High-Speed desks
- Migration Intro desks
- Migration Pro and Intro modesty panels
- Migration SE desks
- Airtouch worksurfaces
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Universal Steel One-High storage for Ology
- Universal tops and fillers for Ology
- Flex height-adjustable desk worksurface
- Currency

Fiber Laminate
2850 Vanadium Fiber
2852 Tungsten Fiber Ⓔ
2854 Vellum Fiber Ⓔ
2860 Granite Fiber
2862 Stucco Fiber Ⓔ

Micro Laminate
2920 Marl Micro
2921 Gypsum Micro
2922 Clay Micro

Patina Laminate
2870 Blonde Bronze Patina
2873 Instant Iron Patina

Solid Laminate
2722 Cream Ⓔ
2730 Arctic White
2746 Black
2759 Warm White
2811 Mist Ⓔ
2883 Seagull
2884 Milk
2885 Dune
2HAA Persian Salt
2HAB Rose
2HAC Indigo
2HAD Green Citrine Ⓔ
2HAE Dark Olivine
2HAF Cloudy
2HMG Merle
2HWU Clay
2HWV Chalk

Speckle Laminate
2820 Coffee Speckle Ⓔ
2823 Driftwood Speckle
2824 Smoke Speckle
2825 Vanadium Speckle
Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain Laminate
2406 Clear Cherry Ⓔ
2409 Clear Maple
2410 Graphite Walnut
2412 Natural Cherry
2422 Medium Cherry Ⓔ
2511 Winter on Maple Ⓔ
2535 Virginia Walnut
2536 Blackwood
2538 Clear Walnut
2592 Blonde on Maple Ⓔ
2714 Natural Walnut Ⓔ
2HAK Clear Oak
2HAN Ash Noce
2HAT Acacia
2HAW Ash Wenge
2HBN Bisque Noce
2HBW Bisque Wenge
2HCN Clay Noce
2HCW Clay Wenge
2HSN Storm Noce
2HSW Storm Wenge
2HWA Grey Kingswood
2HWB Planked Walnut
2HWD Resolute Walnut
2HWE Natural Recon
2HWF Smoked Walnut Ⓔ
2HZA Waxed Maple
2HZB Natural Ash
2HZC Aged Ash
2HZD Ashwood Oak
2HZE Ashwood Beige
2HZF White Washed Birchply
Tip: Woodgrain laminates and the turnstone laminate collection are not available as matched sets. The grain patterns will not align. These are not recommended for fully segmented skin applications.

Price Group 2

Textured Laminate
2TH2 Fawn Cypress
2TH4 Saddle Oak
2TH5 Veranda Teak
2TH7 Walnut Heights
2UH1 Reclaimed Aggregate
2UH2 Reclaimed Gravel
2UH4 Cement*
2UH6 Sheetrock

**2UH4 Cement has limited 90° corner parametric availability due to laminate sheet size.*

Applies to:
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Flex height-adjustable desk worksurface
- Elective Elements common top
- Ology worksurfaces

Price Group 3

Solid Laminate
24H1 Satin White
24H2 Satin Black
24H3 Satin Stone
24H4 Satin Mocha

Steelcase Surfaces

Low-Pressure Laminate

Applies to:
- Currency

Fiber Laminate
2L50 Vanadium Fiber LPL

Solid Laminate
247L Black V2 LPL
2L30 Arctic White LPL
2L83 Seagull LPL
2L84 Milk LPL
2L85 Dune LPL
2LMG Merle LPL

Woodgrain Laminate
24L0 Graphite Walnut LPL
25L1 Winter on Maple LPL Ⓔ
25L5 Virginia Walnut LPL
25L6 Blackwood LPL
25L8 Clear Walnut LPL
26L1 Natural Cherry V2 LPL
2L09 Clear Maple LPL
2LAK Clear Oak LPL
2LAN Ash Noce LPL
2LAT Acacia LPL
2LAW Ash Wenge LPL
2LBN Bisque Noce LPL
2LBW Bisque Wenge LPL
2LCN Clay Noce LPL
2LCW Clay Wenge LPL
2LSN Storm Noce LPL
2LSW Storm Wenge LPL
2LWA Grey Kingswood LPL
2LWB Planked Walnut LPL
2LWD Resolute Walnut LPL
2LWF Smoked Walnut LPL Ⓔ
2LWG Natural Recon LPL
2TL2 Fawn Cypress LPL

Ⓔ = Excluded

Applies to:
- Migration Pro desks
- Migration Intro desks
- Migration Pro and Intro modesty panels

Fiber Laminate
2L50 Vanadium Fiber LPL
2L52 Tungsten Fiber LPL

Pattern Laminate
2LWJ Magnolia Weave
2LWK Mushroom Weave
2LWL Vintage Denim
2LWM Tailored Linen
2LWP Shale
2LWQ Paloma Polar
2LWR Aluminum Brush

Solid Laminate
247L Black V2 LPL
2L30 Arctic White LPL
2L83 Seagull LPL
2L84 Milk LPL
2L85 Dune
2LMG Merle LPL
2LWS Liquid Glass
2LWT Moonstone

Woodgrain Laminate
246L Mahogany LPL
24L0 Graphite Walnut LPL
25L1 Winter on Maple LPL Ⓔ
25L5 Virginia Walnut LPL
25L6 Blackwood LPL
25L8 Clear Walnut LPL
26L1 Natural Cherry V2 LPL
2L09 Clear Maple LPL
2LAK Clear Oak LPL
2LAN Ash Noce LPL
2LAT Acacia LPL
2LAW Ash Wenge LPL
2LBN Bisque Noce LPL
2LBW Bisque Wenge LPL
2LBZ BZDW LPL
2LCH Clear Cherry LPL
2LCN Clay Noce LPL
2LCW Clay Wenge LPL
2LNW Neo Walnut LPL
2LSN Storm Noce LPL
2LSW Storm Wenge LPL
2LWA Grey Kingswood LPL
2LWB Planked Walnut LPL
2LWD Resolute Walnut LPL
2LWF Smoked Walnut LPL Ⓔ
2LWG Natural Recon LPL
2TL2 Fawn Cypress LPL
W202 Maple LPL
W203 Teak LPL
W204 Walnut LPL

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of $115 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Ology desks, Universal One-High tops for use on Ology, and common tops for use on Ology, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.
Tip: OLL is not available for specification with FSC Mix credit worksurfaces, style numbers ending in FSC.

Laminate Approval and Material Requirements
To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:
- Visit *www.steelcase.com*

For additional information, refer to the *Steelcase Surface Materials Reference Manual*.

Wood

Applies to:
- Ology desks
- Ology modesty panels
- Migration Pro desks
- Migration Pro High-Speed desks
- Migration Pro modesty panels
- Migration SE desks
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Flex height-adjustable desk worksurface

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:
- Do not store products in trailers
- Store products in areas hat simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Ⓔ = Excluded

Veneer

Wood Group 1

Flat-Cut Open-Pore
3062 FC/OP Graphite Walnut
3402 FC/OP Clear Cherry (Aged)
3412 FC/OP Natural Cherry Ⓔ
3422 FC/OP Medium Cherry
3522 FC/OP Clear Maple
3702 FC/OP Clear Walnut
3712 FC/OP Natural Walnut
3752 FC/OP Medium Walnut Ⓔ
3762 FC/OP Dark Walnut
3772 FC/OP Medium Mahogany on Walnut

Flat-Cut Open-Pore, Natural Veneer
3342 FC/OP Black Walnut
35A2 FC/OP Blanch Maple
37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore
3042 QC/OP Ash Ⓔ
3222 QC/OP Clear Maple
3302 QC/OP Clear Walnut
3312 QC/OP Natural Walnut
3352 QC/OP Medium Walnut Ⓔ
3362 QC/OP Dark Walnut
3372 QC/OP Medium Mahogany on Walnut
3382 QC/OP Graphite Walnut

Quarter-Cut Open-Pore, Natural Veneer
32A2 QC/OP Blanch Maple
33A2 QC/OP Thunder Walnut
3392 QC/OP Black Walnut

Rift-Cut Open-Pore
3602 RC/OP Desert Oak

Rift-Cut Open-Pore, Natural Veneer
36A2 RC/OP Volcanic Oak

Wood Group 3

Flat-Cut Open-Pore, Natural Veneer
3082 FC/OP Washed Walnut

Wood Group 1

Open-Pore Planked Veneer
3P41 OP Planked Cherry
3P51 OP Planked Maple
3P61 OP Planked Oak
3P71 OP Planked Walnut
3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as Wood Group 3 as a part of our Select Surfaces program, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on *village.steelcase.com* for sample information and product line availability. All premium veneers are in clear-coat.

Wood Group 3

Quarter-Cut Open-Pore
3832 QC/OP Figured Anegre

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit *steelcase.com/surface-materials* under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Select Surfaces as Wood Group 1 pricing.

Composite Veneer Group 1

Composite Flat-Cut Open-Pore
3JJX FC/OP Walnut Composite
3LAX FC/OP Graphite on Oak Composite
3LCX FC/OP Medium Cherry on Cherry Composite

Composite Quarter-Cut Open-Pore
3F8X QC/OP European Walnut Composite
3HGX QC/OP Oak Composite
3HVX QC/OP Walnut Composite
3LBX QC/OP Clear Walnut on Walnut Composite
3LDX QC/OP Natural Walnut on Walnut Composite

Composite Veneer Group 2

Composite Flat-Cut Open-Pore
3LHX FC/OP Espresso on Walnut Composite

Composite Quarter-Cut Open-Pore
3LEX QC/OP Desert Oak on Oak Composite
3LGX QC/OP Chai on Walnut Composite
3LJX QC/OP Ebony on Walnut Composite

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A $500 stain-matching fee applies on CUSTOMIZ requests (Exception: The $500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The $500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A $1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a $1,000 fee at any point within five years after the $1,500 initiation fee was paid. If the finish is not reactivated within five years after the $1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the $1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual.*

Ⓔ = Excluded

Applies to:
- Flex Desk Mount Privacy Wraps

Wrap Knit

5KJ1 Merle
5KJ2 Cloud
5KJ3 Fog
5KJ4 Sand

Plastic

Steelcase Surfaces

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Applies to:
- Cable clip

6053 Seagull

Applies to:
- Height-adjustable desk power

5U23 Blue Jay
6000 Black
6009 Arctic White
6053 Seagull
6249 Platinum Solid
6338 Chili
6527 Merle

Applies to:
- Wrap light

6052 Milk
6053 Seagull
6527 Merle

Applies to:
- Migration cable riser chain

6053 Seagull
6527 Merle

Applies to:
- Flush power option on Migration Pro and Migration Pro High-Speed

6000 Black
6009 Arctic White
6053 Seagull
6527 Merle

Applies to:
- 3 mm edge profile on Ology desks and modesty panels
- 3 mm edge profile on Migration Pro desks
- 3 mm edge profile on Migration Pro High-Speed desks
- 3 mm edge profile on Migration Intro desks
- 3 mm edge profile on Migration Pro and Intro modesty panels
- 3 mm edge profile on Migration SE desks
- Airtouch worksurfaces
- 1 mm sqare edge profile on Universal One-High open lateral laminate tops for Ology
- Universal common tops for Ology
- Universal tops for Ology
- Flex height-adjustable desk worksurface
- Currency

6000 Black
6009 Arctic White
6034 Natural Cherry
6036 Medium Cherry
6037 Winter on Maple
6038 Blonde on Maple Ⓔ
6041 Natural Walnut Ⓔ
6052 Milk
6053 Seagull
6169 Stone
6170 Mocha
61AA Persian Salt
61AB Rose
61AC Indigo
61AD Green Citrine Ⓔ
61AE Dark Olivine
61AF Cloudy
6213 Acacia
6219 Clear Oak
6231 Graphite Walnut
6234 Clear Cherry
6237 Clear Maple
6242 Virginia Walnut
6243 Blackwood
6245 Clear Walnut
6249 Platinum Solid
6271 Plywood
6527 Merle
6619 Ice Ⓔ
6631 Cream Ⓔ
6635 Dawn Ⓔ
6636 Mist
6654 Sand
6655 Warm White
6695 Midnight
6697 Fog
6698 Fieldstone
66WA Grey Kingswood
66WB Planked Walnut
66WD Resolute Walnut
66WE Natural Recon
66WF Smoked Walnut
66WU Clay
66WV Chalk
6703 Ash Wenge
6704 Storm Wenge
6706 Clay Wenge
6707 Ash Noce
6708 Bisque Noce
6709 Clay Noce
6710 Storm Noce
6T02 Fawn Cypress
6T04 Saddle Oak
6T05 Veranda Teak
6T07 Walnut Heights
6T08 Aggregate
6T09 Gravel
6T10 Cement
6T12 Sheetrock

Tip: Plywood is a natural material and variations will occur in color, grain, and texture.

Applies to:
- USB powerstrip housing

6009 Arctic White
6527 Merle

Applies to
- Flex height-adjustable desk rollers

6053 Seagull
6205 Black
6527 Merle
6249 Platinum Solid

Applies to:
- Flex height-adjustable desk power

5U23 Blue Jay
6000 Black
6009 Arctic White
6053 Seagull
6249 Platinum Solid
6338 Chili
6527 Merle

Applies to:
- Translucent screens

6505 Frosted White

Applies to:
- Powerstrip plus

6000 Black
6009 Arctic White
6053 Seagull
6302 Baltic
6338 Chili
6527 Merle
6BD1 Aubergine
6BD2 Peacock
6BD5 Honey
6BD6 Lagoon
6BD7 Saffron
6BE2 Light Peacock

Acrylic

Applies to:
- Modesty and privacy screens

6544A Acrylic Frost

PET

Applies to
- Flex cable catch

P630 Medium Heather Grey
P631 Dark Heather Grey

Applies to
- Flex cable tray

P631 Dark Heather Grey

Glass

Applies to
- Worksurface side screens

6500 Clear
6530 Frosted

Upholstery

Applies to:
- Flex

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.
Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Applies to:
- Universal screens

Tip: Designtex: Gamut and Designtex: Crossweave are also available on Universal screens. Designtex: Gamut and Designtex: Crossweave are part of the Select Surfaces program.
▶ *See* Surface Materials Reference Manual *for more information on the Select Surfaces program.*

Steelcase Surfaces

Price Group 1

Abacus Ⓔ
P123 Portico
P124 Opus
P125 Cusp
P126 Artifact

Buzz2
5F03 Tomato
5F04 Red Ⓔ
5F05 Burgundy
5F06 Sky Ⓔ
5F07 Blue
5F08 Navy
5F15 Stone
5F16 Grey
5F17 Black
5G50 Dunegrass
5G51 Sable
5G55 Pumpkin
5G57 Rouge
5G59 Meadow
5G61 Cyan
5G62 Atlantic
5G63 Crocus
5G64 Alpine
5G65 Tornado

Ⓔ = Excluded

Price Group 2

Code
5FA1 Fossil
5FA2 Gabbro
5FA3 Reed
5FA4 Bluff
5FA5 Sea Salt
5FA6 Cannon
5FA7 Tussah
5FA9 Ecru
5FB1 Bamboo

Cogent: Connect
5S15 Coconut
5S16 Turmeric/Honey
5S17 Tangerine
5S18 Scarlet
5S19 Concord
5S21 Blue Jay
5S23 Wasabi
5S24 Nickel
5S25 Graphite
5S27 Malt
5S28 Root Beer
5S93 Indigo/Blueprint
5S94 Lizard/Jungle
5S95 Sailor
5S96 Quicksilver
5S99 Lipstick/Merlot
5SD0 Royal Blue
5SD1 Aubergine
5SD2 Peacock
5SD3 Lagoon
5SD4 Saffron
5SD5 Citrine
5SD6 Rose Quartz
5SD7 Sea Salt
5SF3 Storm Cloud
5SF4 Olivine

Dovetail by Designtex
5H39 Light Mocha
5H40 Pebble
5H41 Warm White
5H42 Sandstone
5H43 Honeycomb
5H44 Terra
5H45 Honeydew
5H46 Denim
5H47 Storm
5H48 Ice Blue
5H49 Aura
5H50 Darkest Grey

Intersection
P211 Summit
P212 Chalk
P213 Lace

Latch
P601 Clam
P602 Eggshell
P603 Zen
P604 Cool Gray
P605 Armor
P606 Sentinel
P608 Billow
P609 Nimbus

SoftNext
5H27 Obsidian
5H28 Foggy Night
5H29 Greystone
5H30 Mocha
5H31 Clay
5H32 Sandstone
5H33 Chalk
5H34 Midnight
5H35 Blue Mica
5H36 Jade
5H37 Burnt Umber
5H38 Cinnabar

Stencil
P455 Midnight
P456 Mulberry
P457 Cracked Pepper
P458 Denim
P459 Chartreuse
P460 Bittersweet
P461 Mauvelous
P462 Bermuda
P463 Concrete
P464 Orchid
P465 Parchment
P466 Silk
P467 Sea Salt
P468 Honeydew
P469 Sepia

Price Group 3

Billiard Multi-Use by Designtex
5H11 Poppy
5H12 Tangelo
5H13 Citrine/Citron
5H14 Avocado
5H16 Indigo
5H17 Mallard
5H18 Teak
5H19 Cumulus
5H20 Pewter
5H21 Gunmetal
5H22 Ink
5H23 Rose Quartz
5H24 Sea Salt
5H25 Storm Cloud
5H26 Olivine

Applies to:
- Sarto screens
- Flex curved screens
- Sarto curved screens
- Soffio curved screens

Tip: The following thin, light colored fabrics are not available on Sarto and Flex curved screens:
Abacus
P126 Artifact Ⓔ
Alloy
P525 Polar
P526 Skim
P528 Tern
Charm
P505 Shell
P506 Mimosa
P508 Sparkle
Code
5FA5 Sea Salt
Latch
P601 Clam
P603 Zen
Optic
P541 Twinkle
P544 Shine
Flip: Orbit
5F91 Blizzard
Pianista
P420 Sand
P428 Flax
Sprite
5541 Snow

Price Group A

Sprite

Price Group 1

Abacus Ⓔ
Alloy
Boccie
Buzz2
Charm
Link**
Optic
Pianista
Rhythm

Price Group 2

Bariolage
Cogent: Connect**
Dovetail by Designtex
Flip: Orbit
Flip: TexHex
Fresco
Intersection*
Latch
SoftNext
Stencil*

*Intersection and Stencil not available on Soffio curved screens.
**Cogent: Connect and Link are not available on Sarto curved screens or Flex curved screens.

Price Group 3

Billiard Multi-Use by Designtex

Applies to:
- Worksurface side screens

Price Group 1

Abacus Ⓔ
Alloy
Boccie
Buzz2
Charm
Optic
Pianista
Rhythm
Tinsel

Price Group 2

Bariolage
Code
Cogent: Connect
Fresco
Intersection
Latch
Flip: Orbit
Stencil
Flip: TexHex

Price Group 3

Billiard Multi-Use by Designtex

Ⓔ = Excluded

Upholstery

Select Surfaces Program: Upholstery

Applies to:
- Soffio

A collection of textiles are available as part of a Select Surfaces Program. The collection from the leading suppliers in the market consists of high-performance textiles.

To order these fabrics, enter the finish code which corresponds with the fabric price group.

Price Group	Finish Code
4	59DD

Then enter the fabric information in the Special Fabric Information pop up window.

Applies to:
Worksurface side screens

Price Group	Finish Code
1	59DA
2	59DB
3	59DC
4	59DD
5	59DE
6	59DF
7	59DG
8	59DH
9	59DJ
10	59DK

Applies to:
- Flex curved screens
- Sarto screens
- Universal screens
- Worksurface side screens

Select Surfaces

For information on products within Select Surfaces,
To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:
- Visit *www.steelcase.com*

For additional information regarding Customer's Own Material, including accent paints, Signature plastics, and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Laminate and Edge Finishes

Applies to:
- Ology desks
- Ology modesty panels
- Migration SE desks
- Airtouch
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Flex height-adjustable worksurfaces
- Currency

Laminate Color		Recommended 3 mm Edge Color	
Fiber Laminate			
2850	Vanadium Fiber	6654	Sand
2852	Tungsten Fiber Ⓔ	6636	Mist
2854	Vellum Fiber Ⓔ	6655	Warm White
2860	Granite Fiber	6000	Black
2862	Stucco Fiber Ⓔ	6053	Seagull
Micro Laminate			
2920	Marl Micro	6053	Seagull
2921	Gypsum Micro	6654	Sand
2922	Clay Micro	6654	Sand
Patina Laminate			
2870	Blonde Bronze Patina	6654	Sand
2873	Instant Iron Patina	6527	Merle
Solid Laminate			
24H1	Satin White	6009	Arctic White
24H2	Satin Black	6000	Black
24H3	Satin Stone	6169	Stone
24H4	Satin Mocha	6170	Mocha
2722	Cream Ⓔ	6631	Cream Ⓔ
2730	Arctic White	6009	Arctic White
2746	Black	6000	Black
2759	Warm White	6655	Warm White
2811	Mist Ⓔ	6636	Mist
2883	Seagull	6053	Seagull
2884	Milk	6052	Milk
2885	Dune	6654	Sand
2HAA	Persian Salt	61AA	Persian Salt
2HAB	Rose	61AB	Rose
2HAC	Indigo	61AC	Indigo
2HAD	Green Citrine Ⓔ	61AD	Green Citrine Ⓔ
2HAE	Dark Olivine	61AE	Dark Olivine
2HAF	Cloudy	61AF	Cloudy
2HMG	Merle	6527	Merle
2HWU	Clay	66WU	Clay
2HWV	Chalk	66WV	Chalk
Speckle Laminate			
2820	Coffee Speckle Ⓔ	6631	Cream Ⓔ
2823	Driftwood Speckle	6631	Cream Ⓔ
2824	Smoke Speckle	6636	Mist
2825	Vanadium Speckle	6619	Ice Ⓔ

Laminate and Edge Finishes, continued

Laminate Color		Recommended 3 mm Edge Color	
Textured Laminate			
2TH2	Fawn Cypress	6T02	Fawn Cypress
2TH4	Saddle Oak	6T04	Saddle Oak
2TH5	Veranda Teak	6T05	Veranda Teak
2TH7	Walnut Heights	6T07	Walnut Heights
2UH1	Reclaimed Aggregate	6T08	Aggregate
2UH2	Reclaimed Gravel	6T09	Gravel
2UH4	Cement	6T10	Cement
2UH6	Sheetrock	6T12	Sheetrock
Woodgrain Laminate			
2406	Clear Cherry Ⓔ	6234	Clear Cherry
2409	Clear Maple	6237	Clear Maple
2410	Graphite Walnut	6231	Graphite Walnut
2412	Natural Cherry	6034	Natural Cherry
2422	Medium Cherry Ⓔ	6036	Medium Cherry
2511	Winter on Maple Ⓔ	6037	Winter on Maple
2535	Virginia Walnut	6242	Virginia Walnut
2536	Blackwood	6243	Blackwood
2538	Clear Walnut	6245	Clear Walnut
2592	Blonde on Maple Ⓔ	6038	Blonde on Maple Ⓔ
2714	Natural Walnut Ⓔ	6041	Natural Walnut Ⓔ
2HAK	Clear Oak	6219	Clear Oak
2HAN	Ash Noce	6707	Ash Noce
2HAT	Acacia	6213	Acacia
2HAW	Ash Wenge	6703	Ash Wenge
2HBN	Bisque Noce	6708	Bisque Noce
2HBW	Bisque Wenge	6705	Bisque Wenge
2HCN	Clay Noce	6707	Clay Noce
2HCW	Clay Wenge	6706	Clay Wenge
2HSN	Storm Noce	6709	Storm Noce
2HSW	Storm Wenge	6704	Storm Wenge
2HWA	Grey Kingswood	66WA	Grey Kingswood
2HWB	Planked Walnut	66WB	Planked Walnut
2HWD	Resolute Walnut	66WD	Resolute Walnut
2HWE	Natural Recon	66WE	Natural Recon
2HWF	Smoked Walnut Ⓔ	66WF	Smoked Walnut
2HZA	Waxed Maple	6X50	Waxed Maple
2HZB	Natural Ash	6X51	Natural Ash
2HZC	Aged Ash	6X10	Aged Ash
2HZD	Ashwood Oak	6X52	Ashwood Oak
2HZE	Ashwood Beige	6X53	Ashwood Beige
2HZF	White Washed Birchply	6X54	White Washed Birchply

Tip: Woodgrain laminates and the turnstone laminate collection are not available as matched sets. The grain patterns will not align.

Ⓔ = Excluded

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of $115 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on height-adjustable desks, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements
To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:
- Visit *www.steelcase.com*

For additional information, refer to the *Steelcase Surface Materials Reference Manual.*

Directional Laminate Grain Directions

Directional laminates are standard with the grain directions shown.

Worksurfaces—High-Pressure Laminate



Rectangular
Ology
Migration Pro
Migration Pro High-Speed
Migration Intro
Migration SE
Airtouch



Rectangular with 2" Radius Corners
Ology*
Migration Pro
Migration Pro High-Speed
Migration Intro
Migration SE




Rectangular with 5" Radius Corners
Rectangle Flex Desk
Migration Pro
Migration Pro High-Speed
Migration Intro
Migration SE




Organic Bow Front
Migration Pro
Migration Pro High-Speed
Migration Intro




Organic Bow Front and Back
Migration Pro
Migration Pro High-Speed
Migration Intro




Tapered
Ology




90° Equal
Migration SE
Ology



90° Equal 2 pc
Ology



90° Extended
Migration SE
Ology



90° Extended 2 pc
Ology



90° Corner
Airtouch



120° Equal
Migration SE
Ology






Modesty Panel
Ology
Migration Pro
Migration Pro High-Speed
Migration Intro

Tip: Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified; however, laminate specification is only allowed up to 60"W.
** Ology radius corners are 1¼".*


Wood Veneer Grain Directions

The appearance of wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.


Worksurfaces—Wood Veneer




Rectangular
Ology
Migration Pro
Migration Pro High-Speed
Migration SE




Rectangular with 2" Radius Corners
Ology*
Migration Pro
Migration Pro High-Speed
Migration SE




Rectangular with 5" Radius Corners
Rectangle Flex Desk
Migration Pro
Migration Pro High-Speed
Migration SE




Organic Bow Front
Migration Pro
Migration Pro High-Speed




Organic Bow Front and Back
Migration Pro
Migration Pro High-Speed




120° Equal
Ology
Migration SE




Tapered
Ology




90° Equal
Migration SE
Ology




90° Equal 2 pc
Ology




90° Extended
Migration SE
Ology



90° Extended 2 pc
Ology



Modesty Panel Horizontal Grain Direction
Ology
Migration Pro
Migration Pro High-Speed
Migration Intro



Modesty Panel Vertical Grain Direction
Ology
Migration Pro
Migration Pro High-Speed
Migration Intro

** Ology radius corners are 1¼".*

Resources

Desking Products Style Number Conversion List 376

Style Number Index 378

Desking Products Style Number Conversion List

Ology Corner Desks

Old Style Number	New Style Number
90° Corner	
OLELLC	**OLELL3**
OLELLCB	**OLELL3B**
OLSLLC	**OLSLL3**
OLSLLCB	**OLSLL3B**
120° Corner	
OLELWC	**OLELW3**
OLELWCB	**OLELW3B**
OLSLWC	**OLSLW3**
OLSLWCB	**OLSLW3B**

Style Number Index

Style Number	Page	Description
AHCC	353	Vertical Cable Carrier
AM22	352	22" Modesty Screen
AM28	352	28" Modesty Screen
AM34	352	34" Modesty Screen
AM40	352	40" Modesty Screen
AM46	352	46" Modesty Screen
AM52	352	52" Modesty Screen
AM58	352	58" Modesty Screen
AM64	352	64" Modesty Screen
AMP22	352	22" Modesty and Privacy Screen
AMP28	352	28" Modesty and Privacy Screen
AMP34	352	34" Modesty and Privacy Screen
AMP40	352	40" Modesty and Privacy Screen
AMP46	352	46" Modesty and Privacy Screen
AMP52	352	52" Modesty and Privacy Screen
AMP58	352	58" Modesty and Privacy Screen
AMP64	352	64" Modesty and Privacy Screen
AP22	352	22" Privacy Screen
AP28	352	28" Privacy Screen
AP34	352	34" Privacy Screen
AP40	352	40" Privacy Screen
AP46	352	46" Privacy Screen
AP52	352	52" Privacy Screen
AP58	352	58" Privacy Screen
AP64	352	64" Privacy Screen
AWM06	354	6" Wire Manager
AWM12	354	12" Wire Manager
AWM18	354	18" Wire Manager
AWM23	354	23" Wire Manager
AWM30	354	30" Wire Manager
AWM35	354	35" Wire Manager
AWM42	354	42" Wire Manager
AWM48	354	48" Wire Manager
AWMXL30	353	6"D Wire Manager
AWMXL36	353	6"D Wire Manager
AWMXL42	353	6"D Wire Manager
AWMXL48	353	6"D Wire Manager
AWMXL54	353	6"D Wire Manager
AWMXL60	353	6"D Wire Manager
BAPB2436	293	Airtouch Hgt-Adj Wksf, 120° Equal
BAPSC2442	293	Airtouch Hgt-Adj Wksf, 90° Corner
BAPSC2448	293	Airtouch Hgt-Adj Wksf, 90° Corner
BAPSS2442	293	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
BAPSS2448	293	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
BAPSS2460	293	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
BAPSS3042	293	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
BAPSS3048	293	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
BAPSS3060	293	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
CASTERKIT	249	Migration Caster Kit - Qty 4 (2 lock, 2 non-lock)
CQSF3012	346	12"H Fixed Personal/Modesty Screen
CQSF3019	346	19"H Fixed Personal/Modesty Screen
CQSF3024	346	24"H Fixed Personal/Modesty Screen
CQSF3612	346	12"H Fixed Personal/Modesty Screen
CQSF3619	346	19"H Fixed Personal/Modesty Screen
CQSF3624	346	24"H Fixed Personal/Modesty Screen
CQSF4212	346	12"H Fixed Personal/Modesty Screen
CQSF4219	346	19"H Fixed Personal/Modesty Screen
CQSF4224	346	24"H Fixed Personal/Modesty Screen
CQSF4812	346	12"H Fixed Personal/Modesty Screen
CQSF4819	346	19"H Fixed Personal/Modesty Screen
CQSF4824	346	24"H Fixed Personal/Modesty Screen
CRHAD15H	285	Lower Storage, 1.5-High HAD
CRHAD1H	285	Lower Storage, One-High HAD
DSPINTRO	357	Powerstrip Intro
DSPOWER	359	Desktop Powerstrip Plus USB/Data
DSTRAYLG	361	Universal Cable Management Kit Large
DSTRAYSM	361	Universal Cable Management Kit Small
DSUP	360	Under Worksurface Utility Power
DSVCMHC	362	High-Capacity Cable Riser
E6PDHAD	144	Plnth Bs Ped Ology Ap
E6WSHAD	147	Ology Open Pedestal
FLXBRK	177	Flex, Brakes for Hgt-Adj Desks
FLXCBK4	177	Cable Brackets
FLXCS	172	Flex, Curved Screen
FLXCSP	172	Flex, Curved Screen, Pair
FLXCT	175	Flex, Cable Tray
FLXDWR	174	Desk Mount Privacy Wrap
FLXDWR10	174	Desk Mount Privacy Wrap
FLXDWW	173	Desk Mount Privacy Wrap
FLXDWW10	173	Desk Mount Privacy Wrap
FLXERQ	164	Flex, Hgt-Adj Desks, Ext Height
FLXERQB	167	Flex, Hgt-Adj Bases, Ext Height
FLXEWC3	171	120° Height-Adjustable Desk
FLXEWS3	169	120° Height-Adjustable Desk
FLXMCC10	176	Magnetic Cable Clips
FLXMCC2	176	Magnetic Cable Clips
FLXMNT10	178	Magnetic Name Tag
FLXMNT2	178	Magnetic Name Tag
FLXPH	175	Flex, Power Hanger
FLXSRQ	164	Flex, Hgt-Adj Desks, Basic Height
FLXSRQB	167	Flex, Hgt-Adj Bases, Basic Height
FLXSWC3	171	120° Height-Adjustable Desk
FLXSWS3	169	120° Height-Adjustable Desk, Cable Tray
FLXWCT	176	120° Height-Adjustable Desk
FLXWMP	178	120° Modesty Panel
HA1EO	243	Migration Intro Desk, Organic, Ext
HA1ER	241	Migration Intro Desk, Rectangular, Ext
HA1ERB	244	Migration Intro Base, Rectangular, Ext
HA1SO	243	Migration Intro Desk, Organic, Basic
HA1SRB	244	Migration Intro Base, Rectangular, Basic
HA1SRQ	241	Migration Intro Desk, Rectangular, Basic
HA2EO	229	Migration Pro Desk, Organic, Ext
HA2ER	225	Migration Pro Desk, Rectangular, Ext
HA2ERB	231	Migration Intro Base, Rectangular, Ext
HA2SO	229	Migration Pro Desk, Organic, Basic
HA2SRB	231	Migration Pro Base, Rectangular, Basic
HA2SRQ	225	Migration Pro Desk, Rectangular, Basic
HA3EO	238	Migration Pro High-Speed Desk, Org, Ext
HA3ER	234	Migration Pro High-Speed Desk, Rect, Ext
HA3ERB	239	Migration Pro High-Speed Base, Rect, Ext

Style Number	Page	Description
HACBKL4	247	Migration Cable Brackets Large
HACBKS4	247	Migration Cable Brackets Small
HACR	246	Migration Cable Riser
HACTM	245	Migration Metal Cable Tray
HAKEBK10	248	Migration Knife Edge Adpt Brckt - Screen
HAMKT	249	Migration Maintenance Kit
HAMP	251	Migration Modesty Panel
HAODKT10	249	Migration Obstruction Detection Kit
HAUPBK10	248	Migration Mount Brackets – Utility Power
MGDSKT	277	Desk and Bench Switch Kit
MGELCRQ	255	Migration SE Desk-Rect,C-Leg Ext Hgt
MGELCRQB	268	Migration SE Base-Rect,C-Leg Ext Hgt
MGELCRQG	255	Migration SE Desk-Rect,C-Leg Ext Hgt GSA
MGELTLC	261-264	Migration SE Desk 90°, T-Leg Ext Hgt
MGELTLCG	261-264	Migration SE Desk 90°, T-Leg Ext Hgt
MGELTLCB	269	Migration SE Base 90°, T-Leg Ext Hgt
MGELTRQ	253	Migration SE,Desk-Rect, Ext hght
MGELTRQB	267	Migration SE Base-Rect, T-Leg Ext Hgt
MGELTRQG	253	Migration SE Desk-Rect, T-Leg Ext Hgt GSA
MGELTWC	266	Migration SE Desk 120°, T-Leg Ext Hgt
MGELTWCG	266	Migration SE Desk 120°, T-Leg Ext Hgt
MGELTWCB	269	Migration SE Base 120°, T-Leg Ext Hgt
MGSGLD	277	Migration SE, Cable Bracket
MGSLCRQ	255	Migration SE Desk-Rect, C-Leg Bsc Hgt
MGSLCRQB	268	Migration SE Base-Rect, C-Leg Bsc Hgt
MGSLCRQG	255	Migration SE Desk-Rect, C-Leg Bsc Hgt GSA
MGSLTLC	257-260	Migration SE Desk 90°, T-Leg Bsc Hgt
MGSLTLCG	257-260	Migration SE Desk 90°, T-Leg Bsc Hgt
MGSLTLCB	269	Migration SE Base 90°, T-Leg Bsc Hgt
MGSLTRQ	253	Migration SE Desk-Rect, T-Leg Bsc Hgt
MGSLTRQB	267	Migration SE Base-Rect, T-Leg Bsc Hgt
MGSLTRQG	253	Migration SE Desk-Rect, T-Leg Bsc Hgt GSA
MGSLTWC	265	Migration SE Desk 120° T-Leg Bsc Hght
MGSLTWCG	265	Migration SE Desk 120° T-Leg Bsc Hght
MGSLTWCB	269	Migration SE Base 120° T-Leg Bsc Hght
MIGCBK4	276	Migration, Cable Bracket
MIGCR	276	Migration, Cable Riser
OLATKT	136	Active Touch Kit
OLCB	135	Ology, Cable Basket
OLCBK4	135	Ology, Cable Bracket
OLCR	135, 177	Cable Riser
OLELL3	107-112	Ology, Hgt-Adj, 3-Leg Corner Desks
OLELL3B	127-129	Ology, Hgt-Adj Base, 90º 3-Leg Base
OLELRQ	100	Ology, Hgt-Adj Desk, Rectangular
OLELRQB	125	Ology, Hgt-Adj Desk, Rectangular
OLELRT	103	Ology, Hgt-Adj Desk, Tapered
OLELRTB	126	Ology, Hgt-Adj Base, Tapered
OLELW3	119-120	Ology, Hgt-Adj Base, 120º 3-Leg Corner Desk
OLELW3B	132	Ology, Hgt-Adj Base, 120º 3-Leg Corner Base
OLMP	134	Ology, Modesty Panels
OLSLL3	113-118	Ology, 90º Corner Desk
OLSLL3B	129-131	Ology, 90º Corner Base
OLSLRQ	100	Ology, Hgt-Adj Desk, Rectangular
OLSLRQB	125	Ology, Hgt-Adj Bases, Rectangular
OLSLRT	104	Ology, Hgt-Adj Desk, Tapered
OLSLRTB	126	Ology, Hgt-Adj Bases, Tapered
OLSLW3	121-122	Ology, Hgt-Adj, 120º 3-Leg Corner Desk
OLSLW3B	133	Ology, Hgt-Adj, 120º 3-Leg Corner Base
PHSCRN	344	Sarto Curved Screen
PLSCRN	343	Sarto Curved Screen
PSCB	340	Sarto Alnmt Clip
PSPM	337	Sarto Privacy Screens
PSPS	339	Sarto Privacy Screens
RATCTHAD	143	Common Top
RATCTMHAD	273	Common Top
RPXFBHAD	141	Filler
RPXFHAD	141	Filler
RPXFMBHAD	275	Filler
RPXFMHAD	275	Filler
RPXSBHAD	140	Shroud
RPXSHAD	140	Shroud
RPXSMBHAD	274	Shroud
RPXSMHAD	274	Shroud
RSCBHAD	139	Univ 1.5 High Open Lat
RSCHAD	139	Univ One-High Open Lat
RSCMBHAD	271	Univ 1.5 High Open Lat
RSCMHAD	271	Univ One-High Open Lat
SSCRN	345	Soffio Screen
TS8HADCBLD	354	Soft Cable Drop
TS8HADUHK	355	Utility Hook
UAPB2436	295	Airtouch Hgt-Adj Wksf, 120° Equal
UAPSC1842	295	Airtouch Hgt-Adj Wksf, 90° Corner
UAPSC2442	295	Airtouch Hgt-Adj Wksf, 90° Corner
UAPSC2448	295	Airtouch Hgt-Adj Wksf, 90° Corner
UAPSS2442	295	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
UAPSS2448	295	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
UAPSS2460	295	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
UAPSS3042	295	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
UAPSS3048	295	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
UAPSS3060	295	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
UFAL	335	Aligners
UFPM	332	Uni Prv/ Mod Screen
UFPS	335	Uni Prv Screen
WKSSFE	349	Fabric Side Scrn for 1.5" Wksf
WKSSFF	348	Fabric Side Scrn for 0.808" Wksf
WKSSFHA	349	Fabric Side Scrn for 1" Wksf
WKSSFU	349	Fabric Side Scrn for 1.185" Wksf
WKSSGE	351	Glass Side Scrn for 1.5" Wksf
WKSSGF	350	Glass Side Scrn for 0.808" Wksf
WKSSGHA	350	Glass Side Scrn for 1" Wksf
WKSSGU	351	Glass Side Scrn for 1.185" Wksf

Trademark List

™/® The following is a non-exhaustive list of trademarks and registered trademarks for products of Steelcase Inc. or one of its related corporate entities: Agree, Airtouch, Aisla, Alight, Amia, Answer, Apprise, Aspekt, Avenir, Await, B-Free, Ballet, Bassline, Bindu, Bivi, Bix, Bottomline, Brody, Buoy, Cachet, Campfire, Capa, CF Series, CG_1, Chord, Circa, Clipper, Cobi, Collaboration, Convene, Coupe, Cura, Currency, dash, Divisio, Duo, E-Table 2, Edge Series, Elbrook, Elective Elements, Embold, Empath, Everwall, Exponents, Folio, FrameOne, Gesture, Groupwork, Host, Hosu, i2i, Jenny, Kart, Kathryn, Kick, Lagunitas,Leap, Leela, LessThanFive, LiveBack, LiveSeat, Mackinac, Marien152, Max-Stacker, media:scape, Migration, Millbrae, Mineral, Mitra, Montage, Montara650, MoreThanFive, Move, Node, Ocular, Ology, Opus, Paperflo, Passerelle, Player, Pocket, Potrero415, QiVi, Radia, Regard, Relay, Reply, Ripple, Roam, Sarto, Scoop, Sebastopol, Senti Series, Senza, Shortcut, Sidewalk, Siento, Sieste, SILQ, Soffio, Sorrel, SOTO, Steelcase Eclipse, Steelcase Flex, Steelcase Karman, Steelcase Relay, Steelcase Rise, Steelcase Series, Surround, SW_1, Switch, Sync, Tava, Tenor, Think, Thoughtful, Thread, Together, Train, Trees, Turnstone, Umami, Underscore, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, WorkValet, and X-tenz.

™/® The following are trademarks or registered trademarks of AMQ Solutions, LLC: 3F, Activ, Amobi, Bixby, Bodi, Cluvo, Concur, Embank, FL-X, Iline, Jaku, Kinex, Personality Plus, Revi, S-Series, Siya, Tektis, Tizu, Uptake, and Zilo.

™/® The following are trademarks or registered trademarks of Orangebox Ltd., Cardiff, UK: Air3, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.

™/® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Aleta, Cambio, Designed in The Sun, Foro, Funda, Holy Day, Kelly, Last Minute, Noha, Savina, Sistema, Sistema, Viable, and Wrapp.

® The following are registered brands of Steelcase Inc. and its family of companies: Steelcase, AMQ, Coalesse, Designtex, Halcon, Orangebox, Smith System, and Viccarbe.

® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.

® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.

® The following is a registered trademark of DuPont, Wilmington, DE: Corian.

® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.

® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.

® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.

® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.

® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.

® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.

® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.

® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.

® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.

® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans,and Serif.

® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.

® The following is a registered trademark of Security People, Inc.: Digilock.

® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.

™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.

™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.

™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.

™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.

™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.

™ The following trademarks are under license from Cambridge Sound Management, LLC Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.

™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

™ The following is a trademark of Clestra Hauserman: IRYS.

™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.

™ The following are trademarks of Polyvision: Accord, a3, e3, Boundri, and Nota.

™ The following is a trademark of Bostock Company, Inc: SnapCab.

™ The following is a trademark of Williams-Sonoma, Inc: West Elm.

™ The following is a trademark of Elena Marquina Testor: nanimarquina.

™ The following is a trademark of Forbo International SA: Forbo.

Trademarks used herein are the property of Steelcase Inc. or their respective owners.