
Studio b Specification Guide

Availability

Electronic price list updated with release 204.B (U.S.) and 158.B (Canada), dated April 20, 2026.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

For ordering or product assistance, please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Working With This Specification Guide

Ten Tips: How to Get The Most Out of This Book **2**

Understanding and Specifying

Companion Undermount Storage **5**

Pivot **13**

Surface Materials


33

Resources

41


Ten Tips: How to Get the Most Out of This Book

Tip 1



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

Tip 3



Find cross references by looking for page numbers flagged with an arrow.

Tip 4


Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

Product Drawing shows you what the product looks like and points out important features.

Product Details gives specific information on the product and how it is used.

Connections describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities of the product.

Surface Materials lists what material is used for each part of the product.

Tip 5

Refer to the specifying pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
 - Dimensions
 - Style Number
 - Price

Product Drawing shows you what the product looks like.

Standard Includes (under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information (under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Standard Includes

- Standard length (100, 120, 144, 168, 192) (see page 10)
- Base trim with no backboard (see 107) (panel piece)
- Base trim with backboard (107) (107) (panel piece)
- See page 10 for information on the backboard

Options

Options	Unit Price	Required to Specify
Base trim group 1	10.00	Specify panel (see notes)
Base trim group 2	11.00	Specify panel (see notes)
Base trim group 3	12.00	Specify panel (see notes)
Base trim group 4	13.00	Specify panel (see notes)

Specification Information

Width	Style	Unit Price	Option
10"	107	10.00	None (see notes)
12"	107	11.00	None (see notes)
14"	107	12.00	None (see notes)
16"	107	13.00	None (see notes)
18"	107	14.00	None (see notes)

Options (under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify with *Customiz Stain*

Italic typeface on specifying pages usually identifies wording that you should use in your order.

i


Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you need a style number and you need to find the page that has more details about the product.



Companion Undermount Storage



Statement of Line **6**



Companion Undermount Storage

Understanding **8**

Specifying **10**


Stow Hook

Understanding **8**

Specifying **11**

Statement of Line

Companion Undermount Storage



Companion Undermount Storage

Understanding
▶ Page 8
Specifying
▶ Page 10




Stow Hook

Understanding
▶ Page 8
Specifying
▶ Page 11


Companion Undermount Storage

Companion undermount storage provides under-desk storage for Migration SE height-adjustable desks.



The standard unit is an open case.

Door is optional. Door is touch-latch and installed in a left- or right-hand orientation.




Shelf is optional and can be specified on the base unit with or without a door. The shelf color will match case paint.



Optional stow hook. This can be specified as a standalone item.

Product Details

Door




Grain direction runs vertical when a woodgrain laminate or veneer is specified.



Steel or laminate doors installed in the handed configuration selected.

Wood door, if selected, ship separate and will need to be installed in the field.




The storage unit weighs approximately 25 pounds. Refer to the maximum weight capacity of the Migration SE height-adjustable desk on, which this unit will be installed, to ensure compatibility. Make sure to consider the total weight of all items planned for the desk application.

Dimensions

Depth	14"
Width	10"
Height	15½"

Application Guidelines

Companion undermount storage can be installed on Migration SE height-adjustable desk depths of 29"–36" and widths of 58"–72".




The storage unit can be installed in between or in front of the legs. The storage unit cannot be installed outside of the legs.




Stow hook, if specified, will come in the same color as the paint specified for the case. The stow hook ships with the unit and can be installed on either side of the case. The stow hook can also be ordered as a standalone item and added to a desk for bag storage.

Locks are available factory or field installed. Field installed lock cylinders must be specified separately. See *Locks and Keying* on page 42, for lock and keying options.




Electronic locks are Digilock Versa keypad locks and are surface mounted on the front door. These come set to a shared use mode. The user locks and unlocks with their credential. Once unlocked, the lock is reset for another user. Digilock Versa locks are powered by two lithium 2450 batteries.



The programming, manager key, and ADA key are ordered separately, and are required if the electronic lock option is selected.

► See *Electronic Locks* on page 43 for more information and specification guidance on keys for Digilock Versa.

Companion Undermount Storage



Standard Includes		Required to Specify
▶ Need help? Product details, page 8	<ul style="list-style-type: none"> Companion undermount storage case: paint price group 1 Stow hook, if selected as an option, same paint as the case 	<ol style="list-style-type: none"> Style number Paint color number for case Door (see below under Required Selections) Shelf (see below under Required Selections) Stow hook (see below under Required Selections) Lock (see below under Required Selections) Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 34.</p>

Required Selections	U.S. Price	Required to Specify
Case	<ul style="list-style-type: none"> Paint price group 1: No cost Paint price group 2: +\$ 16 Paint price group 3: +\$ 33 	Specify paint color number. Specify paint color number. Specify paint color number.
Door	<ul style="list-style-type: none"> No door: No cost Left hinged door: +\$ 79 Right hinged door: +\$ 79 	Specify <i>with no door</i> . Specify <i>with left hinged door</i> . Specify <i>with right hinged door</i> .
Shelf	<ul style="list-style-type: none"> No shelf: No cost With shelf: +\$ 34 	Specify <i>with no shelf</i> . Specify <i>with shelf</i> .
Stow Hook	<ul style="list-style-type: none"> No stow hook: No cost Stow hook: +\$ 23 	Specify <i>with no stow hook</i> . Specify <i>with stow hook</i> .
Lock	<ul style="list-style-type: none"> No lock: No cost With lock: No cost Digilock Versa keypad: +\$195 	Specify <i>with no lock</i> . Specify <i>with lock</i> . Specify <i>with Digilock Versa keypad</i> .

Options	U.S. Price	Required to Specify
Surface Materials		
Steel door		
<ul style="list-style-type: none"> Paint price group 1: No cost Paint price group 2: +\$ 11 Paint price group 3: +\$ 22 		Specify paint color number. Specify paint color number. Specify paint color number.
Laminate door		
<ul style="list-style-type: none"> Laminate price group 1: +\$109 Laminate price group 2: +\$135 Laminate price group 3: +\$162 Open Line laminate: +\$111 plus cost of laminate 		Specify laminate color number. Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
Wood door		
<ul style="list-style-type: none"> Wood price group 1: +\$216 Wood price group 2: +\$244 Wood price group 3: +\$270 Customiz stain: No cost 		Specify wood color number. Specify wood color number. Specify wood color number. Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .
Related Products	<ul style="list-style-type: none"> Lock cylinders Digilock keys 	▶ Page 42 ▶ Page 43

Tip: When specifying a wood door, the doors will ship separate and will require field installation.

Tip: Companion undermount storage can be installed on Migration SE height-adjustable desks (MGSLTRQ and MGSLCRQ) with depths of 29"–36" and widths of 58"–72".

Specification Information				
Dimensions			Style Number	U.S. Base Price
D	W	H		
14"	10"	15½"	STUSSCA015USTO	\$570

Stow Hook



Standard Includes	Required to Specify
-------------------	---------------------


- | | | |
|--|--|--|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 8 | <ul style="list-style-type: none"> • Stow hook: paint | <ul style="list-style-type: none"> 1 Style number 2 Paint color number for stow hook ▶ See <i>Surface Materials</i>, page 34. |
|--|--|--|

Specification Information	
---------------------------	--

• Style Number	• U.S. Price
STUSSCS02BAGHK	\$49


Companion

Pivot


	
Statement of Line	14
Pivot Height-Adjustable Desks	
Understanding	16
Specifying	22
Pivot Beams	
Understanding	17
Specifying	24
Pivot Cups	
Understanding	17
Specifying	26
Pivot Curved Screens	
Understanding	18
Specifying	27
2 Circuit Hardwire Infeed	
Understanding	19
Specifying	28
2 Circuit Receptacle Kit	
Understanding	19
Specifying	28
Jumper Cable	
Understanding	19
Specifying	29
4 Circuit Hardwire Infeed	
Understanding	20
Specifying	30
4 Circuit Power Block Kit	
Understanding	20
Specifying	30
4 Circuit Receptacle Block	
Understanding	20
Specifying	31
Wire Managers	
Understanding	18
Specifying	32
Wire Clips	
Understanding	18
Specifying	32

Statement of Line


Pivot




Pivot Height-Adjustable Desk
Understanding
▶ Page 16
Specifying
▶ Page 22




Pivot Beam, End
Understanding
▶ Page 17
Specifying
▶ Page 24




Pivot Beam, Pass Through
Understanding
▶ Page 17
Specifying
▶ Page 24




Pivot Beam, Stand-alone
Understanding
▶ Page 17
Specifying
▶ Page 24




Single Pivot Cup
Understanding
▶ Page 17
Specifying
▶ Page 26




Dual Pivot Cup
Understanding
▶ Page 17
Specifying
▶ Page 26




Pivot Curved Screen
Understanding
▶ Page 18
Specifying
▶ Page 27




2 Circuit Hardware Infeed
Understanding
▶ Page 19
Specifying
▶ Page 28




2 Circuit Receptacle Kit
Understanding
▶ Page 19
Specifying
▶ Page 28




Jumper Cable
Understanding
▶ Page 19
Specifying
▶ Page 29




4 Circuit Hardware Infeed
Understanding
▶ Page 20
Specifying
▶ Page 30



4 Circuit Power Block Kit
Understanding
▶ Page 20
Specifying
▶ Page 30



4 Circuit Receptacle Block
Understanding
▶ Page 20
Specifying
▶ Page 31



Wire Managers
Understanding
▶ Page 18
Specifying
▶ Page 32




Wire Clips
Understanding
▶ Page 18
Specifying
▶ Page 32

Pivot

Pivot is a modular beam system, complete with height-adjustable desks and screens. The Pivot cups hold the height-adjustable desk in place and allow the desks to rotate.

Desk is style **SBFLXSWC3**.

The rear leg of the height-adjustable desk is slightly shorter than the front legs and sits into the Pivot cup.




Curved screens have a left- and right-hand screen, and both come when the one style number is specified.

Beam case has scallop at the bottom to provide flexibility for power and cable routing on-site.

Pivot cup attaches the desk to the beam and acts as the pivot point of the desk, allowing it to swivel in either direction.

Product Details

Pivot Height-Adjustable Desks



Pivot height-adjustable desks come in three sizes: 60"W, 66"W, and 72"W. The desk utilizes the Flex resident base columns. These desks are only available with basic height-adjustment.

Pivot height range is 27½"H - 47"H.

The lifting column is controlled by central control box synchronization. Columns are precision balanced to minimize surface vibrations.

Pivot stops prevent the desk from extending over the beam.


Keyboard assemblies do not meet minimum safety requirements on height-adjustable desks.

The Pivot base supports a maximum distributed weight load of 439 pounds.


Due to placement of understructure, Steelcase monitor arms must be specified with a through mount connection.

Surface Dimensions

To plan for desk mounted power, monitor arms and other items that may be installed on the worksurface. Please note the weight load when planning.



- 1 Cord drop— $1\frac{1}{4}$ "
- 2 Width at rear— $5\frac{3}{4}$ "
- 3 Monitor arm clearance— $5\frac{3}{4}$ "
- 4 Space between screen brackets and rear left and right— $17\frac{1}{8}$ "



Desks can pivot along a center point at the rear leg. These desks can collide with other components. Do not install overhead storage, desk height power, desk accessories, or other components in the path of travel.


Product Details

Pivot Beams

Beams are laminate and come in three types—end, pass through, and standalone.

The beam was designed to disappear under the desk by not running the full length of desks.

Beams are hollow for power access and cable management.




Beam runs with no desks or cup feet attached must be at least 10' (120") long.

Beam case has a $\frac{1}{5}$ "H scalloped edge at the bottom for infeed.


Beam anchors are shipped with beams and need to be installed on each beam.

Levelers come with the beam at each corner to accommodate leveling on-site.


Beam finishes are available in Low-Pressure Laminate, High-Pressure Laminate, and Open Line laminate. When specifying a woodgrain laminate, the grain will run horizontal.



Beam covers come standard. There are two covers per beam. These can be lifted for wire management. Covers have a notch at each end to allow cable pass through. The notch is $2\frac{1}{2}$ " x $5\frac{1}{2}$ ". Beam covers are available in paint only.



Pivot cups house the rear leg of height-adjustable desk. These cups are to be placed only at the end of the beam. All cups are $6\frac{1}{2}$ "W x 4"H. Single sided cups are available in right and left-handed options. Each beam cup is equipped with stops that allow the desk to rotate 20° left and right from center (40° travel).



Pivot cups are centered on the beam joint and always extend away from the end of the beam. The bottom plate on the cup foot is flush with the end of the beam.


Cups cannot be placed at the center of the beam.

Levelers come with cups to accommodate leveling on-site.

Beam Configurations


When planning beam configurations, take into account the end conditions associated with each configuration.

The end beam has one fully finished end (to be used at end-of-run) and one pass through end (with power and data opening and exposed hardware). The pass through beam has pass through ends on both ends of the beam. The standalone beam has finished ends on both sides.



Single desk application

When using a single height-adjustable desk, the beam width must equal the desk width, left and right from center (40 travel).




Two desk application

When two or more height-adjustable desks are mounted to a single beam, there is no restriction on beam length.

Pivot, continued

Product Details

Pivot Curved Screen



Pivot curved screens come with three mounting brackets per screen. The style number includes both left- and right-hand screens.

Fabric is applied in the horizontal direction. Due to size of the screen, a vertical application is not permitted.


Curved screens provide 10¼" of privacy above the mounted surface and 4¾" of modesty below the worksurface.

Screen fabric is selected for the inner (desk face) side and outer side of the screen.

Curved screen is mounted with 1¼" cord drop on the back of the worksurface.

Product Details

Wire Manager and Wire Clips



Pivot wire manager is 17½"W x 10¼"D x 4¾"H and is only available in black.


If desired, the wire manager is to be field installed on the underside of the worksurface on the left-hand side. Right hand wire managers are available through Specials.

Wire managers come in packs of 10.




Wire clips come in a quantity of six and help with cord management on the underside of the worksurface.

Pivot 2-Circuit Modular Power



Hardwire infeeds are installed under the hollow beam. Infeeds are available with standard power, New York power, or San Francisco power, and are available with or without PVC.


Receptacle kits provide two receptacles per beam (maximum power available per beam). Receptacles are available in circuit 1 (with or without circuit control) or circuit 2 (with or without circuit control).




One hardwire infeed (SBPWRINF4T) is required per run.



Wire clips (999CHT) come in a six pack and help tie cords to the underside of the worksurface.



Jumper cables (TS8P2H) are required to connect power between runs. See table for recommended jumper lengths.




One receptacle kit (SBPWRREC4T) is required in each power beam.

Jumper Cable Required

Beam-Beam	Length	
36"-36"	36"	Use 48" Jumper
36"-48"	42"	Use 48" Jumper
36"-60"	48"	Use 48" Jumper
48"-48"	48"	Use 48" Jumper
36"-66"	51"	Use 60" Jumper
36"-72"	54"	Use 60" Jumper
48"-60"	54"	Use 60" Jumper
48"-66"	57"	Use 60" Jumper
48"-72"	60"	Use 60" Jumper
60"-60"	60"	Use 60" Jumper
60"-66"	63"	Use 72" Jumper
60"-72"	66"	Use 72" Jumper
66"-66"	66"	Use 72" Jumper
66"-72"	69"	Use 72" Jumper
72"-72"	72"	Use 72" Jumper


Pivot, continued

Pivot 4-Circuit Modular Power




Hardwire infeeds are installed under the hollow beam. Infeeds are available with standard power, New York power, or San Francisco power, and are available with or without PVC.


Receptacle kits provide two receptacles per beam (maximum power available per beam). Receptacles are available in circuit 1 (with or without circuit control) or circuit 2 (with or without circuit control).



One hardwire infeed (SBPWRINF8T) is required per run.




Two receptacle blocks (TS8PRD) are required in each power beam.



Jumper cables (TS8P2H) are required to connect power between runs. See table for recommended jumper lengths.



Wire clips (999CHT) come in a six pack and help tie cords to the underside of the worksurface.




One power block kit (SBPWRB8T) is required in each power beam.

Jumper Cable Required


Beam-Beam	Length	
36"-36"	36"	Use 48" Jumper
36"-48"	42"	Use 48" Jumper
36"-60"	48"	Use 48" Jumper
48"-48"	48"	Use 48" Jumper
36"-66"	51"	Use 60" Jumper
36"-72"	54"	Use 60" Jumper
48"-60"	54"	Use 60" Jumper
48"-66"	57"	Use 60" Jumper
48"-72"	60"	Use 60" Jumper
60"-60"	60"	Use 60" Jumper
60"-66"	63"	Use 72" Jumper
60"-72"	66"	Use 72" Jumper
66"-66"	66"	Use 72" Jumper
66"-72"	69"	Use 72" Jumper
72"-72"	72"	Use 72" Jumper

Thought Starter



Workstation Quantity	Style Number	Description
1	SBWMCHA	Wire manager
2	SBBEAMCHAE	Beam end
3	SBBEAMCUP2	Pivot cup, dual
6	SBCRVSCRCHA	Curved screen
6	SBFLXSWC3	Pivot, height-adjustable desk, basic height
2	SBPWRREC4T	Receptacle kit
1	SBPWRINF4T	2 Circuit hardwire infeed
1	TS8P2H	Jumper cable

Pivot Height-Adjustable Desks



▶ Need help?
Product details,
page 16

Standard Includes

- Worksurface: High-Pressure Laminate
- Edge: plastic
- Base: textured paint
- Electric height-adjustable sit-to-stand base: basic height
- Power, if selected: standard
- Simple touch controller

Required to Specify


- 1 Style number
 - 2 Laminate color number for worksurface
 - 3 Plastic color number for edge
 - 4 Paint color number for base
 - 5 Power type (see below under Required Selections)
 - 6 Controller (see below under Required Selections)
 - 7 Options, if selected (see below)
- ▶ See *Surface Materials*, page 34.

	Required Selections	U.S. Price	Required to Specify
Power Type	<ul style="list-style-type: none"> • No power • Standard power • San Francisco power • New York power 	No cost No cost +\$ 200 +\$ 402	Specify <i>with no power</i> . Specify <i>with standard power</i> . Specify <i>with San Francisco power</i> . Specify <i>with New York power</i> .
Controller	<ul style="list-style-type: none"> • Simple touch controller • Active touch controller 	No cost +\$ 80	Specify <i>with simple touch controller</i> . Specify <i>with active touch controller</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	Worksurface <ul style="list-style-type: none"> • High-Pressure Laminate price group 1 • High-Pressure Laminate price group 2 • High-Pressure Laminate price group 3 • Open Line laminate 	No cost +\$ 36 +\$ 69 +\$ 111 plus cost of laminate	Specify laminate color number. Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
	Base <ul style="list-style-type: none"> • Textured paint <ul style="list-style-type: none"> – 7207 Black – 7243 Seagull – 7360 Merle • Smooth metallic <ul style="list-style-type: none"> – 4799 Platinum Metallic 	No cost No cost No cost +\$ 24	Specify <i>with 7207 Black</i> . Specify <i>with 7243 Seagull</i> . Specify <i>with 7360 Merle</i> . Specify <i>with 4799 Platinum Metallic</i> .
Power Configuration	<ul style="list-style-type: none"> • Underworksurface only • Underworksurface clamp with USB A+C • Underworksurface clamp with USB C 	+\$ 550 +\$ 902 +\$1247	Specify <i>with underworksurface only</i> . Specify <i>with underworksurface with USB A+C</i> . Specify <i>with underworksurface with USB-C</i> .
Power Cord	<ul style="list-style-type: none"> • 10' standard cord • 10' braided cord 	No cost +\$ 80	Specify <i>with 10' standard cord</i> . Specify <i>with 10' braided cord</i> .
PVC	<ul style="list-style-type: none"> • With PVC • Non-PVC 	No cost +\$ 37	Specify <i>with PVC</i> . Specify <i>with non-PVC</i> .
Related Products	<ul style="list-style-type: none"> • Pivot beams • Pivot cups • Pivot screen • Pivot 2 circuit power • Pivot 4 circuit power 		▶ Page 24 ▶ Page 26 ▶ Page 27 ▶ Page 28 ▶ Page 30

Specification Information

Dimensions		Style Number	U.S. Base Price
W	H		
60"	27½"-47"	SBFLXSWC3	\$2398
66"	27½"-47"	SBFLXSWC3	\$2579
72"	27½"-47"	SBFLXSWC3	\$2624




Pivot Beams

	Standard Includes	Required to Specify
▶ Need help? Product details, page 17	<ul style="list-style-type: none"> • Case: Low-Pressure Laminate price group 1 • Cover: paint price group 1 • Edge: plastic • Leveling glides 	<ol style="list-style-type: none"> 1 Style number 2 Laminate color number for case 3 Paint color number for cover 4 Plastic color number for edge 5 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 34.</p>

	Options	U.S. Price	Required to Specify
Surface Materials	Case		
	<ul style="list-style-type: none"> • Low-Pressure Laminate price group 1 • High-Pressure Laminate price group 1 • High-Pressure Laminate price group 2 • High-Pressure Laminate price group 3 • Open Line laminate 	<p>No cost</p> <p>+\$284</p> <p>+\$319</p> <p>+\$351</p> <p>+\$111 plus cost of laminate</p>	<p>Specify laminate color number.</p> <p>Specify laminate color number.</p> <p>Specify laminate color number.</p> <p>Specify laminate color number.</p> <p>▶ See <i>Surface Materials Reference Manual</i>.</p>
	Cover		
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	<p>No cost</p> <p>+\$ 17</p> <p>+\$ 37</p>	<p>Specify paint color number.</p> <p>Specify paint color number.</p> <p>Specify paint color number.</p>
Related Products	<ul style="list-style-type: none"> • Pivot height-adjustable desks • Pivot cups • Pivot screen • Pivot 2 circuit power • Pivot 4 circuit power 		<p>▶ Page 22</p> <p>▶ Page 26</p> <p>▶ Page 27</p> <p>▶ Page 28</p> <p>▶ Page 30</p>

Specification Information				
• Dimensions	• Style			• U.S. Base Price
	D	W	H	
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•



Tip: The beam end has one fully finished end, to be used at end of a run, and one pass through end with power and data opening and exposed hardware.

End Beam				
Dimensions	Style Number	U.S. Base Price		
8" x 36" x 15¾"	SBBEAMCHAE	\$ 751		
8" x 48" x 15¾"	SBBEAMCHAE	\$ 816		
8" x 60" x 15¾"	SBBEAMCHAE	\$ 951		
8" x 66" x 15¾"	SBBEAMCHAE	\$1049		
8" x 72" x 15¾"	SBBEAMCHAE	\$1156		

▶ Specifying Information, continued on next page


► Specifying Information, continued from previous page

Specification Information

Dimensions			Style	U.S.
D	W	H	Number	Base Price

Pass Through Beam


8"	36"	15¾"	SBBEAMCHAPT	\$ 751
8"	48"	15¾"	SBBEAMCHAPT	\$ 816
8"	60"	15¾"	SBBEAMCHAPT	\$ 951
8"	66"	15¾"	SBBEAMCHAPT	\$1049
8"	72"	15¾"	SBBEAMCHAPT	\$1156
:	:	:	:	:



Tip: The pass through beam end has two ends with power and data opening and exposed hardware.

Standalone Beam

8"	60"	15¾"	SBBEAMCHASA	\$ 951
8"	66"	15¾"	SBBEAMCHASA	\$1049
8"	72"	15¾"	SBBEAMCHASA	\$1156
:	:	:	:	:



Tip: The standalone beam end has two fully finished ends.



Pivot Cups

Standard Includes	Required to Specify
-------------------	---------------------

<ul style="list-style-type: none"> ▶ Need help? Product details, page 17 	<ul style="list-style-type: none"> • Pivot cup - single or dual sided: paint price group 1 • Leveling glides 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for cup 3 Handedness, if single sided cup is selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 34.
---	--	---

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$24 +\$52	Specify paint color number. Specify paint color number. Specify paint color number.
Handedness	<ul style="list-style-type: none"> • Left-hand • Right-hand 	No cost No cost	Specify <i>with left-hand</i> . Specify <i>with right-hand</i> .
Related Products	<ul style="list-style-type: none"> • Pivot height-adjustable desks • Pivot beams • Pivot screen • Pivot 2 circuit power • Pivot 4 circuit power 		<ul style="list-style-type: none"> ▶ Page 22 ▶ Page 24 ▶ Page 27 ▶ Page 28 ▶ Page 30

Specification Information				
Dimensions			Style	U.S.
D	W	H	Number	Base Price



.
.

Pivot Cup, Single Sided

14 ³ / ₄ "	6 ¹ / ₂ "	4"	SBBEAMCUP1	\$227
.


Pivot Cup, Dual Sided

21 ¹ / ₂ "	6 ¹ / ₂ "	4"	SBBEAMCUP2	\$300
.



Pivot 2-Circuit Power

2 Circuit Hardwire Infeed




Tip: One hardwire infeed is required per run of beams.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 19	<ul style="list-style-type: none"> • 2 circuit power infeed • Power: standard • With PVC 	<ol style="list-style-type: none"> 1 Style number 2 Power type (see below under Required Selections) 3 PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Power Type	<ul style="list-style-type: none"> • Standard • San Francisco 	No cost +\$200	Specify with standard power. Specify with San Francisco power.
PVC	<ul style="list-style-type: none"> • With PVC • Non-PVC 	No cost +\$ 37	Specify with PVC. Specify with non-PVC.

Specification Information	
• Style Number	• U.S. Base Price
SBPWRINF4T	\$218

2 Circuit Receptacle Kit




Tip: One receptacle kit is required in each powered beam.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 19	<ul style="list-style-type: none"> • 2 circuit receptacle kit 	<ol style="list-style-type: none"> 1 Style number 2 Circuit control 1 (see below under Required Selections) 3 Circuit control 2 (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Circuit Control 1	<ul style="list-style-type: none"> • Circuit 1 without circuit control • Circuit 1 with circuit control 	No cost No cost	Specify with circuit 1 without circuit control. Specify with circuit 1 with circuit control.
Circuit Control 2	<ul style="list-style-type: none"> • Circuit 2 without circuit control • Circuit 2 with circuit control 	No cost No cost	Specify with circuit 2 without circuit control. Specify with circuit 2 with circuit control.

Specification Information	
• Style Number	• U.S. Price
SBPWRREC4T	\$160

Jumper Cable



Tip: One jumper cable is required for each beam to beam connection.

Tip: Specify a longer jumper cable to extend through a non-powered pass through beam into the next powered beam.

Tip: Jumper cables are used to connect power from beam to beam.

► *See table on recommended beam lengths on pages 19 and 20.*

Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|---|----------------|---------------------------------|
| ► Need help?
Product details,
page 19 | • Jumper cable | 1 Style number
2 Cord length |
|---|----------------|---------------------------------|


Specification Information													
Style Number	Infeed Length	U.S. Prices											
		48"L	54"L	60"L	67"L	72"L	84"L	102"L	114"L	122"L	132"L	138"L	144"L

TS8P2H		\$101	\$101	\$116	\$116	\$130	\$145	\$146	\$159	\$236	\$236	\$236	\$236
		:	:	:	:	:	:	:	:	:	:	:	:

Pivot

Pivot 4-Circuit Power

4 Circuit Hardwire Infeed




Tip: One hardwire infeed is required per beam.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 20	<ul style="list-style-type: none"> 4 circuit power infeed Power: standard With PVC 	<ol style="list-style-type: none"> Style number Power type (see below under Required Selections) PVC option (see below under Required Selections) Wiring schematic (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Power Type	<ul style="list-style-type: none"> Standard San Francisco 	No cost +\$200	Specify with standard power. Specify with San Francisco power.
PVC	<ul style="list-style-type: none"> With PVC Non-PVC 	No cost +\$ 37	Specify with PVC. Specify with non-PVC.
Wiring Schematic	<ul style="list-style-type: none"> 2+2 3+1 3 separate neutrals 	No cost No cost No cost	Specify with 2+2 power. Specify with 3+1 power. Specify with 3 separate neutrals.

Specification Information	
Style Number	U.S. Base Price
SBPWRINF8T	\$180

4 Circuit Power Block Kit




Tip: Two receptacles are required for each power block kit.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 20	<ul style="list-style-type: none"> 4 circuit power block kit With PVC 	<ol style="list-style-type: none"> Style number PVC (see below under Required Selections) Wiring schematic (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
PVC	<ul style="list-style-type: none"> With PVC Non-PVC 	No cost +\$37	Specify with PVC. Specify with non-PVC.
Wiring Schematic	<ul style="list-style-type: none"> 2+2 3+1 3 separate neutrals 	No cost No cost No cost	Specify with 2+2 power. Specify with 3+1 power. Specify with 3 separate neutrals.

Specification Information	
Style Number	U.S. Base Price
SBPWRB8T	\$60

4 Circuit Receptacle Block



Tip: One receptacle block is required for each powered beam.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 20	<ul style="list-style-type: none"> • One receptacle • Receptacle: plastic • Ground: system • Amp: 15 amp • No control stamp 	<ol style="list-style-type: none"> 1 Style number 2 Plastic color number for receptacle 3 Wiring schematic (see below under Required Selections) 4 Line number (see below under Required Selections) 5 Ground type (see below under Required Selections) 6 AMP type (see below under Required Selections) 7 Control stamp 8 Options if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Wiring Schematic	<ul style="list-style-type: none"> • 2+2 • 3+1 • 3 separate neutrals 	<p>No cost</p> <p>No cost</p> <p>No cost</p>	<p>Specify with 2+2 power.</p> <p>Specify with 3+1 power.</p> <p>Specify with 3 separate neutrals.</p>
Line Number	<ul style="list-style-type: none"> • 1 • 2 • 3 • 4 	<p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p>	<p>Specify with line 1.</p> <p>Specify with line 2.</p> <p>Specify with line 3.</p> <p>Specify with line 4.</p>
Ground Type	<ul style="list-style-type: none"> • System • Isolated 	<p>No cost</p> <p>+\$26</p>	<p>Specify with system.</p> <p>Specify with isolated.</p>
AMP Type	<ul style="list-style-type: none"> • 15 amp • 20 amp 	<p>No cost</p> <p>+\$50</p>	<p>Specify with 15 amp.</p> <p>Specify with 20 amp.</p>

	Options	U.S. Price	Required to Specify
Surface Materials	Receptacle <ul style="list-style-type: none"> • 6000 Black • 6009 Arctic White • 6249 Platinum Solid • 6527 Merle • 6651 Tungsten • 6652 Titanium • 6654 Sand • 6697 Fog • 6B03 Red 	<p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p> <p>No cost</p>	<p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p> <p>Specify color number.</p>
Controlled Stamp	<ul style="list-style-type: none"> • No stamp • Controlled stamp 	<p>No cost</p> <p>+\$ 3</p>	<p>Specify with no stamp.</p> <p>Specify with controlled stamp.</p>

Specification Information	
Style Number	U.S. Base Price
TS8PRD	\$68

Pivot


Wire Manager and Clips

Wire Clips



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 18 	<ul style="list-style-type: none"> • Wire clips, pack of 6 	Style number
Specification Information		
Style Number	U.S. Price	
999CHT	\$118	

Wire Managers



Tip: The wire manager is specific to the Pivot height-adjustable desk. If specified, it is to be installed on the left-hand underside of the worksurface.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 18 	<ul style="list-style-type: none"> • Wire manager, pack of 10 	Style number
Specification Information		
Style Number	U.S. Price	
SBWMCHA	\$1348	

Surface Materials

Surface Materials	34
Understanding Customer's Own Materials (COM)	38

Surface Materials

Paint

Applies to:

- Companion undermount storage
- Stow hook
- Pivot

Smooth Paint

- 4238 Mocha
- 4239 Clay
- 4240 Chalk
- 4242 Milk Smooth
- 4710 Low Gloss Black

Textured Paint

- 7207 Black
- 7225 Sand
- 7237 Slate
- 7238 Fieldstone
- 7241 Arctic White
- 7243 Seagull
- 7250 Sterling Dark Solid
- 7360 Merle

Price Group 2

Accessory Paint

- 4140 Arctic White Gloss
- 4144 Black Gloss

Smooth Paint

- 4700 Warm White

Smooth Metallic Paint

- 4750 Champagne Metallic
- 4799 Platinum Metallic
- 4803 Near Black Metallic

Price Group 3

Accent Paint

- 1ATG Rose Quartz
- 4AV3 Blue Jay
- 4AV4 Baltic
- 4AX1 Citron
- 4AY2 Chili
- 4AZ5 Marlin
- 4CL1 Dark Olivine
- 4CL2 Ice Blue
- 4CL3 Aura
- 4CL4 Sea Glass
- 4CL5 Light Matcha
- 4CL6 Terra
- 4CL7 Sandstone
- 4CL8 Smokey Plum
- 4CZ5 Honey
- 4CZ6 Lagoon

Lux Coatings

- 4B20 Obsidian
- 4B22 Matte Brass
- 4B23 Burnishes Bronze
- 4B24 Night Bronze
- 4B25 Matte Copper
- 4B26 Smoked Mica
- 4B29 Cast Iron

Plastic

Applies to:

- Pivot
- 6000 Black
- 6001 Coffee **E**
- 6009 Arctic White
- 6034 Natural Cherry
- 6036 Medium Cherry
- 6037 Winter on Maple
- 6038 Blonde on Maple **E**
- 6041 Natural Walnut **E**
- 6052 Milk
- 6053 Seagull

Applies to:

- Companion undermount storage
- Pivot
- 6169 Stone
- 6170 Mocha
- 6271 Plywood
- 6527 Merle
- 6034 Natural Cherry
- 6036 Medium Cherry
- 6037 Winter on Maple
- 6038 Blonde on Maple
- 6041 Natural Walnut
- 60AL Scarlet
- 60UB Burnished Bronze
- 61AA Persian Salt
- 61AB Rose
- 61AC Indigo
- 61AD Green Citrine **E**
- 61AE Dark Olivine
- 61AF Cloudy
- 6213 Acacia
- 6219 Clear Oak
- 6231 Graphite Walnut
- 6237 Clear Maple
- 6242 Virginia Walnut
- 6243 Blackwood
- 6245 Clear Walnut
- 66WA Grey Kingswood
- 66WB Planked Walnut
- 66WD Resolute Walnut
- 66WE Natural Recon
- 66WF Smoked Walnut
- 66WU Clay
- 66WV Chalk
- 6703 Ash Wenge
- 6704 Storm Wenge
- 6705 Bisque Wenge
- 6706 Clay Wenge
- 6707 Ash Noce **E**
- 6708 Bisque Noce **E**
- 6709 Clay Noce **E**
- 6710 Storm Noce
- 6T02 Fawn Cypress
- 6T04 Saddle Oak
- 6T05 Veranda Teak
- 6T07 Walnut Heights
- 6T08 Aggregate
- 6T09 Gravel
- 6T10 Cement
- 6T12 Sheetrock

High-Pressure Laminate

Applies to:

- Companion undermount storage
- Pivot

Price Group 1

Fiber Laminate

- 2850 Vanadium Fiber
- 2854 Vellum Fiber **E**
- 2860 Granite Fiber
- 2862 Stucco Fiber **E**

Micro Laminate

- 2920 Marl Micro
- 2921 Gypsum Micro
- 2922 Clay Micro

Patina Laminate

- 2870 Blonde Bronze Patina
- 2873 Instant Iron Patina

Solid Laminate

- 2722 Cream **E**
- 2730 Arctic White
- 2746 Black
- 2811 Mist **E**
- 2883 Seagull
- 2884 Milk
- 2885 Dune
- 2HAA Persian Salt
- 2HAB Rose
- 2HAC Indigo
- 2HAD Green Citrine **E**
- 2HAE Dark Olivine
- 2HAF Cloudy
- 2HMG Merle

Speckle Laminate

- 2820 Coffee Speckle **E**
- 2823 Driftwood Speckle
- 2824 Smoke Speckle
- 2825 Vanadium Speckle

Woodgrain Laminate

- 2406 Clear Cherry **E**
- 2409 Clear Maple
- 2410 Graphite Walnut
- 2412 Natural Cherry **E**
- 2422 Medium Cherry **E**
- 2511 Winter on Maple
- 2535 Virginia Walnut
- 2536 Blackwood
- 2538 Clear Walnut
- 2592 Blonde on Maple **E**
- 2714 Natural Walnut **E**
- 2HAK Clear Oak
- 2HAN Ash Noce
- 2HAT Acacia
- 2HAW Ash Wenge
- 2HBN Bisque Noce
- 2HBW Bisque Wenge
- 2HCN Clay Noce
- 2HCW Clay Wenge
- 2HSN Storm Noce
- 2HSW Storm Wenge
- 2HWA Grey Kingswood
- 2HWB Planked Walnut
- 2HWD Resolute Walnut
- 2HWE Natural Recon
- 2HWF Smoked Walnut **E**
- 2HWU Clay
- 2HWW Chalk

Price Group 2

Textured Laminate

- 2TH2 Fawn Cypress
- 2TH4 Saddle Oak
- 2TH5 Veranda Teak
- 2TH7 Walnut Heights
- 2UH1 Reclaimed Aggregate
- 2UH2 Reclaimed Gravel
- 2UH4 Cement
- 2UH6 Sheetrock

Price Group 3

Solid Laminate

- 24H1 Satin White
- 24H2 Satin Black
- 24H3 Satin Stone
- 24H4 Satin Mocha

Low-Pressure Laminate

Applies to:

- Pivot beams only

Fiber Laminate

- 2L50 Vanadium Fiber

Solid Laminate

- 247L Black Version 2
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2L85 Dune
- 2LMG Merle
- 2LWT Moonstone

Woodgrain Laminate

- 24L0 Graphite Walnut
- 25L1 Winter on Maple **E**
- 25L5 Virginia Walnut
- 25L6 Blackwood
- 25L8 Clear Walnut
- 26L1 Natural Cherry Version 2
- 2L09 Clear Maple
- 2LAK Clear Oak
- 2LAN Ash Noce
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LBN Bisque Noce
- 2LCN Clay Noce
- 2LCW Clay Wenge
- 2LSN Storm Noce
- 2LSW Storm Wenge
- 2LWA Grey Kingswood
- 2LWB Planked Walnut
- 2LWD Resolute Walnut
- 2LWF Smoked Walnut **E**
- 2LWG Natural Recon
- 2TL2 Fawn Cypress

E = Excluded

Custom Surfaces**Open Line Laminate (OLL)**

This service allows you to order non-standard laminate at an additional processing fee of \$111 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line Laminate, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

- Visit www.steelcase.com

For additional information, refer to the *Steelcase Surface Materials Reference Manual*.

Applies to:

- Companion undermount storage

Veneer**Wood Group 1****Flat-Cut Open-Pore**

- 3062 FC/OP Graphite Walnut
- 3402 FC/OP Clear Cherry (Aged)
- 3412 FC/OP Natural Cherry
- 3422 FC/OP Medium Cherry
- 3522 FC/OP Clear Maple **E**
- 3592 FC/OP Blonde On Maple **E**
- 3702 FC/OP Clear Walnut
- 3712 FC/OP Natural Walnut
- 3752 FC/OP Medium Walnut
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany On Walnut
- V1AC FC/LS Natural (Raw) Cherry
- V1AM FC/LS Clear Maple
- V1CC FC/LS Medium Amber Cherry
- V1EW FC/LS Dark Walnut

Flat-Cut Open-Pore, Natural Veneer

- 3342 FC/OP Black Walnut
- 35A2 FC/OP Blanch Maple
- 37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore

- 3042 QC/OP Ash **E**
- 3222 QC/OP Clear Maple
- 3292 QC/OP Blonde On Maple **E**
- 3302 QC/OP Clear Walnut
- 3312 QC/OP Natural Walnut
- 3352 QC/OP Medium Walnut **E**
- 3362 QC/OP Dark Walnut
- 3372 QC/OP Medium Mahogany On Walnut
- 3382 QC/OP Graphite Walnut
- 3F8X QC/OP European Walnut Composite
- 3GGX QC/OP Zebrano Composite
- 3HGX QC/OP Oak Composite
- 3HVX QC/OP Walnut Composite
- 3ZNX QC/OP Night Cerused Oak

Quarter-Cut Open-Pore, Natural Veneer

- 32A2 QC/OP Blanch Maple
- 33A2 QC/OP Thunder Walnut
- 3392 QC/OP Black Walnut

Open-Pore Planked Veneer

- 3VFX OP Unmarked Oak
- 3P41 OP Planked Cherry
- 3P51 OP Planked Maple
- 3P61 OP Planked Oak
- 3P71 OP Planked Walnut

Rift-Cut Open-Pore

- 3602 RC/OP Desert Oak

Rift-Cut Open-Pore, Natural Veneer

- 36A2 RC/OP Volcanic Oak

Wood Group 3**Flat-Cut Open-Pore, Natural Veneer**

- 3082 FC/OP Washed Walnut

Quarter-Cut Open-Pore, Natural Veneer

- 3832 QC/OP Figured Anegre

Full-Fill**Wood Group 3**

- Flat-Cut Full-Fill, Natural Veneer
- 3084 FC/FF Washed Walnut **E**

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesce standard finishes, for a low-gloss finish request on a standard color, or for composite stain matching to Steelcase wood seating). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

Tip: Due to natural variation of woodgrain color and texture, the match between composite veneers and composite stain color finishes will be a commercially acceptable match, rather than an exact match.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual.

E = Excluded

Surface Materials, continued

Applies to: Pivot curved screen only

Fabric**Price Group 1****Abacus** 

P123 Portico
P124 Opus
P125 Cusp

Alloy

P527 Bubbly
P529 Shore
P530 Asti
P531 Silver
P532 Oxide
P533 Element
P534 Construct
P535 Currency
P536 Iron

Boccie

P200 New Rice
P201 New Almond
P203 New Camel
P204 New Opal
P205 New Mist
P206 New Plum
P208 New Spearmint
P209 New Sky

Buzz2

5F03 Tomato
5F04 Red 
5F05 Burgundy
5F06 Sky 
5F07 Blue
5F08 Navy
5F15 Stone
5F16 Grey
5F17 Black
5G50 Dunegrass
5G51 Sable
5G55 Pumpkin
5G57 Rouge
5G59 Meadow
5G61 Cyan
5G62 Atlantic
5G63 Crocus
5G64 Alpine
5G65 Tornado

Charm

P507 Birch
P510 Debut
P511 Clover
P513 Twilight

Link

5A24 Blue
5A25 Navy
5A27 Black

Optic

P540 Hazel
P542 Orion
P548 Whisper
P549 Breezy
P551 Glimmer

Pianista

P421 Mist
P422 Rain
P423 Natural
P424 Cafe
P425 Denim
P426 Carbon
P427 Stone
P429 Oat
P430 Wheat
P431 Maize

Rhythm

P555 Allegro
P556 Tempo
P557 Refrain
P560 Melody
P562 Opus

Price Group 2**Bariolage**

G200 New Etude
G201 New Andante 
G202 New Cantata 
G203 New Adagio
G204 New Melody
G205 New Ballata

Cogent: Connect

5S15 Coconut
5S16 Turmeric (Honey)
5S17 Tangerine
5S18 Scarlet
5S19 Concord
5S21 Blue Jay
5S23 Wasabi
5S24 Nickel
5S25 Graphite
5S26 Licorice
5S27 Malt
5S28 Root Beer
5S93 Indigo (Blueprint)
5S94 Lizard (Jungle)
5S95 Sailor
5S96 Quicksilver
5S99 Lipstick (Merlot)
5SD0 Royal Blue
5SD1 Aubergine
5SD2 Peacock
5SD3 Lagoon
5SD4 Saffron
5SD5 Citrine
5SD6 Rose Quartz
5SD7 Sea Salt
5SF3 Storm Cloud
5SF4 Olivine

Dovetail by Designtex

5H39 Light Mocha
5H40 Pebble
5H41 Warm White
5H42 Sandstone
5H43 Honeycomb
5H44 Terra
5H45 Honeydew
5H46 Denim
5H47 Storm
5H48 Ice Blue
5H49 Aura
5H50 Darkest Grey

Fresco

G001 Sandrift
G002 Mistibu
G003 Faon

Intersection

P211 Summit
P212 Chalk
P213 Lace

Latch

P600 Seashell
P602 Eggshell
P604 Cool Gray
P605 Armor
P606 Sentinel
P608 Billow
P609 Nimbus

Flip: Orbit

5F85 Mud Pie
5F87 Petoskey
5F89 Papyrus
5F91 Blizzard
5F92 Briquette

SoftNext

5H27 Obsidian
5H28 Foggy Night
5H29 Greystone
5H30 Mocha
5H31 Clay
5H32 Sandstone
5H33 Chalk
5H34 Midnight
5H35 Blue Mica
5H36 Jade
5H37 Burnt Umber
5H38 Cinnabar

Stencil

P455 Midnight
P456 Mulberry
P457 Cracked Pepper
P458 Denim
P459 Chartreuse
P460 Bittersweet
P461 Mauvelous
P462 Bermuda
P463 Concrete
P464 Orchid
P465 Parchment
P466 Silk
P467 Sea Salt
P468 Honeydew
P469 Sepia

Flip: TexHex

5F75 Mud Pie
5F77 Petoskey
5F79 Papyrus
5F97 Blizzard
5F98 Briquette

Price Group 3**Billiard: Multi-Use by Designtex**

5H11 Poppy
5H12 Tangelo
5H13 Citrine (Citron)
5H14 Avocado
5H16 Indigo
5H17 Mallard
5H18 Teak
5H19 Cumulus
5H20 Pewter
5H21 Gunmetal
5H22 Ink
5H23 Rose Quartz
5H24 Sea Salt
5H25 Storm Cloud
5H26 Olivine

 = Excluded

Understanding Customer's Own Material (COM)

The Customer's Own Material (COM) program allows customers to select textiles that are not offered through the standard Surface Materials program.

The COM process consists of seven steps: COM website, Testing/Approval, Steelcase to Purchase Service, Pricing, Cutting Direction, Yardage Requirements, and the Purchase Orders.

COM Application Testing or "approved for application" means the COM fabric has been reviewed for manufacturability using the standard manufacturing techniques to achieve acceptable appearance per Steelcase quality standards.

COM fabric performance, including durability, pilling, color fastness, stretch, splitting, fraying, etc. is not tested by Steelcase. Therefore, COMs are not covered by the Steelcase Warranty. Each COM vendor is responsible for all warranty claims related to fabric performance.

Steelcase reserves the right to reject or reverse any COM approval that does not meet the manufacturing requirements in actual production. COM approval may be rejected or reversed because not all application testing is based on actual production conditions and because some materials vary in fabrication.

- If the COM is approved, you may continue the order process.
- If the COM has failed, you must reselect a fabric.
- If the COM is not listed, that means Steelcase has not tested that fabric on our products.

Helpful hint: Foundation vinyl does not require testing. Customer's own vinyl is available on all seating products that accept Steelcase standard vinyl.

- If your material has not been tested, then send yardage (4.5 yards for seating, 2 yards for vertical surfaces) and submit a completed COM Application Testing Request form to:

Steelcase, Inc.
Attn: COM Test Lab
Test Request #*
Door 630
901 44th St SE
Grand Rapids, MI 49508

**To avoid delays in receiving, please include the test request number on the shipping label.*

- To ensure rapid processing, please use the electronic COM Application Testing Request form found on the COM website under the "How To Test" tab **or** fax a copy of the COM Testing Request form from the *Surface Materials Reference Manual* to 616.698.4700. **All information on the form is required in order to complete testing. COM tests cannot be performed if information is incomplete. Contact your requested fabric vendor for any missing information.**
- Test results will be returned (by fax or e-mail) in four working days from receipt of fabric and completed form.

COM materials that are approved for application to panel systems might require UL approval after application test approval. UL approval does involve fees and extended lead times.

All vertical surface COMs tested and approved with a content of 100% polyester meet a minimum of class C/UL1286. If class A or B fire rating is indicated, a burn test must be performed. All vertical surface COMs with a blended fabric construction require a UL burn test. For further UL information, contact a COM Consultant at 616.475.2426.

Steelcase to Purchase Service

The COM program also includes a service to purchase approved COM for our customers for use on products. Steelcase will facilitate the ordering, scheduling and shipment of COM directly from the suppliers. There are no additional charges for this service.

Steelcase is the only party that may purchase COM for all products.

In some instances, not all colors in a fabric family are approved. You will be informed of these instances before Steelcase purchases the fabric.

If for some reason the fabric must be ordered directly from the supplier, contact your Steelcase Solutions Fulfillment Team Representative for approval and instructions prior to purchase. The only time the customer can purchase fabric is for testing.

COM Pricing

- Confirm COM is tested and approved.
- Use the COM price group found under Surface Materials Options within each product specification guide.
- Calculate yardage required by using the COM Calculator found on the COM website at www.steelcase.com.
- Or call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Helpful tip: Fabric width, repeat and product quantity and style number are required in order to calculate yardage accurately.

- Add the cost of the fabric to the COM
- The cost of the COM will be shown as a separate line on the acknowledgement.

COM vendors require fabric purchases in half or full yard increments. Therefore, Steelcase will round all final yardage calculations to the half yard.

Base price of chair includes standard fabrics. Steelcase will not allow credit or deduct the cost of the standard fabric when a COM fabric is selected in its place.

Steelcase cannot be held responsible for costs incurred when a COM supplier ships a COM fabric that does not meet Steelcase application standards or for costs incurred for late deliveries when a COM supplier commits to shipping a COM fabric for manufacturing by a specific date and misses that date.

COM Warranty

Steelcase standard warranty does not apply to Designtex or any other COM vendor's fabric.

- Designtex and other COM suppliers are responsible for color consistency within commercial tolerances, abrasion resistance, UV stability, and resistance to soiling and perspiration. These fabrics or vinyls are subject to policies regarding appearance, behavior, and durability that have been Excluded by the fabric supplier. The customer's remedy for a fabric defect is limited to the replacement of the fabric by the supplier. Durability, performance, and fabric defects of COM fabrics are not guaranteed by Steelcase.

Steelcase cannot guarantee pattern repeat match from product to product. Steelcase also cannot guarantee pattern repeat match within each product listed. (i.e., seat and back, arms to back, etc.)

COM Yardage Requirements

- For the most accurate yardage requirements, visit the Calculator found on the COM website or call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.
- The Calculator on the COM website provides the same yardage requirements used by Steelcase purchasing.

Yardage requirements will change depending on:

- width of fabric
- fabric repeat
- cutting direction
- product style number
- quantity of products being manufactured

- COM vinyl requires upholstering in the railroad cutting direction. Please visit our website or call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com for yardage requirements.
- Certain fabric treatments and backings require additional yardage or yardage minimums. Please contact the supplier for specific information.
- COM fabric vendors require fabric purchases in half- or full-yard increments, and the Steelcase COM calculator will automatically round all final yardage calculations to the half yard.
- Steelcase is the only party who may purchase COMs.




Resources

Locks and Keying	42
Style Number Index	46

Locks and Keying

All locking products are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options. Exception: Individual locking drawers are only available with field-installed locks.



Locks consist of a factory- or field-installed lock cylinder and a factory-installed lock face ring.

Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.


Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR999 (Master keying numbers: XF1001 to XF3000). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

▶ See example at right.

Key Random



Required to Specify

Master key random +\$39 Specify with master key random.

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Tip: For products with optional lock colors, make sure to specify the color for both the lock and lock face ring.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR999 (Master keying numbers: XF1001 to XF3000).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key specific means that you can specify any key number from FR305 to FR999 (Master keying numbers: XF1001 to XF3000). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.

▶ See below.


Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR999 (Master keying numbers: XF1001 to XF3000).

Example of a typical lock cylinder specification is shown below:


10 LOCKFR FR320
5 LOCKFR FR350
15 LOCKXF XF1100

30 Total
1 877102003SR standard lock tool
1 877102002SR master lock tool


Key Random



Key Specific



Key Consecutive



Locks and Keying


Electronic Locks

Digilock Versa Keypad

Electronic locks are Digilock Versa keypad locks and are surface mounted on the Companion undermount storage door, when specified.

These come set to a shared use mode. The user locks with their credential and unlocks with the same credential. Once unlocked, the lock is reset for another user.


Digilock Versa keypad locks are powered by two lithium 2450 batteries.



The programming key and manager key, ordered separately, are required if the electronic lock option is selected.

The programming key is used during installation to pair the manager key to the lock.


The manager key is used to override the lock when a credential is lost or forgotten or the battery loses power. Additional manager keys can be paired at any time. One manager key may be paired to infinite locks; however, each lock may only pair with up to six manager keys.



The user key is ADA compliant and is available for users that require additional assistance in operating the keypad on the lock.

At least one of each programming and manager key is required to initialize and program lockers during installation, but there is no upper limit to the number of keys ordered. For installations of 300 or more locks, a consultation with Digilock Support (support-petaluma@digilock.com) is recommended. The consultation will help plan for key-management scenarios and provide a recommendation for number of keys to manage the installation.

How to Program




1. Insert the programming key. A two-toned beep will be heard and the LED light will start to flash.
2. While the LED light is flashing, insert one manager key at a time. A beep will be heard for each manager key that is programmed.
3. Insert the programming key. A two-toned beep will be heard and the LED light will stop flashing.
4. Repeat previous steps for each lock.

Tip: The locks will arrive in the factory setting. During the process of pairing the manager key(s), the locks will be programmed into the shared setting.

Digilock Keys

Tip: Digilock keys are only for use with the keyless option. If keyless is selected, the programming key and manager key must be specified.

Tip: The manager key and user key are available as accommodations to the locking unit.




Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|--|
| <ul style="list-style-type: none"> • Digilock key • Instructions | <ul style="list-style-type: none"> • Style number |
|--|--|

Specification Information

Style Number	U.S. Price
Programming Key	
DLKPK	\$131
Manager Key	
DLKMK	\$103
User Key for ADA	
DLKUK	\$ 43

Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Tip: You can change lock cylinders in the field by using the appropriate lock tool.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Lock cylinder, keyed random • Two keys 	1 Style number 2 Lock finish 9201 Polished Chrome 9250 Ember Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR999.
Key consecutive	No cost	Specify <i>key consecutive</i> and must select beginning key number from FR305–FR999.
Master key random	+\$39 each	Specify master key random.
Master key specific	+\$39 each	Specify key number from XF1001–XF3000.
Master key consecutive	+\$39 each	Specify <i>master key consecutive</i> and must select beginning key number from XF1001–XF3000.

Specification Information

Style Number	U.S. Base Price

FR Series (Standard Keying System)—Lock Cylinder

LOCKFR	No cost
---------------	---------

Standard Lock Tool

877102003SR	\$39
--------------------	------

XF Series (Master Keying System)—Lock Cylinder

LOCKXF	No additional cost. Price included in price of furniture with master-keyed locks.
---------------	---

Master Lock Tool

877102002SR	\$39
--------------------	------

Style Number Index

Style Number	Page	Description
877102002SR	44	Master Lock Tool
877102003SR	44	Standard Lock Tool
999CHT	32	Wire Clips
DLKMK	43	Digilock Manager Key
DLKPK	43	Digilock Programming Key
DLKUK	43	Digilock User Key for ADA
LOCKFR	44	Lock Cylinder
LOCKXF	44	Lock Cylinder
SBBEAMCHAE	24	Beam End
SBBEAMCHAPT	25	Beam Pass Through
SBBEAMCHASA	25	Beam Stand Alone
SBBEAMCUP1	26	Beam Cup Single Sided
SBBEAMCUP2	26	Beam Cup Dual Sided
SBCRVSCRCHA	27	Curved Screen
SBFLXSWC3	23	Pivot, Desk Height-Adjustable, Basic Height
SBPWRB8T	30	Power, 4 Circuit Power Block Kit
SBPWRINF4T	28	Power, 2 Circuit Hardwire Infeed
SBPWRINF8T	30	Power, 4 Circuit Hardwire Infeed
SBPWRREC4T	28	Power, Receptacle Kit
SBWMCHA	32	Wire Manager
STUSSCA015USTO	10	Undermount-Storage
STUSSCS02BAGHK	11	Stow Hook
TS8P2H	29	Jumper Cable
TS8PRD	31	Blocks Receptacle

Trademark List

™/® The following is a non-exhaustive list of trademarks and registered trademarks for products of Steelcase Inc. or one of its related corporate entities: Agree, Airtouch, Aisla, Alight, Amia, Answer, Apprise, Aspekt, Avenir, Await, B-Free, Ballet, Bassline, Bindu, Bivi, Bix, Bottomline, Brody, Buoy, Cachet, Campfire, Capa, CF Series, CG_1, Chord, Circa, Clipper, Cobi, Collaboration, Convene, Coupe, Cura, Currency, dash, Divisio, Duo, E-Table 2, Edge Series, Elbrook, Elective Elements, Embold, Empath, Everwall, Exponents, Folio, FrameOne, Gesture, Groupwork, Host, Hosu, i2i, Jenny, Kart, Kathryn, Kick, Lagunitas, Leap, Leela, LessThanFive, LiveBack, LiveSeat, Mackinac, Marien152, Max-Stacker, media:scape, Migration, Millbrae, Mineral, Mitra, Montage, Montara650, MoreThanFive, Move, Node, Ocular, Ology, Opus, Paperflo, Passerelle, Player, Pocket, Potrero415, QiVi, Radia, Regard, Relay, Reply, Ripple, Roam, Sarto, Scoop, Sebastopol, Senti Series, Senza, Shortcut, Sidewalk, Siento, Sieste, SILQ, Soffio, Sorrel, SOTO, Steelcase Eclipse, Steelcase Flex, Steelcase Karman, Steelcase Relay, Steelcase Rise, Steelcase Series, Surround, SW_1, Switch, Sync, Tava, Tenor, Think, Thoughtful, Thread, Together, Train, Trees, Turnstone, Umami, Underscore, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, WorkValet, and X-tenz.

™/® The following are trademarks or registered trademarks of AMQ Solutions, LLC: 3F, Activ, Amobi, Bixby, Bodi, Cluvo, Concur, Embank, FL-X, Iline, Jaku, Kinex, Personality Plus, Revi, S-Series, Siya, Tektis, Tizu, Uptake, and Zilo.

™/® The following are trademarks or registered trademarks of Orangebox Ltd., Cardiff, UK: Air3, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirm, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.

™/® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Aleta, Cambio, Designed in The Sun, Foro, Funda, Holy Day, Kelly, Last Minute, Noha, Savina, Sistema, Sistema, Viable, and Wrapp.

® The following are registered brands of Steelcase Inc. and its family of companies: Steelcase, AMQ, Coalesse, Designtex, Halcon, Orangebox, Smith System, and Viccarbe.

® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.

® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.

® The following is a registered trademark of DuPont, Wilmington, DE: Corian.

® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.

® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.

® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.

® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.

® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.

® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.

® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.

® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.

® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.

® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.

® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.

® The following is a registered trademark of Security People, Inc.: Digilock.

® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.

™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.

™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.

™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.

™ The following trademarks are under license from PP Mobler: Bar and Flag Halyard.

™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.

™ The following trademarks are under license from Cambridge Sound Management, LLC Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.

™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

™ The following is a trademark of Clestra Hauserman: IRYS.

™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.

™ The following are trademarks of Polyvision: Accord, a3, e3, Boundri, and Nota.

™ The following is a trademark of Bostock Company, Inc: SnapCab.

™ The following is a trademark of Williams-Sonoma, Inc: West Elm.

™ The following is a trademark of Elena Marquina Testor: nanimarquina.

™ The following is a trademark of Forbo International SA: Forbo.

Trademarks used herein are the property of Steelcase Inc. or their respective owners.