



IM#: 15-0006410

Thread
power distribution

Steelcase



Finally. Power Made Simple.

Thread™ simplifies power distribution, providing power to the devices we use and the places we work.

More Technology. More Power. More Difficulty.

Access to power is one of the most pressing issues employees face in today’s office. A lack of outlets limits media and technology support in rooms and collaborative spaces, while causing employees to seek out inconvenient, uncomfortable places where they can access power—and installing power outlets is costly, inefficient and time-consuming.



PEOPLE NEED TECHNOLOGY

People carry an average of three devices with them to get work done.



TECHNOLOGY NEEDS POWER

Users sacrifice comfort and control for the needs of their devices.



IT'S NOT EASY

Core drilling and trenching are expensive, and damage architecture. A raised floor provides more flexibility, but isn't applicable to all spaces.



Power Hubs are lightweight and portable, so users can bring power to any space, when and where it's needed.



Discreet Power.

With an ultrathin design installed under floor coverings, Thread seamlessly brings power near furniture and users without impacting foot traffic. Dual circuit technology carries power farther from a single source, minimizing the number of lines needed and ensuring a clean aesthetic throughout a space.



Customized Power.



Thread's single and dual circuit technologies bring the most cost-effective power solution to different settings, depending on the floor plan's power needs. Both single and dual technologies offer the flexibility needed to accommodate changing configurations in any space.

SINGLE CIRCUIT



With single circuit technology, power can be distributed throughout simple ancillary and conference spaces.

ANCILLARY APPLICATIONS



ONE-DOOR LOW-PROFILE CONNECTOR COVER



TWO-DOOR LOW-PROFILE CONNECTOR COVER



NEMA MONUMENT CONNECTOR COVER



DUAL CIRCUIT




Dual circuit technology distributes more power with fewer infeeds, ideal for high-power users and larger applications.

RESIDENT APPLICATIONS




FLEX APPLICATIONS



More Power, Shorter Timelines.

Installing Thread is as easy as laying carpet, with modularity that makes it easy to reconfigure. Power can easily be added to new construction or retrofitted into existing spaces.



1
INFEEDS (available as a floor infeed or a wall infeed) do not interfere with traffic or the workplace aesthetic. Add power without core drilling or trenching.

2
TRACKS AND RAMPS create a remarkably thin ($\frac{3}{16}$ ") design that lies under carpet tiles.

TRACKS AND INFILLS create a flat surface, perfect for pairing with resilient flooring materials, such as luxury vinyl tile.

3
CONNECTORS build a grid of power that allows you to accept standard NEMA 3-prong plugs or proprietary ADA-compliant low-profile plugs.


4
POWER HUBS can be located anywhere in the space. Access power at worksurface height or seated height, or use an adapter to access power on the floor. Worksurface-mounted power strips offer another power access option within arm's reach.

STATEMENT OF LINE


PLUG ADAPTER
8 $\frac{3}{4}$ " D x 2" W x 1 $\frac{1}{2}$ " H




POWER HUB
30" and 37 $\frac{1}{8}$ " H x 8" D Available with low-profile plug or NEMA plug



WALL POWER INFEED
Available with ramps or with infills and in single or dual circuit
8" W x $\frac{3}{4}$ " H x 24", 36", 48", 60", 72", 84", 96", 108", 120", 132" and 144" L




With ramps




With infills

FLOOR POWER INFEED
Available with ramps or with infills and in single or dual circuit
8" W x $\frac{3}{4}$ " H x 24", 36", 48", 60", 72", 84", 96", 108", 120", 132" and 144" L




With ramps




With infills


CONNECTORS
Blank Low-Profile: 9 $\frac{1}{2}$ " D x $\frac{3}{4}$ " H
One-Door Low-Profile: 9 $\frac{1}{2}$ " D x $\frac{3}{4}$ " H
Two-Door Low-Profile: 9 $\frac{1}{2}$ " D x $\frac{3}{4}$ " H
NEMA Monument: 9 $\frac{1}{2}$ " D x 2 $\frac{1}{2}$ " H
Tamper-resistant NEMA Monument: 9 $\frac{1}{2}$ " D x 2 $\frac{1}{2}$ " H



POWER TRACK
Available with ramps or with infills
8" W x 15/64" H x 24", 36", 48", 60", 72", 84", 96", 108", 120", 132" and 144" L



With ramps



With infills

POWER STRIP
7 $\frac{7}{16}$ " W x 2 $\frac{1}{16}$ " H x 2 $\frac{3}{4}$ " D
Available with low-profile plug or NEMA plug



SURFACE MATERIALS

Surface materials shown in brochure:

- Merle (plastic, on Hub receptacle faceplate)
- Platinum Solid (paint, on connectors)
- Platinum Metallic (paint, on Power Hubs)
- Stainless Steel (on connectors)

Colors are representative and may vary slightly from actual material.

For further options visit us online.

SUSTAINABILITY

At its heart, sustainability at Steelcase is about people. It's about creating and supporting the economic, environmental and social conditions that allow people and communities to reach their full potential.

Research and insights direct our path. It's not only about creating goods, it's about creating good. It's not only about creating value, it's about living our values. It's not just about reducing our footprint, it's about expanding our reach. It's about creating lasting and meaningful change to enable the long-term wellbeing of current and future generations.

Innovative products and solutions result. In the development of our products, we work to consider each stage of the life cycle: from materials extraction, production, transport, use and reuse, until the end of its life. We demonstrate performance through third-party verified certifications and voluntary product declarations.

Steelcase's sustainability promises, actions, and results are communicated in an annual Corporate Sustainability Report.

This product is PVC free.

Steelcase®

Call 800.333.9939 or visit [Steelcase.com](https://www.steelcase.com)



facebook.com/Steelcase



twitter.com/Steelcase



youtube.com/SteelcaseTV

Item #19-0000421 9/19 ©2019 Steelcase Inc. All rights reserved. All specifications subject to change without notice.
Trademarks used herein are the property of Steelcase Inc. or of their respective owners. Printed in U.S.A. FSC certified.